

---

Subject: new to Paris

Posted by [John Minnella](#) on Tue, 09 Dec 2008 16:23:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I picked up a Paris with a MEC, 442, computer and Control 16. In the Paris software one has to hold down the left mouse button or the menus go away. We are short the 8 pin mini din cable which should be here Friday. Is there some special mouse required or is this a wrinkle in this particular system?

---

---

Subject: Re: new to Paris

Posted by [Wayne](#) on Tue, 09 Dec 2008 17:12:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Welcome aboard J Minnella,

You've now got a DAW with no midi magic but an awesome audio engine. Most folks use software version v3.0 and either Win98 or WinXP. Both have plus's and minuses. Avoid Vista on your Paris machine. It will not work.

I'm happy that you found this newsgroup. Stay connected to this newsgroup. Everything Paris and then some can be learned here. Learn about upgrades, updates and bugs and fixes. These folks are great. I lurk here when I'm at home in my studio. I travel a lot for a week at a time so when I return I've got lot's to catch up on. Take the time and you will be rewarded with knowledge.

On your question. I've been on Paris since it's release in '97 and I still forget at times to hold down the left mouse click when selecting from the menu. It's something that you will get used to. In fact, I think it is more efficient then clicking twice on the menu items. I may be wrong but I believe that this type of action is how MACs work. Anyhow, it's only peculiar in the menu area, that I recall

Paris is a vintage DAW but remains a top notch audio processor even to this day. Get your hands on the owners, or users or reference manual for the software version that you use. Purchase Brian T's instructional DVD and most of all, push your new Paris system to the extreme. The system can give you a wide open, spacious, floating on air vibe or an in your face, pulse pounding rock system. Use the keyboard and mouse shortcuts to really speed up your workflow.

If you can, upgrade your playback system with a DAC and higher end monitors for the full enjoyment of what Paris has for you.

Well, I'm headed out. See you in a week.

Enjoy (I still do),

Wayne

"John Minnella" <minnella@lfe.arizona.edu> wrote in message  
news:493e8d68\$1@linux...

>  
> I picked up a Paris with a MEC, 442, computer and Control 16. In the Paris  
> software one has to hold down the left mouse button or the menus go away.  
> We are short the 8 pin mini din cable which should be here Friday. Is  
> there  
> some special mouse required or is this a wrinkle in this particular  
> system?  
>

---

Subject: Re: new to Paris  
Posted by [Mike Audet](#) on Tue, 09 Dec 2008 17:46:01 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi John,

Welcome aboard!

The 8 pin mini din connection is to use an IF2 (2 in 2 out module) with the card. If you're using a 442 or an MEC, you'd plug the IF 2 into the 442 or MEC for additional inputs and outputs. You shouldn't need a cable. It's attached to the IF2.

Installation under XP still requires some heardles, but it works. Follow the instructions at:

<http://www.parisfaqs.com/parisonxp.html>

I have just released a new driver that you will need if you want to run PARIS on a multi-cpu or hyperthreded PC. The drivers along with some great plugins are available at:

[www.ensoniq.ca](http://www.ensoniq.ca).

All the best,

Mike

"John Minnella" <minnella@lfe.arizona.edu> wrote:

>  
>I picked up a Paris with a MEC, 442, computer and Control 16. In the Paris

>software one has to hold down the left mouse button or the menus go away.  
>We are short the 8 pin mini din cable which should be here Friday. Is there  
>some special mouse required or is this a wrinkle in this particular system?  
>

---

Subject: Re: new to Paris  
Posted by [kerryg](#) on Tue, 09 Dec 2008 21:14:37 GMT  
[View Forum Message](#) <> [Reply to Message](#)

It's not a bug, it's a "feature" :D

That's one of PARIS' little peculiarities - a GUI that both Mac and PC users can feel slightly "not at home" with; you just get used to it.

- K

On 12/9/08 8:23 AM, in article 493e8d68\$1 @linux, "John Minnella" <[minnella@lfe.arizona.edu](mailto:minnella@lfe.arizona.edu)> wrote:

>  
> I picked up a Paris with a MEC, 442, computer and Control 16. In the Paris  
> software one has to hold down the left mouse button or the menus go away.  
> We are short the 8 pin mini din cable which should be here Friday. Is there  
> some special mouse required or is this a wrinkle in this particular system?  
>

---

Subject: Re: new to Paris  
Posted by [John Minnella](#) on Tue, 09 Dec 2008 23:52:36 GMT  
[View Forum Message](#) <> [Reply to Message](#)

Mike I don't have an IF 2 I only got the MEC and a 442. I understood the mini din cable went from the MEC to the 442. Am I missing something?

"Mike Audet" <[mike@...](mailto:mike@...)> wrote:

>  
>Hi John,  
>  
>Welcome aboard!  
>  
>The 8 pin mini din connection is to use an IF2 (2 in 2 out module) with the  
>card. If you're using a 442 or an MEC, you'd plug the IF 2 into the 442  
>or MEC for additional inputs and outputs. You shouldn't need a cable.  
It's  
>attached to the IF2.  
>

>Installation under XP still requires some hurdles, but it works. Follow  
>the instructions at:  
>  
><http://www.parisfaqs.com/parisonxp.html>  
>  
>I have just released a new driver that you will need if you want to run  
PARIS  
>on a multi-cpu or hyperthreaded PC. The drivers along with some great plugins  
>are available at:  
>  
>[www.ensoniq.ca](http://www.ensoniq.ca).  
>  
>All the best,  
>  
>Mike  
>  
>  
>"John Minnella" <[minnella@lfe.arizona.edu](mailto:minnella@lfe.arizona.edu)> wrote:  
>>  
>>I picked up a Paris with a MEC, 442, computer and Control 16. In the Paris  
>>software one has to hold down the left mouse button or the menus go away.  
>>We are short the 8 pin mini din cable which should be here Friday. Is there  
>>some special mouse required or is this a wrinkle in this particular system?  
>>  
>

---

---

Subject: Re: new to Paris  
Posted by [John Minnella](#) on Tue, 09 Dec 2008 23:58:08 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Thanks Wayne and everyone for the welcome. My home email is [jjmac2@dakotacom.net](mailto:jjmac2@dakotacom.net)  
I am in Tucson Az.....I would love to find out where to buy the DVD if someone  
can email me that.

"Wayne Carson" <[waynecarson@cox.net](mailto:waynecarson@cox.net)> wrote:  
>Welcome aboard J Minnella,  
>  
>You've now got a DAW with no midi magic but an awesome audio engine. Most  
  
>folks use software version v3.0 and either Win98 or WinXP. Both have plus's  
  
>and minuses. Avoid Vista on your Paris machine. It will not work.  
>  
>I'm happy that you found this newsgroup. Stay connected to this newsgroup.  
  
>Everything Paris and then some can be learned here. Learn about upgrades,

>updates and bugs and fixes. These folks are great. I lurk here when I'm  
at  
>home in my studio. I travel a lot for a week at a time so when I return  
  
>I've got lot's to catch up on. Take the time and you will be rewarded with  
  
>knowledge.  
>  
>On your question. I've been on Paris since it's release in '97 and I still  
  
>forget at times to hold down the left mouse click when selecting from the  
  
>menu. It's something that you will get used to. In fact, I think it is  
more  
>efficient then clicking twice on the menu items. I may be wrong but I  
>believe that this type of action is how MACs work. Anyhow, it's only  
>peculiar in the menu area, that I recall  
>  
>Paris is a vintage DAW but remains a top notch audio processor even to this  
  
>day. Get your hands on the owners, or users or reference manual for the  
  
>software version that you use. Purchase Brian T's instructional DVD and  
  
>most of all, push your new Paris system to the extreme. The system can  
give  
>you a wide open, spacious, floating on air vibe or an in your face, pulse  
  
>pounding rock system. Use the keyboard and mouse shortcuts to really speed  
  
>up your workflow.  
>  
>If you can, upgrade your playback system with a DAC and higher end monitors  
  
>for the full enjoyment of what Paris has for you.  
>  
>Well, I'm headed out. See you in a week.  
>  
>Enjoy (I still do),  
>Wayne  
>  
>  
>  
>"John Minnella" <minnella@lfe.arizona.edu> wrote in message  
>news:493e8d68\$1@linux...  
>>  
>> I picked up a Paris with a MEC, 442, computer and Control 16. In the Paris

>> software one has to hold down the left mouse button or the menus go away.  
>> We are short the 8 pin mini din cable which should be here Friday. Is

>> there  
>> some special mouse required or is this a wrinkle in this particular  
>> system?  
>>  
>  
>

---

Subject: Re: new to Paris  
Posted by [Paul Artola](#) on Wed, 10 Dec 2008 03:46:01 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

John -

Welcome to the world of Paris.

Since you are in Tucson, you should lookup a fella there named Doug Wellington. He posts here on occasion, and has a monster Paris rig. He can probably answer most, if not all, of your questions.

- Paul Artola  
Ellicott City, Maryland

On 10 Dec 2008 09:58:08 +1000, "John Minnella"  
<minnella@lfe.arizona.edu> wrote:

>  
>Thanks Wayne and everyone for the welcome. My home email is jjmac2@dakotacom.net  
>I am in Tucson Az.....I would love to find out where to buy the DVD if someone  
>can email mne that.  
>  
>  
>"Wayne Carson" <waynecarson@cox.net> wrote:  
>>Welcome aboard J Minnella,  
>>  
>>You've now got a DAW with no midi magic but an awesome audio engine. Most  
>  
>>folks use software version v3.0 and either Win98 or WinXP. Both have plus's  
>  
>>and minuses. Avoid Vista on your Paris machine. It will not work.  
>>  
>>I'm happy that you found this newsgroup. Stay connected to this newsgroup.  
>  
>>Everything Paris and then some can be learned here. Learn about upgrades,  
>

>>updates and bugs and fixes. These folks are great. I lurk here when I'm  
>at  
>>home in my studio. I travel a lot for a week at a time so when I return  
>  
>>I've got lot's to catch up on. Take the time and you will be rewarded with  
>  
>>knowledge.  
>>  
>>On your question. I've been on Paris since it's release in '97 and I still  
>  
>>forget at times to hold down the left mouse click when selecting from the  
>  
>>menu. It's something that you will get used to. In fact, I think it is  
>more  
>>efficient then clicking twice on the menu items. I may be wrong but I  
>>believe that this type of action is how MACs work. Anyhow, it's only  
>>peculiar in the menu area, that I recall  
>>  
>>Paris is a vintage DAW but remains a top notch audio processor even to this  
>  
>>day. Get your hands on the owners, or users or reference manual for the  
>  
>>software version that you use. Purchase Brian T's instructional DVD and  
>  
>>most of all, push your new Paris system to the extreme. The system can  
>give  
>>you a wide open, spacious, floating on air vibe or an in your face, pulse  
>  
>>pounding rock system. Use the keyboard and mouse shortcuts to really speed  
>  
>>up your workflow.  
>>  
>>If you can, upgrade your playback system with a DAC and higher end monitors  
>  
>>for the full enjoyment of what Paris has for you.  
>>  
>>Well, I'm headed out. See you in a week.  
>>  
>>Enjoy (I still do),  
>>Wayne  
>>  
>>  
>>  
>>"John Minnella" <minnella@lfe.arizona.edu> wrote in message  
>>news:493e8d68\$1@linux...  
>>>  
>>> I picked up a Paris with a MEC, 442, computer and Control 16. In the Paris  
>>> software one has to hold down the left mouse button or the menus go away.

>>> We are short the 8 pin mini din cable which should be here Friday. Is  
>  
>>> there  
>>> some special mouse required or is this a wrinkle in this particular  
>>> system?  
>>>  
>>  
>>

---

---

Subject: Re: new to Paris  
Posted by [mike audet\[1\]](#) on Wed, 10 Dec 2008 04:07:23 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi John,

You won;t be using the mini din at all if you don't have an IF2. You will need a 75 ohm coaxial cable to go from the MEC to the 442 or vice versa.

I hope this helps.

Mike

"John Minnella" <[minnella@life.arizona.edu](mailto:minnella@life.arizona.edu)> wrote:

>  
>Mike I don't have an IF 2 I only got the MEC and a 442. I understood the mini  
>din cable went from the MEC to the 442. Am I missing so0mething?

>"Mike Audet" <[mike@...](mailto:mike@...)> wrote:

>>

>>

>>Hi John,

>>

>>Welcome aboard!

>>

>>The 8 pin mini din connection is to use an IF2 (2 in 2 out module) with  
>the

>>card. If you're using a 442 or an MEC, you'd plug the IF 2 into the 442

>>or MEC for additional inputs and outputs. You shouldn't need a cable.

>It's

>>attached to the IF2.

>>

>>Installation under XP still requires some heardles, but it works. Follow

>>the instructions at:

>>

>><http://www.parisfaqs.com/parisonxp.html>

>>

>>I have just released a new driver that you will need if you want to run  
>PARIS  
>>on a multi-cpu or hyperthreaded PC. The drivers along with some great plugins  
>>are available at:  
>>  
>>www.ensoniq.ca.  
>>  
>>All the best,  
>>  
>>Mike  
>>  
>>  
>>"John Minnella" <minnella@lfe.arizona.edu> wrote:  
>>>  
>>>I picked up a Paris with a MEC, 442, computer and Control 16. In the Paris  
>>>software one has to hold down the left mouse button or the menus go away.  
>>>We are short the 8 pin mini din cable which should be here Friday. Is  
there  
>>>some special mouse required or is this a wrinkle in this particular system?  
>>>  
>>  
>

---

---

Subject: Re: new to Paris  
Posted by [EK Sound](#) on Wed, 10 Dec 2008 17:01:05 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Both the MEC and 442 connect to EDS cards by way of the SCSI-II connection on the back of the units labeled "EDS Computer Interface" The DIN plug labeled "To I/F2" is for just that, an IF2 interface addition... which you are not using.

David.

John Minnella wrote:

> OK well now I am confused. I have the original docs and the  
> manual says to connect the MEC and the 442 with the mini din,  
> but not to plug the din cable into the EDS card. When you say  
> the 75 ohm cable are you talking about the word clock connections?

---

---

Subject: Re: new to Paris  
Posted by [John Minnella](#) on Wed, 10 Dec 2008 17:51:17 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

OK well now I am confused. I have the original docs and the

manual says to connect the MEC and the 442 with the mini din,  
but not to plug the din cable into the EDS card. When you say  
the 75 ohm cable are you talking about the word clock connections?

---

---

Subject: Re: new to Paris  
Posted by [EK Sound](#) on Wed, 17 Dec 2008 15:28:51 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

See below...

John Minnella wrote:

> OK so reviewing the manual again there is no way to link a MEC and 442. One  
> would need two EDS cards.

This is correct.

What I really need is an 8 in expansion card for  
> the MEC, correct?

One expansion card would give you a total of 12 channels of input or  
output (depending on the card you get). 4 of those channels (the  
onboard MEC ones) would be 20 bit while the card channels are 24 bit.

> Do the MEC and the expansion cards connect internally with a ribbon cable  
> or something?

The expansion cards simply plug into the MEC... that's it. They are  
automatically recognized. You then have to go into the patch bay to  
configure and access the cards.

> What is the simplest way to check the MEC inputs to see if they work?  
>

Plug a CD payer in?? Not sure I understand the question.

David.

>  
> EK Sound <ask\_me@nospam.net> wrote:  
>> Both the MEC and 442 connect to EDS cards by way of the SCSI-II  
>> connection on the back of the units labeled "EDS Computer Interface"  
>> The DIN plug labeled "To I/F2" is for just that, an IF2 interface  
>> addition... which you are not using.  
>>  
>> David.  
>>  
>> John Minnella wrote:

>>> OK well now I am confused. I have the original docs and the  
>>> manual says to connect the MEC and the 442 with the mini din,  
>>> but not to plug the din cable into the EDS card. When you say  
>>> the 75 ohm cable are you talking about the word clock connections?  
>

---

---

Subject: Re: new to Paris  
Posted by [Erling](#) on Wed, 17 Dec 2008 15:57:45 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

The difference between a MEC and 442 are the 9 expansion cardplaces on the MEC.

You can use the MEC without any expansion card, as a 442. But with in and out expansion cards, you can use the full 24 bits bandwidth in Paris. If you want to use both a MEC and a 442 with Paris, you need 2 EDS cards and as Davis said, connected with SCSI-II cables between MEC/442 and EDS cards that's synchronized with specialcutted ribbon cables inside the computer. If you're using more than one EDS card inside the computer, all cards must be synchronized with each other with these kind of ribboncables. You can also use more than one EDS card with just one MEC/442 box.

The simplest way to check anything with Paris, hmmm, there must be many simple ways but a mixer coupled to in on the MEC, get correct patching in Paris and try recording with mic/instruments through the mixer. The manual will be a good help to learn how but if there's some problems, don't be afraid to ask more here.

Good luck

Erling

"John Minnella" <minnella@life.arizona.edu> skrev i melding  
news:494913ec\$1@linux...

>  
> OK so reviewing the manual again there is no way to link a MEC and 442.  
> One  
> would need two EDS cards. What I really need is an 8 in expansion card for  
> the MEC, correct?  
> Do the MEC and the expansion cards connect internally with a ribbon cable  
> or something?  
> What is the simplest way to check the MEC inputs to see if they work?  
>  
>  
> EK Sound <ask\_me@nospam.net> wrote:  
>>Both the MEC and 442 connect to EDS cards by way of the SCSI-II  
>>connection on the back of the units labeled "EDS Computer Interface"  
>>The DIN plug labeled "To I/F2" is for just that, an IF2 interface

>>addition... which you are not using.  
>>  
>>David.  
>>  
>>John Minnella wrote:  
>>> OK well now I am confused. I have the original docs and the  
>>> manual says to connect the MEC and the 442 with the mini din,  
>>> but not to plug the din cable into the EDS card. When you say  
>>> the 75 ohm cable are you talking about the word clock connections?  
>

---

## File Attachments

1) [MECBooklet.pdf](#), downloaded 224 times

---

---

Subject: Re: new to Paris

Posted by [John Minnella](#) on Wed, 17 Dec 2008 15:59:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

OK so reviewing the manual again there is no way to link a MEC and 442. One would need two EDS cards. What I really need is an 8 in expansion card for the MEC, correct?

Do the MEC and the expansion cards connect internally with a ribbon cable or something?

What is the simplest way to check the MEC inputs to see if they work?

EK Sound <[ask\\_me@nospam.net](mailto:ask_me@nospam.net)> wrote:

>Both the MEC and 442 connect to EDS cards by way of the SCSI-II

>connection on the back of the units labeled "EDS Computer Interface"

>The DIN plug labeled "To I/F2" is for just that, an IF2 interface

>addition... which you are not using.

>

>David.

>

>John Minnella wrote:

>> OK well now I am confused. I have the original docs and the

>> manual says to connect the MEC and the 442 with the mini din,

>> but not to plug the din cable into the EDS card. When you say

>> the 75 ohm cable are you talking about the word clock connections?

---