
Subject: Wordclock help needed !!

Posted by [Dimitrios](#) on Fri, 13 Oct 2006 13:56:02 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

Not only DJ but my humble setup is a crazy one too.

For now I connect like this:

Creamware Pulsar card adat optical out feeding Soundscape SS8IO-2 ADAt/tdif CONVERTER.

Soundscape's wordclock out goes to Mec 1

Creamware Pulsar Adat out feeds another SS8IO-2 which feeds another mec via wordclock.

Soundscape SS8IO-3 (8 AD/DA converter) gets clock from SS8IO-2's TDIF out and same SS8IO-3 send via wordclock clock to 3rd mec.

With me so far ?

Now the fun part.

First SS8IO-2 sends clock to ADI-PRO8 (used for main DA) via their TDIF connction.

1st Mec sends wordclock out to a Behringer ultramizer which reclocks my main AD converter which has no w/c in out.

2nd Mec sends w/c to a DBX 376 preamp and from there to a DBX 386 with daisy chaining

3rd Mec send wordclock to Behringer ADA-8000 8 channel converter.

Pulsar Creamware of course is the master device.

ADAT sync out sends clock to Lexicon core 32 reverb card (thanks DJ)

Now whose wordclock setup is the craziest mine or DJ's ?

Now here is the real question.

If I use a clock generator I will need 8-10 clock outputs to clock everything.

I don't wanna spend more than 600-700 \$ for a complete wordclock setup that will be stable and hassle free and soundwise better than Paris clock.

I thought of the HOSA cheap and a distributor.

I thought of having ADI-PRO8 rme as master and buy just a distributor like Drawmer 20 out (!!!) D-clock device whic sells for 700 \$ but I am afraid of RME as master.

Anyone to rescue me ?

Regards,

Dimitrios

Subject: Re: Wordclock help needed !!

Posted by [Dimitrios](#) on Fri, 13 Oct 2006 13:58:44 GMT

[View Forum Message](#) <> [Reply to Message](#)

One crazy question.

What bhappens if you use a T connector to split clock output on ,say, a Hosa clock generator which has 4 outs so will get 8 ?

Is this a no-no ?

Regards,
Dimitrios

"Dimitrios" <musurgio@otenet.gr> wrote:

>
>Hi,
>Not only DJ but my humble setup is a crazy one too.
>For now I connect like this:
>Creamware Pulsar card adat optical out feeding Soundscape SS8IO-2 ADAt/tdif
>CONVERTER.
>Soundscape's wordclock out goes to Mec 1
>Creamware Pulsar Adat out feeds another SS8IO-2 which feeds another mec
via
>wordclock.
>Soundscape SS8IO-3 (8 AD/DA converter) gets clock from SS8IO-2's TDIF out
>and same SS8IO-3 send via wordclock clock to 3rd mec.
>With me so far ?
>Now the fun part.
>First SS8IO-2 sends clock to ADI-PRO8 (used for main DA) via their TDIF
conncetion.
>
>1st Mec sends wordclock out to a Behringer ultramizer which reclocks my
main
>AD converter which has no w/c in out.
>2nd Mec sends w/c to a DBX 376 preamp and from there to a DBX 386 with daisy
>chaining
>3rd Mec send wordclock to Behringer ADA-8000 8 channel converter.
>Pulsar Creamware of course is the master device.
>ADAT sync out sends clock to Lexicon core 32 reverb card (thanks DJ)
>Now whose wordclock setup is the crazyest mine or DJ's ?
>
>Now here is the real question.
>If I use a clock generator I will need 8-10 clock outputs to clock everything.
>I don't wanna spend more than 600-700 \$ for a complete wordclock setup that
>will be stable and hassle free and soundwise better than Paris clock.
>I thought of the HOSA cheap and a distributor.
>I thought of having ADI-PRO8 rme as master and buy just a distributor like
>Drawmer 20 out (!!!) D-clock device whic sells for 700 \$ but I am afraid
>of RME as master.
>Anyone to rescue me ?
>Regards,
>Dimitrios
>

Subject: Re: Wordclock help needed !!

Posted by [gene lennon](#) on Fri, 13 Oct 2006 14:50:54 GMT

"Dimitrios" <musurgio@otenet.gr> wrote:

>

>Hi,

>Not only DJ but my humble setup is a crazy one too.

>For now I connect like this:

>Creamware Pulsar card adat optical out feeding Soundscape SS8IO-2 ADA/tdif
>CONVERTER.

>Soundscape's wordclock out goes to Mec 1

>Creamware Pulsar Adat out feeds another SS8IO-2 which feeds another mec
via

>wordclock.

>Soundscape SS8IO-3 (8 AD/DA converter) gets clock from SS8IO-2's TDIF out

>and same SS8IO-3 send via wordclock clock to 3rd mec.

>With me so far ?

>Now the fun part.

>First SS8IO-2 sends clock to ADI-PRO8 (used for main DA) via their TDIF
connction.

>

>1st Mec sends wordclock out to a Behringer ultramizer which reclocks my
main

>AD converter which has no w/c in out.

>2nd Mec sends w/c to a DBX 376 preamp and from there to a DBX 386 with daisy
>chaining

>3rd Mec send wordclock to Behringer ADA-8000 8 channel converter.

>Pulsar Creamware of course is the master device.

>ADAT sync out sends clock to Lexicon core 32 reverb card (thanks DJ)

>Now whose wordclock setup is the craziest mine or DJ's ?

>

>Now here is the real question.

>If I use a clock generator I will need 8-10 clock outputs to clock everything.

>I don't wanna spend more than 600-700 \$ for a complete wordclock setup that

>will be stable and hassle free and soundwise better than Paris clock.

>I thought of the HOSA cheap and a distributor.

>I thought of having ADI-PRO8 rme as master and buy just a distributor like

>Drawmer 20 out (!!!) D-clock device whic sells for 700 \$ but I am afraid

>of RME as master.

>Anyone to rescue me ?

>Regards,

>Dimitrios

>

I also have a fairly complicated digital setup and use a Mytek for master
wordclock. I do not run multiple parallel wordclocks and my setup works fine

and see if you can just go directly to the Pulsar Creamware card and switch

You are not using the Paris wordclock (which is not terrible). I thought the Creamware clock was considered ok, are you sure you will hear any improvement short of a very high-end clock? A Big Ben or Mytek would probably make a noticeable improvement. All the more reason to borrow one first.

Subject: Re: Wordclock help needed !!
Posted by [Dimitrios](#) on Fri, 13 Oct 2006 16:06:28 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi,
Here in Greece there is no such option from any store !
I see most wordclock generators are 6 output wise !
What do you do if you need say 8 or nine ?
Regards,
Dimitrios

"gene Lennon" <glennon@NOSPmyrealbox.com> wrote:

>

>"Dimitrios" <musurgio@otenet.gr> wrote:

>>

>>Hi,

>>Not only DJ but my humble setup is a crazy one too.

>>For now I connect like this:

>>Creamware Pulsar card adat optical out feeding Soundscape SS8IO-2 ADAt/tdif

>>CONVERTER.

>>Soundscape's wordclock out goes to Mec 1

>>Creamware Pulsar Adat out feeds another SS8IO-2 which feeds another mec

>via

>>wordclock.

>>Soundscape SS8IO-3 (8 AD/DA converter) gets clock from SS8IO-2's TDIF out

>>and same SS8IO-3 send via wordclock clock to 3rd mec.

>>With me so far ?

>>Now the fun part.

>>First SS8IO-2 sends clock to ADI-PRO8 (used for main DA) via their TDIF

>connction.

>>

>>1st Mec sends wordclock out to a Behringer ultramizer which reclocks my

>main

>>AD converter which has no w/c in out.

>>2nd Mec sends w/c to a DBX 376 preamp and from there to a DBX 386 with

daisy

>>chaining

>>3rd Mec send wordclock to Behringer ADA-8000 8 channel converter.

>>Pulsar Creamware of course is the master device.

>>ADAT sync out sends clock to Lexicon core 32 reverb card (thanks DJ)

>>Now whose wordclock setup is the crazyest mine or DJ's ?

>>
>>Now here is the real question.
>>If I use a clock generator I will need 8-10 clock outputs to clock everything.
>>I don't wanna spend more than 600-700 \$ for a complete wordclock setup that
>>will be stable and hassle free and soundwise better than Paris clock.
>>I thought of the HOSA cheap and a distributor.
>>I thought of having ADI-PRO8 rme as master and buy just a distributor like
>>Drawmer 20 out (!!!) D-clock device whic sells for 700 \$ but I am afraid
>>of RME as master.
>>Anyone to rescue me ?
>>Regards,
>>Dimitrios
>>
>
>I also have a fairly complicated digital setup and use a Mytek for master
>wordclock. I do not run multiple parallel wordclocks and my setup works
>fine

>and see if you can just go directly to the Pulsar Creamware card and switch

>
>You are not using the Paris wordclock (which is not terrible). I thought
>the Creamware clock was considered ok, are you sure you will hear any improvement
>short of a very high-end clock? A Big Ben or Mytek would probably make a
>noticeable improvement. All the more reason to borrow one first.
>

Subject: Re: Wordclock help needed !!
Posted by [animix](#) on Fri, 13 Oct 2006 16:34:33 GMT
[View Forum Message](#) <> [Reply to Message](#)

A Lucid GenX6 gives you 6 WC outputs. Adding a Lucid CLK-6 gives you another 6 WC outputs, but you lose one GenX6 output to connect to the CLK-6 so you end up with 11 clock outputs total. I'm not really convinced that using clock regenerators is the best of solutions, but it may work for you.

As far as Mytek gear goes, I was also using the WC output of a Mytek Stereo 96 A/D converter for my house clock until it went south on me. I can no longer get reliable sync from this unit (it still clocks reliable to the Lucid GenX-6) and I've also got a Mytek Stereo 96 DAC that has quit functioning properly. The s/pdif inputs no longer work, thought the optical input still works. I'm getting ready to ship them *both* back to Mytek.....Mytek gear sounds great, but I'm not really impressed with it's reliability at this point.

Rosendahl makes a clock module that has 12 outputs.

Deej

Deej

"Dimitrios" <musurgio@otenet.gr> wrote in message news:452fb984\$1@linux...

>

> Hi,

> Here in Greece there is no such option from any store !

> I see most wordclock generators are 6 output wise !

> What do you do if you need say 8 or nine ?

> Regards,

> Dimitrios

>

> "gene Lennon" <glennon@NOSPmyrealbox.com> wrote:

> >

> >"Dimitrios" <musurgio@otenet.gr> wrote:

> >>

> >>Hi,

> >>Not only DJ but my humble setup is a crazy one too.

> >>For now I connect like this:

> >>Creamware Pulsar card adat optical out feeding Soundscape SS8IO-2
ADAt/tdif

> >>CONVERTER.

> >>Soundscape's wordclock out goes to Mec 1

> >>Creamware Pulsar Adat out feeds another SS8IO-2 which feeds another mec

> >>via

> >>wordclock.

> >>Soundscape SS8IO-3 (8 AD/DA converter) gets clock from SS8IO-2's TDIF
out

> >>and same SS8IO-3 send via wordclock clock to 3rd mec.

> >>With me so far ?

> >>Now the fun part.

> >>First SS8IO-2 sends clock to ADI-PRO8 (used for main DA) via their TDIF

> >>connction.

> >>

> >>1st Mec sends wordclock out to a Behringer ultramizer which reclocks my

> >>main

> >>AD converter which has no w/c in out.

> >>2nd Mec sends w/c to a DBX 376 preamp and from there to a DBX 386 with

> >>daisy

> >>chaining

> >>3rd Mec send wordclock to Behringer ADA-8000 8 channel converter.

> >>Pulsar Creamware of course is the master device.

> >>ADAT sync out sends clock to Lexicon core 32 reverb card (thanks DJ)

> >>Now whose wordclock setup is the crazyest mine or DJ's ?

> >>

> >>Now here is the real question.

> >>If I use a clock generator I will need 8-10 clock outputs to clock everything.
> >>I don't wanna spend more than 600-700 \$ for a complete wordclock setup
> that
> >>will be stable and hassle free and soundwise better than Paris clock.
> >>I thought of the HOSA cheap and a distributor.
> >>I thought of having ADI-PRO8 rme as master and buy just a distributor like
> >>Drawmer 20 out (!!!) D-clock device whic sells for 700 \$ but I am afraid
> >>of RME as master.
> >>Anyone to rescue me ?
> >>Regards,
> >>Dimitrios
> >>
> >
> >I also have a fairly complicated digital setup and use a Mytek for master
> >wordclock. I do not run multiple parallel wordclocks and my setup works
> fine
> >with no real wordclock issues. Why don't you borrow a wordclock generator
> >and see if you can just go directly to the Pulsar Creamware card and
> switch
> >it to external leaving everything else untouched. I can't guarantee it
> but
> >it's worth trying.
> >
> >You are not using the Paris wordclock (which is not terrible). I thought
> >the Creamware clock was considered ok, are you sure you will hear any
> improvement
> >short of a very high-end clock? A Big Ben or Mytek would probably make a
> >noticeable improvement. All the more reason to borrow one first.
> >
> >
>

Subject: Re: Wordclock help needed !!
Posted by [EK Sound](#) on Fri, 13 Oct 2006 17:06:16 GMT
[View Forum Message](#) <> [Reply to Message](#)

You NEED this:

<http://www.rosendahl-studiotechnik.de/nanoclocks.html>

David.

Dimitrios wrote:

> Hi,
> Not only DJ but my humble setup is a crazy one too.
> For now I connect like this:

- > Creamware Pulsar card adat optical out feeding Soundscape SS8IO-2 ADAt/tdif
- > CONVERTER.
- > Soundscape's wordclock out goes to Mec 1
- > Creamware Pulsar Adat out feeds another SS8IO-2 which feeds another mec via
- > wordclock.
- > Soundscape SS8IO-3 (8 AD/DA converter) gets clock from SS8IO-2's TDIF out
- > and same SS8IO-3 send via wordclock clock to 3rd mec.
- > With me so far ?
- > Now the fun part.
- > First SS8IO-2 sends clock to ADI-PRO8 (used for main DA) via their TDIF connction.
- >
- > 1st Mec sends wordclock out to a Behringer ultramizer which reclocks my main
- > AD converter which has no w/c in out.
- > 2nd Mec sends w/c to a DBX 376 preamp and from there to a DBX 386 with daisy
- > chaining
- > 3rd Mec send wordclock to Behringer ADA-8000 8 channel converter.
- > Pulsar Creamware of course is the master device.
- > ADAT sync out sends clock to Lexicon core 32 reverb card (thanks DJ)
- > Now whose wordclock setup is the crazyest mine or DJ's ?
- >
- > Now here is the real question.
- > If I use a clock generator I will need 8-10 clock outputs to clock everything.
- > I don't wanna spend more than 600-700 \$ for a complete wordclock setup that
- > will be stable and hassle free and soundwise better than Paris clock.
- > I thought of the HOSA cheap and a distributor.
- > I thought of having ADI-PRO8 rme as master and buy just a distributor like
- > Drawmer 20 out (!!!) D-clock device whic sells for 700 \$ but I am afraid
- > of RME as master.
- > Anyone to rescue me ?
- > Regards,
- > Dimitrios
- >

Subject: Re: Wordclock help needed !!

Posted by [animix](#) on Fri, 13 Oct 2006 17:10:04 GMT

[View Forum Message](#) <> [Reply to Message](#)

I'm thinking about getting one of these. It looks like the equivalent of digital Enzyte.

"EK Sound" <askme@nospam.com> wrote in message news:452fc57e\$1@linux...

> You NEED this:

>

> <http://www.rosendahl-studiotechnik.de/nanoclocks.html>

>

> David.

>
> Dimitrios wrote:
>> Hi,
>> Not only DJ but my humble setup is a crazy one too.
>> For now I connect like this:
>> Creamware Pulsar card adat optical out feeding Soundscape SS8IO-2
ADAt/tdif
>> CONVERTER.
>> Soundscape's wordclock out goes to Mec 1
>> Creamware Pulsar Adat out feeds another SS8IO-2 which feeds another mec
via
>> wordclock.
>> Soundscape SS8IO-3 (8 AD/DA converter) gets clock from SS8IO-2's TDIF
out
>> and same SS8IO-3 send via wordclock clock to 3rd mec.
>> With me so far ?
>> Now the fun part.
>> First SS8IO-2 sends clock to ADI-PRO8 (used for main DA) via their TDIF
connction.
>>
>> 1st Mec sends wordclock out to a Behringer ultramizer which reclocks my
main
>> AD converter which has no w/c in out.
>> 2nd Mec sends w/c to a DBX 376 preamp and from there to a DBX 386 with
daisy
>> chaining
>> 3rd Mec send wordclock to Behringer ADA-8000 8 channel converter.
>> Pulsar Creamware of course is the master device.
>> ADAT sync out sends clock to Lexicon core 32 reverb card (thanks DJ)
>> Now whose wordclock setup is the crazyest mine or DJ's ?
>>
>> Now here is the real question.
>> If I use a clock generator I will need 8-10 clock outputs to clock
everything.
>> I don't wanna spend more than 600-700 \$ for a complete wordclock setup
that
>> will be stable and hassle free and soundwise better than Paris clock.
>> I thought of the HOSA cheap and a distributor.
>> I thought of having ADI-PRO8 rme as master and buy just a distributor
like
>> Drawmer 20 out (!!!) D-clock device whic sells for 700 \$ but I am afraid
>> of RME as master.
>> Anyone to rescue me ?
>> Regards,
>> Dimitrios
>>

Subject: Re: Wordclock help needed !!

Posted by [gene Lennon\[3\]](#) on Fri, 13 Oct 2006 17:51:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

"Dimitrios" <musurgio@otenet.gr> wrote:

>
>If I use a clock generator I will need 8-10 clock outputs to clock everything.
>I don't wanna spend more than 600-700 \$ for a complete wordclock setup that
>will be stable and hassle free and soundwise better than Paris clock.
>I thought of the HOSA cheap and a distributor.
>I thought of having ADI-PRO8 rme as master and buy just a distributor like
>Drawmer 20 out (!!!) D-clock device whic sells for 700 \$ but I am afraid
>of RME as master.
>Anyone to rescue me ?
>Regards,
>Dimitrios
>

FYI:

What comes out of a wordclock distribution box is not always the same as
what went in.

g

Subject: Re: Wordclock help needed !!

Posted by [excelav](#) on Fri, 13 Oct 2006 18:20:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hey Dimitrios! This ones got 8+

<http://www.lucidaudio.com/index.php?Show=216&Show1=& Show2=406>

"Dimitrios" <musurgio@otenet.gr> wrote:

>
>Hi,
>Here in Greece there is no such option from any store !
>I see most wordclock generators are 6 output wise !
>What do you do if you need say 8 or nine ?
>Regards,
>Dimitrios
>
>"gene Lennon" <glennon@NOSPmyrealbox.com> wrote:
>>
>>"Dimitrios" <musurgio@otenet.gr> wrote:
>>>
>>>Hi,

>>>Not only DJ but my humble setup is a crazy one too.
>>>For now I connect like this:
>>>Creamware Pulsar card adat optical out feeding Soundscape SS8IO-2 ADAt/tdif
>>>CONVERTER.
>>>Soundscape's wordclock out goes to Mec 1
>>>Creamware Pulsar Adat out feeds another SS8IO-2 which feeds another mec
>>via
>>>wordclock.
>>>Soundscape SS8IO-3 (8 AD/DA converter) gets clock from SS8IO-2's TDIF
out
>>>and same SS8IO-3 send via wordclock clock to 3rd mec.
>>>With me so far ?
>>>Now the fun part.
>>>First SS8IO-2 sends clock to ADI-PRO8 (used for main DA) via their TDIF
>>connction.
>>>
>>>1st Mec sends wordclock out to a Behringer ultramizer which reclocks my
>>main
>>>AD converter which has no w/c in out.
>>>2nd Mec sends w/c to a DBX 376 preamp and from there to a DBX 386 with
>daisy
>>>chaining
>>>3rd Mec send wordclock to Behringer ADA-8000 8 channel converter.
>>>Pulsar Creamware of course is the master device.
>>>ADAT sync out sends clock to Lexicon core 32 reverb card (thanks DJ)
>>>Now whose wordclock setup is the craziest mine or DJ's ?
>>>
>>>Now here is the real question.
>>>If I use a clock generator I will need 8-10 clock outputs to clock everything.
>>>I don't wanna spend more than 600-700 \$ for a complete wordclock setup
>that
>>>will be stable and hassle free and soundwise better than Paris clock.
>>>I thought of the HOSA cheap and a distributor.
>>>I thought of having ADI-PRO8 rme as master and buy just a distributor
like
>>>Drawmer 20 out (!!!) D-clock device whic sells for 700 \$ but I am afraid
>>>of RME as master.
>>>Anyone to rescue me ?
>>>Regards,
>>>Dimitrios
>>>
>>
>>I also have a fairly complicated digital setup and use a Mytek for master
>>wordclock. I do not run multiple parallel wordclocks and my setup works
>fine

>>and see if you can just go directly to the Pulsar Creamware card and switch

but

>>

>>You are not using the Paris wordclock (which is not terrible). I thought
>>the Creamware clock was considered ok, are you sure you will hear any improvement
>>short of a very high-end clock? A Big Ben or Mytek would probably make

a

>>noticeable improvement. All the more reason to borrow one first.

>>

>

Subject: Re: Wordclock help needed !!

Posted by [excelav](#) on Fri, 13 Oct 2006 18:27:02 GMT

[View Forum Message](#) <> [Reply to Message](#)

"James McCloskey" <excelsm@hotmail.com> wrote:

>

>Hey Dimitrios! This ones got 8+

>

> <http://www.lucidaudio.com/index.php?Show=216&Show1=& Show2=406>

And it's olny \$700.00 US

<http://www.musiciansfriend.com/product?sku=188304>

I don't think you would need a clock for awhile:)

James

>

>

>"Dimitrios" <musurgio@otenet.gr> wrote:

>>

>>Hi,

>>Here in Greece there is no such option from any store !

>>I see most wordclock generators are 6 output wise !

>>What do you do if you need say 8 or nine ?

>>Regards,

>>Dimitrios

>>

>>"gene Lennon" <glennon@NOSPmyrealbox.com> wrote:

>>>

>>>"Dimitrios" <musurgio@otenet.gr> wrote:

>>>>

>>>>Hi,

>>>>Not only DJ but my humble setup is a crazy one too.

>>>>For now I connect like this:

>>>>Creamware Pulsar card adat optical out feeding Soundscape SS8IO-2 ADAt/tdif

>>>>CONVERTER.
>>>>Soundscape's wordclock out goes to Mec 1
>>>>Creamware Pulsar Adat out feeds another SS8IO-2 which feeds another mec
>>>via
>>>>wordclock.
>>>>Soundscape SS8IO-3 (8 AD/DA converter) gets clock from SS8IO-2's TDIF
>out
>>>>and same SS8IO-3 send via wordclock clock to 3rd mec.
>>>>With me so far ?
>>>>Now the fun part.
>>>>First SS8IO-2 sends clock to ADI-PRO8 (used for main DA) via their TDIF
>>>connction.
>>>>
>>>>1st Mec sends wordclock out to a Behringer ultramizer which reclocks
>my
>>>main
>>>>AD converter which has no w/c in out.
>>>>2nd Mec sends w/c to a DBX 376 preamp and from there to a DBX 386 with
>>daisy
>>>>chaining
>>>>3rd Mec send wordclock to Behringer ADA-8000 8 channel converter.
>>>>Pulsar Creamware of course is the master device.
>>>>ADAT sync out sends clock to Lexicon core 32 reverb card (thanks DJ)
>>>>Now whose wordclock setup is the crazyest mine or DJ's ?
>>>>
>>>>Now here is the real question.
>>>>If I use a clock generator I will need 8-10 clock outputs to clock everything.
>>>>I don't wanna spend more than 600-700 \$ for a complete wordclock setup
>>that
>>>>will be stable and hassle free and soundwise better than Paris clock.
>>>>I thought of the HOSA cheap and a distributor.
>>>>I thought of having ADI-PRO8 rme as master and buy just a distributor
>like
>>>>Drawmer 20 out (!!!) D-clock device whic sells for 700 \$ but I am afraid
>>>>of RME as master.
>>>>Anyone to rescue me ?
>>>>Regards,
>>>>Dimitrios
>>>>
>>>
>>>I also have a fairly complicated digital setup and use a Mytek for master
>>>wordclock. I do not run multiple parallel wordclocks and my setup works
>>fine

>>>>and see if you can just go directly to the Pulsar Creamware card and switch

>but

>>>

>>>You are not using the Paris wordclock (which is not terrible). I thought
>>>the Creamware clock was considered ok, are you sure you will hear any
improvement

>>>short of a very high-end clock? A Big Ben or Mytek would probably make

>a

>>>noticeable improvement. All the more reason to borrow one first.

>>>

>>

>
