Subject: Muhahahahhah!!!!!

Posted by Deej [1] on Fri, 24 Feb 2006 06:17:47 GMT

View Forum Message <> Reply to Message

http://mrl.nyu.edu/~jhan/ftirtouch/

Subject: Re: Muhahahahhah!!!!!

Posted by Deei [1] on Fri, 24 Feb 2006 17:54:39 GMT

View Forum Message <> Reply to Message

Me too.I'd like to have 4 x LCD's mounted in a desk, face up at an angle approximating the angle of a mixing board.

"Paul" <pn@nospam.com> wrote in message news:43ff3c9e\$1@linux...

>

> That's just friggin cool. I wanna see Paris run on it.

>

> "DJ" <animix_spam-this-ahole_@animas.net> wrote:

> >http://mrl.nyu.edu/~jhan/ftirtouch/

> >

> >

>

Subject: Re: Muhahahahhah!!!!!

Posted by pauln[2] on Fri, 24 Feb 2006 18:04:30 GMT

View Forum Message <> Reply to Message

That's just friggin cool. I wanna see Paris run on it.

"DJ" <animix_spam-this-ahole_@animas.net> wrote:

>http://mrl.nyu.edu/~jhan/ftirtouch/

>

Subject: Re: Muhahahahhah!!!!!

Posted by Tom Bruhl on Fri, 24 Feb 2006 18:57:19 GMT

View Forum Message <> Reply to Message

This is a multi-part message in MIME format.

-----=_NextPart_000_0135_01C6394A.3A772DD0

Content-Type: text/plain; charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Mic. Are you doing this Mic? I've wanted this since the Sony DMX R100 came out. What does it cost for a touch sensitive screen? Do you need a pen or can you do it with your fingers? Do your 17"s mimic the 19"s? Take a pic I have to see!!! Tom "Mic Cross" <crzymnmchl@comcast.net> wrote in message = news:43ff5634\$1@linux... Hi DJ, I have my touch sensitive stuff working. 4 * 19" LCD vertical,=20 and 4 * 17" LCD touch senstive at 45 degree angle below them.=20 Only single touch at a time, but adjusting sliders, sweeping=20 frequencies on the EQs etc - this is the interface of the=20 future. Great fun manipulating the UAD stuff also. Mic. "DJ" <animix_spam-this-ahole_@animas.net> wrote: >Me too.I'd like to have 4 x LCD's mounted in a desk, face up at an = angle >approximating the angle of a mixing board. >"Paul" <pn@nospam.com> wrote in message news:43ff3c9e\$1@linux... >> >> That's just friggin cool. I wanna see Paris run on it. >> "DJ" <animix_spam-this-ahole_@animas.net> wrote: >> >http://mrl.nyu.edu/~ihan/ftirtouch/ >> > >> > >> > > -----=_NextPart_000_0135_01C6394A.3A772DD0 Content-Type: text/html; charset="iso-8859-1"

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

Content-Transfer-Encoding: quoted-printable

```
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Mic,</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Are you doing this Mic?&nbsp; I've =
wanted this=20
since the</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Sony DMX R100 came out.&nbsp; What does =
it=20
cost</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>for a touch sensitive screen?&nbsp; Do =
you need a=20
pen</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>or can you do it with your =
fingers?  Do your=20
17"s</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>mimic the 19"s?</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>Take a pic I have to =
see!!!</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"Mic Cross" &It:<A=20
 href=3D"mailto:crzymnmchl@comcast.net">crzymnmchl@comcast.net</A>&qt; =
wrote in=20
 message <A=20
href=3D"news:43ff5634$1@linux">news:43ff5634$1@linux</A>...</DIV><BR>Hi=20
 DJ,<BR><BR>I have my touch sensitive stuff working. 4 * 19" LCD =
vertical,=20
 <BR>and 4 * 17" LCD touch senstive at 45 degree angle below them. =
<BR>Only=20
 single touch at a time, but adjusting sliders, sweeping =
<BR>frequencies on the=20
 EQs etc - this is the interface of the <BR>&nbsp;future. Great fun=20
 manipulating the UAD stuff also.<br/>
<BR><BR><BR><BR><BR><BR>"DJ" =
&lt:<A=20
 =
href=3D"mailto:animix_spam-this-ahole_@animas.net">animix_spam-this-ahole=
_@animas.net</A>&gt;=20
 wrote:<BR>&gt;Me too.I'd like to have 4 x LCD's mounted in a desk, =
face up at=20
```

```
an angle<BR>&gt;approximating the angle of a mixing=20 board.<BR>&gt;<BR>&gt;"Paul" &lt;<A=20 href=3D"mailto:pn@nospam.com">pn@nospam.com</A>&gt; wrote in message = <A=20 = href=3D"news:43ff3c9e$1@linux">news:43ff3c9e$1@linux</A>...<BR>&gt;&gt;<B= R>&gt;&gt;=20 That's just friggin cool.&nbsp; I wanna see Paris run on=20 it.<BR>&gt;&gt;<BR>&gt;&gt; "DJ" &lt;<A=20 = href=3D"mailto:animix_spam-this-ahole_@animas.net">animix_spam-this-ahole= @animas.net</A>&gt;=20 wrote:<BR>&gt;&gt; &gt;http://mrl.nyu.edu/~jhan/ftirtouch/<BR>&gt;&gt; = &gt;<BR>&gt;&gt; &gt;http://mrl.nyu.edu/~jhan/ftirtouch/<BR>&gt;&gt; = &gt;<BR>&gt;&gt; = BR>&gt;<BR>&gt;&gt;<BR>&gt;<BR>&gt;<BR>&gt;&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR
```

Subject: Re: Muhahahahhah!!!!!
Posted by Mic Cross on Fri, 24 Feb 2006 19:53:40 GMT
View Forum Message <> Reply to Message

Hi DJ,

I have my touch sensitive stuff working. 4 * 19" LCD vertical, and 4 * 17" LCD touch sensitive at 45 degree angle below them. Only single touch at a time, but adjusting sliders, sweeping frequencies on the EQs etc - this is the interface of the future. Great fun manipulating the UAD stuff also.

Mic.

```
"DJ" <animix_spam-this-ahole_@animas.net> wrote:
>Me too.I'd like to have 4 x LCD's mounted in a desk, face up at an angle
>approximating the angle of a mixing board.
>
>"Paul" <pn@nospam.com> wrote in message news:43ff3c9e$1@linux...
>>
>> That's just friggin cool. I wanna see Paris run on it.
>>
>> "DJ" <animix_spam-this-ahole_@animas.net> wrote:
>> >http://mrl.nyu.edu/~jhan/ftirtouch/
>> >
```

Subject: Re: Muhahahahhah!!!!!

Posted by Mic Cross on Fri, 24 Feb 2006 20:31:26 GMT

View Forum Message <> Reply to Message

Hi Tom,

Yup have it all working - touch sensitive mirror the verticals - have the verticals so I can sit back and see what is going on. Can use finger or pen. I constructed my own screens I like Dell LCDs (don't like Dell :-)), so lurked on ebay for a good deal and then bought Magic Touch embedded (not overlays). The embedded fits right against the LCD screen after the bezel is removed - this is much better than the overlays which go over the bezel and leave a gap - this decreases accuracy. Multi - touch would make this the perfect environment as it is so intuitive using your fingers (did I say that? :-)).

Gonna follow up on DJ's link.

Mic.

```
"Tom Bruhl" <arpegio@comcast.net> wrote:
>
>
>Mic.
>Are you doing this Mic? I've wanted this since the
>Sony DMX R100 came out. What does it cost
>for a touch sensitive screen? Do you need a pen
>or can you do it with your fingers? Do your 17"s
>mimic the 19"s?
>Take a pic I have to see!!!
> "Mic Cross" <crzymnmchl@comcast.net> wrote in message =
>news:43ff5634$1@linux...
> Hi DJ.
> I have my touch sensitive stuff working. 4 * 19" LCD vertical,=20
> and 4 * 17" LCD touch senstive at 45 degree angle below them.=20
> Only single touch at a time, but adjusting sliders, sweeping=20
> frequencies on the EQs etc - this is the interface of the=20
> future. Great fun manipulating the UAD stuff also.
```

```
> Mic.
>
>
"DJ" <animix_spam-this-ahole_@animas.net> wrote:
> >Me too.I'd like to have 4 x LCD's mounted in a desk, face up at an =
>angle
> >approximating the angle of a mixing board.
> >"Paul" <pn@nospam.com> wrote in message news:43ff3c9e$1@linux...
> >> That's just friggin cool. I wanna see Paris run on it.
> >> "DJ" <animix_spam-this-ahole_@animas.net> wrote:
> >> >http://mrl.nyu.edu/~jhan/ftirtouch/
> >> >
> >> >
> >>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3DContent-Type content=3D"text/html; =
>charset=3Diso-8859-1">
><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D#ffffff>
><DIV><FONT face=3DArial size=3D2>Mic,</FONT></DIV>
>wanted this=20
>since the</FONT></DIV>
>it=20
>cost</FONT></DIV>
>you need a=20
>pen</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>or can you do it with your =
>17"s</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>mimic the 19"s?</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>Take a pic I have to =
>see!!!</FONT></DIV>
```

```
><DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
><BLOCKQUOTE=20
>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Mic Cross" << A=20
> href=3D"mailto:crzymnmchl@comcast.net">crzymnmchl@comcast.net</A>> =
>wrote in=20
> message <A=20
> =
>href=3D"news:43ff5634$1@linux">news:43ff5634$1@linux</A>...</DIV><BR>Hi=20
> DJ,<BR><BR>I have my touch sensitive stuff working. 4 * 19" LCD =
>vertical.=20
> <BR>and 4 * 17" LCD touch senstive at 45 degree angle below them. =
><BR>Only=20
> single touch at a time, but adjusting sliders, sweeping =
><BR>frequencies on the=20
> manipulating the UAD stuff also.<BR><BR>Mic.<BR><BR><BR><BR><BR>"DJ" =
><<A=20
> =
>href=3D"mailto:animix spam-this-ahole @animas.net">animix spam-this-ahole=
> @animas.net</A>>=20
> wrote:<BR>>Me too.I'd like to have 4 x LCD's mounted in a desk, =
>face up at=20
> an angle<BR>>approximating the angle of a mixing=20
> board.<BR>><BR>>"Paul" <<A=20
> href=3D"mailto:pn@nospam.com">pn@nospam.com</A>> wrote in message =
><A=20
> =
>href=3D"news:43ff3c9e$1@linux">news:43ff3c9e$1@linux</A>...<BR>>><B=
>R>>>=20
> it.<BR>>><BR>>> "DJ" <<A=20
>href=3D"mailto:animix_spam-this-ahole_@animas.net">animix_spam-this-ahole=
> @animas.net</A>>=20
> wrote:<BR>>> >http://mrl.nyu.edu/~jhan/ftirtouch/<BR>>> =
>
> ><BR>>> =
>><BR>>><BR>>><BR>></BLOCKQUOTE></BODY></HTML>
```