

---

Subject: EDS and heat

Posted by [damien.gelee](#) on Tue, 05 Sep 2006 17:01:18 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

Did someone ever blown an EDS with heat inside the computer ?  
Box are getting hotter than when EDS have been made, i wonder if it can  
work nevertheless.

thanks,

Damien

---

---

Subject: Re: EDS and heat

Posted by [John \[1\]](#) on Tue, 05 Sep 2006 17:37:04 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

EDS cards burn up easily if they get too hot. Keep a fan on them and monitor  
hard drive temps to keep below 35C. Heat will mess you up big time. My  
case is currently open in another room with a fan blowing on it, so i don't  
hear the noise.

>

>Hi,

>

>Did someone ever blown an EDS with heat inside the computer ?

>Box are getting hotter than when EDS have been made, i wonder if it can

>work nevertheless.

>

>thanks,

>

>Damien

>

>

---

---

Subject: Re: EDS and heat

Posted by [Chris Ludwig](#) on Tue, 05 Sep 2006 18:35:38 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

1 or 2 or these mounted on your PCI slots will do a good job of keeping  
he EDS cards cool and they are quiet.

<http://www.zalman.co.kr/eng/product/view.asp?idx=15&code=016>

Chris

> Hi,  
>  
> Did someone ever blown an EDS with heat inside the computer ?  
> Box are getting hotter than when EDS have been made, i wonder if it can  
> work nevertheless.  
>  
> thanks,  
>  
> Damien  
>  
>

--  
Chris Ludwig

ADK Pro Audio  
(859) 635-5762  
[www.adkproaudio.com](http://www.adkproaudio.com)  
[chrisl@adkproaudio.com](mailto:chrisl@adkproaudio.com)

---

Subject: Re: EDS and heat  
Posted by [Carl Amburn](#) on Tue, 05 Sep 2006 19:34:41 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

One time I (a loooong time ago)..... thought I'd see how long of an EDS reverb time I could set on an aux - I pretty sure I maxed out the setting and then tried to play it back (I was going for this "fade into reverb mix-outro-thing"). I completely fried an EDS card from doing that. I think the effects chip overheated. Other than that, I have ran 4 EDS cards in a regular case for quite a while with no problems (maybe had 3 fans in it?). Now I have a very roomy rackmount case with a super fan (7") on the front and three more inside.

-Carl  
p.s. I've switched to rendering my crazy reverb effects since then. :)

news:44fdabc7@linux...

>  
> Hi,  
>  
> Did someone ever blown an EDS with heat inside the computer ?  
> Box are getting hotter than when EDS have been made, i wonder if it can  
> work nevertheless.  
>  
> thanks,  
>  
> Damien  
>  
>

---

---

Subject: Re: EDS and heat  
Posted by [Deej \[1\]](#) on Tue, 05 Sep 2006 23:44:01 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

)..... thought I'd see how long of an EDS  
> reverb time I could set on an aux - I pretty sure I maxed out the setting  
> and then tried to play it back (I was going for this "fade into reverb  
> mix-outro-thing"). I completely fried an EDS card from doing that.

Now THAT'S COOL!!!!.....errr....well that's hot, but COOL!! Sounds like something I need to try.

;o)

"Carl Amburn" <carlamburn@hotNOSPAMmail.com> wrote in message news:44fdcf7a@linux...

> One time I (a loooong time ago)..... thought I'd see how long of an EDS  
> reverb time I could set on an aux - I pretty sure I maxed out the setting  
> and then tried to play it back (I was going for this "fade into reverb  
> mix-outro-thing"). I completely fried an EDS card from doing that. I think  
> the effects chip overheated. Other than that, I have ran 4 EDS cards in a  
> regular case for quite a while with no problems (maybe had 3 fans in it?).  
> Now I have a very roomy rackmount case with a super fan (7") on the front  
> and three more inside.

>  
> -Carl  
> p.s. I've switched to rendering my crazy reverb effects since then. :)  
>

> news:44fdabc7@linux...

> >  
> > Hi,  
> >  
> > Did someone ever blown an EDS with heat inside the computer ?

> > Box are getting hotter than when EDS have been made, i wonder if it can  
> > work nevertheless.  
> >  
> > thanks,  
> >  
> > Damien  
> >  
> >  
>  
>

---

Subject: Re: EDS and heat

Posted by [rick](#) on Wed, 06 Sep 2006 08:51:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

one would have thought you to be the first in this case and not some loser wannabe...santa, the bunny and now...you. sorry for the harsh loser thing but when an icon falls...they fall hard...

On Tue, 5 Sep 2006 17:44:01 -0600, "DJ"

<[animix\\_spam-this-ahole\\_@animas.net](mailto:animix_spam-this-ahole_@animas.net)> wrote:

>)..... thought I'd see how long of an EDS  
>> reverb time I could set on an aux - I pretty sure I maxed out the setting  
>> and then tried to play it back (I was going for this "fade into reverb  
>> mix-outro-thing"). I completely fried an EDS card from doing that.  
>  
>Now THAT'S COOL!!!!.....errr....well that's hot, but COOL!! Sounds like  
>something I need to try.  
>  
>;o)  
>  
>"Carl Amburn" <[carlamburn@hotNOSPAMmail.com](mailto:carlamburn@hotNOSPAMmail.com)> wrote in message  
>news:44fdcf7a@linux...  
>> One time I (a loooong time ago)..... thought I'd see how long of an EDS  
>> reverb time I could set on an aux - I pretty sure I maxed out the setting  
>> and then tried to play it back (I was going for this "fade into reverb  
>> mix-outro-thing"). I completely fried an EDS card from doing that. I think  
>> the effects chip overheated. Other than that, I have ran 4 EDS cards in a  
>> regular case for quite a while with no problems (maybe had 3 fans in it?).  
>> Now I have a very roomy rackmount case with a super fan (7") on the front  
>> and three more inside.  
>>  
>> -Carl  
>> p.s. I've switched to rendering my crazy reverb effects since then. :)

>>

>> news:44fdabc7@linux...

>> >

>> > Hi,

>> >

>> > Did someone ever blown an EDS with heat inside the computer ?

>> > Box are getting hotter than when EDS have been made, i wonder if it can

>> > work nevertheless.

>> >

>> > thanks,

>> >

>> > Damien

>> >

>> >

>>

>>

>

---

Subject: Re: EDS and heat

Posted by [Deej \[1\]](#) on Wed, 06 Sep 2006 14:14:49 GMT

[View Forum Message](#) <> [Reply to Message](#)

"rick" <parnell68@hotmail.com> wrote in message  
news:es2tf212rqsvo379et8ato6vq82qaotqkn@4ax.com...

> one would have thought you to be the first in this case and not some

> loser wannabe...santa, the bunny and now...you. sorry for the harsh

> loser thing but when an icon falls...they fall hard...

Hey!!!.....I was the fist person on earth to plug a bidirectional CAT5  
cable between a MEC and an EDS card.

(fuckin' ingrate)

>

>

>

> On Tue, 5 Sep 2006 17:44:01 -0600, "DJ"

> <animix\_spam-this-ahole\_@animas.net> wrote:

>

> >)..... thought I'd see how long of an EDS

> >> reverb time I could set on an aux - I pretty sure I maxed out the  
setting

> >> and then tried to play it back (I was going for this "fade into reverb

> >> mix-outro-thing"). I completely fried an EDS card from doing that.

> >

> >Now THAT'S COOL!!!!.....errr....well that's hot, but COOL!! Sounds like

> >something I need to try.

> >  
> >;o)  
> >  
> >"Carl Amburn" <carlamburn@hotmail.com> wrote in message  
> >news:44fdcf7a@linux...  
> >> One time I (a loooong time ago)..... thought I'd see how long of an  
EDS  
> >> reverb time I could set on an aux - I pretty sure I maxed out the  
setting  
> >> and then tried to play it back (I was going for this "fade into reverb  
> >> mix-outro-thing"). I completely fried an EDS card from doing that. I  
think  
> >> the effects chip overheated. Other than that, I have ran 4 EDS cards in  
a  
> >> regular case for quite a while with no problems (maybe had 3 fans in  
it?).  
> >> Now I have a very roomy rackmount case with a super fan (7") on the  
front  
> >> and three more inside.  
> >>  
> >> -Carl  
> >> p.s. I've switched to rendering my crazy reverb effects since then. :)  
> >>

> >> news:44fdabc7@linux...  
> >> >  
> >> > Hi,  
> >> >  
> >> > Did someone ever blown an EDS with heat inside the computer ?  
> >> > Box are getting hotter than when EDS have been made, i wonder if it  
can  
> >> > work nevertheless.  
> >> >  
> >> > thanks,  
> >> >  
> >> > Damien  
> >> >  
> >> >  
> >>  
> >>  
> >  
>  
>

---

Subject: Re: EDS and heat  
Posted by [rick](#) on Wed, 06 Sep 2006 14:38:24 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

"(fuckin' ingrate)"

DAMN RIGHT PORKCHOP

On Wed, 6 Sep 2006 08:14:49 -0600, "DJ"

<animix\_spam-this-ahole\_@animas.net> wrote:

>

>"rick" <parnell68@hotmail.com> wrote in message

>news:es2tf212rqsvo379et8ato6vq82qaotqkn@4ax.com...

>> one would have thought you to be the first in this case and not some

>> loser wannabe...santa, the bunny and now...you. sorry for the harsh

>> loser thing but when an icon falls...they fall hard...

>

>Hey!!!.....I was the fist person on earth to plug a bidirectional CAT5

>cable between a MEC and an EDS card.

>(fuckin' ingrate)

>

>>

>>

>>

>> On Tue, 5 Sep 2006 17:44:01 -0600, "DJ"

>> <animix\_spam-this-ahole\_@animas.net> wrote:

>>

>> >)..... thought I'd see how long of an EDS

>> >> reverb time I could set on an aux - I pretty sure I maxed out the

>setting

>> >> and then tried to play it back (I was going for this "fade into reverb

>> >> mix-outro-thing"). I completely fried an EDS card from doing that.

>> >

>> >Now THAT'S COOL!!!!.....errr....well that's hot, but COOL!! Sounds like

>> >something I need to try.

>> >

>> >0)

>> >

>> >"Carl Amburn" <carlamburn@hotNOSPAMmail.com> wrote in message

>> >news:44fdcf7a@linux...

>> >> One time I (a loooong time ago)..... thought I'd see how long of an

>EDS

>> >> reverb time I could set on an aux - I pretty sure I maxed out the

>setting

>> >> and then tried to play it back (I was going for this "fade into reverb

>> >> mix-outro-thing"). I completely fried an EDS card from doing that. I

>think

>> >> the effects chip overheated. Other than that, I have ran 4 EDS cards in

>a  
>> >> regular case for quite a while with no problems (maybe had 3 fans in  
>it?).  
>> >> Now I have a very roomy rackmount case with a super fan (7") on the  
>front  
>> >> and three more inside.  
>> >>  
>> >> -Carl  
>> >> p.s. I've switched to rendering my crazy reverb effects since then. :)  
>> >>

>> >> news:44fdabc7@linux...  
>> >> >  
>> >> > Hi,  
>> >> >  
>> >> > Did someone ever blown an EDS with heat inside the computer ?  
>> >> > Box are getting hotter than when EDS have been made, i wonder if it  
>can  
>> >> > work nevertheless.  
>> >> >  
>> >> > thanks,  
>> >> >  
>> >> > Damien  
>> >> >  
>> >> >  
>> >>  
>> >>  
>> >  
>>  
>

---

Subject: Re: EDS and heat  
Posted by [Deej \[1\]](#) on Wed, 06 Sep 2006 14:46:37 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

"rick" <parnell68@hotmail.com> wrote in message  
news:c7ntf2942na48q729pe3tf2dppprrtaf64@4ax.com...  
> "(fuckin' ingrate)"  
>  
> DAMN RIGHT PORKCHOP

Careful dude.....I'm thinking about getting two Opcode Studio 64XTC's, a second Paris system and a 16 track 2". I'm gonna stripe a track on the tape with smpte, sync one of the Paris systems to the smpte stripe via the XTC while regenerating the smpte with the XTC and sending it to the XTC on the other Paris system which will then be slaved and will simultaneously send ADAT sync out to my native DAW. this way I can control my entire studio from

a tape transport. Then I'm gonna start jacking with the deck until I can get some really good flutter going and I'm gonna mix a project this way, summing the outputs of all of the audio devices with Hosa "Y" cables to a Mackie 1202 and I'm gonna send it to you to master.....

(fuckin ingrate)

;o)

>

>

>

> On Wed, 6 Sep 2006 08:14:49 -0600, "DJ"

> <animix\_spam-this-ahole\_@animas.net> wrote:

>

> >

> >"rick" <parnell68@hotmail.com> wrote in message

> >news:es2tf212rqsvo379et8ato6vq82qaotqkn@4ax.com...

> >> one would have thought you to be the first in this case and not some

> >> loser wannabe...santa, the bunny and now...you. sorry for the harsh

> >> loser thing but when an icon falls...they fall hard...

> >

> >Hey!!!.....I was the fist person on earth to plug a bidirectional CAT5

> >cable between a MEC and an EDS card.

> >(fuckin' ingrate)

> >

> >>

> >>

> >>

> >> On Tue, 5 Sep 2006 17:44:01 -0600, "DJ"

> >> <animix\_spam-this-ahole\_@animas.net> wrote:

> >>

> >> >)..... thought I'd see how long of an EDS

> >> >> reverb time I could set on an aux - I pretty sure I maxed out the

> >> setting

> >> >> and then tried to play it back (I was going for this "fade into reverb

> >> >> mix-outro-thing"). I completely fried an EDS card from doing that.

> >> >

> >> >Now THAT'S COOL!!!!.....errr....well that's hot, but COOL!! Sounds like

> >> >something I need to try.

> >> >

> >> >;o)

> >> >

> >> >"Carl Amburn" <carlamburn@hotmail.com> wrote in message

> >> >news:44fdcf7a@linux...

> >> >> One time I (a loooong time ago)..... thought I'd see how long of an

> >EDS  
> >> >> reverb time I could set on an aux - I pretty sure I maxed out the  
> >setting  
> >> >> and then tried to play it back (I was going for this "fade into  
reverb  
> >> >> mix-outro-thing"). I completely fried an EDS card from doing that. I  
> >think  
> >> >> the effects chip overheated. Other than that, I have ran 4 EDS cards  
in  
> >a  
> >> >> regular case for quite a while with no problems (maybe had 3 fans in  
> >it?).  
> >> >> Now I have a very roomy rackmount case with a super fan (7") on the  
> >front  
> >> >> and three more inside.  
> >> >>  
> >> >> -Carl  
> >> >> p.s. I've switched to rendering my crazy reverb effects since then.  
> >> >>  
> >> >>

> >> >> news:44fdabc7@linux...  
> >> >> >  
> >> >> > Hi,  
> >> >> >  
> >> >> > Did someone ever blown an EDS with heat inside the computer ?  
> >> >> > Box are getting hotter than when EDS have been made, i wonder if  
it  
> >can  
> >> >> > work nevertheless.  
> >> >> >  
> >> >> > thanks,  
> >> >> >  
> >> >> > Damien  
> >> >> >  
> >> >> >  
> >> >>  
> >> >>  
> >> >  
> >>  
> >  
>  
>

---

Subject: Re: EDS and heat  
Posted by [Rod Lincoln](#) on Wed, 06 Sep 2006 15:16:15 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Yeah...show respect where respect is due! sheesh!  
rod

"DJ" <animix\_spam-this-ahole\_@animas.net> wrote:

>

>"rick" <parnell68@hotmail.com> wrote in message  
>news:es2tf212rqsvo379et8ato6vq82qaotqkn@4ax.com...

>> one would have thought you to be the first in this case and not some  
>> loser wannabe...santa, the bunny and now...you. sorry for the harsh  
>> loser thing but when an icon falls...they fall hard...

>

>Hey!!!.....I was the fist person on earth to plug a bidirectional CAT5  
>cable between a MEC and an EDS card.

>(fuckin' ingrate)

>

>>

>>

>>

>> On Tue, 5 Sep 2006 17:44:01 -0600, "DJ"

>> <animix\_spam-this-ahole\_@animas.net> wrote:

>>

>> >)..... thought I'd see how long of an EDS

>> >> reverb time I could set on an aux - I pretty sure I maxed out the  
>setting

>> >> and then tried to play it back (I was going for this "fade into reverb  
>> >> mix-outro-thing"). I completely fried an EDS card from doing that.

>> >

>> >Now THAT'S COOL!!!!.....errr....well that's hot, but COOL!! Sounds  
like

>> >something I need to try.

>> >

>> >;o)

>> >

>> >"Carl Amburn" <carlamburn@hotmail.com> wrote in message

>> >news:44fdcf7a@linux...

>> >> One time I (a loooong time ago)..... thought I'd see how long of  
an

>EDS

>> >> reverb time I could set on an aux - I pretty sure I maxed out the  
>setting

>> >> and then tried to play it back (I was going for this "fade into reverb  
>> >> mix-outro-thing"). I completely fried an EDS card from doing that.

I

>think

>> >> the effects chip overheated. Other than that, I have ran 4 EDS cards  
in

>a

>> >> regular case for quite a while with no problems (maybe had 3 fans in  
>it?).  
>> >> Now I have a very roomy rackmount case with a super fan (7") on the  
>front  
>> >> and three more inside.  
>> >>  
>> >> -Carl  
>> >> p.s. I've switched to rendering my crazy reverb effects since then.  
>> >> :)  
>> >>

>> >> news:44fdabc7@linux...  
>> >> >  
>> >> > Hi,  
>> >> >  
>> >> > Did someone ever blown an EDS with heat inside the computer ?  
>> >> > Box are getting hotter than when EDS have been made, i wonder if  
>> >> > it  
>> >> > can  
>> >> > work nevertheless.  
>> >> >  
>> >> > thanks,  
>> >> >  
>> >> > Damien  
>> >> >  
>> >> >  
>> >>  
>> >>  
>> >  
>>  
>  
>

---

Subject: Re: EDS and heat  
Posted by [rick](#) on Thu, 07 Sep 2006 09:04:48 GMT  
[View Forum Message](#) <> [Reply to Message](#)

well mr pc, if you do attempt such a "head up your ass" folly remember  
this....i've got some 4 cards, a mec, input cards and  
controllers...okay. so now go shower with apple sauce.

On Wed, 6 Sep 2006 08:46:37 -0600, "DJ"  
<animix\_spam-this-ahole\_@animas.net> wrote:

>  
>"rick" <parnell68@hotmail.com> wrote in message

>news:c7ntf2942na48q729pe3tf2dppprrtaf64@4ax.com...  
>> "(fuckin' ingrate)"  
>>  
>> DAMN RIGHT PORKCHOP  
>  
>careful dude.....I'm thinking about getting two Opcode Studio 64XTC's, a  
>second Paris system and a 16 track 2". I'm gonna stripe a track on the tape  
>with smpte, sync one of the paris systems to the smpte stripe via the XTC  
>while regenerating the smpte with the XTC and sending it to the XTC on the  
>other Paris system which will then be slaved and will simultaneously send  
>ADAT sync out to my native DAW. this way I can control my entire studio from  
>a tape transport. Then I'm gonna start jacking with the deck until I can get  
>some really good flutter going and I'm gonna mix a project this way, summing  
>the outputs of all of the audio devices with Hosa "Y" cables to a Mackie  
>1202 and I'm gonna send it to you to master.....  
>  
>(fuckin ingrate)  
>  
>;o)  
>>  
>>  
>>  
>> On Wed, 6 Sep 2006 08:14:49 -0600, "DJ"  
>> <animix\_spam-this-ahole\_@animas.net> wrote:  
>>  
>> >  
>> >"rick" <parnell68@hotmail.com> wrote in message  
>> >news:es2tf212rqsvo379et8ato6vq82qaotqkn@4ax.com...  
>> >> one would have thought you to be the first in this case and not some  
>> >> loser wannabe...santa, the bunny and now...you. sorry for the harsh  
>> >> loser thing but when an icon falls...they fall hard...  
>> >  
>> >Hey!!!.....I was the fist person on earth to plug a bidirectional CAT5  
>> >cable between a MEC and an EDS card.  
>> >(fuckin' ingrate)  
>> >  
>> >>  
>> >>  
>> >>  
>> >> On Tue, 5 Sep 2006 17:44:01 -0600, "DJ"  
>> >> <animix\_spam-this-ahole\_@animas.net> wrote:  
>> >>  
>> >> >)..... thought I'd see how long of an EDS  
>> >> >> reverb time I could set on an aux - I pretty sure I maxed out the  
>> >setting  
>> >> >> and then tried to play it back (I was going for this "fade into  
>> >reverb  
>> >> >> mix-outro-thing"). I completely fried an EDS card from doing that.

>> >> >  
>> >> >Now THAT'S COOL!!!!.....errr....well that's hot, but COOL!! Sounds  
>like  
>> >> >something I need to try.  
>> >> >  
>> >> >;o)  
>> >> >  
>> >> >"Carl Amburn" <carlamburn@hotNOSPAMmail.com> wrote in message  
>> >> >news:44fdcf7a@linux...  
>> >> >> One time I (a loooong time ago)..... thought I'd see how long of  
>an  
>> >EDS  
>> >> >> reverb time I could set on an aux - I pretty sure I maxed out the  
>> >setting  
>> >> >> and then tried to play it back (I was going for this "fade into  
>reverb  
>> >> >> mix-outro-thing"). I completely fried an EDS card from doing that. I  
>> >think  
>> >> >> the effects chip overheated. Other than that, I have ran 4 EDS cards  
>in  
>> >a  
>> >> >> regular case for quite a while with no problems (maybe had 3 fans in  
>> >it?).  
>> >> >> Now I have a very roomy rackmount case with a super fan (7") on the  
>> >front  
>> >> >> and three more inside.  
>> >> >>  
>> >> >> -Carl  
>> >> >> p.s. I've switched to rendering my crazy reverb effects since then.  
>:)  
>> >> >>

>> >> >> news:44fdabc7@linux...  
>> >> >> >  
>> >> >> > Hi,  
>> >> >> >  
>> >> >> > Did someone ever blown an EDS with heat inside the computer ?  
>> >> >> > Box are getting hotter than when EDS have been made, i wonder if  
>it  
>> >can  
>> >> >> > work nevertheless.  
>> >> >> >  
>> >> >> > thanks,  
>> >> >> >  
>> >> >> > Damien  
>> >> >> >  
>> >> >> >  
>> >> >>

>> >> >>  
>> >> >  
>> >>  
>> >  
>>  
>

---

Subject: Re: EDS and heat  
Posted by [rick](#) on Thu, 07 Sep 2006 09:06:14 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

yeah...exactly...wait who are you addressing?

On 7 Sep 2006 01:16:15 +1000, "Rod Lincoln"  
<[rlincoln@nospam.kc.rr.com](mailto:rlincoln@nospam.kc.rr.com)> wrote:

>  
>Yeah...show respect where respect is due! sheesh!  
>rod  
>  
>  
>"DJ" <[animix\\_spam-this-ahole\\_@animas.net](mailto:animix_spam-this-ahole_@animas.net)> wrote:  
>>  
>>"rick" <[parnell68@hotmail.com](mailto:parnell68@hotmail.com)> wrote in message  
>>news:es2tf212rqsvo379et8ato6vq82qaotqkn@4ax.com...  
>>> one would have thought you to be the first in this case and not some  
>>> loser wannabe...santa, the bunny and now...you. sorry for the harsh  
>>> loser thing but when an icon falls...they fall hard...  
>>  
>>Hey!!!.....I was the fist person on earth to plug a bidirectional CAT5  
>>cable between a MEC and an EDS card.  
>>(fuckin' ingrate)  
>>  
>>>  
>>>  
>>>  
>>> On Tue, 5 Sep 2006 17:44:01 -0600, "DJ"  
>>> <[animix\\_spam-this-ahole\\_@animas.net](mailto:animix_spam-this-ahole_@animas.net)> wrote:  
>>>  
>>> >)...... thought I'd see how long of an EDS  
>>> >> reverb time I could set on an aux - I pretty sure I maxed out the  
>>setting  
>>> >> and then tried to play it back (I was going for this "fade into reverb  
>>> >> mix-outro-thing"). I completely fried an EDS card from doing that.  
>>> >

>>> >Now THAT'S COOL!!!!.....errr....well that's hot, but COOL!! Sounds  
>like  
>>> >something I need to try.  
>>> >  
>>> >;o)  
>>> >  
>>> >"Carl Amburn" <carlamburn@hotmail.com> wrote in message  
>>> >news:44fdcf7a@linux...  
>>> >> One time I (a loooong time ago)..... thought I'd see how long of  
>an  
>>EDS  
>>> >> reverb time I could set on an aux - I pretty sure I maxed out the  
>>setting  
>>> >> and then tried to play it back (I was going for this "fade into reverb  
>>> >> mix-outro-thing"). I completely fried an EDS card from doing that.  
>I  
>>think  
>>> >> the effects chip overheated. Other than that, I have ran 4 EDS cards  
>in  
>>a  
>>> >> regular case for quite a while with no problems (maybe had 3 fans in  
>>it?).  
>>> >> Now I have a very roomy rackmount case with a super fan (7") on the  
>>front  
>>> >> and three more inside.  
>>> >>  
>>> >> -Carl  
>>> >> p.s. I've switched to rendering my crazy reverb effects since then.  
>:)  
>>> >>

>>> >> news:44fdabc7@linux...  
>>> >> >  
>>> >> > Hi,  
>>> >> >  
>>> >> > Did someone ever blown an EDS with heat inside the computer ?  
>>> >> > Box are getting hotter than when EDS have been made, i wonder if  
>it  
>>can  
>>> >> > work nevertheless.  
>>> >> >  
>>> >> > thanks,  
>>> >> >  
>>> >> > Damien  
>>> >> >  
>>> >> >  
>>> >>  
>>> >>  
>>> >>

>>> >  
>>>  
>>  
>>

---

---

Subject: Re: EDS and heat  
Posted by [Paul Braun](#) on Mon, 11 Sep 2006 02:53:10 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

On Thu, 07 Sep 2006 05:04:48 -0400, rick <parnell68@hotmail.com>  
wrote:

>well mr pc, if you do attempt such a "head up your ass" folly remember  
>this....i've got some 4 cards, a mec, input cards and  
>controllers...okay. so now go shower with apple sauce.

>  
>

I just got back from a weekend in Joliet, IL at the Indy Car race...

This exchange was EXACTLY what I needed to read before I fall asleep  
in my chair.

Fortunatley, no beverages were harmed during the reading of this  
thread.

dickweed.

(JK, but wanted to join in the fun.)

pab

---