
Subject: Re: Version 3 MEC Inputs Card B No sound
Posted by [Deej \[1\]](#) on Sun, 18 Dec 2005 17:35:30 GMT
[View Forum Message](#) <> [Reply to Message](#)

better if that Logic plugin dropout bug gets fixed someday. ;^)
>
> The hardware churn on the MSWindows market has actually been higher over
> the last few years if you want to stay current. Meanwhile if you look at
> average resale value I'll bet it's been higher with Macs.
>
> If you want to talk about being locked in, that's very much what
> MSWindows is all about. You're locked into a proprietary OS and the
> chipsets it supports. And you're supporting a company that was convicted
> of using its monopoly power to drive other choices out of business.
> Which has left us in a limited choice position as consumers.
>
> With the Intel/Athlon boxes you can build your own system from parts, an
> advantage: On the plus side you can choose the combination of parts
> you want and the cost of parts may be less than, say, a Dell or Mac
> system. On the minus side, what is your time worth? Add that in and the
> cost of your system could easily come up to that of a Dell or Mac, or
> mor

Subject: Version 3 MEC Inputs Card B No sound
Posted by [Deadmeat](#) on Sun, 18 Dec 2005 17:54:29 GMT
[View Forum Message](#) <> [Reply to Message](#)

; Can record fine with MIX A, MEC A. Getting no sound at all
> on any inputs for MEC B, Mix B. Tried to load V2.2, and all
> is fine - can record on MEC B inputs all day long. When using
> V3, see input lights on module, but have no meters in mixer
> and no sound - MEC B syncing to WC fine - plays sound accross
> all submixes just fine from projects recorded on V2.
>
> Any Thoughts?EDS rendering never worked, never would/will. The Native effects render
along as normal system plugs... EDS run off the EDS card, so it's not
possible since those are

Subject: Re: Version 3 MEC Inputs Card B No sound
Posted by [Aaron Allen](#) on Sun, 18 Dec 2005 18:52:51 GMT
[View Forum Message](#) <> [Reply to Message](#)

rds.com" target="_blank">caffiene@hydrorecords.com> wrote in message
news:43a5a862\$1@linux...
>

> hola Juan...
>
> The only thing that crashes me all the time is when my cat jumps up on the
> desk and walks accross the C-16 :)
>
> John <no@no.com> wrote:
> >I seem to be a crash magnet so I'm wondering what crashes you the most
> >in Paris?
> >
> >messing with inserts while recording?
> >
> >corrupted ppj project files?
> >
> >streaming errors?
> >
> >Thanks,
> >John
>
>DJ wrote:
>>My
>
> dual 2.5GHZ PowerMac does not need replacement even though it's a few
> years old. It already does far more real time plugins and tracks than I
> require and it can keep doing what it does for years to come<
>
> Unless Steveo decides he needs more cash and obsoletes it tomorrow. It
> always amazed me that Bill Gates got such a bad rap even when it was Jobs
> that created a Mac monopoly by yanking the OS licensing from Power computin

Subject: Re: Version 3 MEC Inputs Card B No sound
Posted by [Tom Bruhl](#) on Mon, 19 Dec 2005 00:24:14 GMT
[View Forum Message](#) <> [Reply to Message](#)

> >
> >This weekend has truly been hellacious. I sort of expected it. I've pretty
much succeeded at most of what I wnted to accomplish, but it was a bitch
getting there.

I'm never going to build another computer as long as I live.....I
promise.

;oP

"DJ" <animix_spam-this-ahole_@animas.net> wrote in message
news:43a4dd92@linux...
> I forgot how.

>
> ;o}
>
>Yah, Rrrrrriiiiiiggggggggghht! ;-)

David.

DJ wrote:

> This weekend has truly been hellacious. I sort of expected it. I've pretty
> much succeeded at most of what I wanted to accomplish, but it was a bitch
> getting there.

>
> I'm never going to build another computer as long as I live.....I
> promise.

>
> ;oP

>
> "DJ" <animix_spam-this-ahole_@animas.net> wrote in message
> news:43a4dd92@linux...

>
>>I forgot how.

>>
>>;o}

>>
>>

>
>
>Jamie K <Meta@Dimensional.com> wrote:

>If you price a Mac compared to, for example, a Dell, I don't think the
>difference in price comes anywhere near the a down payment on a house.

I was referring to the constant need to upgrade PT systems when
I said that... sorry if wasn't clear.

The fact that full-out PT systems run only on Macs just kinda
makes them go hand-in-hand in that regard.

NeilOh, OK. ProTools is another ball o' \$\$ for sure.

But you really can't blame Apple for that one.

Cheers,
-Jamie
<http://www.JamieKruz.com>

Neil wrote:

> Jamie K <Meta@Dimensional.com> wrote:
>
>
>>If you price a Mac compared to, for example, a Dell, I don't think the
>>difference in price comes anywhere near the a down payment on a house.
>
>
> I was referring to the constant need to upgrade PT systems when
> I said that... sorry if wasn't clear.
>
> The fact that full-out PT systems run only on Macs just kinda
> makes them go hand-in-hand in that regard.
>
> Neildouble A...

hehe... for some reason the 80lb dog is often seen running full speed away
from the 15lb cat....

the studio shooting has definitely hit us hard... bad press... lots of
discussions about 'snitching' and life imitating art. Personally I believe
you live by the sword you die by the sword and you reap what you sow. Its
a crazy cycle between hip hop (pop culture as a whole) and violence that is
only getting worse. I definitely fear for the little ones. I was in toys
r us and the hip hop shit has trickled down to preschool... the remote
control cars are hummers with spinning rims and I even saw Bling Bling
Barbie. Argh.

Good new local video on topic:
<http://www.statikselektah.com/media/motionpicturevideo.wmv>

"Aaron Allen" <nospam@not_here.dude> wrote in message news:43a5afcd@linux...
>I hear there will be a patch for that coming.
>
> Install Doghatescat patch release 1.01 or you can install the current
> Alpha release of Kittygetsashowereverytimethishappens.DLL, version 0.85.
> Some people have tried an alternative, katnip.exe release 3.47 but with
> mixed results.
> Glad to see you posting, we weren't that sure for a bit what was going
> down in your town with the studio shooting.
> AA
>
>
> "justcron" <caffiene@hydrorecords.com> wrote in message
> news:43a5a862\$1 @linux...
>>
>> hola Juan...
>>
>> The only thing that crashes me all the time is when my cat jumps up on

>> the
>> desk and walks accross the C-16 :)
>>
>> John <no@no.com> wrote:
>>>I seem to be a crash magnet so I'm wondering what crashes you the most
>>>in Paris?
>>>
>>>messing with inserts while recording?
>>>
>>>corrupted ppj project files?
>>>
>>>streaming errors?
>>>
>>>Thanks,
>>>John
>>
>>
>
>Yes.

Jimmy

"jef knight" <thestudio@allknightmusic.com> wrote in message
news:43a5f2f5@linux...

I hate driving.

I prefer sky diving to driving. Fewer idoit.

Merry Xmas Everyone.

jefexcept if you really like the Paris eds eq, you can manually copy settings
to the vst version.It sounds the same, other than the freqs are a little
off in the eds version if your at 44.1. At 48k they're on. I've got a conversion
table around somewhere if your interested.

Rod
John <

Subject: Re: Version 3 MEC Inputs Card B No sound
Posted by [Deadmeat](#) on Mon, 19 Dec 2005 16:57:51 GMT
[View Forum Message](#) <> [Reply to Message](#)

ough some claim

>Apple would have gone out of business had they not done that, I disagree

>with that analysis.
>
>However, Apple does not have a monopoly. "Monopoly" is a very specific
>legal term. Once you have one, you have to operate under more stringent

>rules. Microsoft achieved a monopoly in the OS market and exploited that

>monopoly illegally to shut down competitors and leverage into new
>markets. That is bad for consumer choice, bad for companies trying to
>compete on a level playing field, and illegal.
>
>In general, competition is more beneficial to consumers than monopolies

>and so we try to encourage competition. Or at least give it lip service.
>
>Steve Jobs cannot obsolete my PowerMac tomorrow. It will continue to do

>what it does now even if he stopped development for it entirely. Which
>Apple has already stated they will not do even after the transition to
>Intel processors.
>
>Apple transitioned out of OS9 and previous with a long program of
>emulation so that old, non-hardware dependent programs can still run.
>OS9 is something I didn't buy into anyway since it was never above my
>threshold of OS goodness but it's interesting that Apple went to
>considerable effort to bring the customer base along. Apple has been
>sticking with OSX for quite a while now with no immediate plans to
>abandon it.
>
>Microsoft also drops support for older OS versions after a time. And
>they periodically churn their market with new versions. When choosing
>Microsoft you are not escaping obsolescence or attempts at locking you in.
>
>The next round of Microsoft market churning is coming soon. So you'll be

>able to enjoy the new stuff they've copied from OSX, and maybe some
>other improvements and proprietary lock-in attempts. :^)
>
>Bottom line, we have limited choices now. But we still have a few.
>Choose what works for you but don't fool yourself. Meanwhile, no matter

>what tools we choose to deal with, and how much time we want to devote
>to fanboy posts about them, the end results are what matter.
>
>Make great music.
>
>Cheers,
> -Jamie

> <http://www.JamieKrutz.com>
>
>
>> "Jamie K" <Meta@Dimensional.com> wrote in message news:43a5b143@linux...
>>
>>>The case for the most cost effective system is not as clear as you might
>>>guess at first, and it will depend on your specific needs.
>>>
>>>If you price a Mac compared to, for example, a Dell, I don't think the
>>>difference in price comes anywhere near the a down payment on a house.
>>>
>>>If you look at the average turnover, I would guess it's less with Macs.
>>>PowerMacs are upgradable with faster display cards, copious amounts of
>>>RAM, i/o cards on a very fast bus, wireless, firewire and USB2 i/o. My
>>>dual 2.5GHZ PowerMac does not need replacement even though it's a few
>>>years old. It already does far more real time plugins and tracks than
I
>>>require and it can keep doing what it does for years to come. It may
>>>even get better if that Logic plugin dropout bug gets fixed someday. ;^)
>>>
>>>The hardware churn on the MSWindows market has actually been higher over
>>>the last few years if you want to stay current. Meanwhile if you look
at
>>>average resale value I'll bet it's been higher with Macs.
>>>
>>>If you want to talk about being locked in, that's very much what
>>>MSWindows is all about. You're locked into a proprietary OS and the
>>>chipsets it supports. And you're supporting a company that was convicted
>>>of using its monopoly power to drive other choices out of business.
>>>Which has left us in a limited choice position as consumers.
>>>
>>>With the Intel/Athlon boxes you can build your own system from parts,
an
>>> advantage: On the plus side you can choose the combination of parts
>>>you want and the cost of parts may be less than, say, a Dell or Mac
>>>system. On the minus side, what is your time worth? Add that in and the
>>>cost of your system could easily come up to that of a Dell or Mac, or
>>>more if you run into configuration and hardware troubles.
>>>
>>>Bottom line, there are a limited number of choices available today
>>>because we're down to just a few OS choices and chip manufacturers.
>>>Choose whichever proprietary system best meets your needs. Choice is
>>>good. Narrowing of choices is disturbing.
>>>
>>>Cheers,
>>> -Jamie
>>> <http://www.JamieKrutz.com>
>>>

>>>PS. If you spec your system for what you actually need and don't settle
>>>for something that falls short _or_ float with the hype of the latest
>>>thing, you can get a very long life out of your equipment investments.
>>>This is true no matter what type of system you choose.

>>>

>>>

>>>Neil wrote:

>>>

>>>>"James McCloskey" <excelsm@hotmail.com> wrote:

>>>>

>>>>

>>>>

>>>>>Anybody have any thoughts?

>>>>

>>>>

>>>>>The only thing I have against Macs is that - at least with
>>>>>regard to DAW applications - you're really locked into more
>>>>>proprietary stuff. Less flexibility... and that's the same thing
>>>>>I have against PT, now that sonically (at least IMO) the new HD
>>>>>systems are really quite good. If you need to upgrade your Mac
>>>>>at some point, you've got buy a whole new one... same thing
>>>>>with PT - every few years you're forking over another down
>>>>>payment on a house in order to get a new system just to stay
>>>>>current.

>>>>&g

Subject: Re: Version 3 MEC Inputs Card B No sound
Posted by [Sandy Tipping](#) on Mon, 19 Dec 2005 17:57:57 GMT
[View Forum Message](#) <> [Reply to Message](#)

it real.

>>

>> Cheers,

>> Kim.

>>

>> "justcron" <pachinko@hydrorecords.com> wrote:

>> >double A...

>> >

>> >hehe... for some reason the 80lb dog is often seen running full speed
> away

>>

>> >from the 15lb cat...

>> >

>> >the studio shooting has definitely hit us hard... bad press... lots of

>>

>> >discussions about 'snitching' and life imitating art. Personally I

> believe

>>
>> >you live by the sword you die by the sword and you reap what you sow.
>> Its
>> >a crazy cycle between hip hop (pop culture as a whole) and violence that
>> is
>> >only getting worse. I definitely fear for the little ones. I was in
> toys
>>
>> >r us and the hip hop shit has trickled down to preschool... the remote
>> >control cars are hummers with spinning rims and I even saw Bling Bling
>> >Barbie. Argh.
>> >
>> >Good new local video on topic:
>> ><http://www.statikselektah.com/media/motionpicturevideo.wmv>
>> >
>> >"Aaron Allen" <nospam@not_here.dude> wrote in message
> news:43a5afcd@linux...
>> >>I hear there will be a patch for that coming.
>> >>
>> >> Install Doghatescat patch release 1.01 or you can install the current
>>
>> >> Alpha release of Kittygetsashowereverytimethishappens.DLL, version
> 0.85.
>>
>> >> Some people have tried an alternative, katnip.exe release 3.47 but
>> >> with
>>
>> >> mixed results.
>> >> Glad to see you posting, we weren't that sure for a bit what was going
>>
>> >> down in your town with the studio shooting.
>> >> AA
>> >>
>> >>
>> >> "justcron" <caffiene@hydrorecords.com> wrote in message
>> >> news:43a5a862\$1@linux...
>> >>>
>> >>> hola Juan...
>> >>>
>> >>> The only thing that crashes me all the time is when my cat jumps up
>> >>> on
>>
>> >>> the
>> >>> desk and walks accross the C-16 :)
>> >>>
>> >>> John <no@no.com> wrote:
>> >>>>I seem to be a crash magnet so I'm wondering what crashes you the
>> >>>>most

>> >>>>in Paris?
>> >>>>
>> >>>>messing with inserts while recording?
>> >>>>
>> >>>>corrupted ppj project files?
>> >>>>
>> >>>>streaming errors?
>> >>>>
>> >>>>Thanks,
>> >>>>John
>> >>>
>> >>>
>> >>
>> >>
>> >
>> >
>>
>
>Yep! He's a buddy of SSC's too. Years ago.....like back in 1998, we had quite a thread going about this with Stephen contributing a few interesting tidbits.

Now I've gotta go listen to Living on the Fault line by the Doobies and get myself a dose of da' Skunk.

"Tony Benson" <tony@standinghampton.com> wrote in message news:43a6f61a@linux...
> Maybe I'm just out of the loop, but I had no idea. Very interesting stuff.
>
> Tony
>
> Click this link
>
>
> <http://video.msn.com/v/us/v.htm?g=31f32f36-63b7-408b-857f-527407da1d8d&f=email>
>
>"DJ" <animix_spam-this-ahole_@animas.net> wrote:
>.....so you need two mics of the same kind????.....hell man, just
>stick the TLM on one side and the CAD on the other and be done with it.

Not EXACTLY the effect I'm looking for. lol

I have one LDC pair (Baby Bottles), but ideally I'd like another for some variety.

I know you REALLY hate the SP-modded -87 you have... if you had two I'd be happy to pick those up from you

:)

Neillf'n I was going to buy a pair of LDC's right now, I'd be looking really hard at a pair of SE Titans. These multipattern mics are really nice. After using SE3's, an SE Gemini and a Titan on projects here, I really want to try their multipattern tube mic.....the 5600 I think it's called. I know SE doesn't have the *name* thing going, but the mics are friggin awesome. I remember swapping you the C1 I was using for an old SE 2000 a few years back. You oughta try their new stuff. Morgan has a demo program going for these.

I'm going to be posting some clips up this week of an acoustic guitar recorded on a pair of SE3's and a Titan and a dobro recorded on a Gemini.

"Neil" <OIUOIU@OIU.com> wrote in message news:43a6f742\$1@linux...

>

> "DJ" <animix_spam-this-ahole_@animas.net> wrote:

> >.....so you need two mics of the same kind????.....hell man,
just

> >stick the TLM on one side and the CAD on the other and be done with it.

>

> Not EXACTLY the effect I'm looking for. lol

>

> I have one LDC pair (Baby Bottles), but ideally I'd like another
> for some variety.

>

> I know you REALLY hate the SP-modded -87 you have... if you had
> two I'd be happy to pick those up from you

>

> :)

>

> Neilok, so what's the trick?

Rod Lincoln wrote:

> Don, 8 is the limit if you have 1 mec and 1 adat card. 16 if you have at least
> 2 mec's and 4 adat cards. If you have no adat cards, then 2, using spdif.

>

> Rod

> "Don Nafe" <dnafe@magma.ca> wrote:

>

>>Hi All

>>

>>Is there a limit to the # of tracks that can be sent via the external loop

>

>

>>(hardwired) tip that Brian used on his Auto tune trick segment...I'm not
>
> at
>
>>my rig and I was just wondering
>>
>>Don
>>
>>
>
>Jobs pulled Apple back from the brink of death. Remember no Apple, no clones.
Apple has done great under Steve Jobs command as CEO, and will continue
to do so, regardless of what idiots like MontlyFools try to bullshit us.
It's hard to argue with success!

James

"DJ" <animix_s

Subject: Re: Version 3 MEC Inputs Card B No sound
Posted by [Deadmeat](#) on Mon, 19 Dec 2005 21:13:04 GMT
[View Forum Message](#) <> [Reply to Message](#)

br />
>myself a dose of da' Skunk.
>
>"Tony Benson" <tony@standinghampton.com> wrote in message
>news:43a6f61a@linux...
>> Maybe I'm just out of the loop, but I had no idea. Very interesting stuff.
>>
>> Tony
>>
>> Click this link
>>
>>
> <http://video.msn.com/v/us/v.htm?g=31f32f36-63b7-408b-857f-527407da1d8d&f=ema>
>il
>>
>>
>
>

---=_linux43a7154c

Content-Type: image/jpeg; name="C:\Documents and Settings\Owner\My Documents\My Pictures\me and Skunk.JPG"

Content-Transfer-Encoding: base64

Content-Disposition: attachment; filename="me and Skunk.JPG"

4U5irucUpTnPpVLQY0A+nJpSSFwOKGG0ZHINlcjnP/1qSVxbO5AVG/DenNNI
wBginS8Ejppz71E8nLYX8aqxNyaZIXAU9hk+9Qvkt1yQOtJORwAOTjmlhXO7
vSt1Fe48q6hWzkU3aG5Axnt/WnozRvyNyHqKY5wSR8ozwKvzQ733GuxdR3OM
CnwRhp0XOPaokXkMOvSrtiNr7jz3qHoG7LhBC4xz7Uu7AAzjjmjeAuAeT3pH
J4UfexnJqWi7jSWwQRhT0pRzICM5FJulUgnGacP3fBOTipt2EkJulGAMjNN2
kj7u09zUikcEnJPPShu/5ZppA9dRuDnOeB0NHZNkAbV7g96XPJKg8jketOzm
LB6jtQ2CVyPaScADIFKuW/A4NOZEM5xTcqCcc7hTb0HcVRzzgDPrRz1PrShB
jcVBOMYP86AvGBxxmlcOogcYyB3p3lUDoOuaY3AUHnHcU9DkHPQetN9wQY+U
g/ePOaldwcsFJJAQBQqBVJBzmmkjgbvoaAGYDfw4PpUpYkkAYI4lpo65A+tO
lI3bRnlzUrcXURnOMA8U3OP4v0owyp+tGDV2E2ZWzAwByO9PMOM55BpwOBkd
O5pzMSMn1rZtmSsyFo1c4Uc+lOMXTHGOxHSnv8zEj5felYncuDjiv3ppiasN
8kbgQSM9vWmmIge9D2NTJndgjPOKdETx0I9+3tTvqCKwj4OBz3+tOjVd5Dd
O9WGO05PygnkCn7CowQpzU3vqLW9ir9nJbrlBStasQdvHfNW1/ujrjnNKhIR
gelNPqK+tiitsVHPPvULxENk9R0FablWGVXmq8gXHqc0wbSKWMn2PWhVJOAc
VIY/lzS7CD6ECnYq5H0bnjFJsMnl4I5qxHEDIm7kk81ppDEm47McYzSatqMx
ijL9fpT4tpbbIme4rZ8sFhtUc002iNuVIHPenoyEzLaz2yZ4KEZBpkduQWHJ
PY1fMDR5VDgdOajllQYLAfQVKHF6IS4tfLQEvz1IxVYDoB0q+8G8H5jn39Kr
mBVPBpR0uiyDaVORzz0NG4g5wF6Cp3j77qj7EA9OtFmS9xpblznANlpznBz
xT8cZ70gQtx1OegoS0sVe6GsAQDnikA59ql8j5QSCoaYOpGOBQl0G2MI5llz
6UBPXoae4OAc556UcEetT6CGFieM4ApeO54pzEDHy0igE1QXEHzAdsUDBXA4
HpThg52jNjkHHNR1KsGACM0ufQUu3J+YcelJn1OSDx9KpgSQ86YGcGt9I3
Qkt8rkdBXPwrmVTnGTXRBc20nGSF61z1Trw7sZ5YFUXHHc0ueQAc+tMC7D1O
B3qUQ8lmlArE6m3bQQck8fjSMu2N2P3iQAae4+QjPAppJETEtntilezB7Ful
nzEUcdCacP8Aj4HcsDUcQxPCckg+ISjCXPGo+D3FY6XNlsRBSkyrnDY4pSu5
mz8pHX3o2gzZNGN7kNyM4phLbUc529OHGOa9AhjVYIP3e4+WCT6159lSDjOe
Rk+1ehxMFhh652KARW0L9DimPnhEcgwAQwBHNRNESuTGdu7pTmlVSw2l8NwR
3q15qzlu59u0cj0ra115mHqUdz8YjbnkAjGktgf6OzcOcZINWlpY3aJpCzyH
oB0Ue9STXEasAFU+oA4pavQEox1KLOZxtROQMkHpTLe6UgK24kDA9BV9ipVn
X+HgD1FYqSliQFOzPPFaWaYm7ovPqAjXYqs6nrjrTEukGGO9gvbvVZmnO59o
GPu4HSmO0j5527RgMo5ye9CbQ7amzH5c7+YM8feGepplYN7k7gpJzhazYRle
VbaCMKM+nc1cRjoxvaVTxgY9aVtbiT0LioVQkljmo8MBglTzjGeopFupwy7l
B2jB5qRJSUAQZ28g07XJVpPzHRckv7fdH8NOcOAGZfmb73NPjkNurHCANzk9
zSx3ShA+4Yz1bk/jQ7ND2Yio/V5F2Hqn96nBCkhdyQrnA2D7uO1D3MRIZPm5
wQR096YJnO0IDj46596T0K0epZ2loUXMhAJwgbAA9auXNy0jGSI+WfLCY+n
Gayd8gJZ2ychcZxjNKXeNcLGvowDVEb3uxuCkXo50tLF5A8YaVjGccsyjnP0
zVGW/idGIBZienGMVWSNnUbl1BGRz6etNjEiNgx5PKjgg1o5dylxtsXBdQSF
M5APJ4PPFWoHhEcjS4YFcAY5HPWsyPzBIN2H8tdwIHBHofzqwiBA0hBGcBh1
wTzx+VJOW2y3LFCudvIAzuB6VI4jIEa+YexBH61SfLhmTGDwU2kn60FZnREE
ke3g7yD8o9KafcTXRmtDiltBKzMwXB2huv6Vha84ktYUByDKmB6E9KvCYhpV
ZVfdgBIPb6VI6o4H2cohz5yEOfY+ITIrU8suvmuJsYOZG6HODk1Fyoxu7VLc
v500jBjksx5GCTn2qlyGMjJNLZJmTWtw3HBLc/SoXj8tNwbcuORjpUpPzYGQ
epx6UxSQwYH049av1KHXA2uwDZJAOPwphG5cEgE1JlwYsG5weo60wKVGtgjg
g4pLsK3UjweRjinABVxmkwDxknvSDAJGOMU7LqICThQTKuUwDD7vPNIBnHH
fFLyEb5tuB0FTotUNbDeOMkgj0o5zkYloBz/ADzihicwKjGRVbBcYecE5HbA
oXaSdvJz6VIUwAQeetAO/OCFxQDS2I9vIwx3cVLtG5T3PFIw3dR06mhTsQDu
e9LUNAIBz29BUBAHd3qR+VycE5zj0pplUegPpVXtqMgmX8qrv0GOgqw+fm5w
B61XdCenBpXltYdcccUpUDoBzT1Q7CcgfSkYFpcj5uOISFMHIGOORTegkJnC8
1Xlxg88jmrDhKkjA71VHLDirS+lgsPRdxA7mtKBViWMD5siqtrGTI8Zx0FX

V+TbUPcfQI3DPAXS8Z5HGKQdh1A6+1BIHA796llWGtgIxI57GI+Ujk4z3NKP
kz3pmSSQwFLoMcE4wOo5zQDuz6dqRIBYkE4pxCZHP04oF0GD5WwfTnFK5yu0
YHv/AEp+zBJz260mMNg80hJ2GGMnbzkUqqqrwM4p5G3sOKTBzuBx6gUrBuxg
JI9qQLGc8gmpTnrjA9B1pFXg8ZB/Q0ymMCGE5HXgVKcueMYA6UiuSAABwcc0
8OSTkDHfFMBVT5RnOD701IXG4g1MlwUYhvpTNxweAQDxSQaEQO4EdOakT5VH
ODj0phOW3cBu9SbhznkD0o6jXmMIJbkZHQU/92OMUBtwyuQT0B9KQpkmmiW+
hknBxBU+nFO83LYwPTHrUGNyA7j9BSpkNgYOPzrfc5/QlkdRu7DPSjeGAGR+
NRzIFBxwe5pXCgBgMZ6mhLQb3JIBzwTx37UpO1Src0kZwoBzwOPemS8s2PTd
SK9CcEdAfrQ0gVgDncO4qOJxImcYJ4ofKvycqaGlclXJllV2IXrjr70rSBTt
GAO5z1NQRSYIUqOvGKNwDsJFJJPWk2x3VydMFWbrjtVd1QEEHOT+VSWxVTKO
q9lpNggIVmXKN+IEbp6g0luMS3LnGck8g0/7I5LANk+pqa0iwWccYHGfSrDZ
SJ3/AlsVo5aE2sUlhKsuSCQc8VeOOCzDB6Cq0MCywF2zknPBojJngdWGHjzg
0r3RV76FoAMfvbT7GnLjknOV9aoqqsgC53Fc596vbd0aqeSR1paoSsxrlmI5
H0qBw5BJ4FRbC/nAtsKfdzS+Y7rEejODk1MLrVIXVyF32k5qFjlsP61MUy
OdxYex9qjwR1PerW4PsMJHccDR9KjYA8gYOOalKk5zyKRBjJPIqzmzJpt6CWW
xKp9+avbUBAAXA745NVtnltvPAPb2qZm2RByMj+VSt9Sloh4jDKy98VUNoys
xzkVaWdW2gcGhZFB03nJ/M0balrUotbsoyeRTCuzHoepq7NIQSDjPNVXb1HN
Strg1YhP3cAZHpTV6Etxint8uAD35pOvQ5Bppgu4inC5HrQSAgz1o6HrxTfv
A59aT3LHFiQOKCMDn60084xSt3B5NK2pK8x8RVZUJBxmukjblcDjjpXNw/fQ
ZzyOK6ZAokYtxleKwranbhupnl5XcGPDDmlUGThudv8AKiQYGADmnNjJzxms
GzritBcfLkdR1FMwPLfB5B4PrQc9ByPSkfhHxxg0hN3J4jueFj1FSDi7xg5w
TSQ482HAwx9aXGbnhuFB59ay6myslqCn9+eSMDtTsBYwPvDrkdaigO+4c98H
H0qUKArAenJprcV7rQa2F+XHHWu+iBe3iVTggA/pXAYnslUAZXAzXoccca0i
KABcDPptW8b9DhqJvQar/lyqp3Me1SoyoVJQEgZ/GIRGQgH5SvO70FDJxuGM
nj61tfUwV7akiszy7QDnoO4pGjdW44UnvzgU6B1jKADpzkU5hgFFYkE9P60
SXYSD9Bdu3DHAGDgetUIZG2gKRjJxjvWrv8AlbAPmfwk81lxq0hcu4QA4K4p
Jtl2srleybVYFufXPQ0q20bRnDHA9+IRi22uy7uD1B9e1PWHbEwlJU88d60v
YyemqZLIsbiQKAvAO0dTSRw+XE7CT5QBgGnxWrrkLgHbkk9hSS27BASRtzk9
80PoCTRLCGliG0hw3KnPWpBIkbb2c70ONu

Subject: Re: Version 3 MEC Inputs Card B No sound
Posted by [Tom Bruhl](#) on Tue, 20 Dec 2005 01:45:05 GMT
[View Forum Message](#) <> [Reply to Message](#)

: 0px">
<DIV>"Deadmeat" <<A=20
=
href=3D"mailto:scott@postmodernblues.com">scott@postmodernblues.com&g=
t;=20
wrote in message <A=20
=
href=3D"news:43a6d87f\$1@linux">news:43a6d87f\$1@linux...</DIV>
Well=
, like=20
I said, the system works as is (MECs on A and B)
with the older 2.2 =

software, and has been running like that
for a couple of years - =
all inputs=20

and outputs producing sound without problems. So, I know my clock =
is good,=20
the cards are good, the MECs and interfaces are good. I =
just brought up=20
V2.2 to double check, and recorded using the interfaces that don't =
work=20
with 3.0, so it's definatley a 3.0 issue.

When you had to =
have your=20
MECs on A and C (or E), was that with Version 2.2 and 3.0, or just =
with=20
3.0? I could try moving the MEC to C and see if that fixes it, but =
I dread=20
making any changes at all to a functional (under 2.2) PARIS=20
system.....

"Tom Bruhl" <<A=20
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=20
wrote:
>
>
>Dead,
>What Aaron says is =
true. When=20
my system was three cards with two Mecs
>I had card A and C =
attached to=20
the Mecs. Now with five cards it's A and
=3D
>E. =
=3D20
>My=20
ASUS boards like the first and last card when using two=20
Mecs.
>Tom
> "Aaron Allen" <<A=20
href=3D"mailto:nospam@not_here.dude">nospam@not_here.dude> =
wrote in=20
message =3D
>news:43a5b0b4\$1@linux...
> Are you sure =
you have=20
the two 'correct' EDS cards chosen for your =3D
>system?=20
I=3D20
> know that it gets sketchy pinning down which one, =
but on my=20
system I =3D
>have to=3D20
> use card A and C and =
skip putting a=20
MEC on card B or wierd stuff =
like
=3D
>this=3D20
> happens=20
(another hidden Paris 'feature'). The other thing to check=20
is
=3D
>that=3D20
> you have a good wordclock BNC =
cable=20
running from MEC #1 to MEC #2.
>
> =20
AA
>
>
> "Deadmeat" <<A=20
=20
href=3D"mailto:scott@postmodernblues.com">scott@postmodernblues.com&g=
t;=20
wrote in message=3D20
> <A=20
=
href=3D"news:43a59445\$1@linux">news:43a59445\$1@linux...
> =
=20
>
> > Hi all -
> > Been messing with =
V3 for a=20

B. Can record fine with MIX A, MEC A. =
Getting no=20
sound =3D
>at=3D20
> all
> on any inputs =
for MEC B,=20
Mix B. Tried to load V2.2, and=3D20
> all
> is =
fine --20
can record on MEC B inputs all day long. When=3D20
> =20
using
> V3, see input lights on module, but have no meters =

in=3D20
> mixer
> and no sound - MEC B syncing =
to WC=20
fine - plays sound=3D20
> accross
> all =
submixes just=20
fine from projects recorded on=3D20
> =20
V2.
>
> Any Thoughts?=20
=

>
></BLOCKQUOTE& gt;</BODY></HTML>
>=

>
</BLOCKQUOTE></BODY></HTML>

-----=_NextPart_000_0076_01C604DD.1740BD00--This is a multi-part message in MIME format.

-----=_NextPart_000_0095_01C604DD.B1EF4790

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

John,

You can't render eds effects. Also using short passes of=20

Autotune is more tolerable and achievable using this method.

Tom

"John" <no@no.com> wrote in message news:43a75c92@linux...

Ahh, this is what I refer to as the SPDIF render. I have been=20
experimenting with it and it works for getting Native and EDS effects=20
but no EDS EQ. So what's the advantage over just doing a render with=20
native effects?

Thanks,

John

Don Nafe wrote:

> Thanks Rod...just had a chance to hunt for it - found it and was =
just about=20

> to start typing

>=20

> Don

>=20

>=20

> "Rod Lincoln" <rlincoln@kc.rr.com> wrote in message =

news:43a70a65\$1@linux...

>=20

>>It's really a trick, just patching to bounce autotune in manual = mode..

>>If your track to be tuned is on track 1, put autotune on an insert. = Select

>>"external" on the eds insert. Assuming your using mec A spdif, in = the=20

>>Paris

>>batchbay, patch the "Mixer A insert" output of track 1 (green arrows =

>>Bottom

>>row) to Mec Master digital out L or R. Then Patch the Mec Master = Digital

>>In L or R (use same as before)to the insert "in" (brown, top)of = mixer A=20

>>insert.

>>ALSO patch the Mec Master digital in (brown, same as above)

>>to track 2 of Mixer A.

>>Mute track 1. record inable track 2. You might want to also change = the=20

>>input

>>monitor to "Always monitor input' in the Project window, but you = don't=20

>>have

>>to. you just won't hear anything unless your recording.

>>NEXT STEP VERY IMPORTANT:

>>you MUST make a physical connection (with a real spdif cable) from = the=20

>>spdif

>>out to the spdif in on the Mec. Now you can autotune away and bounce = your

>>newly tuned track to track 2.

>>You can use the adat connections the same way as the spdif. Just = make sure

>>to loop the lightpipe cable from the in to the out on the back of = the adat

>>card.

>>Rod

>>

>>John <no@no.com> wrote:

>>

>>>ok, so what's the trick?

>>>

>>>Rod Lincoln wrote:

>>>

>>>>Don, 8 is the limit if you have 1 mec and 1 adat card. 16 if you = have

>>
>>at least
>>
>>>>2 mec's and 4 adat cards. If you have no adat cards, then 2, using =

>>>>spdif.
>>>>
>>>>Rod
>>>>"Don Nafe" <dnafe@magma.ca> wrote:
>>>>
>>>>
>>>>>Hi All
>>>>>
>>>>>Is there a limit to the # of tracks that can be sent via the =
external
>>
>>loop
>>
>>>>
>>>>>(hardwired) tip that Brian used on his Auto tune trick =
segment...I'm not
>>>>
>>>>>at
>>>>
>>>>
>>>>>my rig and I was just wondering
>>>>>
>>>>>Don
>>>>>
>>>>>
>>>>
>>>>
>=20
>

-----=_NextPart_000_0095_01C604DD.B1EF4790

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =

charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV>John,</DIV>

<DIV>You can't render eds effects. =
 Also using=20
 short passes of </DIV>
 <DIV>Autotune is more tolerable and =
 achievable using=20
 this method.</DIV>
 <DIV>Tom</DIV>
 <BLOCKQUOTE=20
 style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
 BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"John" <no@no.com> wrote =
 in message=20
 <A =
 href=3D"news:43a75c92@linux">news:43a75c92@linux...</DIV>Ahh, =
 this=20
 is what I refer to as the SPDIF render. I have been =

experimenting=20
 with it and it works for getting Native and EDS effects
but no EDS =

 EQ. So what's the advantage over just doing a render with =

native=20
 effects?

Thanks,
John

Don Nafe wrote:
> Thanks=20
 Rod...just had a chance to hunt for it - found it and was just about =

>=20
 to start typing
>
> Don
>
>
> "Rod =
 Lincoln"=20
 <rlincoln@kc.rr.com> =
 wrote in=20
 message <A =
 href=3D"news:43a70a65\$1 @linux">news:43a70a65\$1 @linux...
>=20

>>It's really a trick, just patching to bounce autotune in =
 manual=20
 mode..
>>If your track to be tuned is on track 1, put =
 autotune on an=20
 insert. Select
>>"external" on the eds insert. Assuming your =
 using=20
 mec A spdif, in the
>>Paris
>>batchbay, patch the =
 "Mixer A=20
 insert" output of track 1 (green arrows =

>>Bottom
>>row) to=20
 Mec Master digital out L or R. Then Patch the Mec Master =
 Digital
>>In=20
 L or R (use same as before)to the insert "in" (brown, top)of mixer A=20

>>insert.
>>ALSO patch the Mec Master digital in =
 (brown,=20
 same as above)
>>to track 2 of Mixer A.
>>Mute track =
 1.=20
 record inable track 2. You might want to also change the=20

>input
>monitor to "Always monitor input' in the =
Project=20
window, but you don't
>have
>to. you just won't =
hear=20
anything unless your recording.
>NEXT STEP VERY=20
IMPORTANT:
>you MUST make a physical connection (with a real =
spdif=20
cable) from the
>spdif
>out to the spdif in on =
the Mec.=20
Now you can autotune away and bounce your
>newly tuned track =
to=20
track 2.
>You can use the adat connections the same way as =
the=20
spdif. Just make sure
>to loop the lightpipe cable from the =
in to=20
the out on the back of the=20
adat
>card.
>Rod
>
>John =
<<A=20
href=3D"mailto:no@no.com">no@no.com>=20
wrote:
>
>>ok, so what's the=20
trick?
>>
>>Rod Lincoln=20
wrote:
>>
>>>Don, 8 is the limit if you =
have 1=20
mec and 1 adat card. 16 if you have
>
>at=20
least
>
>>>2 mec's and 4 adat cards. If you =
have no=20
adat cards, then 2, using=20
=

>>>spdif.
>>>
>>>Rod
=
>>>&

Subject: Re: Version 3 MEC Inputs Card B No sound
Posted by [Deej \[1\]](#) on Tue, 20 Dec 2005 03:06:16 GMT
[View Forum Message](#) <> [Reply to Message](#)

ng to the external clock last. the most =
reliable=20
way to get my Frankenstein monster config working is to turn on my =
outboard=20
modules that are interfacing digitally with Parism then turn on=20
the external clock, then turn on the MECs, then boot the computer, =
then=20
boot Paris, let it sit for about 30 - 45 seconds until everything =
stabilizes,=20
then boot up my Cubase SX DAW. Any deviation from this will usually =
cause a=20
digital train wreck of the whole cotton pickin' thing.</DIV>

<DIV> </DIV>
<DIV>;o</DIV>
<DIV> </DIV>
<DIV> </DIV>
<DIV> </DIV>
<DIV>"Tom Bruhl" <<A=20
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net> wrote in =
message=20
news:43a762d3@linux...</DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>Both versions of Paris forced this =
outer cards=20
for Mec attachement.</DIV>
<DIV>I almost traded it all in because it =
took me a=20
year to find the answer.</DIV>
<DIV>EMU didn't even know. I was =
pissed. =20
But now I'm happy.</DIV>
<DIV>You should be too.</DIV>
<DIV> </DIV>
<DIV>Moving the Mec around isn't that big =
of a deal=20
really. I don't think it</DIV>
<DIV>will screw anything major up. =
No ADAT cards=20
in there right?</DIV>
<DIV>Tom</DIV>
<DIV> </DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Deadmeat" <<A=20
=
href=3D"mailto:scott@postmodernblues.com">scott@postmodernblues.com&g=
t;=20
wrote in message <A=20
=
href=3D"news:43a6d87f\$1@linux">news:43a6d87f\$1@linux...</DIV>
Well=
,=20
like I said, the system works as is (MECs on A and B)
with the =
older 2.2=20
software, and has been running like that
for a couple of years - =
all=20
inputs and outputs producing
sound without problems. So, I know =
my clock=20

is good, the cards are good, the MECs and interfaces are good. I just brought up V2.2 to double check, and recorded the interfaces that don't work with 3.0, so it's definitely a 3.0 issue.

When you had to have your MECs on A and C (or E), was that with Version 2.2 and 3.0, or just with 3.0? I could try moving the MEC to C and see if that fixes it, but I dread making any changes at all to a functional (under 2.2) PARIS system.....

"Tom Bruhl" <arpegio@comcast.net> wrote: >> Dead, > What Aaron says is true.

When my system was three cards with two Meccs > I had card A and C attached to the Meccs. Now with five cards it's A and > E. > My ASUS boards like the first and last card when using two Meccs. > Tom "Aaron Allen" <nospam@not_here.dude> wrote in message > news:43a5b0b4\$1@linux... Are you sure you have the two 'correct' EDS cards chosen for your > system? I > know that it gets sketchy pinning down which one, but on my system I > have to > use card A and C and skip putting a MEC on card B or wierd stuff like > this > happens (another hidden Paris 'feature'). The other thing to check is > that you have a good wordclock BNC cable running from MEC #1 to MEC #2. > AA > > "Deadmeat" <scott@postmodernblues.com> wrote in message > > > news:43a59445\$1@linux... > > Hi all - > > Been messing with V3 for a bit and noticed a real problem. > > Testing on a 3-card system, 2 MECs installed (on A and B > > cards), 2 =

ADAT and=20

one Sync on MEC A, 1 8-input on MEC B.
> =
>
> >=20

Can record fine with MIX A, MEC A. Getting no sound at =
all
> =20

> on any inputs for MEC B, Mix B. Tried to load V2.2, and=20
all
> > is fine - can record on MEC B inputs all day =
long.=20

When using
> > V3, see input lights on module, but =
have no=20

meters in mixer
> > and no sound - MEC B syncing to =
WC fine -=20

plays sound accross
> > all submixes just fine from =
projects=20

recorded on V2.
> >
> > Any=20

Thoughts?=3D20
>
>
>
><!DOCTYPE HTML =
PUBLIC=20

"-//W3C//DTD HTML 4.0=20

=
Transitional//EN">
><HTML><HEAD>
><META=20

http-equiv=3D3DContent-Type content=3D3D"text/html;=20
=3D
> charset=3D3Diso-8859-1">
><META =

content=3D3D"MSHTML=20

6.00.2800.1400"=20

=
name=3D3DGENERATOR>
><STYLE></STYLE>
></HEA=
D>
><BODY=20

bgColor=3D3D#ffffff>
><DIV><FONT face=3D3DArial=20

=
size=3D3D2>Dead,</DIV> >
><DIV><FONT=20

face=3D3DArial size=3D3D2>What Aaron says is true. When my =

=3D
>system=20

was=3D20
>three cards with two=20

Mecs</DIV>
><DIV><FONT =

face=3D3DArial=20

size=3D3D2>I had card A and C attached to the =3D
>Mecs.=20

Now=3D20
>with five cards it's A and E.=20

</DIV>
><DIV><FONT face=3D3DArial=20

size=3D3D2>My ASUS boards like <FONT=20

=3D
>face=3D3DArial=3D20
>size=3D3D2>the first and =

last card when=20

using two Mecs.</DIV>
><DIV><FONT=20

face=3D3DArial=20

=
size=3D3D2>Tom</DIV>
><BLOCKQUOTE=3D20
=
>style=3D3D"PADDING-RIGHT: =20

0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
>BORDER-LEFT: =

#000000 2px=20

solid; MARGIN-RIGHT: 0px">
> <DIV>"Aaron Allen" =
<<A=3D20
> href=3D3D"<A=20
=
href=3D'mailto:nospam@not_here.dude">nospam@not_here.dude'mailto:nospa
am@not_here.dude">nospam@not_here.dude</A/>>=20
=3D
>wrote in=3D20
> message <A =
=3D
>href=3D3D"<A=20
=
href=3D'news:43a5b0b4\$1 @linux">news:43a5b0b4\$1 @linux...</DIV>Are=3D20=
'>news:43a5b0b4\$1 @linux">news:43a5b0b4\$1 @linux...</DIV>=
>Are=3D20
> =20
you sure you have the two 'correct' EDS cards chosen for your=20
system?
=3D
>I=3D20
>
know that it =
gets sketchy=20
pinning down which one, but on my system
=3D
>I =
have=3D20
> =20
to
use card A and C and skip putting a MEC on card B or =
wierd=20
=3D
>stuff like=3D20
> this
happens =
(another hidden=20
Paris 'feature'). The other thing to
=3D
>check =
is=3D20
> =20
that
you have a good wordclock BNC cable running from MEC =
#1 to=20
=3D
>MEC=3D20
> =20
#2.

AA
& amp;lt;BR>
 "Deadmeat"=20
<<A=3D20
> =3D
>href=3D3D"<A=20
=
href=3D'mailto:scott@postmodernblues.com">scott@postmodernblues.com&a=
mp;g'>mailto:scott@postmodernblues.com">scott@postmodernblues.com</=
A>&g=3D
>t;=3D20
> =20
wrote in message
<A=3D20
> =
=3D
>href=3D3D"<A=20
=
href=3D'news:43a59445\$1 @linux">news:43a59445\$1 @linux...
>
&=
g'>news:43a59445\$1 @linux">news:43a59445\$1 @linux...
=
>
&g=3D
>t;=20
Hi=3D20
> all -
> Been messing with V3 for a =
bit and=20
noticed a real=3D20
> problem.
> Testing on =
a 3-card=20
system, 2 MECs installed (on A =3D
>and=3D20
> =
B
>=20
cards), 2 ADAT and one Sync on MEC A, 1 8-input on =
MEC=3D20
> =20
B.
>
> Can record fine with MIX A, MEC A. =
Getting no=20

sound = 3D
>at=3D20
> all
> on any =
inputs for MEC=20
B, Mix B. Tried to load V2.2, and=3D20
> =
all
> is fine=20
- can record on MEC B inputs all day long. When=3D20
> =20
using
> V3, see input lights on module, but have no =
meters=20
in=3D20
> mixer
> and no sound - MEC B =
syncing to WC=20
fine - plays sound=3D20
> accross
> all =
submixes just=20
fine from projects recorded on=3D20
> =20
V2.
>
> Any Thoughts?=20
=

</BLOCKQUOTE& gt;</BODY></HTML>
>=

>
</BLOCKQUOTE></BLOCKQUOTE></BODY></HTML >

-----=_NextPart_000_0039_01C604D7.AB043FE0--Trust me dude, just try it. It won't mess
anything up and it's just a
movement of the SCSI cable from Card B to Card C.
AA

"Deadmeat" <scott@postmodernblues.com> wrote in message
news:43a6d87f\$1@linux...

>
> Well, like I said, the system works as is (MECs on A and B)
> with the older 2.2 software, and has been running like that
> for a couple of years - all inputs and outputs producing
> sound without problems. So, I know my clock is good, the
> cards are good, the MECs and interfaces are good. I just
> brought up V2.2 to double check, and recorded using the
> interfaces that don't work with 3.0, so it's definatley
> a 3.0 issue.
>
> When you had to have your MECs on A and C (or E), was that
> with Version 2.2 and 3.0, or just with 3.0? I could try moving
> the MEC to C and see if that fixes it, but I dread making any
> changes at all to a functional (under 2.2) PARIS system.....
>
>
> "Tom Bruhl" <arpegio@comcast.net> wrote:
>>
>>
>>Dead,
>>What Aaron says is true. When my system was three cards with two Mecs
>>I had card A and C attached to the Mecs. Now with five cards it's A and
> =

>>E. =20
>>My ASUS boards like the first and last card when using two Mecs.
>>Tom
>> "Aaron Allen" <nospam@not_here.dude> wrote in message =
>>news:43a5b0b4\$1@linux...
>> Are you sure you have the two 'correct' EDS cards chosen for your =
>>system? I=20
>> know that it gets sketchy pinning down which one, but on my system I =
>>have to=20
>> use card A and C and skip putting a MEC on card B or wierd stuff like
> =
>>this=20
>> happens (another hidden Paris 'feature'). The other thing to check is
> =
>>that=20
>> you have a good wordclock BNC cable running from MEC #1 to MEC #2.
>>
>> AA
>>
>>
>> "Deadmeat" <scott@postmodernblues.com> wrote in message=20
>> news:43a59445\$1@linux...
>> >
>> > Hi all -
>> > Been messing with V3 for a bit and noticed a real problem.
>> > Testing on a 3-card system, 2 MECs installed (on A and B
>> > cards), 2 ADAT and one Sync on MEC A, 1 8-input on MEC B.
>> >
>> > Can record fine with MIX A, MEC A. Getting no sound at all
>> > on any inputs for MEC B, Mix B. Tried to load V2.2, and all
>> > is fine - can record on MEC B inputs all day long. When using
>> > V3, see input lights on module, but have no meters in mixer
>> > and no sound - MEC B syncing to WC fine - plays sound accross
>> > all submixes just fine from projects recorded on V2.
>> >
>> > Any Thoughts?=20
>>
>>
>>
>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
>><HTML><HEAD>
>><META http-equiv=3DContent-Type content=3D"text/html; =
>>charset=3Diso-8859-1">
>><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
>><STYLE></STYLE>
>></HEAD>
>><BODY bgColor=3D#ffffff>
>><DIV>Dead,</DIV>

```

>><DIV><FONT face=3DArial size=3D2>What Aaron says is true. When my =
>>system was=20
>>three cards with two Mecs</FONT></DIV>
>><DIV><FONT face=3DArial size=3D2>I had card A and C attached to the =
>>Mecs. Now=20
>>with five cards it's A and E. </FONT></DIV>
>><DIV><FONT face=3DArial size=3D2>My ASUS boards like </FONT><FONT =
>>face=3DArial=20
>>size=3D2>the first and last card when using two Mecs.</FONT></DIV>
>><DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
>><BLOCKQUOTE=20
>>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
>> <DIV>"Aaron Allen" <<A=20
>> href=3D"mailto:nospam@not_here.dude">nospam@not_here.dude</A>> =
>>wrote in=20
>> message <A =
>>href=3D"news:43a5b0b4$1@linux">news:43a5b0b4$1@linux</A>...</DIV>Are=20
>> you sure you have the two 'correct' EDS cards chosen for your system?
> =
>>l=20
>> <BR>know that it gets sketchy pinning down which one, but on my system
> =
>>I have=20
>> to <BR>use card A and C and skip putting a MEC on card B or wierd =
>>stuff like=20
>> this <BR>happens (another hidden Paris 'feature'). The other thing to
> =
>>check is=20
>> that <BR>you have a good wordclock BNC cable running from MEC #1 to =
>>MEC=20
>> #2.<BR><BR>AA<BR><BR><BR>"Deadmeat" <<A=20
>> =
>>href=3D"mailto:scott@postmodernblues.com">scott@postmodernblues.com</A>&g=
>>t;=20
>> wrote in message <BR><A=20
>> =
>>href=3D"news:43a59445$1@linux">news:43a59445$1@linux</A>...<BR>><BR>&g=
>>t; Hi=20
>> all -<BR>> Been messing with V3 for a bit and noticed a real=20
>> problem.<BR>> Testing on a 3-card system, 2 MECs installed (on A =
>>and=20
>> B<BR>> cards), 2 ADAT and one Sync on MEC A, 1 8-input on MEC=20
>> B.<BR>><BR>> Can record fine with MIX A, MEC A. Getting no sound =
>>at=20
>> all<BR>> on any inputs for MEC B, Mix B. Tried to load V2.2, and=20
>> all<BR>> is fine - can record on MEC B inputs all day long. When=20
>> using<BR>> V3, see input lights on module, but have no meters in=20

```

>> mixer
> and no sound - MEC B syncing to WC fine - plays sound=20
>> accross
> all submixes just fine from projects recorded on=20
>> V2.
>
> Any Thoughts?

</BLOCKQUOTE></BODY></HTML>
>>
>>
>....here!!!!.....gimme that thing and stand back!!!!

;oD

"Aaron Allen" <nospam@not_here.dude> wrote in message
news:43a77690\$1@linux...
> Trust me dude, just try it. It won't mess anything up and it's just a
> movement of the SCSI cable from Card B to Card C.
> AA
>
>
> "Deadmeat" <scott@postmodernblues.com> wrote in message
> news:43a6d87f\$1@linux...
> >
> > Well, like I said, the system works as is (MECs on A and B)
> > with the older 2.2 software, and has been running like that
> > for a couple of years - all inputs and outputs producing
> > sound without problems. So, I know my clock is good, the
> > cards are good, the MECs and interfaces are good. I just
> > brought up V2.2 to double check, and recorded using the
> > interfaces that don't work with 3.0, so it's definatley
> > a 3.0 issue.
> >
> > When you had to have your MECs on A and C (or E), was that
> > with Version 2.2 and 3.0, or just with 3.0? I could try moving
> > the MEC to C and see if that fixes it, but I dread making any
> > changes at all to a functional (under 2.2) PARIS system.....
> >
> > "Tom Bruhl" <arpeggio@comcast.net> wrote:
> >>
> >>
> >>Dead,
> >>What Aaron says is true. When my system was three cards with two Mecs
> >>I had card A and C attached to the Mecs. Now with five cards it's A and
> > =
> >>E. =20
> >>My ASUS boards like the first and last card when using two Mecs.
> >>Tom
> >> "Aaron Allen" <nospam@not_here.dude> wrote in message =
> >>news:43a5b0b4\$1@linux...
> >> Are you sure you have the two 'correct' EDS cards chosen for

Subject: Re: Version 3 MEC Inputs Card B No sound
Posted by [Aaron Allen](#) on Tue, 20 Dec 2005 03:09:13 GMT
[View Forum Message](#) <> [Reply to Message](#)

your =
> >>system? I=20
> >> know that it gets sketchy pinning down which one, but on my system I =
> >>have to=20
> >> use card A and C and skip putting a MEC on card B or wierd stuff like
> > =
> >>this=20
> >> happens (another hidden Paris 'feature'). The other thing to check is
> > =
> >>that=20
> >> you have a good wordclock BNC cable running from MEC #1 to MEC #2.
> >>
> >> AA
> >>
> >>
> >> "Deadmeat" <scott@postmodernblues.com> wrote in message=20
> >> news:43a59445\$1@linux...
> >> >
> >> > Hi all -
> >> > Been messing with V3 for a bit and noticed a real problem.
> >> > Testing on a 3-card system, 2 MECs installed (on A and B
> >> > cards), 2 ADAT and one Sync on MEC A, 1 8-input on MEC B.
> >> >
> >> > Can record fine with MIX A, MEC A. Getting no sound at all
> >> > on any inputs for MEC B, Mix B. Tried to load V2.2, and all
> >> > is fine - can record on MEC B inputs all day long. When using
> >> > V3, see input lights on module, but have no meters in mixer
> >> > and no sound - MEC B syncing to WC fine - plays sound accross
> >> > all submixes just fine from projects recorded on V2.
> >> >
> >> > Any Thoughts?=20
> >>
> >>
> >>
> >><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> >><HTML><HEAD>
> >><META http-equiv=3DContent-Type content=3D"text/html; =
> >>charset=3Diso-8859-1">
> >><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
> >><STYLE></STYLE>
> >></HEAD>
> >><BODY bgColor=3D#ffffff>
> >><DIV>Dead,</DIV>
> >><DIV>What Aaron says is true. When my =
> >>system was=20

> >>three cards with two Mecs</DIV>
> >><DIV>I had card A and C attached to the =
> >>Mecs. Now=20
> >>with five cards it's A and E. </DIV>
> >><DIV>My ASUS boards like <FONT =
> >>face=3DArial=20
> >>size=3D2>the first and last card when using two Mecs.</DIV>
> >><DIV>Tom</DIV>
> >><BLOCKQUOTE=20
> >>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
> >>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> >> <DIV>"Aaron Allen" <<A=20
> >> href=3D"mailto:nospam@not_here.dude">nospam@not_here.dude> =
> >>wrote in=20
> >> message <A =
> >>href=3D"news:43a5b0b4\$1 @linux">news:43a5b0b4\$1 @linux...</DIV>Are=20
> >> you sure you have the two 'correct' EDS cards chosen for your system?
> > =
> >>I=20
> >>
know that it gets sketchy pinning down which one, but on my system
> > =
> >>I have=20
> >> to
use card A and C and skip putting a MEC on card B or wierd =
> >>stuff like=20
> >> this
happens (another hidden Paris 'feature'). The other thing to
> > =
> >>check is=20
> >> that
you have a good wordclock BNC cable running from MEC #1 to =
> >>MEC=20
> >> #2.

AA

"Deadmeat" <<A=20
> >> =
>
>>href=3D"mailto:scott@postmodernblues.com">scott@postmodernblues.com&g=
> >>t;=20
> >> wrote in message
<A=20
> >> =
> >>href=3D"news:43a59445\$1 @linux">news:43a59445\$1 @linux...
>
&g=
> >>t; Hi=20
> >> all -
> Been messing with V3 for a bit and noticed a real=20
> >> problem.
> Testing on a 3-card system, 2 MECs installed (on A =
> >>and=20
> >> B
> cards), 2 ADAT and one Sync on MEC A, 1 8-input on MEC=20
> >> B.
>
> Can record fine with MIX A, MEC A. Getting no sound =
> >>at=20
> >> all
> on any inputs for MEC B, Mix B. Tried to load V2.2, and=20
> >> all
> is fine - can record on MEC B inputs all day long. When=20
> >> using
> V3, see input lights on module, but have no meters in=20
> >> mixer
> and no sound - MEC B syncing to WC fine - plays sound=20

> >> accross
> all submixes just fine from projects recorded on=20
> >> V2.
>
> Any Thoughts?

</BLOCKQUOTE></BODY></HTML>
> >>
> >>
> >
>
>.....can you say Taliban? In a way, I think this stuff may be the beginning
of the end for the Iranian regime. there's an educated population there and
this kind of repression might just backfire on a number of fronts.

"DC" <dc@spamiran.com> wrote in message news:43a747ca\$1@linux...

>
> Both these discs just kicked my butt all over the room:
>
>
> <http://www.telarc.com/gscripts/title.asp?gsku=3346&mscss id=3C5WJTQP SLS92PA80 G05AFURQWL3EF52>
>
> <http://www.towerrecords.com/product.aspx?pfid=3314294>
>
>
> DCOK.....looks like I'm finally on my way. there appears to be some major
quirkiness with the driver set I'm using as relates to the Matrox G450 PCI
playing nice with the Houston controller and the Cubase USB dongle whil'st
interacting with the VIA KT 800 chipset. Anyway, I've got it happening now.
Hell'uva dance to get this all happening. I live the power of this thing.
I'm operating Cubase Sx at 1.5ms latency without a hiccup so far.
Now.....what to do with my old Cubase DAW???.....I'm thinking maybe one
of those EMU interfaces running Emulator X maybe???

;o)
"DJ" <

Subject: Re: Version 3 MEC Inputs Card B No sound
Posted by [Deej \[1\]](#) on Tue, 20 Dec 2005 04:23:16 GMT
[View Forum Message](#) <> [Reply to Message](#)

animix_spam-this-ahole_@animas.net> wrote in message
news:43a66053@linux...
> I thought I was home free, but noooooo.....more problems. I'm
beginning
> to think I've got a defective mobo. Too much wierd stuff happening.
>

> I'm restoring a Ghosted clean install right now. I went back to my old
> system drive and the Houston controller worked, but I couldn't get the
Dual
> CPU's to work on it and there were quite a few other problems as well.
>
> Do you know anyone who services the Houston controller? It might be having
> some problems as well. I've seen similar phenomena when the USB connector
on
> a device went south.
>
> ;O)
> "Dave(EK Sound)" <audioguy_editout_@shaw.ca> wrote in message
> news:43a6255d@linux...
>> Yah, Rrrrrriiiiiiiiiigggggggggghht! ;-)
>>
>> David.
>>
>> DJ wrote:
>>> This weekend has truly been hellacious. I sort of expected it. I've
> pretty
>>> much succeeded at most of what I wnted to accomplish, but it was a
bitch
>>> getting there.
>>>
>>> I'm never going to build another computer as long as I live.....I
>>> promise.
>>>
>>> ;oP
>>>
>>> "DJ" <animix_spam-this-ahole_@animas.net> wrote in message
>>> news:43a4dd92@linux...
>>>
>>>>I forgot how.
>>>>
>>>>;o}
>>>>
>>>>
>>>
>>>
>>>
>
>Don.....it's....."0" Actually I'm not sure about total 0, as I've never tested
it, but it's real world 0 for me, on Paris 3.0
using solo tracks (vocals and the occasional trumpet). You should NOT be
getting any noticeable latency.
Rod
"Don Nafe" <dnafe@magma.ca> wrote:
>

>
> Funny thing though lately when I've tried to do this method of =
> Autotuning I've been getting a wicked latency I never experienced when I
=
> was on 2.2 (or whatever it was)...does anyone know the latency of =
> Autotune in Paris
>
> Don
> "Tom Bruhl" <arpeggio@comcast.net> wrote in message =
> news:43a763d6@linux...
> John,
> You can't render eds effects. Also using short passes of=20
> Autotune is more tolerable and achievable using this method.
> Tom
> "John" <no@no.com> wrote in message news:43a75c92@linux...
> Ahh, this is what I refer to as the SPDIF render. I have been=20
> experimenting with it and it works for getting Native and EDS =
> effects=20
> but no EDS EQ. So what's the advantage over just doing a render =
> with=20
> native effects?
>
> Thanks,
> John
>
> Don Nafe wrote:
> > Thanks Rod...just had a chance to hunt for it - found it and was =
> just about=20
> > to start typing
> >=20
> > Don
> >=20
> >=20
> > "Rod Lincoln" <rlincoln@kc.rr.com> wrote in message =
> news:43a70a65\$1@linux...
> >=20
> >> It's really a trick, just patching to bounce autotune in manual =
> mode..
> >> If your track to be tuned is on track 1, put autotune on an =
> insert. Select
> >> "external" on the eds insert. Assuming your using mec A spdif, in
=
> the=20
> >> Paris
> >> batchbay, patch the "Mixer A insert" output of track 1 (green =
> arrows=20
> >> Bottom
> >> row) to Mec Master digital out L or R. Then Patch the Mec Master =

>Digital

> >>In L or R (use same as before)to the insert "in" (brown, top)of =

>mixer A=20

> >>insert.

> >>ALSO patch the Mec Master digital in (brown, same as above)

> >>to track 2 of Mixer A.

> >>Mute track 1. record inable track 2. You might want to also change

=

>the=20

> >>input

> >>monitor to "Always monitor input' in the Project window, but you =

>don't=20

> >>have

> >>to. you just won't hear anything unless your recording.

> >>NEXT STEP VERY IMPORTANT:

> >>you MUST make a physical connection (with a real spdif cable) from

=

>the=20

> >>spdif

> >>out to the spdif in on the Mec. Now you can autotune away and =

>bounce your

> >>newly tuned track to track 2.

> >>You can use the adat connections the same way as the spdif. Just =

>make sure

> >>to loop the lightpipe cable from the in to the out on the back of

=

>the adat

> >>card.

> >>Rod

> >>

> >>John <no@no.com> wrote:

> >>

> >>>ok, so what's the trick?

> >>>

> >>>Rod Lincoln wrote:

> >>>

> >>>>Don, 8 is the limit if you have 1 mec and 1 adat card. 16 if you

=

>have

> >>

> >>at least

> >>

> >>>>2 mec's and 4 adat cards. If you have no adat cards, then 2, =

>using=20

> >>>>spdif.

> >>>>

> >>>>Rod

> >>>>"Don Nafe" <dnafe@magma.ca> wrote:

> >>>>
> >>>>
> >>>>>Hi All
> >>>>>
> >>>>>Is there a limit to the # of tracks that can be sent via the =
>external
> >>
> >>loop
> >>
> >>>>
> >>>>>(hardwired) tip that Brian used on his Auto tune trick =
>segment...I'm not
> >>>>
> >>>>>at
> >>>>>
> >>>>>
> >>>>>my rig and I was just wondering
> >>>>>
> >>>>>Don
> >>>>>
> >>>>>
> >>>>>
> >>>>>
> >=20
> >
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3DContent-Type content=3D"text/html; =
>charset=3Diso-8859-1">
><META content=3D"MSHTML 6.00.2900.2180" name=3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D#ffffff>
><DIV>Funny thing though lately when I've =
>tried to do=20

>never=20
>experienced when I was on 2.2 (or whatever it was)...does anyone know =
>the=20
>latency of Autotune in Paris</DIV>

Subject: Re: Version 3 MEC Inputs Card B No sound
Posted by [Deadmeat](#) on Wed, 21 Dec 2005 02:35:06 GMT
[View Forum Message](#) <> [Reply to Message](#)

```

t;</BODY></HTML>
> >
> >
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3DContent-Type content=3D"text/html; =
>charset=3Diso-8859-1">
><META content=3D"MSHTML 6.00.2800.1106" name=3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D#ffffff>
><DIV><FONT face=3DArial size=3D2>That's a fact. With 3 x MECs, it's =
>always the MEC=20
>on card #2 that ends up locking to the external clock last. the most =
>reliable=20
>way to get my Frankenstein monster config working is to turn on my =
>outboard=20
>modules that are interfacing digitally with Parism then turn on=20

>then=20
>boot Paris, let it sit for about 30 - 45 seconds until everything =
>stabilizes,=20
>then boot up my Cubase SX DAW. Any deviation from this will usually =
>cause a=20
>digital train wreck of the whole cotton pickin' thing.</FONT></DIV>

><DIV><FONT face=3DArial size=3D2>;o)</FONT></DIV>

><DIV>"Tom Bruhl" <<A=20
>href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>> wrote in =
>message=20
><A href=3D"news:43a762d3@linux">news:43a762d3@linux</A>...</DIV>
><BLOCKQUOTE dir=3Dltr=20
>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV><FONT face=3DArial size=3D2>Both versions of Paris forced this =
>outer cards=20
> for Mec attachement.</FONT></DIV>
> <DIV><FONT face=3DArial size=3D2>I almost traded it all in because it
=
>took me a=20
> year to find the answer.</FONT></DIV>

```

```

> But now I'm happy.</FONT></DIV>
> <DIV><FONT face=3DArial size=3D2>You should be too.</FONT></DIV>

> <DIV><FONT face=3DArial size=3D2>Moving the Mec around isn't that big
=
>of a deal=20

>No ADAT cards=20
> in there right?</FONT></DIV>
> <DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>

> <BLOCKQUOTE=20
> style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Deadmeat" <<A=20
> =
>href=3D"mailto:scott@postmodernblues.com">scott@postmodernblues.com</A>&g=
>=20
> wrote in message <A=20
> =
>href=3D"news:43a6d87f$1@linux">news:43a6d87f$1@linux</A>...</DIV><BR>Well=
>=20
> like I said, the system works as is (MECs on A and B)<BR>with the =
>older 2.2=20
> software, and has been running like that<BR>for a couple of years -
=
>all=20
> inputs and outputs producing<BR>sound without problems. So, I know =
>my clock=20
> is good, the<BR>cards are good, the MECs and interfaces are good. I=20
> just<BR>brought up V2.2 to double check, and recorded using=20
> the<BR>interfaces that don't work with 3.0, so it's definatley<BR>a
=
>3.0=20
> issue.<BR><BR>When you had to have your MECs on A and C (or E), was=20
> that<BR>with Version 2.2 and 3.0, or just with 3.0? I could try=20
> moving<BR>the MEC to C and see if that fixes it, but I dread making=20
> any<BR>changes at all to a functional (under 2.2) PARIS=20
> system.....<BR><BR><BR>"Tom Bruhl" <<A=20
> href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>=>20
> wrote:<BR>><BR>><BR>>Dead,<BR>>What Aaron says is =

> When my system was three cards with two Mecs<BR>>I had card A and =
>C=20

>and<BR>=3D<BR>>E.=20
> =3D20<BR>>My ASUS boards like the first and last card when using =

```


>two=20

> href=3D"mailto:nospam@not_here.dude">nospam@not_here.dude> =
>wrote in=20

>sure you=20

> have the two 'correct' EDS cards chosen for your =3D
>system?=20

>one, but on=20

>and skip=20

> putting a MEC on card B or wierd stuff=20

>Paris=20

> 'feature'). The other thing to check =

> you have a good wordclock BNC cable running from MEC #1 to MEC=20

>"Deadmeat" <<A=20

> =

>href=3D"mailto:scott@postmodernblues.com">scott@postmodernblues.com&g=
>t;=20

> =

>=20

>with V3 for=20

>3-card=20

>ADAT and=20

> Can record fine with MIX A, MEC A. Getting no sound at =

> > on any inputs for MEC B, Mix B. Tried to load V2.2, and=20

>long.=20

>have no=20

>WC fine -=20

>projects=20

> Thoughts?=3D20
>
>
>
><!DOCTYPE HTML =
>PUBLIC=20

```

> "-//W3C//DTD HTML 4.0=20
> =
>Transitional//EN"><BR>><HTML><HEAD><BR>><META=20
> http-equiv=3D3DContent-Type content=3D3D"text/html;=20
> =3D<BR>>charset=3D3Diso-8859-1"><BR>><META =
>content=3D3D"MSHTML=20
> 6.00.2800.1400"=20
> =
>name=3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=
>D><BR>><BODY=20
> bgColor=3D3D#ffffff><BR>><DIV><FONT face=3D3DArial=20
> =
>size=3D3D2>Dead,</FONT></DIV><BR>><DIV><FONT=20
> face=3D3DArial size=3D3D2>What Aaron says is true. When my =
>=3D<BR>>system=20
> was=3D20<BR>>three cards with two=20
> Mecs</FONT></DIV><BR>><DIV><FONT =
>face=3D3DArial=20
> size=3D3D2>I had card A and C attached to the =3D<BR>>Mecs.=20
> Now=3D20<BR>>with five cards it's A and E.=20
> </FONT></DIV><BR>><DIV><FONT face=3D3DArial=20
> size=3D3D2>My ASUS boards like </FONT><FONT=20
> =3D<BR>>face=3D3DArial=3D20<BR>>size=3D3D2>the first and =
>last card when=20
> using two Mecs.</FONT></DIV><BR>><DIV><FONT=20
> face=3D3DArial=20
> =
>size=3D3D2>Tom</FONT></DIV><BR>><BLOCKQUOTE=3D20<BR>=
>>style=3D3D"PADDING-RIGHT:=20
> 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D<BR>>BORDER-LEFT: =
>#000000 2px=20

>

> =
>href=3D'mailto:nospam@not_here.dude">nospam@not_here.dude</A>mailto:nosp=
>am@not_here.dude">nospam@not_here.dude</A</A>>>=20

>=3D<BR>>href=3D3D"<A=20
> =
>href=3D'news:43a5b0b4$1 @linux">news:43a5b0b4$1 @linux</A>...</DIV>>Are=3D20=
>'>news:43a5b0b4$1 @linux">news:43a5b0b4$1 @linux</A>...</DIV>=

> you sure you have the two 'correct' EDS cards chosen for your=20

>gets sketchy=20
> pinning down which one, but on my system<BR>=3D<BR>>I =

```

> to use card A and C and skip putting a MEC on card B or =
>wierd=20

>(another hidden=20
> Paris 'feature'). The other thing to check =

> that you have a good wordclock BNC cable running from MEC =
>#1 to=20

> #2. AA "Deadmeat"=20

> =
>href="mailto:scott@postmodernblues.com">scott@postmodernblues.com&a=
>mp;g">mailto:scott@postmodernblues.com">scott@postmodernblues.com</=

>=">href="3D3D">A=20

> =
>href="news:43a59445\$1 @linux">news:43a59445\$1 @linux...
>
&=
>g">news:43a59445\$1 @linux">news:43a59445\$1 @linux...
=
>>
&g=">t;=20

>bit and=20

>a 3-card=20

>B
>=20
> cards), 2 ADAT and one Sync on MEC A, 1 8-input on =

> B.
>
> Can record fine with MIX A, MEC A. =
>Getting no=20

>inputs for MEC=20

>all
> is fine=20

> using V3, see input lights on module, but have no =
>meters=20

>syncing to WC=20

>submixes just=20

> V2.
>
> Any Thoughts?=20
> =
>

</BLOCKQUOTE></BODY></HTML>
>=
>
>
</BLOCKQUOTE></BLOCKQUOTE></BODY></HTML>
>

>I have been using Sound Forge for years and would highly recommend it, especially for CD Mastering because version 8.0 comes with CD Architect which is probably the best redbook CD program.

I use Waves plug-ins, but with mixes I 've done myself the only plug-in needed is the L1 to raise the level up and dither down to 16 bit. I use the PAF to WAV converter to prep my files for Sound Forge.

The last record I did, I used these tools to make a reference master for the car before having the actual mastering done at The Mastering Lab in Hollywood. The engineer (who has a couple grammys) wanted to listen to my master as a target and he thought it was pretty good.

RZ

"Bill Lorentzen" <bill@lorentzen.ws> wrote in message news:43a88583@linux...

> If you are looking for a good mastering limiter, the UAD Precision Limiter
> is the best I have heard.

>

> Bill

>

> "Pete Ruthenburg" <ruthenburg@sbcglobal.net> wrote in message
> news:43a84d7b\$1@linux...

>>

>> SO I've got a piano jazz trio project I'm going to try and
>> master. Just want some advice on what is being used to master.

>>

>> Are some of you doing it in PARIS or do I need to buy Wavelab?

>>

>> Thinking of trying some of the UAD precision stuff too.

>> Probably a good project for me to get into the mastering thing

>> since it shouldn't require alot since its a jazz thing.

>> I also recorded it so I know the material.

>>

>> Thanks,

>> Pete

>

>I was just wondering if any of you use / know of some kind of drum beat generator I could use instead of a click. I run Cakewalk Pro 9 on a second PC synced to Paris via SMPTE. I then send a midi note from Cakewalk to a D4 drum module and use that as my click sound back into Paris. Is there an app I could use that could sync to time code where I could chose the beat, tempo and just start trackin, no F__in around...!! Then, with the same timecode, I could go back to Cakewalk if need be, punch in the same tempo and work on midi tracks/sequences, etc.

Thanks much and Happy Holidays from the great white north.

Rob A This is a multi-part message in MIME format.

-----=_NextPart_000_0218_01C605AD.23D28C80

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Hey Steve,

Beside the Christian Science Center Globe (really great!) and Aquarium, =

I'd suggest

a walk through Harvard Square in Cambridge. It would be nicer in the summer but Christmas can be cool. Red Line to Harvard Square via the T = and you're there.

There are incredibly giant ice sculptures on the Trinity Church = property-

beside the Boston Public Library on Boylston Street (main drag). The =

Hancock Building=20

(the new one) is triangular and all glass right near there. Cool = reflections

of the church on the Hancock! Might catch a jazz group at the Top Of = The Hub

in the Prudential Center (the Pru). That's the highest point in town. =

If you've got legs

the church, Pru and Hancock are 4 blocks apart. The Christian Science = Center is

close if you walk behind the Pru to get there. Harvard and the Aquarium = are each T stops

which can be picked up on Boylston St.

Have fun and if you have time to visit my door is open. I'm in Raynham, = MA..=20

Sincerely,

Tom

"Mike R." <emarenot@yahoo.copm> wrote in message = news:43a8aed6\$1@linux...

Hey STA,

If you're going to be in the city proper, you really shouldn't need a = car.

Their version of a subway (the "T") is pretty inexpensive, and for a = visitor,

a gas to ride. Definatly check out Fanuel Hall (spelling is off I'm = sure).

I'd second Bill's recommendation on the Christian SM globe, its = pretty cool.

The Museum of Fine Art is wonderful, as is the Isabella Stewart = Gardiner

art museum (google for more info). As I recall, they moved the =
villa/museum
from Italy. The science museum is also a nifty experience. They have =
a
show on electricity that's "hair raising." Oh yeah, and the aquarium. =
In
fact, I'd recommend the aquarium over the science museum. In the =
center
of the place is this three or four story (you guessed it) aquarium. =
Quite
a sight. It (and the science museum) have and are located on, their =
own
"T" stop. =20
Hope this helps. May your explorations rise up to meet you!
MR=20

"steve the artguy" <artguy@svnhooaa.net> wrote:
>
>Hey, guys-
>
>The impossible is about to happen. I'm flying back to Boston for =
Christmas.
>First Christmas outside Napa in... hmmm...53 years. Bonnie's =
daughter lives
>there, so the two of us are flying out.
>
>Silly me. Should have checked before today. The only things I can see =
available
>to rent tomorrow (!) are, hmm, a little more expensive than I had =
anticipated.
>If I did this sort of thing more often I would have known to check =
into
the
>car at the same time as the ticket. But...
>
>So, do any of you fine Paris folk, who know darned near everything, =
know
>of a source for renting a car for a week, cheap? or anything else I =
should
>know of, or see, or do, while in Boston?
>
>Or anyone need a fast mural done in exchange for a car for a week? =
Ha! It
>would have to be a fast one...
>
>-steve

-----=_NextPart_000_0218_01C605AD.23D28C80

Content-Type: text/html;
charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV>Hey Steve,</DIV>

<DIV>Beside the Christian Science Center =
Globe (really=20

great!) and Aquarium, I'd suggest</DIV>

<DIV>a walk through Harvard Square in =
Cambridge. =20

It would be nicer in the</DIV>

<DIV>summer but Christmas can be cool. =
Red Line to=20

Harvard Square via the T and you're there.</DIV>

<DIV>There are incredibly giant ice =
sculptures on the=20

Trinity Church property-</DIV>

<DIV>beside the Boston Public Library on =
Boylston Street=20

(main drag). = The Hancock <FONT face=3DArial =
size=3D2>Building=20

</DIV>

<DIV>(the new one) is triangular and all =
glass right=20

near there. = Cool reflections</DIV>

<DIV>of the church on the Hancock! =
Might catch a=20

jazz group at the Top Of The Hub</DIV>

<DIV>in the Prudential Center (the =
Pru). = That's=20

the highest point in town. = If you've got legs</DIV>

<DIV>the church, Pru and Hancock are 4 =
blocks=20

apart. = The Christian Science Center is</DIV>

<DIV>close if you walk behind the Pru to get =

there. = Harvard and the Aquarium are each T stops</DIV>

<DIV>which can be picked up on Boylston =
St.</DIV>

<DIV> </DIV>
<DIV>Have fun and if you have time to visit =
my door is=20
open. I'm in Raynham, MA.. </DIV>
<DIV>Sincerely,</DIV>
<DIV>Tom</DIV>
<DIV> </DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Mike R." <<A=20
href=3D"mailto:emarenot@yahoo.copm">emarenot@yahoo.copm> wrote =
in message=20
<A =
href=3D"news:43a8aed6\$1 @linux">news:43a8aed6\$

Subject: Re: Version 3 MEC Inputs Card B No sound
Posted by [Deej \[1\]](#) on Wed, 21 Dec 2005 04:35:47 GMT
[View Forum Message](#) <> [Reply to Message](#)

A>...
>
&g=
> >=3D
> > >t; Hi=3D20
> > > all -
> Been messing with V3 for a bit and noticed a real=3D20
> > > problem.
> Testing on a 3-card system, 2 MECs installed (on A
> =
> >=3D
> > >and=3D20
> > > B
> cards), 2 ADAT and one Sync on MEC A, 1 8-input on =
> >MEC=3D20
> > > B.
>
> Can record fine with MIX A, MEC A. Getting no sound
> =
> >=3D
> > >at=3D20
> > > all
> on any inputs for MEC B, Mix B. Tried to load V2.2, =
> >and=3D20
> > > all
> is fine - can record on MEC B inputs all day long. =
> >When=3D20
> > > using
> V3, see input lights on module, but have no meters =
> >in=3D20
> > > mixer
> and no sound - MEC B syncing to WC fine - plays =
> >sound=3D20
> > > accross
> all submixes just fine from projects recorded =
> >on=3D20
> > > V2.
>
> Any Thoughts?

</BLOCKQUOTE></BODY></HTML>
> > >
> > >

```

> >
> >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> ><HTML><HEAD>
> ><META http-equiv=3DContent-Type content=3D"text/html; =
> > charset=3Diso-8859-1">
> ><META content=3D"MSHTML 6.00.2800.1106" name=3DGENERATOR>
> ><STYLE></STYLE>
> ></HEAD>
> ><BODY bgColor=3D#ffffff>
> ><DIV><FONT face=3DArial size=3D2>That's a fact. With 3 x MECs, it's =
> > always the MEC=20
> > on card #2 that ends up locking to the external clock last. the most =
> > reliable=20
> > way to get my Frankenstein monster config working is to turn on my =
> > outboard=20
> > modules that are interfacing digitally with Parism then turn on=20
> > the external clock, then turn on the MECs, then boot the computer, =
> > then=20
> > boot Paris, let it sit for about 30 - 45 seconds until everything =
> > stabilizes,=20
> > then boot up my Cubase SX DAW. Any deviation from this will usually =
> > cause a=20
> > digital train wreck of the whole cotton pickin' thing.</FONT></DIV>
> ><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
> ><DIV><FONT face=3DArial size=3D2>;o</FONT></DIV>
> ><DIV> </DIV>
> ><DIV> </DIV>
> ><DIV> </DIV>
> ><DIV>"Tom Bruhl" <<A=20
> > href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>> wrote in =
> > message=20
> ><A href=3D"news:43a762d3@linux">news:43a762d3@linux</A>...</DIV>
> ><BLOCKQUOTE dir=3Dltr=20
> > style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
> > BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > <DIV><FONT face=3DArial size=3D2>Both versions of Paris forced this =
> > outer cards=20
> > for Mec attachement.</FONT></DIV>
> > <DIV><FONT face=3DArial size=3D2>I almost traded it all in because it
> > =
> > took me a=20
> > year to find the answer.</FONT></DIV>
> > <DIV><FONT face=3DArial size=3D2>EMU didn't even know. I was =
> > pissed. =20
> > But now I'm happy.</FONT></DIV>
> > <DIV><FONT face=3DArial size=3D2>You should be too.</FONT></DIV>
> > <DIV><FONT face=3DArial size=3D2></FONT> </DIV>

```

> > <DIV>Moving the Mec around isn't that big
> =
> >of a deal=20
> > really. I don't think it</DIV>
> > <DIV>will screw anything major up. =
> >No ADAT cards=20
> > in there right?</DIV>
> > <DIV>Tom</DIV>
> > <DIV> </DIV>
> > <BLOCKQUOTE=20
> > style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > <DIV>"Deadmeat" <<A=20
> > =
>
>href=3D"mailto:scott@postmodernblues.com">scott@postmodernblues.com&g=
> >t;=20
> > wrote in message <A=20
> > =
>
>href=3D"news:43a6d87f\$1@linux">news:43a6d87f\$1@linux...</DIV>
Well=
> >,=20
> > like I said, the system works as is (MECs on A and B)
with the =
> >older 2.2=20
> > software, and has been running like that
for a couple of years -
> =
> >all=20
> > inputs and outputs producing
sound without problems. So, I know =
> >my clock=20
> > is good, the
cards are good, the MECs and interfaces are good.
l=20
> > just
brought up V2.2 to double check, and recorded using=20
> > the
interfaces that don't work with 3.0, so it's definatley
a
> =
> >3.0=20
> > issue.

When you had to have your MECs on A and C (or E),
was=20
> > that
with Version 2.2 and 3.0, or just with 3.0? I could try=20
> > moving
the MEC to C and see if that fixes it, but I dread
making=20
> > any
changes at all to a functional (under 2.2) PARIS=20
> > system.....

"Tom Bruhl" <<A=20
> > href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=20
> > wrote:
>
>
>Dead,
>What Aaron says is =
> >true. =20
> > When my system was three cards with two Mecs
>I had card A and =
> >C=20
> > attached to the Mecs. Now with five cards it's A =

> >and
=3D
>E.=20
> > =3D20
>My ASUS boards like the first and last card when using =
> >two=20
> > Mecs.
>Tom
> "Aaron Allen" <<A=20
> > href=3D"mailto:nospam@not_here.dude">nospam@not_here.dude> =
> >wrote in=20
> > message =3D
>news:43a5b0b4\$1@linux...
> Are you =
> >sure you=20
> > have the two 'correct' EDS cards chosen for your =3D
>system?=20
> > l=3D20
> know that it gets sketchy pinning down which =
> >one, but on=20
> > my system I =3D
>have to=3D20
> use card A and C =
> >and skip=20
> > putting a MEC on card B or wierd stuff=20
> > like
=3D
>this=3D20
> happens (another hidden =
> >Paris=20
> > 'feature'). The other thing to check =
> >is
=3D
>that=3D20
> =20
> > you have a good wordclock BNC cable running from MEC #1 to MEC=20
> > #2.
>
> AA
>
>
> =
> >"Deadmeat" <<A=20
> > =
>
> href=3D"mailto:scott@postmodernblues.com">scott@postmodernblues.com&g=
> >t;=20
> > wrote in message=3D20
> <A=20
> > =
> > href=3D"news:43a59445\$1@linux">news:43a59445\$1@linux...
> =
> >=20
> > >
> > Hi all -
> > Been messing =
> >with V3 for=20
> > a bit and noticed a real problem.
> > Testing on a =
> >3-card=20
> > system, 2 MECs installed (on A and B
> > cards), 2 =
> >ADAT and=20
> > one Sync on MEC A, 1 8-input on MEC B.
> =
> >>
> >=20
> > Can record fine with MIX A, MEC A. Getting no sound at =
> >all
> =20
> > > on any inputs for MEC B, Mix B. Tried to load V2.2, and=20
> > all
> > is fine - can record on MEC B inputs all day =
> >long.=20
> > When using
> > V3, see input lights on module, but =
> >have no=20
> > meters in mixer
> > and no sound - MEC B syncing to =
> >WC fine -=20
> > plays sound accross
> > all submixes just fine from =
> >projects=20

```

>> recorded on V2.<BR>> ><BR>> > Any=20
>> Thoughts?=3D20<BR>><BR>><BR>><BR>><!DOCTYPE HTML =
>>PUBLIC=20
>> "-//W3C//DTD HTML 4.0=20
>> =
>>Transitional//EN"><BR>><HTML><HEAD><BR>><META=20
>> http-equiv=3D3DContent-Type content=3D3D"text/html;=20
>> =3D<BR>> charset=3D3Diso-8859-1"><BR>><META =
>>content=3D3D"MSHTML=20
>> 6.00.2800.1400"=20
>> =
>>name=3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=
>>D><BR>><BODY=20
>> bgcolor=3D3D#ffffff><BR>><DIV><FONT face=3D3DArial=20
>> =
>>size=3D3D2>Dead,</FONT></DIV><BR>><DIV><FONT=20
>> face=3D3DArial size=3D3D2>What Aaron says is true. When my =
>>=3D<BR>>system=20
>> was=3D20<BR>>three cards with two=20
>> Mecs</FONT></DIV><BR>><DIV><FONT =
>>face=3D3DArial=20
>> size=3D3D2>I had card A and C attached to the =3D<BR>>Mecs.=20
>> Now=3D20<BR>>with five cards it's A and E.=20
>> </FONT></DIV><BR>><DIV><FONT face=3D3DArial=20
>> size=3D3D2>My ASUS boards like </FONT><FONT=20
>> =3D<BR>>face=3D3DArial=3D20<BR>>size=3D3D2>the first and =
>>last card when=20
>> using two Mecs.</FONT></DIV><BR>><DIV><FONT=20
>> face=3D3DArial=20
>> =
>>size=3D3D2>Tom</FONT></DIV><BR>><BLOCKQUOTE=3D20<BR>=
>>>style=3D3D"PADDING-RIGHT:=20
>> 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D<BR>>BORDER-LEFT: =
>>#000000 2px=20
>> solid; MARGIN-RIGHT: 0px"><BR>> <DIV>"Aaron Allen" =
>>
>> <<A=3D20<BR>> href=3D3D"<A=20
>> =
>
>href=3D'mailto:nospam@not_here.dude">nospam@not_here.dude</A>mailto:nosp=
>>am@not_here.dude">nospam@not_here.dude</A/>>=20
>> =3D<BR>>wrote in=3D20<BR>> message <A =
>>=3D<BR>>href=3D3D"<A=20
>> =
>
>href=3D'news:43a5b0b4$1 @linux">news:43a5b0b4$1 @linux</A>...</DIV>Are=3D20=
>>'>news:43a5b0b4$1 @linux">news:43a5b0b4$1 @linux</A>...</DIV>=
>>;Are=3D20</A><BR>> =20

```

>> you sure you have the two 'correct' EDS cards chosen for your=20
>> system?
=3D
>I=3D20
>
know that it =
>>gets sketchy=20
>> pinning down which one, but on my system
=3D
>I =
>>have=3D20
> =20
>> to
use card A and C and skip putting a MEC on card B or =
>>wierd=20
>> =3D
>stuff like=3D20
> this
happens =
>>(another hidden=20
>> Paris 'feature'). The other thing to
=3D
>check =
>>is=3D20
> =20
>> that
you have a good wordclock BNC cable running from MEC =
>>#1 to=20
>> =3D
>MEC=3D20
> =20
>> #2.

AA

"Deadmeat"=20
>> <<A=3D20
> =3D
>href=3D3D"<A=20
>> =
>>
>>href=3D'mailto:scott@postmodernblues.com">scott@postmodernblues.com&a=
>>mp;g'>mailto:scott@postmodernblues.com">scott@postmodernblues.com</=
>>A>&g=3D
>t;=3D20
> =20
>> wrote in message
<A=3D20
> =
>>=3D
>href=3D3D"<A=20
>> =
>>href=3D'news:43a59445\$1@linux">news:43a59445\$1@linux...
>
&=
>>g'>news:43a59445\$1@linux">news:43a59445\$1@linux...
=
>>>
&g=3D
>t;=20
>> Hi=3D20
> all -
> Been messing with V3 for a =
>>bit and=20
>> noticed a real=3D20
> problem.
> Testing on =
>>a 3-card=20
>> system, 2 MECs installed (on A =3D
>and=3D20
> =
>>B
>=20
>> cards), 2 ADAT and one Sync on MEC A, 1 8-input on =
>>MEC=3D20
> =20
>> B.
>
> Can record fine with MIX A, MEC A. =
>>Getting no=20
>> sound =3D
>at=3D20
> all
> on any =
>>inputs for MEC=20
>> B, Mix B. Tried to load V2.2, and=3D20
> =
>>all
> is fine=20
>> - can record on MEC B inputs all day long. When=3D20
> =20
>> using
> V3, see input lights on module, but have no =
>>meters=20
>> in=3D20
> mixer
> and no sound - MEC B =
>>syncing to WC=20
>> fine - plays sound=3D20
> accross
> all =
>>submixes just=20

>> fine from projects recorded on=3D20
> =20
>> V2.
>
> Any Thoughts?=20
>> =
>>

</BLOCKQUOTE></BODY></HTML>
>=
>>
>
</BLOCKQUOTE></BLOCKQUOTE></BODY></HTML>
>>
>>
>>
>This is a multi-part message in MIME format.

-----=_NextPart_000_023B_01C605BF.8C195280
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Steve,
I'm on the way down from Boston if you take rt 24.
The Bourne bridge over the Cape Cod Canal is about=20
25 minutes from my house.

I'll shoot you an email.
Tom

"steve the artguy" <artguy@svnsillyme.net> wrote in message =
news:43a8ca82\$1@linux...

"Tom Bruhl" <arpeggio@comcast.net> wrote:
>
>
>Hey Steve,
>Beside the Christian Science Center Globe (really great!) and =
Aquarium,
=3D
>I'd suggest
>a walk through Harvard Square in Cambridge. It would be nicer in the
>summer but Christmas can be cool. Red Line to Harvard Square via the =
T
=3D
>and you're there.
>There are incredibly giant ice sculptures on the Trinity Church =3D
>property-
>beside the Boston Public Library on Boylston Street (main drag). The =
=3D
>Hancock Building=3D20
>(the new one) is triangular and all glass right near there. Cool =3D
>reflections
>of the church on the Hancock! Might catch a jazz group at the Top Of =
=3D
>The Hub

>in the Prudential Center (the Pru). That's the highest point in =
town.=20
=3D
>If you've got legs
>the church, Pru and Hancock are 4 blocks apart. The Christian =
Science =3D
>Center is
>close if you walk behind the Pru to get there. Harvard and the =
Aquarium
=3D
>are each T stops
>which can be picked up on Boylston St.
>
>Have fun and if you have time to visit my door is open. I'm in =
Raynham,
=3D
>MA..
>Sincerely,
>Tom

thanks, guys! Keep 'em comin'!

Tom,=20

An old roommate of Bonnie's is expecting us to visit him somewhere in =
Cape
Cod, so we'll be wandering around in the rental car some. Thanks for =
the
invite - it's within the realm of the possible...

-steve

>
> "Mike R." <emarenot@yahoo.copm> wrote in message =3D
>news:43a8aed6\$1@linux...
>
> Hey STA,
> If you're going to be in the city proper, you really shouldn't need =
a
=3D
>car.
> Their version of a subway (the "T") is pretty inexpensive, and for =
a
=3D
>visitor,

> a gas to ride. Definately check out Fanuel Hall (spelling is off =
I'm
=3D
>sure).
> I'd second Bill's recommendation on the Christian SM globe, its =
=3D
>pretty cool.
> The Museum of Fine Art is wonderful, as is the Isabella Stewart =
=3D
>Gardiner
> art museum (google for more info). As I recall, they moved the =3D
>villa/museum
> from Italy. The science museum is also a nifty experience. They =
have
=3D
>a
> show on electricity that's "hair raising." Oh yeah, and the =
aquarium.
=3D
> In
> fact, I'd recommend the aquarium over the science museum. In the =
=3D
>center
> of the place is this three or four story (you guessed it) aquarium. =
=3D
>Quite
> a sight. It (and the science museum) have and are located on, =
their =3D
>own
> "T" stop.=20
> Hope this helps. May your explorations rise up to meet you!
> MR

-----=_NextPart_000_023B_01C605BF.8C195280

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Steve,</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>I'm on the way down from Boston if you =
take rt=20
```

24.</DIV>

<DIV>The Bourne bridge over the Cape Cod = Canal is about=20

</DIV>

<DIV>25 minutes from my = house.</DIV>

<DIV> </DIV>

<DIV>I'll shoot you an email.</DIV>

<DIV>Tom</DIV>

<DIV> </DIV>

<BLOCKQUOTE=20

style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; = BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

<DIV>"steve the artguy" <<A=20

href=3D"mailto:artguy@svnsillyme.net">artguy@svnsillyme.net> =

wrote in=20

message <A=20

=

href=3D"news:43a8ca82\$1 @linux">news:43a8ca82\$1 @linux...</DIV>
"Tom = Bruhl"=20

<arpeggio@comcast.net> =

wrote:
>
>
>Hey Steve,
>Beside the Christian = Science=20

Center Globe (really great!) and Aquarium,
=3D
>I'd = suggest
>a=20

walk through Harvard Square in Cambridge. It would be nicer in=20

the
>summer but Christmas can be cool. Red Line to Harvard = Square=20

via the T
=3D
>and you're there.
>There are incredibly = giant ice=20

sculptures on the Trinity Church =3D
>property-
>beside = the Boston=20

Public Library on Boylston Street (main drag). The = =3D
>Hancock=20

Building=3D20
>(the new one) is triangular and all glass right = near=20

there. Cool =3D
>reflections
>of the church on the=20

Hancock! Might catch a jazz group at the Top Of =3D
>The=20

Hub
>in the Prudential Center (the Pru). That's the =

highest point=20

in town.
=3D
>If you've got legs
>the church, Pru and = Hancock=20

are 4 blocks apart. The Christian Science =3D
>Center=20

is
>close if you walk behind the Pru to get there. Harvard =

and the=20

Aquarium
=3D
>are each T stops
>which can be picked up = on=20

Boylston St.
>
>Have fun and if you have time to visit my =
door is=20
open. I'm in=20
=
Raynham,
=3D
>MA..
>Sincerely,
>Tom

thanks, =
guys!=20
Keep 'em comin'!

Tom,

An old roommate of Bonnie's is =
expecting=20
us to visit him somewhere in Cape
Cod, so we'll be wandering around =
in the=20
rental car some. Thanks for the
invite - it's within the realm of =
the=20
possible...

-steve

>
> "Mike =
R."=20
<emarenot@yahoo.copm> =
wrote in=20
message =3D
>news:43a8aed6\$1 @linux...
>
> Hey=20
STA,
> If you're going to be in the city proper, you =
really=20
shouldn't need a
=3D
>car.
> Their version =
of a=20
subway (the "T") is pretty inexpensive, and for=20
a
=3D
>visitor,
> a gas to ride. Definately =
check out=20
Fanuel Hall (spelling is off =
I'm
=3D
>sure).
> I'd=20
second Bill's recommendation on the Christian SM globe, its =
=3D
>pretty=20
cool.
> The Museum of Fine Art is wonderful, as is =
the=20
Isabella Stewart =3D
>Gardiner
> art museum (google =
for more=20
info).&

Subject: Re: Version 3 MEC Inputs Card B No sound
Posted by [Tom Bruhl](#) on Wed, 21 Dec 2005 04:50:58 GMT
[View Forum Message](#) <> [Reply to Message](#)

know that it gets sketchy pinning down which one, but on =
my =3D
> >system
> > =3D3D
> > >I have=3D3D20
> > > to
use card A and C and skip putting a MEC on card B or =
wierd
> =3D
> >=3D3D

>> >stuff like=3D3D20
 >> > this
happens (another hidden Paris 'feature'). The other =
 =3D
 >>thing to
 >> =3D3D
 >> >check is=3D3D20
 >> > that
you have a good wordclock BNC cable running from =
 MEC #1
 > =3D
 >>to =3D3D
 >> >MEC=3D3D20
 >> > #2.

AA

"Deadmeat" <<A=3D3D20
 >> > =3D3D
 >> =3D
 >
 =
 >>href=3D3D3D"mailto:scott@postmodernblues.com">scott@postmodernblues.com=
 </A=3D
 >>>&g=3D3D
 >> >t;=3D3D20
 >> > wrote in message
<A=3D3D20
 >> > =3D3D
 >> =3D
 >
 =
 >>href=3D3D3D"news:43a59445\$1@linux">news:43a59445\$1@linux...
>
=
 >&g=3D
 >>=3D3D
 >> >t; Hi=3D3D20
 >> > all -
> Been messing with V3 for a bit and noticed a =
 real=3D3D20
 >> > problem.
> Testing on a 3-card system, 2 MECs installed =
 (on A
 > =3D
 >>=3D3D
 >> >and=3D3D20
 >> > B
> cards), 2 ADAT and one Sync on MEC A, 1 8-input on =
 =3D
 >>MEC=3D3D20
 >> > B.
>
> Can record fine with MIX A, MEC A. Getting no =
 sound
 > =3D
 >>=3D3D
 >> >at=3D3D20
 >> > all
> on any inputs for MEC B, Mix B. Tried to load V2.2, =
 =3D
 >>and=3D3D20
 >> > all
> is fine - can record on MEC B inputs all day long. =

```

=3D
> >When=3D3D20
> > > using<BR>> V3, see input lights on module, but have no =
meters =3D
> >in=3D3D20
> > > mixer<BR>> and no sound - MEC B syncing to WC fine - plays =
=3D
> >sound=3D3D20
> > > accross<BR>> all submixes just fine from projects recorded =
=3D
> >on=3D3D20
> > > V2.<BR>><BR>> Any Thoughts? =
<BR><BR></BLOCKQUOTE></BODY></HTML>
> > >
> > >
> >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> ><HTML><HEAD>
> ><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
> >charset=3D3Diso-8859-1">
> ><META content=3D3D"MSHTML 6.00.2800.1106" name=3D3DGENERATOR>
> ><STYLE></STYLE>
> ></HEAD>
> ><BODY bgColor=3D3D#ffffff>
> ><DIV><FONT face=3D3DArial size=3D3D2>That's a fact. With 3 x MECs, =
it's =3D
> >always the MEC=3D20
> >on card #2 that ends up locking to the external clock last. the =
most =3D
> >reliable=3D20
> >way to get my Frankenstein monster config working is to turn on my =
=3D
> >outboard=3D20
> >modules that are interfacing digitally with Parism then turn =
on=3D20
> >the external clock, then turn on the MECs, then boot the computer, =
=3D
> >then=3D20
> >boot Paris, let it sit for about 30 - 45 seconds until everything =
=3D
> >stabilizes,=3D20
> >then boot up my Cubase SX DAW. Any deviation from this will usually =
=3D
> >cause a=3D20
> >digital train wreck of the whole cotton pickin' thing.</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>;o</FONT></DIV>

```

```

>><DIV> </DIV>
>><DIV> </DIV>
>><DIV> </DIV>
>><DIV>"Tom Bruhl" <<A=3D20
>>href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>> =
wrote in =3D
>>message=3D20
>><A href=3D3D"news:43a762d3@linux">news:43a762d3@linux</A>...</DIV>
>><BLOCKQUOTE dir=3D3Dltr=3D20
>>style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3D
>>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
>> <DIV><FONT face=3D3DArial size=3D3D2>Both versions of Paris =
forced this =3D
>>outer cards=3D20
>> for Mec attachement.</FONT></DIV>
>> <DIV><FONT face=3D3DArial size=3D3D2>I almost traded it all in =
because it
> =3D
>>took me a=3D20
>> year to find the answer.</FONT></DIV>
>> <DIV><FONT face=3D3DArial size=3D3D2>EMU didn't even know. I was =
=3D
>>pissed. =3D20
>> But now I'm happy.</FONT></DIV>
>> <DIV><FONT face=3D3DArial size=3D3D2>You should be =
too.</FONT></DIV>
>> <DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
>> <DIV><FONT face=3D3DArial size=3D3D2>Moving the Mec around isn't =
that big
> =3D
>>of a deal=3D20
>> really. I don't think it</FONT></DIV>
>> <DIV><FONT face=3D3DArial size=3D3D2>will screw anything major =
up. =3D
>>No ADAT cards=3D20
>> in there right?</FONT></DIV>
>> <DIV><FONT face=3D3DArial size=3D3D2>Tom</FONT></DIV>
>> <DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
>> <BLOCKQUOTE=3D20
>> style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
5px; =3D
>>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
>> <DIV>"Deadmeat" <<A=3D20
>> =3D
>
=
>href=3D3D"mailto:scott@postmodernblues.com">scott@postmodernblues.com</A=

```


>&g=3D
> >t;=3D20
> > wrote in message <A=3D20
> > =3D
>
=
>href=3D3D"news:43a6d87f\$1 @linux">news:43a6d87f\$1 @linux...</DIV>
W=
ell=3D
> >,=3D20
> > like I said, the system works as is (MECs on A and B)
with =
the =3D
> >older 2.2=3D20
> > software, and has been running like that
for a couple of =
years -
> =3D
> >all=3D20
> > inputs and outputs producing
sound without problems. So, I =
know =3D
> >my clock=3D20
> > is good, the
cards are good, the MECs and interfaces are =
good.
I=3D20
> > just
brought up V2.2 to double check, and recorded =
using=3D20
> > the
interfaces that don't work with 3.0, so it's =
definatley
a
> =3D
> >3.0=3D20
> > issue.

When you had to have your MECs on A and C (or E),
was=3D20
> > that
with Version 2.2 and 3.0, or just with 3.0? I could =
try=3D20
> > moving
the MEC to C and see if that fixes it, but I dread
making=3D20
> > any
changes at all to a functional (under 2.2) PARIS=3D20
> > system.....

"Tom Bruhl" <<A=3D20
> > =
href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=3D20
> > wrote:
>
>
>Dead,
>What Aaron says is =3D
> >true. =3D20
> > When my system was three cards with two Mecs
>I had card A =
and =3D
> >C=3D20
> > attached to the Mecs. Now with five cards it's A =3D
> >and
=3D3D
>E.=3D20
> > =3D3D20
>My ASUS boards like the first and last card when =
using =3D
> >two=3D20

> > Mecs.
>Tom
> "Aaron Allen" <<A=3D20
 > > =
 href=3D3D"mailto:nospam@not_here.dude">nospam@not_here.dude> =3D
 > >wrote in=3D20
 > > message =3D3D
>news:43a5b0b4\$1@linux...
> Are you =3D
 > >sure you=3D20
 > > have the two 'correct' EDS cards chosen for your =
 =3D3D
>system?=3D20
 > > I=3D3D20
> know that it gets sketchy pinning down which =3D
 > >one, but on=3D20
 > > my system I =3D3D
>have to=3D3D20
> use card A and C =3D
 > >and skip=3D20
 > > putting a MEC on card B or wierd stuff=3D20
 > > like
=3D3D
>this=3D3D20
> happens (another hidden =3D
 > >Paris=3D20
 > > 'feature'). The other thing to check =3D
 > >is
=3D3D
>that=3D3D20
> =3D20
 > > you have a good wordclock BNC cable running from MEC #1 to =
 MEC=3D20
 > > #2.
>
> AA
>
>
> =3D
 > >"Deadmeat" <<A=3D20
 > > =3D
 >
 =
 >href=3D3D"mailto:scott@postmodernblues.com">scott@postmodernblues.com</A=
 >&g=3D
 > >t;=3D20
 > > wrote in message=3D3D20
> <A=3D20
 > > =3D
 > >href=3D3D"news:43a59445\$1@linux">news:43a59445\$1@linux...
> =
 =3D
 > >=3D20
 > > >
> > Hi all -
> > Been messing =3D
 > >with V3 for=3D20
 > > a bit and noticed a real problem.
> > Testing on a =3D
 > >3-card=3D20
 > > system, 2 MECs installed (on A and B
> > cards), 2 =3D
 > >ADAT and=3D20
 > > one Sync on MEC A, 1 8-input on MEC B.
> =3D
 > >>
> >=3D20
 > > Can record fine with MIX A, MEC A. Getting no sound at =3D
 > >all
> =3D20
 > > > on any inputs for MEC B, Mix B. Tried to load V2.2, and=3D20
 > > all
> > is fine - can record on MEC B inputs all day =3D
 > >long.=3D20
 > > When using
> > V3, see input lights on module, but =3D
 > >have no=3D20
 > > meters in mixer
> > and no sound - MEC B syncing to =3D

```

>>WC fine
>> plays sound accross
>>projects
>> recorded on V2.
>> Thoughts?
>>PUBLIC
>> "-//W3C//DTD HTML 4.0
>> =
>>Transitional//EN">
>> http-equiv=Content-Type content="text/html;
>> =charset=Diso-8859-1">
>>content="MSHTML
>> 6.00.2800.1400"
>> =
>>name=GENERATOR>
>>D>
>> bgColor=#ffffff>
>> size=Dead,
>> face=Arial size=What Aaron says is true. When my =
=
>>=system
>> was=three cards with two
>> Mecs
>> face=Arial
>> size=I had card A and C attached to the =
=
>> Now=with five cards it's A and E.=
>> </FONT></DIV>
>> size=My ASUS boards like
>> =face=Arial<br>size=the first =
and
>>last card when
>> using two Mecs.
>> face=Arial
>> =
>>size=Tom
>>>style="PADDING-RIGHT:
>> 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=
>>#000000 2px
>> solid; MARGIN-RIGHT: 0px"> <DIV>"Aaron Allen"
>>
>> <<A
>> =
>
=
>href='mailto:nospam@not_here.dude">nospam@not_here.dude</A'>mailto:n=

```

osp=3D
> >am@not_here.dude">nospam@not_here.dude</A>=3D20
> > =3D3D
>wrote in=3D3D20
> message <A =3D
> >=3D3D
>href=3D3D3D"<A=3D20
> > =3D
>
=
>href=3D3D'news:43a5b0b4\$1 @linux">news:43a5b0b4\$1 @linux...</DIV>Are=3D=
3D20=3D
> >'>news:43a5b0b4\$1 @linux">news:43a5b0b4\$1 @linux...</DIV>=3D
> >;Are=3D3D20
> =3D20
> > you sure you have the two 'correct' EDS cards chosen for =
your=3D20
> > system?
=3D3D
>I=3D3D20
>
know that it =3D
> >gets sketchy=3D20
> > pinning down which one, but on my system
=3D3D
>I =3D
> >have=3D3D20
> =3D20
> > to
use card A and C and skip putting a MEC on card B or =3D
> >wierd=3D20
> > =3D3D
>stuff like=3D3D20
> this
happens =3D
> >(another hidden=3D20
> > Paris 'feature'). The other thing to
=3D3D
>check =3D
> >is=3D3D20
> =3D20
> > that
you have a good wordclock BNC cable running from MEC =
=3D
> >#1 to=3D20
> > =3D3D
>MEC=3D3D20
> =3D20
> > #2.

AA

"Deadmeat"=3D20
> > <<A=3D3D20
> =3D3D
>href=3D3D3D"<A=3D20
> > =3D
>
=
>href=3D3D'mailto:scott@postmodernblues.com">scott@postmodernblues.com</A=
>&a=3D
> =
>mp;g'>mailto:scott@postmodernblues.com">scott@postmodernblues.com</=3D
> >A>&g=3D3D
>t;=3D3D20
> =3D20
> > wrote in message
<A=3D3D20
> =3D
> >=3D3D
>href=3D3D3D"<A=3D20
> > =3D
> =
>href=3D3D'news:43a59445\$1 @linux">news:43a59445\$1 @linux...
>
&=3D=

> >g'>news:43a59445\$1 @linux">news:43a59445\$1 @linux...
=3D
> >>
&g=3D3D
>t;=3D20
> > Hi=3D3D20
> all -
> Been messing with V3 for a =3D
> >bit and=3D20
> > noticed a real=3D3D20
> problem.
> Testing on =3D

> > a 3-card=3D20
> > system, 2 MECs installed (on A =3D3D
>and=3D3D20
> =3D
> >B
>=3D20
> > cards), 2 ADAT and one Sync on MEC A, 1 8-input on =3D
> >MEC=3D3D20
> =3D20
> > B.
>
> Can record fine with MIX A, MEC A. =3D
> >Getting no=3D20
> > sound =3D3D
>at=3D3D20
> all
> on any =3D
> >inputs for MEC=3D20
> > B, Mix B. Tried to load V2.2, and=3D3D20
> =3D
> >all
> is fine=3D20
> > - can record on MEC B inputs all day long. When=3D3D20
> =
=3D20
> > using
> V3, see input lights on module, but have no =3D
> >meters=3D20
> > in=3D3D20
> mixer
> and no sound - MEC B =3D
> >syncing to WC=3D20
> > fine - plays sound=3D3D20
> accross
> all =3D
> >submixes just=3D20
> > fine from projects recorded on=3D3D20
> =3D20
> > V2.
>
> Any Thoughts?=3D20
> > =3D
> >
>
></BLOCKQUOTE></BODY></HTML>
>=3D
> >
>
></BLOCKQUOTE></BLOCKQUOTE></BODY></HTML>
> >
> >
>

-----=_NextPart_000_0258_01C605C0.39A7B630

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =

charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV>Scott,</DIV>

<DIV>In XP crazy stuff happens to most =
people with two=20

ADATs</DIV>

<DIV>in either Mec. I had to put one =
in A and one=20

in B. This might</DIV>
<DIV>also be one of your =
problems.</DIV>
<DIV>Tom</DIV>
<DIV> </DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"DJ" <<A=20
=
href=3D"mailto:animix_spam-this-ahole_@animas.net">animix_spam-this-ahole=
_@animas.net>=20
wrote in message <A=20
href=3D"news:43a8dc98@linux">news:43a8dc98@linux...</DIV>Are you =
running Win=20
XP?XP/Paris doesn't really do well with more than one
ADAT card per =

MEC

"Deadmeat" <<A=20
=
href=3D"mailto:scott@postmodernblues.com">scott@postmodernblues.com&g=
t;=20
wrote in message
<A=20
=
href=3D"news:43a8b14a\$1 @linux">news:43a8b14a\$1 @linux...
>
&g=
t;=20
Actually, I've got 2 ADAT cards in MEC A
>
> "DJ" <<A=20
=
href=3D"mailto:animix_spam-this-ahole_@animas.net">animix_spam-this-ahole=
_@animas.net>=20
wrote:
> >
> >
> >
> >That's a fact. With 3 x =
MECs,=20
it's always the MEC on card #2 that ends =3D
> >up locking to =
the=20
external clock last. the most reliable way to get my =3D
>=20
>Frankenstein monster config working is to turn on my outboard =
modules=20
=3D
> >that are interfacing digitally with Parism then turn =
on the=20
external =3D
> >clock, then turn on the MECs, then boot the =
computer,=20
then boot Paris, =3D
> >let it sit for about 30 - 45 seconds =
until=20
everything stabilizes, then =3D
> >boot up my Cubase SX DAW. =
Any=20
deviation from this will usually cause a =3D
> >digital train =
wreck of=20
the whole cotton pickin' thing.
> >
> >;o)
>=20
>
> >
> >
> >"Tom Bruhl" <<A=20

<mailto:arpeggio@comcast.net>>arpeggio@comcast.net> wrote =
in message=20
=3D
> > >news:43a762d3@linux...
> > > Both =
versions of Paris=20
forced this outer cards for Mec attachement.
> > > I =
almost=20
traded it all in because it took me a year to find the =3D
>=20
>answer.
> > > EMU didn't even know. I was =
pissed. =20
But now I'm happy.
> > > You should be too.
> =
>
>=20
> Moving the Mec around isn't that big of a deal =
really. I=20
don't think
> =3D
> > >it
> > > will screw =
anything=20
major up. No ADAT cards in there right?
> > > =
Tom
>=20
>
> > > "Deadmeat" <<A=20
=
<mailto:scott@postmodernblues.com>>scott@postmodernblues.com&g=
t;=20
wrote in message =3D
> > >news:43a6d87f\$1@linux...
> =
>
>=20
> Well, like I said, the system works as is (MECs =
on A=20
and B)
> > > with the older 2.2 software, and =
has=20
been running like that
> > > for a couple of =
years -=20
all inputs and outputs producing
> > > sound =
without=20
problems. So, I know my clock is good, the
> > =
> =20
cards are good, the MECs and interfaces are good. I just
>=20
> brought up V2.2 to double check, and recorded =
using=20
the
> > > interfaces that don't work with =
3.0, so=20
it's definatley
> > > a 3.0 issue.
>=20
>
> > > When you had to have your MECs on =
A and C=20
(or E), was that
> > > with Version 2.2 and =
3.0, or=20
just with 3.0? I could try moving
> > > the =
MEC to C=20
and see if that fixes it, but I dread making any
>=20
> changes at all to a functional (under 2.2) =
PARIS=20


```

name=3D3D3DGENERATOR&gt;<BR>&gt; &gt;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;=20
&gt;&lt;/STYLE&gt;&lt;/STYLE&gt;<BR>&gt; &gt;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;=20
&gt;&lt;/HEAD&gt;<BR>&gt; &gt;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp; &gt;&lt;/BODY=20
bgColor=3D3D3D#ffffff&gt;<BR>&gt; &gt;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp; =
&gt;&lt;/DIV&gt;&lt;/FONT=20
face=3D3D3DArial =
size=3D3D3D2&gt;&Dead,&lt;/FONT&gt;&lt;/DIV& &mp;gt; <BR>&gt;=20
&gt;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;& &gt;&lt;/DIV&gt;&lt;/FONT face=3D3D3DArial=20
size=3D3D3D2&gt;&What Aaron says is true. When<BR>&gt; =3D<BR>&gt; =
&gt;&my=20
=3D3D<BR>&gt; &gt;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;& &gt;&system was=3D3D20<BR>&gt;=20
&gt;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;& &gt;&three cards with two=20
Mecs&lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt; &gt;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&=20
&gt;&lt;/DIV&gt;&lt;/FONT face=3D3D3DArial size=3D3D3D2&gt;&I had card A =
and C=20
attached to<BR>&gt; =3D<BR>&gt; &gt;&the =3D3D<BR>&gt; =
&gt;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&=20
&gt;&Mecs. Now=3D3D20<BR>&gt; &gt;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;& &gt;&with five =
cards it's A=20
and E. &lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt; &gt;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&=20
&gt;&lt;/DIV&gt;&lt;/FONT face=3D3D3DArial size=3D3D3D2&gt;&My ASUS =
boards like=20
=3D<BR>&gt; &gt;&lt;/FONT&gt;&lt;/FONT =3D3D<BR>&gt; =
&gt;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&=20
&gt;&face=3D3D3DArial=3D3D20<BR>&gt; &gt;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;& =
&gt;&size=3D3D3D2&gt;&the=20
first and last card when using two =3D<BR>&gt;=20
&gt;&Mecs.&lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt; &gt;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&=20
&gt;&lt;/DIV&gt;&lt;/FONT face=3D3D3DArial=20
size=3D3D3D2&gt;&Tom&lt;/FONT&gt;&lt;/DIV& &mp; &gt; <BR>&gt; =
&gt;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&=20
&gt;&lt;/BLOCKQUOTE=3D3D20<BR>&gt; &gt;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&=20
&gt;&style=3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT:=20
5px;<BR>&gt; =3D<BR>&gt; &gt;&=3D3D<BR>&gt; &gt;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;& =
&gt;&BORDER-LEFT:=20
#000000 2px solid; MARGIN-RIGHT: 0px"&gt;<BR>&gt; =
&gt;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&=20
&gt;&nbsp;& &lt;/DIV&gt;"Aaron Allen" &lt;&lt;A=3D3D20<BR>&gt;=20
&gt;&nbsp;&nbsp;&nbsp;&nbsp;& &gt;&nbsp;& href=3D3D3D"<A=20
=
href=3D'mailto:nospam@not_here.dude">nospam@not_here.dude</A'>mailto:nosp=
am@not_here.dude"&gt;nospam@not_here.dude&lt;/A'>&gt;<BR>&gt;=20
=3D<BR>&gt; &gt;&=3D3D<BR>&gt; &gt;&nbsp;&nbsp;&nbsp;&nbsp;& &gt;&wrote =
in=3D3D20<BR>&gt;=20
&gt;&nbsp;&nbsp;&nbsp;&nbsp;& &gt;&nbsp;& message &lt;A =3D3D<BR>&gt;=20
&gt;&nbsp;&nbsp;&nbsp;&nbsp;& =3D<BR>&gt;<BR>&gt;&gt;href=3D3D3D"<A=20
=
href=3D'news:43a5b0b4$1 @linux">news:43a5b0b4$1 @linux</A>...</DIV>Are=3D3D=

```


size=3D3D2>That's a fact. With 3 x MECs, it's =3D
> =
>always the=20
MEC=3D20
> >on card #2 that ends up locking to the external =
clock last.=20
the most =3D
> >reliable=3D20
> >way to get my =
Frankenstein=20
monster config working is to turn on my =3D
> =
>outboard=3D20
>=20
>modules that are interfacing digitally with Parism then turn =
on=3D20
>=20
>the external clock, then turn on the MECs, then boot the computer, =
=3D
> >then=3D20
> >boot Paris, let it sit for about =
30 - 45=20
seconds until everything =3D
> >stabilizes,=3D20
> =
>then boot up=20
my Cubase SX DAW. Any deviation from this will usually =3D
> =
>cause=20
a=3D20
> >digital train wreck of the whole cotton pickin'=20
thing.</DIV>
> ></DIV></FONT =
face=3D3DArial=20
size=3D3D2> </DIV>
> =
></DIV></FONT=20
face=3D3DArial size=3D3D2>;o)</DIV> t;
> =
></DIV>=20
</DIV>
> ></DIV> </DIV>
> =
></DIV>=20
</DIV>
> ></DIV>"Tom Bruhl" </A=3D20
> =
>href=3D3D"<A=20
=
href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net</A'>mailto:arpegi=
o@comcast.net">arpeggio@comcast.net</A>>=20
wrote in =3D
> >message=3D20
> ></A href=3D3D"<A=20
=
href=3D'news:43a762d3@linux">news:43a762d3@linux...</DIV'>news:43a762=
d3@linux">news:43a762d3@linux...</DIV>
>=20
></BLOCKQUOTE dir=3D3Dltr=3D20
> =
>style=3D3D"PADDING-RIGHT: 0px;=20
PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
> >BORDER-LEFT: =
#000000 2px=20
solid; MARGIN-RIGHT: 0px">
> > </DIV></FONT=20
face=3D3DArial size=3D3D2>Both versions of Paris forced this =
=3D
>=20
>outer cards=3D20
> > for Mec=20
attachement.</DIV>
> > =
</DIV></FONT=20
face=3D3DArial size=3D3D2>I almost traded it all in because =

it
>=20
=3D
> >>took me a=3D20
> >> year to find the=20
answer.</DIV>
> >> =
</DIV></FONT=20
face=3D3DArial size=3D3D2>EMU didn't even know. I was =3D
> =
>>pissed.=20
=3D20
> >> But now I'm =
happy.</DIV>
>=20
>> </DIV>You should =
be=20
too.</DIV>
> >> </DIV></FONT=20
face=3D3DArial size=3D3D2> </DIV>
> =
>> =20
</DIV>Moving the Mec around =
isn't that=20
big
> =3D
> >>of a deal=3D20
> >> really. =
I don't=20
think it</DIV>
> >> =
</DIV></FONT=20
face=3D3DArial size=3D3D2>will screw anything major up. =3D
> =
>>No ADAT=20
cards=3D20
> >> in there =
right?</DIV>
>=20
>> </DIV></FONT face=3D3DArial=20
size=3D3D2>Tom</DIV&g t;
> >> =20
</DIV>=20
</DIV>
> >> </BLOCKQUOTE=3D20
> >> =

style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3D
>=20
>>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
>=20
>> </DIV>"Deadmeat" <<A=3D20
>=20
>> =3D
>
>href=3D3D"<A=20
=
href=3D'mailto:scott@postmodernblues.com">scott@postmodernblues.com&a=
mp;g'>mailto:scott@postmodernblues.com">scott@postmodernblues.com</=
A>&g=3D
>=20
>>t;=3D20
> >> wrote in message =
</A=3D20
>=20
>> =3D
>
>href=3D3D"<A=20
=
href=3D'news:43a6d87f\$1 @linux">news:43a6d87f\$1 @linux...</DIV>
Well=
'>news:43a6d87f\$1 @linux">news:43a6d87f\$1 @linux...</DIV>=
</BR>Well=3D
>=20
>>=3D20
> >> like I said, the system =
works as is=20
(MECs on A and B)</BR>with the =3D
> >>older =
2.2=3D20
>=20

> = 20
Mecs.
>Tom
> "Aaron Allen" =
<<A=3D20
>= 20
> href=3D3D"<A=20
=
href=3D'mailto:nospam@not_here.dude">nospam@not_here.dudemailto:nospam=
am@not_here.dude">nospam@not_here.dude>= 20
=3D
> >wrote in=3D20
> > message=20
=3D3D
>news:43a5b0b4\$1 @linux...
> Are you =
=3D
>= 20
>sure you=3D20
> > have the two =
'correct' EDS=20
cards chosen for your =3D3D
>system?=3D20
>= 20
> l=3D3D20
> know that it gets =
sketchy pinning=20
down which =3D
> >one, but on=3D20
> >=
> my=20
system I =3D3D
>have to=3D3D20
> use card A =
and C=20
=3D
> >and skip=3D20
> > putting a =
MEC on card=20
B or wierd stuff=3D20
> > = 20
like
=3D3D
>this=3D 3D20
> happens =
(another hidden=20
=3D
> >Paris=3D20
> > 'feature'). =
The other=20
thing to check =3D
>= 20
>is
=3D3D
>t hat=3D3D20
> =
=3D20
>= 20
> you have a good wordclock BNC cable running =
from MEC #1=20
to MEC=3D20
> > =
#2.
>
>= 20
AA
>
>& l t;BR>> =3D
> =
>"Deadmeat"=20
<<A=3D20
> > =
=3D
>
>href=3D3D"<A=20
=
href=3D'mailto:scott@postmodernblues.com">scott@postmodernblues.com&a=
mp;g'>mailto:scott@postmodernblues.com">scott@postmodernblues.com</=/
A>&g=3D
>= 20
>t;=3D20
> > wrote in =
message=3D3D20
>= 20
<A=3D20
> > =3D
> >href=3D3D"<A =
=
href=3D'news:43a59445\$1 @linux">news:43a59445\$1 @linux...<BR'>news:43a5=
9445\$1 @linux">news:43a59445\$1 @linux>...<BR>>= 20

>content=3D3D3D"MSHTML=3D20
> > =20
6.00.2800.1400"=3D20
> > =3D
>=20
=
>name=3D3D3DGENERATOR>
&g t;<STYLE></STYLE><=
BR>></HEA=3D
>=20
>D>
><BODY=3D20
> > =20
bgColor=3D3D3D#ffffff>
>& l t;DIV><FONT=20
face=3D3D3DArial=3D20
> > =3D
>=20
=
>size=3D3D3D2>Dead,& l t;/DIV>
><DIV>=
t;<FONT=3D20
>=20
> face=3D3D3DArial size=3D3D3D2>What Aaron =
says is true.=20
When my =3D
> >=3D3D
>system=3D20
>=20
> was=3D3D20
>three cards with =
two=3D20
>=20
> =20
Mecs</DIV><BR& g t;><DIV><FONT =
=3D
>=20
>face=3D3D3DArial=3D20
> > =
size=3D3D3D2>I had card=20
A and C attached to the =3D3D
>Mecs.=3D20
>=20
> Now=3D3D20
>with five cards it's A =
and=20
E.=3D20
> > =20
</DIV>
& amp;gt;<DIV><FONT=20
face=3D3D3DArial=3D20
> > =
size=3D3D3D2>My ASUS boards=20
like <FONT=3D20
> > =20
=
=3D3D
>face=3D3D3DArial=3D3D20&l t;BR>>size=3D3D3D2>t=
he first and=20
=3D
> > last card when=3D20
> > =
using two=20
=
Mecs.</DIV><BR& amp ;gt;><DIV><FONT=3D20
&=&
gt;=20
> face=3D3D3DArial=3D20
> > =
> =20
=3D
>=20
=
>size=3D3D3D2>Tom< /DIV>
><BLOCKQU=
OTE=3D3D20
=3D
>=20
>>style=3D3D3D"PADDING-RIGHT:=3D20
> > =
> 0px;=20
PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D
>BORDER-LEFT: =
=3D
>=20
>#000000 2px=3D20
> > solid; =

=
#2.

<AA
< & amp;
<
< "Deadmeat"=3D20<BR=><=20
< <<A=3D3D20
<<=20
=3D3D
<<href=3D3D3D"<A=3D20
< =
< <=20
=
=3D
<
<<href=3D3D'mailto:scott@postmodernblues.com"<scott@p=ostmodernblues.com</A<& amp;a=3D
<=20
=
<mp;g'<mailto:scott@postmodernblues.com"<scott@postmodernblues.c=om</=3D
<=20
<A<& amp;g</A<=3D3D<BR <<t;=3D3D20
<< =
=3D20
<=20
< < wrote in message =

<<A=3D3D20
<< =20
=3D
< <<=3D3D
<<href=3D3D3D"<A=3D20
<=20
< < =3D
<=20
=
<href=3D3D'news:43a59445\$1 @linux"<news:43a59445\$1 @linux</A<..=..
<<
<& amp;=3D
<=20
=
<g'<news:43a59445\$1 @linux"<news:43a59445\$1 @linux</A<...<=;BR><=3D
<=20
<<
<& amp;g</A& g t;=3D3D
<<t;=3D20
<=20
< < Hi=3D3D20
<< all -
<< =
Been messin=20
with V3 for a =3D
< <<bit and=3D20
< =
< < noticed=20
a real=3D3D20
<< problem.
<< Testing on =
=3D
< <<a=20
3-card=3D20
< << < system, 2 MECs installed =
(on A=20
=3D3D
<<and=3D3D20
<& amp;gt; =3D
<=20
<B
<<=3D20
< << < cards), 2 ADAT =
and one=20
Sync on MEC A, 1 8-input on =3D
< <<MEC=3D3D20
<< =
=3D20
<=20
< < B.
<<
<< Can record fine =
with MIX=20
A, MEC A. =3D
< <<Getting no=3D20
< =
< < sound=20
=3D3D
<<at=3D3D20
<& a mp;gt; all
<< on any =
=3D
<=20
<inputs for MEC=3D20
< << < B, Mix B. Tried =
to load=20
V2.2, and=3D3D20
<< =3D
< <<all
<< is=20
fine=3D20
< << < - can record on MEC B inputs =

>Takes one second to do..and it sounds pretty decent
>
>
><http://www.threechords.com/hammerhead/>
>
>"Rob Arsenault" <mani2@nbnet.nb.ca> wrote:
>>I was just wondering if any of you use / know of some kind of drum beat
>>generator I could use instead of a click. I run Cakewalk Pro 9 on a second
>>PC synced to Paris via SMPTE. I then send a midi note from Cakewalk to
a
>D4
>>drum module and use that as my click sound back into Paris. Is there an
>app
>>I could use that could sync to time code where I could chose the beat,
tempo
>>and just start trackin, no F__in around...!! Then, with the same timecode,
>I
>>could go back to Cakewalk if need be, punch in the same tempo and work
on
>>midi tracks/sequences, etc.
>>
>>Thanks much and Happy Holidays from the great white north.
>>
>>Rob A
>>
>>
>>
>>
>>
>>
>>I am 99.99998% sure that if there's no audio present in the
display window, then it's not streaming anything that doesn't
actually show up there - including anything that's been clipped.

Neil

"Aaron Allen" <nospam@not_here.dude> wrote:
>Yeah. Cut out a huge section and see if the hard drive light slows/stops

>activity.
>AA
>
>
>"John" <no@no.com> wrote in message news:43a894e1@linux...
>> But is there any way to test it?
>> John
>>
>> EK Sound wrote:

>>> AFAIK, mutes do not stop the file from being streamed, but edits do.
>>>
>>> David.
>>>
>>> John wrote:
>>>
>>>> see i'm assuming it does NOT stop. I'm betting that both shortened

>>>> objects and mutes play stream the entire segment I just am not sure
how
>>>> to test. Hmm, how to test this. Brains anyone ?
>>>>
>>>> rick wrote:
>>>>
>>>>> i guess you could run a cpu usage check and see what happens but i
>>>>> would assume that the audio streaming would stop when the file stops
>>>>> playing. as far as the mutes go, i would think that it would be
>>>>> likened to a midi on/off command in that data is sent only during the
>>>>> onset of either command.
>>>>>
>>>>> On Mon, 19 Dec 2005 20:26:21 -0500, John <no@no.com> wrote:
>>>>>
>>>>>
>>>>>> Does an object that has been trimmed still stream the entire object?

>>>>>> Like if I take a 5 minute object and trim it to 5 seconds will it

>>>>>> still be streaming from hard drive the whole time?
>>>>>>
>>>>>> Also, do automated mutes continue streaming from disk? I'm betting

>>>>>> they both stream and need to be rendered to fix it.
>>>>>>
>>>>>> Is there a way to verify this?
>>>>>>
>>>>>>
>>>>>> Oh, I tried compact and as reported, it did nothing. Oh well.
>>>>>>
>>>>>>
>>>>>>
>>>>>>
>>>>>>
>
>now I remember why hanging out here is such fun...!

-steve

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>Steve,

>I'm on the way down from Boston if you take rt 24.

>The Bourne bridge over the Cape Cod Canal is about=20

>25 minutes from my house.

>

>I'll shoot you an email.

>Tom

>

> "steve the artguy" <artguy@svnsillyme.net> wrote in message =

>news:43a8ca82\$1@linux...

>

> "Tom Bruhl" <arpeggio@comcast.net> wrote:

> >

> >

> >Hey Steve,

> >Beside the Christian Science Center Globe (really great!) and =

>Aquarium,

> =3D

> >I'd suggest

> >a walk through Harvard Square in Cambridge. It would be nicer in the

> >summer but Christmas can be cool. Red Line to Harvard Square via the

=

>T

> =3D

> >and you're there.

> >There are incredibly giant ice sculptures on the Trinity Church =3D

> >property-

> >beside the Boston Public Library on Boylston Street (main drag). The

=

>=3D

> >Hancock Building=3D20

> >(the new one) is triangular and all glass right near there. Cool =3D

> >reflections

> >of the church on the Hancock! Might catch a jazz group at the Top Of

=

>=3D

> >The Hub

> >in the Prudential Center (the Pru). That's the highest point in =

>town.=20

> =3D

> >If you've got legs

> >the church, Pru and Hancock are 4 blocks apart. The Christian =

>Science =3D

> >Center is

> >close if you walk behind the Pru to get there. Harvard and the =

> Aquarium
> =3D
> >are each T stops
> >which can be picked up on Boylston St.
> >
> >Have fun and if you have time to visit my door is open. I'm in =
>Raynham,
> =3D
> >MA..
> >Sincerely,
> >Tom
>
> thanks, guys! Keep 'em comin'!
>
> Tom,=20
>
> An old roommate of Bonnie's is expecting us to visit him somewhere in
=
>Cape
> Cod, so we'll be wandering around in the rental car some. Thanks for =
>the
> invite - it's within the realm of the possible...
>
> -steve
>
>
>
>
> >
> > "Mike R." <emarenot@yahoo.copm> wrote in message =3D
> >news:43a8aed6\$1@linux...
> >
> > Hey STA,
> > If you're going to be in the city proper, you really shouldn't need
=
>a
> =3D
> >car.
> > Their version of a subway (the "T") is pretty inexpensive, and for
=
>a
> =3D
> >visitor,
> > a gas to ride. Definately check out Fanuel Hall (spelling is off =
>I'm
> =3D
> >sure).
> > I'd second Bill's recommendation on the Christian SM globe, its =

>=3D
> >pretty cool.
> > The Museum of Fine Art is wonderful, as is the Isabella Stewart =
>=3D
> >Gardiner
> > art museum (google for more info). As I recall, they moved the =3D
> >villa/museum
> > from Italy. The science museum is also a nifty experience. They =
>have
> =3D
> >a
> > show on electricity that's "hair raising." Oh yeah, and the =
>aquarium.
> =3D
> > In
> > fact, I'd recommend the aquarium over the science museum. In the =
>=3D
> >center
> > of the place is this three or four story (you guessed it) aquarium.
=
>=3D
> >Quite
> > a sight. It (and the science museum) have and are located on, =
>their =3D
> >own
> > "T" stop.=20
> > Hope this helps. May your explorations rise up to meet you!
> > MR
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3DContent-Type content=3D"text/html; =
>charset=3Diso-8859-1">
><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D#ffffff>
><
