Subject: error codes

Posted by CED on Wed, 21 Nov 2007 04:48:46 GMT

View Forum Message <> Reply to Message

Hello, hello.....any ideas about a couple of error messages; we know 7/7 is IRQ conflict, even though device mgr says "no conflict" Paris wants 11, so does video card, so does IRQ holder...2 times !! Trouble is, can't change IRQ number, not allowed in OS (98SE) How to change it in BIOS...I'm not in there much !

Also, anybody know error 40/48....finally, why would anybody buy up a program as sweet as Paris, put it on the shelf, and leave us with ProFools, Cubes, etc. etc....

just cranky tonight, I'll be better tomorrow......pieces, Ced

Subject: Re: error codes

Posted by John [1] on Wed, 21 Nov 2007 12:33:09 GMT

View Forum Message <> Reply to Message

Regarding IRQs, the lower the better. In your BIOS, disable everything you can. LPT1, COM1, COM2, onboard Sound, USB, anything you do not have to use. Then the EDS cards will find the irq and be happy. Check out your motherboard manual to see what slots share IRQs and make sure not to use them. If slot one shares with video don't put an EDS card there. If slot 3 shares with the onboard soundcard, don't put an EDS card there unless you turn the soundcard off.

I don't have a note for a 40/48 error but you can see my notes here www.kfocus.com/paris and look under "bugs and troubleshooting".

I never had a reliable setup with paris so i switched to cubase. You apparently have never used cubase or protools because if you had you would not disparage them. When it comes to a DAW you can make great music with, they all can do it but cubase and protools are in the ferrari class and paris is in the edsel class. It's simply a 12(?) year old program that had a very small team developing it so it's just "not all that".

enjoy

Subject: Re: error codes

Posted by steve the artguy on Thu, 22 Nov 2007 09:16:12 GMT

View Forum Message <> Reply to Message

hey, John-

give Ced a break. I told him to post here, and said all the bright Paris guys would undoubtedly be able to help him. In fact, I said all the bright Paris guys would fall all over themselves, rushing to show off their vast knowledge and help him.

I didn't think the first post would disparage him for trying to get his Paris system working like it used to. If I had a nickel for every post on this newsgroup that disparaged Protools and Cubase I'd be a rich guy. Ok, maybe a dollar for each post...

He's a musician, not an computer engineer. Have mercy on the guy.

The reason he likes Paris is the same one I do.. no latency. No latency with an old computer, yet. And, as a matter of fact, every time I turn on Paris, I do enjoy. A lot. I have two stable Paris systems, one on an old Mac and one on an XP machine.

Ced has had many successful years of using Paris and Windows 98, but his machine's hard drive is maxed out. I urged him to stick a big hard drive into it or else bite the bullet and get Paris running on XP. So he did the XP thing (I think on a newer computer), but can't get the insert FX to work (I think), which I seem to remember has something to do with not installing on XP exactly as directed. I assume someone here will tell us exactly what causes that, since I can't seem to locate the exact post which tell.

I already pointed him at your help site (couldn't find the exact page that he needs at your troubleshooting thing) and to Doug's site.

Thanks for the good tips. I'm not a Windows guy. I think one problem of communication is that Ced asked some general questions instead of giving you an exact rundown of his system and his exact problem.

I'll try to get him to post a more explicit description of his system and his exact problem.

If I can get him on the phone. . .

-steve

"John" <no@no.com> wrote:

>Regarding IRQs, the lower the better. In your BIOS, disable everything you

>can. LPT1, COM1, COM2, onboard Sound, USB, anything you do not have to >use. Then the EDS cards will find the irq and be happy. Check out your

>motherboard manual to see what slots share IRQs and make sure not to use >them. If slot one shares with video don't put an EDS card there. If slot >3 shares with the onboard soundcard, don't put an EDS card there unless you

>turn the soundcard off.

>

>I don't have a note for a 40/48 error but you can see my notes here www.kfocus.com/paris >and look under "bugs and troubleshooting".

>

>I never had a reliable setup with paris so i switched to cubase. You apparently have never used cubase or protools because if you had you would not disparage >them. When it comes to a DAW you can make great music with, they all can >do it but cubase and protools are in the ferrari class and paris is in the >edsel class. It's simply a 12(?) year old program that had a very small >team developing it so it's just "not all that".

>

>enjoy

Subject: Re: error codes

Posted by Tom Bruhl on Thu, 22 Nov 2007 16:54:50 GMT

View Forum Message <> Reply to Message

This is a multi-part message in MIME format.

-----=_NextPart_000_0030_01C82CFE.7CC2B6B0

Content-Type: text/plain; charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Hi Cedric,

Happy Thanksgiving.

If Paris EDS card(s) are sharing IRQ with graphics card move your EDS card(s) over one slot and see how the IRQs line up. If they share with graphics it'll never work in my experience. Moving the EDS cards in the available slots is your easiest fix without messing with software and the bios. =20

If you want to mess with software go to the bios and disable all the things you aren't using like USB (unless you are using it for a = drive

or mouse), onboard sound card, parallel port, serial port, Firewire = 1394.

This will buy back a few IRQs from the start. You may not have to move your EDS cards if you're lucky here. =20

We've all been down the road you're on many times before. Patience is critical.

Good luck,

Tom

"steve the artguy" <artguy@somethingorother.net> wrote in message = news:47453acc\$1@linux...

hey, John-

give Ced a break. I told him to post here, and said all the bright = Paris

guys would undoubtedly be able to help him. In fact, I said all the = bright

Paris guys would fall all over themselves, rushing to show off their = vast

knowledge and help him.

I didn't think the first post would disparage him for trying to get = his Paris

system working like it used to. If I had a nickel for every post on = this

newsgroup that disparaged Protools and Cubase I'd be a rich guy. Ok, = maybe

a dollar for each post...

He's a musician, not an computer engineer. Have mercy on the guy.

The reason he likes Paris is the same one I do.. no latency. No = latency with

an old computer, yet. And, as a matter of fact, every time I turn on = Paris,

I do enjoy. A lot. I have two stable Paris systems, one on an old Mac = and

one on an XP machine.

Ced has had many successful years of using Paris and Windows 98, but = his

machine's hard drive is maxed out. I urged him to stick a big hard = drive

into it or else bite the bullet and get Paris running on XP. So he did = the

XP thing (I think on a newer computer), but can't get the insert FX to = work

(I think), which I seem to remember has something to do with not = installing

```
on XP exactly as directed. I assume someone here will tell us exactly =
what
 causes that, since I can't seem to locate the exact post which tell.
 I already pointed him at your help site (couldn't find the exact page =
that
 he needs at your troubleshooting thing) and to Doug's site.
 Thanks for the good tips. I'm not a Windows guy. I think one problem =
of communication
 is that Ced asked some general questions instead of giving you an =
exact rundown
 of his system and his exact problem.
 I'll try to get him to post a more explicit description of his system =
and
 his exact problem.
 If I can get him on the phone. . .
 -steve
 "John" <no@no.com> wrote:
 >Regarding IRQs, the lower the better. In your BIOS, disable =
everything
 you
 >can. LPT1, COM1, COM2, onboard Sound, USB, anything you do not have =
to
 >use. Then the EDS cards will find the irg and be happy. Check out =
 >motherboard manual to see what slots share IRQs and make sure not to =
use
 >them. If slot one shares with video don't put an EDS card there. If =
slot
 >3 shares with the onboard soundcard, don't put an EDS card there =
unless
 you
 >turn the soundcard off.
 >I don't have a note for a 40/48 error but you can see my notes here =
www.kfocus.com/paris
 >and look under "bugs and troubleshooting".
 >
```

>I never had a reliable setup with paris so i switched to cubase. You = apparently >have never used cubase or protools because if you had you would not = disparage >them. When it comes to a DAW you can make great music with, they = all can >do it but cubase and protools are in the ferrari class and paris is = in the >edsel class. It's simply a 12(?) year old program that had a very = small >team developing it so it's just "not all that". >enjoy I choose Polesoft Lockspam to fight spam, and you? http://www.polesoft.com/refer.html ----= NextPart 000 0030 01C82CFE.7CC2B6B0 Content-Type: text/html; charset="iso-8859-1" Content-Transfer-Encoding: quoted-printable <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN"> <HTML><HEAD> <META http-equiv=3DContent-Type content=3D"text/html; = charset=3Diso-8859-1"> <META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR> <STYLE></STYLE> </HEAD> <BODY baColor=3D#ffffff> <DIV>Hi Cedric,</DIV> <DIV>Happy Thanksgiving.</DIV> <DIV> </DIV> <DIV>If Paris EDS card(s) are sharing IRQ = with graphics=20 card move your</DIV> <DIV>EDS card(s) over one slot and see how = the IRQs line=20 up. If they</DIV> <DIV>share with graphics it'll never work in = my=20 experience. Moving the</DIV> <DIV>EDS cards in the available slots is = vour easiest=20 fix without messing</DIV> <DIV>with software and the bios. = </DIV>

```
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>If you want to mess with software go to =
the bios=20
and disable all</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>the things you aren't using like USB =
(unless you=20
are using it for a drive</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>or mouse), onboard sound card, parallel =
port.=20
serial port, Firewire 1394.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>This will buy back a few IRQs from the =
start.&nbsp:=20
You may not have to move</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>your EDS cards if you're lucky =
here.&nbsp:=20
</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>We've all been down the road you're on =
many times=20
before.  Patience is</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>critical.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>Good luck,</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"steve the artguy" &lt;<A=20
href=3D"mailto:artguy@somethingorother.net">artguy@somethingorother.net</=
A > & qt = 20
 wrote in message <A=20
href=3D"news:47453acc$1@linux">news:47453acc$1@linux</A>...</DIV><BR>hev,=
 John-<BR><BR>give Ced a break. I told him to post here, and said all =
the=20
 bright Paris<BR>quys would undoubtedly be able to help him. In fact, I =
said=20
 all the bright<BR>Paris guys would fall all over themselves, rushing =
to show=20
 off their vast<BR>knowledge and help him.<BR><BR>I didn't think the =
first post=20
 would disparage him for trying to get his Paris<BR>system working like =
it used=20
 to. If I had a nickel for every post on this<BR>newsgroup that =
```

```
disparaged=20
 Protools and Cubase I'd be a rich quy. Ok, maybe<BR>a dollar for each=20
 post...<BR><BR>He's a musician, not an computer engineer. Have mercy =
on the=20
 guy.<BR><BR>The reason he likes Paris is the same one I do.. no =
latency. No=20
 latency with<BR>an old computer, yet. And, as a matter of fact, every =
time I=20
 turn on Paris, <BR>I do enjoy. A lot. I have two stable Paris systems, =
one on=20
 an old Mac and BR > one on an XP machine. < BR > Ced has had many =
successful=20
 years of using Paris and Windows 98, but his<BR>machine's hard drive =
is maxed=20
 out. I urged him to stick a big hard drive<BR>into it or else bite the =
bullet=20
 and get Paris running on XP. So he did the BR>XP thing (I think on a =
newer=20
 computer), but can't get the insert FX to work<BR>(I think), which I =
seem to=20
 remember has something to do with not installing<BR>on XP exactly as =
directed.=20
 I assume someone here will tell us exactly what<BR>causes that, since =
I can't=20
 seem to locate the exact post which tell.<BR><BR>I already pointed him =
at your=20
 help site (couldn't find the exact page that<BR>he needs at your=20
 troubleshooting thing) and to Doug's site.<BR><BR>Thanks for the good =
tips.=20
 I'm not a Windows guy. I think one problem of communication<BR>is that =
Ced=20
 asked some general questions instead of giving you an exact =
rundown<BR>of his=20
 system and his exact problem.<BR><BR>I'll try to get him to post a =
more=20
 explicit description of his system and BR>his exact problem. BR> BR>If =
I can=20
 get him on the phone. . .<BR><BR>-steve<BR><BR><BR><BR><BR>>(BR)="John" =
&lt:<A=20
 href=3D"mailto:no@no.com">no@no.com</A>&gt; =
wrote:<BR>&gt;<BR>&gt;Regarding=20
 IRQs,  the lower the better.  In your BIOS, disable=20
 everything<BR>vou<BR>&gt;can.&nbsp; LPT1, COM1, COM2, onboard Sound,=20
 USB,  anything you do not have to<BR>&gt;use.&nbsp; Then the EDS =
cards=20
 will find the irq and be happy.   Check out =
your<BR>&gt;motherboard=20
 manual to see what slots share IRQs and make sure not to=20
```

```
use<BR>&qt;them.&nbsp; If slot one shares with video don't put an EDS =
card=20
 there.  If slot<BR>&gt;3 shares with the onboard soundcard, don't =
put an=20
 EDS card there unless<BR>you<BR>&gt;turn the soundcard=20
 off.<BR>&gt;<BR>&gt;<BR>&gt;I don't have a note for a 40/48 error but =
vou can=20
 see my notes here  <A=20
href=3D"http://www.kfocus.com/paris">www.kfocus.com/paris</A><BR>&gt;and =
look=20
 under "bugs and troubleshooting".<BR>&gt;<BR>&gt;I never had a =
reliable setup=20
 with paris so i switched to cubase.  You apparently<BR>&gt;have =
never=20
 used cubase or protools because if you had you would not=20
 disparage<BR>&gt:them.&nbsp:&nbsp: When it comes to a DAW you can make =
great=20
 music with, they all can<BR>&gt;do it but cubase and protools are in =
the=20
 ferrari class and paris is in the <BR>&gt;edsel class.&nbsp; It's =
simply a=20
 12(?) year old program that had a very small<BR>&gt;team developing it =
so it's=20
 just "not all that".<BR>&gt;<BR>&gt;enjoy<BR></BLOCKQUOTE>
<DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight spam, =
and=20
vou?<BR><A=20
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html</A>&nbsp;&nbsp;&nbsp;</FONT></DIV></BODY ></HTML>
----= NextPart 000 0030 01C82CFE.7CC2B6B0--
```

Subject: Re: error codes

Posted by CED on Thu, 22 Nov 2007 19:18:45 GMT

View Forum Message <> Reply to Message

Hi John, thanks for the info , I actually have already tried this, but got stuck 'cause I didn't want to get rid of any of those items...can't have everything , I guess, also, moving to another slot made no difference....oh well!.... and apologies for the disparaging...as mentioned at the end of my rant, I was having a bad day ! I have used Pro Tools 002, and got rid of it, just didn't like the way I got around in it....also had Cubase for a while, admittedly a long time ago, but I just like Paris, agreed it needs to be brought into the 21st centry, but that's why the rant! I guess I'm just a simple guy...don't need too many bells and whistles, just a well-laid out and intuitive system.

Thanks Steve for racing to my defense, but I did deserve a response like that..... and sorry I missed your Wed gig...hope to see youse guys at the next one.

Naughty Ceddy

```
"John" <no@no.com> wrote:
>Regarding IRQs, the lower the better. In your BIOS, disable everything
you
>can. LPT1, COM1, COM2, onboard Sound, USB, anything you do not have to
>use. Then the EDS cards will find the irg and be happy. Check out your
>motherboard manual to see what slots share IRQs and make sure not to use
>them. If slot one shares with video don't put an EDS card there. If slot
>3 shares with the onboard soundcard, don't put an EDS card there unless
vou
>turn the soundcard off.
>
>I don't have a note for a 40/48 error but you can see my notes here www.kfocus.com/paris
>and look under "bugs and troubleshooting".
> I never had a reliable setup with paris so i switched to cubase. You apparently
>have never used cubase or protools because if you had you would not disparage
>them. When it comes to a DAW you can make great music with, they all can
>do it but cubase and protools are in the ferrari class and paris is in the
>edsel class. It's simply a 12(?) year old program that had a very small
>team developing it so it's just "not all that".
>enjoy
```

Subject: Re: error codes
Posted by CED on Thu, 22 Nov 2007 19:47:23 GMT
View Forum Message <> Reply to Message

Hey, Esteban....so nice of you to come to my defense...I take back everything I said about you ...(except for the REALLY nasty bits!) Actually, I deserved the response...like I said, I was crabby and just venting. And having used digi 002 and found nothing much to get excited about, as well as Cubase many years back, I still have a great affinity with Paris, it feels like you're working with something, instead of just pushing data around. And...yes! No latency right out of the box, no dicking around with setting after setting! A good friend of mine who runs Digi 002 on a G4 was at the studio while I was doing a live recording on which he was playing bass, and he was blown away by the ease with which Paris delivered up multi in-out, playing and editing multiple effects on the fly on a crappy old computer running 98SE, still, I was being rude, and got my just desserts...cheesecakewalk

Sorry to miss yer Wed gig...hope to see ya at one of the next ones Cheers!......Ceddy, the Dark Side!

```
"steve the artguy" <artguy@somethingorother.net> wrote:
>hey, John-
>give Ced a break. I told him to post here, and said all the bright Paris
>quys would undoubtedly be able to help him. In fact, I said all the bright
>Paris guys would fall all over themselves, rushing to show off their vast
>knowledge and help him.
>I didn't think the first post would disparage him for trying to get his
Paris
>system working like it used to. If I had a nickel for every post on this
>newsgroup that disparaged Protools and Cubase I'd be a rich guy. Ok, maybe
>a dollar for each post...
>He's a musician, not an computer engineer. Have mercy on the guy.
>The reason he likes Paris is the same one I do.. no latency. No latency
>an old computer, yet. And, as a matter of fact, every time I turn on Paris,
>I do enjoy. A lot. I have two stable Paris systems, one on an old Mac and
>one on an XP machine.
>Ced has had many successful years of using Paris and Windows 98, but his
>machine's hard drive is maxed out. I urged him to stick a big hard drive
>into it or else bite the bullet and get Paris running on XP. So he did the
>XP thing (I think on a newer computer), but can't get the insert FX to work
>(I think), which I seem to remember has something to do with not installing
>on XP exactly as directed. I assume someone here will tell us exactly what
>causes that, since I can't seem to locate the exact post which tell.
> l already pointed him at your help site (couldn't find the exact page that
>he needs at your troubleshooting thing) and to Doug's site.
>Thanks for the good tips. I'm not a Windows guy. I think one problem of
communication
>is that Ced asked some general questions instead of giving you an exact
rundown
>of his system and his exact problem.
>I'll try to get him to post a more explicit description of his system and
>his exact problem.
```

>

```
>If I can get him on the phone. . .
>-steve
>
>
>"John" <no@no.com> wrote:
>>Regarding IRQs, the lower the better. In your BIOS, disable everything
>you
>>can. LPT1, COM1, COM2, onboard Sound, USB, anything you do not have to
>>use. Then the EDS cards will find the irq and be happy. Check out your
>>motherboard manual to see what slots share IRQs and make sure not to use
>>them. If slot one shares with video don't put an EDS card there. If slot
>>3 shares with the onboard soundcard, don't put an EDS card there unless
>vou
>>turn the soundcard off.
>>
>>
>>I don't have a note for a 40/48 error but you can see my notes here www.kfocus.com/paris
>> and look under "bugs and troubleshooting".
>>
>>I never had a reliable setup with paris so i switched to cubase. You apparently
>>have never used cubase or protools because if you had you would not disparage
>>them. When it comes to a DAW you can make great music with, they all
can
>>do it but cubase and protools are in the ferrari class and paris is in
the
>>edsel class. It's simply a 12(?) year old program that had a very small
>>team developing it so it's just "not all that".
>>
>>enjoy
```

Subject: Re: error codes

Posted by John [1] on Fri, 23 Nov 2007 13:17:22 GMT

View Forum Message <> Reply to Message

I would disable everything conceivable until you get solid and then add things back like usb and ethernet until you see the IRQ issue come back. It is very frustrating and does take some time to get all sorted. hang in there

Subject: Re: error codes

Posted by CED on Sat, 24 Nov 2007 07:10:57 GMT

View Forum Message <> Reply to Message

"John" <no@no.com> wrote:

>

- >I would disable everything conceivable until you get solid and then add things
- >back like usb and ethernet until you see the IRQ issue come back. It is >very frustrating and does take some time to get all sorted. hang in there