

---

Subject: OT Since UAD software 4.4 my latency seems to have doubled in Paris?  
Posted by [Tom Bruhl](#) on Wed, 18 Oct 2006 02:30:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

This is a multi-part message in MIME format.

-----=\_NextPart\_000\_0075\_01C6F23B.E7971BB0

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Anybody else experience this? I'm up around 517ms now!  
Are there any buffer settings or others I may have touched on the  
UAD Meter that would change this? =20

I'm in the middle of about 20 mixes with three clients that this is=20  
happening on. Crazy. I may have to go back a version or two.

Thanks for any suggestions.

Tom

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=\_NextPart\_000\_0075\_01C6F23B.E7971BB0

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
```

```
<HTML><HEAD>
```

```
<META http-equiv=3DContent-Type content=3D"text/html; =  
charset=3Diso-8859-1">
```

```
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
```

```
<STYLE></STYLE>
```

```
</HEAD>
```

```
<BODY bgColor=3D#ffffff>
```

```
<DIV><FONT face=3DArial size=3D2>Anybody else experience this?&nbsp; I'm =  
up around=20
```

```
517ms now!</FONT></DIV>
```

```
<DIV><FONT face=3DArial size=3D2>Are there any buffer settings or =  
others&nbsp; I may=20
```

```
have touched on the</FONT></DIV>
```

```
<DIV><FONT face=3DArial size=3D2>UAD Meter that would change this?&nbsp; =
```

```
</FONT></DIV>
```

```
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
```

```
<DIV><FONT face=3DArial size=3D2>I'm in the middle of about 20 mixes =
```

with three=20  
clients that this is </FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>happening on.&nbsp; Crazy.&nbsp; I may =  
have to go=20  
back a version or two.</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>  
<DIV><FONT face=3DArial size=3D2>Thanks for any =  
suggestions.</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>  
<DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight spam, =  
and=20  
you?<BR><A=20  
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=  
..html</A>&nbsp;&nbsp;&nbsp;&nbsp;</FONT></DIV></BODY ></HTML>

-----=\_NextPart\_000\_0075\_01C6F23B.E7971BB0--

---

---

Subject: Re: OT Since UAD software 4.4 my latency seems to have doubled in Paris?

Posted by [animix](#) on Wed, 18 Oct 2006 03:07:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

This is a multi-part message in MIME format.

-----=\_NextPart\_000\_0066\_01C6F230.49CF1D20

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Not to my knowledge Tom. The only tweaks you can do are to increase =  
latency.

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =  
news:45358fd0@linux...

Anybody else experience this? I'm up around 517ms now!

Are there any buffer settings or others I may have touched on the  
UAD Meter that would change this? =20

I'm in the middle of about 20 mixes with three clients that this is=20  
happening on. Crazy. I may have to go back a version or two.

Thanks for any suggestions.

Tom

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=\_NextPart\_000\_0066\_01C6F230.49CF1D20

Content-Type: text/html;  
charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1106" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Not to my knowledge Tom. The only =
tweaks you can do=20
are to increase latency.</FONT></DIV>
<DIV>&nbsp;</DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"Tom Bruhl" &lt;<A=20
  href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>&gt; wrote =
in message=20
  <A href=3D"news:45358fd0@linux">news:45358fd0@linux</A>...</DIV>
  <DIV><FONT face=3DArial size=3D2>Anybody else experience this?&nbsp;=
I'm up around=20
  517ms now!</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2>Are there any buffer settings or =
others&nbsp;I=20
  may have touched on the</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2>UAD Meter that would change =
this?&nbsp;=20
  </FONT></DIV>
  <DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
  <DIV><FONT face=3DArial size=3D2>I'm in the middle of about 20 mixes =
with three=20
  clients that this is </FONT></DIV>
  <DIV><FONT face=3DArial size=3D2>happening on.&nbsp; Crazy.&nbsp; I =
may have to go=20
  back a version or two.</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
  <DIV><FONT face=3DArial size=3D2>Thanks for any =
suggestions.</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
  <DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight spam, =
and=20
  you?<BR><A=20
  =
```



```
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>And with Paris that's done by. . . =
?</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"DJ" &lt;<A =
href=3D"mailto:notachance@net.net">notachance@net.net</A>&gt;=20
  wrote in message <A=20
href=3D"news:45359a42@linux">news:45359a42@linux</A>...</DIV>
  <DIV><FONT face=3DArial size=3D2>Not to my knowledge Tom. The only =
tweaks you can=20
  do are to increase latency.</FONT></DIV>
  <DIV>&nbsp;</DIV>
  <BLOCKQUOTE dir=3Dltr=20
  style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
    <DIV>"Tom Bruhl" &lt;<A=20
    href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>&gt; =
wrote in=20
    message <A =
href=3D"news:45358fd0@linux">news:45358fd0@linux</A>...</DIV>
    <DIV><FONT face=3DArial size=3D2>Anybody else experience this?&nbsp;</DIV> =
I'm up=20
    around 517ms now!</FONT></DIV>
    <DIV><FONT face=3DArial size=3D2>Are there any buffer settings or =
others&nbsp;</DIV>
    may have touched on the</FONT></DIV>
    <DIV><FONT face=3DArial size=3D2>UAD Meter that would change =
this?&nbsp;</DIV> =20
    </FONT></DIV>
    <DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
    <DIV><FONT face=3DArial size=3D2>I'm in the middle of about 20 mixes =
with three=20
    clients that this is </FONT></DIV>
    <DIV><FONT face=3DArial size=3D2>happening on.&nbsp;</DIV> Crazy.&nbsp;</DIV> I =
may have to=20
    go back a version or two.</FONT></DIV>
    <DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
    <DIV><FONT face=3DArial size=3D2>Thanks for any =
suggestions.</FONT></DIV>
    <DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
```



I choose Polesoft Lockspam to fight spam, and you?  
<http://www.polesoft.com/refer.html> =20

-----=\_NextPart\_000\_006A\_01C6F2A5.27FDADE0

Content-Type: text/html;  
charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 5.50.4134.100" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>???.....nudge baby!!!</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>;o</FONT></DIV>
<DIV>&nbsp;</DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"Tom Bruhl" &lt;<A=20
  href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>&gt; wrote =
in message=20
  <A href=3D"news:4535c88e@linux">news:4535c88e@linux</A>...</DIV>
  <DIV><FONT face=3DArial size=3D2>And with Paris that's done by. . . =
?</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
  <DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
  <BLOCKQUOTE dir=3Dltr=20
  style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
  BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
    <DIV>"DJ" &lt;<A =
href=3D"mailto:notachance@net.net">notachance@net.net</A>&gt;=20
    wrote in message <A=20
href=3D"news:45359a42@linux">news:45359a42@linux</A>...</DIV>
    <DIV><FONT face=3DArial size=3D2>Not to my knowledge Tom. The only =
tweaks you=20
    can do are to increase latency.</FONT></DIV>
    <DIV>&nbsp;</DIV>
  <BLOCKQUOTE dir=3Dltr=20
  style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
  BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
    <DIV>"Tom Bruhl" &lt;<A=20
```

href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>&gt; =  
wrote in=20  
message <A =  
href=3D"news:45358fd0@linux">news:45358fd0@linux</A>...</DIV>  
<DIV><FONT face=3DArial size=3D2>Anybody else experience =  
this?&nbsp; I'm up=20  
around 517ms now!</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>Are there any buffer settings or=20  
others&nbsp; I may have touched on the</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>UAD Meter that would change =  
this?&nbsp;=20  
</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>  
<DIV><FONT face=3DArial size=3D2>I'm in the middle of about 20 =  
mixes with=20  
three clients that this is </FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>happening on.&nbsp; Crazy.&nbsp; =  
I may have=20  
to go back a version or two.</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>  
<DIV><FONT face=3DArial size=3D2>Thanks for any =  
suggestions.</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>  
<DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight =  
spam, and=20  
you?<BR><A=20  
=  
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=  
..html</A>&nbsp;&nbsp;&nbsp;&nbsp;</FONT></DIV></BLOCKQUOTE ></BLOCKQUOTE></BLOCK=  
QUOTE></BODY></HTML>

-----=\_NextPart\_000\_006A\_01C6F2A5.27FDADE0--

---

Subject: Re: OT Since UAD software 4.4 my latency seems to have doubled in Paris?

Posted by [Tom Bruhl](#) on Wed, 18 Oct 2006 20:01:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

This is a multi-part message in MIME format.

-----=\_NextPart\_000\_004C\_01C6F2CE.9F93B4C0

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

517ms? Ahhhhhhhhh!



I'm troubleshooting this one now.

Batman

"DJ" <notachance@net.net> wrote in message news:45365e52@linux...  
???.....nudge baby!!!

;o)

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =  
news:4535c88e@linux...

And with Paris that's done by. . . ?

Tom

"DJ" <notachance@net.net> wrote in message news:45359a42@linux...  
Not to my knowledge Tom. The only tweaks you can do are to =  
increase latency.

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =  
news:45358fd0@linux...

Anybody else experience this? I'm up around 517ms now!

Are there any buffer settings or others I may have touched on =  
the

UAD Meter that would change this? =20

I'm in the middle of about 20 mixes with three clients that this =  
is=20

happening on. Crazy. I may have to go back a version or two.

Thanks for any suggestions.

Tom

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=\_NextPart\_000\_004C\_01C6F2CE.9F93B4C0

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =

charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV><FONT face=3DArial size=3D2>517ms?&nbsp;&nbsp; =

Ahhhhhhhhh!

&nbsp;

I'm troubleshooting this one =  
now.

&nbsp;

Batman

**"DJ" &lt;[notachance@net.net](mailto:notachance@net.net)&gt; =  
wrote in message <<news:45365e52@linux>>...</a>**

**???.nudge baby!!!**

&nbsp;

;o)

&nbsp;

**"Tom Bruhl" &lt;[arpegio@comcast.net](mailto:arpegio@comcast.net)&gt; =  
wrote in=20  
message <<news:4535c88e@linux>>...</a>**

**And with Paris that's done by. . .=20  
?</b>**

&nbsp;

Tom

**"DJ" &lt;[notachance@net.net](mailto:notachance@net.net)&gt; =  
wrote in=20  
message <<news:45359a42@linux>>...</a>**

**Not to my knowledge Tom. The only =  
tweaks you=20  
can do are to increase latency.</b>**

&nbsp;

**"Tom Bruhl" &lt;[arpegio@comcast.net](mailto:arpegio@comcast.net)&gt; =  
wrote in=20  
message <<news:45359a42@linux>>...</a>**

href="news:45358fd0@linux">news:45358fd0@linux</A>...</DIV>  
<DIV><FONT face="Arial" size="2">Anybody else experience =  
this?&nbsp; I'm up  
around 517ms now!</FONT></DIV>  
<DIV><FONT face="Arial" size="2">Are there any buffer settings =  
or  
others&nbsp; I may have touched on the</FONT></DIV>  
<DIV><FONT face="Arial" size="2">UAD Meter that would change =  
this?&nbsp; =  
</FONT></DIV>  
<DIV><FONT face="Arial" size="2"></FONT>&nbsp;</DIV>  
<DIV><FONT face="Arial" size="2">I'm in the middle of about 20 =  
mixes with  
three clients that this is </FONT></DIV>  
<DIV><FONT face="Arial" size="2">happening on.&nbsp; =  
Crazy.&nbsp; I may have  
to go back a version or two.</FONT></DIV>  
<DIV><FONT face="Arial" size="2"></FONT>&nbsp;</DIV>  
<DIV><FONT face="Arial" size="2">Thanks for any =  
suggestions.</FONT></DIV>  
<DIV><FONT face="Arial" size="2">Tom</FONT></DIV>  
<DIV><FONT size="2"><BR><BR>I choose Polesoft Lockspam to fight =  
spam, and  
you?<BR><A=  
=  
href="http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=  
..html</A>&nbsp;&nbsp;&nbsp;</FONT></DIV></BLOCKQUOTE ></BLOCKQUOTE></BLOCK=  
QUOTE></BLOCKQUOTE></BODY></HTML>

-----=\_NextPart\_000\_004C\_01C6F2CE.9F93B4C0--

---

Subject: Re: OT Since UAD software 4.4 my latency seems to have doubled in Paris?

Posted by [Tom Bruhl](#) on Wed, 18 Oct 2006 22:20:51 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

This is a multi-part message in MIME format.

-----=\_NextPart\_000\_001B\_01C6F2E2.243806A0

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Problem solved. =20

UAD-1 Ver. 4.4 latency is different than all the rest longer by another =  
160ms

or so. 4.3 is fine for me on my XP setup. Latency is back to normal.  
I didn't like the new Neve comp enough to buy it anyway.

Batman

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =  
news:453685f1@linux...  
517ms? Ahhhhhhhhhh!

I'm troubleshooting this one now.

Batman

"DJ" <notachance@net.net> wrote in message news:45365e52@linux...  
???.....nudge baby!!!

;o)

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =  
news:4535c88e@linux...  
And with Paris that's done by. . . ?

Tom

"DJ" <notachance@net.net> wrote in message =  
news:45359a42@linux...  
Not to my knowledge Tom. The only tweaks you can do are to =  
increase latency.

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =  
news:45358fd0@linux...  
Anybody else experience this? I'm up around 517ms now!  
Are there any buffer settings or others I may have touched on =  
the  
UAD Meter that would change this? =20

I'm in the middle of about 20 mixes with three clients that =  
this is=20  
happening on. Crazy. I may have to go back a version or two.

Thanks for any suggestions.

Tom

I choose Polesoft Lockspam to fight spam, and you?  
<http://www.polesoft.com/refer.html>  
-----=\_NextPart\_000\_001B\_01C6F2E2.243806A0  
Content-Type: text/html;  
charset="iso-8859-1"  
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

```
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html"; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Problem solved.&nbsp;  </FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;  </DIV>
<DIV><FONT face=3DArial size=3D2>UAD-1 Ver. 4.4 latency is different =
than all the=20
rest longer by another 160ms</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>or so.&nbsp;  </FONT><FONT face=3DArial =
size=3D2>4.3 is=20
fine for me on my XP setup.&nbsp;   Latency is back to =
normal.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>I didn't like the new Neve comp enough =
to buy it=20
anyway.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Batman</FONT></DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"Tom Bruhl" &lt;<A=20
  href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>&gt; wrote =
in message=20
  <A href=3D"news:453685f1 @linux">news:453685f1 @linux</A>...</DIV>
  <DIV><FONT face=3DArial size=3D2>517ms?&nbsp;  &nbsp;  =
Ahhhhhhhhh!</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2></FONT>&nbsp;  </DIV>
  <DIV><FONT face=3DArial size=3D2>I'm troubleshooting this one =
now.</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2></FONT>&nbsp;  </DIV>
  <DIV><FONT face=3DArial size=3D2>Batman</FONT></DIV>
  <BLOCKQUOTE dir=3Dltr=20
  style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
    <DIV>"DJ" &lt;<A =
href=3D"mailto:notachance@net.net">notachance@net.net</A>&gt;=20
    wrote in message <A=20
    href=3D"news:45365e52 @linux">news:45365e52 @linux</A>...</DIV>
    <DIV><FONT face=3DArial size=3D2>???.....nudge baby!!!</FONT></DIV>
    <DIV><FONT face=3DArial size=3D2></FONT>&nbsp;  </DIV>
    <DIV><FONT face=3DArial size=3D2>;o)</FONT></DIV>
    <DIV>&nbsp;  </DIV>
    <BLOCKQUOTE dir=3Dltr=20
    style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
```

<DIV>"Tom Bruhl" &lt;<A=20  
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>&gt; =  
wrote in=20  
message <A =  
href=3D"news:4535c88e@linux">news:4535c88e@linux</A>...</DIV>  
<DIV><FONT face=3DArial size=3D2>And with Paris that's done by. . =  
..=20  
?</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>  
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>  
<BLOCKQUOTE dir=3Dltr=20  
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =  
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">  
<DIV>"DJ" &lt;<A=20  
href=3D"mailto:notachance@net.net">notachance@net.net</A>&gt; =  
wrote in=20  
message <A =  
href=3D"news:45359a42@linux">news:45359a42@linux</A>...</DIV>  
<DIV><FONT face=3DArial size=3D2>Not to my knowledge Tom. The =  
only tweaks=20  
you can do are to increase latency.</FONT></DIV>  
<DIV>&nbsp;</DIV>  
<BLOCKQUOTE dir=3Dltr=20  
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =  
5px; BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">  
<DIV>"Tom Bruhl" &lt;<A=20  
=  
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>&gt; wrote in =  
  
message <A =  
href=3D"news:45358fd0@linux">news:45358fd0@linux</A>...</DIV>  
<DIV><FONT face=3DArial size=3D2>Anybody else experience =  
this?&nbsp;</FONT></DIV>  
up around 517ms now!</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>Are there any buffer settings =  
or=20  
others&nbsp;</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>UAD Meter that would change =  
this?&nbsp;</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>  
<DIV><FONT face=3DArial size=3D2>I'm in the middle of about 20 =  
mixes with=20  
three clients that this is </FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>happening on.&nbsp;</FONT> =  
Crazy.&nbsp;</FONT></DIV>  
I may=20  
have to go back a version or two.</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>

<DIV><FONT face=3DArial size=3D2>Thanks for any =  
suggestions.</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>  
<DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to =  
fight spam,=20  
and you?<BR><A=20  
=  
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=  
..html</A>&nbsp;&nbsp;&nbsp;&nbsp;</FONT></DIV></BLOCKQUOTE ></BLOCKQUOTE></BLOCK=  
QUOTE></BLOCKQUOTE></BLOCKQUOTE></BODY></HTML>

-----=\_NextPart\_000\_001B\_01C6F2E2.243806A0--

---