
Subject: Optimum Paris Configuration Settings

Posted by [Richard Faylor](#) on Sat, 16 Aug 2008 20:08:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

Just stumbled upon this user group; had no idea it still existed.

Anyway, I need some advice regarding configuration settings for running Paris 3.0 (single card) on an Apple G4 Ethernet dual processor running OS 9.2. (And please forgive me for sounding ignorant because I am.)

To work around it, I just cleared the Undo buffer within the project and kept working.

Today I decided to try to optimize my settings. I referred to an old user group posting that recommended the following and made these changes.

BEFORE AFTER

Disk I/O 64 128

Disk Cache 10 80*

Overview Cache 2048 4000

Manual Punch Short Long

The Paris manual says that Minimum and Preferred Memory Settings for Paris be increased by 1200k for every MB that the Disk Cache is increased. Since I had increased the Disk Cache from 10 to 80MB (an increase of 70MB) that meant $1200k \times 70 = 84000k$. But rather than adding that to my previous minimum and preferred settings of 62998, I added it to the recommended minimum and preferred settings of 5098 and ended up at 89098 for both minimum and preferred, i.e.

BEFORE AFTER

Minimum 62988 89098

Preferred 62988 89098

either.

open.

Does anyone know what I should try next? Is there a way to get into the Paris configuration settings when Paris is not opening?

Many thanks,
Richard

Subject: Re: Optimum Paris Configuration Settings
Posted by [Richard Faylor](#) on Sat, 16 Aug 2008 21:35:33 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is Richard with additional info: Just read this in the Paris manual:

file will most likely need to be replaced if you do this.)

So perhaps this means that my real question is, "How do you replace the .cfg file?" There's nothing in the manual about it.

I also have this old post that says, "If you are not able to open PARIS and need to change the Configuration settings to get Paris to work, use BBEdit Lite (available on the net for free) to open the PARIS.cfg file. Make a backup of the PARIS.cfg file before you open it. You can change all these settings in there, and they're clearly labeled and you don't have to start up PARIS to change the settings. Just keep the original text and change the numbers, save the file and start up PARIS." However, I can't find a free download of BBEdit Lite 4.6 on the Internet, perhaps because it's so old now. So another question: Does anyone have a copy of BBEdit Lite 4.6 that they could send me?

"Richard Faylor" <RichardFaylor@yahoo.com> wrote:

>
>Just stumbled upon this user group; had no idea it still existed.
>
>Anyway, I need some advice regarding configuration settings for running Paris
>3.0 (single card) on an Apple G4 Ethernet dual processor running OS 9.2.
>(And please forgive me for sounding ignorant because I am.)
>

>To work around it, I just cleared the Undo buffer within the project and
>kept working.

>
>Today I decided to try to optimize my settings. I referred to an old user

>group posting that recommended the following and made these changes.

>

> BEFORE AFTER

>Disk I/O 64 128

>Disk Cache 10 80*

>Overview Cache 2048 4000

>Manual Punch Short Long

>

>The Paris manual says that Minimum and Preferred Memory Settings for Paris

>be increased by 1200k for every MB that the Disk Cache is increased. Since

>I had increased the Disk Cache from 10 to 80MB (an increase of 70MB) that

>meant $1200k \times 70 = 84000k$. But rather than adding that to my previous minimum

>and preferred settings of 62998, I added it to the recommended minimum and

>preferred settings of 5098 and ended up at 89098 for both minimum and preferred,

>i.e.

> BEFORE AFTER

>Minimum 62988 89098

>Preferred 62988 89098

>

to

>either.

>

>I restarted after each adjustment, but neither one helped. Paris still

>open.

>

>Does anyone know what I should try next? Is there a way to get into the Paris

>configuration settings when Paris is not opening?

>

>

>Many thanks,

>Richard

>

Subject: Re: Optimum Paris Configuration Settings
Posted by [Aaron Allen](#) on Sat, 16 Aug 2008 21:41:13 GMT

a few seconds on google turned up this alternative, since BBE has been dropped. Give it a try!

<http://www.barebones.com/products/bblite/index.shtml> replaced with:

<http://www.barebones.com/products/textwrangler/index.shtml>

<http://www.barebones.com/products/textwrangler/download.shtml> |

AA

"Richard Faylor" <RichardFaylor@yahoo.com> wrote in message
news:48a74825\$1@linux...

>
> This is Richard with additional info: Just read this in the Paris manual:
> "Warning: Don't set the Disk Cache too high. If you set it higher than the
> available amount of memory in your computer, PARIS won't boot! (The .cfg
> file will most likely need to be replaced if you do this.)

>
> So perhaps this means that my real question is, "How do you replace the
> .cfg
> file?" There's nothing in the manual about it.

>
> I also have this old post that says, "If you are not able to open PARIS
> and
> need to change the Configuration settings to get Paris to work, use BBEEdit
> Lite (available on the net for free) to open the PARIS.cfg file. Make a
> backup
> of the PARIS.cfg file before you open it. You can change all these
> settings
> in there, and they're clearly labeled and you don't have to start up PARIS
> to change the settings. Just keep the original text and change the
> numbers,
> save the file and start up PARIS." However, I can't find a free download
> of BBEEdit Lite 4.6 on the Internet, perhaps because it's so old now. So
> another
> question: Does anyone have a copy of BBEEdit Lite 4.6 that they could send
> me?

>
>
>
>
> "Richard Faylor" <RichardFaylor@yahoo.com> wrote:

>>
>>Just stumbled upon this user group; had no idea it still existed.

>>
>>Anyway, I need some advice regarding configuration settings for running
> Paris
>>3.0 (single card) on an Apple G4 Ethernet dual processor running OS 9.2.
>>(And please forgive me for sounding ignorant because I am.)
>>
>>Lately, depending on the project, I've gotten memory warnings when saving.
>>To work around it, I just cleared the Undo buffer within the project and
>>kept working.
>>
>>Today I decided to try to optimize my settings. I referred to an old user
>>group posting that recommended the following and made these changes.
>>
>> BEFORE AFTER
>>Disk I/O 64 128
>>Disk Cache 10 80*
>>Overview Cache 2048 4000
>>Manual Punch Short Long
>>
>>The Paris manual says that Minimum and Preferred Memory Settings for Paris
>>be increased by 1200k for every MB that the Disk Cache is increased. Since
>>I had increased the Disk Cache from 10 to 80MB (an increase of 70MB) that
>>meant $1200k \times 70 = 84000k$. But rather than adding that to my previous
>>minimum
>>and preferred settings of 62998, I added it to the recommended minimum and
>>preferred settings of 5098 and ended up at 89098 for both minimum and
>>preferred,
>>i.e.
>> BEFORE AFTER
>>Minimum 62988 89098
>>Preferred 62988 89098
>>
>>Now the bad news: After closing Paris and restarting, I can't get Paris
> to
>>open. Instead, I get a warning saying there's insufficient memory and that
>>clearing the Undo buffer might help. Of course, because Paris doesn't open
>>I can't unclear the Undo buffer. And because Paris isn't opening, I can't
>>revert or tweak Paris' Disk I/O, Disk Cache, and Overview Cache settings,
>>either.
>>
>>I tried enlarging the Minimum and Preferred settings-that didn't help. I
>>tried setting my Mac's Memory Control Panel to its largest size (32736k).
>>I restarted after each adjustment, but neither one helped. Paris still
> won't
>>open.
>>
>>Does anyone know what I should try next? Is there a way to get into the
> Paris

>>configuration settings when Paris is not opening?
>>
>>Any advice would be GREATLY appreciated. (And please don't tell me I'm an
>>idiot-I'm already fully aware of that.)
>>
>>Many thanks,
>>Richard
>>
>

Subject: Re: Optimum Paris Configuration Settings
Posted by [Richard Faylor](#) on Sat, 16 Aug 2008 22:53:05 GMT
[View Forum Message](#) <> [Reply to Message](#)

Basically talking to myself so far, but I was able to get Paris to open by
tossing the .cfg file that I had screwed up and replacing it with a backup,
then reverting Preferred and Minimum and Memory Control Panel settings to

Disk I/O, Disk Cache, Overview Cache, Minimum and Preferred and Memory Control
Panel settings might be best for this system:

Power Macintosh G4 (Gigabit Ethernet)
2x450/2x500 MHz
Built-in Memory 1.5GB (three 512 drams)
Backside L2 Cache 1 MB
OS 9.2
Paris 3.0 (single card in MEC unit)

Many thanks,
Richard

Subject: Re: Optimum Paris Configuration Settings
Posted by [Martin Harrington](#) on Sat, 16 Aug 2008 23:36:43 GMT
[View Forum Message](#) <> [Reply to Message](#)

But
Textwrangler needs 10.4. To run..

Martin H

On 17/08/08 7:41 AM, in article 48a74b48\$1@linux, "Aaron Allen"
<know-spam@not_here.dude> wrote:

> a few seconds on google turned up this alternative, since BBE has been

> dropped. Give it a try!
>
> <http://www.barebones.com/products/bblite/index.shtml> replaced with:
>
> <http://www.barebones.com/products/textwrangler/index.shtml>
>
> <http://www.barebones.com/products/textwrangler/download.shtml> I
>
>
> AA
>
>
> "Richard Faylor" <RichardFaylor@yahoo.com> wrote in message
> news:48a74825\$1 @linux...
>>
>> This is Richard with additional info: Just read this in the Paris manual:
>> "Warning: Don't set the Disk Cache too high. If you set it higher than the
>> available amount of memory in your computer, PARIS won't boot! (The .cfg
>> file will most likely need to be replaced if you do this.)
>>
>> So perhaps this means that my real question is, "How do you replace the
>> .cfg
>> file?" There's nothing in the manual about it.
>>
>> I also have this old post that says, "If you are not able to open PARIS
>> and
>> need to change the Configuration settings to get Paris to work, use BBEEdit
>> Lite (available on the net for free) to open the PARIS.cfg file. Make a
>> backup
>> of the PARIS.cfg file before you open it. You can change all these
>> settings
>> in there, and they're clearly labeled and you don't have to start up PARIS
>> to change the settings. Just keep the original text and change the
>> numbers,
>> save the file and start up PARIS." However, I can't find a free download
>> of BBEEdit Lite 4.6 on the Internet, perhaps because it's so old now. So
>> another
>> question: Does anyone have a copy of BBEEdit Lite 4.6 that they could send
>> me?
>>
>>
>>
>>
>> "Richard Faylor" <RichardFaylor@yahoo.com> wrote:
>>>
>>> Just stumbled upon this user group; had no idea it still existed.
>>>
>>> Anyway, I need some advice regarding configuration settings for running

>> Paris
>>> 3.0 (single card) on an Apple G4 Ethernet dual processor running OS 9.2.
>>> (And please forgive me for sounding ignorant because I am.)
>>>
>>> Lately, depending on the project, I've gotten memory warnings when saving.
>>> To work around it, I just cleared the Undo buffer within the project and
>>> kept working.
>>>
>>> Today I decided to try to optimize my settings. I referred to an old user
>>> group posting that recommended the following and made these changes.
>>>
>>> BEFORE AFTER
>>> Disk I/O 64 128
>>> Disk Cache 10 80*
>>> Overview Cache 2048 4000
>>> Manual Punch Short Long
>>>
>>> The Paris manual says that Minimum and Preferred Memory Settings for Paris
>>> be increased by 1200k for every MB that the Disk Cache is increased. Since
>>> I had increased the Disk Cache from 10 to 80MB (an increase of 70MB) that
>>> meant $1200k \times 70 = 84000k$. But rather than adding that to my previous
>>> minimum
>>> and preferred settings of 62998, I added it to the recommended minimum and
>>> preferred settings of 5098 and ended up at 89098 for both minimum and
>>> preferred,
>>> i.e.
>>> BEFORE AFTER
>>> Minimum 62988 89098
>>> Preferred 62988 89098
>>>
>>> Now the bad news: After closing Paris and restarting, I can't get Paris
>> to
>>> open. Instead, I get a warning saying there's insufficient memory and that
>>> clearing the Undo buffer might help. Of course, because Paris doesn't open
>>> I can't unclear the Undo buffer. And because Paris isn't opening, I can't
>>> revert or tweak Paris' Disk I/O, Disk Cache, and Overview Cache settings,
>>> either.
>>>
>>> I tried enlarging the Minimum and Preferred settings-that didn't help. I
>>> tried setting my Mac's Memory Control Panel to its largest size (32736k).
>>> I restarted after each adjustment, but neither one helped. Paris still
>> won't
>>> open.
>>>
>>> Does anyone know what I should try next? Is there a way to get into the
>> Paris
>>> configuration settings when Paris is not opening?
>>>

>>> Any advice would be GREATLY appreciated. (And please don't tell me I'm an
>>> idiot-I'm already fully aware of that.)
>>>
>>> Many thanks,
>>> Richard
>>>
>>
>
>

Subject: Re: Optimum Paris Configuration Settings
Posted by [Aaron Allen](#) on Sun, 17 Aug 2008 09:47:36 GMT
[View Forum Message](#) <> [Reply to Message](#)

<http://www.google.com/search?q=mac+text+edit+OS9&rls=com.microsoft:en-us&ie=UTF-8&oe=UTF-8&startIndex=&startPage=1>

another few seconds at google. It's not that hard, really... but I don't own a mac so I'm not doing the research for it to be honest :)

AA

"Martin Harrington" <lendan@bigpond.net.au> wrote in message
news:C4CDA1AB.3C10%lendan@bigpond.net.au...

> But

> Textwrangler needs 10.4. To run..

>

> Martin H

>

>

> On 17/08/08 7:41 AM, in article 48a74b48\$1@linux, "Aaron Allen"

> <know-spam@not_here.dude> wrote:

>

>> a few seconds on google turned up this alternative, since BBE has been
>> dropped. Give it a try!

>>

>> <http://www.barebones.com/products/bblite/index.shtml> replaced with:

>>

>> <http://www.barebones.com/products/textwrangler/index.shtml>

>>

>> <http://www.barebones.com/products/textwrangler/download.shtml>

>>

>>

>> AA

>>

>>

>> "Richard Faylor" <RichardFaylor@yahoo.com> wrote in message
>> news:48a74825\$1@linux...
>>>
>>> This is Richard with additional info: Just read this in the Paris
>>> manual:
>>> "Warning: Don't set the Disk Cache too high. If you set it higher than
>>> the
>>> available amount of memory in your computer, PARIS won't boot! (The .cfg
>>> file will most likely need to be replaced if you do this.)
>>>
>>> So perhaps this means that my real question is, "How do you replace the
>>> .cfg
>>> file?" There's nothing in the manual about it.
>>>
>>> I also have this old post that says, "If you are not able to open PARIS
>>> and
>>> need to change the Configuration settings to get Paris to work, use
>>> BBEEdit
>>> Lite (available on the net for free) to open the PARIS.cfg file. Make a
>>> backup
>>> of the PARIS.cfg file before you open it. You can change all these
>>> settings
>>> in there, and they're clearly labeled and you don't have to start up
>>> PARIS
>>> to change the settings. Just keep the original text and change the
>>> numbers,
>>> save the file and start up PARIS." However, I can't find a free download
>>> of BBEEdit Lite 4.6 on the Internet, perhaps because it's so old now. So
>>> another
>>> question: Does anyone have a copy of BBEEdit Lite 4.6 that they could
>>> send
>>> me?
>>>
>>>
>>>
>>>
>>> "Richard Faylor" <RichardFaylor@yahoo.com> wrote:
>>>>
>>>> Just stumbled upon this user group; had no idea it still existed.
>>>>
>>>> Anyway, I need some advice regarding configuration settings for running
>>>> Paris
>>>> 3.0 (single card) on an Apple G4 Ethernet dual processor running OS
>>>> 9.2.
>>>> (And please forgive me for sounding ignorant because I am.)
>>>>
>>>> Lately, depending on the project, I've gotten memory warnings when
>>>> saving.

>>>> To work around it, I just cleared the Undo buffer within the project
>>>> and
>>>> kept working.
>>>>
>>>> Today I decided to try to optimize my settings. I referred to an old
>>>> user
>>>> group posting that recommended the following and made these changes.
>>>>
>>>> BEFORE AFTER
>>>> Disk I/O 64 128
>>>> Disk Cache 10 80*
>>>> Overview Cache 2048 4000
>>>> Manual Punch Short Long
>>>>
>>>> The Paris manual says that Minimum and Preferred Memory Settings for
>>>> Paris
>>>> be increased by 1200k for every MB that the Disk Cache is increased.
>>>> Since
>>>> I had increased the Disk Cache from 10 to 80MB (an increase of 70MB)
>>>> that
>>>> meant $1200k \times 70 = 84000k$. But rather than adding that to my previous
>>>> minimum
>>>> and preferred settings of 62998, I added it to the recommended minimum
>>>> and
>>>> preferred settings of 5098 and ended up at 89098 for both minimum and
>>>> preferred,
>>>> i.e.
>>>> BEFORE AFTER
>>>> Minimum 62988 89098
>>>> Preferred 62988 89098
>>>>
>>>> Now the bad news: After closing Paris and restarting, I can't get Paris
>>>> to
>>>> open. Instead, I get a warning saying there's insufficient memory and
>>>> that
>>>> clearing the Undo buffer might help. Of course, because Paris doesn't
>>>> open
>>>> I can't unclear the Undo buffer. And because Paris isn't opening, I
>>>> can't
>>>> revert or tweak Paris' Disk I/O, Disk Cache, and Overview Cache
>>>> settings,
>>>> either.
>>>>
>>>> I tried enlarging the Minimum and Preferred settings-that didn't help.
>>>> I
>>>> tried setting my Mac's Memory Control Panel to its largest size
>>>> (32736k).
>>>> I restarted after each adjustment, but neither one helped. Paris still

>>> won't
>>>> open.
>>>>
>>>> Does anyone know what I should try next? Is there a way to get into the
>>> Paris
>>>> configuration settings when Paris is not opening?
>>>>
>>>> Any advice would be GREATLY appreciated. (And please don't tell me I'm
>>>> an
>>>> idiot-I'm already fully aware of that.)
>>>>
>>>> Many thanks,
>>>> Richard
>>>>
>>>
>>
>>
>

Subject: Re: Optimum Paris Configuration Settings
Posted by [John \[1\]](#) on Sun, 17 Aug 2008 11:11:17 GMT
[View Forum Message](#) <> [Reply to Message](#)

<http://www.kfocus.com/paris/>

___Setup / XP Setup

and also paris.cfg

Enjoy

Subject: Re: Optimum Paris Configuration Settings
Posted by [Tommy Detamore](#) on Wed, 20 Aug 2008 17:44:52 GMT
[View Forum Message](#) <> [Reply to Message](#)

FWIW, whenever I want to monkey with the cfg file, I just change the extension from .cfg to .txt and open it with Text Edit on the Mac. When I'm done I change it back to .cfg.....

TD

Subject: Re: Optimum Paris Configuration Settings
Posted by [Ted Gerber](#) on Wed, 20 Aug 2008 19:27:39 GMT

Nice--

Thanks

"Tommy Detamore" <cherryrdg@aol.com> wrote:

>
>FWIW, whenever I want to monkey with the cfg file, I just change the extension
>from .cfg to .txt and open it with Text Edit on the Mac. When I'm done I
>change it back to .cfg.....

>
>TD
>
