

---

Subject: Paris vst/dx plugins problems and solutions !  
Posted by [Dimitrios](#) on Fri, 27 Jun 2008 19:32:24 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Ok based to many real word tests (like mixing records...) Paris does not like much the DX plugins.  
I don't know if this is related to DX 9 but anyway there are many unhandled exceptions occuring.

Vst's are working smoother with Paris.  
Now for Waves users while many DX versions of waves cause these unhandled exception if you will use the VST versions of waves with Paris then this will be a life saver.  
You will need for these the shell2vst.exe which is a free little app that can extract from waves waveshells their related plugins.  
Chainer is a must have as thru it waves vst (by using this shell2vst.exe) works smooth !  
Chainer does not see the waveshells directly as other chainers too.

Now API plugins do not show thru Chainer as vst because the gui cannot load at all.

The only way to see API vst plugins inside paris (not the DX) is by using the free multifxvst chainer ONLY from inside chainer because Paris will crash if you try to load multifxvst directly !

So to summarize till now.

Get chainer !!  
Get shell2vst.exe (free)if you have wave plugins , get multifxvst (free) if you have api plugins.

DISABLE DX for Paris from Paris cfg.  
To use some essential DX plugins needed like autotune !! use the FREE FFX4 chainer which will be seen from Paris as vst but will load from itself DX plugins (no vst here)  
Also FFX4 does NOT see mono DX plugins.

NOW if you wanna use the SSL waves AGAIN Chainer cannot openm the SSL gui.  
To use the waves SSL you can use the Effectchainer which is a free chainer using VST and DX !  
Now why not use this for all plugins ?  
Well you could if you would use only VST plugins, DX causes problems still due to Paris handling DX.  
Effectchainer CANNOT load the API gui at all too.  
so multifxvst is needed again.

AGAIN shell2vst is needed to extract waves as usable vst plugins.

Anyway my consumptions are that DX a no no , use vst instead.

To complete my tests I will use the old vdx33 dx chainer but why use vst plugins seen as DX when you can use directly vst plugins ??

Make a directory only seen by Paris named like Parisvst and put inside ONLY , chainer , effectchainer, Faderworks, FFX4.

All your other vst plugins can be put in a directory named VST.  
Let chainer and/or effectchainer see that directory only.

Disable DX as to have a clean drop down DX/vst Paris menu.

This for now.

Regards,  
Dimitrios

---

Subject: Re: Paris vst/dx plugins problems and solutions !

Posted by [Dimitrios](#) on Fri, 27 Jun 2008 20:32:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

OK,

Some corrections.

Multifxvst DOES NOT WORK with mono plugins versions and 24bit !

So don't use this.

effectchainer which is free will load the SSL waves VST just fine.

API as vst is a no no.

So use the shell2vst.exe to extract vst plugins from all waves waveshells and use the free effectschainer (ONLY from VST menu !) the vst waves.

There is NONE unhandled exception from using VST plugins with Paris

regards,  
Dimitrios

"Dimitrios" <musurgio@otenetNOSPAM.gr> wrote:

>

>Ok based to many real word tests (like mixing records...) Paris does not like

>much the DX plugins.

>I don't know if this is related to DX 9 but anyway there are many unhandled

>exceptions occuring.

>

>Vst's are working smoother with Paris.  
>Now for Waves users while many DX versions of waves cause these unhandled  
>exception if you will use the VST versions of waves with Paris then this  
>will be a life saver.  
>You will need for these the shell2vst.exe which is a free little app that  
>can extract from waves waveshells their related plugins.  
>Chainer is a must have as thru it waves vst (by using this shell2vst.exe)  
>works smooth !  
>Chainer does not see the waveshells directly as other chainers too.  
>  
>Now API plugins do not show thru Chainer as vst because the gui cannot load  
>at all.  
>  
>The only way to see API vst plugins inside paris (not the DX) is by using  
>the free multifxvst chainer ONLY from inside chainer because Paris will  
crash  
>if you try to load multifxvst directly !  
>  
>So to summarize till now.  
>  
>Get chainer !!  
>Get shell2vst.exe (free)if you have wave plugins , get multifxvst (free)  
>if you have api plugins.  
>  
>DISABLE DX for Paris from Paris cfg.  
>To use some essential DX plugins needed like autotune !! use the FREE FFX4  
>chainer which will be seen from Paris as vst but will load from itself DX  
>plugins (no vst here)  
>Also FFX4 does NOT see mono DX plugins.  
>  
>NOW if you wanna use the SSL waves AGAIN Chainer cannot open the SSL gui.  
>To use the waves SSL you can use the Effectchainer which is a free chainer  
>using VST and DX !  
>Now why not use this for all plugins ?  
>Well you could if you would use only VST plugins, DX causes problems still  
>due to Paris handling DX.  
>Effectchainer CANNOT load the API gui at all too.  
>so multifxvst is needed again.  
>  
>AGAIN shell2vst is needed to extract waves as usable vst plugins.  
>  
>Anyway my conclusions are that DX a no no , use vst instead.  
>  
>To complete my tests I will use the old vdx33 dx chainer but why use vst  
>plugins seen as DX when you can use directly vst plugins ??  
>  
>Make a directory only seen by Paris named like Parisvst and put inside ONLY  
>, chainer , effectchainer, Faderworks, FFX4.

>  
>All your other vst plugins can be put in a directory named VST.  
>Let chainer and/or effectchainer see that directory only.  
>  
>Disable DX as to have a clean drop down DX/vst Paris menu.  
>  
>This for now.  
>Regards,  
>Dimitrios

---

---

Subject: Re: Paris vst/dx plugins problems and solutions !  
Posted by [Don Nafe](#) on Fri, 27 Jun 2008 22:11:17 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

As always thanks for the heads up

"Dimitrios" <xxxx@otenet.gr> wrote in message news:48654e4c\$1@linux...

>  
> OK,  
> Some corrections.  
> Multifxvst DOES NOT WORK with mono plugins versions and 24bit !  
> So don't use this.  
>  
> effectchainer which is free will load the SSL waves VST just fine.  
>  
> API as vst is a no no.  
>  
> So use the shell2vst.exe to extract vst plugins from all waves waveshells  
> and use the free effectschainer (ONLY from VST menu !) the vst waves.  
>  
> There is NONE unhandled exception from using VST plugins with Paris  
>  
> regards,  
> Dimitrios  
>  
> "Dimitrios" <musurgio@otenetNOSPAM.gr> wrote:  
>>  
>>Ok based to many real word tests (like mixing records...) Paris does not  
> like  
>>much the DX plugins.  
>>I don't know if this is related to DX 9 but anyway there are many  
>>unhandled  
>>exceptions occuring.  
>>

>>Vst's are working smoother with Paris.  
>>Now for Waves users while many DX versions of waves cause these unhandled  
>>exception if you will use the VST versions of waves with Paris then this  
>>will be a life saver.  
>>You will need for these the shell2vst.exe which is a free little app that  
>>can extract from waves waveshells their related plugins.  
>>Chainer is a must have as thru it waves vst (by using this shell2vst.exe)  
>>works smooth !  
>>Chainer does not see the waveshells directly as other chainers too.  
>>  
>>Now API plugins do not show thru Chainer as vst because the gui cannot  
>>load  
>>at all.  
>>  
>>The only way to see API vst plugins inside paris (not the DX) is by using  
>>the free multifxvst chainer ONLY from inside chainer because Paris will  
> crash  
>>if you try to load multifxvst directly !  
>>  
>>So to summarize till now.  
>>  
>>Get chainer !!  
>>Get shell2vst.exe (free)if you have wave plugins , get multifxvst (free)  
>>if you have api plugins.  
>>  
>>DISABLE DX for Paris from Paris cfg.  
>>To use some essential DX plugins needed like autotune !! use the FREE FFX4  
>>chainer which will be seen from Paris as vst but will load from itself DX  
>>plugins (no vst here)  
>>Also FFX4 does NOT see mono DX plugins.  
>>  
>>NOW if you wanna use the SSL waves AGAIN Chainer cannot openm the SSL  
>>gui.  
>>To use the waves SSL you can use the Effectchainer which is a free chainer  
>>using VST and DX !  
>>Now why not use this for all plugins ?  
>>Well you could if you would use only VST plugins, DX causes problems still  
>>due to Paris handling DX.  
>>Effectchainer CANNOT load the API gui at all too.  
>>so multifxvst is needed again.  
>>  
>>AGAIN shell2vst is needed to extract waves as usable vst plugins.  
>>  
>>Anyway my consumptions are that DX a no no , use vst instead.  
>>  
>>To complete my tests I will use the old vdx33 dx chainer but why use vst  
>>plugins seen as DX when you can use directly vst plugins ??  
>>

>>Make a directory only seen by Paris named like Parisvst and put inside  
>>ONLY  
>>, chainer , effectchainer, Faderworks, FFX4.  
>>  
>>All your other vst plugins can be put in a directory named VST.  
>>Let chainer and/or effectchainer see that directory only.  
>>  
>>Disable DX as to have a clean drop down DX/vst Paris menu.  
>>  
>>This for now.  
>>Regards,  
>>Dimitrios  
>

---