
Subject: OT Motu Midi Express XT (USB) If you have experience please chime in.
Posted by [Tom Bruhl](#) on Thu, 16 Feb 2006 23:44:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_01D6_01C63329.04E54D90

Content-Type: text/plain;
charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

I purchased this (knowing there are driver issues) by someone's suggestion to buy it. I have spent four days now and have come to find the USB signal gets lost very easily and the unit is rendered undetected. This means all hardware synths stop. If I do a sysex dump it loses connectivity. It also crashes hard and fast to a black screen if I touch any buttons on the "Mute" screen in Clockworks. Clockworks is the software that controls programmability. CW also loses touch with the hardware during these activities. A quick fix seems to be an Off/On button push. That's a little extreme 3 or 4 times in a song...

Motu drivers are v2.51 on Win XP Pro with Cubase 2.0?. I am using an AMD 1700+ with a PCI to USB 2.0 card installed.

I haven't bothered syncing with Paris yet. That's not an option the way things have been going. =20

I tried to have Cubase filter sysex data but whenever I do a sysex send to a hardware synth the "Computer" light on the Motu lights up. I think if I could filter sysex from not only Cubase but the 'Motu trying to send to Cubase' I'd be better off. As I understand it the=20 Motu is always sending/returning all 8 ports to and from Cubase.
Tom

-----=_NextPart_000_01D6_01C63329.04E54D90

Content-Type: text/html;
charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
```

```
</HEAD>
<BODY bgColor=#ffffff>
<DIV><FONT face=Arial size=2>I purchased this (knowing there are =
driver issues)=20
by</FONT></DIV>
<DIV><FONT face=Arial size=2>someone's suggestion to buy it.&nbsp; I =
have=20
spent&nbsp;four days</FONT></DIV>
<DIV><FONT face=Arial size=2>now and have come to find the USB =
signal gets=20
lost</FONT></DIV>
<DIV><FONT face=Arial size=2>very easily and the unit is rendered=20
undetected.&nbsp; This means all</FONT></DIV>
<DIV><FONT face=Arial size=2>hardware synths stop.&nbsp; If I do a =
sysex dump it=20
loses</FONT></DIV>
<DIV><FONT face=Arial size=2>connectivity.&nbsp; It also crashes =
hard and fast=20
to a black screen</FONT></DIV>
<DIV><FONT face=Arial size=2>if I touch any buttons on the "Mute" =
screen in=20
Clockworks.</FONT></DIV>
<DIV><FONT face=Arial size=2>Clockworks is the software that =
controls=20
programmability.</FONT></DIV>
<DIV><FONT face=Arial size=2>CW&nbsp;also loses touch with the =
hardware during=20
these activities.</FONT></DIV>
<DIV><FONT face=Arial size=2>A quick fix seems to be an Off/On =
button=20
push.&nbsp; That's a little</FONT></DIV>
<DIV><FONT face=Arial size=2>extreme 3 or 4 times in a =
song...</FONT></DIV>
<DIV><FONT face=Arial size=2></FONT>&nbsp;</DIV>
<DIV><FONT face=Arial size=2>Motu drivers are v2.51 on Win XP Pro =
with Cubase=20
2.0?&nbsp;I am using</FONT></DIV>
<DIV><FONT face=Arial size=2>an </FONT><FONT face=Arial =
size=2>AMD 1700+ with a=20
PCI to USB 2.0 card installed.</FONT></DIV>
<DIV><FONT face=Arial size=2></FONT>&nbsp;</DIV>
<DIV><FONT face=Arial size=2>I haven't bothered =
syncing</FONT>&nbsp;<FONT=20
face=Arial size=2>with Paris yet.&nbsp; That's not an</FONT></DIV>
<DIV><FONT face=Arial size=2>option the way things have been =
going.&nbsp;=20
</FONT></DIV>
<DIV><FONT face=Arial size=2></FONT>&nbsp;</DIV>
```

<DIV>I tried to have Cubase filter sysex = data but=20 whenever I do a sysex send</DIV>
<DIV>to a hardware synth the "Computer" = light on the=20 Motu lights up.</DIV>
<DIV>I think if I could filter sysex from = not only=20 Cubase but the 'Motu</DIV>
<DIV>trying to send to Cubase' I'd be better = off. =20 As I understand it the </DIV>
<DIV>Motu is always sending/returning all 8 = ports=20 to and from Cubase.</DIV>
<DIV>Tom</DIV>
<DIV> </DIV>
<DIV> </DIV></BODY></HTML>

-----=_NextPart_000_01D6_01C63329.04E54D90--

Subject: Re: OT Motu Midi Express XT (USB) If you have experience pleasechime in.
Posted by [EK Sound](#) on Thu, 16 Feb 2006 23:59:38 GMT
[View Forum Message](#) <> [Reply to Message](#)

Do you have the PC or MAC rom chip installed?? It comes with both 8 pin DIP's.

David.

Tom Bruhl wrote:

> I purchased this (knowing there are driver issues) by
> someone's suggestion to buy it. I have spent four days
> now and have come to find the USB signal gets lost
> very easily and the unit is rendered undetected. This means all
> hardware synths stop. If I do a sysex dump it loses
> connectivity. It also crashes hard and fast to a black screen
> if I touch any buttons on the "Mute" screen in Clockworks.
> Clockworks is the software that controls programmability.
> CW also loses touch with the hardware during these activities.
> A quick fix seems to be an Off/On button push. That's a little
> extreme 3 or 4 times in a song...
>
> Motu drivers are v2.51 on Win XP Pro with Cubase 2.0?. I am using
> an AMD 1700+ with a PCI to USB 2.0 card installed.
>

> I haven't bothered syncing with Paris yet. That's not an
> option the way things have been going.
>
> I tried to have Cubase filter sysex data but whenever I do a sysex send
> to a hardware synth the "Computer" light on the Motu lights up.
> I think if I could filter sysex from not only Cubase but the 'Motu
> trying to send to Cubase' I'd be better off. As I understand it the
> Motu is always sending/returning all 8 ports to and from Cubase.
> Tom
>
>

Subject: Re: OT Motu Midi Express XT (USB) If you have experience please chime in.

Posted by [Tom Bruhl](#) on Fri, 17 Feb 2006 00:48:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_020B_01C63331.FE357C50

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

David,

I read that it wasn't needed with the XT. Maybe that's wrong.

I didn't see any chips floating around in the box.

Tom

"EK Sound" <askme@nospam.com> wrote in message =
news:43f512f0\$1@linux...

Do you have the PC or MAC rom chip installed?? It comes with both 8=20
pin DIP's.

David.

Tom Bruhl wrote:

> I purchased this (knowing there are driver issues) by
> someone's suggestion to buy it. I have spent four days
> now and have come to find the USB signal gets lost
> very easily and the unit is rendered undetected. This means all
> hardware synths stop. If I do a sysex dump it loses
> connectivity. It also crashes hard and fast to a black screen
> if I touch any buttons on the "Mute" screen in Clockworks.
> Clockworks is the software that controls programmability.
> CW also loses touch with the hardware during these activities.
> A quick fix seems to be an Off/On button push. That's a little
> extreme 3 or 4 times in a song...

> =20
> Motu drivers are v2.51 on Win XP Pro with Cubase 2.0?. I am using
> an AMD 1700+ with a PCI to USB 2.0 card installed.
> =20
> I haven't bothered syncing with Paris yet. That's not an
> option the way things have been going.=20
> =20
> I tried to have Cubase filter sysex data but whenever I do a sysex =

send

> to a hardware synth the "Computer" light on the Motu lights up.
> I think if I could filter sysex from not only Cubase but the 'Motu
> trying to send to Cubase' I'd be better off. As I understand it the
> Motu is always sending/returning all 8 ports to and from Cubase.
> Tom
> =20
>

-----=_NextPart_000_020B_01C63331.FE357C50

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =

charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV>David,</DIV>

<DIV>I read that it wasn't =
needed with the=20

XT. Maybe that's wrong.</DIV>

<DIV>I didn't see any chips floating around =
in the=20

box.</DIV>

<DIV>Tom</DIV>

<BLOCKQUOTE=20

style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

<DIV>"EK Sound" <<A =

href=3D"mailto:askme@nospam.com">askme@nospam.com>=20

wrote in message <A=20

href=3D"news:43f512f0\$1 @linux">news:43f512f0\$1 @linux...</DIV>Do =

you have the=20

PC or MAC rom chip installed?? It comes with both 8
pin=20

DIP's.

David.

Tom Bruhl wrote:
> I purchased this =

(knowing=20

there are driver issues) by
it. I have spent four days
lost; very easily and the unit is rendered undetected. This means
all hardware synths stop. If I do a sysex dump it loses connectivity. It also crashes hard and fast to a black screen
I touch any buttons on the "Mute" screen in Clockworks. Clockworks is the software that controls programmability. CW also loses touch with the hardware during these activities. A quick fix seems to be an Off/On button push. That's a little extreme 3 or 4 times in a song...

Motu drivers are v2.51 on Win XP Pro with Cubase 2.0?. I am using an AMD 1700+ with a PCI to USB 2.0 card installed.

I haven't bothered syncing with Paris yet. That's not an option the way things have been going.

I tried to have Cubase filter sysex data but whenever I do a sysex send to a hardware synth the "Computer" light on the Motu lights up. I think if I could filter sysex from not only Cubase but the 'Motu trying to send to Cubase' I'd be better off.
As I understand it the Motu is always sending/returning all 8 ports to and from Cubase. Tom

-----=_NextPart_000_020B_01C63331.FE357C50--

Subject: Re: OT Motu Midi Express XT (USB) If you have experience please chime in.

Posted by [Chris Ludwig](#) on Fri, 17 Feb 2006 02:44:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi Tom,

Have you tried it on the motherboards built in USB?
It is not a USB 2.0 device so you might be getting some misbehaving from that.
What motherboard are you using?

Chris

Tom Bruhl wrote:

> David,
> I read that it wasn't needed with the XT. Maybe that's wrong.
> I didn't see any chips floating around in the box.
> Tom
>
> "EK Sound" <askme@nospam.com <mailto:askme@nospam.com>> wrote in
> message news:43f512f0\$1@linux...
> Do you have the PC or MAC rom chip installed?? It comes with both 8
> pin DIP's.
>
> David.
>
> Tom Bruhl wrote:
> > I purchased this (knowing there are driver issues) by
> > someone's suggestion to buy it. I have spent four days
> > now and have come to find the USB signal gets lost
> > very easily and the unit is rendered undetected. This means all
> > hardware synths stop. If I do a sysex dump it loses
> > connectivity. It also crashes hard and fast to a black screen
> > if I touch any buttons on the "Mute" screen in Clockworks.
> > Clockworks is the software that controls programmability.
> > CW also loses touch with the hardware during these activities.
> > A quick fix seems to be an Off/On button push. That's a little
> > extreme 3 or 4 times in a song...
> >
> > Motu drivers are v2.51 on Win XP Pro with Cubase 2.0?. I am using
> > an AMD 1700+ with a PCI to USB 2.0 card installed.
> >
> > I haven't bothered syncing with Paris yet. That's not an
> > option the way things have been going.
> >
> > I tried to have Cubase filter sysex data but whenever I do a
> sysex send
> > to a hardware synth the "Computer" light on the Motu lights up.
> > I think if I could filter sysex from not only Cubase but the 'Motu
> > trying to send to Cubase' I'd be better off. As I understand it the
> > Motu is always sending/returning all 8 ports to and from Cubase.

> > Tom
> >
> >

--

Chris Ludwig
ADK
chrisl@adkproaudio.com <mailto:chrisl@adkproaudio.com>
www.adkproaudio.com <http://www.adkproaudio.com/>
(859) 635-5762

Subject: Re: OT Motu Midi Express XT (USB) If you have experience please chime in.

Posted by [Tom Bruhl](#) on Fri, 17 Feb 2006 02:51:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0228_01C63343.24A3FC70
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Hey Chris,
It's an old KG7 with USB 1 so I invested in a=20
USB2 PCI card to bring it up to USB 2. Was that
wrong?
Tom

"Chris Ludwig" <chrisl@adkproaudio.com> wrote in message =
news:43f539d7\$1@linux...

Hi Tom,
Have you tried it on the motherboards built in USB?
It is not a USB 2.0 device so you might be getting some misbehaving =
from=20
that.
What motherboard are you using?

Chris

Tom Bruhl wrote:

> David,
> I read that it wasn't needed with the XT. Maybe that's wrong.

> I didn't see any chips floating around in the box.
> Tom
>=20
> "EK Sound" <askme@nospam.com <mailto:askme@nospam.com>> wrote in
> message news:43f512f0\$1@linux...
> Do you have the PC or MAC rom chip installed?? It comes with =
both 8
> pin DIP's.
>=20
> David.
>=20
> Tom Bruhl wrote:
> > I purchased this (knowing there are driver issues) by
> > someone's suggestion to buy it. I have spent four days
> > now and have come to find the USB signal gets lost
> > very easily and the unit is rendered undetected. This means =
all
> > hardware synths stop. If I do a sysex dump it loses
> > connectivity. It also crashes hard and fast to a black =
screen
> > if I touch any buttons on the "Mute" screen in Clockworks.
> > Clockworks is the software that controls programmability.
> > CW also loses touch with the hardware during these =
activities.
> > A quick fix seems to be an Off/On button push. That's a =
little
> > extreme 3 or 4 times in a song...
> >=20
> > Motu drivers are v2.51 on Win XP Pro with Cubase 2.0?. I am =
using
> > an AMD 1700+ with a PCI to USB 2.0 card installed.
> >=20
> > I haven't bothered syncing with Paris yet. That's not an
> > option the way things have been going.
> >=20
> > I tried to have Cubase filter sysex data but whenever I do a
> > sysex send
> > to a hardware synth the "Computer" light on the Motu lights =
up.
> > I think if I could filter sysex from not only Cubase but the =
'Motu
> > trying to send to Cubase' I'd be better off. As I understand =
it the
> > Motu is always sending/returning all 8 ports to and from =
Cubase.
> > Tom
> >=20
> >

--=20

Chris Ludwig

ADK

chrisl@adkproaudio.com <mailto:chrisl@adkproaudio.com>

www.adkproaudio.com <http://www.adkproaudio.com/>

(859) 635-5762

-----=_NextPart_000_0228_01C63343.24A3FC70

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html"; =
charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV>Hey Chris,</DIV>

<DIV>It's an old KG7 with USB 1 so I =
invested in a=20

</DIV>

<DIV>USB2 PCI card to bring it up to USB =
2. Was=20

that</DIV>

<DIV>wrong?</DIV>

<DIV>Tom</DIV>

<DIV> </DIV>

<DIV> </DIV>

<BLOCKQUOTE=20

style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

<DIV>"Chris Ludwig" <<A=20

href=3D"mailto:chrisl@adkproaudio.com">chrisl@adkproaudio.com> =
wrote in=20

message <A =

href=3D"news:43f539d7\$1@linux">news:43f539d7\$1@linux...</DIV>HI=20

Tom,
 Have you tried it on the motherboards built in =

USB?
It is=20

not a USB 2.0 device so you might be getting some misbehaving from=20

that.
What motherboard are you =

using?

Chris

Tom=20

Bruhl wrote:

> David,
> I read that it wasn't needed =
with the=20

XT. Maybe that's wrong.
> I didn't see any chips floating =
around=20

David.

Tom Bruhl wrote:

> David,
> I read that it wasn't needed with the XT. Maybe that's wrong.
> I didn't see any chips floating around in the box.
> Tom
>
> "EK Sound" <askme@nospam.com <mailto:askme@nospam.com>> wrote in
> message news:43f512f0\$1@linux...
> Do you have the PC or MAC rom chip installed?? It comes with both 8
> pin DIP's.
>
> David.
>
> Tom Bruhl wrote:
> > I purchased this (knowing there are driver issues) by
> > someone's suggestion to buy it. I have spent four days
> > now and have come to find the USB signal gets lost
> > very easily and the unit is rendered undetected. This means all
> > hardware synths stop. If I do a sysex dump it loses
> > connectivity. It also crashes hard and fast to a black screen
> > if I touch any buttons on the "Mute" screen in Clockworks.
> > Clockworks is the software that controls programmability.
> > CW also loses touch with the hardware during these activities.
> > A quick fix seems to be an Off/On button push. That's a little
> > extreme 3 or 4 times in a song...
> >
> > Motu drivers are v2.51 on Win XP Pro with Cubase 2.0?. I am using
> > an AMD 1700+ with a PCI to USB 2.0 card installed.
> >
> > I haven't bothered syncing with Paris yet. That's not an
> > option the way things have been going.
> >
> > I tried to have Cubase filter sysex data but whenever I do a
> sysex send
> > to a hardware synth the "Computer" light on the Motu lights up.
> > I think if I could filter sysex from not only Cubase but the 'Motu
> > trying to send to Cubase' I'd be better off. As I understand it the
> > Motu is always sending/returning all 8 ports to and from Cubase.
> > Tom
> >
> >

Subject: Re: OT Motu Midi Express XT (USB) If you have experience please chime

in.

Posted by [Tom Bruhl](#) on Sat, 18 Feb 2006 00:25:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0024_01C633F7.F0CBE1F0

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

David,

I looked inside and there are no 8 pin chips that say PC or MAC.

I also didn't see any dip switches. =20

I did talk to Eric at Motu. His take is to eliminate the variables. I =
removed

the USB 2 PCI card and am now using it with the onboard USB 1. So far
so good. I also reinitialized it just to start from ground zero again. =

I may try another

USB cable too. The one I'm using came from Motu.

I haven't reinstalled the software or tried the mute switches because I =
have to much

work to catch up on before I can continue to trouble shoot. I suspect =
there may

be an AMD or mobo issue I'm dealing with here that isn't compatible with
this Motu piece. Who knows.

Thanks for the tips and I'll keep you informed as to my progress.

Tom

"EK Sound" <askme@nospam.com> wrote in message news:43f5f36e@linux...

We have that exact unit here and had to swap out the rom chip for it=20
to work with the PC. Pop the top and look for an 8 pin dip that has a =

sticker on the top, it will clearly be labeled MAC or PC. It is=20

possible that they have developed a generic rom negating the need for=20
different chips, but it wouldn't hurt to check.

David.

Tom Bruhl wrote:

> David,

> I read that it wasn't needed with the XT. Maybe that's wrong.

> I didn't see any chips floating around in the box.

> Tom

>=20
> "EK Sound" <askme@nospam.com <mailto:askme@nospam.com>> wrote in
> message news:43f512f0\$1@linux...
> Do you have the PC or MAC rom chip installed?? It comes with =
both 8
> pin DIP's.
>=20
> David.
>=20
> Tom Bruhl wrote:
> > I purchased this (knowing there are driver issues) by
> > someone's suggestion to buy it. I have spent four days
> > now and have come to find the USB signal gets lost
> > very easily and the unit is rendered undetected. This means =
all
> > hardware synths stop. If I do a sysex dump it loses
> > connectivity. It also crashes hard and fast to a black =
screen
> > if I touch any buttons on the "Mute" screen in Clockworks.
> > Clockworks is the software that controls programmability.
> > CW also loses touch with the hardware during these =
activities.
> > A quick fix seems to be an Off/On button push. That's a =
little
> > extreme 3 or 4 times in a song...
> >=20
> > Motu drivers are v2.51 on Win XP Pro with Cubase 2.0?. I am =
using
> > an AMD 1700+ with a PCI to USB 2.0 card installed.
> >=20
> > I haven't bothered syncing with Paris yet. That's not an
> > option the way things have been going.
> >=20
> > I tried to have Cubase filter sysex data but whenever I do a
> sysex send
> > to a hardware synth the "Computer" light on the Motu lights =
up.
> > I think if I could filter sysex from not only Cubase but the =
'Motu
> > trying to send to Cubase' I'd be better off. As I understand =
it the
> > Motu is always sending/returning all 8 ports to and from =
Cubase.
> > Tom
> >=20
> >
-----=_NextPart_000_0024_01C633F7.F0CBE1F0
Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>David,</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>I looked inside and there are no 8 pin =
chips that=20
say PC or MAC.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>I also didn't see any dip =
switches.&nbsp;=20
</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>I did talk to Eric at Motu.&nbsp; His =
take is to=20
eliminate the variables.&nbsp; I removed</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>the USB 2 PCI card and am now using it =
with the=20
onboard USB 1.&nbsp; So far</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>so good.&nbsp; I also reinitialized it =
just to=20
start from ground zero again.&nbsp; I may try another</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>USB cable too.&nbsp; The one I'm using =
came from=20
Motu.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>I haven't reinstalled the software or =
tried the=20
mute switches because I have to much</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>work to catch up on before I can =
continue to=20
trouble shoot.&nbsp; I suspect there may</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>be an AMD or mobo issue I'm dealing =
with here that=20
isn't compatible with</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>this Motu piece.&nbsp; Who =
knows.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>Thanks for the tips and I'll keep you =
informed as=20
to my progress.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
```


