
Subject: OT Since UAD software 4.4 my latency seems to have doubled in Paris?
Posted by [Tom Bruhl](#) on Wed, 18 Oct 2006 02:30:52 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0075_01C6F23B.E7971BB0
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Anybody else experience this? I'm up around 517ms now!
Are there any buffer settings or others I may have touched on the
UAD Meter that would change this? =20

I'm in the middle of about 20 mixes with three clients that this is=20
happening on. Crazy. I may have to go back a version or two.

Thanks for any suggestions.
Tom

I choose Polesoft Lockspam to fight spam, and you?
<http://www.polesoft.com/refer.html>

-----=_NextPart_000_0075_01C6F23B.E7971BB0
Content-Type: text/html;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Anybody else experience this?&nbsp; I'm =
up around=20
517ms now!</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Are there any buffer settings or =
others&nbsp;I may=20
have touched on the</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>UAD Meter that would change this?&nbsp; =

</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>I'm in the middle of about 20 mixes =
```

with three=20
clients that this is </DIV>
<DIV>happening on. Crazy. I may =
have to go=20
back a version or two.</DIV>
<DIV> </DIV>
<DIV>Thanks for any =
suggestions.</DIV>
<DIV>Tom</DIV>
<DIV>

I choose Polesoft Lockspam to fight spam, =
and=20
you?
<A=20
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html </DIV></BODY ></HTML>

-----=_NextPart_000_0075_01C6F23B.E7971BB0--

Subject: Re: OT Since UAD software 4.4 my latency seems to have doubled in Paris?

Posted by [animix](#) on Wed, 18 Oct 2006 03:07:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0066_01C6F230.49CF1D20

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Not to my knowledge Tom. The only tweaks you can do are to increase =
latency.

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:45358fd0@linux...

Anybody else experience this? I'm up around 517ms now!

Are there any buffer settings or others I may have touched on the
UAD Meter that would change this? =20

I'm in the middle of about 20 mixes with three clients that this is=20
happening on. Crazy. I may have to go back a version or two.

Thanks for any suggestions.

Tom

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=_NextPart_000_0066_01C6F230.49CF1D20

Content-Type: text/html;
charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1106" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Not to my knowledge Tom. The only =
tweaks you can do=20
are to increase latency.</FONT></DIV>
<DIV>&nbsp;</DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"Tom Bruhl" &lt;<A=20
  href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>&gt; wrote =
in message=20
  <A href=3D"news:45358fd0@linux">news:45358fd0@linux</A>...</DIV>
  <DIV><FONT face=3DArial size=3D2>Anybody else experience this?&nbsp;<=
I'm up around=20
  517ms now!</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2>Are there any buffer settings or =
others&nbsp;<=20
  may have touched on the</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2>UAD Meter that would change =
this?&nbsp;<=20
  </FONT></DIV>
  <DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
  <DIV><FONT face=3DArial size=3D2>I'm in the middle of about 20 mixes =
with three=20
  clients that this is </FONT></DIV>
  <DIV><FONT face=3DArial size=3D2>happening on.&nbsp;< Crazy.&nbsp;< I =
may have to go=20
  back a version or two.</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
  <DIV><FONT face=3DArial size=3D2>Thanks for any =
suggestions.</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
  <DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight spam, =
and=20
  you?<BR><A=20
  =
```

href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html </DIV></BLOCKQUOTE ></BODY></HTML>

-----=_NextPart_000_0066_01C6F230.49CF1D20--

Subject: Re: OT Since UAD software 4.4 my latency seems to have doubled in Paris?

Posted by [Tom Bruhl](#) on Wed, 18 Oct 2006 06:32:57 GMT

[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_00A4_01C6F25D.B9004200

Content-Type: text/plain;
charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

And with Paris that's done by. . . ?

Tom

"DJ" <notachance@net.net> wrote in message news:45359a42@linux...

Not to my knowledge Tom. The only tweaks you can do are to increase = latency.

"Tom Bruhl" <arpeggio@comcast.net> wrote in message = news:45358fd0@linux...

Anybody else experience this? I'm up around 517ms now!

Are there any buffer settings or others I may have touched on the UAD Meter that would change this? =20

I'm in the middle of about 20 mixes with three clients that this is=20 happening on. Crazy. I may have to go back a version or two.

Thanks for any suggestions.

Tom

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=_NextPart_000_00A4_01C6F25D.B9004200

Content-Type: text/html;
charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =

```

charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>And with Paris that's done by. . . =
?</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"DJ" &lt;<A =
href=3D"mailto:notachance@net.net">notachance@net.net</A>&gt;=20
  wrote in message <A=20
href=3D"news:45359a42@linux">news:45359a42@linux</A>...</DIV>
  <DIV><FONT face=3DArial size=3D2>Not to my knowledge Tom. The only =
tweaks you can=20
  do are to increase latency.</FONT></DIV>
  <DIV>&nbsp;</DIV>
  <BLOCKQUOTE dir=3Dltr=20
  style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
    <DIV>"Tom Bruhl" &lt;<A=20
    href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>&gt; =
wrote in=20
    message <A =
href=3D"news:45358fd0@linux">news:45358fd0@linux</A>...</DIV>
    <DIV><FONT face=3DArial size=3D2>Anybody else experience this?&nbsp;</DIV> =
I'm up=20
    around 517ms now!</FONT></DIV>
    <DIV><FONT face=3DArial size=3D2>Are there any buffer settings or =
others&nbsp;</DIV>
    may have touched on the</FONT></DIV>
    <DIV><FONT face=3DArial size=3D2>UAD Meter that would change =
this?&nbsp;</DIV>
    </FONT></DIV>
    <DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
    <DIV><FONT face=3DArial size=3D2>I'm in the middle of about 20 mixes =
with three=20
    clients that this is </FONT></DIV>
    <DIV><FONT face=3DArial size=3D2>happening on.&nbsp;</DIV> Crazy.&nbsp;</DIV> I =
may have to=20
    go back a version or two.</FONT></DIV>
    <DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
    <DIV><FONT face=3DArial size=3D2>Thanks for any =
suggestions.</FONT></DIV>
    <DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>

```

-----= NextPart 000 00A4 01C6F25D.B9004200--

[View Forum Message](#) <> [Reply to Message](#)

I choose Polesoft Lockspam to fight spam, and you?
<http://www.polesoft.com/refer.html> =20

-----=_NextPart_000_006A_01C6F2A5.27FDADE0

Content-Type: text/html;
charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 5.50.4134.100" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>???.....nudge baby!!!</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>;o</FONT></DIV>
<DIV>&nbsp;</DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"Tom Bruhl" &lt;<A=20
  href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>&gt; wrote =
in message=20
  <A href=3D"news:4535c88e@linux">news:4535c88e@linux</A>...</DIV>
  <DIV><FONT face=3DArial size=3D2>And with Paris that's done by. . . =
?</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
  <DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
  <BLOCKQUOTE dir=3Dltr=20
  style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
    <DIV>"DJ" &lt;<A =
href=3D"mailto:notachance@net.net">notachance@net.net</A>&gt;=20
    wrote in message <A=20
    href=3D"news:45359a42@linux">news:45359a42@linux</A>...</DIV>
    <DIV><FONT face=3DArial size=3D2>Not to my knowledge Tom. The only =
tweaks you=20
    can do are to increase latency.</FONT></DIV>
    <DIV>&nbsp;</DIV>
    <BLOCKQUOTE dir=3Dltr=20
    style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
      <DIV>"Tom Bruhl" &lt;<A=20
```

href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net> =
wrote in=20
message <A =
href=3D"news:45358fd0@linux">news:45358fd0@linux...</DIV>
<DIV>Anybody else experience =
this? I'm up=20
around 517ms now!</DIV>
<DIV>Are there any buffer settings or=20
others I may have touched on the</DIV>
<DIV>UAD Meter that would change =
this? =20
</DIV>
<DIV> </DIV>
<DIV>I'm in the middle of about 20 =
mixes with=20
three clients that this is </DIV>
<DIV>happening on. Crazy. =20
I may have=20
to go back a version or two.</DIV>
<DIV> </DIV>
<DIV>Thanks for any =
suggestions.</DIV>
<DIV>Tom</DIV>
<DIV>

I choose Polesoft Lockspam to fight =
spam, and=20
you?
<A=20
=
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html </DIV></BLOCKQUOTE></BLOCKQUOTE></BLOCK=
QUOTE></BODY></HTML>

-----=_NextPart_000_006A_01C6F2A5.27FDADE0--

Subject: Re: OT Since UAD software 4.4 my latency seems to have doubled in Paris?

Posted by [Tom Bruhl](#) on Wed, 18 Oct 2006 20:01:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_004C_01C6F2CE.9F93B4C0

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

517ms? Ahhhhhhhhhh!

I'm troubleshooting this one now.

Batman

"DJ" <notachance@net.net> wrote in message news:45365e52@linux...
???.....nudge baby!!!

;o)

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:4535c88e@linux...

And with Paris that's done by. . . ?

Tom

"DJ" <notachance@net.net> wrote in message news:45359a42@linux...
Not to my knowledge Tom. The only tweaks you can do are to =
increase latency.

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:45358fd0@linux...

Anybody else experience this? I'm up around 517ms now!

Are there any buffer settings or others I may have touched on =
the

UAD Meter that would change this? =20

I'm in the middle of about 20 mixes with three clients that this =
is=20

happening on. Crazy. I may have to go back a version or two.

Thanks for any suggestions.

Tom

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=_NextPart_000_004C_01C6F2CE.9F93B4C0

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV>517ms? =

Ahhhhhhhhhh!</DIV>
<DIV> </DIV>
<DIV>I'm troubleshooting this one =
now.</DIV>
<DIV> </DIV>
<DIV>Batman</DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"DJ" <<A =
href=3D"mailto:notachance@net.net">notachance@net.net>=20
 wrote in message <A=20
href=3D"news:45365e52@linux">news:45365e52@linux...</DIV>
 <DIV>???.....nudge baby!!!</DIV>
 <DIV> </DIV>
 <DIV>;o)</DIV>
 <DIV> </DIV>
 <BLOCKQUOTE dir=3Dltr=20
 style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"Tom Bruhl" <<A=20
 href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net> =
wrote in=20
 message <A =
href=3D"news:4535c88e@linux">news:4535c88e@linux...</DIV>
 <DIV>And with Paris that's done by. . .=20
 ?</DIV>
 <DIV> </DIV>
 <DIV>Tom</DIV>
 <BLOCKQUOTE dir=3Dltr=20
 style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"DJ" <<A=20
 href=3D"mailto:notachance@net.net">notachance@net.net> =
wrote in=20
 message <A =
href=3D"news:45359a42@linux">news:45359a42@linux...</DIV>
 <DIV>Not to my knowledge Tom. The only =
tweaks you=20
 can do are to increase latency.</DIV>
 <DIV> </DIV>
 <BLOCKQUOTE dir=3Dltr=20
 style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"Tom Bruhl" <<A=20
 href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net> =
wrote in=20
 message <A =

href=3D"news:45358fd0@linux">news:45358fd0@linux...</DIV>
<DIV>Anybody else experience =
this? I'm up=20
around 517ms now!</DIV>
<DIV>Are there any buffer settings =
or=20
others I may have touched on the</DIV>
<DIV>UAD Meter that would change =
this? =20
</DIV>
<DIV> </DIV>
<DIV>I'm in the middle of about 20 =
mixes with=20
three clients that this is </DIV>
<DIV>happening on. =
Crazy. I may have=20
to go back a version or two.</DIV>
<DIV> </DIV>
<DIV>Thanks for any =
suggestions.</DIV>
<DIV>Tom</DIV>
<DIV>

I choose Polesoft Lockspam to fight =
spam, and=20
you?
<A=20
=
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html </DIV></BLOCKQUOTE ></BLOCKQUOTE></BLOCK=
QUOTE></BLOCKQUOTE></BODY></HTML>

-----=_NextPart_000_004C_01C6F2CE.9F93B4C0--

Subject: Re: OT Since UAD software 4.4 my latency seems to have doubled in Paris?

Posted by [Tom Bruhl](#) on Wed, 18 Oct 2006 22:20:51 GMT

[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_001B_01C6F2E2.243806A0

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Problem solved. =20

UAD-1 Ver. 4.4 latency is different than all the rest longer by another =
160ms

or so. 4.3 is fine for me on my XP setup. Latency is back to normal.
I didn't like the new Neve comp enough to buy it anyway.

Batman

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:453685f1@linux...
517ms? Ahhhhhhhhhh!

I'm troubleshooting this one now.

Batman

"DJ" <notachance@net.net> wrote in message news:45365e52@linux...
???.....nudge baby!!!

;o)

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:4535c88e@linux...
And with Paris that's done by. . . ?

Tom

"DJ" <notachance@net.net> wrote in message =
news:45359a42@linux...
Not to my knowledge Tom. The only tweaks you can do are to =
increase latency.

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:45358fd0@linux...
Anybody else experience this? I'm up around 517ms now!
Are there any buffer settings or others I may have touched on =
the
UAD Meter that would change this? =20

I'm in the middle of about 20 mixes with three clients that =
this is=20
happening on. Crazy. I may have to go back a version or two.

Thanks for any suggestions.
Tom

I choose Polesoft Lockspam to fight spam, and you?
<http://www.polesoft.com/refer.html>
-----=_NextPart_000_001B_01C6F2E2.243806A0
Content-Type: text/html;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<DIV>"Tom Bruhl" <<A=20
 href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net> =
 wrote in=20
 message <A =
 href=3D"news:4535c88e@linux">news:4535c88e@linux...</DIV>
 <DIV>And with Paris that's done by. . =
 ..=20
 ?</DIV>
 <DIV> </DIV>
 <DIV>Tom</DIV>
 <BLOCKQUOTE dir=3Dltr=20
 style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
 BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"DJ" <<A=20
 href=3D"mailto:notachance@net.net">notachance@net.net> =
 wrote in=20
 message <A =
 href=3D"news:45359a42@linux">news:45359a42@linux...</DIV>
 <DIV>Not to my knowledge Tom. The =
 only tweaks=20
 you can do are to increase latency.</DIV>
 <DIV> </DIV>
 <BLOCKQUOTE dir=3Dltr=20
 style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
 5px; BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"Tom Bruhl" <<A=20
 =
 href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net> wrote in =
 message <A =
 href=3D"news:45358fd0@linux">news:45358fd0@linux...</DIV>
 <DIV>Anybody else experience =
 this? </DIV>
 up around 517ms now!</DIV>
 <DIV>Are there any buffer settings =
 or=20
 others </DIV>
 <DIV>UAD Meter that would change =
 this? </DIV>
 <DIV> </DIV>
 <DIV> </DIV>
 <DIV> </DIV>
 mixes with=20
 three clients that this is </DIV>
 <DIV>happening on. =
 Crazy. </DIV>
 have to go back a version or two.</DIV>
 <DIV> </DIV>

