

---

Subject: Creamware Scope.....anyone?

Posted by [animix](#) on Sun, 15 Oct 2006 22:16:30 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I need to know if the Creamware scope system will allow DSP based \*zero latency\* monitoring while tracking. I need to be able to track at least 16 inputs while playing back/monitoring at least 24 tracks without having to jack around with buffer settings. In short, I want the Paris low latency tracking options on a system capable of running native audio apps. I'm wondering if the Creamware DSP based hardware system can pull this off.

Thanks,

Deej

---

---

Subject: Re: Creamware Scope.....anyone?

Posted by [Tom Bruhl](#) on Sun, 15 Oct 2006 22:51:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

This is a multi-part message in MIME format.

-----=\_NextPart\_000\_0014\_01C6F08A.ECA8B3F0

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Deej,

Dimitrios should know. He's been helpful to me regarding Creamware/Pulsar questions.

Did you get my email?

Tom

"DJ" <notachance@net.net> wrote in message news:4532b30a\$1@linux...

I need to know if the Creamware scope system will allow DSP based =  
\*zero  
latency\* monitoring while tracking. I need to be able to track at =  
least 16  
inputs while playing back/monitoring at least 24 tracks without having =  
to  
jack around with buffer settings. In short, I want the Paris low =  
latency  
tracking options on a system capable of running native audio apps. =  
I'm  
wondering if the Creamware DSP based hardware system can pull this =  
off.

Thanks,

Deej

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=\_NextPart\_000\_0014\_01C6F08A.ECA8B3F0

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =  
charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV><FONT face=3DArial size=3D2>Deej,</FONT></DIV>

<DIV><FONT face=3DArial size=3D2>Dimitrios should know.&nbsp; He's been =  
helpful to=20  
me</FONT></DIV>

<DIV><FONT face=3DArial size=3D2>regarding Creamware/Pulsar =  
questions.</FONT></DIV>

<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>

<DIV><FONT face=3DArial size=3D2>Did you get my email?</FONT></DIV>

<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>

<DIV>&nbsp;</DIV>

<BLOCKQUOTE=20

style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =  
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

<DIV>"DJ" &lt;<A =  
href=3D"mailto:notachance@net.net">notachance@net.net</A>&gt;=20  
wrote in message <A=20

href=3D"news:4532b30a\$1@linux">news:4532b30a\$1@linux</A>...</DIV>I =  
need to know=20

if the Creamware scope system will allow DSP based \*zero<BR>latency\*=20  
monitoring while tracking. I need to be able to track at least =  
16<BR>inputs=20

while playing back/monitoring at least 24 tracks without having =  
to<BR>jack=20

around with buffer settings. In short, I want the Paris&nbsp; low=20  
latency<BR>tracking options on a system capable of running&nbsp; =  
native audio=20

-----= NextPart 000 0014 01C6F08A.ECA8B3F0--

> I need to know if the Creamware scope system will allow DSP based \*zero  
> latency\* monitoring while tracking. I need to be able to track at least 16  
> inputs while playing back/monitoring at least 24 tracks without having to  
> jack around with buffer settings. In short, I want the Paris low latency  
> tracking options on a system capable of running native audio apps. I'm  
> wondering if the Creamware DSP based hardware system can pull this off.  
>  
> Thanks,  
>  
> DeeJ  
>  
>

"DJ" <notachance@net.net> wrote:

>I need to know if the Creamware scope system will allow DSP based \*zero  
>latency\* monitoring while tracking. I need to be able to track at least  
16  
>inputs while playing back/monitoring at least 24 tracks without having to  
>jack around with buffer settings. In short, I want the Paris low latency  
>tracking options on a system capable of running native audio apps. I'm  
>wondering if the Creamware DSP based hardware system can pull this off.  
>  
>Thanks,  
>  
>Deej  
>  
>

---

---

Subject: Re: Creamware Scope.....anyone?

Posted by [Chris Ludwig](#) on Mon, 16 Oct 2006 04:14:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

HI DJ,

Only the internal hardware effects are latency free. Native VST will  
still have latency.

I don't think the analog I/O sound good at all but I'm assuming you will  
be using the ADAT I/O so no issue.

You might have some trouble with the Pulsar cards on newer motherboards  
but your already used to those things :).

Chris

DJ wrote:

>I need to know if the Creamware scope system will allow DSP based \*zero  
>latency\* monitoring while tracking. I need to be able to track at least 16  
>inputs while playing back/monitoring at least 24 tracks without having to  
>jack around with buffer settings. In short, I want the Paris low latency  
>tracking options on a system capable of running native audio apps. I'm  
>wondering if the Creamware DSP based hardware system can pull this off.  
>  
>Thanks,  
>  
>Deej  
>  
>  
>

>

--

Chris Ludwig

ADK

chrisl@adkproaudio.com <mailto:chrisl@adkproaudio.com>

www.adkproaudio.com <http://www.adkproaudio.com/>

(859) 635-5762

---