Subject: HELP!-No interface connected to master card error.18/12 code Posted by Pete on Mon, 06 Feb 2006 05:31:49 GMT

View Forum Message <> Reply to Message

So I've gone out of town and decided to take a scaled down version of my rig to do some mixing.

Previous settup:

4 EDS 2 MEC

PARIS 3.0 all clocked with GenX

I've brought with me 1 MEC and planned to use the internal clock.

Hooked everything up and I get error intializing PARIS engine. No interface connected to master card. I've also gotten a 18/12 error.

In the Paris.cfg file I noticed MasterOutput Card=0.Should the 0 be an actual number(1 maybe)?

Any help?

Guess I should just not mess with the rig when its working.

TIA, Pete

Subject: Re: HELP!-No interface connected to master card error.18/12 code Posted by Tom Bruhl on Mon, 06 Feb 2006 16:32:07 GMT View Forum Message <> Reply to Message

This is a multi-part message in MIME format.

-----=_NextPart_000_004D_01C62B10.F63E58B0 Content-Type: text/plain; charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Pete,

This happened to me using Paris XP and two ADAT modules in one MEC. If you can lose an ADAT module or split them into two MECs it should be okay.

Tom

"Pete" <ruthenburg@insightbb.com> wrote in message = news:43e76e53\$1@linux...

Looks like the 18/12 is an ADAT issue, but I've only gotten this

1 time.

I didn't bring my GenX clock and I'm wondering if that is my problem. I figured since I was using just 1 MEC I didn't need it though most of my projects were clocked with it.

Figured I could open the projects then switch them to internal clock;maybe I was wrong.I'm trying to open a default project=20 then opening the other projects,but no worky so far.

Pete

```
"Pete Ruthenburg" <ruthenburg@insightbb.com> wrote:
 > So I've gone out of town and decided to take a scaled down=20
 >version of my rig to do some mixing.
 > Previous settup:
             4 EDS
 >
             2 MEC
 >
             PARIS 3.0 all clocked with GenX
 >I've brought with me 1 MEC and planned to use the internal clock.
 >Hooked everything up and I get error intializing PARIS engine.
 >No interface connected to master card. I've also gotten a 18/12
 >error.
 >In the Paris.cfg file I noticed MasterOutput Card=3D0.Should the 0
 >be an actual number(1 maybe)?
 >
 >Any help?
 >Guess I should just not mess with the rig when its working.
 >
 >TIA,
 >Pete
-----= NextPart 000 004D 01C62B10.F63E58B0
Content-Type: text/html;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bqColor=3D#ffffff>
```

```
<DIV><FONT face=3DArial size=3D2>Pete,</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>This happened to me using Paris XP and=20
two</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>ADAT modules in one MEC.&nbsp; If you =
can lose=20
an</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>ADAT module or split them into two MECs =
it</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>should be okay.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"Pete" &lt;<A=20
href=3D"mailto:ruthenburg@insightbb.com">ruthenburg@insightbb.com</A>&gt:=
wrote=20
 in message <A=20
href=3D"news:43e76e53$1@linux">news:43e76e53$1@linux</A>...</DIV><BR>Look=
s like=20
  the 18/12 is an ADAT issue, but I've only gotten this < BR > 1 =
time.<BR><BR>I=20
  didn't bring my GenX clock and I'm wondering if that is =
my<BR>problem.I=20
  figured since I was using just 1 MEC I didn't need it<BR>though most =
of my=20
  projects were clocked with it.<BR>&nbsp; Figured I could open the =
projects=20
  then switch them to internal < BR > clock; maybe I was wrong. I'm trying to =
open a=20
  default project <BR>then opening the other projects, but no worky so=20
  far.<BR><BR>Pete<BR><BR>"Pete Ruthenburg" & lt;<A=20
href=3D"mailto:ruthenburg@insightbb.com">ruthenburg@insightbb.com</A>&gt:=
  wrote: <BR>&gt; <BR>&gt; So I've gone out of town and decided to take a =
scaled=20
  down <BR>&qt;version of my rig to do some mixing.<BR>&qt;&nbsp; =
Previous=20
settup:<BR> &gt;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
 p;       =20
  4=20
EDS<BR> &qt;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
bsp;     anbsp;=20
```

```
2=20
MEC<BR> &gt;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
bsp;      =20
PARIS 3.0 all clocked with GenX<BR>&gt;<BR>&gt;I've brought with me 1 =
MEC and=20
planned to use the internal clock.<BR>&gt;<BR>&gt;Hooked everything up =
and I=20
 get error intializing PARIS engine.<BR>&gt;No interface connected to =
master=20
 card.I've also gotten a 18/12<BR>&gt;error.<BR>&gt;<BR>&gt;In the =
Paris.cfg=20
file I noticed MasterOutput Card=3D0.Should the 0<BR>&gt;be an actual =
number(1=20
 maybe)?<BR>&gt;<BR>&gt;Any help?<BR>&gt;Guess I should just not mess =
with the=20
 rig when its=20
working.<BR>&gt;<BR>&gt;TIA,<BR>&gt;Pete<BR ></BLOCKQUOTE></BODY></HTML>
----= NextPart 000 004D 01C62B10.F63E58B0--
```

Subject: Re: HELP!-No interface connected to master card error.18/12 code Posted by Pete on Mon, 06 Feb 2006 16:42:11 GMT View Forum Message <> Reply to Message

Looks like the 18/12 is an ADAT issue, but I've only gotten this 1 time.

I didn't bring my GenX clock and I'm wondering if that is my problem. I figured since I was using just 1 MEC I didn't need it though most of my projects were clocked with it.

Figured I could open the projects then switch them to internal clock;maybe I was wrong.I'm trying to open a default project then opening the other projects,but no worky so far.

Pete

"Pete Ruthenburg" <ruthenburg@insightbb.com> wrote:
> So I've gone out of town and decided to take a scaled down
>version of my rig to do some mixing.
> Previous settup:
> 4 EDS
> 2 MEC
> PARIS 3.0 all clocked with GenX
> I've brought with me 1 MEC and planned to use the internal clock.

```
>Hooked everything up and I get error intializing PARIS engine.
>No interface connected to master card.I've also gotten a 18/12
>error.
>
>In the Paris.cfg file I noticed MasterOutput Card=0.Should the 0
>be an actual number(1 maybe)?
>
>Any help?
>Guess I should just not mess with the rig when its working.
>
>TIA,
>Pete
```

Subject: Re: HELP!-No interface connected to master card error.18/12 code Posted by Curt Cassingham on Mon, 06 Feb 2006 17:42:28 GMT View Forum Message <> Reply to Message

On 2/6/2006 10:34 AM, Pete wrote:

- > forgot to say when I have the 1 EDS installed it intializes,
- > but after that is when I get the not enough free resources
- > error.

Windows or Mac? Did you try a completely fresh install? IOW, let PARIS create its own new Config files, etc?

I had a similar situation here. I have just one EDS card and a 442 on Win XP. System working fine until I installed a new PCI card (unrelated to PARIS) in the computer, and had to rearrange all the PCI cards including the EDI to different slots. Finally found out in the Hardware Manager the computer thought the EDS card was still in the old slot. I uninstalled the card from Hardware Manger, thereby forcing it to realize the new card location, reinstalled PARIS, and all was fine.

Curt curt cass cdot> com

Subject: Re: HELP!-No interface connected to master card error.18/12 code Posted by Pete on Mon, 06 Feb 2006 18:24:16 GMT

View Forum Message <> Reply to Message

I've got 1 ADAT in the mec, but I don't thik this is the problem.

I installed 1 EDS and it was saying not enough free resources. I was getting gcCreateControl:ran out of controllers.[0/0]

Still wondering if I had my word clock would I have had these issues at all;should of remembered to bring the damn thing.

Pete

```
"Tom Bruhl" <arpegio@comcast.net> wrote:
>
>
>Pete.
>This happened to me using Paris XP and two
>ADAT modules in one MEC. If you can lose an
>ADAT module or split them into two MECs it
>should be okay.
>Tom
> "Pete" <ruthenburg@insightbb.com> wrote in message =
>news:43e76e53$1@linux...
> Looks like the 18/12 is an ADAT issue, but I've only gotten this
> 1 time.
> I didn't bring my GenX clock and I'm wondering if that is my
> problem. I figured since I was using just 1 MEC I didn't need it
> though most of my projects were clocked with it.
   Figured I could open the projects then switch them to internal
> clock;maybe I was wrong.I'm trying to open a default project=20
> then opening the other projects, but no worky so far.
>
> Pete
> "Pete Ruthenburg" <ruthenburg@insightbb.com> wrote:
> > So I've gone out of town and decided to take a scaled down=20
> >version of my rig to do some mixing.
> > Previous settup:
               4 EDS
> >
               2 MEC
               PARIS 3.0 all clocked with GenX
> >I've brought with me 1 MEC and planned to use the internal clock.
> >Hooked everything up and I get error intializing PARIS engine.
> >No interface connected to master card. I've also gotten a 18/12
> >error.
> >In the Paris.cfg file I noticed MasterOutput Card=3D0.Should the 0
> >be an actual number(1 maybe)?
```

```
> >
> >Any help?
> >Guess I should just not mess with the rig when its working.
> >TIA,
> >Pete
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3DContent-Type content=3D"text/html; =
>charset=3Diso-8859-1">
><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D#ffffff>
><DIV><FONT face=3DArial size=3D2>Pete.</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>This happened to me using Paris XP and=20
>two</FONT></DIV>
>can lose=20
>an</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>ADAT module or split them into two MECs
>
>it</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>should be okay.</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
><BLOCKQUOTE=20
>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Pete" <<A=20
>href=3D"mailto:ruthenburg@insightbb.com">ruthenburg@insightbb.com</A>>=
> wrote=20
> in message <A=20
>href=3D"news:43e76e53$1@linux">news:43e76e53$1@linux</A>...</DIV><BR>Look=
>s like=20
> the 18/12 is an ADAT issue, but I've only gotten this < BR > 1 =
>time.<BR><BR>I=20
> didn't bring my GenX clock and I'm wondering if that is =
>my<BR>problem.I=20
> figured since I was using just 1 MEC I didn't need it<BR>though most =
>of my=20
>projects=20
> then switch them to internal<BR>clock;maybe I was wrong.I'm trying to
```

```
>open a=20
> default project <BR>then opening the other projects, but no worky so=20
> far.<BR><BR>Pete<BR><BR>"Pete Ruthenburg" <<A=20
>href=3D"mailto:ruthenburg@insightbb.com">ruthenburg@insightbb.com</A>>=
>=20
> wrote:<BR>>>BR>> So I've gone out of town and decided to take a =
>scaled=20
>Previous=20
> =
> 4=20
> =
> 2=20
> =
> PARIS 3.0 all clocked with GenX<BR>><BR>>I've brought with me 1 =
>MEC and=20
> planned to use the internal clock.<BR>>>BR>>Hooked everything up =
>and I=20
> get error intializing PARIS engine.<BR>>No interface connected to =
>master=20
> card.I've also gotten a 18/12<BR>>error.<BR>>>BR>>In the =
>Paris.cfg=20
> file I noticed MasterOutput Card=3D0.Should the 0<BR>>be an actual =
>number(1=20
> maybe)?<BR>>>Any help?<BR>>Guess I should just not mess =
>with the=20
> rig when its=20
>working.<BR>><BR>>TIA,<BR>>Pete<BR></BLOCKQUOTE></BODY ></HTML>
>
```

Subject: Re: HELP!-No interface connected to master card error.18/12 code Posted by Pete on Mon, 06 Feb 2006 18:34:24 GMT

View Forum Message <> Reply to Message

forgot to say when I have the 1 EDS installed it intializes, but after that is when I get the not enough free resources error.

```
Thanks Tom,
Pete
"Tom Bruhl" <arpegio@comcast.net> wrote:
>
>
>Pete.
>This happened to me using Paris XP and two
>ADAT modules in one MEC. If you can lose an
>ADAT module or split them into two MECs it
>should be okay.
>Tom
> "Pete" <ruthenburg@insightbb.com> wrote in message =
>news:43e76e53$1@linux...
> Looks like the 18/12 is an ADAT issue, but I've only gotten this
> 1 time.
> I didn't bring my GenX clock and I'm wondering if that is my
> problem.I figured since I was using just 1 MEC I didn't need it
> though most of my projects were clocked with it.
   Figured I could open the projects then switch them to internal
> clock;maybe I was wrong.I'm trying to open a default project=20
 then opening the other projects, but no worky so far.
>
> Pete
>
 "Pete Ruthenburg" <ruthenburg@insightbb.com> wrote:
> >
> > So I've gone out of town and decided to take a scaled down=20
> >version of my rig to do some mixing.
> > Previous settup:
               4 FDS
> >
               2 MEC
               PARIS 3.0 all clocked with GenX
> >
> >I've brought with me 1 MEC and planned to use the internal clock.
> >
> >Hooked everything up and I get error intializing PARIS engine.
> No interface connected to master card. I've also gotten a 18/12
> >error.
> In the Paris.cfg file I noticed MasterOutput Card=3D0.Should the 0
> >be an actual number(1 maybe)?
> >Any help?
> >Guess I should just not mess with the rig when its working.
```

> >

```
> >TIA,
> >Pete
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3DContent-Type content=3D"text/html; =
>charset=3Diso-8859-1">
><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D#ffffff>
><DIV><FONT face=3DArial size=3D2>Pete,</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>This happened to me using Paris XP and=20
>two</FONT></DIV>
>can lose=20
>an</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>ADAT module or split them into two MECs
>it</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>should be okay.</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
><BLOCKQUOTE=20
>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Pete" <<A=20
> =
>href=3D"mailto:ruthenburg@insightbb.com">ruthenburg@insightbb.com</A>>=
> wrote=20
> in message <A=20
>href=3D"news:43e76e53$1@linux">news:43e76e53$1@linux</A>...</DIV><BR>Look=
>s like=20
> the 18/12 is an ADAT issue, but I've only gotten this < BR > 1 =
>time.<BR><BR>I=20
> didn't bring my GenX clock and I'm wondering if that is =
>my<BR>problem.I=20
> figured since I was using just 1 MEC I didn't need it<BR>though most =
>of my=20
>projects=20
> then switch them to internal<BR>clock;maybe I was wrong.I'm trying to
>open a=20
> default project <BR>then opening the other projects,but no worky so=20
> far.<BR><BR>Pete<BR><BR>"Pete Ruthenburg" <<A=20
```

```
>href=3D"mailto:ruthenburg@insightbb.com">ruthenburg@insightbb.com</A>>=
> wrote:<BR>>>BR>> So I've gone out of town and decided to take a =
>scaled=20
>Previous=20
> 4=20
> =
> 2=20
> =
> PARIS 3.0 all clocked with GenX<BR>><BR>>I've brought with me 1 =
>MEC and=20
> planned to use the internal clock.<BR>>>BR>>Hooked everything up =
>and I=20
> get error intializing PARIS engine.<BR>>No interface connected to =
>master=20
> card.I've also gotten a 18/12<BR>>error.<BR>><BR>>In the =
>Paris.cfg=20
> file I noticed MasterOutput Card=3D0.Should the 0<BR>>be an actual =
>number(1=20
> maybe)?<BR>>>Any help?<BR>>Guess I should just not mess =
>with the=20
> rig when its=20
>working.<BR>><BR>>TIA,<BR>>Pete<BR></BLOCKQUOTE></BODY ></HTML>
```

Subject: Re: HELP!-No interface connected to master card error.18/12 code Posted by EK Sound on Mon, 06 Feb 2006 18:43:53 GMT View Forum Message <> Reply to Message

Is your EDS card in a PCI slot that is sharing resources with something else? Check your IRQ's

David.

Pete wrote:

- > Hi Curt,
- > On XP here. I've now got 1 EDS, took out the ADAT card from the

```
> MEC.I'm about to take out the other 8in and 8 out and try that.
> Its looking like I'm going to have trouble getting a 1EDS
> stripped down MEC running.
> When I try and open a default project it says there aren't
> enough resources. Guess I might have to do a fresj install.
> Thanks,
> Pete
> Curt Cassingham <mail@mail.com> wrote:
>>On 2/6/2006 10:34 AM, Pete wrote:
>>
>>
>>> forgot to say when I have the 1 EDS installed it intializes,
>>>but after that is when I get the not enough free resources
>>>error.
>>Windows or Mac? Did you try a completely fresh install? IOW, let PARIS
> create its
>>own new Config files, etc?
>>I had a similar situation here. I have just one EDS card and a 442 on Win
>
> XP. System
>>working fine until I installed a new PCI card (unrelated to PARIS) in the
>
> computer,
>>and had to rearrange all the PCI cards including the EDI to different slots.
> Finally
>>found out in the Hardware Manager the computer thought the EDS card was
> still in the
>>old slot. I uninstalled the card from Hardware Manger, thereby forcing
> it to realize
>>the new card location, reinstalled PARIS, and all was fine.
>>
>>Curt
>>curt <at> curtcass <dot> com
```

Subject: Re: HELP!-No interface connected to master card error.18/12 code Posted by Pete on Mon, 06 Feb 2006 19:21:54 GMT

View Forum Message <> Reply to Message

```
Hi Curt,
```

On XP here.I've now got 1 EDS, took out the ADAT card from the MEC.I'm about to take out the other 8in and 8 out and try that. Its looking like I'm going to have trouble getting a 1EDS stripped down MEC running.

When I try and open a default project it says there aren't enough resources. Guess I might have to do a fresj install.

Thanks, Pete

Curt Cassingham <mail@mail.com> wrote:

>On 2/6/2006 10:34 AM, Pete wrote:

>

- >> forgot to say when I have the 1 EDS installed it intializes,
- >> but after that is when I get the not enough free resources
- >> error.

>

- >Windows or Mac? Did you try a completely fresh install? IOW, let PARIS create its
- >own new Config files, etc?

>

- >I had a similar situation here. I have just one EDS card and a 442 on Win XP. System
- >working fine until I installed a new PCI card (unrelated to PARIS) in the computer,
- >and had to rearrange all the PCI cards including the EDI to different slots. Finally
- >found out in the Hardware Manager the computer thought the EDS card was still in the
- >old slot. I uninstalled the card from Hardware Manger, thereby forcing it to realize
- >the new card location, reinstalled PARIS, and all was fine.

>

>Curt

>curt <at> curtcass <dot> com

Subject: Re: HELP!-No interface connected to master card error.18/12 code

Posted by Pete on Tue, 07 Feb 2006 03:47:28 GMT

View Forum Message <> Reply to Message

Checked the IRQs;all is good. When I have 1 EDS installed it intializes, but then gives me I/O is different than before. Hit ok it gives me same error, hit ok again then gives me error creating default project adn a new project will be opened. Then I get not enough resources and the gcCreateControl error.

If I have all 4 EDS cards in I just get "no interface connected to master card"when intializing.Still wondering if having my wordclock connected would fix this.

Thanks. Pete EK Sound <spamnot.info@eksoundNO.com> wrote: >Is your EDS card in a PCI slot that is sharing resources with >something else? Check your IRQ's > >David. > >Pete wrote: >> Hi Curt. >> On XP here. I've now got 1 EDS, took out the ADAT card from the >> MEC.I'm about to take out the other 8in and 8 out and try that. >> Its looking like I'm going to have trouble getting a 1EDS >> stripped down MEC running. >> When I try and open a default project it says there aren't >> enough resources. Guess I might have to do a fresj install. >> >> Thanks. >> Pete >> >> Curt Cassingham <mail@mail.com> wrote: >>>On 2/6/2006 10:34 AM, Pete wrote: >>> >>> >>>forgot to say when I have the 1 EDS installed it intializes, >>>but after that is when I get the not enough free resources >>>error. >>> >>>Windows or Mac? Did you try a completely fresh install? IOW, let PARIS >> create its >>>own new Config files, etc? >>>

```
>>>I had a similar situation here. I have just one EDS card and a 442 on
Win
>>
>> XP. System
>>
>>>working fine until I installed a new PCI card (unrelated to PARIS) in
the
>>
>> computer,
>>
>>>and had to rearrange all the PCI cards including the EDI to different
slots.
>>
>> Finally
>>>found out in the Hardware Manager the computer thought the EDS card was
>> still in the
>>
>>>old slot. I uninstalled the card from Hardware Manger, thereby forcing
>>
>> it to realize
>>>the new card location, reinstalled PARIS, and all was fine.
>>>Curt
>>>curt <at> curtcass <dot> com
>>
```