

---

Subject: HEEEEELP!

Posted by [Gantt Kushner](#) on Mon, 06 Aug 2007 16:10:14 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I hate it when this happens! I have two violins, viola, 'cello, bass, clarinet, piano and two singers wating to record. Everything was fine when I turned the system on this morning. I walk into the control room to find the computer locked up. reboot and start Paris and I get - "error in initialization; Paris Engine. Error code -43/ffffffd5". Does anyone know what that means? I shut everything down and rebooted - same result. I switch boot volumes - different OS, different paris installation - same result. I switched my MEC to the EDS card that lives in my old computer and Paris booted fine so it must be a hardware problem.

I'm running Paris on a 1.25 GHz G4 (yup - a Mac guy) with 3 EDS cards in a Magma 13 slot expansion chassis. I guess the first step is to strip it down to one EDS card in the Magma to see if I can isolate a bad card.

Thank God I have multiply redundant redundancy systems running running here. Else I'd have some PISSED off people in my studio right now!

Moral of the story - Don't throw your old computer away! Keep one EDS card in it and have it for a spare...

So - any thoughts about what "error in initialization; Paris Engine. Error code -43/ffffffd5" means?

Gantt

---

---

Subject: Re: HEEEEELP!

Posted by [Tom Bruhl](#) on Mon, 06 Aug 2007 16:48:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

This is a multi-part message in MIME format.

-----=\_NextPart\_000\_001F\_01C7D828.22265F20

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Hey Gantt,

I'm guessing but check all connections to hardware, ribbon cables etc. You had to change them to get the old computer running so maybe . . .

Maybe reseal the EDS cards. Don't go too crazy yet.

Tom

"Gantt Kushner" <ganttmann@comcast.net> wrote in message =  
news:46b747e6\$1@linux...

I hate it when this happens! I have two violins, viola, 'cello, bass, =  
clarinet,  
piano and two singers waiting to record. Everything was fine when I =  
turned  
the system on this morning. I walk into the control room to find the =  
computer  
locked up. reboot and start Paris and I get - "error in =  
initialization;  
Paris Engine. Error code -43/ffffffd5". Does anyone know what that =  
means?  
I shut everything down and rebooted - same result. I switch boot =  
volumes  
- different OS, different paris installation - same result. I =  
switched my  
MEC to the EDS card that lives in my old computer and Paris booted =  
fine so  
it must be a hardware problem.

I'm running Paris on a 1.25 GHz G4 (yup - a Mac guy) with 3 EDS cards =  
in  
a Magma 13 slot expansion chassis. I guess the first step is to strip =  
it  
down to one EDS card in the Magma to see if I can isolate a bad card. =

Thank God I have multiply redundant redundancy systems running running =  
here  
here. Else I'd have some PISSED off people in my studio right now!

Moral of the story - Don't throw your old computer away! Keep one EDS =  
card  
in it and have it for a spare...

So - any thoughts about what "error in initialization; Paris Engine. =  
Error  
code -43/ffffffd5" means?

Gantt

I choose Polesoft Lockspam to fight spam, and you?  
<http://www.polesoft.com/refer.html>  
-----=\_NextPart\_000\_001F\_01C7D828.22265F20  
Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html"; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Hey Gantt,</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>I'm guessing but check all connections =
to=20
hardware,</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>ribbon cables etc.&nbsp; You had to =
change them to=20
get the</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>old computer running so maybe . . =
..</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>Maybe reseal the EDS cards.&nbsp; Don't =
go too=20
crazy yet.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"Gantt Kushner" &lt;<A=20
    href=3D"mailto:ganttmann@comcast.net">ganttmann@comcast.net</A>&gt; =
wrote in=20
    message <A=20
      href=3D"news:46b747e6$1@linux">news:46b747e6$1@linux</A>...</DIV><BR>I =
hate it=20
    when this happens!&nbsp; I have two violins, viola, 'cello, bass,=20
    clarinet,<BR>piano and two singers wating to record.&nbsp; Everything =
was fine=20
    when I turned<BR>the system on this morning.&nbsp; I walk into the =
control=20
    room to find the computer<BR>locked up.&nbsp; reboot and start Paris =
and I get=20
    - "error in initialization;<BR>Paris Engine. Error code =
-43/fffffd5".&nbsp;=20
    Does anyone know what that means?<BR>&nbsp;I shut everything down and =
rebooted=20
    - same result.&nbsp; I switch boot volumes<BR>- different OS, =
different paris=20
```

installation - same result.&nbsp; I switched my<BR>MEC to the EDS card =  
that=20  
lives in my old computer and Paris booted fine so<BR>it must be a =  
hardware=20  
problem.<BR><BR>I'm running Paris on a 1.25 GHz G4 (yup - a Mac guy) =  
with 3=20  
EDS cards in<BR>a Magma 13 slot expansion chassis.&nbsp; I guess the =  
first=20  
step is to strip it<BR>down to one EDS card in the Magma to see if I =  
can=20  
isolate a bad card.&nbsp; <BR><BR>Thank God I have multiply redundant=20  
redundancy systems running running here<BR>here.&nbsp; Else I'd have =  
some=20  
PISSSED off people in my studio right now!<BR><BR>Moral of the story - =  
Don't=20  
throw your old computer away!&nbsp; Keep one EDS card<BR>in it and =  
have it for=20  
a spare...<BR><BR>So - any thoughts about what&nbsp; "error in =  
initialization;=20  
Paris Engine. Error<BR>code -43/ffffffd5" =  
means?<BR><BR>Gantt</BLOCKQUOTE>  
<DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight spam, =  
and=20  
you?<BR><A=20  
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=  
..html</A>&nbsp;&nbsp;&nbsp;&nbsp;</FONT></DIV></BODY ></HTML>  
  
-----=\_NextPart\_000\_001F\_01C7D828.22265F20--

---

Subject: Re: HEEEEELP!

Posted by [Gantt Kushner](#) on Mon, 06 Aug 2007 17:00:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Actually, to switch computers I didn't have to change anything but the MEC  
and C16 connections from the Magma expander to the EDS card in the old computer.  
I'll do some wiggling and re-seating before I start the really invasive  
surgery...

Thanks!

gantt

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>Hey Gantt,

>I'm guessing but check all connections to hardware,

>ribbon cables etc. You had to change them to get the  
>old computer running so maybe . . .  
>  
>Maybe reseal the EDS cards. Don't go too crazy yet.  
>Tom  
>  
> "Gantt Kushner" <ganttmann@comcast.net> wrote in message =  
>news:46b747e6\$1@linux...  
>  
> I hate it when this happens! I have two violins, viola, 'cello, bass,  
=  
>clarinet,  
> piano and two singers waiting to record. Everything was fine when I =  
>turned  
> the system on this morning. I walk into the control room to find the  
=  
>computer  
> locked up. reboot and start Paris and I get - "error in =  
>initialization;  
> Paris Engine. Error code -43/ffffffd5". Does anyone know what that =  
>means?  
> I shut everything down and rebooted - same result. I switch boot =  
>volumes  
> - different OS, different paris installation - same result. I =  
>switched my  
> MEC to the EDS card that lives in my old computer and Paris booted =  
>fine so  
> it must be a hardware problem.  
>  
> I'm running Paris on a 1.25 GHz G4 (yup - a Mac guy) with 3 EDS cards  
=  
>in  
> a Magma 13 slot expansion chassis. I guess the first step is to strip  
=  
>it  
> down to one EDS card in the Magma to see if I can isolate a bad card.  
=  
>  
>  
> Thank God I have multiply redundant redundancy systems running running  
=  
>here  
> here. Else I'd have some PISSED off people in my studio right now!  
>  
> Moral of the story - Don't throw your old computer away! Keep one EDS  
=  
>card  
> in it and have it for a spare...

```

>
> So - any thoughts about what "error in initialization; Paris Engine.
=
>Error
> code -43/ffffffd5" means?
>
> Gantt
>
>
>I choose Polesoft Lockspam to fight spam, and you?
>http://www.polesoft.com/refer.html
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3DContent-Type content=3D"text/html; =
>charset=3Diso-8859-1">
><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D#ffffff>
><DIV><FONT face=3DArial size=3D2>Hey Gantt,</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>I'm guessing but check all connections
=
>to=20
>hardware,</FONT></DIV>

>change them to=20
>get the</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>old computer running so maybe . . =
>.</FONT></DIV>

>go too=20
>crazy yet.</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>

><BLOCKQUOTE=20
>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Gantt Kushner" <<A=20
> href=3D"mailto:ganttmann@comcast.net">ganttmann@comcast.net</A>> =
>wrote in=20
> message <A=20
> href=3D"news:46b747e6$1 @linux">news:46b747e6$1 @linux</A>...</DIV><BR>I
=
>hate it=20

```

>was fine=20

>control=20

>and I get=20  
> - "error in initialization;<BR>Paris Engine. Error code =

>rebooted=20

>different paris=20

>that=20  
> lives in my old computer and Paris booted fine so<BR>it must be a =  
>hardware=20  
> problem.<BR><BR>I'm running Paris on a 1.25 GHz G4 (yup - a Mac guy) =  
>with 3=20

>first=20  
> step is to strip it<BR>down to one EDS card in the Magma to see if I =  
>can=20

>some=20  
> PISSED off people in my studio right now!<BR><BR>Moral of the story -  
=  
>Don't=20

>have it for=20

>initialization;=20  
> Paris Engine. Error<BR>code -43/ffffffd5" =  
>means?<BR><BR>Gantt</BLOCKQUOTE>  
><DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight spam, =  
>and=20  
>you?<BR><A=20  
>href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=

>

>

---

Subject: Re: HEEEEELP!  
Posted by [Rich\[3\]](#) on Mon, 06 Aug 2007 17:07:43 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I do the same thing - I have two dual card systems as things seem to creep in at the worst time.

Ditto on the connections - with me the MEC cables seem to lose connection over time. Once I even lost all sound on the left side - reseated the cable and boom came back...

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>  
>  
>Hey Gantt,  
>I'm guessing but check all connections to hardware,  
>ribbon cables etc. You had to change them to get the  
>old computer running so maybe . . .  
>  
>Maybe reseal the EDS cards. Don't go too crazy yet.  
>Tom  
>  
> "Gantt Kushner" <ganttmann@comcast.net> wrote in message =  
>news:46b747e6\$1@linux...  
>  
> I hate it when this happens! I have two violins, viola, 'cello, bass,  
=  
>clarinet,  
> piano and two singers waiting to record. Everything was fine when I =  
>turned  
> the system on this morning. I walk into the control room to find the  
=  
>computer  
> locked up. reboot and start Paris and I get - "error in =  
>initialization;  
> Paris Engine. Error code -43/ffffffd5". Does anyone know what that =  
>means?  
> I shut everything down and rebooted - same result. I switch boot =  
>volumes  
> - different OS, different paris installation - same result. I =  
>switched my  
> MEC to the EDS card that lives in my old computer and Paris booted =  
>fine so  
> it must be a hardware problem.  
>  
> I'm running Paris on a 1.25 GHz G4 (yup - a Mac guy) with 3 EDS cards  
=  
>in  
> a Magma 13 slot expansion chassis. I guess the first step is to strip  
=  
>it  
> down to one EDS card in the Magma to see if I can isolate a bad card.  
=  
>

>  
> Thank God I have multiply redundant redundancy systems running running  
=  
>here  
> here. Else I'd have some PISSED off people in my studio right now!  
>  
> Moral of the story - Don't throw your old computer away! Keep one EDS  
=  
>card  
> in it and have it for a spare...  
>  
> So - any thoughts about what "error in initialization; Paris Engine.  
=  
>Error  
> code -43/ffffffd5" means?  
>  
> Gantt  
>  
>  
>I choose Polesoft Lockspam to fight spam, and you?  
><http://www.polesoft.com/refer.html>  
>  
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">  
><HTML><HEAD>  
><META http-equiv=3DContent-Type content=3D"text/html; =  
>charset=3Diso-8859-1">  
><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>  
><STYLE></STYLE>  
></HEAD>  
><BODY bgColor=3D#ffffff>  
><DIV><FONT face=3DArial size=3D2>Hey Gantt,</FONT></DIV>  
><DIV><FONT face=3DArial size=3D2>I'm guessing but check all connections  
=  
>to=20  
>hardware,</FONT></DIV>  
  
>change them to=20  
>get the</FONT></DIV>  
><DIV><FONT face=3DArial size=3D2>old computer running so maybe . . =  
>.</FONT></DIV>  
  
>go too=20  
>crazy yet.</FONT></DIV>  
><DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>  
  
><BLOCKQUOTE=20  
>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =

>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">  
 > <DIV>"Gantt Kushner" <<A=20  
 > href=3D"mailto:ganttmann@comcast.net">ganttmann@comcast.net</A>> =  
 >wrote in=20  
 > message <A=20  
 > href=3D"news:46b747e6\$1@linux">news:46b747e6\$1@linux</A>...</DIV><BR>I  
 =  
 >hate it=20  
  
 >was fine=20  
  
 >control=20  
  
 >and I get=20  
 > - "error in initialization;<BR>Paris Engine. Error code =  
  
 >rebooted=20  
  
 >different paris=20  
  
 >that=20  
 > lives in my old computer and Paris booted fine so<BR>it must be a =  
 >hardware=20  
 > problem.<BR><BR>I'm running Paris on a 1.25 GHz G4 (yup - a Mac guy) =  
 >with 3=20  
  
 >first=20  
 > step is to strip it<BR>down to one EDS card in the Magma to see if I =  
 >can=20  
  
 >some=20  
 > PISSED off people in my studio right now!<BR><BR>Moral of the story -  
 =  
 >Don't=20  
  
 >have it for=20  
  
 >initialization;=20  
 > Paris Engine. Error<BR>code -43/ffffffd5" =  
 >means?<BR><BR>Gantt</BLOCKQUOTE>  
 ><DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight spam, =  
 >and=20  
 >you?<BR><A=20  
 >href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=

>  
>

---

Subject: Update - Re: HEEEEELP!

Posted by [Gantt Kushner](#) on Tue, 07 Aug 2007 00:30:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I pulled the EDS card formerly known as card "A". Now Paris will boot but it won't open the "Default Project",

I get a message saying "an error occurred while reading the "Default Project" for new Project settings. A new empty Project will be created instead. There are not enough free resources available".

Then I get a message saying "error creating new project. There are not enough free resources available"

Then I try creating a new project and get a message saying "There is no source connected to this input channel."

Then Paris crashes. Every time. I have clients sitting in the tracking room talking while I try to figure this out. I'm not having any fun.

I just put an EDS card inside the computer and left the Magma box off. same result.

Where's Edmund when you need him?!?!

Gantt

"Gantt Kushner" <[ganttmann@comcast.net](mailto:ganttmann@comcast.net)> wrote:

>

>I hate it when this happens! I have two violins, viola, 'cello, bass, clarinet,  
>piano and two singers waiting to record. Everything was fine when I turned  
>the system on this morning. I walk into the control room to find the computer  
>locked up. reboot and start Paris and I get - "error in initialization;  
>Paris Engine. Error code -43/ffffffd5". Does anyone know what that means?  
> I shut everything down and rebooted - same result. I switch boot volumes  
>- different OS, different paris installation - same result. I switched  
my  
>MEC to the EDS card that lives in my old computer and Paris booted fine  
so  
>it must be a hardware problem.

>

>I'm running Paris on a 1.25 GHz G4 (yup - a Mac guy) with 3 EDS cards in  
>a Magma 13 slot expansion chassis. I guess the first step is to strip it  
>down to one EDS card in the Magma to see if I can isolate a bad card.

>  
>Thank God I have multiply redundant redundancy systems running running here  
>here. Else I'd have some PISSED off people in my studio right now!  
>  
>Moral of the story - Don't throw your old computer away! Keep one EDS card  
>in it and have it for a spare...  
>  
>So - any thoughts about what "error in initialization; Paris Engine. Error  
>code -43/ffffffd5" means?  
>  
>Gantt

---

Subject: Re: HEEEEELP!

Posted by [BradLyons](#) on Tue, 07 Aug 2007 00:32:23 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I'm going off of memory here, but I believe that meant a dead EDS card. I remember Error Code 43 (3) times and all (3) times were dead EDS cards (bad chips).

Brad

"Gantt Kushner" <ganttmann@comcast.net> wrote:

>  
>I hate it when this happens! I have two violins, viola, 'cello, bass, clarinet,  
>piano and two singers wating to record. Everything was fine when I turned  
>the system on this morning. I walk into the control room to find the computer  
>locked up. reboot and start Paris and I get - "error in initialization;  
>Paris Engine. Error code -43/ffffffd5". Does anyone know what that means?  
> I shut everything down and rebooted - same result. I switch boot volumes  
>- different OS, different paris installation - same result. I switched  
my  
>MEC to the EDS card that lives in my old computer and Paris booted fine  
so  
>it must be a hardware problem.  
>  
>I'm running Paris on a 1.25 GHz G4 (yup - a Mac guy) with 3 EDS cards in  
>a Magma 13 slot expansion chassis. I guess the first step is to strip it  
>down to one EDS card in the Magma to see if I can isolate a bad card.  
>  
>Thank God I have multiply redundant redundancy systems running running here  
>here. Else I'd have some PISSED off people in my studio right now!  
>  
>Moral of the story - Don't throw your old computer away! Keep one EDS card  
>in it and have it for a spare...  
>  
>So - any thoughts about what "error in initialization; Paris Engine. Error

>code -43/ffffffd5" means?

>

>Gantt

---

---

Subject: Re: HEEEEELP!

Posted by [Gantt Kushner](#) on Tue, 07 Aug 2007 01:04:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi Brad,

Yeah, I think you're right. I pulled one of the cards and bow the error 43 is gone, but paris still isn't happy. See my most recent post. Any thoughts?

Thanks!

gantt

"Brad Lyons" <[brad@audioandmidi.com](mailto:brad@audioandmidi.com)> wrote:

>

>I'm going off of memory here, but I believe that meant a dead EDS card.

|

>remember Error Code 43 (3) times and all (3) times were dead EDS cards (bad >chips).

>

>Brad

>

>"Gantt Kushner" <[ganttmann@comcast.net](mailto:ganttmann@comcast.net)> wrote:

>>

>>I hate it when this happens! I have two violins, viola, 'cello, bass, clarinet,

>>piano and two singers wating to record. Everything was fine when I turned

>>the system on this morning. I walk into the control room to find the computer

>>locked up. reboot and start Paris and I get - "error in initialization;

>>Paris Engine. Error code -43/ffffffd5". Does anyone know what that means?

>> I shut everything down and rebooted - same result. I switch boot volumes

>>- different OS, different paris installation - same result. I switched

>my

>>MEC to the EDS card that lives in my old computer and Paris booted fine

>so

>>it must be a hardware problem.

>>

>>I'm running Paris on a 1.25 GHz G4 (yup - a Mac guy) with 3 EDS cards in

>>a Magma 13 slot expansion chassis. I guess the first step is to strip

it

>>down to one EDS card in the Magma to see if I can isolate a bad card.

>>

>>Thank God I have multiply redundant redundancy systems running running here  
>>here. Else I'd have some PISSED off people in my studio right now!  
>>  
>>Moral of the story - Don't throw your old computer away! Keep one EDS card  
>>in it and have it for a spare...  
>>  
>>So - any thoughts about what "error in initialization; Paris Engine. Error  
>>code -43/ffffffd5" means?  
>>  
>>Gantt  
>

---

---

Subject: Re: HEEEEELP!  
Posted by [DJ](#) on Tue, 07 Aug 2007 01:35:14 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Gantt,

Go to the Paris.exe file in the Paris directory (if you are on PC.....I have no idea if you are on Mac) and launch Paris directly from that. then configure that project like you had your previous default project and save it as the new default project.

Deej

"Gantt Kushner" <[ganttmann@comcast.net](mailto:ganttmann@comcast.net)> wrote in message  
news:46b7c510\$1@linux...

>  
> Hi Brad,  
>  
> Yeah, I think you're right. I pulled one of the cards and bow the error  
> 43 is gone, but paris still isn't happy. See my most recent post. Any  
> thoughts?  
>  
> Thanks!  
>  
> gantt  
>  
> "Brad Lyons" <[brad@audioandmidi.com](mailto:brad@audioandmidi.com)> wrote:  
>>  
>>I'm going off of memory here, but I believe that meant a dead EDS card.  
> I  
>>remember Error Code 43 (3) times and all (3) times were dead EDS cards  
>>(bad  
>>chips).

>>  
>>Brad  
>>  
>>"Gantt Kushner" <ganttmann@comcast.net> wrote:  
>>>  
>>>I hate it when this happens! I have two violins, viola, 'cello, bass,  
> clarinet,  
>>>piano and two singers waiting to record. Everything was fine when I  
>>>turned  
>>>the system on this morning. I walk into the control room to find the  
>>>computer  
>>>locked up. reboot and start Paris and I get - "error in initialization;  
>>>Paris Engine. Error code -43/ffffffd5". Does anyone know what that  
>>>means?  
>>> I shut everything down and rebooted - same result. I switch boot  
>>> volumes  
>>>- different OS, different paris installation - same result. I switched  
>>my  
>>>MEC to the EDS card that lives in my old computer and Paris booted fine  
>>so  
>>>it must be a hardware problem.  
>>>  
>>>I'm running Paris on a 1.25 GHz G4 (yup - a Mac guy) with 3 EDS cards in  
>>>a Magma 13 slot expansion chassis. I guess the first step is to strip  
> it  
>>>down to one EDS card in the Magma to see if I can isolate a bad card.  
>  
>>>  
>>>Thank God I have multiply redundant redundancy systems running running  
> here  
>>>here. Else I'd have some PISSED off people in my studio right now!  
>>>  
>>>Moral of the story - Don't throw your old computer away! Keep one EDS  
> card  
>>>in it and have it for a spare...  
>>>  
>>>So - any thoughts about what "error in initialization; Paris Engine.  
>>>Error  
>>>code -43/ffffffd5" means?  
>>>  
>>>Gantt  
>>  
>

---

Subject: Re: HEEEEELP!

Posted by [Gantt Kushner](#) on Tue, 07 Aug 2007 02:27:49 GMT

I've done the Mac equivalent of that. It gives me a bunch of error messages and then crashes.

"DJ" <animix \_ at \_ animas \_ dot \_ net> wrote:

>Gantt,

>

>Go to the Paris.exe file in the Paris directory (if you are on PC.....I have

>no idea if you are on Mac) and launch Paris directly from that. then

>configure that project like you had your previous default project and save

>it as the new default project.

>

>Deej

>

>"Gantt Kushner" <ganttmann@comcast.net> wrote in message

>news:46b7c510\$1@linux...

>>

>> Hi Brad,

>>

>> Yeah, I think you're right. I pulled one of the cards and bow the error

>> 43 is gone, but paris still isn't happy. See my most recent post. Any

>> thoughts?

>>

>> Thanks!

>>

>> gantt

>>

>> "Brad Lyons" <brad@audioandmidi.com> wrote:

>>>

>>>I'm going off of memory here, but I believe that meant a dead EDS card.

>> I

>>>remember Error Code 43 (3) times and all (3) times were dead EDS cards

>>>(bad

>>>chips).

>>>

>>>Brad

>>>

>>>"Gantt Kushner" <ganttmann@comcast.net> wrote:

>>>>

>>>>I hate it when this happens! I have two violins, viola, 'cello, bass,

>> clarinet,

>>>>piano and two singers waiting to record. Everything was fine when I

>>>>turned

>>>>the system on this morning. I walk into the control room to find the

>>>>computer  
>>>>locked up. reboot and start Paris and I get - "error in initialization;  
>>>>Paris Engine. Error code -43/fffffd5". Does anyone know what that  
>>>>means?  
>>>> I shut everything down and rebooted - same result. I switch boot  
>>>> volumes  
>>>>- different OS, different paris installation - same result. I switched  
>>>>my  
>>>>MEC to the EDS card that lives in my old computer and Paris booted fine  
>>>>so  
>>>>it must be a hardware problem.  
>>>>  
>>>>I'm running Paris on a 1.25 GHz G4 (yup - a Mac guy) with 3 EDS cards  
in  
>>>>a Magma 13 slot expansion chassis. I guess the first step is to strip  
>> it  
>>>>down to one EDS card in the Magma to see if I can isolate a bad card.  
>>  
>>>>  
>>>>Thank God I have multiply redundant redundancy systems running running  
>> here  
>>>>here. Else I'd have some PISSED off people in my studio right now!  
>>>>  
>>>>Moral of the story - Don't throw your old computer away! Keep one EDS  
>> card  
>>>>in it and have it for a spare...  
>>>>  
>>>>So - any thoughts about what "error in initialization; Paris Engine.  
  
>>>>Error  
>>>>code -43/fffffd5" means?  
>>>>  
>>>>Gantt  
>>>  
>>  
>>  
>  
>

---

---

Subject: Re: HEEEEELP!  
Posted by [Tom Bruhl](#) on Tue, 07 Aug 2007 03:27:19 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

This is a multi-part message in MIME format.

-----=\_NextPart\_000\_0155\_01C7D881.556D8490  
Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Gantt,

If you're removing cards, external hardware, don't have a default =  
project

available in your system! That royally screwed me I think on a PC.

Like DJ says, whatever you do with these changes, start Paris with  
the .exe (whatever it's called on a Mac) and nothing else until things =  
settle down.

I'm not convinced your EDS is trash either.

Tom

"Gantt Kushner" <ganttmann@comcast.net> wrote in message =  
news:46b7d8a5\$1@linux...

I've done the Mac equivalent of that. It gives me a bunch of error =  
messages  
and then crashes.

"DJ" <animix \_ at \_ animas \_ dot \_ net> wrote:

>Gantt,

>

>Go to the Paris.exe file in the Paris directory (if you are on =  
PC.....I

have=20

>no idea if you are on Mac) and launch Paris directly from that. then=20

>configure that project like you had your previous default project and =  
save

>it as the new default project.

>

>Deej

>

>"Gantt Kushner" <ganttmann@comcast.net> wrote in message=20

>news:46b7c510\$1@linux...

>>

>> Hi Brad,

>>

>> Yeah, I think you're right. I pulled one of the cards and bow the =  
error

>> 43 is gone, but paris still isn't happy. See my most recent post. =  
Any

>> thoughts?

>>  
>> Thanks!  
>>  
>> gantt  
>>  
>> "Brad Lyons" <brad@audioandmidi.com> wrote:  
>>>  
>>>I'm going off of memory here, but I believe that meant a dead EDS =  
card.  
>> I  
>>>remember Error Code 43 (3) times and all (3) times were dead EDS =  
cards

>>>(bad  
>>>chips).  
>>>  
>>>Brad  
>>>  
>>>"Gantt Kushner" <ganttmann@comcast.net> wrote:  
>>>>  
>>>>I hate it when this happens! I have two violins, viola, 'cello, =  
bass,  
>> clarinet,  
>>>>piano and two singers wating to record. Everything was fine when =  
l=20  
>>>>turned  
>>>>the system on this morning. I walk into the control room to find =  
the

>>>>computer  
>>>>locked up. reboot and start Paris and I get - "error in =  
initialization;  
>>>>Paris Engine. Error code -43/fffffd5". Does anyone know what =  
that=20  
>>>>means?  
>>>> I shut everything down and rebooted - same result. I switch boot =

>>>> volumes  
>>>>- different OS, different paris installation - same result. I =  
switched  
>>>my  
>>>>MEC to the EDS card that lives in my old computer and Paris booted =  
fine  
>>>so  
>>>>it must be a hardware problem.  
>>>>  
>>>>I'm running Paris on a 1.25 GHz G4 (yup - a Mac guy) with 3 EDS =  
cards

```

in
>>>>a Magma 13 slot expansion chassis. I guess the first step is to =
strip
>> it
>>>>down to one EDS card in the Magma to see if I can isolate a bad =
card.
>>
>>>>
>>>>Thank God I have multiply redundant redundancy systems running =
running
>> here
>>>>here. Else I'd have some PISSED off people in my studio right =
now!
>>>>
>>>>Moral of the story - Don't throw your old computer away! Keep one =
EDS
>> card
>>>>in it and have it for a spare...
>>>>
>>>>So - any thoughts about what "error in initialization; Paris =
Engine.

>>>>Error
>>>>code -43/ffffffd5" means?
>>>>
>>>>Gantt
>>>
>>=20
>
>

```

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=\_NextPart\_000\_0155\_01C7D881.556D8490

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>

```

<DIV><FONT face=3DArial size=3D2>Gantt,</FONT></DIV>

<DIV><FONT face=3DArial size=3D2>If you're removing cards, external = hardware, don't=20

have a default project</FONT></DIV>

<DIV><FONT face=3DArial size=3D2>available in your system!&nbsp; That = royally=20

screwed me I think on a PC.</FONT></DIV>

<DIV><FONT face=3DArial size=3D2>Like DJ says, whatever you do with = these changes,=20

start Paris with</FONT></DIV>

<DIV><FONT face=3DArial size=3D2>the .exe (whatever it's called on a = Mac) and=20

nothing else until things settle down.</FONT></DIV>

<DIV><FONT face=3DArial size=3D2>I'm not convinced your EDS is trash=20 either.</FONT></DIV>

<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>

<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>

<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>

<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>

<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>

<BLOCKQUOTE=20

style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; = BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

<DIV>"Gantt Kushner" &lt;<A=20

href=3D"mailto:ganttmann@comcast.net">ganttmann@comcast.net</A>&gt; = wrote in=20

message <A=20

=

href=3D"news:46b7d8a5\$1 @linux">news:46b7d8a5\$1 @linux</A>...</DIV><BR>I've=

done=20

the Mac equivalent of that.&nbsp; It gives me a bunch of error = messages<BR>and=20

then crashes.<BR><BR>"DJ" &lt;animix \_ at \_ animas \_ dot \_ net&gt;=20

wrote:<BR>&gt;Gantt,<BR>&gt;<BR>&gt;Go to the Paris.exe file in the = Paris=20

directory (if you are on PC.....I<BR>have <BR>&gt;no idea if you are = on Mac)=20

and launch Paris directly from that. then <BR>&gt;configure that = project like=20

you had your prefious default project and save<BR><BR>&gt;it as the = new=20

default project.<BR>&gt;<BR>&gt;Deej<BR>&gt;<BR>&gt; "Gantt Kushner" = &lt;<A=20

href=3D"mailto:ganttmann@comcast.net">ganttmann@comcast.net</A>&gt; = wrote in=20

message <BR>&gt;news:46b7c510\$1 @linux...<BR>&gt;&gt;<BR>&gt;&gt; Hi=20

Brad,<BR>&gt;&gt;<BR>&gt;&gt; Yeah, I think you're right.&nbsp; I = pulled one=20

of the cards and bow the error<BR>&gt; 43 is gone, but paris still =  
 isn't=20  
 happy.&nbsp; See my most recent post.&nbsp; Any<BR><BR>&gt;=20  
 thoughts?<BR>&gt;<BR>&gt;&gt; Thanks!<BR>&gt;<BR>&gt;&gt;=20  
 gant<BR>&gt;<BR>&gt;&gt; "Brad Lyons" &lt;<A=20  
 href=3D"mailto:brad@audioandmidi.com">brad@audioandmidi.com</A>&gt;=20  
 wrote:<BR>&gt;&gt;<BR>&gt;&gt;&gt;I'm going off of memory here, =  
 but I=20  
 believe that meant a dead EDS card.<BR>&gt;&gt; =  
 I<BR>&gt;&gt;&gt;remember=20  
 Error Code 43 (3) times and all (3) times were dead EDS=20  
 =  
 cards<BR><BR>&gt;&gt;&gt;(bad<BR>&gt;&gt;&gt;chips). <BR>&gt;&gt;&gt;<BR>&=20  
 gt;&gt;&gt;Brad<BR>&gt;&gt;<BR>&gt;&gt;&gt; "Gantt&nbsp;=20  
 Kushner" &lt;<A=20  
 href=3D"mailto:ganttmann@comcast.net">ganttmann@comcast.net</A>&gt;=20  
 wrote:<BR>&gt;&gt;&gt;<BR>&gt;&gt;&gt;&gt;I hate it when this=20  
 happens!&nbsp; I have two violins, viola, 'cello, bass,<BR>&gt;&gt;=20  
 clarinet,<BR>&gt;&gt;&gt;piano and two singers wating to =  
 record.&nbsp;=20  
 Everything was fine when I =  
 <BR>&gt;&gt;&gt;&gt;turned<BR>&gt;&gt;&gt;&gt;the=20  
 system on this morning.&nbsp; I walk into the control room to find=20  
 the<BR><BR>&gt;&gt;&gt;&gt;computer<BR>&gt;&gt;&gt;&gt;locked =  
 up.&nbsp; reboot=20  
 and start Paris and I get - "error in =  
 initialization;<BR>&gt;&gt;&gt;Paris=20  
 Engine. Error code -43/fffffd5".&nbsp; Does anyone know what that=20  
 <BR>&gt;&gt;&gt;&gt;means?<BR>&gt;&gt;&gt;&gt; I shut everything down =  
 and=20  
 rebooted - same result.&nbsp; I switch boot <BR>&gt;&gt;&gt;&gt;=20  
 volumes<BR>&gt;&gt;&gt;&gt;- different OS, different paris =  
 installation - same=20  
 result.&nbsp; I switched<BR>&gt;&gt;&gt;my<BR>&gt;&gt;&gt;&gt;MEC to =  
 the EDS=20  
 card that lives in my old computer and Paris booted=20  
 fine<BR>&gt;&gt;&gt;so<BR>&gt;&gt;&gt;&gt;it must be a hardware=20  
 problem.<BR>&gt;&gt;&gt;&gt;<BR>&gt;&gt;&gt;&gt;I'm running Paris on a =  
 1.25=20  
 GHz G4 (yup - a Mac guy) with 3 EDS cards<BR>in<BR>&gt;&gt;&gt;&gt;a =  
 Magma 13=20  
 slot expansion chassis.&nbsp; I guess the first step is to =  
 strip<BR>&gt;&gt;=20  
 it<BR>&gt;&gt;&gt;down to one EDS card in the Magma to see if I =  
 can=20  
 isolate a bad =  
 card.<BR>&gt;&gt;<BR>&gt;&gt;&gt;&gt; <BR>&gt;&gt;&gt;&gt;Thank=20  
 God I have multiply redundant redundancy systems running =

running<BR>&gt;=20  
here<BR>&gt;&gt;&gt;here.&nbsp; Else I'd have some PISSED off =  
people in my=20  
studio right now!<BR>&gt;&gt;&gt;<BR>&gt;&gt;&gt;Moral of the =  
story -=20  
Don't throw your old computer away!&nbsp; Keep one EDS<BR>&gt;=20  
card<BR>&gt;&gt;&gt;in it and have it for a=20  
spare...<BR>&gt;&gt;&gt;<BR>&gt;&gt;&gt;So - any thoughts =  
about=20  
what&nbsp; "error in initialization; Paris=20  
Engine.<BR>&gt;&gt;&gt;Error<BR>&gt;&gt;&gt;code =  
-43/fffffd5"=20  
=  
means?<BR>&gt;&gt;&gt;<BR>&gt;&gt;&gt;Gantt <BR>&gt;&gt;<BR>&g=  
t;&gt;=20  
<BR>&gt;<BR>&gt;<BR></BLOCKQUOTE>  
<DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight spam, =  
and=20  
you?<BR><A=20  
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=  
..html</A>&nbsp;&nbsp;&nbsp;</FONT></DIV></BODY ></HTML>  
  
-----=\_NextPart\_000\_0155\_01C7D881.556D8490--

---

Subject: Re: HEEEEELP!

Posted by [Gantt Kushner](#) on Tue, 07 Aug 2007 05:50:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

After MUCH futzing around w/ re-installing Paris, pulling cards out of the Magma, installing them inside the computer, putting them back in the Magma, and finally trashing the Default Project I'm up and running again.

Thanks for all the suggestions! God bless this newsgroup, one and all!  
I'm pretty sure the original problem was a bad EDS card in the "A" slot.  
Ill test my theory another time. I'm goin' to bed!

Gantt

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>Gantt,

>If you're removing cards, external hardware, don't have a default =

>project

>available in your system! That royally screwed me I think on a PC.

>Like DJ says, whatever you do with these changes, start Paris with

>the .exe (whatever it's called on a Mac) and nothing else until things =

>settle down.  
>I'm not convinced your EDS is trash either.  
>Tom

---

---

Subject: Re: HEEEEELP!  
Posted by [DJ](#) on Tue, 07 Aug 2007 13:47:18 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Glad you're up and running agina, at least. TheSoniq can probably fix your card.

Deej

"Gantt Kushner" <[ganttmann@comcast.net](mailto:ganttmann@comcast.net)> wrote in message  
news:46b8080d\$1@linux...

>  
> After MUCH futzing around w/ re-installing Paris, pulling cards out of the  
> Magma, installing them inside the computer, putting them back in the  
> Magma,  
> and finally trashing the Default Project I'm up and running again.  
>  
> Thanks for all the suggestions! God bless this newsgroup, one and all!  
> I'm pretty sure the original problem was a bad EDS card in the "A" slot.  
> Ill test my theory another time. I'm goin' to bed!  
>  
> Gantt  
>  
> "Tom Bruhl" <[arpeggio@comcast.net](mailto:arpeggio@comcast.net)> wrote:  
>>  
>>  
>>Gantt,  
>>If you're removing cards, external hardware, don't have a default =  
>>project  
>>available in your system! That royally screwed me I think on a PC.  
>>Like DJ says, whatever you do with these changes, start Paris with  
>>the .exe (whatever it's called on a Mac) and nothing else until things =  
>>settle down.  
>>I'm not convinced your EDS is trash either.  
>>Tom  
>  
>

---