
Subject: WIKI: LATENCY DATABASE OPEN FOR REFERENCE and CONTRIBUTIONS

Posted by [kerryg](#) on Thu, 24 Apr 2008 22:27:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

<http://www.kerrygalloway.com/WikiPARIS/wikka.php?wakka=Nativ eLatencyDatabase>

There's a decent start there, composed of efforts of Dimitrios' I've found, plus the official WAVES latency specs.

The term "database" is actually technically incorrect at the moment; it's currently just a text list. The name reflects my intention to build it into an actual user-contributable, searchable database - just as soon as I decide/figure out how to do that.

For now, if you want to add a plugin that's not on the list - assuming you are logged in to the Wiki, just doubleclick on the page to open the editor and add the plugin to the bottom of the page as text, using something along the lines of the following format - PLUGIN NAME / [TAB] / LATENCY IN SAMPLES; just bring info and I'll take care of tidying it if needed.

Please contribute more as you find them!

- Kerry

Subject: Re: WIKI: LATENCY DATABASE OPEN FOR REFERENCE and CONTRIBUTIONS

Posted by [Deej](#) on Fri, 25 Apr 2008 01:46:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

Kerry Galloway <kg@kerrygalloway.com> wrote:

> <http://www.kerrygalloway.com/WikiPARIS/wikka.php?wakka=Nativ eLatencyDatabase>

>

>There's a decent start there, composed of efforts of Dimitrios' I've found, >plus the official WAVES latency specs.

>

>The term "database" is actually technically incorrect at the moment; it's >currently just a text list. The name reflects my intention to build it into >an actual user-contributable, searchable database - just as soon as I >decide/figure out how to do that.

>

>For now, if you want to add a plugin that's not on the list - assuming you >are logged in to the Wiki, just doubleclick on the page to open the editor >and add the plugin to the bottom of the page as text, using something along >the lines of the following format - PLUGIN NAME / [TAB] / LATENCY IN >SAMPLES; just bring info and I'll take care of tidying it if needed.

>
>Please contribute more as you find them!
>
>
>- Kerry

Here's some info I dragged out of my archives regarding Paris nudge values. I don't know if it will help, but it might if the programmer needs info on how Paris "sees" things.....

The nudge values are not consistent with what one would expect the samples to be per ms and they are also not consistent with themselves. Meaning that a 1ms nudge would be expected to be 44 samples but is actually 80. A 10ms nudge isn't 10 X 80 or 800 samples though, it's actually 480.

Here they are if anyone is interested:

1ms= 80 samples
5ms= 240 samples
10ms= 480 samples
25ms= 1120 samples
50ms= 2240 samples
75ms= 3360 samples
100ms= 4480 samples

also, using sampleslide to assist the nudge function....for UAD-1 plugins, the Sampleslide presets were as follows:

1 Plugin 1536 (slide 4 x 100ms in Editor)
1 Pultec 1523 (slide 4 x 100ms in Editor)
2 Plugins 3072 (slide 8 x 100ms in Editor)
2 Pultecs 3046 (slide 8 x 100ms in Editor)
1 Plugin 1 Pultec 3059 (slide 8 x 100ms in Editor)
2 Plugins 1 Pultec 4595 (slide 12 x 100ms in Editor)
2 Pultecs 1 Plugin 4582 (slide 12 x 100ms in Editor)
3 Plugins 4608 (slide 12 x 100ms in Editor)
3 Pultecs 4569 (slide 12 x 100ms in Editor)

I think I put this together back when UAD-1 latency was twice what it is now.

Well anyway....FWIW

;o)

Subject: Re: WIKI: LATENCY DATABASE OPEN FOR REFERENCE and CONTRIBUTIONS

Posted by [kerryg](#) on Fri, 25 Apr 2008 08:17:49 GMT

[View Forum Message](#) <> [Reply to Message](#)

You rock! That's perfect, posted it before my gig tonight.

<http://www.kerrygalloway.com/WikiPARIS/wikka.php?wakka=Nativ eLatencyDatabase>

Hooly dooly, those are some big-ass latency numbers.

Over a second latency? What did the UAD have to do - contact UA's head office to get permission to pass each individual sample?

- Kerry

On 4/24/08 6:46 PM, in article 481137fa\$1@linux, "Deej" <noway@jose.us> wrote:

>
> Kerry Galloway <kg@kerrygalloway.com> wrote:
>> <http://www.kerrygalloway.com/WikiPARIS/wikka.php?wakka=Nativ eLatencyDatabase>
>>
>> There's a decent start there, composed of efforts of Dimitrios' I've found,
>> plus the official WAVES latency specs.
>>
>> The term "database" is actually technically incorrect at the moment; it's
>> currently just a text list. The name reflects my intention to build it into
>> an actual user-contributable, searchable database - just as soon as I
>> decide/figure out how to do that.
>>
>> For now, if you want to add a plugin that's not on the list - assuming you
>> are logged in to the Wiki, just doubleclick on the page to open the editor
>> and add the plugin to the bottom of the page as text, using something along
>> the lines of the following format - PLUGIN NAME / [TAB] / LATENCY IN
>> SAMPLES; just bring info and I'll take care of tidying it if needed.
>>
>> Please contribute more as you find them!
>>
>>
>> - Kerry
>
>
> Here's some info I dragged out of my archives regarding Paris nudge values.
> I don't know if it will help, bu6t it might if the programmer needs info
> on how Paris "sees" things.....
>
> The nudge values are not consistent with what one would expect the samples

> to be per ms and they are also not consistent with themselves. Meaning that
> a 1ms nudge would be expected to be 44 samples but is actually 80. A 10ms
> nudge isn't 10 X 80 or 800 samples though, it's actually 480.

>
> Here they are if anyone is interested:

>
> 1ms= 80 samples
> 5ms= 240 samples
> 10ms= 480 samples
> 25ms= 1120 samples
> 50ms= 2240 samples
> 75ms= 3360 samples
> 100ms= 4480 samples

>
>
> also, using sampleslide to assist the nudge function....for UAD-1 plugins,
> the Sampleslide presets were as follows:

>
> 1 Plugin 1536 (slide 4 x 100ms in Editor)
> 1 Pultec 1523 (slide 4 x 100ms in Editor)
> 2 Plugins 3072 (slide 8 x 100ms in Editor)
> 2 Pultecs 3046 (slide 8 x 100ms in Editor)
> 1 Plugin 1 Pultec 3059 (slide 8 x 100ms in Editor)
> 2 Plugins 1 Pultec 4595 (slide 12 x 100ms in Editor)
> 2 Pultecs 1 Plugin 4582 (slide 12 x 100ms in Editor)
> 3 Plugins 4608 (slide 12 x 100ms in Editor)
> 3 Pultecs 4569 (slide 12 x 100ms in Editor)

>
> I think I put this together back when UAD-1 latency was twice what it is
> now.

>
> Well anyway....FWIW

>
> ;o)
>

Subject: Re: WIKI: LATENCY DATABASE OPEN FOR REFERENCE and CONTRIBUTIONS

Posted by [no](#) on Fri, 25 Apr 2008 16:57:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

Kerry Galloway <kg@kerrygalloway.com> wrote:

>
>Hooly dooly, those are some big-ass latency numbers.

No Sh*t!

I always wondered why so many were having issues with latency

and the automation editor.

Now I know!

I thought some of you guys were trying to automate the attack portion of every hit of a snare track or something..

>
>Over a second latency? What did the UAD have to do - contact UA's head
>office to get permission to pass each individual sample?
>
>- Kerry
>
>
>On 4/24/08 6:46 PM, in article 481137fa\$1@linux, "Deej" <noway@jose.us>
>wrote:
>
>>
>> Kerry Galloway <kg@kerrygalloway.com> wrote:
>>> <http://www.kerrygalloway.com/WikiPARIS/wikka.php?wakka=NativeLatencyDatabase>
>>>
>>> There's a decent start there, composed of efforts of Dimitrios' I've
found,
>>> plus the official WAVES latency specs.
>>>
>>> The term "database" is actually technically incorrect at the moment;
it's
>>> currently just a text list. The name reflects my intention to build it
into
>>> an actual user-contributable, searchable database - just as soon as I
>>> decide/figure out how to do that.
>>>
>>> For now, if you want to add a plugin that's not on the list - assuming
you
>>> are logged in to the Wiki, just doubleclick on the page to open the editor
>>> and add the plugin to the bottom of the page as text, using something
along
>>> the lines of the following format - PLUGIN NAME / [TAB] / LATENCY IN
>>> SAMPLES; just bring info and I'll take care of tidying it if needed.
>>>
>>> Please contribute more as you find them!
>>>
>>>
>>> - Kerry
>>
>>
>> Here's some info I dragged out of my archives regarding Paris nudge values.
>> I don't know if it will help, but it might if the programmer needs info
>> on how Paris "sees" things.....

>>
>> The nudge values are not consistent with what one would expect the samples
>> to be per ms and they are also not consistent with themselves. Meaning
that
>> a 1ms nudge would be expected to be 44 samples but is actually 80. A 10ms
>> nudge isn't 10 X 80 or 800 samples though, it's actually 480.
>>
>> Here they are if anyone is interested:
>>
>> 1ms= 80 samples
>> 5ms= 240 samples
>> 10ms= 480 samples
>> 25ms= 1120 samples
>> 50ms= 2240 samples
>> 75ms= 3360 samples
>> 100ms= 4480 samples
>>
>>
>> also, using sampleslide to assist the nudge function....for UAD-1 plugins,
>> the Sampleslide presets were as follows:
>>
>> 1 Plugin 1536 (slide 4 x 100ms in Editor)
>> 1 Pultec 1523 (slide 4 x 100ms in Editor)
>> 2 Plugins 3072 (slide 8 x 100ms in Editor)
>> 2 Pultecs 3046 (slide 8 x 100ms in Editor)
>> 1 Plugin 1 Pultec 3059 (slide 8 x 100ms in Editor)
>> 2 Plugins 1 Pultec 4595 (slide 12 x 100ms in Editor)
>> 2 Pultecs 1 Plugin 4582 (slide 12 x 100ms in Editor)
>> 3 Plugins 4608 (slide 12 x 100ms in Editor)
>> 3 Pultecs 4569 (slide 12 x 100ms in Editor)
>>
>> I think I put this together back when UAD-1 latency was twice what it
is
>> now.
>>
>> Well anyway....FWIW
>>
>> ;o)
>>
>

Subject: Re: WIKI: LATENCY DATABASE OPEN FOR REFERENCE and CONTRIBUTIONS

Posted by [Aaron Allen](#) on Fri, 25 Apr 2008 23:49:35 GMT

[View Forum Message](#) <> [Reply to Message](#)

This is why I pulled my UAD card out and put it back in the static bag/box.

The latency was just an automation killer, even though I loved the sound of it. If we can truly see PDC for Paris, it's probably time to pull it back out for duty again.

AA

"Kim W." <no@no.no> wrote in message news:48120d81\$1@linux...

>
> Kerry Galloway <kg@kerrygalloway.com> wrote:
>>
>>Hooly dooly, those are some big-ass latency numbers.
>
> No Sh*t!
> I always wondered why so many were having issues with latency
> and the automation editor.
> Now I know!
> I thought some of you guys were trying to automate the
> attack portion of every hit of a snare track or something..
>
>
>>
>>Over a second latency? What did the UAD have to do - contact UA's head
>>office to get permission to pass each individual sample?
>>
>>- Kerry
>>
>>
>>On 4/24/08 6:46 PM, in article 481137fa\$1@linux, "Deej" <noway@jose.us>
>>wrote:
>>
>>>
>>> Kerry Galloway <kg@kerrygalloway.com> wrote:
>>>> <http://www.kerrygalloway.com/WikiPARIS/wikka.php?wakka=NativeLatencyDatabase>
>>>>
>>>> There's a decent start there, composed of efforts of Dimitrios' I've
> found,
>>>> plus the official WAVES latency specs.
>>>>
>>>> The term "database" is actually technically incorrect at the moment;
> it's
>>>> currently just a text list. The name reflects my intention to build it
> into
>>>> an actual user-contributable, searchable database - just as soon as I
>>>> decide/figure out how to do that.
>>>>
>>>> For now, if you want to add a plugin that's not on the list - assuming
> you
>>>> are logged in to the Wiki, just doubleclick on the page to open the

>>>> editor
>>>> and add the plugin to the bottom of the page as text, using something
> along
>>>> the lines of the following format - PLUGIN NAME / [TAB] / LATENCY IN
>>>> SAMPLES; just bring info and I'll take care of tidying it if needed.
>>>>
>>>> Please contribute more as you find them!
>>>>
>>>>
>>>> - Kerry
>>>
>>>
>>> Here's some info I dragged out of my archives regarding Paris nudge
>>> values.
>>> I don't know if it will help, but it might if the programmer needs info
>>> on how Paris "sees" things.....
>>>
>>> The nudge values are not consistent with what one would expect the
>>> samples
>>> to be per ms and they are also not consistent with themselves. Meaning
> that
>>> a 1ms nudge would be expected to be 44 samples but is actually 80. A
>>> 10ms
>>> nudge isn't 10 X 80 or 800 samples though, it's actually 480.
>>>
>>> Here they are if anyone is interested:
>>>
>>> 1ms= 80 samples
>>> 5ms= 240 samples
>>> 10ms= 480 samples
>>> 25ms= 1120 samples
>>> 50ms= 2240 samples
>>> 75ms= 3360 samples
>>> 100ms= 4480 samples
>>>
>>>
>>> also, using sampleslide to assist the nudge function....for UAD-1
>>> plugins,
>>> the Sampleslide presets were as follows:
>>>
>>> 1 Plugin 1536 (slide 4 x 100ms in Editor)
>>> 1 Pultec 1523 (slide 4 x 100ms in Editor)
>>> 2 Plugins 3072 (slide 8 x 100ms in Editor)
>>> 2 Pultecs 3046 (slide 8 x 100ms in Editor)
>>> 1 Plugin 1 Pultec 3059 (slide 8 x 100ms in Editor)
>>> 2 Plugins 1 Pultec 4595 (slide 12 x 100ms in Editor)
>>> 2 Pultecs 1 Plugin 4582 (slide 12 x 100ms in Editor)
>>> 3 Plugins 4608 (slide 12 x 100ms in Editor)

>>> 3 Pultecs 4569 (slide 12 x 100ms in Editor)
>>>
>>> I think I put this together back when UAD-1 latency was twice what it
> is
>>> now.
>>>
>>> Well anyway....FWIW
>>>
>>> ;o)
>>>
>>
>

Subject: Re: WIKI: LATENCY DATABASE OPEN FOR REFERENCE and CONTRIBUTIONS

Posted by [kerryg](#) on Sat, 26 Apr 2008 00:16:47 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hmmm... That would be insanely cool.

Problem is - I don't think it's going to give *true* PDC, for this reason: VST plugs can only play a sample as the Now Line crawls over it; they have no idea what the next sample's going to be.

So if I understand it correctly FaderWorks is more like a sophisticated series of automatically calculated delays - everything's still going to audibly shift to the right in relation to waveforms and previously-laid-in automation every time you put a plugin on it.

You'll watch the waveform go by and then hear the kick it crawled over a second later - it's just going to automate the process of calculating that and keeping sample-accurate relationship to the other tracks. This in itself is a Very Good Thing - but all it's going to do is move everything later in time against the automation grid *together* in an *automated* and *organized* way.

I would be *so* delighted to hear I'm wrong on this. But my mind would be boggled to hear that Vertex figured out a way to give the VST slots a peek at audio far enough in advance of its arrival so that they could pass on, say, a one-second-delayed compressed kick at the time the Now Line hit it.

- k

On 4/25/08 4:49 PM, in article 481270c8@linux, "Aaron Allen" <know-spam@not_here.dude> wrote:

> This is why I pulled my UAD card out and put it back in the static bag/box.

> The latency was just an automation killer, even though I loved the sound of
> it. If we can truly see PDC for Paris, it's probably time to pull it back
> out for duty again.
>
> AA
>
> "Kim W." <no@no.no> wrote in message news:48120d81\$1@linux...
>>
>> Kerry Galloway <kg@kerrygalloway.com> wrote:
>>>
>>> Hooly dooly, those are some big-ass latency numbers.
>>
>> No Sh*t!
>> I always wondered why so many were having issues with latency
>> and the automation editor.
>> Now I know!
>> I thought some of you guys were trying to automate the
>> attack portion of every hit of a snare track or something..
>>
>>
>>>
>>> Over a second latency? What did the UAD have to do - contact UA's head
>>> office to get permission to pass each individual sample?
>>>
>>> - Kerry
>>>
>>>
>>> On 4/24/08 6:46 PM, in article 481137fa\$1@linux, "Deej" <noway@jose.us>
>>> wrote:
>>>
>>>>
>>>> Kerry Galloway <kg@kerrygalloway.com> wrote:
>>>>> <http://www.kerrygalloway.com/WikiPARIS/wikka.php?wakka=NativeLatencyDatabase>
>>>>> se
>>>>>
>>>>> There's a decent start there, composed of efforts of Dimitrios' I've
>> found,
>>>>> plus the official WAVES latency specs.
>>>>>
>>>>> The term "database" is actually technically incorrect at the moment;
>> it's
>>>>> currently just a text list. The name reflects my intention to build it
>> into
>>>>> an actual user-contributable, searchable database - just as soon as I
>>>>> decide/figure out how to do that.
>>>>>
>>>>> For now, if you want to add a plugin that's not on the list - assuming
>> you

>>>> are logged in to the Wiki, just doubleclick on the page to open the
>>>> editor
>>>> and add the plugin to the bottom of the page as text, using something
>> along
>>>> the lines of the following format - PLUGIN NAME / [TAB] / LATENCY IN
>>>> SAMPLES; just bring info and I'll take care of tidying it if needed.
>>>>
>>>> Please contribute more as you find them!
>>>>
>>>>
>>>> - Kerry
>>>>
>>>>
>>>> Here's some info I dragged out of my archives regarding Paris nudge
>>>> values.
>>>> I don't know if it will help, but it might if the programmer needs info
>>>> on how Paris "sees" things.....
>>>>
>>>> The nudge values are not consistent with what one would expect the
>>>> samples
>>>> to be per ms and they are also not consistent with themselves. Meaning
>> that
>>>> a 1ms nudge would be expected to be 44 samples but is actually 80. A
>>>> 10ms
>>>> nudge isn't 10 X 80 or 800 samples though, it's actually 480.
>>>>
>>>> Here they are if anyone is interested:
>>>>
>>>> 1ms= 80 samples
>>>> 5ms= 240 samples
>>>> 10ms= 480 samples
>>>> 25ms= 1120 samples
>>>> 50ms= 2240 samples
>>>> 75ms= 3360 samples
>>>> 100ms= 4480 samples
>>>>
>>>>
>>>> also, using sampleslide to assist the nudge function....for UAD-1
>>>> plugins,
>>>> the Sampleslide presets were as follows:
>>>>
>>>> 1 Plugin 1536 (slide 4 x 100ms in Editor)
>>>> 1 Pultec 1523 (slide 4 x 100ms in Editor)
>>>> 2 Plugins 3072 (slide 8 x 100ms in Editor)
>>>> 2 Pultecs 3046 (slide 8 x 100ms in Editor)
>>>> 1 Plugin 1 Pultec 3059 (slide 8 x 100ms in Editor)
>>>> 2 Plugins 1 Pultec 4595 (slide 12 x 100ms in Editor)
>>>> 2 Pultecs 1 Plugin 4582 (slide 12 x 100ms in Editor)

>>>> 3 Plugins 4608 (slide 12 x 100ms in Editor)
>>>> 3 Pultecs 4569 (slide 12 x 100ms in Editor)
>>>>
>>>> I think I put this together back when UAD-1 latency was twice what it
>> is
>>>> now.
>>>>
>>>> Well anyway....FWIW
>>>>
>>>> ;o)
>>>>
>>>
>>
>
>

Subject: Re: WIKI: LATENCY DATABASE OPEN FOR REFERENCE and CONTRIBUTIONS

Posted by [Aaron Allen](#) on Sat, 26 Apr 2008 03:42:02 GMT

[View Forum Message](#) <> [Reply to Message](#)

Yeah, I shoulda been clearer on this. I think your take is right, that it's not *real* PDC.. however, if I stuff the UAD in another machine and ADAT pipe it, this psuedo delay comp would be pretty good at keeping it all automated and pretty close to the now line, as long as I input the right info.

My whole thing was having to be a mathematician just to keep up with the damn thing, totally blowing out my listening vibe and turning into the black hole of fun - which ain't productive. Now, it just might be :)

AA

"Kerry Galloway" <kg@kerrygalloway.com> wrote in message news:C437C27F.AC98%kg@kerrygalloway.com...

> Hmmmm... That would be insanely cool.

>

> Problem is - I don't think it's going to give *true* PDC, for this reason:

> VST plugs can only play a sample as the Now Line crawls over it; they have
> no idea what the next sample's going to be.

>

> So if I understand it correctly FaderWorks is more like a sophisticated
> series of automatically calculated delays - everything's still going to
> audibly shift to the right in relation to waveforms and previously-laid-in
> automation every time you put a plugin on it.

>

> You'll watch the waveform go by and then hear the kick it crawled over a
> second later - it's just going to automate the process of calculating that
> and keeping sample-accurate relationship to the other tracks. This in
> itself
> is a Very Good Thing - but all it's going to do is move everything later
> in
> time against the automation grid *together* in an *automated* and
> *organized* way.
>
> I would be *so* delighted to hear I'm wrong on this. But my mind would be
> boggled to hear that Vertex figured out a way to give the VST slots a peek
> at audio far enough in advance of its arrival so that they could pass on,
> say, a one-second-delayed compressed kick at the time the Now Line hit it.
>
> - k
>
> On 4/25/08 4:49 PM, in article 481270c8@linux, "Aaron Allen"
> <know-spam@not_here.dude> wrote:
>
>> This is why I pulled my UAD card out and put it back in the static
>> bag/box.
>> The latency was just an automation killer, even though I loved the sound
>> of
>> it. If we can truly see PDC for Paris, it's probably time to pull it back
>> out for duty again.
>>
>> AA
>>
>> "Kim W." <no@no.no> wrote in message news:48120d81\$1@linux...
>>>
>>> Kerry Galloway <kg@kerrygalloway.com> wrote:
>>>>
>>>> Hooly dooly, those are some big-ass latency numbers.
>>>>
>>>> No Sh*t!
>>>> I always wondered why so many were having issues with latency
>>>> and the automation editor.
>>>> Now I know!
>>>> I thought some of you guys were trying to automate the
>>>> attack portion of every hit of a snare track or something..
>>>>
>>>>
>>>>> Over a second latency? What did the UAD have to do - contact UA's head
>>>>> office to get permission to pass each individual sample?
>>>>>
>>>>> - Kerry
>>>>>

>>>>
>>>> On 4/24/08 6:46 PM, in article 481137fa\$1@linux, "Deej" <noway@jose.us>
>>>> wrote:
>>>>
>>>>>
>>>>> Kerry Galloway <kg@kerrygalloway.com> wrote:
>>>>>> <http://www.kerrygalloway.com/WikiPARIS/wikka.php?wakka=NativeLatencyDatabase>
>>>>>> se
>>>>>>
>>>>>> There's a decent start there, composed of efforts of Dimitrios' I've
>>> found,
>>>>>> plus the official WAVES latency specs.
>>>>>>
>>>>>> The term "database" is actually technically incorrect at the moment;
>>> it's
>>>>>> currently just a text list. The name reflects my intention to build
>>>>>> it
>>> into
>>>>>> an actual user-contributable, searchable database - just as soon as I
>>>>>> decide/figure out how to do that.
>>>>>>
>>>>>> For now, if you want to add a plugin that's not on the list -
>>>>>> assuming
>>> you
>>>>>> are logged in to the Wiki, just doubleclick on the page to open the
>>>>>> editor
>>>>>> and add the plugin to the bottom of the page as text, using something
>>> along
>>>>>> the lines of the following format - PLUGIN NAME / [TAB] / LATENCY IN
>>>>>> SAMPLES; just bring info and I'll take care of tidying it if needed.
>>>>>>
>>>>>> Please contribute more as you find them!
>>>>>>
>>>>>>
>>>>>> - Kerry
>>>>>>
>>>>>>
>>>>>> Here's some info I dragged out of my archives regarding Paris nudge
>>>>>> values.
>>>>>> I don't know if it will help, but it might if the programmer needs
>>>>>> info
>>>>>> on how Paris "sees" things.....
>>>>>>
>>>>>> The nudge values are not consistent with what one would expect the
>>>>>> samples
>>>>>> to be per ms and they are also not consistent with themselves. Meaning
>>> that
>>>>>> a 1ms nudge would be expected to be 44 samples but is actually 80. A

>>>> 10ms
>>>> nudge isn't 10 X 80 or 800 samples though, it's actually 480.
>>>>
>>>> Here they are if anyone is interested:
>>>>
>>>> 1ms= 80 samples
>>>> 5ms= 240 samples
>>>> 10ms= 480 samples
>>>> 25ms= 1120 samples
>>>> 50ms= 2240 samples
>>>> 75ms= 3360 samples
>>>> 100ms= 4480 samples
>>>>
>>>>
>>>> also, using sampleslide to assist the nudge function....for UAD-1
>>>> plugins,
>>>> the Sampleslide presets were as follows:
>>>>
>>>> 1 Plugin 1536 (slide 4 x 100ms in Editor)
>>>> 1 Pultec 1523 (slide 4 x 100ms in Editor)
>>>> 2 Plugins 3072 (slide 8 x 100ms in Editor)
>>>> 2 Pultecs 3046 (slide 8 x 100ms in Editor)
>>>> 1 Plugin 1 Pultec 3059 (slide 8 x 100ms in Editor)
>>>> 2 Plugins 1 Pultec 4595 (slide 12 x 100ms in Editor)
>>>> 2 Pultecs 1 Plugin 4582 (slide 12 x 100ms in Editor)
>>>> 3 Plugins 4608 (slide 12 x 100ms in Editor)
>>>> 3 Pultecs 4569 (slide 12 x 100ms in Editor)
>>>>
>>>> I think I put this together back when UAD-1 latency was twice what it
>>> is
>>>> now.
>>>>
>>>> Well anyway....FWIW
>>>>
>>>> ;o)
>>>>
>>>>
>>>
>>
>>
>>
>

Subject: Re: LATENCY DATABASE OPEN FOR REFERENCE and CONTRIBUTIONS

Posted by [Miguel Vigil \[1\]](#) on Mon, 05 May 2008 13:42:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

Nice layout Kerry and very considerate of you.

muchisimas gracias,

El Miguel

"Kerry Galloway" <kg@kerrygalloway.com> wrote in message
news:C4365751.AC45%kg@kerrygalloway.com...

> <http://www.kerrygalloway.com/WikiPARIS/wikka.php?wakka=NativeLatencyDatabase>

>

> There's a decent start there, composed of efforts of Dimitrios' I've
> found,

> plus the official WAVES latency specs.

>

> The term "database" is actually technically incorrect at the moment; it's
> currently just a text list. The name reflects my intention to build it

> into

> an actual user-contributable, searchable database - just as soon as I
> decide/figure out how to do that.

>

> For now, if you want to add a plugin that's not on the list - assuming you
> are logged in to the Wiki, just doubleclick on the page to open the editor
> and add the plugin to the bottom of the page as text, using something
> along

> the lines of the following format - PLUGIN NAME / [TAB] / LATENCY IN
> SAMPLES; just bring info and I'll take care of tidying it if needed.

>

> Please contribute more as you find them!

>

>

> - Kerry

>

Subject: Re: LATENCY DATABASE OPEN FOR REFERENCE and
CONTRIBUTIONS

Posted by [kerryg](#) on Mon, 05 May 2008 20:27:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

A pleasure, sir - thanks for your kind words!

The Wiki is a start, but what I've done so far largely amounts to
reshuffling previously-existing data into easier-to-search formats. Same
sh*t, different font kinda deal. But while it isn't entirely without value
in itself, I see it simply as essential groundwork that needs to be laid to

support more ambitious and important advances.

- Kerry

On 5/5/08 6:42 AM, in article 481f1170@linux, "Miguel Vigil"
<nospam@nospam.com> wrote:

> Nice layout Kerry and very considerate of you.
>
> muchisimas gracias,
>
> El Miguel
>
>
>
>
> "Kerry Galloway" <kg@kerrygalloway.com> wrote in message
> news:C4365751.AC45%kg@kerrygalloway.com...
>> <http://www.kerrygalloway.com/WikiPARIS/wikka.php?wakka=NativeLatencyDatabase>
>>
>> There's a decent start there, composed of efforts of Dimitrios' I've
>> found,
>> plus the official WAVES latency specs.
>>
>> The term "database" is actually technically incorrect at the moment; it's
>> currently just a text list. The name reflects my intention to build it
>> into
>> an actual user-contributable, searchable database - just as soon as I
>> decide/figure out how to do that.
>>
>> For now, if you want to add a plugin that's not on the list - assuming you
>> are logged in to the Wiki, just doubleclick on the page to open the editor
>> and add the plugin to the bottom of the page as text, using something
>> along
>> the lines of the following format - PLUGIN NAME / [TAB] / LATENCY IN
>> SAMPLES; just bring info and I'll take care of tidying it if needed.
>>
>> Please contribute more as you find them!
>>
>>
>> - Kerry
>>
>
>

Subject: Re: LATENCY DATABASE OPEN FOR REFERENCE and

CONTRIBUTIONS

Posted by [damien.gelee](#) on Tue, 20 May 2008 18:47:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dont know if it can help, but this free stuff analyse every VST plug on your PC. Latency is also displayed. Sometime it crashes, but it's usable anyway, and information are correct for those i could verify.

Vincent Burel is not a known as a beginner by any means.

http://pagesperso-orange.fr/vb-audio/us/resources/vst_scanner_r/vst_scanner.htm

Damien.

C444BBB1.AE56%kg@kerrygalloway.com...

>A pleasure, sir - thanks for your kind words!

>

> The Wiki is a start, but what I've done so far largely amounts to
> reshuffling previously-existing data into easier-to-search formats. Same
> sh*t, different font kinda deal. But while it isn't entirely without value
> in itself, I see it simply as essential groundwork that needs to be laid
> to

> support more ambitious and important advances.

>

> - Kerry

>

> On 5/5/08 6:42 AM, in article 481f1170@linux, "Miguel Vigil"

> <nospam@nospam.com> wrote:

>

>> Nice layout Kerry and very considerate of you.

>>

>> muchisimas gracias,

>>

>> El Miguel

>>

>>

>>

>>

>> "Kerry Galloway" <kg@kerrygalloway.com> wrote in message

>> news:C4365751.AC45%kg@kerrygalloway.com...

>>> <http://www.kerrygalloway.com/WikiPARIS/wikka.php?wakka=NativeLatencyDatabase>

>>>

>>> There's a decent start there, composed of efforts of Dimitrios' I've

>>> found,

>>> plus the official WAVES latency specs.

>>>

>>> The term "database" is actually technically incorrect at the moment;

>>> it's
>>> currently just a text list. The name reflects my intention to build it
>>> into
>>> an actual user-contributable, searchable database - just as soon as I
>>> decide/figure out how to do that.
>>>
>>> For now, if you want to add a plugin that's not on the list - assuming
>>> you
>>> are logged in to the Wiki, just doubleclick on the page to open the
>>> editor
>>> and add the plugin to the bottom of the page as text, using something
>>> along
>>> the lines of the following format - PLUGIN NAME / [TAB] / LATENCY IN
>>> SAMPLES; just bring info and I'll take care of tidying it if needed.
>>>
>>> Please contribute more as you find them!
>>>
>>>
>>> - Kerry
>>>
>>
>>
>
>

Subject: Re: LATENCY DATABASE OPEN FOR REFERENCE and CONTRIBUTIONS

Posted by [kerryg](#) on Tue, 20 May 2008 22:11:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

Heya Damien - thanks for the tip. I'm not on PC myself yet, but once I am this will be a useful resource. Thanks!

- Kerry

On 5/20/08 11:47 AM, in article 48331f15@linux, "Damien Gelee" <damien.gelee@club-internet.fr> wrote:

> Dont know if it can help, but this free stuff analyse every VST plug on your
> PC. Latency is also displayed. Sometime it crashes, but it's usable anyway,
> and information are correct for those i could verify.
> Vincent Burel is not a known as a beginner by any means.
> http://pagesperso-orange.fr/vb-audio/us/resources/vst_scanner/vst_scanner.htm
>
> Damien.
>
>

>
>
> C444BBB1.AE56%kg@kerrygalloway.com...
>> A pleasure, sir - thanks for your kind words!
>>
>> The Wiki is a start, but what I've done so far largely amounts to
>> reshuffling previously-existing data into easier-to-search formats. Same
>> sh*t, different font kinda deal. But while it isn't entirely without value
>> in itself, I see it simply as essential groundwork that needs to be laid
>> to
>> support more ambitious and important advances.
>>
>> - Kerry
>>
>> On 5/5/08 6:42 AM, in article 481f1170@linux, "Miguel Vigil"
>> <nospam@nospam.com> wrote:
>>
>>> Nice layout Kerry and very considerate of you.
>>>
>>> muchisimas gracias,
>>>
>>> El Miguel
>>>
>>>
>>>
>>>
>>> "Kerry Galloway" <kg@kerrygalloway.com> wrote in message
>>> news:C4365751.AC45%kg@kerrygalloway.com...
>>>>
>>>> <http://www.kerrygalloway.com/WikiPARIS/wikka.php?wakka=NativeLatencyDatabas>>>>>
>>>> e
>>>>
>>>> There's a decent start there, composed of efforts of Dimitrios' I've
>>>> found,
>>>> plus the official WAVES latency specs.
>>>>
>>>> The term "database" is actually technically incorrect at the moment;
>>>> it's
>>>> currently just a text list. The name reflects my intention to build it
>>>> into
>>>> an actual user-contributable, searchable database - just as soon as I
>>>> decide/figure out how to do that.
>>>>
>>>> For now, if you want to add a plugin that's not on the list - assuming
>>>> you
>>>> are logged in to the Wiki, just doubleclick on the page to open the
>>>> editor

>>>> and add the plugin to the bottom of the page as text, using something
>>>> along
>>>> the lines of the following format - PLUGIN NAME / [TAB] / LATENCY IN
>>>> SAMPLES; just bring info and I'll take care of tidying it if needed.
>>>>
>>>> Please contribute more as you find them!
>>>>
>>>>
>>>> - Kerry
>>>>
>>>
>>>
>>
>>
>
>
