

---

Subject: Re: How do I defrag a mac HD?

Posted by [Gantt Kushner](#) on Sat, 03 Feb 2007 16:16:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I've been using Disk Warrior to defrag my drives.

Gantt

"Mike R." <emarenot@yahoo.com> wrote:

>

>

>I'm running OSX 10.4 on a G4. The access time on the HD seems alittle slow.

>Can you defrag drives on a mac? If so, how?

>Thanks!

>MR

>

>

><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

><HTML><HEAD>

><META http-equiv=3DContent-Type content=3D"text/html; =

>charset=3Diso-8859-1">

><META content=3D"MSHTML 6.00.2800.1555" name=3DGENERATOR>

><STYLE></STYLE>

></HEAD>

><BODY bgColor=3D#ffffff>

>access time=20

>how?</FONT></DIV>

><DIV><FONT face=3DArial size=3D2>Thanks!</FONT></DIV>

><DIV><FONT face=3DArial size=3D2>MR</FONT></DIV></BODY></HTML>

>

>

---

---

Subject: How do I defrag a mac HD?

Posted by [emarenot](#) on Sat, 03 Feb 2007 17:17:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

This is a multi-part message in MIME format.

-----=\_NextPart\_000\_000D\_01C74774.1773EC40

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: 7bit

I'm running OSX 10.4 on a G4. The access time on the HD seems alittle slow.

Can you defrag drives on a mac? If so, how?  
Thanks!  
MR

-----=\_NextPart\_000\_000D\_01C74774.1773EC40

Content-Type: text/html;  
 charset="iso-8859-1"  
Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1555" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>I'm running OSX 10.4 on a G4.&nbsp; The =
access time=20
on the HD seems alittle slow.&nbsp; Can you defrag drives on a =
mac?&nbsp; If so,=20
how?</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Thanks!</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>MR</FONT></DIV></BODY></HTML>
```

-----=\_NextPart\_000\_000D\_01C74774.1773EC40--

---

Subject: Re: How do I defrag a mac HD?  
Posted by [Robby Berman](#) on Sun, 04 Feb 2007 06:32:54 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

DiskWarrior, great though it is, does not defrag a drive. It only rebuilds and defrags its directory. Though many, including Apple. claim that OS X drives don't need defragging, they do, as I recently learned, in fact, from DiskWarrior 4. It said it didn't have enough space to do a fail-safe directory replacement even though I had 40 GB free on my drive. I called Alsoft, and they told me to defrag. I bought the \$30 iDefrag, which worked for me, though it took about 16 hours to clean up my 150 GB boot drive. Given the inherently risky nature of defragging, please don't take my positive experience for a guarantee that iBackup will work for you. Mine is just one positive report. Of course, the safest way to defrag is to clone and then restore your drive if you have a second drive of the same size.

>I've been using Disk Warrior to defrag my drives.

---

Subject: Re: How do I defrag a mac HD?

Posted by [Gantt Kushner](#) on Sun, 04 Feb 2007 17:07:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hmmm. I must be using Tech Tool to defrag. You can see how often I do it. I don't know if OS X benefits from defragging, but my OS 9 volumes definitely do. Paris, and the Waves plugins in particular, loads much faster after defragging.

Gantt

"Robby Berman" <[robbyberman@mac.com](mailto:robbyberman@mac.com)> wrote:

>  
>DiskWarrior, great though it is, does not defrag a drive. It only rebuilds  
>and defrags its directory.  
>Though many, including Apple, claim that OS X drives don't need defragging,  
>they do, as I recently learned, in fact, from DiskWarrior 4. It said it  
>didn't  
>have enough space to do a fail-safe directory replacement even though I  
>had  
>40 GB free on my drive. I called Alsoft, and they told me to defrag.  
>I bought the \$30 iDefrag, which worked for me, though it took about 16 hours  
>to clean up my 150 GB boot drive.  
>Given the inherently risky nature of defragging, please don't take my positive  
>experience for a guarantee that iBackup will work for you. Mine is just  
>one  
>positive report. Of course, the safest way to defrag is to clone and then  
>restore your drive if you have a second drive of the same size.  
>  
>>I've been using Disk Warrior to defrag my drives.  
>

---

Subject: Re: How do I defrag a mac HD?

Posted by [dc\[3\]](#) on Mon, 05 Feb 2007 04:33:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Norton Utilities

DC

---

Subject: Re: How do I defrag a mac HD?

Posted by [Deej \[4\]](#) on Tue, 06 Feb 2007 00:26:23 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

This is a multi-part message in MIME format.

-----=\_NextPart\_000\_00BF\_01C7494A.C2450820

Content-Type: text/plain;  
charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

A blowtorch will insure that no fragments will stray from the HD.

"Mike R." <emarenot@yahoo.com> wrote in message news:45c49951@linux...

I'm running OSX 10.4 on a G4. The access time on the HD seems alittle =  
slow. Can you defrag drives on a mac? If so, how?

Thanks!

MR

-----=\_NextPart\_000\_00BF\_01C7494A.C2450820

Content-Type: text/html;  
charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
```

```
<HTML><HEAD>
```

```
<META http-equiv=3DContent-Type content=3D"text/html; =  
charset=3Diso-8859-1">
```

```
<META content=3D"MSHTML 6.00.5730.11" name=3DGENERATOR>
```

```
<STYLE></STYLE>
```

```
</HEAD>
```

```
<BODY bgColor=3D#ffffff>
```

```
<DIV><FONT face=3DArial size=3D2>A blowtorch will insure that no =  
fragments will=20
```

```
stray from the HD.</FONT></DIV>
```

```
<DIV>&nbsp;</DIV>
```

```
<DIV>"Mike R." &lt;<A=20
```

```
href=3D"mailto:emarenot@yahoo.com">emarenot@yahoo.com</A>&gt; wrote in =  
message <A=20
```

```
href=3D"news:45c49951@linux">news:45c49951@linux</A>...</DIV>
```

```
<BLOCKQUOTE dir=3Dltr=20
```

```
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =  
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
```

```
<DIV><FONT face=3DArial size=3D2>I'm running OSX 10.4.&nbsp; =
```

```
The access=20  
time on the HD seems alittle slow.&nbsp; Can you defrag drives on a =
```

```
mac?&nbsp; =20  
If so, how?</FONT></DIV>
```

```
<DIV><FONT face=3DArial size=3D2>Thanks!</FONT></DIV>
```

```
<DIV><FONT face=3DArial =
```

```
size=3D2>MR</FONT></DIV></BLOCKQUOTE></BODY></HTML>
```

-----=\_NextPart\_000\_00BF\_01C7494A.C2450820--

---

---

Subject: Re: How do I defrag a mac HD?  
Posted by [dc\[3\]](#) on Tue, 06 Feb 2007 01:40:24 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

"DJ" <[www.aarrrrggghh!!!.com](mailto:www.aarrrrggghh!!!.com)> wrote:  
>  
>  
>A blowtorch will insure that no fragments will stray from the HD.

Nah, ballpeen hammer. The fragments are the fun part.

DC

---