Subject: Something ADATs are still good for Posted by Deej [4] on Mon, 16 Apr 2007 17:00:06 GMT

View Forum Message <> Reply to Message

Well ****!!!! Before I sold off my Paris rig, I rendered a bunch of audio files.. These were old demos that Amy and I did back in the mid 90's. They were tracked to 2" 24 track and then archived to ADAT. Later I dumped them into Paris. I want to use some of the tracks for a project I am getting ready to produce here. Apparently the Paris render corrupted the files. They are not batching properly in Wavelab (I posted in another thread about this). They are also having problems when converted with PAVWAV. Something told me that if I sold off my Paris rig, something like this would happen. Luckily I've still got the ADATs and an old XT-20 that I kept around. I'm going to have to recreate some edits that I did subsequent to dumping them into Paris, but that's a piece of cake with Cubase.

Subject: Re: Something ADATs are still good for Posted by brandon[2] on Mon, 16 Apr 2007 17:14:45 GMT View Forum Message <> Reply to Message

This is a multi-part message in MIME format.

-----=_NextPart_000_0038_01C78020.D1C66F20 Content-Type: text/plain; charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

That blows DJ.

I rendered a ton of files as well before switching. So far the ones I have visited have been ok. You got me worried..

--=20

Thanks,

Brandon=20

"DJ" <www.aarrrrggghhh!!!.com> wrote in message = news:4623ac88\$1@linux...

Well ****!!!! Before I sold off my Paris rig, I rendered a bunch of = audio=20

files.. These were old demos that Amy and I did back in the mid 90's. = They=20

were tracked to 2" 24 track and then archived to ADAT. Later I dumped = them=20

into Paris. I want to use some of the tracks for a project I am = getting=20

ready to produce here. Apparently the Paris render corrupted the =

```
files. They=20
 are not batching properly in Wavelab (I posted in another thread about =
 this). They are also having problems when converted with PAVWAV. =
Something=20
 told me that if I sold off my Paris rig, something like this would =
happen.=20
 Luckily I've still got the ADATs and an old XT-20 that I kept around. =
I'm=20
 going to have to recreate some edits that I did subsequent to dumping =
them=20
 into Paris, but that's a piece of cake with Cubase.=20
-----=_NextPart_000_0038_01C78020.D1C66F20
Content-Type: text/html;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16414" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial>That blows DJ.</FONT></DIV>
<DIV><FONT face=3DArial>I rendered a ton of files as well before=20
switching.</FONT></DIV>
<DIV><FONT face=3DArial>So far the ones I have visited have been =
ok.</FONT></DIV>
<DIV><FONT face=3DArial>You got me worried..</FONT></DIV>
<DIV><BR>-- <BR>Thanks,</DIV>
<DIV>&nbsp;</DIV>
<DIV>Brandon </DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"DJ" &lt;<A=20
href=3D"http://www.aarrrrggghhh!!!.com">www.aarrrrggghhh!!!.com</A>&gt; =
wrote in=20
 message <A =
href=3D"news:4623ac88$1@linux">news:4623ac88$1@linux</A>...</DIV>Well=20
 ****!!!! Before I sold off my Paris rig, I rendered a bunch of audio=20
 <BR>files.. These were old demos that Amy and I did back in the mid =
90's. They=20
```


were tracked to 2" 24 track and then archived to ADAT. Later I = dumped them=20

into Paris. I want to use some of the tracks for a project I = am=20

getting
ready to produce here. Apparently the Paris render = corrupted the=20

files. They
are not batching properly in Wavelab (I posted in = another=20

thread about
this). They are also having problems when converted = with=20

PAVWAV. Something
told me that if I sold off my Paris rig, = something=20

like this would happen.
Luckily I've still got the ADATs and an = old XT-20=20

that I kept around. I'm
going to have to recreate some edits that = I did=20

subsequent to dumping them
into Paris, but that's a piece of cake = with=20

Cubase.
</BLOCKQUOTE></BODY></HTML>

----=_NextPart_000_0038_01C78020.D1C66F20--

Subject: Re: Something ADATs are still good for Posted by Tom Bruhl on Mon, 16 Apr 2007 17:32:27 GMT View Forum Message <> Reply to Message

This is the second of the seco

This is a multi-part message in MIME format.

-----=_NextPart_000_00B7_01C7802B.AD1CE6D0 Content-Type: text/plain; charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Brandon,

Deej gets everybody worried.

Tom

"Brandon" <a@a.com> wrote in message news:4623b000@linux...

That blows DJ.

I rendered a ton of files as well before switching.

So far the ones I have visited have been ok.

You got me worried...

--=20

Thanks,

Brandon=20

"DJ" <www.aarrrrggghhh!!!.com> wrote in message = news:4623ac88\$1@linux...

Well ****!!!! Before I sold off my Paris rig, I rendered a bunch of = audio=20

files.. These were old demos that Amy and I did back in the mid = 90's. They=20

were tracked to 2" 24 track and then archived to ADAT. Later I = dumped them=20

into Paris. I want to use some of the tracks for a project I am = getting=20

ready to produce here. Apparently the Paris render corrupted the = files. They=20

are not batching properly in Wavelab (I posted in another thread = about=20

this). They are also having problems when converted with PAVWAV. = Something=20

told me that if I sold off my Paris rig, something like this would = happen.=20

Luckily I've still got the ADATs and an old XT-20 that I kept = around. I'm=20

going to have to recreate some edits that I did subsequent to = dumping them=20

into Paris, but that's a piece of cake with Cubase.=20

I choose Polesoft Lockspam to fight spam, and you? http://www.polesoft.com/refer.html ----= NextPart 000 00B7 01C7802B.AD1CE6D0 Content-Type: text/html; charset="iso-8859-1" Content-Transfer-Encoding: quoted-printable <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN"> <HTML><HEAD> <META http-equiv=3DContent-Type content=3D"text/html; = charset=3Diso-8859-1"> <META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR> <STYLE></STYLE> </HEAD> <BODY bgColor=3D#ffffff> <DIV>Brandon,</DIV> <DIV>Deej gets everybody = worried.</DIV> <DIV>Tom</DIV> <DIV> </DIV>

```
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"Brandon" &lt;<A href=3D"mailto:a@a.com">a@a.com</A>&gt; wrote in =
message=20
 <A href=3D"news:4623b000@linux">news:4623b000@linux</A>...</DIV>
 <DIV><FONT face=3DArial>That blows DJ.</FONT></DIV>
 <DIV><FONT face=3DArial>I rendered a ton of files as well before=20
 switching.</FONT></DIV>
 <DIV><FONT face=3DArial>So far the ones I have visited have been=20
ok.</FONT></DIV>
 <DIV><FONT face=3DArial>You got me worried..</FONT></DIV>
 <DIV><BR>-- <BR>Thanks,</DIV>
 <DIV>&nbsp;</DIV>
 <DIV>Brandon </DIV>
 <BLOCKQUOTE=20
 style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"DJ" &lt;<A=20
href=3D"http://www.aarrrrggghhh!!!.com">www.aarrrrggghhh!!!.com</A>&gt; =
wrote=20
  in message <A=20
href=3D"news:4623ac88$1@linux">news:4623ac88$1@linux</A>...</DIV>Well =
****!!!!=20
  Before I sold off my Paris rig, I rendered a bunch of audio =
<BR>files..=20
  These were old demos that Amy and I did back in the mid 90's. They =
<BR>were=20
  tracked to 2" 24 track and then archived to ADAT. Later I dumped =
them=20
  <BR>into Paris.&nbsp; I want to use some of the tracks for a project =
I am=20
  getting <BR>ready to produce here. Apparently the Paris render =
corrupted the=20
  files. They <BR>are not batching properly in Wavelab (I posted in =
another=20
  thread about <BR>this). They are also having problems when converted =
with=20
  PAVWAV.  Something <BR>told me that if I sold off my Paris rig, =
  something like this would happen. <BR>Luckily I've still got the =
ADATs and=20
  an old XT-20 that I kept around. I'm <BR>going to have to recreate =
some=20
  edits that I did subsequent to dumping them <BR>into Paris, but =
```

```
that's a=20
  piece of cake with Cubase. <BR></BLOCKQUOTE></BLOCKQUOTE>
<DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight spam, =
and=20
you?<BR><A=20
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html</A>&nbsp;&nbsp;&nbsp;</FONT></DIV></BODY ></HTML>
----= NextPart 000 00B7 01C7802B.AD1CE6D0--
Subject: Re: Something ADATs are still good for
Posted by Deej [4] on Mon, 16 Apr 2007 17:47:50 GMT
View Forum Message <> Reply to Message
This is a multi-part message in MIME format.
-----=_NextPart_000_0098_01C7801D.1034C850
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
My job.
(0;
 "Tom Bruhl" <arpegio@comcast.net> wrote in message =
news:4623b425$1@linux...
 Brandon,
 Deei gets everybody worried.
 Tom
  "Brandon" <a@a.com> wrote in message news:4623b000@linux...
  That blows DJ.
  I rendered a ton of files as well before switching.
  So far the ones I have visited have been ok.
  You got me worried...
  --=20
  Thanks,
  Brandon=20
   "DJ" <www.aarrrrggghhh!!!.com> wrote in message =
news:4623ac88$1@linux...
   Well ****!!!! Before I sold off my Paris rig, I rendered a bunch =
of audio=20
   files.. These were old demos that Amy and I did back in the mid =
```

90's. They=20 were tracked to 2" 24 track and then archived to ADAT. Later I = dumped them=20 into Paris. I want to use some of the tracks for a project I am = aettina=20 ready to produce here. Apparently the Paris render corrupted the = files. They=20 are not batching properly in Wavelab (I posted in another thread = about=20 this). They are also having problems when converted with PAVWAV. = Something=20 told me that if I sold off my Paris rig, something like this would = happen.=20 Luckily I've still got the ADATs and an old XT-20 that I kept = around. I'm=20 going to have to recreate some edits that I did subsequent to = dumping them=20 into Paris, but that's a piece of cake with Cubase.=20 I choose Polesoft Lockspam to fight spam, and you? http://www.polesoft.com/refer.html -----=_NextPart_000_0098_01C7801D.1034C850 Content-Type: text/html; charset="iso-8859-1" Content-Transfer-Encoding: quoted-printable <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN"> <HTML><HEAD> <META http-equiv=3DContent-Type content=3D"text/html; = charset=3Diso-8859-1"> <META content=3D"MSHTML 6.00.6000.16414" name=3DGENERATOR> <STYLE></STYLE> </HEAD> <BODY bgColor=3D#ffffff> <DIV>My job.</DIV> <DIV> </DIV> <DIV>;o)</DIV> <DIV> </DIV> <BLOCKQUOTE dir=3Dltr=20 style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; = BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px"> <DIV>"Tom Bruhl" <<A=20 href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net> wrote = in message=20 news:4623b425\$1@linux...</DIV>

```
<DIV><FONT face=3DArial size=3D2>Brandon,</FONT></DIV>
 <DIV><FONT face=3DArial size=3D2>Deej&nbsp;gets everybody =
worried.</FONT></DIV>
 <DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
 <DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
 <DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
 <BLOCKQUOTE dir=3Dltr=20
 style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"Brandon" &lt;<A href=3D"mailto:a@a.com">a@a.com</A>&gt; wrote =
in message=20
  <A href=3D"news:4623b000@linux">news:4623b000@linux</A>...</DIV>
  <DIV><FONT face=3DArial>That blows DJ.</FONT></DIV>
  <DIV><FONT face=3DArial>I rendered a ton of files as well before=20
  switching.</FONT></DIV>
  <DIV><FONT face=3DArial>So far the ones I have visited have been=20
  ok.</FONT></DIV>
  <DIV><FONT face=3DArial>You got me worried..</FONT></DIV>
  <DIV><BR>--- <BR>Thanks,</DIV>
  <DIV>&nbsp;</DIV>
  <DIV>Brandon </DIV>
  <BLOCKQUOTE=20
  style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid: MARGIN-RIGHT: 0px">
   <DIV>"DJ" &lt:<A=20
href=3D"http://www.aarrrrggghhh!!!.com">www.aarrrrggghhh!!!.com</A>&gt;=20
   wrote in message <A=20
href=3D"news:4623ac88$1@linux">news:4623ac88$1@linux</A>...</DIV>Well=20
   ****!!!! Before I sold off my Paris rig, I rendered a bunch of =
audio=20
   <BR>files.. These were old demos that Amy and I did back in the =
mid 90's.=20
   They <BR>were tracked to 2" 24 track and then archived to ADAT. =
Later I=20
   dumped them <BR>into Paris.&nbsp; I want to use some of the tracks =
for a=20
   project I am getting <BR>ready to produce here. Apparently the =
Paris=20
   render corrupted the files. They <BR>are not batching properly in =
Wavelab=20
   (I posted in another thread about <BR>this). They are also having =
problems=20
   when converted with PAVWAV.  Something <BR>told me that if I =
sold off=20
   my Paris rig, something like this would happen. <BR>Luckily I've =
still got=20
```

```
the ADATs and an old XT-20 that I kept around. I'm <BR>going to =
have to=20
recreate some edits that I did subsequent to dumping them <BR>into =
Paris,=20
but that's a piece of cake with Cubase. =
<BR><BR></BLOCKQUOTE></BLOCKQUOTE>
<DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight spam, =
and=20
you?<BR><A=20
=
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
...html</A>&nbsp;&nbsp;&nbsp;</FONT></DIV></BLOCKQUOTE ></BODY></HTML>
-----=_NextPart_000_0098_01C7801D.1034C850--
```

Subject: Re: Something ADATs are still good for Posted by Aaron Allen on Tue, 17 Apr 2007 00:05:48 GMT View Forum Message <> Reply to Message

Doug, if you're using blackface adats be aware that the signal goes to tape out of phase, and then inverts back on the other side of the convertors. If you extract digitally from any blackface machine, it will be out of phase.

AA

"DJ" <www.aarrrrggghhh!!!.com> wrote in message news:4623ac88\$1@linux...

- > Well ****!!!! Before I sold off my Paris rig, I rendered a bunch of audio
- > files.. These were old demos that Amy and I did back in the mid 90's. They
- > were tracked to 2" 24 track and then archived to ADAT. Later I dumped them
- > into Paris. I want to use some of the tracks for a project I am getting
- > ready to produce here. Apparently the Paris render corrupted the files.
- > They are not batching properly in Wavelab (I posted in another thread
- > about this). They are also having problems when converted with PAVWAV.
- > Something told me that if I sold off my Paris rig, something like this
- > would happen. Luckily I've still got the ADATs and an old XT-20 that I
- > kept around. I'm going to have to recreate some edits that I did
- > subsequent to dumping them into Paris, but that's a piece of cake with
- > Cubase.

>