Subject: Re: "stockFX.ini was not found" and other setup questions Posted by Mike Coalhouse on Fri, 22 Aug 2008 22:12:23 GMT View Forum Message <> Reply to Message

KerryGalloway wrote:

> Ah, the joys of getting set up with PARIS in XP for the first time.

> Actually, it all went far more smoothly than I'd anticipated, but today

> I was getting an error message upon startup -

>

> "The application has failed to start because StockFX.ini was not found.

> Re-installing the application may fix this problem".

>

> Oddly, PARIS then goes ahead and starts up normally, as if nothing had

> happened. I searched my HD and there's no StockFX.ini to be found, and

> the EDS plugin lists do look skinnier than I recall. Any ideas?

>

> Also - running a two-card, two MEC system, with the two connected via a

> WC cable (no external clock at the moment), will I still need to boot

> into 48k to have two MECs function properly, or will everything work

> fine booting into 44.1k? I'd be quite happy to never look at 48k again > in my life.

>

> Thanks!

>

> - Kerry

>

> Oh, PS: any suggestions on what should I be looking at changing \*right > away\* from the defaults in my paris.cfg?

>

Hi Kerry, Had the same problem recently after installing Mike Audet's versions of Chuck's plug-ins. I failed to follow Mike's instructions accurately and got the same message. I got rid of it by going over the installation instructions. (Right click My Computer-

Advanced-Environment Variables- Path.....etc.) I am not 100% sure if this would help but you can give it a shot and see if it helps. All the best,

Coalhouse

Subject: "stockFX.ini was not found" and other setup questions Posted by kerryg on Sat, 23 Aug 2008 06:57:12 GMT View Forum Message <> Reply to Message

Ah, the joys of getting set up with PARIS in XP for the first time. Actually, it all went far more smoothly than I'd anticipated, but today I was getting an error message upon startup -

"The application has failed to start because StockFX.ini was not found.

Re-installing the application may fix this problem".

Oddly, PARIS then goes ahead and starts up normally, as if nothing had happened. I searched my HD and there's no StockFX.ini to be found, and the EDS plugin lists do look skinnier than I recall. Any ideas?

Also - running a two-card, two MEC system, with the two connected via a WC cable (no external clock at the moment), will I still need to boot into 48k to have two MECs function properly, or will everything work fine booting into 44.1k? I'd be quite happy to never look at 48k again in my life.

Thanks!

- Kerry

Oh, PS: any suggestions on what should I be looking at changing \*right away\* from the defaults in my paris.cfg?

Subject: Re: "stockFX.ini was not found" and other setup questions Posted by EK Sound on Sat, 23 Aug 2008 16:26:32 GMT View Forum Message <> Reply to Message

As for the 44.1 thing... in the past I would always launch Paris from a shortcut, THEN load a project (which are always 44.1)... never had to do anything more convoluted than that... Now, we have a Studio clock, and Paris is always set to external... still no problems.

David.

KerryGalloway wrote:

> Ah, the joys of getting set up with PARIS in XP for the first time.

> Actually, it all went far more smoothly than I'd anticipated, but today

> I was getting an error message upon startup -

>

> "The application has failed to start because StockFX.ini was not found.

> Re-installing the application may fix this problem".

>

> Oddly, PARIS then goes ahead and starts up normally, as if nothing had

> happened. I searched my HD and there's no StockFX.ini to be found, and

> the EDS plugin lists do look skinnier than I recall. Any ideas?

>

> Also - running a two-card, two MEC system, with the two connected via a

> WC cable (no external clock at the moment), will I still need to boot

> into 48k to have two MECs function properly, or will everything work

> fine booting into 44.1k? I'd be quite happy to never look at 48k again

> in my life.

> Thanks!
>
> - Kerry
>
<ul> <li>&gt; Oh, PS: any suggestions on what should I be looking at changing *right</li> <li>&gt; away* from the defaults in my paris.cfg?</li> </ul>
>
Subject: Re: "stockFX.ini was not found" and other setup questions
Posted by kerryg on Sat, 23 Aug 2008 16:42:54 GMT View Forum Message <> Reply to Message

I'll go sit in the corner now.

- Kerry

On 2008-08-22 15:12:23 -0700, Mike Coalhouse <Mikecoalhouse@yahoo.com> said:

> KerryGalloway wrote:

>> Ah, the joys of getting set up with PARIS in XP for the first time.

>> Actually, it all went far more smoothly than I'd anticipated, but today

>> I was getting an error message upon startup -

>>

>> "The application has failed to start because StockFX.ini was not found.

>> Re-installing the application may fix this problem".

>>

>> Oddly, PARIS then goes ahead and starts up normally, as if nothing had >> happened. I searched my HD and there's no StockFX.ini to be found, and >> the EDS plugin lists do look skinnier than I recall. Any ideas? >> >> Also - running a two-card, two MEC system, with the two connected via a >> WC cable (no external clock at the moment), will I still need to boot >> into 48k to have two MECs function properly, or will everything work

>> fine booting into 44.1k? I'd be quite happy to never look at 48k again >> in my life.

>>

>> Thanks!

>>

>> - Kerry

>>

>> Oh, PS: any suggestions on what should I be looking at changing \*right

>> away\* from the defaults in my paris.cfg?

>>

- > Hi Kerry, Had the same problem recently after installing Mike Audet's
- > versions of Chuck's plug-ins. I failed to follow Mike's instructions
- > accurately and got the same message. I got rid of it by going over the
- > installation instructions.( Right click My Computer-
- > Advanced-Environment Variables- Path.....etc.) I am not 100% sure if
- > this would help but you can give it a shot and see if it helps.
- > All the best,
- > Coalhouse

Subject: Re: "stockFX.ini was not found" and other setup questions Posted by kerryg on Sat, 23 Aug 2008 16:55:46 GMT View Forum Message <> Reply to Message

Yep - sure enough, that was it. All fixed now. Thanks Mike!

- Kerry

On 2008-08-22 15:12:23 -0700, Mike Coalhouse <Mikecoalhouse@yahoo.com> said:

> KerryGalloway wrote:

>> Ah, the joys of getting set up with PARIS in XP for the first time.

>> Actually, it all went far more smoothly than I'd anticipated, but today

>> I was getting an error message upon startup -

>>

>> "The application has failed to start because StockFX.ini was not found.

>> Re-installing the application may fix this problem".

>>

>> Oddly, PARIS then goes ahead and starts up normally, as if nothing had >> happened. I searched my HD and there's no StockFX.ini to be found, and >> the EDS plugin lists do look skinnier than I recall. Any ideas? >>

>> Also - running a two-card, two MEC system, with the two connected via a >> WC cable (no external clock at the moment), will I still need to boot >> into 48k to have two MECs function properly, or will everything work >> fine booting into 44.1k? I'd be quite happy to never look at 48k again >> in my life.

- >>
- >> Thanks!
- >>

>> - Kerry

>>

>> Oh, PS: any suggestions on what should I be looking at changing \*right >> away\* from the defaults in my paris.cfg?

>>

> Hi Kerry, Had the same problem recently after installing Mike Audet's

- > versions of Chuck's plug-ins. I failed to follow Mike's instructions
- > accurately and got the same message. I got rid of it by going over the
- > installation instructions.( Right click My Computer-
- > Advanced-Environment Variables- Path.....etc.) I am not 100% sure if
- > this would help but you can give it a shot and see if it helps.
- > All the best,
- > Coalhouse

Subject: Re: "stockFX.ini was not found" and other setup questions Posted by kerryg on Sat, 23 Aug 2008 19:19:28 GMT View Forum Message <> Reply to Message

Thanks David. Now just to make sure I understand - by "from a shortcut", you mean a shortcut directly to the app - and without having a "Default Project.ppj" in the PARIS app folder? If so, I'll adopt that workflow, it should be easy enough to remember. I can always store a song template elsewhere and open that afterwards.

One other oddity re: clocking - When I do that - booting directly from the PARIS app - my project window opens at a default of 44.1k, and the indicator on MEC A correctly displays the 44.1k, but MEC B still displays 48k. The indicator on MEC A tracks changes made to the samplerate, and everything seems to play back just fine on both cards, but MEC B sticks to displaying 48K no matter what the project setting is. Is this normal behaviour?

- Kerry

On 2008-08-23 09:26:32 -0700, EK Sound <ask\_me@nospam.net> said:

> As for the 44.1 thing... in the past I would always launch Paris from a

> shortcut, THEN load a project (which are always 44.1)... never had to

> do anything more convoluted than that... Now, we have a Studio clock,

> and Paris is always set to external... still no problems.

>

> David.

Subject: Re: "stockFX.ini was not found" and other setup questions Posted by kerryg on Sat, 23 Aug 2008 23:37:36 GMT View Forum Message <> Reply to Message

Followup: Ran PARIS for hours today. Not one crash or lockup, solid as a rock. Ahhh.

Now I'm thinking about tackling some presets for Mike's verbs while

I've still got a ltitle free time.

- Kerry

On 2008-08-23 09:55:46 -0700, KerryGalloway <kg@kerrygalloway.com> said:

> Yep - sure enough, that was it. All fixed now. Thanks Mike!

>

> - Kerry

>

> On 2008-08-22 15:12:23 -0700, Mike Coalhouse <Mikecoalhouse@yahoo.com> said:

>

>> KerryGalloway wrote:

>>> Ah, the joys of getting set up with PARIS in XP for the first time.

>>> Actually, it all went far more smoothly than I'd anticipated, but today

>>> I was getting an error message upon startup -

>>>

>>> "The application has failed to start because StockFX.ini was not found.

>>> Re-installing the application may fix this problem".

>>>

>>> Oddly, PARIS then goes ahead and starts up normally, as if nothing had >>> happened. I searched my HD and there's no StockFX.ini to be found, and >>> the EDS plugin lists do look skinnier than I recall. Any ideas?

>>>

>>> Also - running a two-card, two MEC system, with the two connected via a >>> WC cable (no external clock at the moment), will I still need to boot >>> into 48k to have two MECs function properly, or will everything work >>> fine booting into 44.1k? I'd be quite happy to never look at 48k again >>> in my life.

>>> >>> Thanks!

>>>

>>> - Kerry

>>>

>>> Oh, PS: any suggestions on what should I be looking at changing \*right >>> away\* from the defaults in my paris.cfg?

>>>

>> Hi Kerry, Had the same problem recently after installing Mike Audet's >> versions of Chuck's plug-ins. I failed to follow Mike's instructions

>> accurately and got the same message. I got rid of it by going over the

>> installation instructions.( Right click My Computer-

>> Advanced-Environment Variables- Path.....etc.) I am not 100% sure if

>> this would help but you can give it a shot and see if it helps.

>> All the best,

>> Coalhouse

## Hi Kerry,

Are you running XP in HT mode or disable?

I replaced the stock (skunkworks file) PARIS\_StudioControlLibrary .dll with Mike's new version which is supposed to allow using dual CPU mode (Hyper-threading) and yes Paris does run but I notice a longer boot up time of Paris (I'm ok with that, it's only about 10 secs different), but I've also had a crash. I am generally very stable in the disabled HT mode so I'm not sure if it was just something I did or if it needs a special install. All I did was save the original .dll into a backup folder and put Mike's PSCL .dll in it's place (c:\windows\system32).

There is another file in the same directory with the same name but no extension. PARIS\_StudioControlLibrary with a file type of file. I don't know what this file is. 48K, but it has the same install date as the original .dll so I assume it went with the skunkworks install of the PSCL ..dll. Should this file stay? This file is not talked about much. I opened it with textpad to take a look and it's all hieroglyphics.

As always I cntrl-s quite often so I didn't have to redo to much. Is everybody else gone to HT and working stable?

Thanks all.

Wayne Paris since '97

"KerryGalloway" <kg@kerrygalloway.com> wrote in message news:48b0a0de@linux... > Followup: Ran PARIS for hours today. Not one crash or lockup, solid as a > rock. Ahhh. > - Kerry > > On 2008-08-23 09:55:46 -0700, KerryGalloway <kg@kerrygalloway.com> said: > >> Yep - sure enough, that was it. All fixed now. Thanks Mike! >> >> - Kerry >> >> On 2008-08-22 15:12:23 -0700, Mike Coalhouse <Mikecoalhouse@yahoo.com> >> said: >> >>> KerryGalloway wrote:

>>>> Ah, the joys of getting set up with PARIS in XP for the first time. >>>> Actually, it all went far more smoothly than I'd anticipated, but today >>>> I was getting an error message upon startup ->>>> >>>> "The application has failed to start because StockFX.ini was not found. >>>> Re-installing the application may fix this problem". >>>> >>>> Oddly, PARIS then goes ahead and starts up normally, as if nothing had >>>> happened. I searched my HD and there's no StockFX.ini to be found, and >>>> the EDS plugin lists do look skinnier than I recall. Any ideas? >>>> >>>> Also - running a two-card, two MEC system, with the two connected via a >>>> WC cable (no external clock at the moment), will I still need to boot >>>> into 48k to have two MECs function properly, or will everything work >>>> fine booting into 44.1k? I'd be quite happy to never look at 48k again >>>> in my life. >>>> >>>> Thanks! >>>> >>> - Kerry >>>> >>>> Oh, PS: any suggestions on what should I be looking at changing \*right >>>> away\* from the defaults in my paris.cfg? >>>> >>> Hi Kerry, Had the same problem recently after installing Mike Audet's >>> versions of Chuck's plug-ins. I failed to follow Mike's instructions >>> accurately and got the same message. I got rid of it by going over the >>> installation instructions.( Right click My Computer->>> Advanced-Environment Variables- Path.....etc.) I am not 100% sure if >>> this would help but you can give it a shot and see if it helps. >>> All the best. >>> Coalhouse > >

Subject: Re: "stockFX.ini was not found" and other setup questions Posted by kerryg on Sun, 24 Aug 2008 02:33:40 GMT View Forum Message <> Reply to Message

Hi Wayne - I'm afraid I've got no insights on the multiprocessor thing as I'm on a single processor myself. Bear in mind that Mike's PSCL update is only a few days old, so you'll be one of the earliest adopters - looks like nobody's had a chance to report back in yet.

- Kerry

On 2008-08-23 17:39:13 -0700, "Wayne Carson" <waynecarson@cox.net> said:

```
> Hi Kerry,
>
> Are you running XP in HT mode or disable?
>
> I replaced the stock (skunkworks file) PARIS_StudioControlLibrary .dll with
> Mike's new version which is supposed to allow using dual CPU mode
> (Hyper-threading) and yes Paris does run but I notice a longer boot up time
> of Paris (I'm ok with that, it's only about 10 secs different), but I've
> also had a crash. I am generally very stable in the disabled HT mode so I'm
> not sure if it was just something I did or if it needs a special install.
> All I did was save the original .dll into a backup folder and put Mike's
> PSCL .dll in it's place (c:\windows\system32).
>
> There is another file in the same directory with the same name but no
> extension. PARIS_StudioControlLibrary with a file type of file. I don't
> know what this file is. 48K, but it has the same install date as the
> original .dll so I assume it went with the skunkworks install of the PSCL
> .dll. Should this file stay? This file is not talked about much. I opened
> it with textpad to take a look and it's all hieroglyphics.
>
> As always I cntrl-s quite often so I didn't have to redo to much. Is
> everybody else gone to HT and working stable?
>
> Thanks all.
>
> Wayne
> Paris since '97
>
>
> "KerryGalloway" <kg@kerrygalloway.com> wrote in message
> news:48b0a0de@linux...
>> Followup: Ran PARIS for hours today. Not one crash or lockup, solid as a
>> rock. Ahhh.
>> - Kerry
>>
>> On 2008-08-23 09:55:46 -0700, KerryGalloway <kg@kerrygalloway.com> said:
>>
>>> Yep - sure enough, that was it. All fixed now. Thanks Mike!
>>>
>>> - Kerry
>>>
>>> On 2008-08-22 15:12:23 -0700, Mike Coalhouse <Mikecoalhouse@yahoo.com>
>>> said:
>>>
>>>> KerryGalloway wrote:
```

>>>> Ah, the joys of getting set up with PARIS in XP for the first time.
>>>> Actually, it all went far more smoothly than I'd anticipated, but today

>>>> I was getting an error message upon startup ->>>>> >>>> "The application has failed to start because StockFX.ini was not found. >>>> Re-installing the application may fix this problem". >>>>> >>>> Oddly, PARIS then goes ahead and starts up normally, as if nothing had >>>> happened. I searched my HD and there's no StockFX.ini to be found, and >>>>> the EDS plugin lists do look skinnier than I recall. Any ideas? >>>>> >>>> Also - running a two-card, two MEC system, with the two connected via a >>>> WC cable (no external clock at the moment), will I still need to boot >>>>> into 48k to have two MECs function properly, or will everything work >>>> fine booting into 44.1k? I'd be quite happy to never look at 48k again >>>> in my life. >>>>> >>>> Thanks! >>>>> >>>> - Kerry >>>>> >>>> Oh, PS: any suggestions on what should I be looking at changing \*right >>>> away\* from the defaults in my paris.cfg? >>>>> >>>> Hi Kerry, Had the same problem recently after installing Mike Audet's >>>> versions of Chuck's plug-ins. I failed to follow Mike's instructions >>> accurately and got the same message. I got rid of it by going over the >>>> installation instructions.( Right click My Computer->>>> Advanced-Environment Variables- Path.....etc.) I am not 100% sure if >>>> this would help but you can give it a shot and see if it helps. >>>> All the best, >>>> Coalhouse

Subject: Re: "stockFX.ini was not found" and other setup questions Posted by Tom Bruhl on Sun, 24 Aug 2008 08:20:20 GMT View Forum Message <> Reply to Message

## Hi Kerry,

That's how it will always be. Mec B's clock light will not display accurately with either internal or external clock. Don't worry about that.

Sounds like you've got a stable setup. Make a clone then continue.

Keep it up! Tom "KerryGalloway" <kg@kerrygalloway.com> wrote in message news:48b0645f@linux...

> Thanks David. Now just to make sure I understand - by "from a shortcut",

> you mean a shortcut directly to the app - and without having a "Default

> Project.ppj" in the PARIS app folder? If so, I'll adopt that workflow, it

should be easy enough to remember. I can always store a song template
 elsewhere and open that afterwards.

>

> One other oddity re: clocking - When I do that - booting directly from the
> PARIS app - my project window opens at a default of 44.1k, and the
> indicator on MEC A correctly displays the 44.1k, but MEC B still displays
> 48k. The indicator on MEC A tracks changes made to the samplerate, and
> everything seems to play back just fine on both cards, but MEC B sticks to
> displaying 48K no matter what the project setting is. Is this normal
> behaviour?

> - Kerry

>

> On 2008-08-23 09:26:32 -0700, EK Sound <ask\_me@nospam.net> said:

>

>> As for the 44.1 thing... in the past I would always launch Paris from a >> shortcut, THEN load a project (which are always 44.1)... never had to do >> anything more convoluted than that... Now, we have a Studio clock, and >> Paris is always set to external... still no problems.

>>

>> David.

>

Subject: Re: "stockFX.ini was not found" and other setup questions Posted by Wayne on Sun, 24 Aug 2008 18:13:29 GMT View Forum Message <> Reply to Message

Thanks Kerry. I'll continue to in the multiprocessor mode to see if I notice any artifacts or glitches and report to the group either way.

Wayne

"KerryGalloway" <kg@kerrygalloway.com> wrote in message news:48b0ca21@linux...

- > Hi Wayne I'm afraid I've got no insights on the multiprocessor thing as
- > I'm on a single processor myself. Bear in mind that Mike's PSCL update is
- > only a few days old, so you'll be one of the earliest adopters looks
- > like nobody's had a chance to report back in yet.
- >
- > Kerry
- >

> On 2008-08-23 17:39:13 -0700, "Wayne Carson" <waynecarson@cox.net> said:

> >> Hi Kerry, >> >> Are you running XP in HT mode or disable? >> >> I replaced the stock (skunkworks file) PARIS\_StudioControlLibrary .dll >> with >> Mike's new version which is supposed to allow using dual CPU mode >> (Hyper-threading) and yes Paris does run but I notice a longer boot up >> time >> of Paris (I'm ok with that, it's only about 10 secs different), but I've >> also had a crash. I am generally very stable in the disabled HT mode so >> l'm >> not sure if it was just something I did or if it needs a special install. >> All I did was save the original .dll into a backup folder and put Mike's >> PSCL .dll in it's place (c:\windows\system32). >> >> There is another file in the same directory with the same name but no >> extension. PARIS StudioControlLibrary with a file type of file. I >> don't >> know what this file is. 48K, but it has the same install date as the >> original .dll so I assume it went with the skunkworks install of the PSCL >> .dll. Should this file stay? This file is not talked about much. I >> opened >> it with textpad to take a look and it's all hieroglyphics. >> >> As always I cntrl-s quite often so I didn't have to redo to much. Is >> everybody else gone to HT and working stable? >> >> Thanks all. >> >> Wayne >> Paris since '97 >> >> >> "KerryGalloway" <kg@kerrygalloway.com> wrote in message >> news:48b0a0de@linux... >>> Followup: Ran PARIS for hours today. Not one crash or lockup, solid as a >>> rock. Ahhh. >>> - Kerry >>> >>> On 2008-08-23 09:55:46 -0700, KerryGalloway <kg@kerrygalloway.com> said: >>> >>>> Yep - sure enough, that was it. All fixed now. Thanks Mike! >>>> >>> - Kerry >>>>

>>>> On 2008-08-22 15:12:23 -0700, Mike Coalhouse <Mikecoalhouse@yahoo.com> >>>> said: >>>> >>>> KerryGalloway wrote: >>>>> Ah, the joys of getting set up with PARIS in XP for the first time. >>>>> Actually, it all went far more smoothly than I'd anticipated, but >>>>> today >>>>> I was getting an error message upon startup ->>>>>> >>>>> "The application has failed to start because StockFX.ini was not >>>> found. >>>>> Re-installing the application may fix this problem". >>>>>> >>>>> Oddly, PARIS then goes ahead and starts up normally, as if nothing >>>> had >>>>> happened. I searched my HD and there's no StockFX.ini to be found, >>>> and >>>>> the EDS plugin lists do look skinnier than I recall. Any ideas? >>>>>> >>>>> Also - running a two-card, two MEC system, with the two connected via >>>>> a >>>>> WC cable (no external clock at the moment), will I still need to boot >>>>>> into 48k to have two MECs function properly, or will everything work >>>>> fine booting into 44.1k? I'd be quite happy to never look at 48k >>>>> again >>>>> in my life. >>>>>> >>>>> Thanks! >>>>>> >>>> - Kerry >>>>>> >>>>> Oh, PS: any suggestions on what should I be looking at changing >>>> \*right >>>>> away\* from the defaults in my paris.cfg? >>>>>> >>>>> Hi Kerry, Had the same problem recently after installing Mike Audet's >>>> versions of Chuck's plug-ins. I failed to follow Mike's instructions >>>> accurately and got the same message. I got rid of it by going over the >>>> installation instructions. (Right click My Computer->>>> Advanced-Environment Variables- Path.....etc.) I am not 100% sure if >>>>> this would help but you can give it a shot and see if it helps. >>>> All the best, >>>> Coalhouse > >

Ditto...

David.

Tom Bruhl wrote:

> Hi Kerry,

>

> That's how it will always be. Mec B's clock light will not display

> accurately with either internal or external clock. Don't worry about

> that.

>

> Sounds like you've got a stable setup. Make a clone then continue.

>

> Keep it up!

> Tom

>

>

> "KerryGalloway" <kg@kerrygalloway.com> wrote in message

> news:48b0645f@linux...

>> Thanks David. Now just to make sure I understand - by "from a shortcut",
>> you mean a shortcut directly to the app - and without having a "Default
>> Project.ppj" in the PARIS app folder? If so, I'll adopt that workflow, it
>> should be easy enough to remember. I can always store a song template
>> elsewhere and open that afterwards.

>>

>> One other oddity re: clocking - When I do that - booting directly from the >> PARIS app - my project window opens at a default of 44.1k, and the >> indicator on MEC A correctly displays the 44.1k, but MEC B still displays >> 48k. The indicator on MEC A tracks changes made to the samplerate, and >> everything seems to play back just fine on both cards, but MEC B sticks to >> displaying 48K no matter what the project setting is. Is this normal >> behaviour?

>>

>> - Kerry

>>

>> On 2008-08-23 09:26:32 -0700, EK Sound <ask\_me@nospam.net> said: >>

>>> As for the 44.1 thing... in the past I would always launch Paris from a >>> shortcut, THEN load a project (which are always 44.1)... never had to do >>> anything more convoluted than that... Now, we have a Studio clock, and >>> Paris is always set to external... still no problems.

>>>

>>> David.

>

>