

---

Subject: Well..... DOH!!!!!!!!!!!!

Posted by [Deej \[1\]](#) on Mon, 09 Jan 2006 21:21:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I remember Brian T recommending the 48KHz default project years ago, but I just didn't listen because I thought that I had to have both the clock and the project at 48KHz.

In my ongoing hit or miss \*lock to external clock\* saga, I've pretty much achieved a reliable sync setup with a few toggles of the sync source in Paris from WC to Internal, then back again. However, my IF2 units haven't been working properly and I like to use them as returns for the cue mix as well as for tracking in large tracking sessions. Well, my default project has been set a 44.1 KHZ. Even though it has been recommended to set this at 48KHz, I've kept it at 44.1 because if I have my WC module set to 48KHz at boot up, I have to set my Paris project to 44.1 (or open up a preexisting 44.1 project) and then scroll through 96KHz to return to 44.1 on my WC. Well, this wrecks the timing in Paris.....thus the default project and the clock being set at 44.1. Well guess \*\*\*\*'in what????.....I can set my default project.ppj to 48KHz with the clock still set at 44.1Khz and everything locks up tight as a drum, including my IF2 modules. then all I have to do is just open an existing 44.1 .ppj and I'm good to go without all of this toggling back and forth crap.

Pointy hat is thoroughly ensconced upon head right about now.

Deej

---

---

Subject: Re: Well..... DOH!!!!!!!!!!!!

Posted by [justcron](#) on Mon, 09 Jan 2006 21:33:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

wish I had me some IF2s.... You're a pimp!

"DJ" <[animix\\_spam-this-ahole\\_@animas.net](mailto:animix_spam-this-ahole_@animas.net)> wrote in message news:43c2d446\$1@linux...

> I remember Brian T recommending the 48KHz default project years ago, but I  
> just didn't listen because I thought that I had to have both the clock and  
> the project at 48KHz.

>

> In my ongoing hit or miss \*lock to external clock\* saga, I've pretty much  
> achieved a reliable sync setup with a few toggles of the sync source in  
> Paris from WC to Internal, then back again. However, my IF2 units haven't  
> been working properly and I like to use them as returns for the cue mix as  
> well as for tracking in large tracking sessions. Well, my default project  
> has been set a 44.1 KHZ. Even though it has been recommended to set this  
> at

> 48KHz, I've kept it at 44.1 because if I have my WC module set to 48KHz at  
> boot up, I have to set my Paris project to 44.1 (or open up a preexisting  
> 44.1 project) and then scroll through 96KHz to return to 44.1 on my WC.  
> Well, this wrecks the timing in Paris.....thus the default project and  
> the clock being set at 44.1. Well guess \*\*\*\*'in what????.....I can set  
> my default project.ppj to 48KHz with the clock still set at 44.1Khz and  
> everything locks up tight as a drum, including my IF2 modules. then all I  
> have to do is just open an existing 44.1 .ppj and I'm good to go without  
> all  
> of this toggling back and forth crap.  
>  
> Pointy hat is thoroughly ensconced upon head right about now.  
>  
> Deej  
>  
>

---

---

Subject: Re: Well..... DOH!!!!!!!!!!!!  
Posted by [Rod Lincoln](#) on Mon, 09 Jan 2006 23:03:51 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I actually remember that. I always thought it funny that you had no problems with not having your default set at 48. I, on the other hand, listened to the wisdom of the master.  
80P  
Rod  
"DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
>I remember Brian T recommending the 48KHz default project years ago, but  
I  
>just didn't listen because I thought that I had to have both the clock and  
>the project at 48KHz.  
>  
>In my ongoing hit or miss \*lock to external clock\* saga, I've pretty much  
>achieved a reliable sync setup with a few toggles of the sync source in  
>Paris from WC to Internal, then back again. However, my IF2 units haven't  
>been working properly and I like to use them as returns for the cue mix  
as  
>well as for tracking in large tracking sessions. Well, my default project  
>has been set a 44.1 KHZ. Even though it has been recommended to set this  
at  
>48KHz, I've kept it at 44.1 because if I have my WC module set to 48KHz  
at  
>boot up, I have to set my Paris project to 44.1 (or open up a preexisting  
>44.1 project) and then scroll through 96KHz to return to 44.1 on my WC.  
>Well, this wrecks the timing in Paris.....thus the default project and  
>the clock being set at 44.1. Well guess \*\*\*\*'in what????.....I can set  
>my default project.ppj to 48KHz with the clock still set at 44.1Khz and

>everything locks up tight as a drum, including my IF2 modules. then all  
|  
>have to do is just open an existing 44.1 .ppj and I'm good to go without  
all  
>of this toggling back and forth crap.  
>  
>Pointy hat is thoroughly ensconced upon head right about now.  
>  
>Deej  
>  
>

---