

---

Subject: paris 101  
Posted by [jp](#) on Mon, 19 Jun 2006 02:13:32 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

help  
everything is freezing up  
everything is going wrong since i reloaded my software 2.1

....  
originally someone helped me  
with new cinfig files.

this is what i got now:  
dusk i/o = 64  
disk cache = 10 mb  
preriew = 2048 kb

what do i change so the thing isn't stopping all the time?  
thanks  
jp

---

---

Subject: Re: paris 101  
Posted by [Kim](#) on Mon, 19 Jun 2006 08:46:30 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

So you're getting streaming errors?

Disk I/O should usually be higher rather than lower. Try 128 as a start point.

Personally I have:

Disk I/O =128  
Disk Cache = 30 Meg  
Overview Cache = 4096

It all depends on your system, how big it is (bigger needs higher numbers).  
I have a two card system and those settings work fine for me. Don't remember  
the last disk error I had. Maybe none on this system. It's been said that  
your disk cache should allow for double the number of tracks that you're  
really using.

If you're on a single card system the setting may be ok, maybe... except  
I'd up the Disk I/O first to 128.

What is your system? How many cards?

Cheers,  
Kim.

"jp" <jpj@jppjones.net> wrote:

>  
>help  
>everything is freezing up  
>everything is going wrong since i reloaded my software 2.1  
>...  
>originally someone helped me  
>with new cinfig files.  
>  
>this is what i got now:  
>dusk i/o = 64  
>disk cache = 10 mb  
>preview = 2048 kb  
>  
>what do i change so the thing isn't stopping all the time?  
>thanks  
>jp  
>

---

---

Subject: Re: paris 101

Posted by [John \[1\]](#) on Mon, 19 Jun 2006 10:57:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Can you verify that your eds card(s) are on the same IRQ and that they are NOT sharing with anything else? On boot up you should see what the bios is putting them on.

In bios turn off parallel, serial, usb ports till you get it figured out.

John

---

---

Subject: Re: paris 101

Posted by [jp](#) on Mon, 19 Jun 2006 16:57:26 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Kim--

thanks--

my system is antiquated-- about eight years old with one card in a G3. i had similar issues when i first began working with paris and the default configuration and someone on this newsgroup, i think chuck duffy, gave me some suggestions that ultimately cleared up the problem. at this point i'm very nearly at the end of a lengthy project, ten songs with an average of 12 trks and a whole lot of submixes all of which

need final mixes, and suddenly my computer does not want to comply... a little scary... the cursor stops midway through the tracks, the music continues to play, and the only way to stop it is to force quit the program, and then force the mac to restart.

i'll try your suggestions.  
cheers back at ya  
jp

"Kim" <hiddensounds@hotmail.com> wrote:

>  
>  
>So you're getting streaming errors?  
>  
>Disk I/O should usually be higher rather than lower. Try 128 as a start point.  
>  
>Personally I have:  
>  
>Disk I/O =128  
>Disk Cache = 30 Meg  
>Overview Cache = 4096  
>  
>It all depends on your system, how big it is (bigger needs higher numbers).  
>I have a two card system and those settings work fine for me. Don't remember  
>the last disk error I had. Maybe none on this system. It's been said that  
>your disk cache should allow for double the number of tracks that you're  
>really using.  
>  
>If you're on a single card system the setting may be ok, maybe... except  
>I'd up the Disk I/O first to 128.  
>  
>What is your system? How many cards?  
>  
>Cheers,  
>Kim.  
>  
>"jp" <jpj@jppjones.net> wrote:  
>>  
>>help  
>>everything is freezing up  
>>everything is going wrong since i reloaded my software 2.1  
>>...  
>>originally someone helped me  
>>with new cinfig files.  
>>  
>>this is what i got now:  
>>dusk i/o = 64

>>disk cache = 10 mb  
>>preriew = 2048 kb  
>>  
>>what do i change so the thing isn't stopping all the time?  
>>thanks  
>>jp  
>>  
>

---

---

Subject: Re: paris 101  
Posted by [jp](#) on Mon, 19 Jun 2006 16:59:46 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

John--  
I doubt that it is an IRQ conflict, since nothing has been changed... if  
all else fails i'll surely work with your suggestion...  
thanks,  
jp

"John" <no@no.com> wrote:

>  
>Can you verify that your eds card(s) are on the same IRQ and that they are  
>NOT sharing with anything else? On boot up you should see what the bios  
>is putting them on.  
>  
>In bios turn off parallel, serial, usb ports till you get it figured out.  
>  
>John

---

---

Subject: Re: paris 101  
Posted by [jp](#) on Mon, 19 Jun 2006 18:10:51 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I seem to remember there being some issue with the disk cache size of the  
G3 itself. Is this correct? system profiler is telling  
me that I have 128K in the disk cache at the moment. Should this be changed?  
thanks  
jp

"Kim" <hiddensounds@hotmail.com> wrote:

>  
>  
>So you're getting streaming errors?  
>  
>Disk I/O should usually be higher rather than lower. Try 128 as a start

point.

>

>Personally I have:

>

>Disk I/O =128

>Disk Cache = 30 Meg

>Overview Cache = 4096

>

>It all depends on your system, how big it is (bigger needs higher numbers).

>I have a two card system and those settings work fine for me. Don't remember

>the last disk error I had. Maybe none on this system. It's been said that

>your disk cache should allow for double the number of tracks that you're

>really using.

>

>If you're on a single card system the setting may be ok, maybe... except

>I'd up the Disk I/O first to 128.

>

>What is your system? How many cards?

>

>Cheers,

>Kim.

>

>"jp" <jpj@jppjones.net> wrote:

>>

>>help

>>everything is freezing up

>>everything is going wrong since i reloaded my software 2.1

>>...

>>originally someone helped me

>>with new cinfig files.

>>

>>this is what i got now:

>>dusk i/o = 64

>>disk cache = 10 mb

>>preriew = 2048 kb

>>

>>what do i change so the thing isn't stopping all the time?

>>thanks

>>jp

>>

>

---

Subject: Re: paris 101

Posted by [excelav](#) on Mon, 19 Jun 2006 19:24:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hey JP! Here is what I recommend you try.

You will need to know how much memory is available for Paris. Do a "about this Mac" from the Apple menu to see how much memory is available for Paris

Go to the Paris program where ever it's located, and click once on the Paris icon just to high light it. Do a "get info", Go file> Get info>memory. Allocate more memory to the Paris program, type in a higher number In the preferred memory box.

Try reloading the program again.

If that does not work, you may have an Extensions conflict. Check the Paris Q&A web page to see Mac extension settings. Create an optimized extension set just for Paris. Or you could just start with the system extensions and paris extensions. You may have to test different extensions, by adding and rebooting.

Good luck!

James

"jp" <jpj@jppjones.net> wrote:

>  
>help  
>everything is freezing up  
>everything is going wrong since i reloaded my software 2.1  
>...  
>originally someone helped me  
>with new cinfig files.  
>  
>this is what i got now:  
>dusk i/o = 64  
>disk cache = 10 mb  
>preriew = 2048 kb  
>  
>what do i change so the thing isn't stopping all the time?  
>thanks  
>jp  
>

---

Subject: Re: paris 101  
Posted by [excelav](#) on Mon, 19 Jun 2006 19:28:24 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Sorry,

Try giving the program more memory first, then if that doesn't work, then try reloading the program.

James

"James McCloskey" <excelsm@hotmail.com> wrote:

>  
>Hey JP! Here is what I recommend you try.  
>  
>You will need to know how much memory is available for Paris. Do a "about  
>this Mac" from the Apple menu to see how much memory is available for Paris  
>  
>Go to the Paris program where ever it's located, and click once on the Paris  
>icon just to high light it. Do a "get info", Go file> Get info>memory.

>Allocate more memory to the Paris program, type in a higher number In the  
>preferred memory box.

>  
>Try reloading the program again.

>  
>If that does not work, you may have an Extensions conflict. Check the Paris  
>Q&A web page to see Mac extension settings. Create an optimized extension  
>set just for Paris. Or you could just start with the system extensions  
and  
>paris extensions. You may have to test different extensions, by adding  
and  
>rebooting.

>  
>  
>  
>Good luck!

>  
>James

>  
>  
>  
>"jp" <jpj@jppjones.net> wrote:

>>  
>>help  
>>everything is freezing up  
>>everything is going wrong since i reloaded my software 2.1  
>>...  
>>originally someone helped me  
>>with new cinfig files.  
>>  
>>this is what i got now:  
>>dusk i/o = 64

>>disk cache = 10 mb  
>>preriew = 2048 kb  
>>  
>>what do i change so the thing isn't stopping all the time?  
>>thanks  
>>jp  
>>  
>

---

---

Subject: Re: paris 101  
Posted by [jp](#) on Mon, 19 Jun 2006 20:17:06 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Jim!  
hey, it's all coming back to me-- i remember doing this when i first got  
paris  
years ago. unfortunately i've lost all the initial documentation  
i started at the time. your recommendation sounds like the  
way to go./

i'll let you know  
thanks  
jp

"James McCloskey" <[excelsm@hotmail.com](mailto:excelsm@hotmail.com)> wrote:

>  
>Hey JP! Here is what I recommend you try.  
>  
>You will need to know how much memory is available for Paris. Do a "about  
>this Mac" from the Apple menu to see how much memory is available for Paris  
>  
>Go to the Paris program where ever it's located, and click once on the Paris  
>icon just to high light it. Do a "get info", Go file> Get info>memory.  
  
>Allocate more memory to the Paris program, type in a higher number In the  
>preferred memory box.  
>  
>Try reloading the program again.  
>  
>If that does not work, you may have an Extensions conflict. Check the Paris  
>Q&A web page to see Mac extension settings. Create an optimized extension  
>set just for Paris. Or you could just start with the system extensions  
and  
>paris extensions. You may have to test different extensions, by adding  
and  
>rebooting.  
>



>  
>  
>Good luck!  
>  
>James  
>  
>  
>"jp" <jpj@jppjones.net> wrote:  
>>  
>>help  
>>everything is freezing up  
>>everything is going wrong since i reloaded my software 2.1  
>>...  
>>originally someone helped me  
>>with new cinfig files.  
>>  
>>this is what i got now:  
>>dusk i/o = 64  
>>disk cache = 10 mb  
>>preriew = 2048 kb  
>>  
>>what do i change so the thing isn't stopping all the time?  
>>thanks  
>>jp  
>>  
>

---

---

Subject: Re: paris 101  
Posted by [jp](#) on Mon, 19 Jun 2006 20:36:16 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

James, thanks!

this seems to be the fix--  
more memory allocated to the program.  
paris 101 indeed.

do i feel foolish?  
:-)  
jp

"James McCloskey" <excelsm@hotmail.com> wrote:

>  
>Hey JP! Here is what I recommend you try.  
>  
>You will need to know how much memory is available for Paris. Do a "about  
>this Mac" from the Apple menu to see how much memory is available for Paris

>  
>Go to the Paris program where ever it's located, and click once on the Paris  
>icon just to high light it. Do a "get info", Go file> Get info>memory.

>Allocate more memory to the Paris program, type in a higher number In the  
>preferred memory box.

>  
>Try reloading the program again.

>  
>If that does not work, you may have an Extensions conflict. Check the Paris  
>Q&A web page to see Mac extension settings. Create an optimized extension  
>set just for Paris. Or you could just start with the system extensions  
and  
>paris extensions. You may have to test different extensions, by adding  
and  
>rebooting.

>  
>  
>  
>Good luck!

>  
>James

>  
>  
>"jp" <jpj@jpjones.net> wrote:  
>>  
>>help  
>>everything is freezing up  
>>everything is going wrong since i reloaded my software 2.1  
>>...  
>>originally someone helped me  
>>with new cinfig files.  
>>  
>>this is what i got now:  
>>dusk i/o = 64  
>>disk cache = 10 mb  
>>preriew = 2048 kb  
>>  
>>what do i change so the thing isn't stopping all the time?  
>>thanks  
>>jp  
>>  
>

---

Subject: Re: paris 101  
Posted by [excelav](#) on Mon, 19 Jun 2006 22:36:04 GMT

Don't feel foolish, this is the number one reason people think Macs crash. It's because they do, if you don't give the programs enough memory. Everybody forgets this. Me included.

James

"jp" <jpj@jppjones.net> wrote:

>

>James, thanks!

>

>this seems to be the fix--

>more memory allocated to the program.

>paris 101 indeed.

>

>do i feel foolish?

>:-)

>jp

>

>"James McCloskey" <excelsm@hotmail.com> wrote:

>>

>>Hey JP! Here is what I recommend you try.

>>

>>You will need to know how much memory is available for Paris. Do a "about this Mac" from the Apple menu to see how much memory is available for Paris

>>

>>Go to the Paris program where ever it's located, and click once on the Paris

>>icon just to high light it. Do a "get info", Go file> Get info>memory.

>

>>Allocate more memory to the Paris program, type in a higher number In the >>preferred memory box.

>>

>>Try reloading the program again.

>>

>>If that does not work, you may have an Extensions conflict. Check the Paris

>>Q&A web page to see Mac extension settings. Create an optimized extension

>>set just for Paris. Or you could just start with the system extensions

>and

>>paris extensions. You may have to test different extensions, by adding

>and

>>rebooting.

>>

>>

>>

>>Good luck!

>>

>>James  
>>  
>>  
>>"jp" <jpj@jppjones.net> wrote:  
>>>  
>>>help  
>>>everything is freezing up  
>>>everything is going wrong since i reloaded my software 2.1  
>>>...  
>>>originally someone helped me  
>>>with new cinfig files.  
>>>  
>>>this is what i got now:  
>>>dusk i/o = 64  
>>>disk cache = 10 mb  
>>>preriew = 2048 kb  
>>>  
>>>what do i change so the thing isn't stopping all the time?  
>>>thanks  
>>>jp  
>>>  
>>  
>

---

---

Subject: Re: paris 101  
Posted by [Mark McDermott](#) on Mon, 19 Jun 2006 23:20:46 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

JP,

Here's a link to some info I provided on OS 9 configuration a while back.  
I think it should help you out.

Feel free to contact me if you have any questions!

Mark

<http://news.parisnewsgroup.com/cgi-bin/dnewsweb?cmd=article&amp;group=IDEA.EMUEnsoniqPARIS&item=176119&utag=>

"jp" <jpj@jppjones.net> wrote:  
>  
>help  
>everything is freezing up  
>everything is going wrong since i reloaded my software 2.1  
>...

>originally someone helped me  
>with new cinfig files.  
>  
>this is what i got now:  
>dusk i/o = 64  
>disk cache = 10 mb  
>preriew = 2048 kb  
>  
>what do i change so the thing isn't stopping all the time?  
>thanks  
>jp  
>

---