
Subject: MEC + 442 -- questions.....

Posted by [Paul Braun](#) on Wed, 28 Nov 2007 01:01:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

So, I have a live gig coming up where I might need more than the 16 in my main mobile MEC.

I also only have one EDS card in the mobile rig at the moment.

My options are to pull the EDS from my studio rig and cable it up to the mobile EDS, and put the 442 in the rack above the MEC. That would give me another 4 tracks, plus 2 if I also use the IF-2.

Or, is that asking for a headache? I've got a spare MEC, but it won't fit in the SKB box I have at the moment, so it would have to sit on top. But that would also give me another 4 (or 6 with the IF-2).

Will the EDS+MEC/EDS+442 combo play nice, or is the 442 really an antisocial bastard who only likes to play by itself?

As soon as we make a little money on these things, I'm picking up a second EDS and a pair of 8-in cards for the second MEC.

Of course, that will also require a second EDS and second MEC for the rig at home....

Ahhhh. Gear fever is starting to settle in....

Thanks.

pab

Subject: Re: MEC + 442 -- questions.....

Posted by [Tom Bruhl](#) on Wed, 28 Nov 2007 02:07:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0037_01C83139.775D4FC0

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Paul,

During all my problems with my system the 442 was the=20 only hardware that kept working. No power needed either. You'll want a healthy power supply in your comp to help it out.

Tom

"Kim" <hiddensounds@hotmail.com> wrote in message =
news:474cc32a\$1@linux...

I've been running an MEC and a 442 for, umm, a good couple of years at =
least
with no trouble...

...well, there's been trouble, but not related to those two pieces of =
hardware.

A 442 is basically just a cut down MEC. I don't think a Paris system =
really
cares that it's not a full one. You'll need to patch the word clock =
out from
whichever interface is on the master EDS into the second interface, =
but other
than that it should be sweet!

Cheers,
Kim.

Paul Braun <cygnus_nospam@ctgonline.org> wrote:

>So, I have a live gig coming up where I might need more than the 16 =
in

>my main mobile MEC.

>

>I also only have one EDS card in the mobile rig at the moment.

>

>My options are to pull the EDS from my studio rig and cable it up to
>the mobile EDS, and put the 442 in the rack above the MEC. That =
would

>give me another 4 tracks, plus 2 if I also use the IF-2.

>

>Or, is that asking for a headache? I've got a spare MEC, but it =
won't

>fit in the SKB box I have at the moment, so it would have to sit on
>top. But that would also give me another 4 (or 6 with the IF-2).

>

>Will the EDS+MEC/EDS+442 combo play nice, or is the 442 really an
>antisocial bastard who only likes to play by itself?

>

>As soon as we make a little money on these things, I'm picking up a
>second EDS and a pair of 8-in cards for the second MEC.

>

>Of course, that will also require a second EDS and second MEC for the
>rig at home....

>
>Ahhhh. Gear fever is starting to settle in...
>
>Thanks.
>
>pab

I choose Polesoft Lockspam to fight spam, and you?

http://www.polesoft.com/refer.html

-----=_NextPart_000_0037_01C83139.775D4FC0

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
```

```
<HTML><HEAD>
```

```
<META http-equiv=3DContent-Type content=3D"text/html"; =  
charset=3Diso-8859-1">
```

```
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
```

```
<STYLE></STYLE>
```

```
</HEAD>
```

```
<BODY bgColor=3D#ffffff>
```

```
<DIV><FONT face=3DArial size=3D2>Paul,</FONT></DIV>
```

```
<DIV><FONT face=3DArial size=3D2>During&nbsp;all my problems with my =  
system the 442=20  
was the </FONT></DIV>
```

```
<DIV><FONT face=3DArial size=3D2>only hardware that kept working.&nbsp;=  
No power=20  
needed either.</FONT></DIV>
```

```
<DIV><FONT face=3DArial size=3D2>You'll want a healthy power supply in =  
your comp to=20  
help it out.</FONT></DIV>
```

```
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
```

```
<BLOCKQUOTE=20
```

```
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =  
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
```

```
<DIV>"Kim" &lt;<A=20
```

```
=
```

```
href=3D"mailto:hiddensounds@hotmail.com">hiddensounds@hotmail.com</A>&gt;=  
wrote=20
```

```
in message <A=20
```

```
=
```

```
href=3D"news:474cc32a$1@linux">news:474cc32a$1@linux</A>...</DIV><BR><BR>=  
I've=20
```

```
been running an MEC and a 442 for, umm, a good couple of years at=20  
least<BR>with no trouble...<BR><BR>...well, there's been trouble, but =
```

not=20
related to those two pieces of hardware.

A 442 is basically =
just a cut=20
down MEC. I don't think a Paris system really
cares that it's not a =
full=20
one. You'll need to patch the word clock out from
whichever =
interface is on=20
the master EDS into the second interface, but other
than that it =
should be=20
sweet!

Cheers,
Kim.

Paul Braun <<A=20
=
href=3D"mailto:cygnus_nospam@ctgonline.org">cygnus_nospam@ctgonline.org</=
A>>=20
wrote:
>So, I have a live gig coming up where I might need more =
than the=20
16 in
>my main mobile MEC.
>
>I also only have one =
EDS card=20
in the mobile rig at the moment.
>
>My options are to pull =
the EDS=20
from my studio rig and cable it up to
>the mobile EDS, and put =
the 442=20
in the rack above the MEC. That would
>give me another 4 =
tracks,=20
plus 2 if I also use the IF-2.
>
>Or, is that asking for a =

headache? I've got a spare MEC, but it won't
>fit in the =
SKB box I=20
have at the moment, so it would have to sit on
>top. But =
that=20
would also give me another 4 (or 6 with the IF-2).
>
>Will =
the=20
EDS+MEC/EDS+442 combo play nice, or is the 442 really =
an
>antisocial=20
bastard who only likes to play by itself?
>
>As soon as we =
make a=20
little money on these things, I'm picking up a
>second EDS and a =
pair of=20
8-in cards for the second MEC.
>
>Of course, that will =
also=20
require a second EDS and second MEC for the
>rig at=20
home....
>
>Ahhhh. Gear fever is starting to settle=20
in....
>
>Thanks.
>
>pab
</BLOCKQUOTE>
<DIV>

I choose Polesoft Lockspam to fight spam, =
and=20
you?
<A=20
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html </DIV></BODY ></HTML>

-----=_NextPart_000_0037_01C83139.775D4FC0--

Subject: Re: MEC + 442 -- questions.....

Posted by [Kim](#) on Wed, 28 Nov 2007 02:23:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

I've been running an MEC and a 442 for, umm, a good couple of years at least with no trouble...

....well, there's been trouble, but not related to those two pieces of hardware.

A 442 is basically just a cut down MEC. I don't think a Paris system really cares that it's not a full one. You'll need to patch the word clock out from whichever interface is on the master EDS into the second interface, but other than that it should be sweet!

Cheers,
Kim.

Paul Braun <cygnus_nospam@ctgonline.org> wrote:

>So, I have a live gig coming up where I might need more than the 16 in
>my main mobile MEC.

>
>I also only have one EDS card in the mobile rig at the moment.

>
>My options are to pull the EDS from my studio rig and cable it up to
>the mobile EDS, and put the 442 in the rack above the MEC. That would
>give me another 4 tracks, plus 2 if I also use the IF-2.

>
>Or, is that asking for a headache? I've got a spare MEC, but it won't
>fit in the SKB box I have at the moment, so it would have to sit on
>top. But that would also give me another 4 (or 6 with the IF-2).

>
>Will the EDS+MEC/EDS+442 combo play nice, or is the 442 really an
>antisocial bastard who only likes to play by itself?

>
>As soon as we make a little money on these things, I'm picking up a
>second EDS and a pair of 8-in cards for the second MEC.

>
>Of course, that will also require a second EDS and second MEC for the
>rig at home....

>
>Ahhhh. Gear fever is starting to settle in....

>
>Thanks.

>
>pab

Subject: Re: MEC + 442 -- questions.....
Posted by [Paul Braun](#) on Fri, 30 Nov 2007 01:29:40 GMT
[View Forum Message](#) <> [Reply to Message](#)

On 28 Nov 2007 12:23:54 +1000, "Kim" <hiddensounds@hotmail.com> wrote:

>
>A 442 is basically just a cut down MEC. I don't think a Paris system really
>cares that it's not a full one. You'll need to patch the word clock out from
>whichever interface is on the master EDS into the second interface, but other
>than that it should be sweet!
>

Is WC 50 ohm or 75 ohm cable? I don't have anything handy with two
bnc's on it, so I'll have to hit the local electronics store this
weekend.

pab

Subject: Re: MEC + 442 -- questions.....
Posted by [Tom Bruhl](#) on Fri, 30 Nov 2007 03:57:39 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_00E6_01C832DB.3D85E1B0
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Paul,
I think Kim is right.
Tom

"Kim" <hiddensounds@hotmail.com> wrote in message =
news:474f8a60@linux...

Don't remember, but google says 75 Ohm...

Paul Braun <cygnus_nospam@ctgonline.org> wrote:
>On 28 Nov 2007 12:23:54 +1000, "Kim" <hiddensounds@hotmail.com> =
wrote:

>
>>
>>A 442 is basically just a cut down MEC. I don't think a Paris system =

really

>>cares that it's not a full one. You'll need to patch the word clock =
out
from
>>whichever interface is on the master EDS into the second interface, =
but
other
>>than that it should be sweet!
>>
>
>Is WC 50 ohm or 75 ohm cable? I don't have anything handy with two
>bnc's on it, so I'll have to hit the local electronics store this
>weekend.
>
>pab

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=_NextPart_000_00E6_01C832DB.3D85E1B0

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =

charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV>Paul,</DIV>

<DIV>I think Kim is right.</DIV>

<DIV>Tom</DIV>

<DIV> </DIV>

<DIV> </DIV>

<BLOCKQUOTE=20

style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =

BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

<DIV>"Kim" <<A=20

=

href=3D"mailto:hiddensounds@hotmail.com">hiddensounds@hotmail.com>=

wrote=20

in message <A=20

=

href=3D"news:474f8a60@linux">news:474f8a60@linux...</DIV>

Don' =

t=20
remember, but google says 75 Ohm...

Paul Braun <<A=20
=
href=3D"mailto:cygnus_nospam@ctgonline.org">cygnus_nospam@ctgonline.org</=
A>>=20
wrote:
>On 28 Nov 2007 12:23:54 +1000, "Kim" <<A=20
=
href=3D"mailto:hiddensounds@hotmail.com">hiddensounds@hotmail.com>=
=20
wrote:
>
>>
>>A 442 is basically just a cut =
down MEC.=20
I don't think a Paris system really
>>cares that it's not a =
full one.=20
You'll need to patch the word clock out
from
>>whichever =
interface=20
is on the master EDS into the second interface, =
but
other
>>than=20
that it should be sweet!
>>
>>Is WC 50 ohm or 75 =
ohm=20
cable? I don't have anything handy with two
>bnc's on it, =
so I'll=20
have to hit the local electronics store=20
this
>weekend.
>
>pab
</BLOCKQUOTE>
<DIV>

I choose Polesoft Lockspam to fight spam, =
and=20
you?
<A=20
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html </DIV></BODY ></HTML>

-----=_NextPart_000_00E6_01C832DB.3D85E1B0--

Subject: Re: MEC + 442 -- questions.....
Posted by [Kim](#) on Fri, 30 Nov 2007 04:58:24 GMT
[View Forum Message](#) <> [Reply to Message](#)

Don't remember, but google says 75 Ohm...

Paul Braun <cygnus_nospam@ctgonline.org> wrote:
>On 28 Nov 2007 12:23:54 +1000, "Kim" <hiddensounds@hotmail.com> wrote:
>
>>
>>A 442 is basically just a cut down MEC. I don't think a Paris system really
>>cares that it's not a full one. You'll need to patch the word clock out
from
>>whichever interface is on the master EDS into the second interface, but
other
>>than that it should be sweet!

>>
>
>Is WC 50 ohm or 75 ohm cable? I don't have anything handy with two
>bnc's on it, so I'll have to hit the local electronics store this
>weekend.
>
>pab

Subject: Re: MEC + 442 -- questions.....
Posted by [audioguy_editout_](#) on Fri, 30 Nov 2007 07:22:26 GMT
[View Forum Message](#) <> [Reply to Message](#)

Definitely 75 Ohm. Use GOOD quality cables of the shortest length possible.

David.

Paul Braun wrote:

> On 28 Nov 2007 12:23:54 +1000, "Kim" <hidensounds@hotmail.com> wrote:
>

>
>>A 442 is basically just a cut down MEC. I don't think a Paris system really
>>cares that it's not a full one. You'll need to patch the word clock out from
>>whichever interface is on the master EDS into the second interface, but other
>>than that it should be sweet!

>>
>
>
> Is WC 50 ohm or 75 ohm cable? I don't have anything handy with two
> bnc's on it, so I'll have to hit the local electronics store this
> weekend.
>
> pab

Subject: Re: MEC + 442 -- questions.....
Posted by [Tom Bruhl](#) on Fri, 30 Nov 2007 08:14:52 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_000E_01C832FF.2C65FDB0
Content-Type: text/plain;
 charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Hey Paul,
Ya and match the lengths of each cable too.
Make an extra one or two just in case you get another
Mec or one goes bad.
Tom

"Dave(EK Sound)" <audioguy_editout_@shaw.ca> wrote in message =
news:474fbb3e@linux...

Definitely 75 Ohm. Use GOOD quality cables of the shortest=20
length possible.

David.

Paul Braun wrote:

> On 28 Nov 2007 12:23:54 +1000, "Kim" <hiddensounds@hotmail.com> =
wrote:

>=20

>=20

>>A 442 is basically just a cut down MEC. I don't think a Paris system =
really

>>cares that it's not a full one. You'll need to patch the word clock =
out from

>>whichever interface is on the master EDS into the second interface, =
but other

>>than that it should be sweet!

>>

>=20

>=20

> Is WC 50 ohm or 75 ohm cable? I don't have anything handy with two

> bnc's on it, so I'll have to hit the local electronics store this

> weekend.

>=20

> pab

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=_NextPart_000_000E_01C832FF.2C65FDB0

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

you?
<http://www.polesoft.com/refer.html>
..html </DIV></BODY ></HTML>

-----=_NextPart_000_000E_01C832FF.2C65FDB0--

Subject: Re: MEC + 442 -- questions.....
Posted by Tom Bruhl on Fri, 30 Nov 2007 17:07:08 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_00D2_01C83349.87A1B490
Content-Type: text/plain;
 charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Paul,
Just in to out one way. Many terminate at the end
of the last unit. Terminators are also 75ohm and
are inexpensive.
Tom

"Paul Braun" <cygnus_nospam@ctgonline.org> wrote in message =
news:47503f92\$1@linux...

"Tom Bruhl" <arpeggio@comcast.net> wrote:
>
>
>Hey Paul,
>Ya and match the lengths of each cable too.
>Make an extra one or two just in case you get another
>Mec or one goes bad.
>Tom
>

I've never used WC before - there is an "insie" and an "outsie" on =
both the
MEC and the 442. Do I just connect MECout to 442in or do I connect =
both
ways?

I choose Polesoft Lockspam to fight spam, and you?
<http://www.polesoft.com/refer.html>
-----=_NextPart_000_00D2_01C83349.87A1B490

Content-Type: text/html;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Paul,</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Just in to out one way.&nbsp; Many =
terminate at the=20
end</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>of the last unit.&nbsp; Terminators are =
also 75ohm=20
and</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>are inexpensive.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;</DIV>
<DIV>"Paul Braun" &lt;<A=20
href=3D"mailto:cygnus_nospam@ctgonline.org">cygnus_nospam@ctgonline.org</=
A>&gt;=20
wrote in message <A=20
href=3D"news:47503f92$1 @linux">news:47503f92$1 @linux</A>...</DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px"><BR>"Tom=20
Bruhl" &lt;<A =
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>&gt;=20
wrote:<BR>&gt;<BR>&gt;<BR>&gt;Hey Paul,<BR>&gt;Ya and match the =
lengths of=20
each cable too.<BR>&gt;Make an extra one or two just in case you get=20
another<BR>&gt;Mec or one goes bad.<BR>&gt;Tom<BR>&gt;<BR><BR>I've =
never used=20
WC before - there is an "insie" and an "outsie" on both the<BR>MEC and =
the=20
442.&nbsp; Do I just connect MECout to 442in or do I connect=20
both<BR>ways?</BLOCKQUOTE>
<DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight spam, =
and=20
you?<BR><A=20
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html</A>&nbsp;&nbsp;&nbsp;&nbsp;</FONT></DIV></BODY ></HTML>
```

-----=_NextPart_000_00D2_01C83349.87A1B490--

Subject: Re: MEC + 442 -- questions.....

Posted by [Paul Braun](#) on Fri, 30 Nov 2007 17:51:30 GMT

[View Forum Message](#) <> [Reply to Message](#)

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>Hey Paul,

>Ya and match the lengths of each cable too.

>Make an extra one or two just in case you get another

>Mec or one goes bad.

>Tom

>

I've never used WC before - there is an "insie" and an "outsie" on both the MEC and the 442. Do I just connect MECout to 442in or do I connect both ways?
