
Subject: Anbody get the freeware SSL talkback comp to work with Paris?

Posted by [Tom Bruhl](#) on Thu, 21 Sep 2006 07:21:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_000E_01C6DD2C.FFAC2890

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

I ran the .exe and dropped the .dll into the plugins folder.

Reran the VST wrapper but it never shows up in Paris,

not even in the list in the VST wrapper.

I want my plugins!

Thanks for listening . . .

Tom

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=_NextPart_000_000E_01C6DD2C.FFAC2890

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
```

```
<HTML><HEAD>
```

```
<META http-equiv=3DContent-Type content=3D"text/html; =
```

```
charset=3Diso-8859-1">
```

```
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
```

```
<STYLE></STYLE>
```

```
</HEAD>
```

```
<BODY bgColor=3D#ffffff>
```

```
<DIV><FONT face=3DArial size=3D2>I ran the .exe and dropped the .dll =  
into the=20
```

```
plugins folder.</FONT></DIV>
```

```
<DIV><FONT face=3DArial size=3D2>Reran the VST wrapper but it never =  
shows up in=20
```

```
Paris,</FONT></DIV>
```

```
<DIV><FONT face=3DArial size=3D2>not even in the list&nbsp;in the VST=20  
wrapper.</FONT></DIV>
```

```
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
```

```
<DIV><FONT face=3DArial size=3D2>I want my plugins!</FONT></DIV>
```

```
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>Thanks for listening . . .</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV>&nbsp;</DIV>
<DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight spam, =
and=20
you?<BR><A=20
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html</A>&nbsp;&nbsp;&nbsp;</FONT></DIV></BODY ></HTML>
```

-----=_NextPart_000_000E_01C6DD2C.FFAC2890--

Subject: Re: Anbody get the freeware SSL talkback comp to work with Paris?
Posted by [Kim W](#) on Thu, 21 Sep 2006 12:30:36 GMT
[View Forum Message](#) <> [Reply to Message](#)

That's strange.
This one works for me as a vst unwrapped.

"Tom Bruhl" <arpeggio@comcast.net> wrote:

```
>
>
>I ran the .exe and dropped the .dll into the plugins folder.
>Reran the VST wrapper but it never shows up in Paris,
>not even in the list in the VST wrapper.
>
>I want my plugins!
>
>Thanks for listening . . .
>Tom
>
>
>
>I choose Polesoft Lockspam to fight spam, and you?
>http://www.polesoft.com/refer.html
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3DContent-Type content=3D"text/html; =
>charset=3Diso-8859-1">
><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D#ffffff>
```

```
><DIV><FONT face=3DArial size=3D2>I ran the .exe and dropped the .dll =
>into the=20
>plugins folder.</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>Reran the VST wrapper but it never =
>shows up in=20
>Paris,</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>not even in the list in the VST=20
>wrapper.</FONT></DIV>
><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
><DIV><FONT face=3DArial size=3D2>I want my plugins!</FONT></DIV>
><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
><DIV><FONT face=3DArial size=3D2>Thanks for listening . . .</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
><DIV> </DIV>
><DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight spam, =
>and=20
>you?<BR><A=20
>href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
>.html</A> </FONT></DIV></BODY></HTML>
>
>
```

Subject: Re: Anbody get the freeware SSL talkback comp to work with Paris?
Posted by [Tom Bruhl](#) on Thu, 21 Sep 2006 13:54:31 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

```
-----=_NextPart_000_0017_01C6DD63.EF87E800
Content-Type: text/plain;
  charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

Ya Kim?

It didn't show up in my list of plugins by just running the .exe.
Tom

"Kim W" <no@way.com> wrote in message news:451285ec\$1@linux...

That's strange.
This one works for me as a vst unwrapped.=20

"Tom Bruhl" <arpeggio@comcast.net> wrote:
>
>

```

>I ran the .exe and dropped the .dll into the plugins folder.
>Reran the VST wrapper but it never shows up in Paris,
>not even in the list in the VST wrapper.
>
>I want my plugins!
>
>Thanks for listening . . .
>Tom
>
>
>
>
>I choose Polesoft Lockspam to fight spam, and you?
>http://www.polesoft.com/refer.html =20
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
>charset=3D3Diso-8859-1">
><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D3D#ffffff>
><DIV><FONT face=3D3DArial size=3D3D2>I ran the .exe and dropped the =
..dll =3D
>into the=3D20
>plugins folder.</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>Reran the VST wrapper but it =
never =3D
>shows up in=3D20
>Paris,</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>not even in the list in the =
VST=3D20
>wrapper.</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><DIV><FONT face=3D3DArial size=3D3D2>I want my plugins!</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><DIV><FONT face=3D3DArial size=3D3D2>Thanks for listening . . =
..</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>Tom</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><DIV> </DIV>
><DIV><FONT size=3D3D2><BR><BR>I choose Polesoft Lockspam to fight =
spam, =3D
>and=3D20
>you?<BR><A=3D20
=
>href=3D3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/re=

```

```
fer=3D
>.html</A> </FONT></DIV></BODY></HTML>
>
>
```

-----=_NextPart_000_0017_01C6DD63.EF87E800

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Ya Kim?</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>It didn't show up in my list of plugins =
by just=20
running the .exe.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"Kim W" &lt;<A href=3D"mailto:no@way.com">no@way.com</A>&gt; =
wrote in=20
  message <A=20
  =
href=3D"news:451285ec$1 @linux">news:451285ec$1 @linux</A>...</DIV><BR>That=
's=20
  strange.<BR>This one works for me as a vst unwrapped. <BR><BR><BR>"Tom =
Bruhl"=20
  &lt;<A href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>&gt; =

  wrote:<BR>&gt;<BR>&gt;<BR>&gt;I ran the .exe and dropped the .dll into =
the=20
  plugins folder.<BR>&gt;Reran the VST wrapper but it never shows up in=20
  Paris,<BR>&gt;not even in the list in the VST =
wrapper.<BR>&gt;<BR>&gt;I want=20
  my plugins!<BR>&gt;<BR>&gt;Thanks for listening . .=20
  .<BR>&gt;Tom<BR>&gt;<BR>&gt;<BR>&gt; <BR>&gt;<BR>&gt;I choose Polesoft =
Lockspam=20
  to fight spam, and =
you?<BR>&gt;http://www.polesoft.com/refer.html&nbsp;&nbsp;&nbsp;=20
  <BR>&gt;<BR>&gt;&lt;!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=20
```

Transitional//EN">
><HTML><HEAD>
><META=20
http-equiv=3D3DContent-Type content=3D3D"text/html";=20
=3D
> charset=3D3Diso-8859-1">
><META =
content=3D3D"MSHTML=20
6.00.2800.1400"=20
=
name=3D3DGENERATOR>
><STYLE></STYLE>
></HEA=
D>
><BODY=20
bgColor=3D3D#ffffff>
><DIV><FONT face=3D3DArial =
size=3D3D2><l=20
ran the .exe and dropped the .dll =3D
>into =
the=3D20
>plugins=20
folder.</DIV>
><DIV><FONT =
face=3D3DArial=20
size=3D3D2><Reran the VST wrapper but it never =3D
>shows up=20
=
in=3D20
>Paris,</DIV>
><DIV><FONT=
=20
face=3D3DArial size=3D3D2><not even in the list in the=20
=
VST=3D20
>wrapper.</DIV>
><DIV><F=
ONT=20
face=3D3DArial size=3D3D2> =
</DIV>
><DIV><FONT=20
face=3D3DArial size=3D3D2><l want my=20
plugins!</DIV>
><DIV><FONT =
face=3D3DArial=20
size=3D3D2> </DIV>
><DIV><FONT =
face=3D3DArial=20
size=3D3D2><Thanks for listening . . =20
</DIV>
><DIV><FONT face=3D3DArial=20
size=3D3D2><Tom</DIV&g t;
><DIV><FONT=20
face=3D3DArial size=3D3D2> =
</DIV>
><DIV>=20
</DIV>
><DIV><FONT =
size=3D3D2><

<l=20
choose Polesoft Lockspam to fight spam,=20
=
=3D
>and=3D20
>you?
<A=3D20
>href=3D3D"<A=20
=
href=3D'http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
'>http://www.polesoft.com/refer.html">http://www.polesoft.com/refer</A=
>=3D
>.html =20
=
</DIV></BODY&g t;</HTML>
>
>
</=
BLOCKQUOTE></BODY></HTML>

-----=_NextPart_000_0017_01C6DD63.EF87E800--

Subject: Re: Anbody get the freeware SSL talkback comp to work with Paris?

Posted by [Kim W](#) on Thu, 21 Sep 2006 14:30:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi, Tom.

I'm at a loss.

In the absense of a Steinberg/vstplugins folder, the install creates a folder in the Program Files directory called "solid state logic". It dumps the SSL LMC-1.dll there.

I just moved it, as you did , into my Paris VST plugins folder, and it showed up.

Are you sure you moved it to the very folder that Paris's config is pointing to?

I assume you are using XP.

Kim

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>Ya Kim?

>It didn't show up in my list of plugins by just running the .exe.

>Tom

>

> "Kim W" <no@way.com> wrote in message news:451285ec\$1@linux...

>

> That's strange.

> This one works for me as a vst unwrapped.=20

>

>

> "Tom Bruhl" <arpeggio@comcast.net> wrote:

> >

> >

> >I ran the .exe and dropped the .dll into the plugins folder.

> >Reran the VST wrapper but it never shows up in Paris,

> >not even in the list in the VST wrapper.

> >

> >I want my plugins!

> >

> >Thanks for listening . . .

> >Tom

> >

> >

> >

> >

> >

> >I choose Polesoft Lockspam to fight spam, and you?

> ><http://www.polesoft.com/refer.html> =20

> >

> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

> ><HTML><HEAD>

```

> ><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
> >charset=3D3Diso-8859-1">
> ><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
> ><STYLE></STYLE>
> ></HEAD>
> ><BODY bgColor=3D3D#ffffff>
> ><DIV><FONT face=3D3DArial size=3D3D2>I ran the .exe and dropped the =
> >.dll =3D
> >into the=3D20
> >plugins folder.</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>Reran the VST wrapper but it =
> >never =3D
> >shows up in=3D20
> >Paris,</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>not even in the list in the =
> >VST=3D20
> >wrapper.</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>I want my plugins!</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>Thanks for listening . . =
> >.</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>Tom</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> ><DIV> </DIV>
> ><DIV><FONT size=3D3D2><BR><BR>I choose Polesoft Lockspam to fight =
> >spam, =3D
> >and=3D20
> >you?<BR><A=3D20
> >=
>>href=3D3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/re=
> >fer=3D
> >.html</A> </FONT></DIV></BODY></HTML>
> >
> >
> >
> >
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3DContent-Type content=3D"text/html; =
>>charset=3Diso-8859-1">
><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D#ffffff>
><DIV><FONT face=3DArial size=3D2>Ya Kim?</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>It didn't show up in my list of plugins
=

```



```

>by just=20
>running the .exe.</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
><BLOCKQUOTE=20
>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Kim W" <<A href=3D"mailto:no@way.com">no@way.com</A>> =
>wrote in=20
> message <A=20
> =
>href=3D"news:451285ec$1 @linux">news:451285ec$1 @linux</A>...</DIV><BR>That=
>'s=20
> strange.<BR>This one works for me as a vst unwrapped. <BR><BR><BR>"Tom
=
>Bruhl"=20
> <<A href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>> =
>
> wrote:<BR>><BR>><BR>>I ran the .exe and dropped the .dll into =
>the=20
> plugins folder.<BR>>Reran the VST wrapper but it never shows up in=20
> Paris,<BR>>not even in the list in the VST =
>wrapper.<BR>><BR>>I want=20
> my plugins!<BR>><BR>>Thanks for listening . .=20
> .<BR>>Tom<BR>><BR>><BR>><BR>><BR>>I choose Polesoft =
>Lockspam=20
> to fight spam, and =
>you?<BR>>http://www.polesoft.com/refer.html =20
> <BR>><BR>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=20
> Transitional//EN"><BR>><HTML><HEAD><BR>><META=20
> http-equiv=3D3DContent-Type content=3D3D"text/html;=20
> =3D<BR>>charset=3D3Diso-8859-1"><BR>><META =
>content=3D3D"MSHTML=20
> 6.00.2800.1400"=20
> =
>name=3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=
>D><BR>><BODY=20
> bgColor=3D3D#ffffff><BR>><DIV><FONT face=3D3DArial =
>size=3D3D2>I=20
> ran the .exe and dropped the .dll =3D<BR>>into =
>the=3D20<BR>>plugins=20
> folder.</FONT></DIV><BR>><DIV><FONT =
>face=3D3DArial=20
> size=3D3D2>Reran the VST wrapper but it never =3D<BR>>shows up=20
> =
>in=3D20<BR>>Paris,</FONT></DIV><BR>><DIV><FONT=
>=20
> face=3D3DArial size=3D3D2>not even in the the=20

```

```
> =
>VST=3D20<BR>>wrapper.</FONT></DIV><BR>><DIV><F=
>ONT=20
> face=3D3DArial size=3D3D2></FONT> =
></DIV><BR>><DIV><FONT=20
> face=3D3DArial size=3D3D2>I want my=20
> plugins!</FONT></DIV><BR>><DIV><FONT =
>face=3D3DArial=20
> size=3D3D2></FONT> </DIV><BR>><DIV><FONT =
>face=3D3DArial=20
> size=3D3D2>Thanks for listening . .=20
> .</FONT></DIV><BR>><DIV><FONT face=3D3DArial=20
> size=3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=20
> face=3D3DArial size=3D3D2></FONT> =
></DIV><BR>><DIV>=20
> </DIV><BR>><DIV><FONT =
>size=3D3D2><BR><BR>I=20
> choose Polesoft Lockspam to fight spam,=20
> =
>=3D<BR>>and=3D20<BR>>you?<BR><A=3D20<BR>>href=3D3D" <A=20
> =
>href=3D'http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
>'>http://www.polesoft.com/refer.html">http://www.polesoft.com/refer</A=
>>=3D<BR>>.html</A> =20
> =
></FONT></DIV></BODY></HTML><BR>><BR>><BR></=
>BLOCKQUOTE></BODY></HTML>
>
>
```

Subject: Re: Anbody get the freeware SSL talkback comp to work with Paris?
Posted by [Tom Bruhl](#) on Thu, 21 Sep 2006 15:19:52 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

```
-----=_NextPart_000_006B_01C6DD6F.DB9066E0
Content-Type: text/plain;
 charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

Kim,
Yes it's in the right folder. Everything else that's there works
except of course the Pultec-Pro... I'll try again.
Thanks!
Tom
"Kim W" <no@way.com> wrote in message news:4512a1f4\$1@linux...

Hi, Tom.
I'm at a loss.
In the absense of a Steinberg/vstplugins folder, the install creates a =
folder
in the Program Files directory called "solid state logic". It dumps =
the SSL
LMC-1.dll there.
I just moved it, as you did , into my Paris VST plugins folder,=20
and it showed up.
Are you sure you moved it to the very folder that Paris's config=20
is pointing to?
I assume you are using XP.
Kim

"Tom Bruhl" <arpeggio@comcast.net> wrote:
>
>
>Ya Kim?
>It didn't show up in my list of plugins by just running the .exe.
>Tom
>
> "Kim W" <no@way.com> wrote in message news:451285ec\$1@linux...
>
> That's strange.
> This one works for me as a vst unwrapped.=3D20
>
>
> "Tom Bruhl" <arpeggio@comcast.net> wrote:
> >
> >
> >I ran the .exe and dropped the .dll into the plugins folder.
> >Reran the VST wrapper but it never shows up in Paris,
> >not even in the list in the VST wrapper.
> >
> >I want my plugins!
> >
> >Thanks for listening . . .
> >Tom
> >
> >
> >
> >
> >I choose Polesoft Lockspam to fight spam, and you?
> ><http://www.polesoft.com/refer.html> =3D20
> >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> ><HTML><HEAD>

```

> ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =
=3D3D
> >charset=3D3D3Diso-8859-1">
> ><META content=3D3D3D"MSHTML 6.00.2800.1400" name=3D3D3DGENERATOR>
> ><STYLE></STYLE>
> ></HEAD>
> ><BODY bgColor=3D3D3D#ffffff>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>I ran the .exe and =
dropped the =3D
> .dll =3D3D
> >into the=3D3D20
> >plugins folder.</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Reran the VST wrapper but =
it =3D
> never =3D3D
> >shows up in=3D3D20
> >Paris,</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>not even in the list in =
the =3D
> VST=3D3D20
> >wrapper.</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>I want my =
plugins!</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Thanks for listening . . =
=3D
> .</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Tom</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> ><DIV> </DIV>
> ><DIV><FONT size=3D3D3D2><BR><BR>I choose Polesoft Lockspam to =
fight =3D
> spam, =3D3D
> >and=3D3D20
> >you?<BR><A=3D3D20
> =3D
=
>>href=3D3D3D"http://www.polesoft.com/refer.html">http://www.polesoft.com=
/re=3D
> fer=3D3D
> >.html</A> </FONT></DIV></BODY></HTML>
> >
> >
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>

```

```

><META http-equiv=3D3DContent-Type content=3D3D"text/html"; =3D
>charset=3D3Diso-8859-1">
><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D3D#ffffff>
><DIV><FONT face=3D3DArial size=3D3D2>Ya Kim?</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>It didn't show up in my list of =
plugins
=3D
>by just=3D20
>running the .exe.</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>Tom</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><BLOCKQUOTE=3D20
>style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3D
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Kim W" <<A href=3D3D"mailto:no@way.com">no@way.com</A>> =3D
>wrote in=3D20
> message <A=3D20
> =3D
=
>href=3D3D"news:451285ec$1@linux">news:451285ec$1@linux</A>...</DIV><BR>T=
hat=3D
>'s=3D20
> strange.<BR>This one works for me as a vst unwrapped. =
<BR><BR><BR>"Tom
=3D
>Bruhl"=3D20
> <<A href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>> =
=3D
>
> wrote:<BR>><BR>><BR>>I ran the .exe and dropped the .dll into =3D
>the=3D20
> plugins folder.<BR>>Reran the VST wrapper but it never shows up =
in=3D20
> Paris,<BR>>not even in the list in the VST =3D
>wrapper.<BR>><BR>>I want=3D20
> my plugins!<BR>><BR>>Thanks for listening . =3D20
> .<BR>>Tom<BR>><BR>><BR>><BR>><BR>><BR>>I choose Polesoft =3D
>Lockspam=3D20
> to fight spam, and =3D
>you?<BR>>http://www.polesoft.com/refer.html =3D20
> <BR>><BR>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=3D20
> Transitional//EN"><BR>><HTML><HEAD><BR>><META=3D20
> http-equiv=3D3D3DContent-Type content=3D3D3D"text/html";=3D20
> =3D3D<BR>><BR>> charset=3D3D3Diso-8859-1"><BR>><META =3D

```

```

>content=3D3D3D"MSHTML=3D20
> 6.00.2800.1400"=3D20
> =3D
>name=3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D
>D><BR>><BODY=3D20
> bgColor=3D3D3D#ffffff><BR>><DIV><FONT face=3D3D3DArial =3D
>size=3D3D3D2>I=3D20
> ran the .exe and dropped the .dll =3D3D<BR>>into =3D
>the=3D3D20<BR>>plugins=3D20
> folder.</FONT></DIV><BR>><DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>Reran the VST wrapper but it never =3D3D<BR>>shows =
up=3D20
> =3D
>in=3D3D20<BR>>Paris,</FONT></DIV><BR>><DIV><FONT=3D
>=3D20
> face=3D3D3DArial size=3D3D3D2>not even in the list in the=3D20
> =3D
>VST=3D3D20<BR>>wrapper.</FONT></DIV><BR>><DIV><F=3D
>ONT=3D20
> face=3D3D3DArial size=3D3D3D2></FONT> =3D
></DIV><BR>><DIV><FONT=3D20
> face=3D3D3DArial size=3D3D3D2>I want my=3D20
> plugins!</FONT></DIV><BR>><DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2></FONT> </DIV><BR>><DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>Thanks for listening . =3D20
> .</FONT></DIV><BR>><DIV><FONT face=3D3D3DArial=3D20
> size=3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D20
> face=3D3D3DArial size=3D3D3D2></FONT> =3D
></DIV><BR>><DIV>=3D20
> </DIV><BR>><DIV><FONT =3D
>size=3D3D3D2><BR><BR>I=3D20
> choose Polesoft Lockspam to fight spam,=3D20
> =3D
>=3D3D<BR>>and=3D3D20<BR>>you?<BR><A=3D3D20<BR>>href=3D3D3D "<A=3D20
> =3D
=
>href=3D3D'http://www.polesoft.com/refer.html">http://www.polesoft.com/re=
fer=3D
=
>'>http://www.polesoft.com/refer.html">http://www.polesoft.com/refer</A=3D=

>>=3D3D<BR>>.html</A> =3D20
> =3D
></FONT></DIV></BODY></HTML><BR>><BR>><BR></=3D
>BLOCKQUOTE></BODY></HTML>

```

>
>

-----=_NextPart_000_006B_01C6DD6F.DB9066E0

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =

charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV>Kim,</DIV>

<DIV>Yes it's in the right folder. =

Everything else=20

that's there works</DIV>

<DIV>except of course the =

Pultec-Pro... = I'll try=20

again.</DIV>

<DIV>Thanks!</DIV>

<DIV>Tom</DIV>

<BLOCKQUOTE=20

style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =

BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

<DIV>"Kim W" <no@way.com> =

wrote in=20

message <A=20

=

href=3D"news:4512a1f4\$1@linux">news:4512a1f4\$1@linux...</DIV>
Hi, =

Tom.
I'm at a loss.
In the absense of a Steinberg/vstplugins =

folder, the=20

install creates a folder
in the Program Files directory called =

"solid state=20

logic". It dumps the SSL
LMC-1.dll there.
I just moved it, as =

you did ,=20

into my Paris VST plugins folder,
and it showed up.
Are you =

sure you=20

moved it to the very folder that Paris's config
is pointing =

to?
I=20

assume you are using XP.
Kim

"Tom Bruhl" <<A=20

href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=20

wrote:
>
>
>Ya Kim?
>It didn't show up in my =

list of=20

plugins by just running the .exe.
>Tom
>
> =
"Kim W"=20
<no@way.com> wrote in message =
<A=20
=
href="news:451285ec\$1@linux">news:451285ec\$1@linux...
>
&g=
t; =20
That's strange.
> This one works for me as a vst=20
unwrapped.=3D20
>
>
> "Tom Bruhl" <<A=20
href="mailto:arpegio@comcast.net">arpegio@comcast.net>=20
wrote:
> >
> >
> >
> >I ran =
the .exe=20
> and dropped the .dll into the plugins folder.
> >Reran =
the VST=20
> wrapper but it never shows up in Paris,
> >not even in =
the list=20
> in the VST wrapper.
> >
> >I want my=20
plugins!
> >
> >Thanks for listening . . =

.
> >Tom
> >
> > =
>
> >=20
>
> >
> >I choose Polesoft Lockspam =
to fight=20
> spam, and you?
> =
><http://www.polesoft.com/refer.html =20
=3D20
> >
> ><!DOCTYPE HTML PUBLIC =
"-//W3C//DTD=20
HTML 4.0 Transitional//EN">
> =20
><HTML><HEAD>
> ><META=20
http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =
=3D3D
> =20
>< charset=3D3D3Diso-8859-1">
> ><META =
content=3D3D3D"MSHTML=20
6.00.2800.1400" name=3D3D3DGENERATOR>
> =20
><STYLE></STYLE>
> =
></HEAD>
> =20
><BODY bgColor=3D3D3D#ffffff>
> =
><DIV><FONT=20
face=3D3D3DArial size=3D3D3D2>I ran the .exe and dropped the =
=3D
> .dll=20
=3D3D
> >into the=3D3D20
> >plugins=20
folder.</DIV>
> ><DIV><FONT =

face=3D3D3DArial size=3D3D3D2>Reran the VST wrapper but it =
=3D
> never=20
=3D3D
> >shows up in=3D3D20
> =20
>Paris,</DIV>
> =
><DIV><FONT=20

face=3D3D3DArial size=3D3D3D2>not even in the list in the=20
=3D
>VST=3D3D20
> =20
>wrapper.</DIV>
> =
><DIV><FONT=20
face=3D3D3DArial size=3D3D3D2> =
</DIV>
> =20
><DIV>I want my=20
plugins!</DIV>
> =
><DIV><FONT=20
face=3D3D3DArial size=3D3D3D2> =
</DIV>
> =20
><DIV>Thanks for =
listening . .=20
=3D
>.</DIV>
> =
><DIV><FONT=20
face=3D3D3DArial =
size=3D3D3D2>Tom</DIV>&
> =20
><DIV> =

</DIV>
> ><DIV> </DIV>
> =20
><DIV>

I choose =
Polesoft=20
Lockspam to fight =3D
>spam, =3D3D
> =
>&and=3D3D20
> =20
>you?
<A=3D3D20
> =
=3D
>>href=3D3D3D"<A=20
=
href=3D'http://www.polesoft.com/refer.html">http://www.polesoft.com/re'>h=
ttp://www.polesoft.com/refer.html">http://www.polesoft.com/re=3D<B=
R>>fer=3D3D
> =20
>.html =20
</DIV></BODY></HTML>
> =20
>
> >
>
>
><!DOCTYPE HTML =
PUBLIC=20
"-//W3C//DTD HTML 4.0=20
Transitional//EN">
><HTML><HEAD>
><META=20
http-equiv=3D3DContent-Type content=3D3D"text/html;=20
=3D
>charset=3D3Diso-8859-1">
><META =
content=3D3D"MSHTML=20
6.00.2800.1400"=20
=
name=3D3DGENERATOR>
><STYLE></STYLE>
></HEA=
D>
><BODY=20
bgColor=3D3D#ffffff>
><DIV><FONT face=3D3DArial =
size=3D3D2>Ya=20
Kim?</DIV>
><DIV><FONT =
face=3D3DArial=20
size=3D3D2>It didn't show up in my list of plugins
=3D
>by =

just=3D20
>running the=20
.exe.</DIV>
></DIV></FONT =
face=3D3DArial=20
size=3D3D2>Tom</DIV&g t;
></DIV></FONT=20
face=3D3DArial size=3D3D2>=20
=
</DIV>
></BLOCKQUOTE=3D20
>style=3D3D"PADDING-RIGHT: =
0px;=20
PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
>BORDER-LEFT: #000000 =
2px solid;=20
MARGIN-RIGHT: 0px">
> </DIV>"Kim W" <</A =
href=3D3D"<A=20
=
href=3D'mailto:no@way.com">no@way.commailto:no@way.com">no@way.co=
m</A>>=20
=3D
>wrote in=3D20
> message =
</A=3D20
> =20
=3D
>href=3D3D"<A=20
=
href=3D'news:451285ec\$1 @linux">news:451285ec\$1 @linux...</DIV>
That=
'>news:451285ec\$1 @linux">news:451285ec\$1 @linux...</DIV>=
</BR>=3D
>'s=3D20
> =20
strange.</BR>This one works for me as a vst unwrapped.=20
=
</BR></BR></BR>"Tom
=3D
>Bruhl"=3D20
> =
;=20
<</A href=3D3D"<A=20
=
href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.netmailto:arpegi=
o@comcast.net">arpeggio@comcast.net</A>>=20
=3D
>
> =
wrote:</BR>></BR>>& amp;lt;/BR>>I ran=20
the .exe and dropped the .dll into =3D
>the=3D20
> =
plugins=20
folder.</BR>>Reran the VST wrapper but it never shows up=20
in=3D20
> Paris,</BR>>not even in the list in the =
VST=20
=3D
 >wrapper.</BR>></BR> >I =
want=3D20
> my=20
plugins!</BR>></BR>> Thanks for listening . =
..=3D20
> =20
=
..</BR>>Tom</BR>>& amp;lt;/BR>></BR>></BR& amp;gt;>=
</BR>>I=20
choose Polesoft =3D
>Lockspam=3D20
> to fight spam, =
and=20
=3D
>you?</BR>>http://www.polesoft.com/refer.html =20

=3D20
>
>
>< !DOCTYPE HTML =
PUBLIC=20
"/W3C//DTD HTML 4.0=3D20
> =20
=
Transitional//EN" >
><HTML>& l t;HEAD>
>=
<META=3D20
> =20
http-equiv=3D3D3DContent-Type =
content=3D3D3D"text/html;=3D20
> =20
=3D3D
> charset=3D3D3Diso-8859-1">
><META =

=3D
>content=3D3D3D"MSHTML=3D20
> =
6.00.2800.1400"=3D20
> =20
=
=3D
 >name=3D3D3DGENERATOR>
& g t;<STYLE></STYLE&=
gt;
></HEA=3D
 >D>
><BODY=3D20
&=
gt; =20
bgColor=3D3D3D#ffffff>
>& lt;DIV><FONT =
face=3D3D3DArial=20
=3D
>size=3D3D3D2>l=3D20
> ran the .exe and =
dropped the .dll=20
=3D3D
>into =
=3D
>the=3D3D20
>plugins=3D20
> =20
folder.</DIV><BR&a mp;gt;><DIV><FONT=20
=3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>Reran =
the VST wrapper=20
but it never =3D3D
>shows up=3D20
> =20
=
=3D
 >in=3D3D20
>Paris,</FO NT></DIV><BR&g=
t;><DIV><FONT=3D
>=3D20
> =20
face=3D3D3DArial size=3D3D3D2>not even in the list in =
the=3D20
> =20
=
=3D
 >VST=3D3D20
>wrapper.< /FONT></DIV><B=
R>><DIV><F=3D
>ONT=3D20
> =20
face=3D3D3DArial size=3D3D3D2>=20
=
=3D
 ></DIV>
>& l t;DIV><FONT=3D20
> =
p;=20
face=3D3D3DArial size=3D3D3D2>I want my=3D20
> =20
plugins!</DIV><BR& amp;gt;><DIV><FONT=20
=3D
>face=3D3D3DArial=3D20
> =
size=3D3D3D2>=20
</DIV>
><DIV&am p;gt;<FONT=20
=3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>Thanks =
for listening .=20
.=3D20
> =
..</DIV>
 ;><DIV><FONT=20
face=3D3D3DArial=3D20
> =20

=
size=3D3D3D2>Tom</DIV>
<DIV><= FONT=3D20
> =20
face=3D3D3DArial size=3D3D3D2>=20
=3D
 ></DIV>
< </DIV>=3D20
> =20
</DIV>
<DIV>< </DIV>=20
=3D
 >size=3D3D3D2>

<=3D20
> = choose Polesoft=20
Lockspam to fight spam,=3D20
> =20
=
=3D
 >=3D3D
>and=3D3D20
 >>you?
<A= =3D3D20
>href=3D3D3D"<A=3D20
> =20
=
=3D
>href=3D3D'http://www.polesoft.com/refer.html">http://www.po= lesoft.com/refer=3D
>'>http://www.polesoft.com/refer.html">ht= tp://www.polesoft.com/refer</A=3D
>>=3D3D
>.html&= lt;/A> =20
=3D20
> =20
=
=3D
 ></DIV></BO DY></HTML>
&= >
>
</=3D
>BLOCKQUOTE></BODY><= ;/HTML>
>
>
></BLOCKQUOTE ></BODY></HTML>

-----=_NextPart_000_006B_01C6DD6F.DB9066E0--

Subject: Re: Anbody get the freeware SSL talkback comp to work with Paris?
Posted by [Aaron Allen](#) on Fri, 22 Sep 2006 06:00:57 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0095_01C6DDE2.8FE477E0
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

silly question probably. Did you rescan with the wrapper after moving it = there?

AA

"Tom Bruhl" <arpeggio@comcast.net> wrote in message = news:4512abbd@linux...

Kim,
Yes it's in the right folder. Everything else that's there works except of course the Pultec-Pro... I'll try again.
Thanks!

Tom

"Kim W" <no@way.com> wrote in message news:4512a1f4\$1@linux...

Hi, Tom.

I'm at a loss.

In the absense of a Steinberg/vstplugins folder, the install creates =
a folder

in the Program Files directory called "solid state logic". It dumps =
the SSL

LMC-1.dll there.

I just moved it, as you did , into my Paris VST plugins folder,=20
and it showed up.

Are you sure you moved it to the very folder that Paris's config=20
is pointing to?

I assume you are using XP.

Kim

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>Ya Kim?

>It didn't show up in my list of plugins by just running the .exe.

>Tom

>

> "Kim W" <no@way.com> wrote in message news:451285ec\$1@linux...

>

> That's strange.

> This one works for me as a vst unwrapped.=3D20

>

>

> "Tom Bruhl" <arpeggio@comcast.net> wrote:

> >

> >

> >I ran the .exe and dropped the .dll into the plugins folder.

> >Reran the VST wrapper but it never shows up in Paris,

> >not even in the list in the VST wrapper.

> >

> >I want my plugins!

> >

> >Thanks for listening . . .

> >Tom

> >

> >

> >

> >

> >

> >I choose Polesoft Lockspam to fight spam, and you?

> ><http://www.polesoft.com/refer.html> =3D20

> >

```

> <<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> <<HTML><HEAD>
> <<META http-equiv=Content-Type content="text/html; =
=Content
> > charset=Diso-8859-1">
> <<META content="MSHTML 6.00.2800.1400" =
name=GENERATOR>
> <<STYLE></STYLE>
> <</HEAD>
> <<BODY bgcolor=#fffff>
> <<DIV><FONT face=Arial size=2>I ran the .exe and =
dropped the =3D
> .dll =3D3D
> > into the=3D3D20
> > plugins folder.</FONT></DIV>
> <<DIV><FONT face=Arial size=2>Reran the VST wrapper =
but it =3D
> never =3D3D
> > shows up in=3D3D20
> > Paris,</FONT></DIV>
> <<DIV><FONT face=Arial size=2>not even in the list in =
the =3D
> VST=3D3D20
> > wrapper.</FONT></DIV>
> <<DIV><FONT face=Arial size=2></FONT> </DIV>
> <<DIV><FONT face=Arial size=2>I want my =
plugins!</FONT></DIV>
> <<DIV><FONT face=Arial size=2></FONT> </DIV>
> <<DIV><FONT face=Arial size=2>Thanks for listening . =
.. =3D
> .</FONT></DIV>
> <<DIV><FONT face=Arial size=2>Tom</FONT></DIV>
> <<DIV><FONT face=Arial size=2></FONT> </DIV>
> <<DIV> </DIV>
> <<DIV><FONT size=2><BR><BR>I choose Polesoft Lockspam to =
fight =3D
> spam, =3D3D
> > and=3D3D20
> > you?<BR><A=3D3D20
> =3D
=
>> href="http://www.polesoft.com/refer.html">http://www.polesoft.com=
/re=3D
> fer=3D3D
> > .html</A> </FONT></DIV></BODY></HTML>
> >
> >
>

```

```

>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
>charset=3D3Diso-8859-1">
><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D3D#ffffff>
><DIV><FONT face=3D3DArial size=3D3D2>Ya Kim?</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>It didn't show up in my list =
of plugins
=3D
>by just=3D20
>running the .exe.</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>Tom</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><BLOCKQUOTE=3D20
>style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3D
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Kim W" <<A href=3D3D"mailto:no@way.com">no@way.com</A>> =3D
>wrote in=3D20
> message <A=3D20
> =3D
=
>href=3D3D"news:451285ec$1@linux">news:451285ec$1@linux</A>...</DIV><BR>T=
hat=3D
>'s=3D20
> strange.<BR>This one works for me as a vst unwrapped. =
<BR><BR><BR>"Tom
=3D
>Bruhl"=3D20
> <<A =
href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>> =3D
>
> wrote:<BR>><BR>><BR>>I ran the .exe and dropped the .dll into =3D
>the=3D20
> plugins folder.<BR>>Reran the VST wrapper but it never shows up =
in=3D20
> Paris,<BR>>not even in the list in the VST =3D
>wrapper.<BR>><BR>>I want=3D20
> my plugins!<BR>><BR>>Thanks for listening . .=3D20
> .<BR>>Tom<BR>><BR>><BR>><BR>><BR>>I choose Polesoft =3D
>Lockspam=3D20
> to fight spam, and =3D
>you?<BR>>http://www.polesoft.com/refer.html =3D20
> <BR>><BR>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=3D20

```

```

> Transitional//EN"><BR>><HTML><HEAD><BR>><META=3D20
> http-equiv=3D3D3DContent-Type content=3D3D3D"text/html";=3D20
> =3D3D<BR>> charset=3D3D3Diso-8859-1"><BR>><META =3D
> content=3D3D3D"MSHTML=3D20
> 6.00.2800.1400"=3D20
> =3D
> name=3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D
> D><BR>><BODY=3D20
> bgcolor=3D3D3D#ffffff><BR>><DIV><FONT face=3D3D3DArial =3D
> size=3D3D3D2>I=3D20
> ran the .exe and dropped the .dll =3D3D<BR>>into =3D
> the=3D3D20<BR>>plugins=3D20
> folder.</FONT></DIV><BR>><DIV><FONT =3D
> face=3D3D3DArial=3D20
> size=3D3D3D2>Reran the VST wrapper but it never =3D3D<BR>>shows =
up=3D20
> =3D
> in=3D3D20<BR>>Paris,</FONT></DIV><BR>><DIV><FONT=3D
> =3D20
> face=3D3D3DArial size=3D3D3D2>not even in the list in the=3D20
> =3D
> VST=3D3D20<BR>>wrapper.</FONT></DIV><BR>><DIV><F=3D
> ONT=3D20
> face=3D3D3DArial size=3D3D3D2></FONT> =3D
> </DIV><BR>><DIV><FONT=3D20
> face=3D3D3DArial size=3D3D3D2>I want my=3D20
> plugins!</FONT></DIV><BR>><DIV><FONT =3D
> face=3D3D3DArial=3D20
> size=3D3D3D2></FONT> </DIV><BR>><DIV><FONT =3D
> face=3D3D3DArial=3D20
> size=3D3D3D2>Thanks for listening . .=3D20
> .</FONT></DIV><BR>><DIV><FONT face=3D3D3DArial=3D20
> size=3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D20
> face=3D3D3DArial size=3D3D3D2></FONT> =3D
> </DIV><BR>><DIV>=3D20
> </DIV><BR>><DIV><FONT =3D
> size=3D3D3D2><BR><BR>I=3D20
> choose Polesoft Lockspam to fight spam,=3D20
> =3D
> =3D3D<BR>>and=3D3D20<BR>>you?<BR><A=3D3D20<BR>>href=3D3D3D "<A=3D20
> =3D
=
> href=3D3D'http://www.polesoft.com/refer.html">http://www.polesoft.com/re=
fer=3D
=
>'>http://www.polesoft.com/refer.html">http://www.polesoft.com/refer</A=3D=
> >=3D3D<BR>>.html</A> =3D20

```



```
> =3D
></FONT></DIV></BODY></HTML><BR>><BR>><BR></=3D
>BLOCKQUOTE></BODY></HTML>
>
>
```

-----=_NextPart_000_0095_01C6DDE2.8FE477E0

Content-Type: text/html;
charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html"; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.5296.0" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>silly question probably. Did you rescan =
with the=20
wrapper after moving it there?</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>AA</FONT></DIV>
<DIV>&nbsp;</DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"Tom Bruhl" &lt;<A=20
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>&gt; wrote =
in message=20
  <A href=3D"news:4512abbd@linux">news:4512abbd@linux</A>...</DIV>
  <DIV><FONT face=3DArial size=3D2>Kim,</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2>Yes it's in the right folder.&nbsp;</DIV>
Everything=20
  else that's there works</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2>except of course the =
Pultec-Pro...&nbsp;</DIV>
  again.</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2>Thanks!</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
</BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"Kim W" &lt;<A href=3D"mailto:no@way.com">no@way.com</A>&gt; =
wrote in=20
  message <A=20
  =
```

[news:4512a1f4\\$1@linux](news:4512a1f4$1@linux)...</DIV>
Hi, =

Tom.
I'm at a loss.
In the absense of a Steinberg/vstplugins =
folder,=20

the install creates a folder
in the Program Files directory =
called "solid=20

state logic". It dumps the SSL
LMC-1.dll there.
I just moved =
it, as=20

you did , into my Paris VST plugins folder,
and it showed =
up.
Are you=20

sure you moved it to the very folder that Paris's config
is =
pointing=20

to?
I assume you are using XP.
Kim

"Tom Bruhl" <<A=20
arpegio@comcast.net>=20

wrote:
>
>
>Ya Kim?
>It didn't show up in my =
list of=20

plugins by just running the .exe.
>Tom
>
> =
"Kim W"=20

<no@way.com> wrote in =
message <A=20

=
[news:451285ec\\$1@linux](news:451285ec$1@linux)...
>
&g=
t; =20

That's strange.
> This one works for me as a vst=20
unwrapped.=3D20
>
>
> "Tom Bruhl" <<A=20

arpegio@comcast.net>=20
wrote:
> >
> >
> >
> >I ran =
the=20

.exe and dropped the .dll into the plugins folder.
> =
>Reran=20

the VST wrapper but it never shows up in Paris,
> =
>not even=20

in the list in the VST wrapper.
> >
> =
>I want=20

my plugins!
> >
> >Thanks for =
listening . .=20

.
> >Tom
> >
> =
>
> =20

>
> >
> >I choose Polesoft Lockspam =
to=20

fight spam, and you?
> =20

><http://www.polesoft.com/refer.html =3D20
> =20

>
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML =
4.0=20

Transitional//EN">
> =20

><HTML><HEAD>
> ><META=20

http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =

=3D3D
> =20

> charset="iso-8859-1">
> >< META=20
content="MSHTML 6.00.2800.1400" =
name="GENERATOR">
> =20
>< /STYLE>< /STYLE>
> =20
>< /HEAD>
> >< BODY=20
bgColor="#ffffff">
> >< DIV>< FONT =
face="Arial" =20
size="2"> I ran the .exe and dropped the =3D
>.dll =
=3D
> =20
> into the =3D
> >< plugins=20
folder.< /FONT>< /DIV>
> =
>< DIV>< FONT=20
face="Arial" size="2"> Reran the VST wrapper but it =
=3D
> never=20
=3D
> >< shows up in=3D
> =20
>< Paris,< /FONT>< /DIV>
> =
>< DIV>< FONT=20
face="Arial" size="2"> not even in the list in the=20
=3D
> VST=3D
> =20
>< wrapper.< /FONT>< /DIV>
> =
>< DIV>< FONT=20
face="Arial" size="2"> < /FONT> =
< /DIV>
> =20
>< DIV>< FONT face="Arial" size="2"> I want my=20
plugins!< /FONT>< /DIV>
> =
>< DIV>< FONT=20
face="Arial" size="2"> < /FONT> =
< /DIV>
> =20
>< DIV>< FONT face="Arial" size="2"> Thanks for =
listening . =20
. =3D
>.< /FONT>< /DIV>
> =
>< DIV>< FONT=20
face="Arial" =
size="2"> Tom< /FONT>< /DIV>& < < BR>> =20
>< DIV>< FONT face="Arial" =
size="2"> < /FONT>=20
< /DIV>
> >< DIV> =
< /DIV>
> =20
>< DIV>< FONT size="2"> < BR>< BR> I choose =
Polesoft=20
Lockspam to fight =3D
>spam, =3D
> =20
>< and=3D
> =
>< you?< BR>< A=3D
> =20
=3D
>> href="http://www.polesoft.com/refer.html"< A=20
=
href="http://www.polesoft.com/refer.html">http://www.polesoft.com/re'>h=
http://www.polesoft.com/refer.html">http://www.polesoft.com/re=3D
>B=
R>>fer=3D
> =20

>.html =20
</DIV></BODY> t;</HTML>
> =20
>
> >
>
>
><!DOCTYPE HTML =
PUBLIC=20
"-//W3C//DTD HTML 4.0=20
=
Transitional//EN">
><HTML><HEAD>
><META=20
http-equiv=3D3DContent-Type content=3D3D"text/html;=20
=3D
> charset=3D3Diso-8859-1">
><META =
content=3D3D"MSHTML=20
6.00.2800.1400"=20
=
name=3D3DGENERATOR>
><STYLE></STYLE>
></HEA=
D>
><BODY=20
bgColor=3D3D#ffffff>
><DIV><FONT face=3D3DArial =
size=3D3D2>Ya=20
Kim?</DIV>
><DIV><FONT =
face=3D3DArial=20
size=3D3D2>It didn't show up in my list of =
plugins
=3D
>by=20
just=3D20
>running the=20
.exe.</DIV>
><DIV><FONT =
face=3D3DArial=20
=
size=3D3D2>Tom</DIV> t;
><DIV><FONT=20
face=3D3DArial size=3D3D2>=20
=
</DIV>
><BLOCKQUOTE=3D20
>style=3D3D"PADDING-RIGHT: =
0px;=20
PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
>BORDER-LEFT: #000000 =
2px=20
solid; MARGIN-RIGHT: 0px">
> <DIV>"Kim W" =
<<A=20
href=3D3D"<A=20
=
href=3D'mailto:no@way.com">no@way.com</A'>mailto:no@way.com">no@way.co=
m</A>>=20
=3D
>wrote in=3D20
> message =
<A=3D20
> =20
=3D
>href=3D3D"<A=20
=
href=3D'news:451285ec\$1@linux">news:451285ec\$1@linux...</DIV>
That=
'>news:451285ec\$1@linux">news:451285ec\$1@linux...</DIV>

That=3D
>'s=3D20
> =20
strange.
This one works for me as a vst unwrapped.=20
=

"Tom
=3D
>Bruhl"=3D20
> =
;=20

<<A href=3D3D" <A=20
=
href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net</A'>mailto:arpegi=
o@comcast.net">arpeggio@comcast.net</A>=20
=3D
>
> =
wrote:
>
>&a mp;lt;BR>>l=20
ran the .exe and dropped the .dll into =
=3D
>the=3D20
> plugins=20
folder.
>Reran the VST wrapper but it never shows up=20
in=3D20
> Paris,
>not even in the list in =
the VST=20
=3D
 >wrapper.
>
 >l =
want=3D20
> my=20
plugins!
>
> Thanks for listening .=20
.=3D20
> =20
=
..
>Tom
>& am p;lt;BR>>
><BR& amp;gt;>=

>l=20
choose Polesoft =3D
>Lockspam=3D20
> to fight =
spam, and=20
=
=3D
>you?
>http://www.polesoft.com/refer.html =20
=3D20
>
>
>< !DOCTYPE HTML =
PUBLIC=20
"-//W3C//DTD HTML 4.0=3D20
> =20
=
Transitional//EN" >
><HTML>& l t;HEAD>
>=
<META=3D20
> =20
http-equiv=3D3D3DContent-Type =
content=3D3D3D"text/html";=3D20
> =20
=
=3D3D
> charset=3D3D3Diso-8859-1">
><META=20
=3D
>content=3D3D3D"MSHTML=3D20
> =20
6.00.2800.1400"=3D20
> =20
=
=3D
 >name=3D3D3DGENERATOR>
> t;<STYLE></STYLE&=
gt;
></HEA=3D
 >D>
><BODY=3D20
&=
gt; =20
bgColor=3D3D3D#ffffff>
>& l t;DIV><FONT =
face=3D3D3DArial=20
=3D
>size=3D3D3D2>l=3D20
> ran the .exe and =
dropped the .dll=20
=3D3D
>into=20
=3D
>the=3D3D20
>plugins=3D20
> =20
folder.</DIV><BR&a mp;gt;><DIV><FONT=20
=3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>Reran =
the VST wrapper=20
but it never =3D3D
>shows up=3D20
> =20

=
=3D
 >in=3D3D20
>Paris,</FO NT></DIV>

></DIV></FONT=3D
>=3D20
> =20
face=3D3D3DArial size=3D3D3D2>not even in the list in =
the=3D20
> =20
=
=3D
 >VST=3D3D20
>wrapper.</DIV><B=
R>></DIV></F=3D
>ONT=3D20
> =20
face=3D3D3DArial size=3D3D3D2>=20
=
=3D
 ></DIV>
></DIV></FONT=3D20
> =
p;=20
face=3D3D3DArial size=3D3D3D2>I want my=3D20
> =20
plugins!</DIV><BR& >></DIV></FONT=20
=3D
>face=3D3D3DArial=3D20
> =
size=3D3D3D2>=20
</DIV>
></DIV&am p;gt;</FONT=20
=3D
>face=3D3D3DArial=3D20
> =
size=3D3D3D2>Thanks for listening=20
. .=3D20
> =20
. </DIV>
 ></DIV></FONT=20
face=3D3D3DArial=3D20
> =20
=
size=3D3D3D2>Tom</DIV&am p;gt;
></DIV><=
FONT=3D20
> =20
face=3D3D3DArial size=3D3D3D2>=20
=3D
 ></DIV>
></DIV>=3D20
> =20
</DIV>
></DIV&am p;gt;</FONT=20
=3D
 >size=3D3D3D2>
></DIV></FONT=20
> =
choose=20
Polesoft Lockspam to fight spam,=3D20
> =20
=
=3D
 >=3D3D
>and=3D3D20<BR& >>you?
</A=
=3D3D20
>href=3D3D3D"</A=3D20
> =20
=
=3D
>href=3D3D'http://www.polesoft.com/refer.html">http://www.po=
lesoft.com/refer=3D
>'>http://www.polesoft.com/refer.html">ht=
tp://www.polesoft.com/refer</A=3D
>>=3D3D
>.html&=
lt;/A> =20
=3D20
> =20
=
=3D
 ></DIV></BO DY></HTML>
&=
gt;
>
</=3D
 >BLOCKQUOTE></BODY><=
;/HTML>
>
>
></BLOCKQUOTE ></BLOCKQUOTE></BODY></HTML>

-----=_NextPart_000_0095_01C6DDE2.8FE477E0--

Subject: Re: Anbody get the freeware SSL talkback comp to work with Paris?
Posted by [Tom Bruhl](#) on Fri, 22 Sep 2006 07:41:47 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0020_01C6DDF9.07D8ED10
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Aaron,
Yes indeed. Not sure but maybe I got a faulty download?
Tom

"Aaron Allen" <know-spam@not_here.dude> wrote in message =
news:45137a59@linux...
silly question probably. Did you rescan with the wrapper after moving =
it there?

AA

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:4512abbd@linux...
Kim,
Yes it's in the right folder. Everything else that's there works
except of course the Pultec-Pro... I'll try again.
Thanks!
Tom
"Kim W" <no@way.com> wrote in message news:4512a1f4\$1@linux...

Hi, Tom.
I'm at a loss.
In the absense of a Steinberg/vstplugins folder, the install =
creates a folder
in the Program Files directory called "solid state logic". It =
dumps the SSL
LMC-1.dll there.
I just moved it, as you did , into my Paris VST plugins folder,=20
and it showed up.
Are you sure you moved it to the very folder that Paris's config=20
is pointing to?
I assume you are using XP.
Kim

"Tom Bruhl" <arpeggio@comcast.net> wrote:
>
>

>Ya Kim?
>It didn't show up in my list of plugins by just running the .exe.
>Tom
>
> "Kim W" <no@way.com> wrote in message news:451285ec\$1@linux...
>
> That's strange.
> This one works for me as a vst unwrapped.=3D20
>
>
> "Tom Bruhl" <arpegio@comcast.net> wrote:
> >
> >
> >I ran the .exe and dropped the .dll into the plugins folder.
> >Reran the VST wrapper but it never shows up in Paris,
> >not even in the list in the VST wrapper.
> >
> >I want my plugins!
> >
> >Thanks for listening . . .
> >Tom
> >
> >
> >
> >
> >I choose Polesoft Lockspam to fight spam, and you?
> ><http://www.polesoft.com/refer.html> =3D20
> >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> ><HTML><HEAD>
> ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =
=3D3D3D
> > charset=3D3D3Diso-8859-1">
> ><META content=3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3DGENERATOR>
> ><STYLE></STYLE>
> ></HEAD>
> ><BODY bgColor=3D3D3D#ffffff>
> ><DIV>I ran the .exe and =
dropped the =3D
> .dll =3D3D
> >into the=3D3D20
> >plugins folder.</DIV>
> ><DIV>Reran the VST wrapper =
but it =3D
> never =3D3D
> >shows up in=3D3D20
> >Paris,</DIV>


```

> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>not even in the list =
in the =3D
>VST=3D3D20
> >wrapper.</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>I want my =
plugins!</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Thanks for listening =
... =3D
>.</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Tom</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> ><DIV> </DIV>
> ><DIV><FONT size=3D3D3D2><BR><BR>I choose Polesoft Lockspam to =
fight =3D
>spam, =3D3D
> >and=3D3D20
> >you?<BR><A=3D3D20
> =3D
=
>>href=3D3D3D"http://www.polesoft.com/refer.html">http://www.polesoft.com=
/re=3D
>fer=3D3D
> >.html</A> </FONT></DIV></BODY></HTML>
> >
> >
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
>charset=3D3Diso-8859-1">
><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D3D#ffffff>
><DIV><FONT face=3D3DArial size=3D3D2>Ya Kim?</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>It didn't show up in my list =
of plugins
=3D
>by just=3D20
>running the .exe.</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>Tom</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><BLOCKQUOTE=3D20
>style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
5px; =3D

```

```

>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Kim W" <<A href=3D3D"mailto:no@way.com">no@way.com</A>> =
=3D
>wrote in=3D20
> message <A=3D20
> =3D
=
>href=3D3D"news:451285ec$1@linux">news:451285ec$1@linux</A>...</DIV><BR>T=
hat=3D
>'s=3D20
> strange.<BR>This one works for me as a vst unwrapped. =
<BR><BR><BR>"Tom
=3D
>Bruhl"=3D20
> <<A =
href=3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>> =3D
>
> wrote:<BR><BR><BR>>I ran the .exe and dropped the .dll into =
=3D
>the=3D20
> plugins folder.<BR>>Reran the VST wrapper but it never shows up =
in=3D20
> Paris,<BR>>not even in the list in the VST =3D
>wrapper.<BR>><BR>>I want=3D20
> my plugins!<BR>><BR>>Thanks for listening . .=3D20
> .<BR>>Tom<BR>><BR>><BR>><BR>><BR>><BR>>I choose Polesoft =3D
>Lockspam=3D20
> to fight spam, and =3D
>you?<BR>>http://www.polesoft.com/refer.html =3D20
> <BR>><BR>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=3D20
> Transitional//EN"><BR>><HTML><HEAD><BR>><META=3D20
> http-equiv=3D3D3DContent-Type content=3D3D3D"text/html;=3D20
> =3D3D3D<BR>>charset=3D3D3Diso-8859-1"><BR>><META =3D
>content=3D3D3D"MSHTML=3D20
> 6.00.2800.1400"=3D20
> =3D
>name=3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D
>D><BR>><BODY=3D20
> bgColor=3D3D3D#ffffff><BR>><DIV><FONT face=3D3D3DArial =3D
>size=3D3D3D2>I=3D20
> ran the .exe and dropped the .dll =3D3D<BR>>into =3D
>the=3D3D20<BR>>plugins=3D20
> folder.</FONT></DIV><BR>><DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>Reran the VST wrapper but it never =3D3D<BR>>shows =
up=3D20
> =3D
>in=3D3D20<BR>>Paris,</FONT></DIV><BR>><DIV><FONT=3D

```

```

>=3D20
> face=3D3D3DArial size=3D3D3D2>not even in the list in the=3D20
> =3D
>VST=3D3D20<BR>>wrapper.</FONT></DIV><BR>><DIV><F=3D
>ONT=3D20
> face=3D3D3DArial size=3D3D3D2></FONT> =3D
></DIV><BR>><DIV><FONT=3D20
> face=3D3D3DArial size=3D3D3D2>I want my=3D20
> plugins!</FONT></DIV><BR>><DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2></FONT> </DIV><BR>><DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>Thanks for listening . .=3D20
> .</FONT></DIV><BR>><DIV><FONT face=3D3D3DArial=3D20
> size=3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D20
> face=3D3D3DArial size=3D3D3D2></FONT> =3D
></DIV><BR>><DIV>=3D20
> </DIV><BR>><DIV><FONT =3D
>size=3D3D3D2><BR><BR>I=3D20
> choose Polesoft Lockspam to fight spam,=3D20
> =3D
=
>=3D3D<BR>>and=3D3D20<BR>>you?<BR><A=3D3D20<BR>>href=3D3D3D "<A=3D20
> =3D
=
>href=3D3D'http://www.polesoft.com/refer.html">http://www.polesoft.com/re=
fer=3D
=
>'>http://www.polesoft.com/refer.html">http://www.polesoft.com/refer</A=3D=

>>=3D3D<BR>>.html</A> =3D20
> =3D
></FONT></DIV></BODY></HTML><BR>><BR>><BR></=3D
>BLOCKQUOTE></BODY></HTML>
>
>

```

-----=_NextPart_000_0020_01C6DDF9.07D8ED10

Content-Type: text/html;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

```

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>

```

```
</HEAD>
<BODY bgColor=#ffffff>
<DIV><FONT face=Arial size=2>Aaron,</FONT></DIV>
<DIV><FONT face=Arial size=2>Yes indeed.&nbsp; Not sure but maybe I =
got a faulty=20
download?</FONT></DIV>
<DIV><FONT face=Arial size=2>Tom</FONT></DIV>
<DIV><FONT face=Arial size=2></FONT>&nbsp;</DIV>
<DIV>&nbsp;</DIV>
<BLOCKQUOTE dir=ltr=20
style="PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"Aaron Allen" &lt;<A=20
  =
href="mailto:know-spam@not_here.dude">know-spam@not_here.dude</A>&gt; =
wrote in=20
  message <A =
href="news:45137a59@linux">news:45137a59@linux</A>...</DIV>
  <DIV><FONT face=Arial size=2>silly question probably. Did you =
rescan with the=20
  wrapper after moving it there?</FONT></DIV>
  <DIV><FONT face=Arial size=2></FONT>&nbsp;</DIV>
  <DIV><FONT face=Arial size=2>AA</FONT></DIV>
  <DIV>&nbsp;</DIV>
  <BLOCKQUOTE dir=ltr=20
  style="PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
  BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
    <DIV>"Tom Bruhl" &lt;<A=20
    href="mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>&gt; =
wrote in=20
    message <A =
href="news:4512abbd@linux">news:4512abbd@linux</A>...</DIV>
    <DIV><FONT face=Arial size=2>Kim,</FONT></DIV>
    <DIV><FONT face=Arial size=2>Yes it's in the right folder.&nbsp; =
Everything=20
    else that's there works</FONT></DIV>
    <DIV><FONT face=Arial size=2>except of course the =
Pultec-Pro...&nbsp; I'll=20
    try again.</FONT></DIV>
    <DIV><FONT face=Arial size=2>Thanks!</FONT></DIV>
    <DIV><FONT face=Arial size=2>Tom</FONT></DIV>
    <BLOCKQUOTE=20
    style="PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
    BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
      <DIV>"Kim W" &lt;<A href="mailto:no@way.com">no@way.com</A>&gt; =
wrote in=20
      message <A=20
      =
```


=3D3D
> =20
> charset=3D3D3DISO-8859-1" >
> > < META=20
content=3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3DGENERATOR>
> =20
> < /STYLE> < /STYLE>
> =20
> < /HEAD>
> > < BODY=20
bgColor=3D3D3D#ffffff>
> > < DIV> < FONT=20
face=3D3D3DArial size=3D3D3D2> I ran the .exe and dropped the =
=3D
> .dll=20
=3D3D
> > into the=3D3D20
> > plugins=20
folder. < /FONT> < /DIV>
> =
> < DIV> < FONT=20
face=3D3D3DArial size=3D3D3D2> Reran the VST wrapper but it =
=3D
> never=20
=3D3D
> > shows up in=3D3D20
> =20
> Paris, < /FONT> < /DIV>
> =
> < DIV> < FONT=20
face=3D3D3DArial size=3D3D3D2> not even in the list in the=20
=3D
> VST=3D3D20
> =20
> wrapper. < /FONT> < /DIV>
> =20
> < DIV> < FONT face=3D3D3DArial =
size=3D3D3D2> < /FONT>=20
< /DIV>
> > < DIV> < FONT =
face=3D3D3DArial=20
size=3D3D3D2> I want my =
plugins! < /FONT> < /DIV>
> =20
> < DIV> < FONT face=3D3D3DArial =
size=3D3D3D2> < /FONT>=20
< /DIV>
> > < DIV> < FONT =
face=3D3D3DArial=20
size=3D3D3D2> Thanks for listening . .=20
=3D
>. < /FONT> < /DIV>
> =
> < DIV> < FONT=20
face=3D3D3DArial =
size=3D3D3D2> Tom < /FONT> < /DIV> >
> =20
> < DIV> < FONT face=3D3D3DArial =
size=3D3D3D2> < /FONT>=20
< /DIV>
> > < DIV> =
< /DIV>
> =20
> < DIV> < FONT size=3D3D3D2> < BR> < BR> I =
choose=20
Polesoft Lockspam to fight =3D
> spam, =3D3D
> =20
> and=3D3D20
> =
> you? < BR> < A=3D3D20
> =20
=3D
> > < href=3D3D3D" < A=20
=
href=3D'http://www.polesoft.com/refer.html">http://www.polesoft.com/re'>h=
ttp://www.polesoft.com/refer.html" > http://www.polesoft.com/re=3D<B=

```

R>&gt;fer=3D3D<BR>&gt;&nbsp;=20
  &gt;.html&lt;/A&gt;&nbsp;&nbsp;=20
  &lt;/FONT&gt;&lt;/DIV&gt;&lt;/BODY&gt;&lt;/HTML&gt; <BR>&gt;&nbsp;=20
  &gt;<BR>&gt;&nbsp; &gt;<BR>&gt;<BR>&gt;&lt;!DOCTYPE HTML =
PUBLIC=20
  "-//W3C//DTD HTML 4.0=20
  =
Transitional//EN"&gt;<BR>&gt;&lt;HTML&gt;&lt;HEAD&gt; <BR>&gt;&lt;META=20
  http-equiv=3D3DContent-Type content=3D3D"text/html;=20
  =3D<BR>&gt; charset=3D3Diso-8859-1"&gt;<BR>&gt;&lt;META =
content=3D3D"MSHTML=20
  6.00.2800.1400"=20
  =
name=3D3DGENERATOR&gt;<BR>&gt;&lt;STYLE&gt;&lt;/STYLE&gt; <BR>&gt;&lt;/HEA=
D&gt;<BR>&gt;&lt;BODY=20
  bgColor=3D3D#ffffff&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT face=3D3DArial=20
  size=3D3D2&gt;Ya =
Kim?&lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT=20
  face=3D3DArial size=3D3D2&gt;It didn't show up in my list of=20
  plugins<BR>=3D<BR>&gt;by just=3D20<BR>&gt;running the=20
  .exe.&lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT =
face=3D3DArial=20
  =
  size=3D3D2&gt;Tom&lt;/FONT&gt;&lt;/DIV&gt; <BR>&gt;&lt;DIV&gt;&lt;FONT=20
  face=3D3DArial size=3D3D2&gt;&lt;/FONT&gt;=20
  =
&lt;/DIV&gt;<BR>&gt;&lt;BLOCKQUOTE=3D20<BR >&gt;style=3D3D"PADDING-RIGHT: =
0px;=20
  PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D<BR>&gt;BORDER-LEFT: =
#000000 2px=20
  solid; MARGIN-RIGHT: 0px"&gt;<BR>&gt;&nbsp; &lt;DIV&gt;"Kim W" =
&lt;&lt;A=20
  href=3D3D"<A=20
  =
href=3D'mailto:no@way.com">no@way.com</A'>mailto:no@way.com"&gt;no@way.co=
m&lt;/A</A>&gt;&gt;=20
  =3D<BR>&gt;wrote in=3D20<BR>&gt;&nbsp; message =
&lt;A=3D20<BR>&gt;&nbsp;=20
  =3D<BR>&gt;href=3D3D"<A=20
  =
href=3D'news:451285ec$1@linux">news:451285ec$1@linux</A>...</DIV><BR>That=
'>news:451285ec$1@linux"&gt;news:451285ec$1@linux&lt;/A&gt;...&lt;/DIV&gt;
&lt;BR&gt;That</A>=3D<BR>&gt;'s=3D20<BR>&gt;&nbsp;=20
  strange.&lt;BR&gt;This one works for me as a vst unwrapped.=20
  =
&lt;BR&gt;&lt;BR&gt;&lt;BR&gt;"Tom<BR >=3D<BR>&gt;Bruhl"=3D20<BR>&gt;&nbsp;=
;=20
  &lt;&lt;A href=3D3D"<A=20

```

=
href="mailto:arpegio@comcast.net">arpegio@comcast.netmailto:arpegio@comcast.net">&arpegio@comcast.net&&=20
=3D
&
& =
wrote:
&
&& a mp;lt;BR>&&l=20
ran the .exe and dropped the .dll into =
=3D
&&the=3D20
& =20
plugins folder.
&&Reran the VST wrapper but it never =
shows up=20
in=3D20
& Paris,
&¬ even in the list in =
the VST=20
=3D
 &&wrapper.
&
 &&l =
want=3D20
& my=20
plugins!
&
&& Thanks for listening .=20
. =3D20
& =20
=
..
&&Tom
&& a mp;lt;BR>&
&&
&& amp;gt;&&=

&
&&l=20
choose Polesoft =3D
&&Lockspam=3D20
& to fight =
spam, and=20
=
=3D
&&you?
&&http://www.polesoft.com/refer.html =20
=3D20
&
&
&& !DOCTYPE HTML =
PUBLIC=20
"-//W3C//DTD HTML 4.0=3D20
& =20
=
Transitional//EN" &
&
&&HTML
&&HEAD
&&=

&&META=3D20
& =20
http-equiv=3D3D3DContent-Type =
content=3D3D3D"text/html;=3D20
& =20
=
=3D3D
&& charset=3D3D3DISO-8859-1 "&
&
&&META=20
=3D
&& content=3D3D3D"MSHTML=3D20
& =20
6.00.2800.1400"=3D20
& =20
=
=3D
 &&name=3D3D3DGENERATOR&
&& t;
&&STYLE&
&&STYLE&=
g;&
&
&&/HEA=3D
 &&D&
&
&&BODY=3D20
&=&
g;& =20
bgColor=3D3D3D#ffffff&
&& lt;DIV&
&&FONT =
face=3D3D3DArial=20
=3D
&& size=3D3D3D2&
& ran the .exe and =
dropped the=20
.dll =3D3D
&& into=20
=3D
&& the=3D3D20
&& plugins=3D20
& =20
folder.</FONT&
&& a mp;gt;&
&&FONT=20
=3D
&& face=3D3D3DArial=3D20
& =
size=3D3D3D2&
&& Reran the VST=20
wrapper but it never =3D3D
&& shows =

up=3D20
> =20
=
=3D
 >in=3D3D20
>Paris,</FO NT></DIV><BR&g=
t;></DIV></FONT=3D
>=3D20
> =20
face=3D3D3DArial size=3D3D3D2>not even in the list in =
the=3D20
> =20
=
=3D
 >VST=3D3D20
>wrapper.< /FONT></DIV><B=
R>></DIV></F=3D
>ONT=3D20
> =20
face=3D3D3DArial size=3D3D3D2>=20
=
=3D
 ></DIV>
>&l t;/DIV></FONT=3D20
> =
p;=20
face=3D3D3DArial size=3D3D3D2>I want my=3D20
> =20
plugins!</DIV><BR& amp;gt;></DIV></FONT =

=3D
>face=3D3D3DArial=3D20
> =
size=3D3D3D2>=20
</DIV>
></DIV&am p;gt;</FONT=20
=3D
>face=3D3D3DArial=3D20
> =
size=3D3D3D2>Thanks for=20
listening . =3D20
> =20
</DIV>
 ></DIV></FONT=20
face=3D3D3DArial=3D20
> =20
=
size=3D3D3D2>Tom</DIV&am p;gt;
></DIV><=
FONT=3D20
> =20
face=3D3D3DArial size=3D3D3D2>=20
=
=3D
 ></DIV>
>&l t;/DIV>=3D20
> =20
</DIV>
></DIV&am p;gt;</FONT=20
=
=3D
 >size=3D3D3D2>
<BR& ;gt;l=3D20
> =
choose=20
Polesoft Lockspam to fight spam,=3D20
> =20
=
=3D
 >=3D3D
>and=3D3D20<BR& amp;gt;>you?
<A=
=3D3D20
>href=3D3D3D"<A=3D20
> =20
=
=3D
>href=3D3D'http://www.polesoft.com/refer.html">http://www.po=
lesoft.com/refer=3D
>'>http://www.polesoft.com/refer.html">ht=
tp://www.polesoft.com/refer</A=3D
>>=3D3D
>.html&=
lt;/A> =20
=3D20
> =20
=
=3D
 ></DIV></BO DY></HTML>
&=
gt;
>
</=3D
>BLOCKQUOTE></BODY><=
</HTML>
>
>
></BLOCKQUOTE

></BLOCKQUOTE></BLOCKQUOTE></BODY></HTML>

-----=_NextPart_000_0020_01C6DDF9.07D8ED10--
