Subject: Re: Yamaha Sub Kick

Posted by Deej [1] on Wed, 08 Mar 2006 15:19:05 GMT

View Forum Message <> Reply to Message

Works great for kick drum. Not quite as great on a bass cab. It just doesn't have the freq range to pick up much of the harmonics above 1000KHz.

Deej

"cujo" <chris@nospamapplemanstudio.com> wrote in message news:440ee9f4\$1@linux...

>

- > Hey guys using the sub kick,
- > What are you thinking about it?
- > Is it a ton better than using an LDC in the tunnel or a 15 in speaker?

>

> Do tell do tell!

>

> Or am I better off to eep savign my pennies for Dimitios' U47?

Subject: Yamaha Sub Kick

Posted by cujo on Wed, 08 Mar 2006 15:28:04 GMT

View Forum Message <> Reply to Message

Hey guys using the sub kick, What are you thinking about it? Is it a ton better than using an LDC in the tunnel or a 15 in speaker?

Do tell do tell!

Or am I better off to eep savign my pennies for Dimitios' U47?

Subject: Re: Yamaha Sub Kick

Posted by Chris Lang on Wed, 08 Mar 2006 20:14:31 GMT

View Forum Message <> Reply to Message

Hi Cujo-

I use an 8-inch woofer that I bought for 20 bucks. It is impractical for live settings, but it is awesome in the studio. If you only need it in the studio, just wire up a speaker. Tip to positive, sleeve to negative, then through a DI-box and

right into your pre-amp.

As DJ says, it works much better for kick than for acoustic bass.

peace,

Chris

"cujo" <chris@nospamapplemanstudio.com> wrote:
>
>
>Hey guys using the sub kick,
>What are you thinking about it?
>Is it a ton better than using an LDC in the tunnel or a 15 in speaker?
>
>Do tell do tell!
>
>Or am I better off to eep savign my pennies for Dimitios' U47?

Subject: Re: Yamaha Sub Kick Posted by Rod Lincoln on Wed, 08 Mar 2006 22:37:21 GMT View Forum Message <> Reply to Message

I have the sub kik and a DIY speaker, and, at least for me the sub kik had a better sound, although the DIY was good also. I suppose it would matter what kind of speaker you used. I'm using sub kik now, and loving it. If you want to DIY there is a thread on gearslutz that shows some mounting soultions. I think it's on "High End" Mike Wagner's stand, made from Home Depot parts, is especially cool, IMO Rod "Chris Lang" <yo@yo.yo> wrote: >Hi Cujo->I use an 8-inch woofer that I bought for 20 bucks. It is >impractical for live settings, but it is awesome in the >studio. If you only need it in the studio, just wire up >a speaker. Tip to positive, sleeve to negative, then through a DI-box and >right into your pre-amp. >As DJ says, it works much better for kick than for acoustic >bass. >peace,

```
>Chris
>
>"cujo" <chris@nospamapplemanstudio.com> wrote:
>>
>>
>>Hey guys using the sub kick,
>>What are you thinking about it?
>>Is it a ton better than using an LDC in the tunnel or a 15 in speaker?
>>
>>Do tell do tell!
>>
>>Or am I better off to eep savign my pennies for Dimitios' U47?
>
```

Posted by Deej [1] on Thu, 09 Mar 2006 03:55:12 GMT View Forum Message <> Reply to Messageand don't apply phantom power...... :00 "Chris Lang" <yo@yo.yo> wrote in message news:440f2d17\$1@linux... > Hi Cujo-> I use an 8-inch woofer that I bought for 20 bucks. It is > impractical for live settings, but it is awesome in the > studio. If you only need it in the studio, just wire up > a speaker. Tip to positive, sleeve to negative, then through a DI-box and > right into your pre-amp. > As DJ says, it works much better for kick than for acoustic > bass. > > peace, > > Chris > > "cujo" <chris@nospamapplemanstudio.com> wrote: > > > >Hey guys using the sub kick, > >What are you thinking about it? > > Is it a ton better than using an LDC in the tunnel or a 15 in speaker?

Subject: Re: Yamaha Sub Kick

```
>>
> Do tell do tell!
>>
> Or am I better off to eep savign my pennies for Dimitios' U47?
>
```

Subject: Re: Yamaha Sub Kick Posted by Rich[3] on Thu, 09 Mar 2006 16:25:20 GMT View Forum Message <> Reply to Message

Took a look at the Gearslut thread and this apprears really simple to build. Looks like people are using anthing from 15" to 6" speakers - any thoughts on what the best size would be? Are you using this in with a something like a D112 also? It should would help with the isolation and bleed...

```
"cujo" <chris@nospamapplemanstudio.com> wrote:
>
>Hey guys using the sub kick,
>What are you thinking about it?
>Is it a ton better than using an LDC in the tunnel or a 15 in speaker?
>
>Do tell do tell!
>
>Or am I better off to eep savign my pennies for Dimitios' U47?
```

Subject: Re: Yamaha Sub Kick Posted by Cujjo on Fri, 10 Mar 2006 02:32:56 GMT View Forum Message <> Reply to Message

Actually, I am have been talking with a metal working dude about building a very cool stand for this, I have had the idea for a while, if anyone is interested, let me know. I am meeting Monday with him to show him my plans.

```
"rich" <studiodog_99@yahoo.com> wrote:
>
>Took a look at the Gearslut thread and this apprears really simple to build.
> Looks like people are using anthing from 15" to 6" speakers - any thoughts >on what the best size would be? Are you using this in with a something like >a D112 also? It should would help with the isolation and bleed...
> "cujo" <chris@nospamapplemanstudio.com> wrote:
>>
```

```
>>
>>Hey guys using the sub kick,
>>What are you thinking about it?
>>Is it a ton better than using an LDC in the tunnel or a 15 in speaker?
>>
>>Do tell do tell!
>>
>>Or am I better off to eep savign my pennies for Dimitios' U47?
>>
```

Subject: Re: Yamaha Sub Kick Posted by Rich[3] on Fri, 10 Mar 2006 17:00:23 GMT View Forum Message <> Reply to Message

Let me know what you find - I'm trying to determine what size speaker to use - was thiking about a 10" or 12" but I'm reading about people using 6 and 8". Not sure what the best size would be... also seems the output is pretty hot - almost at line level so is everyone using a pad or??

Thanks

```
"cujog" <chris@applemanstudio.com> wrote:
>
>Actually, I am have been talking with a metal working dude about building
>a very cool stand for this, I have had the idea for a while, if anyone is
>interested, let me know. I am meeting Monday with him to show him my plans.
>"rich" <studiodog_99@yahoo.com> wrote:
>>
>>
>>Took a look at the Gearslut thread and this apprears really simple to build.
>> Looks like people are using anthing from 15" to 6" speakers - any thoughts
>>on what the best size would be? Are you using this in with a something
>>a D112 also? It should would help with the isolation and bleed...
>>"cujo" <chris@nospamapplemanstudio.com> wrote:
>>>
>>>
>>>Hey guys using the sub kick,
>>>What are you thinking about it?
>>>Is it a ton better than using an LDC in the tunnel or a 15 in speaker?
>>>
>>>Do tell do tell!
>>>
```

```
>>>Or am I better off to eep savign my pennies for Dimitios' U47?
>>
>
```

Subject: Re: Yamaha Sub Kick Posted by Cujjo on Sat, 11 Mar 2006 05:11:14 GMT View Forum Message <> Reply to Message

My stand idea should work with different types of speakers. What I have done was take a monitor wedge and plug it into a DI, it works, but I think the 12 inch may be a tad big.

```
"Rich" <studiodog_99@yahoo.com> wrote:
>
>Let me know what you find - I'm trying to determine what size speaker to
>use - was thiking about a 10" or 12" but I'm reading about people using
>and 8". Not sure what the best size would be... also seems the output is
>pretty hot - almost at line level so is everyone using a pad or??
>Thanks
>"cujoq" <chris@applemanstudio.com> wrote:
>>
>>Actually, I am have been talking with a metal working dude about building
>>a very cool stand for this, I have had the idea for a while, if anyone
>>interested, let me know. I am meeting Monday with him to show him my plans.
>>
>>"rich" <studiodog 99@yahoo.com> wrote:
>>>
>>>Took a look at the Gearslut thread and this apprears really simple to
build.
>>> Looks like people are using anthing from 15" to 6" speakers - any thoughts
>>>on what the best size would be? Are you using this in with a something
>like
>>>a D112 also? It should would help with the isolation and bleed...
>>>"cujo" <chris@nospamapplemanstudio.com> wrote:
>>>>
>>>>Hey guys using the sub kick,
```

```
>>>>What are you thinking about it?
>>>>Is it a ton better than using an LDC in the tunnel or a 15 in speaker?
>>>>
>>>>Do tell do tell!
>>>>
>>>Or am I better off to eep savign my pennies for Dimitios' U47?
>>>
>>>
```

Subject: Re: Yamaha Sub Kick Posted by Don Nafe on Sun, 12 Mar 2006 00:17:58 GMT View Forum Message <> Reply to Message

On the few sites where there ar eDIY versions it seems 8" is the preferred size.

For the speaker that is

;-)

```
Don
"Cujo" <chris@applemanstudio.com> wrote in message news:44124de2$1@linux...
> My stand idea should work with different types of speakers. What I have
> was take a monitor wedge and plug it into a DI, it works, but I think the
> 12 inch may be a tad big.
> "Rich" <studiodog 99@yahoo.com> wrote:
>>
>>
>>Let me know what you find - I'm trying to determine what size speaker to
>>use - was thiking about a 10" or 12" but I'm reading about people using
> 6
>>and 8". Not sure what the best size would be... also seems the output is
>>pretty hot - almost at line level so is everyone using a pad or??
>>
>>Thanks
>>"cujoq" <chris@applemanstudio.com> wrote:
>>>
>>>Actually, I am have been talking with a metal working dude about building
```

```
>>>a very cool stand for this, I have had the idea for a while, if anyone
>>>interested, let me know. I am meeting Monday with him to show him my
>>>plans.
>>>
>>>
>>>"rich" <studiodog_99@yahoo.com> wrote:
>>>>
>>>>
>>>Took a look at the Gearslut thread and this apprears really simple to
> build.
>>>> Looks like people are using anthing from 15" to 6" speakers - any
>>>> thoughts
>>>on what the best size would be? Are you using this in with a something
>>like
>>>a D112 also? It should would help with the isolation and bleed...
>>>"cujo" <chris@nospamapplemanstudio.com> wrote:
>>>>
>>>>
>>>> Hey guys using the sub kick,
>>>>What are you thinking about it?
>>>>Is it a ton better than using an LDC in the tunnel or a 15 in speaker?
>>>>
>>>>Do tell do tell!
>>>>Or am I better off to eep savign my pennies for Dimitios' U47?
>>>>
>>>
>>
```

Subject: Re: Yamaha Sub Kick Posted by cujo on Sun, 12 Mar 2006 02:37:19 GMT View Forum Message <> Reply to Message

I used a 15" moniro wedge today, pluged into a DI, wierd butkinda cool, I can see how * inch would be better.

"Don Nafe" <dnafe@magma.ca> wrote:
>On the few sites where there ar eDIY versions it seems 8" is the preferred
>size.
>
>For the speaker that is
>
>;-)

```
>
>Don
>"Cujo" <chris@applemanstudio.com> wrote in message news:44124de2$1@linux...
>>
>>
>> My stand idea should work with different types of speakers. What I have
>> done
>> was take a monitor wedge and plug it into a DI, it works, but I think
>> 12 inch may be a tad big.
>>
>>
>> "Rich" <studiodog_99@yahoo.com> wrote:
>>>
>>>Let me know what you find - I'm trying to determine what size speaker
>>>use - was thiking about a 10" or 12" but I'm reading about people using
>>>and 8". Not sure what the best size would be... also seems the output
>>>pretty hot - almost at line level so is everyone using a pad or??
>>>Thanks
>>>"cujoq" <chris@applemanstudio.com> wrote:
>>>>
>>>Actually, I am have been talking with a metal working dude about building
>>>a very cool stand for this, I have had the idea for a while, if anyone
>> is
>>>>interested, let me know. I am meeting Monday with him to show him my
>>>plans.
>>>>
>>>>
>>>"rich" <studiodog_99@yahoo.com> wrote:
>>>>
>>>>
>>>>Took a look at the Gearslut thread and this apprears really simple to
>> build.
>>>> Looks like people are using anthing from 15" to 6" speakers - any
>>>> thoughts
>>>>on what the best size would be? Are you using this in with a something
>>>like
>>>>a D112 also? It should would help with the isolation and bleed...
```