

---

Subject: Resetting the Sony HR-MP5 processor?  
Posted by [Stevehan](#) on Sun, 22 Jul 2007 19:44:28 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Do any of you have or know how to reset the Sony HR-MP5 processor? I have two of them. Neither of them will fire up. I have replaced the lithium battery in both about two years ago but have had them shut off and sitting on the shelf for about a year and a half. All I get is a very faint light blue glow on the screen.  
Is it possible that even though the lithium batteries were new, 1 1/2 years is just too long to sit on the shelf? or Does it need to be reset? How?  
Steve

---

---

Subject: Re: Resetting the Sony HR-MP5 processor?  
Posted by [xpam\\_mark](#) on Mon, 23 Jul 2007 08:46:17 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I don't know but when you find out, Steve, post here because I got one of'm too and it went the same route. Would love to use it again... really cool niche piece.

WMW

"Steve Cox" <stevec1@charter.net> wrote in message news:46a3b39c\$1@linux...

>  
> Do any of you have or know how to reset the Sony HR-MP5 processor? I have  
> two of them. Neither of them will fire up. I have replaced the lithium  
> battery in both about two years ago but have had them shut off and sitting  
> on the shelf for about a year and a half. All I get is a very faint light  
> blue glow on the screen.  
> Is it possible that even though the lithium batteries were new, 1 1/2  
> years  
> is just too long to sit on the shelf? or Does it need to be reset? How?  
> Steve  
>

---

---

Subject: Re: Resetting the Sony HR-MP5 processor?  
Posted by [Aaron Allen](#) on Mon, 23 Jul 2007 12:59:30 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

This is a multi-part message in MIME format.

-----=\_NextPart\_000\_0014\_01C7CCFF.66609180  
Content-Type: multipart/alternative;  
boundary="-----=\_NextPart\_001\_0015\_01C7CCFF.66609180"

-----=\_NextPart\_001\_0015\_01C7CCFF.66609180

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Google and about 20 seconds showed this, hope it helps. I don't have one =  
to test with so I don't know if it's valid, let us know?

Product: Sony HR-MP5

Price Paid: US \$255.00 used=20

Submitted 06/07/2001 at 10:23pm by Phil Frenz=20

Email: pfrenz at setnet<dot>net=20

Ease of Use : 10=20

To reset hold in bypass and exit while powering up.

Takes care of most problems=20

[http://reviews.harmony-central.com/reviews/Effects/product/Sony/HR-MP5/10=  
/1](http://reviews.harmony-central.com/reviews/Effects/product/Sony/HR-MP5/10=/1)

AA

-----=\_NextPart\_001\_0015\_01C7CCFF.66609180

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =  
charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.6000.16481" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY>

<DIV><FONT face=3DArial size=3D2>Google and about 20 seconds showed =  
this, hope it=20

helps. I don't have one to test with so I don't know if it's valid, let =  
us=20

know?</FONT></DIV>

<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>

<DIV><FONT face=3DArial size=3D2>Product: Sony HR-MP5<BR>Price Paid: US =  
\$255.00 used=20

<BR>Submitted 06/07/2001 at 10:23pm by Phil Frenz <BR>Email: pfrenz at=20  
setnet&lt;dot&gt;net <BR><BR>Ease of Use <IMG=20

src=3D"http://www.harmony-central.com/Pix/help-small.jpg">: <SPAN=20



z+vhyAdWoSy2SsUn  
GUq91adKmxLXkZFzrRKnKHXIUnyHnEgmc2bGbMkRfxggTgxZJHGMUYnijklj  
kzYw+ubudhTIZjkJ  
Mpmex+cehxW0Yf3j4A3VUuT7EGIHdWT8cccT6YK5fH/y2y/1OL/3kOOOOE90 B1X/2Q==

-----=\_NextPart\_000\_0014\_01C7CCFF.66609180--

---

Subject: Re: Resetting the Sony HR-MP5 processor?  
Posted by [Stevehwan](#) on Mon, 23 Jul 2007 14:35:33 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

"Aaron Allen" <know-spam@not\_here.dude> wrote:

>  
>  
>  
>-----=\_NextPart\_001\_0015\_01C7CCFF.66609180  
>  
>Google and about 20 seconds showed this, hope it helps. I don't have one  
=  
>to test with so I don't know if it's valid, let us know?  
>  
>Product: Sony HR-MP5  
>Price Paid: US \$255.00 used=20  
>Submitted 06/07/2001 at 10:23pm by Phil Frenz=20  
>Email: pfrenz at setnet<dot>net=20  
>  
>Ease of Use : 10=20  
>To reset hold in bypass and exit while powering up.  
>Takes care of most problems=20  
>  
> http://reviews.harmony-central.com/reviews/Effects/product/Sony/HR-MP5/10=  
>/1  
>  
>AA  
>  
>-----=\_NextPart\_001\_0015\_01C7CCFF.66609180  
>  
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">  
><HTML><HEAD>  
><META http-equiv=3DContent-Type content=3D"text/html; =  
>charset=3Diso-8859-1">  
><META content=3D"MSHTML 6.00.6000.16481" name=3DGENERATOR>  
><STYLE></STYLE>  
></HEAD>  
><BODY>  
><DIV><FONT face=3DArial size=3D2>Google and about 20 seconds showed =  
>this, hope it=20

>helps. I don't have one to test with so I don't know if it's valid, let  
=  
>us=20  
>know?</FONT></DIV>

><DIV><FONT face=3DArial size=3D2>Product: Sony HR-MP5<BR>Price Paid: US  
=  
>\$255.00 used=20  
><BR>Submitted 06/07/2001 at 10:23pm by Phil Frenz <BR>Email: pfrenz at=20  
>setnet<dot>net <BR><BR>Ease of Use <IMG=20  
>src=3D"http://www.harmony-central.com/Pix/help-small.jpg">: <SPAN=20  
>class=3Duser\_rating>10</SPAN> </FONT>  
><DIV id=3Dcriteria\_416156 style=3D"DISPLAY: none; FONT-SIZE: 80%"></DIV>  
><DIV class=3Drating\_text><FONT face=3DArial size=3D2><STRONG><FONT =  
>color=3D#ff0000>To=20  
>reset hold in bypass and exit while powering up.<BR>Takes care of most=20  
>problems</FONT></STRONG> </FONT></DIV>

><DIV class=3Drating\_text><A=20  
>href=3D" http://reviews.harmony-central.com/reviews/Effects/product/S ony/H=  
>R-MP5/10/1"><FONT=20  
>face=3DArial=20  
>size=3D2> http://reviews.harmony-central.com/reviews/Effects/product/S ony/=  
>HR-MP5/10/1</FONT></A></DIV>

><DIV class=3Drating\_text><FONT face=3DArial size=3D2>AA</FONT></DIV>  
><DIV class=3Drating\_text><FONT face=3DArial=20

>  
>-----=\_NextPart\_001\_0015\_01C7CCFF.66609180--  
>

I have gotten a lot further. Check out what a guy named les told me:

From: Les Lambert <les\_lmb@yahoo.co.uk>

Steve,

Replacing the battery requires a battery holder to be fitted unless you can find an exact replacement. Nasty job for someone in a hurry without the right parts to hand. The board has to be completely disconnected to make sure you don't stress the mini molex connectors. I normally take all the panels off and tighten the pots and sockets while I'm visiting.

Also worth checking the solder connections to the power in socket and the jacks, they take a direct hit when the unit slides off the top of the handle on your Mesa Boogie.

I use a solid sleeved wire to convert the holder to have pins which align with the holes in the board.

I've done a few, and you have to reset the device after.

The lack of contrast is a give-away.

I failed to find the reset code immediately, but I tried the typical 2 or 3 button press sequences.

Holding the BYPASS and EXIT buttons while powering up erases all the user memory, and everything looks normal, saves to user memory etc. Could be wrong, mine wasn't previously scrambled, but I'm 99% sure that's it.

Then you need a dump of the presets you took before the machine got too flaky. When new they have a duplicate factory set, which I duped by copying all the P patches into the U patches one by one, good for testing the dump restore process which can be tedious over the changing platforms over the years.

I've used Sounddiver mostly, but Cakewalk 3.0 did it with sysx fine, although you can't see if the memory is worth anything until you reload it in a machine.

My two MP5's got new backlights for Christmas, they fade quickly when you leave them on for years at a time.

MIDI-rakete.de had them, and lots of others. Good service, decent prices

---

Subject: Re: Resetting the Sony HR-MP5 processor?  
Posted by [Stevehwan](#) on Mon, 23 Jul 2007 14:49:01 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I tried a copy and paist and it didn't take so I will try again.  
A guy named Les has given me a whole lot of great info:

From: Les Lambert <les\_lmb@yahoo.co.uk>

Hello Steve

Replacing the battery requires a battery holder to be fitted unless you can find an exact replacement. Nasty job for someone in a hurry without the right parts to hand. The board has to be completely disconnected to make sure you don't stress the mini molex connectors. I normally take all the panels off and tighten the pots and sockets while I'm visiting.

Also worth checking the solder connections to the power in socket and the jacks, they take a direct hit when the unit slides off the top of the handle on your Mesa Boogie.

I use a solid sleeved wire to convert the holder to have pins which align with the holes in the board. I've done a few, and you have to reset the device after.

The lack of contrast is a give-away.

I failed to find the reset code immediately, but I tried the typical 2 or 3 button press sequences.

Holding the BYPASS and EXIT buttons while powering up erases all the user memory, and everything looks normal, saves to user memory etc. Could be wrong, mine wasn't previously scrambled, but I'm 99% sure that's it.

Then you need a dump of the presets you took before the machine got too flaky. When new they have a duplicate factory set, which I duped by copying all the P patches into the U patches one by one, good for testing the dump restore process which can be tedious over the changing platforms over the years.

I've used Sounddiver mostly, but Cakewalk 3.0 did it with sysx fine, although you can't see if the memory is worth anything until you reload it in a machine.

My two MP5's got new backlights for Christmas, they fade quickly when you leave them on for years at a time.

MIDI-rakete.de had them, and lots of others. Good service, decent prices

"Steve Cox" <stevec1@charter.net> wrote:

>

>"Aaron Allen" <know-spam@not\_here.dude> wrote:

>>

>>

>>

>>-----=\_NextPart\_001\_0015\_01C7CCFF.66609180

>>

>>Google and about 20 seconds showed this, hope it helps. I don't have one

>=

>>to test with so I don't know if it's valid, let us know?

>>

```

>>Product: Sony HR-MP5
>>Price Paid: US $255.00 used=20
>>Submitted 06/07/2001 at 10:23pm by Phil Frenz=20
>>Email: pfrenz at setnet<dot>net=20
>>
>>Ease of Use : 10=20
>>To reset hold in bypass and exit while powering up.
>>Takes care of most problems=20
>>
>> http://reviews.harmony-central.com/reviews/Effects/product/S ony/HR-MP5/10=
>>/1
>>
>>AA
>>
>>-----=_NextPart_001_0015_01C7CCFF.66609180
>>
>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
>><HTML><HEAD>
>><META http-equiv=3DContent-Type content=3D"text/html; =
>>charset=3Diso-8859-1">
>><META content=3D"MSHTML 6.00.6000.16481" name=3DGENERATOR>
>><STYLE></STYLE>
>></HEAD>
>><BODY>
>><DIV><FONT face=3DArial size=3D2>Google and about 20 seconds showed =
>>this, hope it=20
>>helps. I don't have one to test with so I don't know if it's valid, let
>=
>>us=20
>>know?</FONT></DIV>

>><DIV><FONT face=3DArial size=3D2>Product: Sony HR-MP5<BR>Price Paid: US
>=
>>$255.00 used=20
>><BR>Submitted 06/07/2001 at 10:23pm by Phil Frenz <BR>Email: pfrenz at=20
>>setnet<dot>net <BR><BR>Ease of Use <IMG=20
>>src=3D"http://www.harmony-central.com/Pix/help-small.jpg">: <SPAN=20
>>class=3Duser_rating>10</SPAN> </FONT>
>><DIV id=3Dcriteria_416156 style=3D"DISPLAY: none; FONT-SIZE: 80%"></DIV>
>><DIV class=3Drating_text><FONT face=3DArial size=3D2><STRONG><FONT =
>>color=3D#ff0000>To=20
>>reset hold in bypass and exit while powering up.<BR>Takes care of most=20
>>problems</FONT></STRONG> </FONT></DIV>

>><DIV class=3Drating_text><A=20
>>href=3D" http://reviews.harmony-central.com/reviews/Effects/product/S ony/H=
>>R-MP5/10/1"><FONT=20
>>face=3DArial=20

```

>>size=3D2> <http://reviews.harmony-central.com/reviews/Effects/product/Sony/HR-MP5/10/1></FONT></A></DIV>

>><DIV class=3Drating\_text><FONT face=3DArial size=3D2>AA</FONT></DIV>  
>><DIV class=3Drating\_text><FONT face=3DArial=20

>>  
>>-----=\_NextPart\_001\_0015\_01C7CCFF.66609180--  
>>  
>

>I have gotten a lot further. Check out what a guy named les told me:

>From: Les Lambert <les\_lmbrtyahoo.co.uk>

>Steve,

>Replacing the battery requires a battery holder to be fitted unless you can find an exact replacement. Nasty job for someone in a hurry without the right parts to hand. The board has to be completely disconnected to make sure you don't stress the mini molex connectors.

>I normally take all the panels off and tighten the pots and sockets while I'm visiting.

> Also worth checking the solder connections to the power in socket and the jacks, they take a direct hit when the unit slides off the top of the handle on your Mesa Boogie.

> I use a solid sleeved wire to convert the holder to have pins which align with the holes in the board. I've done a few, and you have to reset the device after.

>The lack of contrast is a give-away.

>  
>I failed to find the reset code immediately, but I tried the typical 2 or 3 button press sequences.

>  
>Holding the BYPASS and EXIT buttons while powering up erases all the user memory, and everything looks normal, saves to user memory etc. Could be wrong, mine wasn't previously scrambled, but I'm 99% sure that's it.

>  
>  
>Then you need a dump of the presets you took before the machine got too flaky. When new they have a duplicate factory set, which I duped by copying all the P patches into the U patches one by one, good for testing the dump restore process which can be tedious over the changing platforms over the years. I've used Sounddiver mostly, but Cakewalk 3.0 did it with sysx fine, although you can't see if the memory

>is worth anything until you reload it in a machine.  
>  
>My two MP5's got new backlights for Christmas, they  
>fade quickly when you leave them on for years at a  
>time.  
>MIDI-rakete.de had them, and lots of others. Good  
>service, decent prices  
Les

---