

Subject: Tested Paris big time
Posted by [Tom Bruhl](#) on Thu, 13 Sep 2007 05:41:39 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

```
-----=_NextPart_000_01D2_01C7F5A7.3A94EAD0
Content-Type: text/plain;
  charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

Does anybody want to hear what happened?

I choose Polesoft Lockspam to fight spam, and you?
<http://www.polesoft.com/refer.html>

```
-----=_NextPart_000_01D2_01C7F5A7.3A94EAD0
Content-Type: text/html;
  charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Does anybody want to hear what=20
happened?</FONT></DIV>
<DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight spam, =
and=20
you?<BR><A=20
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html</A>&nbsp;&nbsp;&nbsp;&nbsp;</FONT></DIV></BODY ></HTML>
```

-----= NextPart 000 01D2 01C7F5A7.3A94EAD0--

Subject: Re: Tested Paris big time
Posted by [excelav](#) on Thu, 13 Sep 2007 06:07:18 GMT
[View Forum Message](#) <> [Reply to Message](#)

Yes.

"Tom Bruhl" <arpeggio@comcast.net> wrote:
>

>
>Does anybody want to hear what happened?
>
>
>I choose Polesoft Lockspam to fight spam, and you?
><http://www.polesoft.com/refer.html>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3DContent-Type content=3D"text/html; =
>charset=3Diso-8859-1">
><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D#ffffff>
><DIV>Does anybody want to hear what=20
>happened?</DIV>
><DIV>

I choose Polesoft Lockspam to fight spam, =
>and=20
>you?
<A=20
>href=3D"http://www.polesoft.com/refer.html"><http://www.polesoft.com/refer.html>
>
>

Subject: Re: Tested Paris big time
Posted by [Neil](#) on Thu, 13 Sep 2007 06:09:54 GMT
[View Forum Message](#) <> [Reply to Message](#)

Duh... !

lol :)

"James McCloskey" <excelsm@hotmail.com> wrote:

>
>Yes.
>
>"Tom Bruhl" <arpeggio@comcast.net> wrote:
>>
>>
>>Does anybody want to hear what happened?
>>
>>
>>I choose Polesoft Lockspam to fight spam, and you?
>><http://www.polesoft.com/refer.html>
>>

```
>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
>><HTML><HEAD>
>><META http-equiv=3DContent-Type content=3D"text/html; =
>>charset=3Diso-8859-1">
>><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
>><STYLE></STYLE>
>></HEAD>
>><BODY bgColor=3D#ffffff>
>><DIV><FONT face=3DArial size=3D2>Does anybody want to hear what=20
>>happened?</FONT></DIV>
>><DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight spam, =
>>and=20
>>you?<BR><A=20
>>href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=

>>
>>
>
```

Subject: Re: Tested Paris big time
Posted by [Tom Bruhl](#) on Thu, 13 Sep 2007 06:10:11 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_01F1_01C7F5AB.373C2610
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Lies!

"Neil" <IOI@OI.com> wrote in message news:46e8d432\$1@linux...

Duh... !

lol :)

"James McCloskey" <excelsm@hotmail.com> wrote:

>

>Yes.

>

>"Tom Bruhl" <arpeggio@comcast.net> wrote:

>>

>>

>>Does anybody want to hear what happened?

>>

```

>>
>>I choose Polesoft Lockspam to fight spam, and you?
>>http://www.polesoft.com/refer.html =20
>>
>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
>><HTML><HEAD>
>><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
>>charset=3D3Diso-8859-1">
>><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
>><STYLE></STYLE>
>></HEAD>
>><BODY bgColor=3D3D#ffffff>
>><DIV><FONT face=3D3DArial size=3D3D2>Does anybody want to hear =
what=3D20
>>happened?</FONT></DIV>
>><DIV><FONT size=3D3D2><BR><BR>I choose Polesoft Lockspam to fight =
spam, =3D
>>and=3D20
>>you?<BR><A=3D20
=
>>href=3D3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/r=
efer=3D
>>.html</A> </FONT></DIV></BODY></HTML>
>>
>>
>

```

-----=_NextPart_000_01F1_01C7F5AB.373C2610

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Lies!</FONT></DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"Neil" &lt;<A href=3D"mailto:IOI@OI.com">IOI@OI.com</A>&gt; wrote =
in=20
  message <A=20
=

```


This is a multi-part message in MIME format.

-----=_NextPart_000_0215_01C7F5AD.1FAA24A0

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

I'll bet you thought I had a success story didn't ya?

I started with good EDS cards, cables etc.. No Lucid,
all internal clock. No Default Project.

I can get one card to boot paris ok except
the clock light never stopped flashing and the
master section is not available in the patchbay.
Pretty useless. I tried multiple cables, mecs and no Magma
with the same results. I added a second card and
Paris wouldn't boot at all. It said no card attached to the
master Card. I swapped them with no success.
I then tried C drive #2. Same results across the board.

I am thinking either the PCI bus is totally frigged (Magma and comp)=20
or Paris installs are totally gone on both drives. It's possible
Windows is toast too as I think about it. On two drives?

I had three of these cards working fine together in another comp =
yesterday
with a 442.

What do you suggest?
T.

PS I have an original project coming in that has major label interest.
I won't even be able to boot Paris for their consultation early next =
week.

This is ridiculous.

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:46e8d5d5@linux...

Lies!

"Neil" <IOI@OI.com> wrote in message news:46e8d432\$1@linux...

Duh... !

lol :)

"James McCloskey" <excelsm@hotmail.com> wrote:

```

>
>Yes.
>
>"Tom Bruhl" <arpeggio@comcast.net> wrote:
>>
>>
>>Does anybody want to hear what happened?
>>
>>
>>I choose Polesoft Lockspam to fight spam, and you?
>>http://www.polesoft.com/refer.html =20
>>
>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
>><HTML><HEAD>
>><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
>>charset=3D3Diso-8859-1">
>><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
>><STYLE></STYLE>
>></HEAD>
>><BODY bgColor=3D3D#ffffff>
>><DIV><FONT face=3D3DArial size=3D3D2>Does anybody want to hear =
what=3D20
>>happened?</FONT></DIV>
>><DIV><FONT size=3D3D2><BR><BR>I choose Polesoft Lockspam to fight =
spam, =3D
>>and=3D20
>>you?<BR><A=3D20
=
>>href=3D3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/r=
efer=3D
>>.html</A> </FONT></DIV></BODY></HTML>
>>
>>
>

```

-----=_NextPart_000_0215_01C7F5AD.1FAA24A0

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>

```

<DIV>I'll bet you thought I had a success =
story didn't=20
ya?</DIV>
<DIV> </DIV>
<DIV>I started with good EDS cards, cables =
etc.. </DIV>
No Lucid,</DIV>
<DIV>all internal clock. </DIV>
Project.</DIV>
<DIV> </DIV>
<DIV>I can get one card to boot paris ok=20
except</DIV>
<DIV>the clock light never stopped flashing =
and=20
the</DIV>
<DIV>master section is not available in the=20
patchbay.</DIV>
<DIV>Pretty useless. </DIV>
cables,=20
mecs </DIV>
<DIV>with the same results. </DIV>
second card=20
and</DIV>
<DIV>Paris wouldn't boot at all. </DIV>
said no card=20
attached to the</DIV>
<DIV>master Card. </DIV>
no=20
success.</DIV>
<DIV>I then tried C drive #2. </DIV>
results across=20
the board.</DIV>
<DIV> </DIV>
<DIV>I am thinking either the PCI bus is =
totally frigged=20
(Magma and comp) </DIV>
<DIV>or Paris installs <FONT =
face=3DArial=20
size=3D2>are totally gone on both drives. </DIV>
possible</DIV>
<DIV>Windows is toast too as I think about =
it. On two=20
drives?</DIV>
<DIV> </DIV>
<DIV>I had three of these cards working fine =
together in=20
another comp yesterday</DIV>
<DIV>with a 442.</DIV>

=
name=3D3DGENERATOR>
><STYLE></STYLE>
><= </HEAD>
><BODY=20
bgColor=3D3D#ffffff>
><DIV><FONT =
face=3D3DArial=20
size=3D3D2>Does anybody want to hear=20
=
what=3D20
 >>happened?</DIV&a mp;gt;
><DI=V><FONT=20
size=3D3D2>

I choose Polesoft Lockspam to =
fight spam,=20
=
=3D
>&and=3D20
>&you?
<A=3D20
>&hr=ef=3D3D"<A=20
=
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
'>http://www.polesoft.com/refer.html">http://www.polesoft.com/refer</A=
>=3D
>&.html=20
=
</DIV></BODY&g t;</HTML>
>&
>&g=
t;
>&
</BLOCKQUOTE></BLOCKQUOTE></BODY></HTML >

-----=_NextPart_000_0215_01C7F5AD.1FAA24A0--

Subject: Re: Well okay . . .

Posted by [Neil](#) on Thu, 13 Sep 2007 06:49:49 GMT

[View Forum Message](#) <> [Reply to Message](#)

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>I am thinking either the PCI bus is totally frigged (Magma and
>comp) or Paris installs are totally gone on both drives. It's
>possible

>Windows is toast too as I think about it. On two drives?

>

>I had three of these cards working fine together in another comp =

>yesterday

>with a 442.

>

>What do you suggest?

Can you try a fresh install of everything on a brand-new drive?

OS, Paris, etc? Small-ish hard drives that are perfect for
system drives are cheap nowadays. That would eliminate any
software or drive sector corruption. If that doesn't do it,
then you know it's more than likely a hardware issue, possibly
along the lines of your Magma/PCI buss, or even chipset/mobo-
related.

>PS I have an original project coming in that has major label
>interest. I won't even be able to boot Paris for their
>consultation early next week. This is ridiculous.

No, this is the time to switch to Cubase or ???.

Seriously, though - if you think there's a chance with these
guys, then drop a grand on whatever it takes (HW, Software,
whatever) to get your shit together. IOW, don't let some faulty
technology stop you from being involved in something that could
go somewhere - invest in your future. Don't dick around.

Neil

Subject: Re: Well okay . . .

Posted by [excelav](#) on Thu, 13 Sep 2007 06:51:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>
>
>I'll bet you thought I had a success story didn't ya?
>
>I started with good EDS cards, cables etc.. No Lucid,
>all internal clock. No Default Project.
>
>I can get one card to boot paris ok except
>the clock light never stopped flashing and the
>master section is not available in the patchbay.
>Pretty useless. I tried multiple cables, mecs and no Magma
>with the same results. I added a second card and
>Paris wouldn't boot at all. It said no card attached to the
>master Card. I swapped them with no success.
>I then tried C drive #2. Same results across the board.
>
>I am thinking either the PCI bus is totally friggered (Magma and comp)=20
>or Paris installs are totally gone on both drives. It's possible
>Windows is toast too as I think about it. On two drives?
>
>I had three of these cards working fine together in another comp =
>yesterday
>with a 442.
>
>What do you suggest?
>T.

I would back up any thing I needed, then I would try to reinstall Paris.
Reseat your cards and cables too.

>
>PS I have an original project coming in that has major label interest.
>I won't even be able to boot Paris for their consultation early next =
>week.
>This is ridiculous.
> "Tom Bruhl" <arpeggio@comcast.net> wrote in message =
>news:46e8d5d5@linux...
> Lies!
> "Neil" <IOI@OI.com> wrote in message news:46e8d432\$1@linux...
>
> Duh... !
>
> lol :)
>
>
> "James McCloskey" <excelsm@hotmail.com> wrote:
> >
> >Yes.
> >
> >"Tom Bruhl" <arpeggio@comcast.net> wrote:
> >>
> >>
> >>Does anybody want to hear what happened?
> >>
> >>
> >>I choose Polesoft Lockspam to fight spam, and you?
> >><http://www.polesoft.com/refer.html> =20
> >>
> >><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> >><HTML><HEAD>
> >><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
> >>charset=3D3Diso-8859-1">
> >><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
> >><STYLE></STYLE>
> >></HEAD>
> >><BODY bgColor=3D3D#ffffff>
> >><DIV>Does anybody want to hear =
>what=3D20
> >>happened?</DIV>
> >><DIV>

I choose Polesoft Lockspam to fight
=
>spam, =3D
> >>and=3D20
> >>you?
<A=3D20
> =

```

>>>href=3D3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/r=
>efer=3D
> >>.html</A> </FONT></DIV></BODY></HTML>
> >>
> >>
> >
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3DContent-Type content=3D"text/html; =
>charset=3Diso-8859-1">
><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D#ffffff>
><DIV><FONT face=3DArial size=3D2>I'll bet you thought I had a success =
>story didn't=20
>ya?</FONT></DIV>

><DIV><FONT face=3DArial size=3D2>I started with good EDS cards, cables =

>No Lucid,</FONT></DIV>

>Project.</FONT></DIV>

><DIV><FONT face=3DArial size=3D2>I can get one card to boot paris ok=20
>except</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>the clock light never stopped flashing
=
>and=20
>the</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>master section is not available in the=20
>patchbay.</FONT></DIV>

>cables,=20

>second card=20
>and</FONT></DIV>

>said no card=20
>attached to the</FONT></DIV>

>no=20
>success.</FONT></DIV>

>results across=20

```

>the board.</DIV>

><DIV>I am thinking either the PCI bus is =
>totally friggd=20

>(Magma and comp) </DIV>

><DIV>or Paris installs <FONT =
>face=3DArial=20

>possible</DIV>

><DIV>Windows is toast too as I think about =
>it. On two=20

>drives?</DIV>

><DIV>I had three of these cards working fine
=

>together in=20

>another comp yesterday</DIV>

><DIV>with a 442.</DIV>

><DIV>What do you suggest?</DIV>

><DIV>T.</DIV>

><DIV>PS I have an original project coming in
=

>that has=20

>major label interest.</DIV>

><DIV>I won't even be able to boot Paris for
=

>their=20

>consultation early next week.</DIV>

><DIV>This is ridiculous.</DIV>

><BLOCKQUOTE dir=3Dltr=20

>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =

>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

> <DIV>"Tom Bruhl" <<A=20

> href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net> wrote =
>in message=20

> news:46e8d5d5@linux...</DIV>

> <DIV>Lies!</DIV>

> <BLOCKQUOTE=20

> style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =

>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

> <DIV>"Neil" <IOI@OI.com> =

>wrote in=20

> message <A=20

> =

>href=3D"news:46e8d432\$1@linux">news:46e8d432\$1@linux...</DIV>
Duh.=

>..=20

```

><<A=20
> href=3D"mailto:excelsm@hotmail.com">excelsm@hotmail.com</A>=20
> wrote:<BR>><BR>>Yes.<BR>><BR>>"Tom Bruhl" <<A=20
> href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>=20
> wrote:<BR>>><BR>>><BR>>>Does anybody want to hear =
>what=20
> happened?<BR>>><BR>>><BR>>>I choose Polesoft =
>Lockspam to=20
> fight spam, and=20

> <BR>>><BR>>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML =
>4.0=20
> =
>Transitional//EN"><BR>>><HTML><HEAD><BR>>><=
>META=20
> http-equiv=3D3DContent-Type content=3D3D"text/html;=20
> =3D<BR>>>charset=3D3Diso-8859-1"><BR>>><META =
>content=3D3D"MSHTML=20
> 6.00.2800.1400"=20
> =
>name=3D3DGENERATOR><BR>>><STYLE></STYLE><BR>>>=
></HEAD><BR>>><BODY=20
> bgcolor=3D3D#ffffff><BR>>><DIV><FONT =
>face=3D3DArial=20
> size=3D3D2>Does anybody want to hear=20
> =
>what=3D20<BR>>>happened?</FONT></DIV><BR>>><DI=
>V><FONT=20
> size=3D3D2><BR><BR>I choose Polesoft Lockspam to =
>fight spam,=20
> =
>=3D<BR>>>and=3D20<BR>>>you?<BR><A=3D20<BR>>>hr=
>ef=3D3D"<A=20
> =
>href=3D'http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
>'>http://www.polesoft.com/refer.html">http://www.polesoft.com/refer</A=
>>=3D<BR>>>.html</A>=20
> =
></FONT></DIV></BODY></HTML><BR>>><BR>>>&g=
>t;<BR>><BR></BLOCKQUOTE></BLOCKQUOTE></BODY></HTML>
>
>

```

Subject: Re: Well okay . . .
 Posted by [Tom Bruhl](#) on Thu, 13 Sep 2007 07:11:42 GMT

This is a multi-part message in MIME format.

-----=_NextPart_000_027F_01C7F5B3.CEE82560

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Neil,

I've already got a kickin dually Cubase rig. No A to Ds to speak of =
though.

I really want my cake and eat it too. Paris with Cubase is sweet. =

Hefty Creamware

audio card for Cubase.

Your idea of a clean C drive is good. I may as well grab the box from =
upstairs

since it's an AMD 3000+ and go with that instead. Same bang as the P4 =
3.0.

Maybe better. Paris is already installed there in a very clean way. . .

Thanks for your help. I need it.

Tom

"Neil" <OIUOIU@OIU.com> wrote in message news:46e8dd8d@linux...

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>I am thinking either the PCI bus is totally frigged (Magma and=20
comp) or Paris installs are totally gone on both drives. It's
possible

>Windows is toast too as I think about it. On two drives?

>

>I had three of these cards working fine together in another comp =3D

>yesterday

>with a 442.

>

>What do you suggest?

Can you try a fresh install of everything on a brand-new drive?

OS, Paris, etc? Small-ish hard drives that are perfect for
system drives are cheap nowadays. That would eliminate any
software or drive sector corruption. If that doesn't do it,
then you know it's more than likely a hardware issue, possibly
along the lines of your Magma/PCI buss, or even chipset/mobo-
related.

>PS I have an original project coming in that has major label

>interest. I won't even be able to boot Paris for their

>consultation early next week. This is ridiculous.

No, this is the time to switch to Cubase or ???.

Seriously, though - if you think there's a chance with these guys, then drop a grand on whatever it takes (HW, Software, whatever) to get your shit together. IOW, don't let some faulty technology stop you from being involved in something that could go somewhere - invest in your future. Don't dick around.

Neil

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=_NextPart_000_027F_01C7F5B3.CEE82560

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =

charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV>Neil,</DIV>

<DIV>I've already got a kickin dually Cubase =
rig. =20

No A to Ds to speak of though.</DIV>

<DIV>I really want my cake and eat it =
too. =20

with Cubase is sweet. =20 Hefty Creamware</DIV>

<DIV>audio card for Cubase.</DIV>

<DIV> </DIV>

<DIV>Your idea of a clean C drive is =
good. =20

as well grab the box from upstairs</DIV>

<DIV>since it's an AMD 3000+ and go with =
that=20

instead. =20 Same bang as the P4 3.0.</DIV>

<DIV>Maybe better. =20 Paris is =
already installed=20

there in a very clean way. . .</DIV>

<DIV> </DIV>

<DIV>Thanks for your help. =20 I need =

it.

Tom

Neil <OIUOIU@OIU.com> wrote in message <<news:46e8dd8d@linux>>...>

Tom = Bruhl" <arpeggio@comcast.net> =

wrote:>I am thinking either the PCI bus is totally frigged = (Magma and=20
comp) or Paris installs are totally gone on both drives. =20 It's
possible
>Windows is toast too as I think about it. On = two=20 drives?
>
>I had three of these cards working fine = together in=20 another comp =3D
>yesterday
>with a = 442.
>
>What do you=20 suggest?

Can you try a fresh install of everything on a = brand-new=20 drive?
OS, Paris, etc? Small-ish hard drives that are perfect = for
system=20 drives are cheap nowadays. That would eliminate any
software or = drive=20 sector corruption. If that doesn't do it,
then you know it's more = than=20 likely a hardware issue, possibly
along the lines of your Magma/PCI = buss,=20 or even chipset/mobo-
related.

>PS I have an original = project=20 coming in that has major label
>interest. I won't even be able = to boot=20 Paris for their
>consultation early next week. This is=20 ridiculous.

No, this is the time to switch to Cubase or=20 ???.

Seriously, though - if you think there's a chance with=20 these
guys, then drop a grand on whatever it takes (HW,=20 Software,
whatever) to get your shit together. IOW, don't let some=20 faulty
technology stop you from being involved in something that=20 could
go somewhere - invest in your future. Don't dick=20 around.

Neil</BLOCKQUOTE>

I choose Polesoft Lockspam to fight spam, = and=20 you?
<A=20 href="http://www.polesoft.com/refer.html">http://www.polesoft.com/refer= ..html </DIV></BODY></HTML>

-----=_NextPart_000_027F_01C7F5B3.CEE82560--

Subject: Re: Well okay . . .

Posted by [John \[1\]](#) on Thu, 13 Sep 2007 11:56:59 GMT

[View Forum Message](#) <> [Reply to Message](#)

Yeah, with a client coming next week switching to Cubase should be easy.
Why not learn Spanish in the meantime too? !

Subject: Re: Well okay . . .

Posted by [Aaron Allen](#) on Thu, 13 Sep 2007 12:48:59 GMT

[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0064_01C7F5DA.8BB4B520

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

you sure you have a good installer EXE for paris?

AA

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:46e8e43f@linux...

Neil,

I've already got a kickin dually Cubase rig. No A to Ds to speak of =
though.

I really want my cake and eat it too. Paris with Cubase is sweet. =

Hefty Creamware

audio card for Cubase.

Your idea of a clean C drive is good. I may as well grab the box from =
upstairs

since it's an AMD 3000+ and go with that instead. Same bang as the P4 =
3.0.

Maybe better. Paris is already installed there in a very clean way. . =

..

Thanks for your help. I need it.

Tom

"Neil" <OIUOIU@OIU.com> wrote in message news:46e8dd8d@linux...

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>I am thinking either the PCI bus is totally friggd (Magma and=20
comp) or Paris installs are totally gone on both drives. It's
possible
>Windows is toast too as I think about it. On two drives?
>
>I had three of these cards working fine together in another comp =
=3D
>yesterday
>with a 442.
>
>What do you suggest?

Can you try a fresh install of everything on a brand-new drive?
OS, Paris, etc? Small-ish hard drives that are perfect for
system drives are cheap nowadays. That would eliminate any
software or drive sector corruption. If that doesn't do it,
then you know it's more than likely a hardware issue, possibly
along the lines of your Magma/PCI buss, or even chipset/mobo-
related.

>PS I have an original project coming in that has major label
>interest. I won't even be able to boot Paris for their
>consultation early next week. This is ridiculous.

No, this is the time to switch to Cubase or ???.

Seriously, though - if you think there's a chance with these
guys, then drop a grand on whatever it takes (HW, Software,
whatever) to get your shit together. IOW, don't let some faulty
technology stop you from being involved in something that could
go somewhere - invest in your future. Don't dick around.

Neil

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=_NextPart_000_0064_01C7F5DA.8BB4B520

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =

charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.6000.16525" name=3DGENERATOR>

<STYLE></STYLE>

```

</HEAD>
<BODY bgColor=#ffffff>
<DIV><FONT face=Arial size=2>you sure you have a good installer EXE =
for=20
paris?</FONT></DIV>
<DIV><FONT face=Arial size=2></FONT>&nbsp;</DIV>
<DIV><FONT face=Arial size=2>AA</FONT></DIV>
<BLOCKQUOTE dir=ltr=20
style="PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"Tom Bruhl" &lt;<A=20
href="mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>&gt; wrote =
in message=20
  <A href="news:46e8e43f@linux">news:46e8e43f@linux</A>...</DIV>
  <DIV><FONT face=Arial size=2>Neil,</FONT></DIV>
  <DIV><FONT face=Arial size=2>I've already got a kickin dually =
Cubase=20
  rig.&nbsp;  No A to Ds to speak of though.</FONT></DIV>
  <DIV><FONT face=Arial size=2>I really want my cake and eat it =
too.&nbsp;  Paris=20
  with&nbsp; Cubase is sweet.&nbsp;  Hefty Creamware</FONT></DIV>
  <DIV><FONT face=Arial size=2>audio card for Cubase.</FONT></DIV>
  <DIV><FONT face=Arial size=2></FONT>&nbsp;</DIV>
  <DIV><FONT face=Arial size=2>Your idea of a clean C drive is =
good.&nbsp;  I may=20
  as well grab the box from upstairs</FONT></DIV>
  <DIV><FONT face=Arial size=2>since it's an AMD 3000+ and go with =
that=20
  instead.&nbsp;  Same bang as the P4 3.0.</FONT></DIV>
  <DIV><FONT face=Arial size=2>Maybe better.&nbsp;  Paris is=20
  already&nbsp; installed there in a very clean way. . .</FONT></DIV>
  <DIV><FONT face=Arial size=2></FONT>&nbsp;</DIV>
  <DIV><FONT face=Arial size=2>Thanks for&nbsp; your help.&nbsp;  I =
need=20
  it.</FONT></DIV>
  <DIV><FONT face=Arial size=2>Tom</FONT></DIV>
  <BLOCKQUOTE=20
  style="PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
    <DIV>"Neil" &lt;<A =
href="mailto:OIUOIU@OIU.com">OIUOIU@OIU.com</A>&gt; wrote=20
    in message <A=20
    =
href="news:46e8dd8d@linux">news:46e8dd8d@linux</A>...</DIV><BR>"Tom =
Bruhl"=20
    &lt;<A =
href="mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>&gt;=20
    wrote:<BR>&gt;I am thinking either the PCI bus is totally frigged =

```

(Magma and=20

comp) or Paris installs are totally gone on both drives. =20
It's
possible
>Windows is toast too as I think about it. On =
two=20
drives?
>
>I had three of these cards working fine =
together in=20
another comp =3D
>yesterday
>with a =
442.
>
>What do=20
you suggest?

Can you try a fresh install of everything on a =
brand-new=20
drive?
OS, Paris, etc? Small-ish hard drives that are perfect=20
for
system drives are cheap nowadays. That would eliminate=20
any
software or drive sector corruption. If that doesn't do =
it,
then=20
you know it's more than likely a hardware issue, possibly
along =
the lines=20
of your Magma/PCI buss, or even =
chipset/mobo-
related.

>PS I=20
have an original project coming in that has major =
label
>interest. I=20
won't even be able to boot Paris for their
>consultation early =
next=20
week. This is ridiculous.

No, this is the time to switch to =
Cubase or=20
???.

Seriously, though - if you think there's a chance with=20
these
guys, then drop a grand on whatever it takes (HW,=20
Software,
whatever) to get your shit together. IOW, don't let =
some=20
faulty
technology stop you from being involved in something that=20
could
go somewhere - invest in your future. Don't dick=20
around.

Neil</BLOCKQUOTE>
<DIV>

I choose Polesoft Lockspam to fight spam, =
and=20
you?
<A=20
=
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html </DIV></BLOCKQUOTE ></BODY></HTML>

-----=_NextPart_000_0064_01C7F5DA.8BB4B520--

Subject: Re: Well okay . . .
Posted by [Neil](#) on Thu, 13 Sep 2007 13:34:02 GMT
[View Forum Message](#) <> [Reply to Message](#)

"John" <no@no.com> wrote:

>

>Yeah, with a client coming next week switching to Cubase should be easy.

>Why not learn Spanish in the meantime too? !

Que??? :)

Actually, I was operating on the assumption that he - like just about everyone else on this NG - already HAS another DAW option, whether it's Logic, PTLE, SX/Nuendo, either on the same PC, or a separate rig; that's why I said "Cubase, or???". Turns out he does.

Neil

Subject: Re: Well okay . . .

Posted by [Tom Bruhl](#) on Thu, 13 Sep 2007 17:06:23 GMT

[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0022_01C7F606.E29C76D0

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Aaron,

Do you mean the installer is corrupt? These are installs from years ago that worked fine until I added a 4rth Mec. I blamed it on the Mec/Paris but now think it's computer hardware. Ram, chipset, mobo ? Two C drives have been a part of this test.

The computer upstairs that I used to check all the cables and cards with has a new install of Paris 3.0 and worked without a flaw. I might just bring that bad boy downstairs and get the Magma UAD inside of it and go. Seems like the quickest fix aside from = reloading all the plugins and other music software.

"Aaron Allen" <know-spam@not_here.dude> wrote in message = news:46e93345@linux...

you sure you have a good installer EXE for paris?

AA

"Tom Bruhl" <arpeggio@comcast.net> wrote in message = news:46e8e43f@linux...

Neil,

I've already got a kickin dually Cubase rig. No A to Ds to speak of = though.

I really want my cake and eat it too. Paris with Cubase is sweet. =

Hefty Creamware
audio card for Cubase.

Your idea of a clean C drive is good. I may as well grab the box =
from upstairs
since it's an AMD 3000+ and go with that instead. Same bang as the =
P4 3.0.

Maybe better. Paris is already installed there in a very clean way. =

.. .

Thanks for your help. I need it.

Tom

"Neil" <OIUOIU@OIU.com> wrote in message news:46e8dd8d@linux...

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>I am thinking either the PCI bus is totally frigged (Magma and=20
comp) or Paris installs are totally gone on both drives. It's
possible

>Windows is toast too as I think about it. On two drives?

>

>I had three of these cards working fine together in another comp =
=3D

>yesterday

>with a 442.

>

>What do you suggest?

Can you try a fresh install of everything on a brand-new drive?
OS, Paris, etc? Small-ish hard drives that are perfect for
system drives are cheap nowadays. That would eliminate any
software or drive sector corruption. If that doesn't do it,
then you know it's more than likely a hardware issue, possibly
along the lines of your Magma/PCI buss, or even chipset/mobo-
related.

>PS I have an original project coming in that has major label
>interest. I won't even be able to boot Paris for their
>consultation early next week. This is ridiculous.

No, this is the time to switch to Cubase or ???.

Seriously, though - if you think there's a chance with these
guys, then drop a grand on whatever it takes (HW, Software,
whatever) to get your shit together. IOW, don't let some faulty
technology stop you from being involved in something that could
go somewhere - invest in your future. Don't dick around.

Neil

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=_NextPart_000_0022_01C7F606.E29C76D0

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =

charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV>Aaron,</DIV>

<DIV>Do you mean the installer is =

corrupt? These=20

are installs</DIV>

<DIV>from years ago that worked fine until I =

added a=20

4rth Mec.</DIV>

<DIV>I blamed it on the Mec/Paris but now =

think it's=20

computer hardware.</DIV>

<DIV>Ram, chipset, mobo ? Two C drives =

have been a=20

part of this test.</DIV>

<DIV> </DIV>

<DIV>The computer upstairs that I used to =

check all the=20

cables</DIV>

<DIV>and cards with has a new install of =

Paris 3.0 and=20

worked without</DIV>

<DIV>a flaw. I might just bring that =

bad boy=20

downstairs and get the Magma</DIV>

<DIV>UAD inside of it and go. Seems =

like the=20

quickest fix aside from reloading</DIV>

<DIV>all the plugins and other music=20

software.</DIV>

<BLOCKQUOTE dir=3Dltr=20

style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

<DIV>"Aaron Allen" <<A=20
 =
 href=3D"mailto:know-spam@not_here.dude">know-spam@not_here.dude> =
 wrote in=20
 message <A =
 href=3D"news:46e93345@linux">news:46e93345@linux...</DIV>
 <DIV>you sure you have a good installer =
 EXE for=20
 paris?</DIV>
 <DIV> </DIV>
 <DIV>AA</DIV>
 <BLOCKQUOTE dir=3Dltr=20
 style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
 BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"Tom Bruhl" <<A=20
 href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net> =
 wrote in=20
 message <A =
 href=3D"news:46e8e43f@linux">news:46e8e43f@linux...</DIV>
 <DIV>Neil,</DIV>
 <DIV>I've already got a kickin dually =
 Cubase=20
 rig. No A to Ds to speak of though.</DIV>
 <DIV>I really want my cake and eat it =
 too. =20
 Paris with Cubase is sweet. Hefty Creamware</DIV>
 <DIV>audio card for Cubase.</DIV>
 <DIV> </DIV>
 <DIV>Your idea of a clean C drive is =
 good. I=20
 may as well grab the box from upstairs</DIV>
 <DIV>since it's an AMD 3000+ and go with =
 that=20
 instead. Same bang as the P4 3.0.</DIV>
 <DIV>Maybe better. Paris is=20
 already installed there in a very clean way. . .</DIV>
 <DIV> </DIV>
 <DIV>Thanks for your help. I =
 need=20
 it.</DIV>
 <DIV>Tom</DIV>
 <BLOCKQUOTE=20
 style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
 BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"Neil" <<A =
 href=3D"mailto:OIUOIU@OIU.com">OIUOIU@OIU.com>=20
 wrote in message <A=20
 =

Subject: Re: Well okay . . .

Posted by [Tom Bruhl](#) on Thu, 13 Sep 2007 17:10:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0031_01C7F607.7CBFFF70

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

John,

This session is just a walkthrough with a previously more than satisfied client. I would like to play some multitracks to show=20 the gui along with the sound to his client.

I am not quick enough with Cubase to use it as an audio recorder yet.

I use it strictly for Midi and softsynths. I could get there easily = enough

if I wanted/needed to. I feel much closer to that point all of the = sudden.

Tom

"Neil" <OIUOIU@OIU.com> wrote in message news:46e93c4a\$1@linux...

"John" <no@no.com> wrote:

>

>Yeah, with a client coming next week switching to Cubase should be = easy.

>Why not learn Spanish in the meantime too? !

Que??? :)

Actually, I was operating on the assumption that he - like just about everyone else on this NG - already HAS another DAW option, whether it's Logic, PTLE, SX/Nuendo, either on the same PC, or a separate rig; that's why I said "Cubase, or???". Turns out he does.

Neil

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=_NextPart_000_0031_01C7F607.7CBFFF70

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

the=20
same
PC, or a separate rig; that's why I said "Cubase, or???". =
Turns
out=20
he does.

Neil</BLOCKQUOTE>
<DIV>

I choose Polesoft Lockspam to fight spam, =
and=20
you?
<A=20
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html </DIV></BODY ></HTML>

-----=_NextPart_000_0031_01C7F607.7CBFFF70--

Subject: Re: Well okay . . .
Posted by [Aaron Allen](#) on Thu, 13 Sep 2007 17:55:51 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0053_01C7F605.69A83850
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Well, that is what I'm asking. You're looking for variables yes :)?
You should try the other known 'good' system w/o a doubt.=20

AA

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:46e96f9c@linux...

Aaron,

Do you mean the installer is corrupt? These are installs
from years ago that worked fine until I added a 4rth Mec.
I blamed it on the Mec/Paris but now think it's computer hardware.
Ram, chipset, mobo ? Two C drives have been a part of this test.

The computer upstairs that I used to check all the cables
and cards with has a new install of Paris 3.0 and worked without
a flaw. I might just bring that bad boy downstairs and get the Magma
UAD inside of it and go. Seems like the quickest fix aside from =
reloading
all the plugins and other music software.

"Aaron Allen" <know-spam@not_here.dude> wrote in message =
news:46e93345@linux...

you sure you have a good installer EXE for paris?

AA

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =

news:46e8e43f@linux...

Neil,

I've already got a kickin dually Cubase rig. No A to Ds to speak = of though.

I really want my cake and eat it too. Paris with Cubase is sweet. = Hefty Creamware audio card for Cubase.

Your idea of a clean C drive is good. I may as well grab the box = from upstairs

since it's an AMD 3000+ and go with that instead. Same bang as = the P4 3.0.

Maybe better. Paris is already installed there in a very clean = way. . .

Thanks for your help. I need it.

Tom

"Neil" <OIUOIU@OIU.com> wrote in message news:46e8dd8d@linux...

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>I am thinking either the PCI bus is totally frigged (Magma and=20 comp) or Paris installs are totally gone on both drives. It's possible

>Windows is toast too as I think about it. On two drives?

>

>I had three of these cards working fine together in another = comp =3D

>yesterday

>with a 442.

>

>What do you suggest?

Can you try a fresh install of everything on a brand-new drive? OS, Paris, etc? Small-ish hard drives that are perfect for system drives are cheap nowadays. That would eliminate any software or drive sector corruption. If that doesn't do it, then you know it's more than likely a hardware issue, possibly along the lines of your Magma/PCI buss, or even chipset/mobo-related.

>PS I have an original project coming in that has major label >interest. I won't even be able to boot Paris for their >consultation early next week. This is ridiculous.

No, this is the time to switch to Cubase or ???.

Seriously, though - if you think there's a chance with these guys, then drop a grand on whatever it takes (HW, Software,

whatever) to get your shit together. IOW, don't let some faulty technology stop you from being involved in something that could go somewhere - invest in your future. Don't dick around.

Neil

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=_NextPart_000_0053_01C7F605.69A83850

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16525" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Well, that is what I'm asking. You're =
looking for=20
variables yes :)?</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>You should try the other known 'good' =
system w/o a=20
doubt. </FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>AA</FONT></DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"Tom Bruhl" &lt;<A=20
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>&gt; wrote =
in message=20
  <A href=3D"news:46e96f9c@linux">news:46e96f9c@linux</A>...</DIV>
  <DIV><FONT face=3DArial size=3D2>Aaron,</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2>Do you mean the installer is =
corrupt?&nbsp;</DIV>
  are installs</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2>from years ago that worked fine until =
I added a=20
  4rth Mec.</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2>I blamed it on the Mec/Paris but now =
think it's=20
  computer hardware.</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2>Ram, chipset, mobo ?&nbsp;</DIV>
  Two C =
```

drives have been=20
a part of this test.</DIV>
<DIV> </DIV>
<DIV>The computer upstairs that I used to =
check all=20
the cables</DIV>
<DIV>and cards with has a new install of =
Paris 3.0 and=20
worked without</DIV>
<DIV>a flaw. I might just bring that =
bad boy=20
downstairs and get the Magma</DIV>
<DIV>UAD inside of it and go. Seems =
like the=20
quickest fix aside from reloading</DIV>
<DIV>all the plugins and other music=20
software.</DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Aaron Allen" <<A=20
=

href=3D"mailto:know-spam@not_here.dude">know-spam@not_here.dude> =
wrote=20
in message <A =
href=3D"news:46e93345@linux">news:46e93345@linux...</DIV>
<DIV>you sure you have a good installer =
EXE for=20
paris?</DIV>
<DIV> </DIV>
<DIV>AA</DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Tom Bruhl" <<A=20
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net> =
wrote in=20
message <A =
href=3D"news:46e8e43f@linux">news:46e8e43f@linux...</DIV>
<DIV>Neil,</DIV>
<DIV>I've already got a kickin dually =
Cubase=20
rig. No A to Ds to speak of though.</DIV>
<DIV>I really want my cake and eat it =
too. =20
Paris with Cubase is sweet. Hefty =
Creamware</DIV>
<DIV>audio card for =

Cubase.</DIV>
 <DIV> </DIV>
 <DIV>Your idea of a clean C drive is =
 good. </DIV>
 may as well grab the box from upstairs</DIV>
 <DIV>since it's an AMD 3000+ and go =
 with that=20
 instead. </DIV>
 <DIV>Maybe better. </DIV>
 already </DIV>
 <DIV> </DIV>
 <DIV>Thanks for </DIV>
 I need=20
 it.</DIV>
 <DIV>Tom</DIV>
 <BLOCKQUOTE=20
 style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
 BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"Neil" <<A =
 href=3D"mailto:OIUOIU@OIU.com">OIUOIU@OIU.com>=20
 wrote in message <A=20
 =
 href=3D"news:46e8dd8d@linux">news:46e8dd8d@linux...</DIV>
"Tom=20
 Bruhl" <<A=20
 href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=20
 wrote:
>I am thinking either the PCI bus is totally =
 frigged (Magma=20
 and
comp) or Paris installs are totally gone on both =
 drives. </DIV>
 It's
possible
>Windows is toast too as I think about =
 it. On two=20
 drives?
>
>I had three of these cards working fine =
 together=20
 in another comp =3D
>yesterday
>with a=20
 442.
>
>What do you suggest?

Can you try a =
 fresh=20
 install of everything on a brand-new drive?
OS, Paris, etc? =
 Small-ish=20
 hard drives that are perfect for
system drives are cheap =
 nowadays.=20
 That would eliminate any
software or drive sector corruption. =
 If that=20
 doesn't do it,
then you know it's more than likely a hardware =
 issue,=20
 possibly
along the lines of your Magma/PCI buss, or even=20
 chipset/mobo-
related.

>PS I have an original =
 project=20
 coming in that has major label
>interest. I won't even be =

able to=20
boot Paris for their
>consultation early next week. This =
is=20
ridiculous.

No, this is the time to switch to Cubase or=20
???.

Seriously, though - if you think there's a chance =
with=20
these
guys, then drop a grand on whatever it takes (HW,=20
Software,
whatever) to get your shit together. IOW, don't let =
some=20
faulty
technology stop you from being involved in something =
that=20
could
go somewhere - invest in your future. Don't dick=20
around.

Neil</BLOCKQUOTE>
<DIV>

I choose Polesoft Lockspam to fight =
spam, and=20
you?
<A=20
=
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html </DIV></BLOCKQUOTE></BLOCKQUOTE></BLOCK=
QUOTE></BODY></HTML>

-----=_NextPart_000_0053_01C7F605.69A83850--

Subject: Re: Well okay . . .
Posted by [Tom Bruhl](#) on Thu, 13 Sep 2007 19:20:08 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0039_01C7F619.9226F370
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Thanks Aaron,
Loading of all plugins and software is a joy huh?
Oh well,
T.

"Aaron Allen" <know-spam@not_here.dude> wrote in message =
news:46e97b30@linux...
Well, that is what I'm asking. You're looking for variables yes :)?
You should try the other known 'good' system w/o a doubt.=20

AA
"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:46e96f9c@linux...
Aaron,

Do you mean the installer is corrupt? These are installs from years ago that worked fine until I added a 4th Mec. I blamed it on the Mec/Paris but now think it's computer hardware. Ram, chipset, mobo ? Two C drives have been a part of this test.

The computer upstairs that I used to check all the cables and cards with has a new install of Paris 3.0 and worked without a flaw. I might just bring that bad boy downstairs and get the = Magma

UAD inside of it and go. Seems like the quickest fix aside from = reloading

all the plugins and other music software.

"Aaron Allen" <know-spam@not_here.dude> wrote in message = news:46e93345@linux...

you sure you have a good installer EXE for paris?

AA

"Tom Bruhl" <arpeggio@comcast.net> wrote in message = news:46e8e43f@linux...

Neil,

I've already got a kickin dually Cubase rig. No A to Ds to = speak of though.

I really want my cake and eat it too. Paris with Cubase is = sweet. Hefty Creamware audio card for Cubase.

Your idea of a clean C drive is good. I may as well grab the = box from upstairs

since it's an AMD 3000+ and go with that instead. Same bang as = the P4 3.0.

Maybe better. Paris is already installed there in a very clean = way. . .

Thanks for your help. I need it.

Tom

"Neil" <OIUOIU@OIU.com> wrote in message = news:46e8dd8d@linux...

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>I am thinking either the PCI bus is totally frigged (Magma = and=20

comp) or Paris installs are totally gone on both drives. It's possible

>Windows is toast too as I think about it. On two drives?

>

>I had three of these cards working fine together in another = comp =3D

>yesterday

>with a 442.

>

>What do you suggest?

Can you try a fresh install of everything on a brand-new =
drive?

OS, Paris, etc? Small-ish hard drives that are perfect for
system drives are cheap nowadays. That would eliminate any
software or drive sector corruption. If that doesn't do it,
then you know it's more than likely a hardware issue, possibly
along the lines of your Magma/PCI buss, or even chipset/mobo-
related.

>PS I have an original project coming in that has major label
>interest. I won't even be able to boot Paris for their
>consultation early next week. This is ridiculous.

No, this is the time to switch to Cubase or ???.

Seriously, though - if you think there's a chance with these
guys, then drop a grand on whatever it takes (HW, Software,
whatever) to get your shit together. IOW, don't let some =
faulty
technology stop you from being involved in something that =
could
go somewhere - invest in your future. Don't dick around.

Neil

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=_NextPart_000_0039_01C7F619.9226F370

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV>Thanks Aaron,</DIV>

<DIV>Loading of all plugins and software is =
a joy=20

huh?

Oh well,

T.

"Aaron Allen" <A=

=

know-spam@not_here.dude> =

wrote in=

message <A =

<news:46e97b30@linux>...</DIV>

<DIV>Well, that is what I'm asking. You're =

looking for=

variables yes :)?</DIV>

<DIV>You should try the other known 'good' =

system w/o=

a doubt. </DIV>

<DIV> </DIV>

<DIV>AA</DIV>

<BLOCKQUOTE dir=3Dltr=

style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =

BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

<DIV>"Tom Bruhl" <A=

arpeggio@comcast.net> =

wrote in=

message <A =

<news:46e96f9c@linux>...</DIV>

<DIV>Aaron,</DIV>

<DIV>Do you mean the installer is =

corrupt? </DIV>

These are installs</DIV>

<DIV>from years ago that worked fine =

until I added a=

4rth Mec.</DIV>

<DIV>I blamed it on the Mec/Paris but =

now think it's=

computer hardware.</DIV>

<DIV>Ram, chipset, mobo ? </DIV>

Two C =

drives have=

been a part of this test.</DIV>

<DIV> </DIV>

<DIV>The computer upstairs that I used =

to check all=

the cables</DIV>

<DIV>and cards with has a new install of =

Paris 3.0=

and worked without</DIV>

<DIV>a flaw. I might just bring =
 that bad boy=20
 downstairs and get the Magma</DIV>
 <DIV>UAD inside of it and go. =
 Seems like the=20
 quickest fix aside from reloading</DIV>
 <DIV>all the plugins and other music=20
 software.</DIV>
 <BLOCKQUOTE dir=3Dltr=20
 style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
 BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"Aaron Allen" <<A=20
 =
 href=3D"mailto:know-spam@not_here.dude">know-spam@not_here.dude>=20
 wrote in message <A=20
 href=3D"news:46e93345@linux">news:46e93345@linux...</DIV>
 <DIV>you sure you have a good =
 installer EXE for=20
 paris?</DIV>
 <DIV> </DIV>
 <DIV>AA</DIV>
 <BLOCKQUOTE dir=3Dltr=20
 style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
 BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"Tom Bruhl" <<A=20
 href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net> =
 wrote in=20
 message <A =
 href=3D"news:46e8e43f@linux">news:46e8e43f@linux...</DIV>
 <DIV>Neil,</DIV>
 <DIV>I've already got a kickin =
 dually Cubase=20
 rig. No A to Ds to speak of though.</DIV>
 <DIV>I really want my cake and eat =
 it too. =20
 Paris with Cubase is sweet. Hefty =
 Creamware</DIV>
 <DIV>audio card for =
 Cubase.</DIV>
 <DIV> </DIV>
 <DIV>Your idea of a clean C drive is =
 good. =20
 I may as well grab the box from upstairs</DIV>
 <DIV>since it's an AMD 3000+ and go =
 with that=20
 instead. Same bang as the P4 3.0.</DIV>
 <DIV>Maybe better. Paris is=20
 already installed there in a very clean way. . =

..</DIV>
 <DIV> </DIV>
 <DIV>Thanks for </DIV>
 help. </DIV> I need=20
 it.</DIV>
 <DIV>Tom</DIV>
 <BLOCKQUOTE=20
 style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
 5px; BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"Neil" <<A =
 href=3D"mailto:OIUOIU@OIU.com">OIUOIU@OIU.com>=20
 wrote in message <A=20
 =
 href=3D"news:46e8dd8d@linux">news:46e8dd8d@linux...</DIV>
"Tom=20
 Bruhl" <<A=20
 =
 href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=20
 wrote:
>I am thinking either the PCI bus is totally =
 frigged=20
 (Magma and
comp) or Paris installs are totally gone on =
 both=20
 drives.
It's
possible
>Windows is toast too as =
 I think=20
 about it. On two drives?
>
>I had three of these =
 cards=20
 working fine together in another comp =
 =3D
>yesterday
>with a=20
 442.
>
>What do you suggest?

Can you try a =
 fresh=20
 install of everything on a brand-new drive?
OS, Paris, etc? =
 Small-ish hard drives that are perfect for
system drives =
 are cheap=20
 nowadays. That would eliminate any
software or drive sector =
 corruption. If that doesn't do it,
then you know it's more =
 than=20
 likely a hardware issue, possibly
along the lines of your =
 Magma/PCI=20
 buss, or even chipset/mobo-
related.

>PS I have =
 an=20
 original project coming in that has major =
 label
>interest. I=20
 won't even be able to boot Paris for their
>consultation =
 early=20
 next week. This is ridiculous.

No, this is the time to =
 switch=20
 to Cubase or ???.

Seriously, though - if you think =

there's a=20
chance with these
guys, then drop a grand on whatever it =
takes (HW,=20
Software,
whatever) to get your shit together. IOW, don't =
let some=20
faulty
technology stop you from being involved in something =
that=20
could
go somewhere - invest in your future. Don't dick=20
around.

Neil</BLOCKQUOTE>
<DIV>

I choose Polesoft Lockspam to fight =
spam, and=20
you?
<A=20
=
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html </DIV></BLOCKQUOTE ></BLOCKQUOTE></BLOCK=
QUOTE></BLOCKQUOTE></BODY></HTML>

-----=_NextPart_000_0039_01C7F619.9226F370--

Subject: Re: Well okay . . .
Posted by [Tom Bruhl](#) on Fri, 14 Sep 2007 01:47:12 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_00DB_01C7F64F.A462B4D0
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

I've got a fresh Windows and soon a fresh paris install.
This will rule out computer hardware if it works. If not
I'll be looking at ram, mobo, chipset, pci bus or idunno.

"James McCloskey" <excelsm@hotmail.com> wrote in message =
news:46e8de04\$1@linux...

"Tom Bruhl" <arpeggio@comcast.net> wrote:
>
>
>I'll bet you thought I had a success story didn't ya?
>
>I started with good EDS cards, cables etc.. No Lucid,
>all internal clock. No Default Project.
>
>I can get one card to boot paris ok except
>the clock light never stopped flashing and the

>master section is not available in the patchbay.
>Pretty useless. I tried multiple cables, mecs and no Magma
>with the same results. I added a second card and
>Paris wouldn't boot at all. It said no card attached to the
>master Card. I swapped them with no success.
>I then tried C drive #2. Same results across the board.
>
>I am thinking either the PCI bus is totally frigged (Magma and =
comp)=3D20
>or Paris installs are totally gone on both drives. It's possible
>Windows is toast too as I think about it. On two drives?
>
>I had three of these cards working fine together in another comp =3D
>yesterday
>with a 442.
>
>What do you suggest?
>T.

I would back up any thing I needed, then I would try to reinstall =
Paris.

Reseat your cards and cables too.

>
>PS I have an original project coming in that has major label =
interest.
>I won't even be able to boot Paris for their consultation early next =
=3D
>week.
>This is ridiculous.
> "Tom Bruhl" <arpeggio@comcast.net> wrote in message =3D
>news:46e8d5d5@linux...
> Lies!
> "Neil" <IOI@OI.com> wrote in message news:46e8d432\$1@linux...
>
> Duh... !
>
> lol :)
>
>
> "James McCloskey" <excelsm@hotmail.com> wrote:
> >
> >Yes.
> >
> >"Tom Bruhl" <arpeggio@comcast.net> wrote:
> >>
> >>
> >>Does anybody want to hear what happened?

```

> >>
> >>
> >>I choose Polesoft Lockspam to fight spam, and you?
> >>http://www.polesoft.com/refer.html =3D20
> >>
> >><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> >><HTML><HEAD>
> >><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =
=3D3D
> >>charset=3D3D3Diso-8859-1">
> >><META content=3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3DGENERATOR>
> >><STYLE></STYLE>
> >></HEAD>
> >><BODY bgColor=3D3D3D#ffffff>
> >><DIV><FONT face=3D3D3DArial size=3D3D3D2>Does anybody want to =
hear =3D
>what=3D3D20
> >>happened?</FONT></DIV>
> >><DIV><FONT size=3D3D3D2><BR><BR>I choose Polesoft Lockspam to =
fight
=3D
>spam, =3D3D
> >>and=3D3D20
> >>you?<BR><A=3D3D20
> =3D
=
>>>href=3D3D3D"http://www.polesoft.com/refer.html">http://www.polesoft.co=
m/r=3D
>efer=3D3D
> >>.html</A> </FONT></DIV></BODY></HTML>
> >>
> >>
> >
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
>charset=3D3Diso-8859-1">
><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D3D#ffffff>
><DIV><FONT face=3D3DArial size=3D3D2>I'll bet you thought I had a =
success =3D
>story didn't=3D20
>ya?</FONT></DIV>

```

><DIV> </DIV>
 ><DIV>I started with good EDS cards, =
 cables =3D
 >etc.. =3D20
 >No Lucid,</DIV>
 ><DIV>all internal clock. No =
 Default=3D20
 >Project.</DIV>
 ><DIV> </DIV>
 ><DIV>I can get one card to boot paris =
 ok=3D20
 >except</DIV>
 ><DIV>the clock light never stopped =
 flashing
 =3D
 >and=3D20
 >the</DIV>
 ><DIV>master section is not available =
 in the=3D20
 >patchbay.</DIV>
 ><DIV>Pretty useless. I tried multiple =
 =3D
 >cables,=3D20
 >mecs and no Magma</DIV>
 ><DIV>with the same results. I added a =
 =3D
 >second card=3D20
 >and</DIV>
 ><DIV>Paris wouldn't boot at all. It =
 =3D
 >said no card=3D20
 >attached to the</DIV>
 ><DIV>master Card. I swapped them with =
 =3D
 >no=3D20
 >success.</DIV>
 ><DIV>I then tried C drive #2. Same =
 =3D
 >results across=3D20
 >the board.</DIV>
 ><DIV> </DIV>
 ><DIV>I am thinking either the PCI bus =
 is =3D
 >totally frigged=3D20
 >(Magma and comp) </DIV>
 ><DIV>or Paris installs <FONT =
 =3D
 >face=3D3DArial=3D20

>size=3D3D2>are totally gone on both drives. It's =3D
 >possible</DIV>
 ><DIV>Windows is toast too as I think =
 about =3D
 >it. On two=3D20
 >drives?</DIV>
 ><DIV> </DIV>
 ><DIV>I had three of these cards =
 working fine
 =3D
 >together in=3D20
 >another comp yesterday</DIV>
 ><DIV>with a 442.</DIV>
 ><DIV> </DIV>
 ><DIV>What do you =
 suggest?</DIV>
 ><DIV>T.</DIV>
 ><DIV> </DIV>
 ><DIV>PS I have an original project =
 coming in
 =3D
 >that has=3D20
 >major label interest.</DIV>
 ><DIV>I won't even be able to boot =
 Paris for
 =3D
 >their=3D20
 >consultation early next week.</DIV>
 ><DIV>This is ridiculous.</DIV>
 ><BLOCKQUOTE dir=3D3Dltr=3D20
 >style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
 =3D
 >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 > <DIV>"Tom Bruhl" <<A=3D20
 > href=3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net> =
 wrote =3D
 >in message=3D20
 > news:46e8d5d5@linux...</DIV>
 > <DIV>Lies!</DIV>
 > <BLOCKQUOTE=3D20
 > style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
 =3D
 >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 > <DIV>"Neil" <IOI@OI.com> =3D
 >wrote in=3D20
 > message <A=3D20
 > =3D
 =

```

>href=3D3D"news:46e8d432$1@linux">news:46e8d432$1@linux</A>...</DIV><BR>D=
uh.=3D
>..=3D20
> !<BR><BR>lol :)<BR><BR><BR>"James McCloskey" =3D
><<A=3D20
> =
href=3D3D"mailto:excelsm@hotmail.com">excelsm@hotmail.com</A>=>=3D20
> wrote:<BR>><BR>>Yes.<BR>><BR>>"Tom Bruhl" <<A=3D20
> =
href=3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>=>=3D20
> wrote:<BR>>><BR>>><BR>>>Does anybody want to hear =3D
>what=3D20
> happened?<BR>>><BR>>><BR>>>I choose Polesoft =3D
>Lockspam to=3D20
> fight spam, and=3D20
> you?<BR>>>http://www.polesoft.com/refer.html =3D20
> <BR>>><BR>>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML =3D
>4.0=3D20
> =3D
>Transitional//EN"><BR>>><HTML><HEAD><BR>>><=3D
>META=3D20
> http-equiv=3D3D3DContent-Type content=3D3D3D"text/html;=3D20
> =3D3D<BR>>>charset=3D3D3Diso-8859-1"><BR>>><META =3D
>content=3D3D3D"MSHTML=3D20
> 6.00.2800.1400"=3D20
> =3D
>name=3D3D3DGENERATOR><BR>>><STYLE></STYLE><BR>>>=3D
></HEAD><BR>>><BODY=3D20
> bgcolor=3D3D3D#ffffff><BR>>><DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>Does anybody want to hear=3D20
> =3D
>what=3D3D20<BR>>>happened?</FONT></DIV><BR>>><DI=3D
>V><FONT=3D20
> size=3D3D3D2><BR><BR>I choose Polesoft Lockspam to =3D
>fight spam,=3D20
> =3D
>=3D3D<BR>>>and=3D3D20<BR>>>you?<BR><A=3D3D20<BR>>>hr=3D
>ef=3D3D3D"<A=3D20
> =3D
=
>href=3D3D'http://www.polesoft.com/refer.html">http://www.polesoft.com/re=
fer=3D
=
>'>http://www.polesoft.com/refer.html">http://www.polesoft.com/refer</A>=3D=

>=3D3D<BR>>>.html</A>=3D20
> =3D

```

```
></FONT></DIV></BODY></HTML><BR>>><BR>>>&g=3D
>t;<BR>><BR></BLOCKQUOTE></BLOCKQUOTE></BODY></HTML>
>
>
```

-----=_NextPart_000_00DB_01C7F64F.A462B4D0

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =

charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV>I've got a fresh Windows and soon a =
fresh paris=20

install.</DIV>

<DIV>This will rule out computer hardware if =
it=20

works. If not</DIV>

<DIV>I'll be looking at ram, mobo, chipset, =
pci=20

bus or idunno.</DIV>

<DIV> </DIV>

<BLOCKQUOTE=20

style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

<DIV>"James McCloskey" <<A=20

href=3D"mailto:excelsm@hotmail.com">excelsm@hotmail.com> wrote =
in message=20

<A =

href=3D"news:46e8de04\$1@linux">news:46e8de04\$1@linux...</DIV>
"Tom=
=20

Bruhl" <<A =

href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=20

wrote:
>
>
>I'll bet you thought I had a success =
story=20

didn't ya?
>
>I started with good EDS cards, cables =
etc.. No=20

Lucid,
>all internal clock. No Default =

Project.
>
>I=20

can get one card to boot paris ok except
>the clock light never =
stopped=20

flashing and the
>master section is not available in the=20

[illegible]

bgColor=3D3D#ffffff

</DIV>
</FONT face=3D3DArial =
 size=3D3D2

</DIV>
</FONT=20
 bet you thought I had a success =3D

</DIV>
</FONT=20
 =
 didn't=3D20

</DIV>
</FONT=20
 T=20
 face=3D3DArial size=3D3D2

</DIV>
</FONT=20

</DIV>
</FONT=20
 face=3D3DArial size=3D3D2

</DIV>
</FONT=20
 I started with good EDS cards, cables =
 =3D

</DIV>
</FONT=20
 =3D20

</DIV>
</FONT=20
 Lucid,

</DIV>
</FONT=20
 face=3D3DArial size=3D3D2

</DIV>
</FONT=20
 all internal clock. No=20
 =
 Default=3D20

</DIV>
</FONT=20

</DIV>
</FONT=20
 face=3D3DArial size=3D3D2

</DIV>
</FONT=20

</DIV>
</FONT=20
 face=3D3DArial size=3D3D2

</DIV>
</FONT=20
 I can get one card to boot paris=20
 =
 ok=3D20

</DIV>
</FONT=20
 =20
 face=3D3DArial size=3D3D2

</DIV>
</FONT=20
 the clock light never stopped=20
 =
 flashing

</DIV>
</FONT=20
 =3D

</DIV>
</FONT=20

</DIV>
</FONT=20
 the

</DIV>
</FONT=20
 master section is not available in=20
 =
 the=3D20

</DIV>
</FONT=20

</DIV>
</FONT=20
 face=3D3DArial size=3D3D2

</DIV>
</FONT=20
 Pretty useless. I tried multiple=20
 =3D

</DIV>
</FONT=20
 cables,=3D20

</DIV>
</FONT=20
 mecs and no=20
 Magma

</DIV>
</FONT=20
 =
 face=3D3DArial=20
 size=3D3D2

</DIV>
</FONT=20
 with the same results. I added a =3D

</DIV>
</FONT=20
 =
 card=3D20

</DIV>
</FONT=20

</DIV>
</FONT=20
 =
 face=3D3DArial size=3D3D2

</DIV>
</FONT=20
 Paris wouldn't boot at all. It =
 =3D

</DIV>
</FONT=20

</DIV>
</FONT=20
 card=3D20

</DIV>
</FONT=20
 attached to=20
 the

</DIV>
</FONT=20

</DIV>
</FONT=20
 face=3D3DArial =
 size=3D3D2

</DIV>
</FONT=20
 master Card. I swapped them with=20
 =
 =3D

</DIV>
</FONT=20
 no=3D20

</DIV>
</FONT=20
 success.

</DIV>
</FONT=20

</DIV>
</FONT=20
 DI=V

</DIV>
</FONT=20
 =
 face=3D3DArial size=3D3D2

</DIV>
</FONT=20
 I then tried C drive #2. Same =

=3D
>results=20
 across=3D20
>the=20
 board.</DIV>
></DIV></FONT =
 face=3D3DArial=20
 size=3D3D2> </DIV>
></DIV></FONT =
 face=3D3DArial=20
 size=3D3D2>I am thinking either the PCI bus is =3D
>totally=20
 friggd=3D20
>(Magma and comp)=20
 </DIV>
></DIV></FONT face=3D3DArial=20
 size=3D3D2>or Paris installs </FONT=20
 =3D
>face=3D3DArial=3D20
>size=3D3D2>are totally gone =
 on both drives.=20
 It's =
 =3D
>possible</DIV>
></DIV></FONT=20
 face=3D3DArial size=3D3D2>Windows is toast too as I think about =
 =3D
>it. On=20
 =
 two=3D20
>drives?</DIV>
></DIV></FO=NT=20
 face=3D3DArial size=3D3D2> =
 </DIV>
></DIV></FONT=20
 face=3D3DArial size=3D3D2>I had three of these cards working=20
 fine
=3D
>together in=3D20
>another comp=20
 yesterday</DIV>
></DIV></FONT =
 face=3D3DArial=20
 size=3D3D2>with a =
 442.</DIV>
></DIV></FONT=20
 face=3D3DArial size=3D3D2> =
 </DIV>
></DIV></FONT=20
 face=3D3DArial size=3D3D2>What do you=20
 suggest?</DIV>
></DIV></FONT =
 face=3D3DArial=20
 size=3D3D2>T.</DIV>
></DIV></FONT=20
 face=3D3DArial size=3D3D2> =
 </DIV>
></DIV></FONT=20
 face=3D3DArial size=3D3D2>PS I have an original project coming=20
 in
=3D
>that has=3D20
>major label=20
 interest.</DIV>
></DIV></FONT =
 face=3D3DArial=20
 size=3D3D2>I won't even be able to boot Paris=20
 for
=3D
>their=3D20
>consultation early next=20
 week.</DIV>
></DIV></FONT =
 face=3D3DArial=20
 size=3D3D2>This is =
 ridiculous.</DIV>
></BLOCKQUOTE=20
 dir=3D3Dltr=3D20
>style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: =
 5px;=20
 MARGIN-LEFT: 5px; =3D
>BORDER-LEFT: #000000 2px solid; =

[illegible]

[illegible]

-----=_NextPart_000_00DB_01C7F64F.A462B4D0--

Subject: Re: Well okay . . .

Posted by [audioguy_editout_](#) on Fri, 14 Sep 2007 02:07:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

You on XP?

I found Paris runs best on SP1

David.

Tom Bruhl wrote:

> I've got a fresh Windows and soon a fresh paris install.
> This will rule out computer hardware if it works. If not
> I'll be looking at ram, mobo, chipset, pci bus or idunno.
>
>

Subject: Re: Well okay . . .

Posted by [Tom Bruhl](#) on Fri, 14 Sep 2007 02:41:23 GMT

[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_00FC_01C7F657.362D6200

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Sp1 all the way, no Promise controllers.

I'd eliminate the C drive if I could . . .=20

"Dave(EK Sound)" <audioguy_editout_@shaw.ca> wrote in message =
news:46e9ee8b\$1@linux...

You on XP?

I found Paris runs best on SP1

David.

Tom Bruhl wrote:

> I've got a fresh Windows and soon a fresh paris install.
> This will rule out computer hardware if it works. If not
> I'll be looking at ram, mobo, chipset, pci bus or idunno.

> =20
>

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=_NextPart_000_00FC_01C7F657.362D6200

Content-Type: text/html;
charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Sp1 all the way, no Promise=20
controllers.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>I'd eliminate the C drive if I could . =
.. .=20
</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"Dave(EK Sound)" &lt;<A=20
  =
href=3D"mailto:audioguy_editout_@shaw.ca">audioguy_editout_@shaw.ca</A>&g=
t;=20
  wrote in message <A=20
  href=3D"news:46e9ee8b$1@linux">news:46e9ee8b$1@linux</A>...</DIV>You =
on=20
  XP?<BR><BR>I found Paris runs best on SP1<BR><BR>David.<BR><BR>Tom =
Bruhl=20
  wrote:<BR>&gt; I've got a fresh Windows and soon a fresh paris=20
  install.<BR>&gt; This will rule out computer hardware if it =
works.&nbsp;<BR> If=20
  not<BR>&gt; I'll be looking at ram, mobo, chipset, pci bus or=20
  idunno.<BR>&gt;&nbsp;<BR>&gt;</BLOCKQUOTE>
<DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight spam, =
and=20
you?<BR><A=20
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html</A>&nbsp;&nbsp;&nbsp;</FONT></DIV></BODY ></HTML>
```

-----=_NextPart_000_00FC_01C7F657.362D6200--

Subject: Re: Well okay . . .

Posted by [Tom Bruhl](#) on Fri, 14 Sep 2007 03:00:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0127_01C7F659.E7692B60

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Error code 1-1 each time with new install.

It must be computer hardware. I tried two mecs too.
Jiggled and wiggled with the card and cable.

New comp coming into play here.

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:46e9f65b@linux...

Sp1 all the way, no Promise controllers.

I'd eliminate the C drive if I could . . . =20

"Dave(EK Sound)" <audioguy_editout_@shaw.ca> wrote in message =
news:46e9ee8b\$1@linux...

You on XP?

I found Paris runs best on SP1

David.

Tom Bruhl wrote:

> I've got a fresh Windows and soon a fresh paris install.

> This will rule out computer hardware if it works. If not

> I'll be looking at ram, mobo, chipset, pci bus or idunno.

> =20

>

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=_NextPart_000_0127_01C7F659.E7692B60

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Page 57 of 95 ---- Generated from The PARIS Forums

wrote in message <A=20
href=3D"news:46e9ee8b\$1@linux">news:46e9ee8b\$1@linux...</DIV>You =
on=20
XP?

I found Paris runs best on SP1

David.

Tom =
Bruhl=20
wrote:
> I've got a fresh Windows and soon a fresh paris=20
install.
> This will rule out computer hardware if it =
works. If=20
not
> I'll be looking at ram, mobo, chipset, pci bus or=20
idunno.
>
></BLOCKQUOTE>
<DIV>

I choose Polesoft Lockspam to fight spam, =
and=20
you?
<A=20
=
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html </DIV></BLOCKQUOTE ></BODY></HTML>

-----=_NextPart_000_0127_01C7F659.E7692B60--

Subject: Re: Well okay . . .
Posted by [mike audet\[1\]](#) on Fri, 14 Sep 2007 06:11:56 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi Tom,

I had this problem not too long ago when upgrading. I had to turn off bus mastering on my ancient G400, and then everything was fine. I'd try removing your video card drivers and drop back to standard VGA to see if your vid card drivers are causing your trouble, too.

Hope this helps,

Mike

PS - using SP2 with no problems - as long as video bus mastering is disabled.

"Tom Bruhl" <arpeggio@comcast.net> wrote:
>
>
>Error code 1-1 each time with new install.
>
>It must be computer hardware. I tried two mecs too.
>Jiggled and wiggled with the card and cable.
>
>New comp coming into play here.
>

> "Tom Bruhl" <arpeggio@comcast.net> wrote in message =
>news:46e9f65b@linux...
> Sp1 all the way, no Promise controllers.
> I'd eliminate the C drive if I could . . .=20
>
> "Dave(EK Sound)" <audioguy_editout_@shaw.ca> wrote in message =
>news:46e9ee8b\$1@linux...
> You on XP?
>
> I found Paris runs best on SP1
>
> David.
>
> Tom Bruhl wrote:
> > I've got a fresh Windows and soon a fresh paris install.
> > This will rule out computer hardware if it works. If not
> > I'll be looking at ram, mobo, chipset, pci bus or idunno.
> > =20
> >
>
>
> I choose Polesoft Lockspam to fight spam, and you?
> <http://www.polesoft.com/refer.html>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3DContent-Type content=3D"text/html; =
>charset=3Diso-8859-1">
><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D#ffffff>
><DIV>
><DIV>Error code =
>1-1 each time=20
>with new install.</DIV>
><DIV><FONT face=3D"Comic Sans MS" color=3D#800000 =

><DIV>It must be =
>computer=20

><DIV>Jiggled and =
>wiggled with=20
>the card and cable.</DIV>
><DIV><FONT face=3D"Comic Sans MS" color=3D#800000 =

><DIV>New comp =
>coming into play=20

>here.</DIV>
><DIV><FONT face=3D"Comic Sans MS" color=3D#800000=20

><BLOCKQUOTE dir=3Dltr=20
>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Tom Bruhl" <<A=20
> href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net> wrote =
>in message=20
> news:46e9f65b@linux...</DIV>
> <DIV>Sp1 all the way, no Promise=20
> controllers.</DIV>
> <DIV>I'd eliminate the C drive if I could
=
>. . .=20
> </DIV>

> <BLOCKQUOTE=20
> style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Dave(EK Sound)" <<A=20
> =
>href=3D"mailto:audioguy_editout_@shaw.ca">audioguy_editout_@shaw.ca&g=
>t;=20
> wrote in message <A=20
> href=3D"news:46e9ee8b\$1@linux">news:46e9ee8b\$1@linux...</DIV>You
=
>on=20
> XP?

I found Paris runs best on SP1

David.

Tom =
>Bruhl=20
> wrote:
> I've got a fresh Windows and soon a fresh paris=20
> install.
> This will rule out computer hardware if it =

> not
> I'll be looking at ram, mobo, chipset, pci bus or=20

> <DIV>

I choose Polesoft Lockspam to fight spam,
=
>and=20
> you?
<A=20
> =
>href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=

>
>

Subject: Re: Well okay . . .

Posted by [John \[1\]](#) on Fri, 14 Sep 2007 11:40:04 GMT

[View Forum Message](#) <> [Reply to Message](#)

also use pencil eraser on eds card contacts and reseal the daughterboard on each eds card.

Subject: Re: Well okay . . .

Posted by [Tom Bruhl](#) on Fri, 14 Sep 2007 14:38:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_002C_01C7F6BB.63945050

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Already in that mode with the graphics Mike. These are clean Windows XP = installs

with pretty much no tweaks. I'll double check bus mastering though.

Thanks,

Tom

"Mike Audet" <mike@....> wrote in message news:46ea262c\$1@linux...

Hi Tom,

I had this problem not too long ago when upgrading. I had to turn off = bus

mastering on my ancient G400, and then everything was fine. I'd try = removing

your video card drivers and drop back to standard VGA to see if your = vid

card drivers are causing your trouble, too.

Hope this helps,

Mike

PS - using SP2 with no problems - as long as video bus mastering is = disabled.

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>Error code 1-1 each time with new install.

>

>It must be computer hardware. I tried two mecs too.
>Jiggled and wiggled with the card and cable.
>
>New comp coming into play here.
>
> "Tom Bruhl" <arpeggio@comcast.net> wrote in message =3D
>news:46e9f65b@linux...
> Sp1 all the way, no Promise controllers.
> I'd eliminate the C drive if I could . . .=3D20
>
> "Dave(EK Sound)" <audioguy_editout_@shaw.ca> wrote in message =3D
>news:46e9ee8b\$1@linux...
> You on XP?
>
> I found Paris runs best on SP1
>
> David.
>
> Tom Bruhl wrote:
> > I've got a fresh Windows and soon a fresh paris install.
> > This will rule out computer hardware if it works. If not
> > I'll be looking at ram, mobo, chipset, pci bus or idunno.
> > =3D20
> >
>
>
> I choose Polesoft Lockspam to fight spam, and you?
> <http://www.polesoft.com/refer.html> =20
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
>charset=3D3Diso-8859-1">
><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D3D#ffffff>
><DIV>
><DIV><FONT face=3D3D"Comic Sans MS" color=3D3D#800000 =
size=3D3D2>Error code =3D
>1-1 each time=3D20
>with new install.</DIV>
><DIV><FONT face=3D3D"Comic Sans MS" color=3D3D#800000 =3D
>size=3D3D2> </DIV>
><DIV>It =
must be =3D
>computer=3D20
>hardware. I tried two mecs too.</DIV>

```

><DIV><FONT face="Comic Sans MS" color=#800000 =
size=2>Jiggled and =2
>wiggled with=20
>the card and cable.</FONT></DIV>
><DIV><FONT face="Comic Sans MS" color=#800000 =3
>size=2></FONT> </DIV>
><DIV><FONT face="Comic Sans MS" color=#800000 size=2>New =
comp =3
>coming into play=20
>here.</FONT></DIV>
><DIV><FONT face="Comic Sans MS" color=#800000=20
>size=2></FONT> </DIV></FONT></DIV>
><BLOCKQUOTE dir="ltr"=20
>style="PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Tom Bruhl" <<A=20
> href="mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>> =
wrote =3
>in message=20
> <A href="news:46e9f65b@linux">news:46e9f65b@linux</A>...</DIV>
> <DIV><FONT face="Arial" size=2>Sp1 all the way, no =
Promise=20
> controllers.</FONT></DIV>
> <DIV><FONT face="Arial" size=2>I'd eliminate the C drive if I =
could
=3
>...=20
> </FONT></DIV>
> <DIV><FONT face="Arial" size=2></FONT> </DIV>
> <BLOCKQUOTE=20
> style="PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Dave(EK Sound)" <<A=20
> =3
> =
>href="mailto:audioguy_editout_@shaw.ca">audioguy_editout_@shaw.ca</A>
>&g=3
>t;=20
> wrote in message <A=20
> =
href="news:46e9ee8b$1@linux">news:46e9ee8b$1@linux</A>...</DIV>You
=3
>on=20
> XP?<BR><BR>I found Paris runs best on =
SP1<BR><BR>David.<BR><BR>Tom =3
>Bruhl=20

```

```

> wrote:<BR>> I've got a fresh Windows and soon a fresh paris=3D20
> install.<BR>> This will rule out computer hardware if it =3D
>works. If=3D20
> not<BR>> I'll be looking at ram, mobo, chipset, pci bus or=3D20
> idunno.<BR>> <BR>></BLOCKQUOTE>
> <DIV><FONT size=3D3D2><BR><BR>I choose Polesoft Lockspam to fight =
spam,
=3D
>and=3D20
> you?<BR><A=3D20
> =3D
=
>href=3D3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/re=
fer=3D
>.html</A> </FONT></DIV></BLOCKQUOTE></BODY></HTML>
>
>

```

-----=_NextPart_000_002C_01C7F6BB.63945050

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Already in that mode with the graphics =
Mike.&nbsp;=20
These are clean Windows XP installs</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>with pretty much no tweaks.&nbsp;I'll =
double check=20
bus mastering though.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Thanks,</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"Mike Audet" &lt;mike@....&gt; wrote in message <A=20
=
href=3D"news:46ea262c$1@linux">news:46ea262c$1@linux</A>...</DIV><BR>Hi=20
  Tom,<BR><BR>I had this problem not too long ago when upgrading.&nbsp;=
I had to=20
  turn off bus<BR>mastering on my ancient G400, and then everything was=20

```

fine. I'd try removing
your video card drivers and drop back =
to=20
standard VGA to see if your vid
card drivers are causing your =
trouble.=20
too.

Hope this helps,

Mike

PS - using SP2 with no =
problems - as long as video bus mastering is disabled.

"Tom =
Bruhl"=20
<arpeggio@comcast.net> =

wrote:
>
>
>Error code 1-1 each time with new=20
install.
>
>It must be computer hardware. I tried =
two mecs=20
too.
>Jiggled and wiggled with the card and =
cable.
>
>New=20
comp coming into play here.
>
> "Tom Bruhl" <<A=20
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net> wrote =
in message=20
=3D
>news:46e9f65b@linux...
> Sp1 all the way, no =
Promise=20
controllers.
> I'd eliminate the C drive if I could . .=20
. =3D20
>
> "Dave(EK Sound)" <<A=20
=
href=3D"mailto:audioguy_editout_@shaw.ca">audioguy_editout_@shaw.ca&g=
t;=20
wrote in message =
=3D
>news:46e9ee8b\$1@linux...
> =20
You on XP?
>
> I found Paris runs best =
on=20
SP1
>
> =
David.
>
> =20
Tom Bruhl wrote:
> > I've got a fresh =
Windows and=20
soon a fresh paris install.
> > This will =
rule out=20
computer hardware if it works. If not
> =
>=20
I'll be looking at ram, mobo, chipset, pci bus or=20
idunno.
> > =3D20
> =

>
>
>
> I choose Polesoft Lockspam to fight =
spam,=20
and you?
> <A=20
=
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html =20

>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=20
Transitional//EN">
><HTML><HEAD>
><META=20

```

http-equiv=3D3DContent-Type content=3D3D"text/html";=20
=3D<BR>&gt; charset=3D3Diso-8859-1"&gt;<BR>&gt;&lt;META =
content=3D3D"MSHTML=20
6.00.2800.1400"=20
=
name=3D3DGENERATOR&gt;<BR>&gt;&lt;STYLE&gt;&lt;/STYLE&gt; <BR>&gt;&lt;/HEA=
D&gt;<BR>&gt;&lt;BODY=20
bgColor=3D3D#ffffff&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT face=3D3DArial=20
size=3D3D2&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT face=3D3D"Comic Sans MS" =
color=3D3D#800000=20
size=3D3D2&gt;Error code =3D<BR>&gt;1-1 each time=3D20<BR>&gt;with new =

install.&lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT =
face=3D3D"Comic=20
Sans MS" color=3D3D#800000 =3D<BR>&gt;size=3D3D2&gt;&lt;/FONT&gt;=20
&lt;/DIV&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT face=3D3D"Comic Sans MS" =
color=3D3D#800000=20
size=3D3D2&gt;It must be =3D<BR>&gt;computer=3D20<BR>&gt;hardware. I =
tried two mecs=20
too.&lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT =
face=3D3D"Comic Sans=20
MS" color=3D3D#800000 size=3D3D2&gt;Jiggled and =3D<BR>&gt;wiggled=20
with=3D20<BR>&gt;the card and=20
cable.&lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT =
face=3D3D"Comic Sans=20
MS" color=3D3D#800000 =3D<BR>&gt;size=3D3D2&gt;&lt;/FONT&gt;=20
&lt;/DIV&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT face=3D3D"Comic Sans MS" =
color=3D3D#800000=20
size=3D3D2&gt;New comp =3D<BR>&gt;coming into=20
=
play=3D20<BR>&gt;here.&lt;/FONT&gt;&lt;/DIV&gt; <BR>&gt;&lt;DIV&gt;&lt;FON=
T=20
face=3D3D"Comic Sans MS" =
color=3D3D#800000=3D20<BR>&gt;size=3D3D2&gt;&lt;/FONT&gt;=20
&lt;/DIV&gt;&lt;/FONT&gt;&lt;/DIV&gt; ; <BR>&gt;&lt;BLOCKQUOTE=20
dir=3D3Dltr=3D20<BR>&gt;style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: =
5px;=20
MARGIN-LEFT: 5px; =3D<BR>&gt;BORDER-LEFT: #000000 2px solid; =
MARGIN-RIGHT:=20
0px"&gt;<BR>&gt;&nbsp; &lt;DIV&gt;"Tom Bruhl" =
&lt;&lt;A=3D20<BR>&gt;&nbsp;=20
href=3D3D"<A=20
=
href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>mailto:arpegi=
o@comcast.net"&gt;arpeggio@comcast.net&lt;/A>&gt;=20
wrote =3D<BR>&gt;in message=3D20<BR>&gt;&nbsp; &lt;A href=3D3D"<A=20
=
href=3D'news:46e9f65b@linux">news:46e9f65b@linux</A>...</DIV>news:46e9f6=

```

5b@linux">news:46e9f65b@linux...</DIV>
 =

p;=20

</DIV>Sp1 all the way, no=20

Promise=3D20
 =

controllers.</DIV>
 =20

</DIV>I'd eliminate the C =

drive if I=20

could
=3D
 . . .=3D20
 =20

</DIV>
 </DIV></FONT =

face=3D3DArial=20

size=3D3D2> </DIV>
 =20

</BLOCKQUOTE=3D20
 style=3D3D"PADDING-RIGHT: 0px; =

PADDING-LEFT:=20

5px; MARGIN-LEFT: 5px; =3D
 BORDER-LEFT: #000000 2px solid; =

MARGIN-RIGHT:=20

0px">
 </DIV>"Dave(EK Sound)"=20

</&A=3D20
 =3D
 href=3D3D"&A=20

=

href=3D'mailto:audioguy_editout_@shaw.ca">audioguy_editout_@shaw.ca&a=

mp;g'>mailto:audioguy_editout_@shaw.ca">audioguy_editout_@shaw.ca</=

A>&g'=3D
 t;=3D20
 =20

wrote in message </A=3D20
 href=3D3D"&A=20

=

href=3D'news:46e9ee8b\$1@linux">news:46e9ee8b\$1@linux...</DIV>You'>new=

s:46e9ee8b\$1@linux">news:46e9ee8b\$1@linux...</DIV>You<=

/A>
=3D
 on=3D20
 =20

XP?</BR></BR>I found Paris runs best on=20

SP1</BR></BR>David.</BR> </BR>Tom=20

=3D
 Bruhl=3D20
 wrote:</BR> =

I've got a=20

fresh Windows and soon a fresh paris=3D20
 =20

install.</BR> This will rule out computer hardware if it=20

=3D
 works. If=3D20
 not</BR> =

I'll be=20

looking at ram, mobo, chipset, pci bus =

or=3D20
 =20

idunno.</BR> </BR> </BLOCKQUOTE>
 =20

</DIV></BR></BR>I choose =

Polesoft Lockspam=20

to fight spam,
=3D
 and=3D20
 =20

you?</BR></A=3D20
 =3D
 href=3D3D"&A=20

=

href=3D'http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=

'>http://www.polesoft.com/refer.html">http://www.polesoft.com/refer</A=

>=3D
 .html=20

=

</DIV></BLOCKQUOTE </BODY></HTML> <BR=

><

</BLOCKQUOTE></BODY></HTML>

-----=_NextPart_000_002C_01C7F6BB.63945050--

Subject: Re: Well okay . . .

Posted by [Tom Bruhl](#) on Sat, 15 Sep 2007 05:52:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0037_01C7F73B.06531DB0

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

I have dropped a load of Paris gear off at a tech's house.

I pray for results.

T.

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:46ea9e95@linux...

Already in that mode with the graphics Mike. These are clean Windows =
XP installs

with pretty much no tweaks. I'll double check bus mastering though.

Thanks,

Tom

"Mike Audet" <mike@....> wrote in message news:46ea262c\$1@linux...

Hi Tom,

I had this problem not too long ago when upgrading. I had to turn =
off bus

mastering on my ancient G400, and then everything was fine. I'd try =
removing

your video card drivers and drop back to standard VGA to see if your =
vid

card drivers are causing your trouble, too.

Hope this helps,

Mike

PS - using SP2 with no problems - as long as video bus mastering is =
disabled.

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>Error code 1-1 each time with new install.
>
>It must be computer hardware. I tried two mecs too.
>Jiggled and wiggled with the card and cable.
>
>New comp coming into play here.
>
> "Tom Bruhl" <arpeggio@comcast.net> wrote in message =3D
>news:46e9f65b@linux...
> Sp1 all the way, no Promise controllers.
> I'd eliminate the C drive if I could . . . =3D20
>
> "Dave(EK Sound)" <audioguy_editout_@shaw.ca> wrote in message =
=3D
>news:46e9ee8b\$1@linux...
> You on XP?
>
> I found Paris runs best on SP1
>
> David.
>
> Tom Bruhl wrote:
> > I've got a fresh Windows and soon a fresh paris install.
> > This will rule out computer hardware if it works. If not
> > I'll be looking at ram, mobo, chipset, pci bus or idunno.
> > =3D20
> >
>
>
> I choose Polesoft Lockspam to fight spam, and you?
> <http://www.polesoft.com/refer.html> =20
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3D3DContent-Type content=3D3D"text/html"; =3D
>charset=3D3Diso-8859-1">
><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D3D#ffffff>
><DIV>
><DIV><FONT face=3D3D"Comic Sans MS" color=3D3D#800000 =
size=3D3D2>Error code =3D
>1-1 each time=3D20
>with new install.</DIV>
><DIV><FONT face=3D3D"Comic Sans MS" color=3D3D#800000 =3D
>size=3D3D2> </DIV>
><DIV>It =

```

must be =3D
  >computer=3D20
  >hardware. I tried two mecs too.</FONT></DIV>
  ><DIV><FONT face=3D3D"Comic Sans MS" color=3D3D#800000 =
size=3D3D2>Jiggled and =3D
  >wiggled with=3D20
  >the card and cable.</FONT></DIV>
  ><DIV><FONT face=3D3D"Comic Sans MS" color=3D3D#800000 =3D
  >size=3D3D2></FONT> </DIV>
  ><DIV><FONT face=3D3D"Comic Sans MS" color=3D3D#800000 =
size=3D3D2>New comp =3D
  >coming into play=3D20
  >here.</FONT></DIV>
  ><DIV><FONT face=3D3D"Comic Sans MS" color=3D3D#800000=3D20
  >size=3D3D2></FONT> </DIV></FONT></DIV>
  ><BLOCKQUOTE dir=3D3Dltr=3D20
  >style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3D
  >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  > <DIV>"Tom Bruhl" <<A=3D20
  > href=3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>> =
wrote =3D
  >in message=3D20
  > <A =
href=3D3D"news:46e9f65b@linux">news:46e9f65b@linux</A>...</DIV>
  > <DIV><FONT face=3D3DArial size=3D3D2>Sp1 all the way, no =
Promise=3D20
  > controllers.</FONT></DIV>
  > <DIV><FONT face=3D3DArial size=3D3D2>I'd eliminate the C drive if =
I could
  =3D
  >. . .=3D20
  > </FONT></DIV>
  > <DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
  > <BLOCKQUOTE=3D20
  > style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
5px; =3D
  >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  > <DIV>"Dave(EK Sound)" <<A=3D20
  > =3D
  =
  >href=3D3D"mailto:audioguy_editout_@shaw.ca">audioguy_editout_@shaw.ca</A=
>&g=3D
  >t;=3D20
  > wrote in message <A=3D20
  > =
href=3D3D"news:46e9ee8b$1@linux">news:46e9ee8b$1@linux</A>...</DIV>You
  =3D

```

```

>on=3D20
> XP?<BR><BR>I found Paris runs best on =
SP1<BR><BR>David.<BR><BR>Tom =3D
>Bruhl=3D20
> wrote:<BR>> I've got a fresh Windows and soon a fresh =
paris=3D20
> install.<BR>> This will rule out computer hardware if it =3D
>works. If=3D20
> not<BR>> I'll be looking at ram, mobo, chipset, pci bus or=3D20
> idunno.<BR>> <BR>></BLOCKQUOTE>
> <DIV><FONT size=3D3D2><BR><BR>I choose Polesoft Lockspam to fight =
spam,
=3D
>and=3D20
> you?<BR><A=3D20
> =3D
=
>href=3D3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/re=
fer=3D
>.html</A> </FONT></DIV></BLOCKQUOTE></BODY></HTML>
>
>

```

-----=_NextPart_000_0037_01C7F73B.06531DB0

Content-Type: text/html;
charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html"; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>I have dropped a load of =
Paris&nbsp;gear off at a=20
tech's house.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>I pray for results.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>T.</FONT></DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Tom Bruhl" &lt;<A=20
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>&gt; wrote =
in message=20
<A href=3D"news:46ea9e95@linux">news:46ea9e95@linux</A>...</DIV>

```

[illegible]

[illegible]

=

play=3D20
>here.</DIV>
></DIV></FON=

T=20

face=3D3D"Comic Sans MS" =

color=3D3D#800000=3D20
>size=3D3D2>=20

</DIV></DIV> ;
></BLOCKQUOTE=20

dir=3D3Dltr=3D20
>style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: =

5px;=20

MARGIN-LEFT: 5px; =3D
>BORDER-LEFT: #000000 2px solid; =

MARGIN-RIGHT:=20

0px">
> </DIV>"Tom Bruhl" =

<</A=3D20
> =20

href=3D3D"<A=20

=

href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.netmailto:arpegi=

o@comcast.net">arpeggio@comcast.net>=20

wrote =3D
>in message=3D20
> </A href=3D3D"<A=20

=

href=3D'news:46e9f65b@linux">news:46e9f65b@linux...</DIV>news:46e9f6=

5b@linux">news:46e9f65b@linux...</DIV>
> =

p;=20

</DIV>Sp1 all the way, no =

Promise=3D20
> =

controllers.</DIV>
> =20

</DIV>I'd eliminate the C =

drive if I=20

could
=3D
>. . =3D20
> =20

</DIV>
> </DIV></FONT =

face=3D3DArial=20

size=3D3D2> </DIV>
> =20

</BLOCKQUOTE=3D20
> style=3D3D"PADDING-RIGHT: 0px; =

PADDING-LEFT:=20

5px; MARGIN-LEFT: 5px; =3D
>BORDER-LEFT: #000000 2px solid;=20

MARGIN-RIGHT: 0px">
> </DIV>"Dave(EK =

Sound)"=20

<</A=3D20
> =3D
>href=3D3D"<A=20

=

href=3D'mailto:audioguy_editout_@shaw.ca">audioguy_editout_@shaw.ca&a=

mp;g">mailto:audioguy_editout_@shaw.ca">audioguy_editout_@shaw.ca</=

A>&g=3D
>t;=3D20
> =20

wrote in message </A=3D20
> href=3D3D"<A=20

=

href=3D'news:46e9ee8b\$1@linux">news:46e9ee8b\$1@linux...</DIV>You'>new=

s:46e9ee8b\$1@linux">news:46e9ee8b\$1@linux...</DIV>You<=

/A>
=3D
>on=3D20
> =20

XP?</BR></BR>I found Paris runs best on=20

SP1</BR></BR>David.</BR> </BR>Tom=20

charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Looks sweet.

"John" <no@no.com> wrote in message news:46ebc14f\$1@linux...

Hope he can help you out otherwise, today's a great day to get this:

Cubase 4
2.6 e6700 core2 duo, intel D975xbx2kr motherboard, 4gb mushkin ram, =
XP Pro
24" westinghouse LCD
RME 9652, 3 Presonus Digimax FS
Rane HC6 headphone amp
3ms latency at all times

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=_NextPart_000_008D_01C7F790.2EEEEED30

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html"; =

charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV>Looks sweet.</DIV>

<BLOCKQUOTE=20

style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =

BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

<DIV>"John" <no@no.com> wrote =
in message=20

<A =

href=3D"news:46ebc14f\$1@linux">news:46ebc14f\$1@linux...</DIV>
Hope=
he=20

can help you out otherwise, today's a great day to get=20

this:

Cubase 4
2.6 e6700 core2 duo, intel D975xbx2kr=20

motherboard, 4gb mushkin ram, XP Pro
24" westinghouse =

LCD
RME=20

9652, 3 Presonus Digimax FS
Rane HC6 headphone amp
3ms latency =

at all=20

times</BLOCKQUOTE>

-----= NextPart 000 008D 01C7F790.2EEEEED30--

This is a multi-part message in MIME format.

Content-Transfer-Encoding: quoted-printable

Remembering that Paris was designed for Win95 and that era of hardware, I've found that XP installs work best if the machine is not much faster than the 2.4-ish ghz speeds. Faster than that has resulted in some weird juju regarding card positioning etc, and often Paris software doesn't "catch" all / any of the Paris hardware.

"John" <no@no.com> wrote in message news:46ebc14f\$1@linux...

3ms latency at all times

Page 77 of 95 ---- Generated from The PARIS Forums

-----=_NextPart_000_002A_01C7F79A.867AAF80

Content-Type: text/html;
charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16481" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Has anyone suggested that your computer =
might be=20
too *fast* for Paris under XP?</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Remembering that Paris was designed for =
Win95 and=20
that era of hardware, I've found that XP installs work best if the =
machine is=20
not much faster than the 2.4-ish ghz speeds.&nbsp; Faster than that has =
resulted=20
in some werid juju regarding card positioning etc, and often Paris =
software=20
doesn't "catch" all / any of&nbsp;the Paris hardware.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>Just my 0.02...</FONT></DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"Tom Bruhl" &lt;<A=20
  href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>&gt; wrote =
in message=20
  <A href=3D"news:46ec038a@linux">news:46ec038a@linux</A>...</DIV>
  <DIV><FONT face=3DArial size=3D2>Looks sweet.</FONT></DIV>
  <BLOCKQUOTE=20
  style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
  BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
    <DIV>"John" &lt;<A href=3D"mailto:no@no.com">no@no.com</A>&gt; wrote =
in=20
    message <A=20
    =
    href=3D"news:46ebc14f$1@linux">news:46ebc14f$1@linux</A>...</DIV><BR>Hope=
    he=20
    can help you out otherwise,&nbsp; today's a great day to get=20
    this:<BR><BR>Cubase 4<BR>2.6&nbsp; e6700 core2 duo, intel D975xbx2kr =
    motherboard, 4gb mushkin ram, XP Pro<BR>24"&nbsp; westinghouse =
```

LCD
RME=20

9652, 3 Presonus Digimax FS
Rane HC6 headphone amp
3ms latency =
at all=20

times</BLOCKQUOTE>

<DIV>

I choose Polesoft Lockspam to fight spam, =
and=20

you?
<A=20

=

href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html </DIV></BLOCKQUOTE ></BODY></HTML>

-----=_NextPart_000_002A_01C7F79A.867AAF80--

Subject: Re: Well okay . . .

Posted by [Tom Bruhl](#) on Sat, 15 Sep 2007 20:36:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_00EE_01C7F7B6.9FF26540

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Sandy,

I'm using a Magma so the irqs haven't been a problem with 5 cards.
I was stable for years until adding a Mec with WC. Even a cloned
C drive didn't work after the extra mec was introduced then removed.

How many EDS cards, mecs, expansion cards are in your mecs?

I have 5 in each of two mecs + .

Anything helps at this point.

Thanks,

Tom

"Sandy Tipping" <tippsand@earthling.net> wrote in message =
news:46ec2340\$1@linux...

Has anyone suggested that your computer might be too *fast* for Paris =
under XP?

Remembering that Paris was designed for Win95 and that era of =
hardware, I've found that XP installs work best if the machine is not =
much faster than the 2.4-ish ghz speeds. Faster than that has resulted =
in some wierd juju regarding card positioning etc, and often Paris =

software doesn't "catch" all / any of the Paris hardware.

Just my 0.02...

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:46ec038a@linux...

Looks sweet.

"John" <no@no.com> wrote in message news:46ebc14f\$1@linux...

Hope he can help you out otherwise, today's a great day to get =
this:

Cubase 4
2.6 e6700 core2 duo, intel D975xbx2kr motherboard, 4gb mushkin =
ram, XP Pro
24" westinghouse LCD
RME 9652, 3 Presonus Digimax FS
Rane HC6 headphone amp
3ms latency at all times

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=_NextPart_000_00EE_01C7F7B6.9FF26540

Content-Type: text/html;
charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html"; =
charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV>Sandy,</DIV>

<DIV>I'm using a Magma so the irq's haven't =
been a=20
problem with 5 cards.</DIV>

<DIV>I was stable for years until adding a =
Mec with=20

WC. Even a cloned</DIV>

<DIV>C drive didn't work after the extra mec =
was=20

introduced then removed.</DIV>

<DIV> </DIV>

<DIV>How many EDS cards, mecs, expansion =
cards are in=20

your mecs?</DIV>

<DIV>I have 5 in each of two mecs + =
 ..</DIV>

<DIV> </DIV>

<DIV>Anything helps at this =
 point.</DIV>

<DIV>Thanks,</DIV>

<DIV>Tom</DIV>

<DIV> </DIV>

<DIV> </DIV>

<DIV> </DIV>

<DIV> </DIV>

<DIV>"Sandy Tipping" <<A=20
 href=3D"mailto:tippsand@earthling.net">tippsand@earthling.net> =
 wrote in=20
 message <A =
 href=3D"news:46ec2340\$1@linux">news:46ec2340\$1@linux...</DIV>

<BLOCKQUOTE dir=3Dltr=20
 style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
 BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

<DIV>Has anyone suggested that your =
 computer might be=20
 too *fast* for Paris under XP?</DIV>

<DIV>Remembering that Paris was designed =
 for Win95 and=20
 that era of hardware, I've found that XP installs work best if the =
 machine is=20
 not much faster than the 2.4-ish ghz speeds. Faster than that =
 has=20
 resulted in some werid juju regarding card positioning etc, and often =
 Paris=20
 software doesn't "catch" all / any of the Paris =
 hardware.</DIV>

<DIV> </DIV>

<DIV>Just my 0.02...</DIV>

<BLOCKQUOTE dir=3Dltr=20
 style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
 BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

<DIV>"Tom Bruhl" <<A=20
 href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net> =
 wrote in=20
 message <A =
 href=3D"news:46ec038a@linux">news:46ec038a@linux...</DIV>

<DIV>Looks sweet.</DIV>

<BLOCKQUOTE=20
 style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
 BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

<DIV>"John" <no@no.com> =

wrote in=20
message <A=20
=
href=3D"news:46ebc14f\$1@linux">news:46ebc14f\$1@linux...</DIV>
Hope=
he=20
can help you out otherwise, today's a great day to get=20
this:

Cubase 4
2.6 e6700 core2 duo, intel =
D975xbx2kr=20
motherboard, 4gb mushkin ram, XP Pro
24" westinghouse =
LCD
RME=20
9652, 3 Presonus Digimax FS
Rane HC6 headphone amp
3ms =
latency at=20
all times</BLOCKQUOTE>
<DIV>

I choose Polesoft Lockspam to fight =
spam, and=20
you?
<A=20
=
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html </DIV></BLOCKQUOTE></BLOCKQUOTE></BODY>=
</HTML>

-----=_NextPart_000_00EE_01C7F7B6.9FF26540--

Subject: Re: Well okay . . .

Posted by [Sandy Tipping](#) on Sun, 16 Sep 2007 12:36:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_000E_01C7F834.524CA110

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

I am NOT running WinXP - let me clarify right away. I tried, early on, =
but never had the interest in losing sleep, hair, patience, etc. I ran =
WinXP with Paris using 4 cards in one PC @ 2.53 for about a week. It =
never felt reliable.

Having said that, I'm using WinME with 2 fully loaded MECS on 4 cards (2 =
each input, output and ADAT). =20

Like I said, in my experience in configuring systems for other users, =
Paris doesn't like to be run on a fast computer using WinXP, so if =
you've modified your base system (CPU and FSB especially), I would think =
that would cause some trouble.

Otherwise, most of the troubleshooting has been bang-on, I think. =20

Can you get a one card, one interface system with no C16 to work? If =
so, can you add a second EDS card w/o a second interface. Etc.

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:46ec4406\$1@linux...

Sandy,

I'm using a Magma so the irqs haven't been a problem with 5 cards.

I was stable for years until adding a Mec with WC. Even a cloned
C drive didn't work after the extra mec was introduced then removed.

How many EDS cards, mecs, expansion cards are in your mecs?

I have 5 in each of two mecs + .

Anything helps at this point.

Thanks,

Tom

"Sandy Tipping" <tippsand@earthling.net> wrote in message =
news:46ec2340\$1@linux...

Has anyone suggested that your computer might be too *fast* for =
Paris under XP?

Remembering that Paris was designed for Win95 and that era of =
hardware, I've found that XP installs work best if the machine is not =
much faster than the 2.4-ish ghz speeds. Faster than that has resulted =
in some weird juju regarding card positioning etc, and often Paris =
software doesn't "catch" all / any of the Paris hardware.

Just my 0.02...

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:46ec038a@linux...

Looks sweet.

"John" <no@no.com> wrote in message news:46ebc14f\$1@linux...

Hope he can help you out otherwise, today's a great day to get =
this:

Cubase 4

2.6 e6700 core2 duo, intel D975xbx2kr motherboard, 4gb mushkin =
ram, XP Pro

24" westinghouse LCD

RME 9652, 3 Presonus Digimax FS

Rane HC6 headphone amp

3ms latency at all times

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=_NextPart_000_000E_01C7F834.524CA110

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =

charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.6000.16481" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV>I am NOT running WinXP - let me clarify =
right=20

away. I tried, early on, but never had the interest in losing =
sleep, hair,=20

patience, etc. I ran WinXP with Paris using 4 cards in one PC @ =
2.53 for=20

about a week. It never felt reliable.</DIV>

<DIV> </DIV>

<DIV>Having said that, I'm using WinME with =
2 fully=20

loaded MECS on 4 cards (2 each input, output and ADAT). =
</DIV>

<DIV> </DIV>

<DIV>Like I said, in my experience in =
configuring=20

systems for other users, Paris doesn't like to be run on a fast computer =
using=20

WinXP, so if you've modified your base system (CPU and FSB especially), =
I would=20

think that would cause some trouble.</DIV>

<DIV> </DIV>

<DIV>Otherwise, most of the troubleshooting =
has been=20

bang-on, I think. </DIV>

<DIV> </DIV>

<DIV>Can you get a one card, one interface =
system with=20

no C16 to work? If so, can you add a second EDS card w/o a second=20
interface. Etc.</DIV>

<BLOCKQUOTE dir=3Dltr=20

style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

<DIV>"Tom Bruhl" <<A=20
 href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net> wrote =
 in message=20
 news:46ec4406\$1@linux...</DIV>
 <DIV>Sandy,</DIV>
 <DIV>I'm using a Magma so the irqs haven't =
 been a=20
 problem with 5 cards.</DIV>
 <DIV>I was stable for years until adding a =
 Mec with=20
 WC. Even a cloned</DIV>
 <DIV>C drive didn't work after the extra =
 mec was=20
 introduced then removed.</DIV>
 <DIV> </DIV>
 <DIV>How many EDS cards, mecs, expansion =
 cards are in=20
 your mecs?</DIV>
 <DIV>I have 5 in each of two mecs + =
 ..</DIV>
 <DIV> </DIV>
 <DIV>Anything helps at this =
 point.</DIV>
 <DIV>Thanks,</DIV>
 <DIV>Tom</DIV>
 <DIV> </DIV>
 <DIV> </DIV>
 <DIV> </DIV>
 <DIV> </DIV>
 <DIV>"Sandy Tipping" <<A=20
 href=3D"mailto:tippsand@earthling.net">tippsand@earthling.net> =
 wrote in=20
 message <A =
 href=3D"news:46ec2340\$1@linux">news:46ec2340\$1@linux...</DIV>
 <BLOCKQUOTE dir=3Dltr=20
 style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
 BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>Has anyone suggested that your =
 computer might=20
 be too *fast* for Paris under XP?</DIV>
 <DIV>Remembering that Paris was designed =
 for Win95=20
 and that era of hardware, I've found that XP installs work best if =
 the=20
 machine is not much faster than the 2.4-ish ghz speeds. Faster =
 than=20
 that has resulted in some werid juju regarding card positioning etc, =
 and=20

often Paris software doesn't "catch" all / any of the Paris=20
hardware.</DIV>
<DIV> </DIV>
<DIV>Just my 0.02...</DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Tom Bruhl" <<A=20
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net> =
wrote in=20
message <A =
href=3D"news:46ec038a@linux">news:46ec038a@linux...</DIV>
<DIV>Looks sweet.</DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"John" <no@no.com> =
wrote in=20
message <A=20
=
href=3D"news:46ebc14f\$1@linux">news:46ebc14f\$1@linux...</DIV>
Hope=
=20
he can help you out otherwise, today's a great day to get=20
this:

Cubase 4
2.6 e6700 core2 duo, intel =
D975xbx2kr=20
motherboard, 4gb mushkin ram, XP Pro
24" westinghouse=20
LCD
RME 9652, 3 Presonus Digimax FS
Rane HC6 headphone =
amp
3ms=20
latency at all times</BLOCKQUOTE>
<DIV>

I choose Polesoft Lockspam to fight =
spam, and=20
you?
<A=20
=
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html </DIV></BLOCKQUOTE></BLOCKQUOTE></BLOCK=
QUOTE></BODY></HTML>

-----=_NextPart_000_000E_01C7F834.524CA110--

Subject: Re: Well okay . . .

Posted by [Sandy Tipping](#) on Sun, 16 Sep 2007 12:40:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_002A_01C7F834.D13D1EA0

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Also, I was re-reading your earlier posts.

The Master section of the MEC is essentially a 442 shoved into a different chassis, and has been known to crap out without killing the "card / slot" section of the MEC.

That is to say, you can quite easily have a "MEC Modules block" = available in the patchbay but no MEC Master section because of some weird electrical issue that craps out the master section (which is your = clock, SPDIF, and I/O 1-4). =20

Does this Card A work with a different interface (442, different MEC, = IF2 etc)?

"Tom Bruhl" <arpeggio@comcast.net> wrote in message = news:46ec4406\$1@linux...

Sandy,

I'm using a Magma so the irqs haven't been a problem with 5 cards. I was stable for years until adding a Mec with WC. Even a cloned C drive didn't work after the extra mec was introduced then removed.

How many EDS cards, mecs, expansion cards are in your mecs?

I have 5 in each of two mecs + .

Anything helps at this point.

Thanks,

Tom

"Sandy Tipping" <tippsand@earthling.net> wrote in message = news:46ec2340\$1@linux...

Has anyone suggested that your computer might be too *fast* for = Paris under XP?

Remembering that Paris was designed for Win95 and that era of = hardware, I've found that XP installs work best if the machine is not = much faster than the 2.4-ish ghz speeds. Faster than that has resulted = in some weird juju regarding card positioning etc, and often Paris = software doesn't "catch" all / any of the Paris hardware.

Just my 0.02...

"Tom Bruhl" <arpeggio@comcast.net> wrote in message = news:46ec038a@linux...

Looks sweet.

"John" <no@no.com> wrote in message news:46ebc14f\$1@linux...

Hope he can help you out otherwise, today's a great day to get =
this:

Cubase 4
2.6 e6700 core2 duo, intel D975xbx2kr motherboard, 4gb mushkin =
ram, XP Pro
24" westinghouse LCD
RME 9652, 3 Presonus Digimax FS
Rane HC6 headphone amp
3ms latency at all times

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=_NextPart_000_002A_01C7F834.D13D1EA0

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =

charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.6000.16481" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV>Also, I was re-reading your earlier=20
posts.</DIV>

<DIV> </DIV>

<DIV>The Master section of the MEC is =
essentially a 442=20

shoved into a different chassis, and has been known to crap out without =
killing=20

the "card / slot" section of the MEC.</DIV>

<DIV> </DIV>

<DIV>That is to say, you can quite easily =
have a "MEC=20

Modules block" available in the patchbay but no MEC Master section =
because of=20

some weird electrical issue that craps out the master section (which is =
your=20

clock, SPDIF, and I/O 1-4). </DIV>

<DIV> </DIV>

<DIV>Does this Card A work with a different =
interface=20

(442, different MEC, IF2 etc)?</DIV>

<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"Tom Bruhl" <<A=20
 href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net> wrote =
in message=20
 news:46ec4406\$1@linux...</DIV>
 <DIV>Sandy,</DIV>
 <DIV>I'm using a Magma so the irqs haven't =
been a=20
 problem with 5 cards.</DIV>
 <DIV>I was stable for years until adding a =
Mec with=20
 WC. Even a cloned</DIV>
 <DIV>C drive didn't work after the extra =
mec was=20
 introduced then removed.</DIV>
 <DIV> </DIV>
 <DIV>How many EDS cards, mecs, expansion =
cards are in=20
 your mecs?</DIV>
 <DIV>I have 5 in each of two mecs + =
..</DIV>
 <DIV> </DIV>
 <DIV>Anything helps at this =
point.</DIV>
 <DIV>Thanks,</DIV>
 <DIV>Tom</DIV>
 <DIV> </DIV>
 <DIV> </DIV>
 <DIV> </DIV>
 <DIV> </DIV>
 <DIV>"Sandy Tipping" <<A=20
 href=3D"mailto:tippsand@earthling.net">tippsand@earthling.net> =
wrote in=20
 message <A =
href=3D"news:46ec2340\$1@linux">news:46ec2340\$1@linux...</DIV>
 <BLOCKQUOTE dir=3Dltr=20
 style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>Has anyone suggested that your =
computer might=20
 be too *fast* for Paris under XP?</DIV>
 <DIV>Remembering that Paris was designed =
for Win95=20
 and that era of hardware, I've found that XP installs work best if =
the=20
 machine is not much faster than the 2.4-ish ghz speeds. Faster =

than=20
that has resulted in some werid juju regarding card positioning etc, =
and=20
often Paris software doesn't "catch" all / any of the Paris=20
hardware.</DIV>
<DIV> </DIV>
<DIV>Just my 0.02...</DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Tom Bruhl" <<A=20
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net> =
wrote in=20
message <A =
href=3D"news:46ec038a@linux">news:46ec038a@linux...</DIV>
<DIV>Looks sweet.</DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"John" <no@no.com> =
wrote in=20
message <A=20
=
href=3D"news:46ebc14f\$1@linux">news:46ebc14f\$1@linux...</DIV>
Hope=
=20
he can help you out otherwise, today's a great day to get=20
this:

Cubase 4
2.6 e6700 core2 duo, intel =
D975xbx2kr=20
motherboard, 4gb mushkin ram, XP Pro
24" westinghouse=20
LCD
RME 9652, 3 Presonus Digimax FS
Rane HC6 headphone =
amp
3ms=20
latency at all times</BLOCKQUOTE>
<DIV>

I choose Polesoft Lockspam to fight =
spam, and=20
you?
<A=20
=
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html </DIV></BLOCKQUOTE ></BLOCKQUOTE></BLOCK=
QUOTE></BODY></HTML>

-----=_NextPart_000_002A_01C7F834.D13D1EA0--

Subject: Re: Well okay . . .
Posted by [Tom Bruhl](#) on Mon, 17 Sep 2007 13:54:57 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_002E_01C7F910.CE00A450

Content-Type: text/plain;
charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Hi Sandy,

Actually I was having this same symptom with two Mecs and a 442 with two computers. I'm thinking it's the Scherzo drivers and iffy contacts on the cards.

Tom

"Sandy Tipping" <tippsand@earthling.net> wrote in message =
news:46ed261b@linux...

Also, I was re-reading your earlier posts.

The Master section of the MEC is essentially a 442 shoved into a =
different chassis, and has been known to crap out without killing the =
"card / slot" section of the MEC.

That is to say, you can quite easily have a "MEC Modules block" =
available in the patchbay but no MEC Master section because of some =
weird electrical issue that craps out the master section (which is your =
clock, SPDIF, and I/O 1-4). =20

Does this Card A work with a different interface (442, different MEC, =
IF2 etc)?

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:46ec4406\$1@linux...

Sandy,

I'm using a Magma so the irqs haven't been a problem with 5 cards.
I was stable for years until adding a Mec with WC. Even a cloned
C drive didn't work after the extra mec was introduced then removed.

How many EDS cards, mecs, expansion cards are in your mecs?
I have 5 in each of two mecs + .

Anything helps at this point.

Thanks,

Tom

"Sandy Tipping" <tippsand@earthling.net> wrote in message =
news:46ec2340\$1@linux...

Has anyone suggested that your computer might be too *fast* for =
Paris under XP?

Remembering that Paris was designed for Win95 and that era of = hardware, I've found that XP installs work best if the machine is not = much faster than the 2.4-ish ghz speeds. Faster than that has resulted = in some weird juju regarding card positioning etc, and often Paris = software doesn't "catch" all / any of the Paris hardware.

Just my 0.02...

"Tom Bruhl" <arpeggio@comcast.net> wrote in message = news:46ec038a@linux...

Looks sweet.

"John" <no@no.com> wrote in message news:46ebc14f\$1@linux...

Hope he can help you out otherwise, today's a great day to = get this:

Cubase 4

2.6 e6700 core2 duo, intel D975xbx2kr motherboard, 4gb = mushkin ram, XP Pro

24" westinghouse LCD

RME 9652, 3 Presonus Digimax FS

Rane HC6 headphone amp

3ms latency at all times

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=_NextPart_000_002E_01C7F910.CE00A450

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html"; = charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV>Hi Sandy,</DIV>

<DIV>Actually I was having this same symptom = with two=20

Mecs and a 442</DIV>

<DIV>with two computers. I'm thinking = it's the=20

Scherzo drivers and iffy</DIV>

<DIV>contacts on the cards.</DIV>

<DIV>Tom</DIV>

<DIV> </DIV>
 <BLOCKQUOTE dir=3Dltr=20
 style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
 BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"Sandy Tipping" <<A=20
 href=3D"mailto:tippsand@earthling.net">tippsand@earthling.net> =
 wrote in=20
 message <A =
 href=3D"news:46ed261b@linux">news:46ed261b@linux...</DIV>
 <DIV>Also, I was re-reading your earlier=20
 posts.</DIV>
 <DIV> </DIV>
 <DIV>The Master section of the MEC is =
 essentially a=20
 442 shoved into a different chassis, and has been known to crap out =
 without=20
 killing the "card / slot" section of the MEC.</DIV>
 <DIV> </DIV>
 <DIV>That is to say, you can quite easily =
 have a "MEC=20
 Modules block" available in the patchbay but no MEC Master section =
 because of=20
 some weird electrical issue that craps out the master section (which =
 is your=20
 clock, SPDIF, and I/O 1-4). </DIV>
 <DIV> </DIV>
 <DIV>Does this Card A work with a =
 different interface=20
 (442, different MEC, IF2 etc)?</DIV>
 <BLOCKQUOTE dir=3Dltr=20
 style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
 BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"Tom Bruhl" <<A=20
 href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net> =
 wrote in=20
 message <A =
 href=3D"news:46ec4406\$1@linux">news:46ec4406\$1@linux...</DIV>
 <DIV>Sandy,</DIV>
 <DIV>I'm using a Magma so the irqs =
 haven't been a=20
 problem with 5 cards.</DIV>
 <DIV>I was stable for years until adding =
 a Mec with=20
 WC. </DIV>
 <DIV>C drive didn't work after the extra =
 mec was=20
 introduced then removed.</DIV>
 <DIV> </DIV>

<DIV>How many EDS cards, mecs, expansion =
 cards are=20
 in your mecs?</DIV>
 <DIV>I have 5 in each of two mecs + =
 ..</DIV>
 <DIV> </DIV>
 <DIV>Anything helps at this =
 point.</DIV>
 <DIV>Thanks,</DIV>
 <DIV>Tom</DIV>
 <DIV> </DIV>
 <DIV> </DIV>
 <DIV> </DIV>
 <DIV> </DIV>
 <DIV>"Sandy Tipping" <<A=20
 =
 href=3D"mailto:tippsand@earthling.net">tippsand@earthling.net> =
 wrote in=20
 message <A =
 href=3D"news:46ec2340\$1@linux">news:46ec2340\$1@linux...</DIV>
 <BLOCKQUOTE dir=3Dltr=20
 style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
 BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>Has anyone suggested that your =
 computer might=20
 be too *fast* for Paris under XP?</DIV>
 <DIV>Remembering that Paris was =
 designed for Win95=20
 and that era of hardware, I've found that XP installs work best if =
 the=20
 machine is not much faster than the 2.4-ish ghz speeds. < =
 Faster than=20
 that has resulted in some werid juju regarding card positioning =
 etc, and=20
 often Paris software doesn't "catch" all / any of <the Paris=20
 hardware.</DIV>
 <DIV> </DIV>
 <DIV>Just my 0.02...</DIV>
 <BLOCKQUOTE dir=3Dltr=20
 style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
 BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"Tom Bruhl" <<A=20
 href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net> =
 wrote in=20
 message <A =
 href=3D"news:46ec038a@linux">news:46ec038a@linux...</DIV>
 <DIV>Looks sweet.</DIV>
 <BLOCKQUOTE=20

style="padding-right: 0px; padding-left: 5px; margin-left: 5px; border-left: 2px solid black; margin-right: 0px">
<div>"John" <no@no.com> =
wrote in=20
message <a=20
=
href="news:46ebc14f\$1@linux">news:46ebc14f\$1@linux...</div>
Hope=
=20
he can help you out otherwise, today's a great day to =
get=20
this:

Cubase 4
2.6 e6700 core2 duo, intel =
D975xbx2kr=20
motherboard, 4gb mushkin ram, XP Pro
24" westinghouse =

LCD
RME 9652, 3 Presonus Digimax FS
Rane HC6 headphone=20
amp
3ms latency at all times</BLOCKQUOTE>
<div>

I choose Polesoft Lockspam to fight =
spam, and=20
you?
<a=20
=
href="http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html </div></BLOCKQUOTE></BLOCKQUOTE></BLOCK=
QUOTE></BLOCKQUOTE></BODY></HTML>

-----=_NextPart_000_002E_01C7F910.CE00A450--
