
Subject: Paris " Feature " ?

Posted by [Tom Bruhl](#) on Tue, 25 Apr 2006 06:58:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0035_01C66814.1E39FFF0

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

You have almost finished printing a mix but you know there's another change to be made. You hit stop in the transport, Alt-Backspace to delete the mixdown and you make your change. Go to reprint and an unrelated track is out of line... This happened three times tonight = in three different mixes.

I've found that if I was last on an Editor window and a track was = highlighted the Alt-Backspace command will undo or at least change the placement on that track! You start the mix again and there's a new timing = problem!!!

How unprofessional of me.

Am I the only one?,
Tom

-----=_NextPart_000_0035_01C66814.1E39FFF0

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV>You have almost finished printing a mix =
but you=20

know there's another</DIV>

<DIV>change to be made. You hit stop =
in the=20

transport, Alt-Backspace to</DIV>
<DIV>delete the mixdown and you make your =
change. =20
Go to reprint and</DIV>
<DIV>an unrelated track is out of =
line... =20
This happened three times tonight in three</DIV>
<DIV>different mixes.</DIV>
<DIV> </DIV>
<DIV>I've found that if I was last on an =
Editor window=20
and a track was highlighted</DIV>
<DIV>the Alt-Backspace command will undo or =
at least=20
change the placement</DIV>
<DIV>on that track! You start the mix =
again and=20
there's a new timing problem!!!</DIV>
<DIV> </DIV>
<DIV>How unprofessional of me.</DIV>
<DIV> </DIV>
<DIV>Am I the only one?,</DIV>
<DIV>Tom</DIV>
<DIV> </DIV>
<DIV> </DIV></BODY></HTML>

-----=_NextPart_000_0035_01C66814.1E39FFF0--

Subject: Re: Paris " Feature " ?

Posted by [Rod Lincoln](#) on Tue, 25 Apr 2006 12:40:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

I think it's performing an "undo". Did you move that track before you mixed.
I've never had it alter the timing on tracks after alt backspace, but I have
had it perform an undo at the same time. Work around: don't alt backspace
mixes, just name a new mix and delete the old later in windows.

Rod

Rod

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>You have almost finished printing a mix but you know there's another
>change to be made. You hit stop in the transport, Alt-Backspace to
>delete the mixdown and you make your change. Go to reprint and
>an unrelated track is out of line... This happened three times tonight

=

>in three

>different mixes.
>
>I've found that if I was last on an Editor window and a track was =
>highlighted
>the Alt-Backspace command will undo or at least change the placement
>on that track! You start the mix again and there's a new timing =
>problem!!!
>
>How unprofessional of me.
>
>Am I the only one?,
>Tom
>
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3DContent-Type content=3D"text/html; =
>charset=3Diso-8859-1">
><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D#ffffff>
><DIV>You have almost finished printing a mix
=
>but you=20
>know there's another</DIV>

>in the=20
>transport, Alt-Backspace to</DIV>
><DIV>delete the mixdown and you make your =

>Go to reprint and</DIV>

>This happened three times tonight in three</DIV>
><DIV>different mixes.</DIV>

><DIV>I've found that if I was last on an =
>Editor window=20
>and a track was highlighted</DIV>
><DIV>the Alt-Backspace command will undo or
=
>at least=20
>change the placement</DIV>

>again and=20
>there's a new timing problem!!!</DIV>

><DIV>How unprofessional of me.</DIV>

><DIV>Am I the only one?,</DIV>

><DIV>Tom</DIV>

>

>

Subject: Re: Paris " Feature " ?

Posted by [Tom Bruhl](#) on Tue, 25 Apr 2006 17:20:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0092_01C6686A.FB587BE0

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Rod,

You're right it is performing an undo. I think if the Editor window
if I last unselected the tracks the undo would just be to select the =
track
but not move it in time. =20

Feature,

Tom

"Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message =
news:444e18c4\$1@linux...

I think it's performing an "undo". Did you move that track before you =
mixed.

I've never had it alter the timing on tracks after alt backspace, but =
I have

had it perform an undo at the same time. Work around: don't alt =
backspace

mixes, just name a new mix and delete the old later in windows.

Rod

Rod

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>You have almost finished printing a mix but you know there's another
>change to be made. You hit stop in the transport, Alt-Backspace to
>delete the mixdown and you make your change. Go to reprint and

>an unrelated track is out of line... This happened three times =
 tonight
 =3D
 >in three
 >different mixes.
 >
 >I've found that if I was last on an Editor window and a track was =3D
 >highlighted
 >the Alt-Backspace command will undo or at least change the placement
 >on that track! You start the mix again and there's a new timing =3D
 >problem!!!
 >
 >How unprofessional of me.
 >
 >Am I the only one?,
 >Tom
 >
 >
 >
 ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
 ><HTML><HEAD>
 ><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
 >charset=3D3Diso-8859-1">
 ><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
 ><STYLE></STYLE>
 ></HEAD>
 ><BODY bgColor=3D3D#ffffff>
 ><DIV>You have almost finished =
 printing a mix
 =3D
 >but you=3D20
 >know there's another</DIV>
 ><DIV>change to be made. You hit stop =
 =3D
 >in the=3D20
 >transport, Alt-Backspace to</DIV>
 ><DIV>delete the mixdown and you make =
 your =3D
 >change. =3D20
 >Go to reprint and</DIV>
 ><DIV>an unrelated track is out of =3D
 >line... =3D20
 >This happened three times tonight in three</DIV>
 ><DIV>different mixes.</DIV>
 ><DIV> </DIV>
 ><DIV>I've found that if I was last on =
 an =3D
 >Editor window=3D20

>and a track was highlighted</DIV>
 ><DIV>the Alt-Backspace command will =
 undo or
 =3D
 >at least=3D20
 >change the placement</DIV>
 ><DIV>on that track! You start the mix =
 =3D
 >again and=3D20
 >there's a new timing problem!!!</DIV>
 ><DIV> </DIV>
 ><DIV>How unprofessional of =
 me.</DIV>
 ><DIV> </DIV>
 ><DIV>Am I the only one?,</DIV>
 ><DIV>Tom</DIV>
 ><DIV> </DIV>
 ><DIV> </DIV></BODY></HTML>
 >
 >

-----=_NextPart_000_0092_01C6686A.FB587BE0

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
 <HTML><HEAD>
 <META http-equiv=3DContent-Type content=3D"text/html; =
 charset=3Diso-8859-1">
 <META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
 <STYLE></STYLE>
 </HEAD>
 <BODY bgColor=3D#ffffff>
 <DIV>Rod,</DIV>
 <DIV>You're right it is performing an =
 undo. =20
 think if the Editor window</DIV>
 <DIV>if I last unselected the tracks =
 <FONT=20
 face=3DArial size=3D2>the undo would just be to select the =
 track</DIV>
 <DIV>but not move it in time. = </DIV>
 <DIV> </DIV>
 <DIV>Feature,</DIV>
 <DIV>Tom</DIV>
 <BLOCKQUOTE=20

style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Rod Lincoln" <<A=20
=
href=3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com&g=
t;=20
wrote in message <A=20
href=3D"news:444e18c4\$1@linux">news:444e18c4\$1@linux...</DIV>
I =
think=20
it's performing an "undo". Did you move that track before you =
mixed.
I've=20
never had it alter the timing on tracks after alt backspace, but I =
have
had=20
it perform an undo at the same time. Work around: don't alt=20
backspace
mixes, just name a new mix and delete the old later in=20
windows.
Rod
Rod
"Tom Bruhl" <<A=20
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=20
wrote:
>
>
>You have almost finished printing a mix =
but you=20
know there's another
>change to be made. You hit stop in =
the=20
transport, Alt-Backspace to
>delete the mixdown and you make =
your=20
change. Go to reprint and
>an unrelated track is out of=20
line... This happened three times tonight
=3D
>in=20
three
>different mixes.
>
>I've found that if I was =
last on=20
an Editor window and a track was =3D
>highlighted
>the =
Alt-Backspace=20
command will undo or at least change the placement
>on that =
track! =20
You start the mix again and there's a new timing=20
=3D
>problem!!!
>
>How unprofessional of =
me.
>
>Am=20
I the only =
one?,
>Tom
>
>
>
><!DOCTYPE HTML=20
PUBLIC "-//W3C//DTD HTML 4.0=20
Transitional//EN">
><HTML><HEAD>
><META=20
http-equiv=3D3DContent-Type content=3D3D"text/html;=20
=3D
>charset=3D3Diso-8859-1">
><META =
content=3D3D"MSHTML=20
6.00.2800.1400"=20
=
name=3D3DGENERATOR>
><STYLE></STYLE>
></HEA=
D>
><BODY=20
bgColor=3D3D#ffffff>
><DIV><FONT face=3D3DArial =
size=3D3D2>You=20
have almost finished printing a mix
=3D
>but =

you=3D20
>know there's=20
 another</DIV>
></DIV></FONT =
 face=3D3DArial=20
 size=3D3D2>change to be made. You hit stop =3D
>in=20
 the=3D20
>transport, Alt-Backspace=20
 to</DIV>
></DIV></FONT face=3D3DArial=20
 size=3D3D2>delete the mixdown and you make your =3D
>change.=20
 =3D20
>Go to reprint=20
 and</DIV>
></DIV></FONT face=3D3DArial =

 size=3D3D2>an unrelated track is out of =3D
>line... =
 =3D20
>This=20
 happened three times tonight in=20
 three</DIV>
></DIV></FONT =
 face=3D3DArial=20
 size=3D3D2>different=20
 mixes.</DIV>
></DIV></FONT =
 face=3D3DArial=20
 size=3D3D2> </DIV>
></DIV></FONT =
 face=3D3DArial=20
 size=3D3D2>I've found that if I was last on an =3D
>Editor=20
 window=3D20
>and a track was=20
 highlighted</DIV>
></DIV></FONT =
 face=3D3DArial=20
 size=3D3D2>the Alt-Backspace command will undo or
=3D
>at=20
 least=3D20
>change the=20
 placement</DIV>
></DIV></FONT =
 face=3D3DArial=20
 size=3D3D2>on that track! You start the mix =3D
>again=20
 and=3D20
>there's a new timing=20
 problem!!!</DIV>
></DIV></FONT =
 face=3D3DArial=20
 size=3D3D2> </DIV>
></DIV></FONT =
 face=3D3DArial=20
 size=3D3D2>How unprofessional of=20
 me.</DIV>
></DIV></FONT face=3D3DArial =

 size=3D3D2> </DIV>
></DIV></FONT =
 face=3D3DArial=20
 size=3D3D2>Am I the only=20
 one?,</DIV>
></DIV></FONT =
 face=3D3DArial=20
 size=3D3D2>Tom</DIV> t;
></DIV></FONT=20
 face=3D3DArial size=3D3D2> =
 </DIV>
></DIV></FONT=20
 face=3D3DArial size=3D3D2>=20
 =
 </DIV></BODY></HTML> t;
>
>
</BLOCKQUOTE></=

BODY></HTML>

-----=_NextPart_000_0092_01C6686A.FB587BE0--
