
Subject: EMU PARIS & Waves ssl on xp
Posted by [Goran Stojiljkovic](#) on Wed, 25 Oct 2006 10:56:08 GMT
[View Forum Message](#) <> [Reply to Message](#)

does it work?
latency ?

please answer.....

Subject: Re: EMU PARIS & Waves ssl on xp
Posted by [Dimitrios](#) on Wed, 25 Oct 2006 15:31:10 GMT
[View Forum Message](#) <> [Reply to Message](#)

SSL works great with Paris.
The sound is phenomenal.
Never heard of such a good native eq with personality.
XP here .
Regards,
Dimitrios

"Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote:
>does it work?
>latency ?
>
>please answer.....
>
>

Subject: Re: EMU PARIS & Waves ssl on xp
Posted by [LaMont](#) on Wed, 25 Oct 2006 15:38:22 GMT
[View Forum Message](#) <> [Reply to Message](#)

yes it works. Thank god Waves still code their plugins in Direct-x. Surprisingly, the plug added no latency. However, the mix I was working on only had 10 tracks.

"Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote:
>does it work?
>latency ?
>
>please answer.....
>
>

Subject: Re: EMU PARIS & Waves ssl on xp
Posted by [Dimitrios](#) on Wed, 25 Oct 2006 16:06:01 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi,
The SSLcompressor has 0 latency.
Thee SSL channel has 1 sample latency.
Regards,
Dimitrios

"LaMont" <jjdpro@ameritech.net> wrote:

>
>yes it works. Thank god Waves still code their plugins in Direct-x. Surprisely,
>the plug added no latency. However, the mix I was working on only had 10
>tracks.

>
>"Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote:

>>does it work?

>>latency ?

>>

>>please answer.....

>>

>>

>

Subject: Re: EMU PARIS & Waves ssl on xp
Posted by [Tom Bruhl](#) on Wed, 25 Oct 2006 17:42:40 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_00AD_01C6F83B.70760720

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

What's a sample among friends?

T.

"Dimitrios" <musurgio@otenet.gr> wrote in message =
news:453f8b69\$1@linux...

Hi,
The SSLcompressor has 0 latency.
Thee SSL channel has 1 sample latency.
Regards,
Dimitrios

"LaMont" <jjdpro@ameritech.net> wrote:
>
>yes it works. Thank god Waves still code their plugins in Direct-x. =
Surprisely,
>the plug added no latency. However, the mix I was working on only had =
10
>tracks.=20
>
>"Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote:
>>does it work?
>>latency ?
>>
>>please answer.....=20
>>
>>
>>
>

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=_NextPart_000_00AD_01C6F83B.70760720

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html"; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>What's a sample among =
friends?</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>T.</FONT></DIV>
<DIV>&nbsp;</DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"Dimitrios" &lt;<A=20
  href=3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>&gt; wrote in =
message=20
  <A=20
  =
  href=3D"news:453f8b69$1@linux">news:453f8b69$1@linux</A>...</DIV><BR>Hi,<=
```

BR>The=20
SSLcompressor has 0 latency.
Thee SSL channel has 1 sample=20
latency.
Regards,
Dimitrios

"LaMont" <<A=20
href=3D"mailto:jjdpro@ameritech.net">jjdpro@ameritech.net>=20
wrote:
>>yes it works. Thank god Waves still code their =
plugins=20
in Direct-x. Surprisingly,
>the plug added no latency. However, =
the mix l=20
was working on only had 10
>tracks.
>
>"Goran =
Stojiljkovic"=20
<<A=20
=
href=3D"mailto:goran.stojiljkovic@os.t-com.hr">goran.stojiljkovic@os.t-co=
m.hr>=20
wrote:
>>does it work?
>>latency=20
?
>>
>>please answer.....=20

>>
>>
>
</BLOCKQUOTE>
<DIV>

I choose Polesoft Lockspam to fight spam, =
and=20
you?
<A=20
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html </DIV></BODY ></HTML>

-----=_NextPart_000_00AD_01C6F83B.70760720--

Subject: Re: EMU PARIS & Waves ssl on xp
Posted by [Rod Lincoln](#) on Wed, 25 Oct 2006 21:08:34 GMT
[View Forum Message](#) <> [Reply to Message](#)

If it's a stool sample.....well.....never mind.
Rod
"Tom Bruhl" <arpeggio@comcast.net> wrote:
>
>
>What's a sample among friends?
>T.
>
> "Dimitrios" <musurgio@otenet.gr> wrote in message =
>news:453f8b69\$1@linux...
>
> Hi,
> The SSLcompressor has 0 latency.
> Thee SSL channel has 1 sample latency.
> Regards,
> Dimitrios
>
> "LaMont" <jjdpro@ameritech.net> wrote:

> >
> >yes it works. Thank god Waves still code their plugins in Direct-x. =
>Surprisely,
> >the plug added no latency. However, the mix I was working on only had
=
>10
> >tracks.=20
> >
> >"Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote:
> >>does it work?
> >>latency ?
> >>
> >>please answer.....=20
> >>
> >>
> >
>
>
>
>
>I choose Polesoft Lockspam to fight spam, and you?
><http://www.polesoft.com/refer.html>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3DContent-Type content=3D"text/html; =
>charset=3Diso-8859-1">
><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D#ffffff>
><DIV>What's a sample among =
>friends?</DIV>
><DIV>T.</DIV>

><BLOCKQUOTE=20
>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Dimitrios" <<A=20
> href=3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr> wrote in =
>message=20
> <A=20
> =
>href=3D"news:453f8b69\$1 @linux">news:453f8b69\$1 @linux...</DIV>
Hi,<=
>BR>The=20
> SSLcompressor has 0 latency.
Thee SSL channel has 1 sample=20
> latency.
Regards,
Dimitrios

"LaMont" <<A=20
> href=3D"mailto:jjdpro@ameritech.net">jjdpro@ameritech.net>=20
> wrote:
>
>yes it works. Thank god Waves still code their =

>plugins=20
> in Direct-x. Surprisely,
>the plug added no latency. However, =
>the mix l=20
> was working on only had 10
>tracks.
>
>"Goran =
>Stojiljkovic"=20
> <<A=20
> =
>href=3D"mailto:goran.stojiljkovic@os.t-com.hr">goran.stojiljkovic@os.t-co=
>m.hr>=20
> wrote:
>>does it work?
>>latency=20
> ?
>>
>>please answer.....=20
>
>>
>>
>
</BLOCKQUOTE>
><DIV>

I choose Polesoft Lockspam to fight spam, =
>and=20
>you?
<A=20
>href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=

>
>

Subject: Re: EMU PARIS & Waves ssl on xp
Posted by [Tom Bruhl](#) on Wed, 25 Oct 2006 22:18:44 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0036_01C6F862.01B217D0
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

oh.

"Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message =
news:453fd252\$1@linux...

If it's a stool sample.....well.....never mind.

Rod

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>What's a sample among friends?

>T.

>

> "Dimitrios" <musurgio@otenet.gr> wrote in message =3D

>news:453f8b69\$1@linux...

>

> Hi,

> The SSLcompressor has 0 latency.
> Thee SSL channel has 1 sample latency.
> Regards,
> Dimitrios
>
> "LaMont" <jjdpro@ameritech.net> wrote:
> >
> >yes it works. Thank god Waves still code their plugins in =
Direct-x. =3D
>Surprisely,
> >the plug added no latency. However, the mix I was working on only =
had
=3D
>10
> >tracks.=3D20
> >
> >"Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote:
> >>does it work?
> >>latency ?
> >>
> >>please answer.....=3D20
> >>
> >>
> >
>
>
>
>I choose Polesoft Lockspam to fight spam, and you?
>http://www.polesoft.com/refer.html =20
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
>charset=3D3Diso-8859-1">
><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D3D#ffffff>
><DIV>What's a sample among =3D
>friends?</DIV>
><DIV>T.</DIV>
><DIV> </DIV>
><BLOCKQUOTE=3D20
>style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3D
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Dimitrios" <<A=3D20
> href=3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr> wrote =

in =3D
>message=3D20
> <A=3D20
> =3D
=
>href=3D3D"news:453f8b69\$1 @linux">news:453f8b69\$1 @linux...</DIV>
H=
i,<=3D
>BR>The=3D20
> SSLcompressor has 0 latency.
Thee SSL channel has 1 sample=3D20
> latency.
Regards,
Dimitrios

"LaMont" <<A=3D20
> =
href=3D3D"mailto:jjdpro@ameritech.net">jjdpro@ameritech.net=>=3D20
> wrote:
>
>yes it works. Thank god Waves still code their =3D
>plugins=3D20
> in Direct-x. Surprisingly,
>the plug added no latency. However, =
=3D
>the mix l=3D20
> was working on only had 10
>tracks.
>
>"Goran =3D
>Stojiljkovic"=3D20
> <<A=3D20
> =3D
=
>href=3D3D"mailto:goran.stojiljkovic@os.t-com.hr">goran.stojiljkovic@os.t=
-co=3D
>m.hr=>=3D20
> wrote:
>>does it work?
>>latency=3D20
> ?
>>
>>please answer.....=3D20
>
>>
>>
>
</BLOCKQUOTE>
><DIV>

I choose Polesoft Lockspam to fight =
spam, =3D
>and=3D20
>you?
<A=3D20
=
>href=3D3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/re=
fer=3D
>.html </DIV></BODY></HTML>
>
>

-----=_NextPart_000_0036_01C6F862.01B217D0

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html"; =
charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV>oh.</DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"Rod Lincoln" <<A=20
 =
href=3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com>=
t;=20
 wrote in message <A=20
 =
href=3D"news:453fd252\$1@linux">news:453fd252\$1@linux...</DIV>
If =
it's a=20
 stool sample.....well.....never mind.
Rod
"Tom =
Bruhl" <<A=20
 href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=20
 wrote:
>
>
>What's a sample among=20
 friends?
>T.
>
> "Dimitrios" <<A=20
 href=3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr> wrote in =
message=20
 =3D
>news:453f8b69\$1@linux...
>
> =
Hi,
> The=20
 SSLcompressor has 0 latency.
> Thee SSL channel has 1 =
sample=20
 latency.
> Regards,
> =
Dimitrios
>
> =20
 "LaMont" <<A=20
 href=3D"mailto:jjdpro@ameritech.net">jjdpro@ameritech.net>=20
 wrote:
> >
> >yes it works. Thank god =
Waves=20
 still code their plugins in Direct-x. =
=3D
>Surprisely,
> =20
 >the plug added no latency. However, the mix I was working on only=20
 had
=3D
>10
> >tracks.=3D20
> =20
 >
> >"Goran Stojiljkovic" <<A=20
 =
href=3D"mailto:goran.stojiljkovic@os.t-com.hr">goran.stojiljkovic@os.t-co=
m.hr>=20
 wrote:
> >>does it work?
> =
>>latency=20
 ?
> >>
> >>please=20
 answer.....=3D20
> >>
> =
>>
> =20
 >
>
>
>
>I choose Polesoft Lockspam to =
fight spam,=20

and you?
>http://www.polesoft.com/refer.html = 20

>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=20
Transitional//EN">
><HTML><HEAD>
><META=20
http-equiv=3D3DContent-Type content=3D3D"text/html;=20
=3D
>charset=3D3Diso-8859-1">
><META =
content=3D3D"MSHTML=20
6.00.2800.1400"=20
=
name=3D3DGENERATOR>
><STYLE></STYLE>
></HEA=
D>
><BODY=20
bgColor=3D3D#ffffff>
><DIV><FONT face=3D3DArial=20
size=3D3D2>>What's a sample among=20
=
=3D
>friends?</DIV>
><DIV><FONT=20
face=3D3DArial =
size=3D3D2>>T.</DIV> ;
><DIV>=20
=
</DIV>
><BLOCKQUOTE=3D20
>style=3D3D"PADDING-RIGHT: =
0px;=20
PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
>BORDER-LEFT: #000000 =
2px solid;=20
MARGIN-RIGHT: 0px">
> & <DIV>"Dimitrios"=20
<<A=3D20
> & href=3D3D"<A=20
=
href=3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A'>mailto:musurgio=
@otenet.gr">musurgio@otenet.gr</A>=20
wrote in =3D
>message=3D20
> & =
<<A=3D20
> &=20
=3D
>href=3D3D"<A=20
=
href=3D'news:453f8b69\$1 @linux">news:453f8b69\$1 @linux...</DIV>
Hi'>=
news:453f8b69\$1 @linux">news:453f8b69\$1 @linux...</DIV>&=
lt;BR>Hi,<=3D
>BR>The=3D20
> &=20
SSLcompressor has 0 latency.
Thee SSL channel has 1=20
sample=3D20
> &=20
=
latency.
Regards,
Dimitrio s

 "LaMont"=
=20
<<A=3D20
> & href=3D3D"<A=20
=
href=3D'mailto:jjdpro@ameritech.net">jjdpro@ameritech.net>=3D20'>mail=
to:jjdpro@ameritech.net">jjdpro@ameritech.net>=3D20<B=
R>> &=20
wrote:
>
>ye s it works. Thank god Waves still =
code=20
their =3D
>plugins=3D20
> & in Direct-x.=20
Surprisely,
>the plug added no latency. However, =
=3D
>the mix=20

I=3D20
> was working on only had 10
>tracks.=20

>
>"Goran =
=3D
>Stojiljkovic"=3D20
> =20
<<A=3D20
> =3D
>href=3D3D"<A=20
=
href=3D'mailto:goran.stojiljkovic@os.t-com.hr">goran.stojiljkovic@os.t-co=
'>mailto:goran.stojiljkovic@os.t-com.hr">goran.stojiljkovic@os.t-co</A=
>=3D
>m.hr>=3D20
> =20
wrote:
>>does it=20
work?
>>latency=3D20
> =20
?
>>
> ;>please =
answer.....=3D20
> =20
=

>>
> >
>
< /BLOCKQUO=
TE>
><DIV><FONT=20
size=3D3D2>

I choose Polesoft Lockspam to fight =
spam,=20
=
=3D
>and=3D20
>you?
<A=3D20
>href=3D3D"<A=20
=
href=3D'http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
'>http://www.polesoft.com/refer.html">http://www.polesoft.com/refer</A=
>=3D
>.html=20
=
</DIV></BODY&g t;</HTML>
>
>
</=
BLOCKQUOTE></BODY></HTML>

-----=_NextPart_000_0036_01C6F862.01B217D0--

Subject: Re: EMU PARIS & Waves ssl on xp
Posted by [Robert Arsenault](#) on Thu, 26 Oct 2006 17:27:10 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0035_01C6F90A.D2CBD240

Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Speaking of SSL, have you guys seen this new piece , I wonder how this =
would work with Paris latency speaking..??
http://www.solid-state-logic.com/music/duende_home.html

Rob

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:453fe0a4@linux...

oh.

"Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message =
news:453fd252\$1@linux...

If it's a stool sample.....well.....never mind.

Rod

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>What's a sample among friends?

>T.

>

> "Dimitrios" <musurgio@otenet.gr> wrote in message =3D

>news:453f8b69\$1@linux...

>

> Hi,

> The SSLcompressor has 0 latency.

> Thee SSL channel has 1 sample latency.

> Regards,

> Dimitrios

>

> "LaMont" <jjdpro@ameritech.net> wrote:

> >

> >yes it works. Thank god Waves still code their plugins in =

Direct-x. =3D

>Surprisely,

> >the plug added no latency. However, the mix I was working on =
only had

=3D

>10

> >tracks.=3D20

> >

> >"Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote:

> >>does it work?

> >>latency ?

> >>

> >>please answer.....=3D20

> >>

> >>

> >

>

>

>

>I choose Polesoft Lockspam to fight spam, and you?

><http://www.polesoft.com/refer.html> =20

>

```

><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
>charset=3D3Diso-8859-1">
><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D3D#ffffff>
><DIV><FONT face=3D3DArial size=3D3D2>What's a sample among =3D
>friends?</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>T.</FONT></DIV>
><DIV> </DIV>
><BLOCKQUOTE=3D20
>style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3D
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Dimitrios" <<A=3D20
> href=3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>> =
wrote in =3D
>message=3D20
> <A=3D20
> =3D
=
>href=3D3D"news:453f8b69$1@linux">news:453f8b69$1@linux</A>...</DIV><BR>H=
i,<=3D
>BR>The=3D20
> SSLcompressor has 0 latency.<BR>Thee SSL channel has 1 =
sample=3D20
> latency.<BR>Regards,<BR>Dimitrios<BR><BR>"LaMont" <<A=3D20
> =
href=3D3D"mailto:jjdpro@ameritech.net">jjdpro@ameritech.net</A>>=3D20
> wrote:<BR>><BR>>yes it works. Thank god Waves still code their =
=3D
>plugins=3D20
> in Direct-x. Surprisely,<BR>>the plug added no latency. However, =
=3D
>the mix l=3D20
> was working on only had 10<BR>>tracks. <BR>><BR>>"Goran =3D
>Stojiljkovic"=3D20
> <<A=3D20
> =3D
=
>href=3D3D"mailto:goran.stojiljkovic@os.t-com.hr">goran.stojiljkovic@os.t=
-co=3D
>m.hr</A>>=3D20
> wrote:<BR>>>does it work?<BR>>>latency=3D20
> ?<BR>>><BR>>>please answer.....=3D20
> <BR>>><BR>>><BR>><BR></BLOCKQUOTE>

```

```
><DIV><FONT size=3D3D2><BR><BR>I choose Polesoft Lockspam to fight =
spam, =3D
>and=3D20
>you?<BR><A=3D20
=
>href=3D3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/re=
fer=3D
>.html</A> </FONT></DIV></BODY></HTML>
>
>
```

-----=_NextPart_000_0035_01C6F90A.D2CBD240

Content-Type: text/html;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2873" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>Speaking of SSL, have you guys seen this =
new&nbsp;piece , l=20
wonder how this would work with Paris latency speaking..??</FONT></DIV>
<DIV><FONT size=3D2><A=20
href=3D"http://www.solid-state-logic.com/music/duende_home.html">http://w=
ww.solid-state-logic.com/music/duende_home.html</A></FONT> </DIV>
<DIV><FONT size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT size=3D2>Rob</FONT></DIV>
<DIV><FONT size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT size=3D2></FONT>&nbsp;</DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Tom Bruhl" &lt;<A=20
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>&gt; wrote =
in message=20
<A href=3D"news:453fe0a4@linux">news:453fe0a4@linux</A>...</DIV>
<DIV><FONT face=3DArial size=3D2>oh.</FONT></DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Rod Lincoln" &lt;<A=20
=
href=3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</A>&g=
```

t;=20
wrote in message <A=20
=
href=3D"news:453fd252\$1@linux">news:453fd252\$1@linux...</DIV>
If =
it's a=20
stool sample.....well.....never mind.
Rod
"Tom =
Bruhl"=20
<<A =
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=20
wrote:
>
>
>What's a sample among=20
friends?
>T.
>
> "Dimitrios" <<A=20
href=3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr> wrote =
in message=20
=3D
>news:453f8b69\$1@linux...
>
> =
Hi,
> =20
The SSLcompressor has 0 latency.
> Thee SSL channel has =
1 sample=20
latency.
> Regards,
> =20
Dimitrios
>
> "LaMont" <<A=20
href=3D"mailto:jjdpro@ameritech.net">jjdpro@ameritech.net>=20
wrote:
> >
> >
> >yes it works. Thank god =
Waves=20
still code their plugins in Direct-x. =
=3D
>Surprisely,
> =20
>the plug added no latency. However, the mix I was working on =
only=20
had
=3D
>10
> >tracks.=3D20
> =20
>
> >"Goran Stojiljkovic" <<A=20
=
href=3D"mailto:goran.stojiljkovic@os.t-com.hr">goran.stojiljkovic@os.t-co=
m.hr>=20
wrote:
> >>does it work?
> =
>>latency=20
?
> >>
> >>please=20
answer.....=3D20
> >>
> =
>>
> =20
>
>
>
>
>I choose Polesoft Lockspam to =
fight=20
spam, and you?
>http://www.polesoft.com/refer.html =

>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=20
=
Transitional//EN">
><HTML><HEAD>
><META=20
http-equiv=3D3DContent-Type content=3D3D"text/html";=20
=3D
>charset=3D3Diso-8859-1">
><META =
content=3D3D"MSHTML=20
6.00.2800.1400"=20
=
=

name=3D3DGENERATOR>
><STYLE></STYLE>
></HEA=
D>
><BODY=20
bgColor=3D3D#ffffff>
><DIV><FONT face=3D3DArial=20
size=3D3D2>>What's a sample among=20
=
=3D
>friends?</DIV>
><DIV><FONT=20
face=3D3DArial =
size=3D3D2>>T.</DIV> ;
><DIV>=20
=
</DIV>
><BLOCKQUOTE=3D20
>style=3D3D"PADDING-RIGHT: =
0px;=20
PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
>BORDER-LEFT: #000000 =
2px=20
solid; MARGIN-RIGHT: 0px">> <DIV>"Dimitrios"=20
<<A=3D20
> href=3D3D"<A=20
=
href=3D'mailto:musurgio@otenet.gr">musurgio@otenet.grmailto:musurgio=
@otenet.gr">musurgio@otenet.gr>>=20
wrote in =3D
>message=3D20
> =
<A=3D20
> =20
=3D
>href=3D3D"<A=20
=
href=3D'news:453f8b69\$1 @linux">news:453f8b69\$1 @linux...</DIV>
Hi'>=
news:453f8b69\$1 @linux">news:453f8b69\$1 @linux>...</DIV>&=
lt;BR>Hi,<=3D
>BR>The=3D20
> =20
SSLcompressor has 0 latency.
Thee SSL channel has 1=20
sample=3D20
> =20
=
latency.
Regards,
Dimitrio s

 "LaMont"=
=20
<<A=3D20
> href=3D3D"<A=20
=
href=3D'mailto:jjdpro@ameritech.net">jjdpro@ameritech.net>=3D20'>mail=
to:jjdpro@ameritech.net">jjdpro@ameritech.net>=3D20<B=
R>> =20
wrote:
>
>ye s it works. Thank god Waves =
still code=20
their =3D
>plugins=3D20
> in Direct-x.=20
Surprisely,
>the plug added no latency. However, =
=3D
>the=20
mix l=3D20
> was working on only had =
10
>tracks.=20

>
>"Goran =
=3D
>Stojiljkovic"=3D20
> =20
<<A=3D20
> =3D
>href=3D3D"<A=20
=
href=3D'mailto:goran.stojiljkovic@os.t-com.hr">goran.stojiljkovic@os.t-co=
'>mailto:goran.stojiljkovic@os.t-com.hr">goran.stojiljkovic@os.t-co</A=

>=3D
>m.hr>=3D20
> =20
wrote:
>>>does it=20
work?
>>>latency=3D20
> =20
?
>>>
> ;>please =
answer.....=3D20
> =20
=

>>>
> >
>
< /BLOCKQUO=
TE>
><DIV><FONT=20
size=3D3D2>

I choose Polesoft Lockspam to =
fight spam,=20
=
=3D
>and=3D20
>you?
<A=3D20
>href=3D3D" <A=20
=
href=3D'http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
'>http://www.polesoft.com/refer.html">http://www.polesoft.com/refer</A=
>=3D
>.html=20
=
</DIV></BODY></HTML>
>
>
</=
BLOCKQUOTE></BLOCKQUOTE></BODY></HTML>

-----=_NextPart_000_0035_01C6F90A.D2CBD240--
