
Subject: whats wrong? PLEASE HELP..

Posted by [Goran Stojiljkovic](#) on Mon, 12 Mar 2007 08:44:18 GMT

[View Forum Message](#) <> [Reply to Message](#)

when I set tempo in Paris at 117 bpm and recording click from sx at 117 bpm ,grid from Paris dont match click..there are big mismatches at the end of file...whats wrong? how can I match these 2 things..sorrz for my English

Splico

Subject: Re: whats wrong? PLEASE HELP..

Posted by [Rod Lincoln](#) on Mon, 12 Mar 2007 13:51:58 GMT

[View Forum Message](#) <> [Reply to Message](#)

Is Both your Cubase ANd Paris project set at the same sample rate? (48 or 44.1) Do you have Cubase set to slave to external sync? What kind of sync are you using to sync the to apps? smpte, adat 9 pin?

If you have everything right, both Paris and Cubase willmatch up sync wise.

Rod

"Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote:

>when I set tempo in Paris at 117 bpm and recording click from sx at 117 bpm

>,grid from Paris dont match click..there are big mismatches at the end of

>file...whats wrong? how can I match these 2 things..sorrz for my English

>

>Splico

>

>

Subject: Re: whats wrong? PLEASE HELP..

Posted by [Goran Stojiljkovic](#) on Mon, 12 Mar 2007 13:56:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

I mean...when im working in sx and render track (and export them to paris)to mix in paris these files dont match paris grid at same sample rate and bitrate(44,1 and 24 bit)..i have mtc sync

----- Original Message -----

From: "Rod Lincoln" <rlincoln@nospam.kc.rr.com>

Newsgroups: IDEA.EMUEnsoniqPARIS

Sent: Monday, March 12, 2007 2:51 PM

Subject: Re: whats wrong? PLEASE HELP..

>
> Is Both your Cubase ANd Paris project set at the same sample rate? (48 or
> 44.1) Do you have Cubase set to slave to external sync? What kind of sync
> are you using to sync the to apps? smpte, adat 9 pin?
> If you have everything right, both Paris and Cubase willmatch up sync
> wise.
> Rod
>
> "Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote:
>>when I set tempo in Paris at 117 bpm and recording click from sx at 117
> bpm
>>,grid from Paris dont match click..there are big missmatches at the end
> of
>>file...whats wrong? how can I match these 2 things..sorrz for my English
>>
>>Splico
>>
>>
>

"Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote in message
news:45f512ee@linux...

> when I set tempo in Paris at 117 bpm and recording click from sx at 117
> bpm ,grid from Paris dont match click..there are big missmatches at the
> end of file...whats wrong? how can I match these 2 things..sorrz for my
> English
>
> Splico
>

Subject: Re: whats wrong? PLEASE HELP..

Posted by [Goran Stojiljkovic](#) on Mon, 12 Mar 2007 17:00:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

start perfectly sinc..follow some time..after some times they are
split.....at the end ,they are noticable split
yes..im recording to the cubase internal sync...
"Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message
news:45f57e1f\$1@linux...

>
> That's wierd...it should match up. Are you recording to the cubase
> internal
> click?
> Does it start being in alignment, and gets out of alignment as the song
> progresses,

> or does it start out of alignment. If so, how much, and does it remain
> consistantly
> out?
> Rod
> "Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote:
>>I mean...when im working in sx and render track (and export them to
>>paris)to
>>mix in paris these files dont match paris grid at same sample rate and
>>bitrate(44,1 and 24 bit)..i have mtc sync
>>----- Original Message -----
>>From: "Rod Lincoln" <rlincoln@nospam.kc.rr.com>
>>Newsgroups: IDEA.EMUEnsoniqPARIS
>>Sent: Monday, March 12, 2007 2:51 PM
>>Subject: Re: whats wrong? PLEASE HELP..
>>
>>
>>> Is Both your Cubase ANd Paris project set at the same sample rate? (48
> or
>>> 44.1) Do you have Cubase set to slave to external sync? What kind of
>>> sync
>>> are you using to sync the to apps? smpte, adat 9 pin?
>>> If you have everything right, both Paris and Cubase willmatch up sync
>
>>> wise.
>>> Rod
>>>
>>> "Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote:
>>>>when I set tempo in Paris at 117 bpm and recording click from sx at 117
>>> bpm
>>>>,grid from Paris dont match click..there are big mismatches at the
> end
>>> of
>>>>file...whats wrong? how can I match these 2 things..sorrz for my English
>>>>
>>>>Splico
>>>>
>>>>
>>>>
>>>
>>
>>"Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote in message
>>news:45f512ee@linux...
>>> when I set tempo in Paris at 117 bpm and recording click from sx at 117
>
>>> bpm ,grid from Paris dont match click..there are big mismatches at
> the
>>> end of file...whats wrong? how can I match these 2 things..sorrz for my
>

>>> English
>>>
>>> Splico
>>>
>>
>>
>

Subject: Re: whats wrong? PLEASE HELP..
Posted by [Rod Lincoln](#) on Mon, 12 Mar 2007 17:21:51 GMT
[View Forum Message](#) <> [Reply to Message](#)

That's wierd...it should match up. Are you recording to the cubase internal click?

Does it start being in alignment, and gets out of alignment as the song progresses, or does it start out of alignment. If so, how much, and does it remain consistantly out?

Rod

"Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote:

>I mean...when im working in sx and render track (and export them to paris)to
>mix in paris these files dont match paris grid at same sample rate and
>bitrate(44,1 and 24 bit)..i have mtc sync

>----- Original Message -----

>From: "Rod Lincoln" <rlincoln@nospam.kc.rr.com>

>Newsgroups: IDEA.EMUEnsoniqPARIS

>Sent: Monday, March 12, 2007 2:51 PM

>Subject: Re: whats wrong? PLEASE HELP..

>

>

>>

>> Is Both your Cubase ANd Paris project set at the same sample rate? (48
or

>> 44.1) Do you have Cubase set to slave to external sync? What kind of sync

>> are you using to sync the to apps? smpte, adat 9 pin?

>> If you have everything right, both Paris and Cubase willmatch up sync

>> wise.

>> Rod

>>

>> "Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote:

>>>when I set tempo in Paris at 117 bpm and recording click from sx at 117

>> bpm

>>>,grid from Paris dont match click..there are big mismatches at the
end

>> of

>>>file...whats wrong? how can I match these 2 things..sorrz for my English

>>>

>>>Splico
>>>
>>>
>>
>
>"Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote in message
>news:45f512ee@linux...
>> when I set tempo in Paris at 117 bpm and recording click from sx at 117

>> bpm ,grid from Paris dont match click..there are big mismatches at
the
>> end of file...whats wrong? how can I match these 2 things..sorrz for my

>> English
>>
>> Splico
>>
>
>

Subject: Re: whats wrong? PLEASE HELP..
Posted by [Rod Lincoln](#) on Mon, 12 Mar 2007 18:56:34 GMT
[View Forum Message](#) <> [Reply to Message](#)

It should line up for you, all the way through.
Is both paris and Cubase on the same computer, or different computers? Is
either or bothe slaved to an external wordclock?
I'm just asking to try to get a better idea of your situation, but it should
not matter. I get files from clients all the time from other platforms,
cubase included, and they always match up once I set the tempo in Paris to
whatever they tell me the tempo of the song is. Sometimes, depending on the
app, and how the rendered the files, I have to trim a few miliseconds off
the start, but once I do that, it stays perfectly in sync.
The only time I've run up against what your talking about is if I get a file
from some old free standing sequencer or drum machine. Generally something
that gets spit out of a D/A converter, if not synced up to the parent app,
will behave like this.

Question....are you bouncing/rendering (or whatever it's called) the files
internally in cubase, or bouncing them externally to some other medium, before
exporting to Paris?

Rod

"Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote:
>start perfectly sinc..follow some time..after some times they are
>split.....at the end ,they are noticable split
>yes..im recording to the cubase internal sync...

>"Rod Lincoln" <rllincoln@nospam.kc.rr.com> wrote in message
>news:45f57e1f\$1@linux...
>
>
>>
>> That's wierd...it should match up. Are you recording to the cubase
>> internal
>> click?
>> Does it start being in alignment, and gets out of alignment as the song

>> progresses,
>> or does it start out of alignment. If so, how much, and does it remain

>> consistantly
>> out?
>> Rod
>> "Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote:
>>>I mean...when im working in sx and render track (and export them to
>>>paris)to
>>>mix in paris these files dont match paris grid at same sample rate and
>>>bitrate(44,1 and 24 bit)..i have mtc sync
>>>----- Original Message -----
>>>From: "Rod Lincoln" <rllincoln@nospam.kc.rr.com>
>>>Newsgroups: IDEA.EMUEnsoniqPARIS
>>>Sent: Monday, March 12, 2007 2:51 PM
>>>Subject: Re: whats wrong? PLEASE HELP..
>>>
>>>
>>>>
>>>> Is Both your Cubase ANd Paris project set at the same sample rate? (48
>> or
>>>> 44.1) Do you have Cubase set to slave to external sync? What kind of

>>>> sync
>>>> are you using to sync the to apps? smpte, adat 9 pin?
>>>> If you have everything right, both Paris and Cubase willmatch up sync
>>
>>>> wise.
>>>> Rod
>>>>
>>>> "Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote:
>>>>>when I set tempo in Paris at 117 bpm and recording click from sx at
>>>>117
>>>> bpm
>>>>>,grid from Paris dont match click..there are big mismatches at the
>> end
>>>> of
>>>>>file...whats wrong? how can I match these 2 things..sorrz for my English

> not matter. I get files from clients all the time from other platforms,
> cubase included, and they always match up once I set the tempo in Paris to
> whatever they tell me the tempo of the song is. Sometimes, depending on
> the
> app, and how the rendered the files, I have to trim a few miliseconds off
> the start, but once I do that, it stays perfectly in sync.
> The only time I've run up against what your talking about is if I get a
> file
> from some old free standing sequencer or drum machine. Generally something
> that gets spit out of a D/A converter, if not synced up to the parent app,
> will behave like this.
>
> Question....are you bouncing/rendering (or whatever it's called) the files
> internally in cubase, or bouncing them externally to some other medium,
> before
> exporting to Paris?
> Rod
>
> "Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote:
>>start perfectly sinc..follow some time..after some times they are
>>split.....at the end ,they are noticable split
>>yes..im recording to the cubase internal sync...
>>"Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message
>>news:45f57e1f\$1@linux...
>>
>>
>>> That's wierd...it should match up. Are you recording to the cubase
>>> internal
>>> click?
>>> Does it start being in alignment, and gets out of alignment as the song
>
>>> progresses,
>>> or does it start out of alignment. If so, how much, and does it remain
>
>>> consistantly
>>> out?
>>> Rod
>>> "Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote:
>>>>I mean...when im working in sx and render track (and export them to
>>>>paris)to
>>>>mix in paris these files dont match paris grid at same sample rate and
>>>>bitrate(44,1 and 24 bit)..i have mtc sync
>>>>----- Original Message -----
>>>>From: "Rod Lincoln" <rlincoln@nospam.kc.rr.com>
>>>>Newsgroups: IDEA.EMUEnsoniqPARIS
>>>>Sent: Monday, March 12, 2007 2:51 PM
>>>>Subject: Re: whats wrong? PLEASE HELP..

>

Subject: Re: whats wrong? PLEASE HELP..
Posted by [Tom Bruhl](#) on Mon, 12 Mar 2007 23:01:41 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_00D5_01C764D0.7CED9A70
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Goran,
Did you double check and see that the tempos of SX and Paris
are still the same? Try resetting the tempo in Paris and answer
'yes' to the realign all grid lines question.

Good luck!
Tom

"Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote in message =
news:45f5c5ab@linux...

I try again....same thing...My Paris with 2mec and 3 eds cards is on =
one,and=20

sx with pulsar card is on another..I dont have need to sync them till=20
now...I record in Paris timpani and acc on click previs record from=20
sx(digital out from Pulsar to dig in of Paris) performace was far from =

perfect and when I try to edit timpani I cant do because they are out =
of=20

sync...the click and grid aint matching...

but..I today try to load in Paris previus exported files from Sx and =
it was=20

ok ..they are matched ..I dont understand why..digial connection soud =
be the=20

same..._

"Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message=20
news:45f59452\$1@linux...

>

> It should line up for you, all the way through.

> Is both paris and Cubase on the same computer, or different =
computers? Is

> either or bothe slaved to an external wordclock?

> I'm just asking to try to get a better idea of your situation, but =
it=20

> should

> not matter. I get files from clients all the time from other =
platforms,
> cubase included, and they always match up once I set the tempo in =
Paris to
> whatever they tell me the tempo of the song is. Sometimes, depending =
on=20
> the
> app, and how the rendered the files, I have to trim a few =
milliseconds off
> the start, but once I do that, it stays perfectly in sync.
> The only time I've run up against what your talking about is if I =
get a=20
> file
> from some old free standing sequencer or drum machine. Generally =
something
> that gets spit out of a D/A converter, if not synced up to the =
parent app,
> will behave like this.
>
> Question....are you bouncing/rendering (or whatever it's called) the =
files
> internally in cubase, or bouncing them externally to some other =
medium,=20
> before
> exporting to Paris?
> Rod
>
> "Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote:
>>start perfectly sinc..follow some time..after some times they are
>>split.....at the end ,they are noticable split
>>yes..im recording to the cubase internal sync...
>>"Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message
>>news:45f57e1f\$1@linux...
>>
>>
>>>
>>> That's wierd...it should match up. Are you recording to the cubase
>>> internal
>>> click?
>>> Does it start being in alignment, and gets out of alignment as the =
song
>
>>> progresses,
>>> or does it start out of alignment. If so, how much, and does it =
remain
>
>>> consistantly
>>> out?

>>> Rod
>>> "Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote:
>>>>I mean...when im working in sx and render track (and export them =
to
>>>>paris)to
>>>>mix in paris these files dont match paris grid at same sample rate =
and
>>>>bitrate(44,1 and 24 bit)..i have mtc sync
>>>>----- Original Message -----=20
>>>>From: "Rod Lincoln" <rlincoln@nospam.kc.rr.com>
>>>>Newsgroups: IDEA.EMUEnsoniqPARIS
>>>>Sent: Monday, March 12, 2007 2:51 PM
>>>>Subject: Re: whats wrong? PLEASE HELP..
>>>>
>>>>
>>>>>
>>>>> Is Both your Cubase ANd Paris project set at the same sample =
rate? (48
>>> or
>>>>> 44.1) Do you have Cubase set to slave to external sync? What =
kind of
>
>>>>> sync
>>>>> are you using to sync the to apps? smpte, adat 9 pin?
>>>>> If you have everything right, both Paris and Cubase willmatch up =
sync
>>>
>>>>> wise.
>>>>> Rod
>>>>>
>>>>> "Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote:
>>>>>>when I set tempo in Paris at 117 bpm and recording click from =
sx at
> 117
>>>>> bpm
>>>>>>,grid from Paris dont match click..there are big missmatches =
at the
>>> end
>>>>> of
>>>>>>file...whats wrong? how can I match these 2 things..sorrz for my =
>>>>>>English
>>>>>>
>>>>>>Splico
>>>>>>
>>>>>>
>>>>>>
>>>>>>
>>>>>>

>>>>"Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote in =
message
>>>>news:45f512ee@linux...
>>>>> when I set tempo in Paris at 117 bpm and recording click from =
sx at
> 117
>>>
>>>>> bpm ,grid from Paris dont match click..there are big =
missmatches at
>>> the
>>>>> end of file...whats wrong? how can I match these 2 things..sorrz =
for
> my
>>>
>>>>> English
>>>>>
>>>>> Splico
>>>>>
>>>>
>>>>
>>>
>>
>>
>>
>=20

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=_NextPart_000_00D5_01C764D0.7CED9A70

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV>Goran,</DIV>

<DIV>Did you double check and see that the =
tempos of SX=20

and Paris</DIV>

<DIV>are still the same? Try resetting =

the tempo=20
in Paris and answer</DIV>
<DIV>'yes' to the realign all grid lines=20
question.</DIV>
<DIV> </DIV>
<DIV>Good luck!</DIV>
<DIV>Tom</DIV>
<DIV> </DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"Goran Stojiljkovic" <<A=20
 =
 href=3D"mailto:goran.stojiljkovic@os.t-com.hr">goran.stojiljkovic@os.t-co=
 m.hr>=20
 wrote in message <A=20
 href=3D"news:45f5c5ab@linux">news:45f5c5ab@linux...</DIV>I try =
 again....same=20
 thing...My Paris with 2mec and 3 eds cards is on one,and
sx with =
 pulsar=20
 card is on another..I dont have need to sync them till
now...I=20
 record in Paris timpani and acc on click previs record from=20

sx(digital out from Pulsar to dig in of Paris) performace was far =
 from=20

perfect and when I try to edit timpani I cant do because they are =
 out of=20

sync...the click and grid aint matching...
but..I today try to =
 load in=20
 Paris previus exported files from Sx and it was
ok ..they =
 are=20
 matched ..I dont understand why..digial connection soud be the=20

same..._
"Rod Lincoln" <<A=20
 =
 href=3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com&g=
 t;=20
 wrote in message
<A=20
 =
 href=3D"news:45f59452\$1@linux">news:45f59452\$1@linux...
>
&g=
 t; It=20
 should line up for you, all the way through.
> Is both paris and =
 Cubase=20
 on the same computer, or different computers? Is
> either or =
 bothe=20
 slaved to an external wordclock?
> I'm just asking to try to get =
 a=20
 better idea of your situation, but it
> should
> =
 not =20
 matter. I get files from clients all the time from other =

platforms,
>=20

cubase included, and they always match up once I set the tempo in =
Paris=20

to
> whatever they tell me the tempo of the song is. Sometimes,=20
depending on
> the
> app, and how the rendered the files, =
I have=20

to trim a few miliseconds off
> the start, but once I do that, =
it stays=20

perfectly in sync.
> The only time I've run up against what your =
talking=20

about is if I get a
> file
> from some old free standing=20
sequencer or drum machine. Generally something
> that gets spit =
out of a=20

D/A converter, if not synced up to the parent app,
> will behave =
like=20

this.
>
> Question....are you bouncing/rendering (or =
whatever it's=20

called) the files
> internally in cubase, or bouncing them =
externally to=20

some other medium,
> before
> exporting to Paris?
> =

Rod
>
> "Goran Stojiljkovic" <<A=20

=
href=3D"mailto:goran.stojiljkovic@os.t-com.hr">goran.stojiljkovic@os.t-co=
m.hr>=20

wrote:
>>start perfectly sinc..follow some time..after some =
times=20

they are
>>split....at the end ,they are noticable=20
split
>>yes..im recording to the cubase internal=20
sync...
>>"Rod Lincoln" <<A=20

=
href=3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com&g=
t;=20

wrote in=20

=
message
>>news:45f57e1f\$1@linux...
>>
>>
>g=
t;>>
>>>=20

That's wierd...it should match up. Are you recording to the=20
cubase
>>> internal
>>> click?
>>> =
Does it=20

start being in alignment, and gets out of alignment as the=20
song
>
>>> progresses,
>>> or does it =
start out=20

of alignment. If so, how much, and does it =
remain
>
>>>=20

consistantly
>>> out?
>>> Rod
>>> =
"Goran=20

Stojiljkovic" <<A=20

=
<mailto:goran.stojiljkovic@os.t-com.hr>>goran.stojiljkovic@os.t-com.hr>=20

wrote:
>>>>I mean...when im working in sx and render = track (and=20
export them to
>>>>paris)to
>>>>mix in = paris=20

these files dont match paris grid at same sample rate=20
and
>>>>bitrate(44,1 and 24 bit)..i have mtc =20
sync
>>>>----- Original Message ----- =

>>>>From:=20
"Rod Lincoln" <<A=20

=
<mailto:rlincoln@nospam.kc.rr.com>>rlincoln@nospam.kc.rr.com>=20

>>>>Newsgroups:=20

IDEA.EMUEnsoniqPARIS
>>>>Sent: Monday, March 12, 2007 = 2:51=20
PM
>>>>Subject: Re: whats wrong? PLEASE=20

=
HELP..
>>>>
>>>>
>>>>>
>>>>>
>>>>>=20

Is Both your Cubase ANd Paris project set at the same sample rate?=20
(48
>>>> or
>>>>> 44.1) Do you have =
Cubase set to=20

slave to external sync? What kind of
>>>>>=20
sync
>>>>>> are you using to sync the to apps? smpte, =
adat 9=20
pin?
>>>>>> If you have everything right, both Paris =
and=20

Cubase willmatch up sync
>>>>
>>>>>=20
wise.
>>>>>=20

Rod
>>>>>>
>>>>>> "Goran =
Stojiljkovic"=20
<<A=20

=
<mailto:goran.stojiljkovic@os.t-com.hr>>goran.stojiljkovic@os.t-com.hr>=20

wrote:
>>>>>>when I set tempo in Paris at = 117 bpm=20

and recording click from sx at
>>>>> 117
>>>>>=20
bpm
>>>>>>>grid from Paris dont match =
click..there=20

are big missmatches at the
>>>=20
end
>>>>>>> of
>>>>>>> file...whats =
wrong?=20

how can I match these 2 things..sorrz for my=20

=

>>>>>>>English
>>>>>>>>
>>>>>=

> yes..im recording to the cubase internal sync...
> "Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message
> news:45f57e1f\$1@linux...
>
>
>>
>> That's wierd...it should match up. Are you recording to the cubase
>> internal
>> click?
>> Does it start being in alignment, and gets out of alignment as the song
>> progresses,
>> or does it start out of alignment. If so, how much, and does it remain
>> consistantly
>> out?
>> Rod
>> "Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote:
>>>I mean...when im working in sx and render track (and export them to
>>>paris)to
>>>mix in paris these files dont match paris grid at same sample rate and
>>>bitrate(44,1 and 24 bit)..i have mtc sync
>>>----- Original Message -----
>>>From: "Rod Lincoln" <rlincoln@nospam.kc.rr.com>
>>>Newsgroups: IDEA.EMUEnsoniqPARIS
>>>Sent: Monday, March 12, 2007 2:51 PM
>>>Subject: Re: whats wrong? PLEASE HELP..
>>>
>>>
>>>>
>>>> Is Both your Cubase ANd Paris project set at the same sample rate? (48
>> or
>>>> 44.1) Do you have Cubase set to slave to external sync? What kind of
>>>> sync
>>>> are you using to sync the to apps? smpte, adat 9 pin?
>>>> If you have everything right, both Paris and Cubase willmatch up sync
>>
>>>> wise.
>>>> Rod
>>>>
>>>> "Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote:
>>>>>when I set tempo in Paris at 117 bpm and recording click from sx at
>>>>>117
>>>>>bpm
>>>>>,grid from Paris dont match click..there are big mismatches at the
>> end
>>>> of
>>>>>file...whats wrong? how can I match these 2 things..sorrz for my
>>>>>English
>>>>>

>>>>Splico
>>>>
>>>>
>>>>
>>>
>>>
>>>"Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote in message
>>>news:45f512ee@linux...
>>>> when I set tempo in Paris at 117 bpm and recording click from sx at
>>>> 117
>>
>>>> bpm ,grid from Paris dont match click..there are big mismatches at
>> the
>>>> end of file...whats wrong? how can I match these 2 things..sorrz for my
>>
>>>> English
>>>>
>>>> Splico
>>>>
>>>
>>>
>>
>
>
