

---

Subject: EMU PARIS & Waves ssl on xp  
Posted by [Goran Stojiljkovic](#) on Wed, 25 Oct 2006 10:56:08 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

does it work?  
latency ?

please answer.....

---

---

Subject: Re: EMU PARIS & Waves ssl on xp  
Posted by [Dimitrios](#) on Wed, 25 Oct 2006 15:31:10 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

SSL works great with Paris.  
The sound is phenomenal.  
Never heard of such a good native eq with personality.  
XP here .  
Regards,  
Dimitrios

"Goran Stojiljkovic" <[goran.stojiljkovic@os.t-com.hr](mailto:goran.stojiljkovic@os.t-com.hr)> wrote:  
>does it work?  
>latency ?  
>  
>please answer.....  
>  
>

---

---

Subject: Re: EMU PARIS & Waves ssl on xp  
Posted by [LaMont](#) on Wed, 25 Oct 2006 15:38:22 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

yes it works. Thank god Waves still code their plugins in Direct-x. Surprisingly, the plug added no latency. However, the mix I was working on only had 10 tracks.

"Goran Stojiljkovic" <[goran.stojiljkovic@os.t-com.hr](mailto:goran.stojiljkovic@os.t-com.hr)> wrote:  
>does it work?  
>latency ?  
>  
>please answer.....  
>  
>

---

---

Subject: Re: EMU PARIS & Waves ssl on xp  
Posted by [Dimitrios](#) on Wed, 25 Oct 2006 16:06:01 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi,  
The SSLcompressor has 0 latency.  
Thee SSL channel has 1 sample latency.  
Regards,  
Dimitrios

"LaMont" <jjdpro@ameritech.net> wrote:

>  
>yes it works. Thank god Waves still code their plugins in Direct-x. Surprisely,  
>the plug added no latency. However, the mix I was working on only had 10  
>tracks.

>  
>"Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote:

>>does it work?

>>latency ?

>>

>>please answer.....

>>

>>

>

---

---

Subject: Re: EMU PARIS & Waves ssl on xp  
Posted by [Tom Bruhl](#) on Wed, 25 Oct 2006 17:42:40 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

This is a multi-part message in MIME format.

-----=\_NextPart\_000\_00AD\_01C6F83B.70760720

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

What's a sample among friends?

T.

"Dimitrios" <musurgio@otenet.gr> wrote in message =  
news:453f8b69\$1@linux...

Hi,  
The SSLcompressor has 0 latency.  
Thee SSL channel has 1 sample latency.  
Regards,  
Dimitrios

"LaMont" <jjdpro@ameritech.net> wrote:  
>  
>yes it works. Thank god Waves still code their plugins in Direct-x. =  
Surprisely,  
>the plug added no latency. However, the mix I was working on only had =  
10  
>tracks.=20  
>  
>"Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote:  
>>does it work?  
>>latency ?  
>>  
>>please answer.....=20  
>>  
>>  
>>  
>

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=\_NextPart\_000\_00AD\_01C6F83B.70760720

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html"; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>What's a sample among =
friends?</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>T.</FONT></DIV>
<DIV>&nbsp;</DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"Dimitrios" &lt;<A=20
  href=3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>&gt; wrote in =
message=20
  <A=20
  =
  href=3D"news:453f8b69$1@linux">news:453f8b69$1@linux</A>...</DIV><BR>Hi,<=
```



> >  
> >yes it works. Thank god Waves still code their plugins in Direct-x. =  
>Surprisely,  
> >the plug added no latency. However, the mix I was working on only had  
=  
>10  
> >tracks.=20  
> >  
> >"Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote:  
> >>does it work?  
> >>latency ?  
> >>  
> >>please answer.....=20  
> >>  
> >>  
> >  
>  
>  
>  
>  
>I choose Polesoft Lockspam to fight spam, and you?  
><http://www.polesoft.com/refer.html>  
>  
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">  
><HTML><HEAD>  
><META http-equiv=3DContent-Type content=3D"text/html; =  
>charset=3Diso-8859-1">  
><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>  
><STYLE></STYLE>  
></HEAD>  
><BODY bgColor=3D#ffffff>  
><DIV><FONT face=3DArial size=3D2>What's a sample among =  
>friends?</FONT></DIV>  
><DIV><FONT face=3DArial size=3D2>T.</FONT></DIV>  
  
><BLOCKQUOTE=20  
>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =  
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">  
> <DIV>"Dimitrios" <<A=20  
> href=3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>> wrote in =  
>message=20  
> <A=20  
> =  
>href=3D"news:453f8b69\$1 @linux">news:453f8b69\$1 @linux</A>...</DIV><BR>Hi,<=  
>BR>The=20  
> SSLcompressor has 0 latency.<BR>Thee SSL channel has 1 sample=20  
> latency.<BR>Regards,<BR>Dimitrios<BR><BR>"LaMont" <<A=20  
> href=3D"mailto:jjdpro@ameritech.net">jjdpro@ameritech.net</A>>=20  
> wrote:<BR>><BR>>yes it works. Thank god Waves still code their =

>plugins=20  
> in Direct-x. Surprisely,<BR>>the plug added no latency. However, =  
>the mix l=20  
> was working on only had 10<BR>>tracks. <BR>><BR>>"Goran =  
>Stojiljkovic"=20  
> <<A=20  
> =  
>href=3D"mailto:goran.stojiljkovic@os.t-com.hr">goran.stojiljkovic@os.t-co=  
>m.hr</A>>=20  
> wrote:<BR>>>does it work?<BR>>>latency=20  
> ?<BR>>><BR>>>please answer.....=20  
> <BR>>><BR>>><BR>><BR></BLOCKQUOTE>  
><DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight spam, =  
>and=20  
>you?<BR><A=20  
>href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=  
  
>  
>

---

Subject: Re: EMU PARIS & Waves ssl on xp  
Posted by [Tom Bruhl](#) on Wed, 25 Oct 2006 22:18:44 GMT  
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=\_NextPart\_000\_0036\_01C6F862.01B217D0  
Content-Type: text/plain;  
charset="iso-8859-1"  
Content-Transfer-Encoding: quoted-printable

oh.

"Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message =  
news:453fd252\$1@linux...

If it's a stool sample.....well.....never mind.

Rod

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>What's a sample among friends?

>T.

>

> "Dimitrios" <musurgio@otenet.gr> wrote in message =3D

>news:453f8b69\$1@linux...

>

> Hi,

> The SSLcompressor has 0 latency.  
 > Thee SSL channel has 1 sample latency.  
 > Regards,  
 > Dimitrios  
 >  
 > "LaMont" <jjdpro@ameritech.net> wrote:  
 > >  
 > >yes it works. Thank god Waves still code their plugins in =  
 Direct-x. =3D  
 >Surprisely,  
 > >the plug added no latency. However, the mix I was working on only =  
 had  
 =3D  
 >10  
 > >tracks.=3D20  
 > >  
 > >"Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote:  
 > >>does it work?  
 > >>latency ?  
 > >>  
 > >>please answer.....=3D20  
 > >>  
 > >>  
 > >  
 >  
 >  
 >  
 >  
 >I choose Polesoft Lockspam to fight spam, and you?  
 ><http://www.polesoft.com/refer.html> =20  
 >  
 ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">  
 ><HTML><HEAD>  
 ><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D  
 >charset=3D3Diso-8859-1">  
 ><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>  
 ><STYLE></STYLE>  
 ></HEAD>  
 ><BODY bgColor=3D3D#ffffff>  
 ><DIV><FONT face=3D3DArial size=3D3D2>What's a sample among =3D  
 >friends?</FONT></DIV>  
 ><DIV><FONT face=3D3DArial size=3D3D2>T.</FONT></DIV>  
 ><DIV> </DIV>  
 ><BLOCKQUOTE=3D20  
 >style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =  
 =3D  
 >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">  
 > <DIV>"Dimitrios" <<A=3D20  
 > href=3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>> wrote =

in =3D  
>message=3D20  
> <A=3D20  
> =3D  
=  
>href=3D3D"news:453f8b69\$1 @linux">news:453f8b69\$1 @linux</A>...</DIV><BR>H=  
i,<=3D  
>BR>The=3D20  
> SSLcompressor has 0 latency.<BR>Thee SSL channel has 1 sample=3D20  
> latency.<BR>Regards,<BR>Dimitrios<BR><BR>"LaMont" <<A=3D20  
> =  
href=3D3D"mailto:jjdpro@ameritech.net">jjdpro@ameritech.net</A>=>=3D20  
> wrote:<BR>><BR>>yes it works. Thank god Waves still code their =3D  
>plugins=3D20  
> in Direct-x. Surprisingly,<BR>>the plug added no latency. However, =  
=3D  
>the mix l=3D20  
> was working on only had 10<BR>>tracks. <BR>><BR>>"Goran =3D  
>Stojiljkovic"=3D20  
> <<A=3D20  
> =3D  
=  
>href=3D3D"mailto:goran.stojiljkovic@os.t-com.hr">goran.stojiljkovic@os.t=  
-co=3D  
>m.hr</A>=>=3D20  
> wrote:<BR>>>does it work?<BR>>>latency=3D20  
> ?<BR>>><BR>>>please answer.....=3D20  
> <BR>>><BR>>><BR>><BR></BLOCKQUOTE>  
><DIV><FONT size=3D3D2><BR><BR>I choose Polesoft Lockspam to fight =  
spam, =3D  
>and=3D20  
>you?<BR><A=3D20  
=  
>href=3D3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/re=  
fer=3D  
>.html</A> </FONT></DIV></BODY></HTML>  
>  
>

-----=\_NextPart\_000\_0036\_01C6F862.01B217D0

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html"; =  
charset=3Diso-8859-1">



<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>  
<STYLE></STYLE>  
</HEAD>  
<BODY bgColor=3D#ffffff>  
<DIV><FONT face=3DArial size=3D2>oh.</FONT></DIV>  
<BLOCKQUOTE=20  
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =  
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">  
 <DIV>"Rod Lincoln" &lt;<A=20  
 =  
href=3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</A>&g=  
t;=20  
 wrote in message <A=20  
 =  
href=3D"news:453fd252\$1@linux">news:453fd252\$1@linux</A>...</DIV><BR>If =  
it's a=20  
 stool sample.....well.....never mind.<BR>Rod<BR>"Tom =  
Bruhl" &lt;<A=20  
 href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>&g;=20  
 wrote:<BR>&g;<BR>&g;<BR>&g;What's a sample among=20  
 friends?<BR>&g;T.<BR>&g;<BR>&g;&nbsp; "Dimitrios" &lt;<A=20  
 href=3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>&g; wrote in =  
message=20  
 =3D<BR>&g;news:453f8b69\$1@linux...<BR>&g;<BR>&g;&nbsp; =  
Hi,<BR>&g;&nbsp; The=20  
 SSLcompressor has 0 latency.<BR>&g;&nbsp; Thee SSL channel has 1 =  
sample=20  
 latency.<BR>&g;&nbsp; Regards,<BR>&g;&nbsp; =  
Dimitrios<BR>&g;<BR>&g;&nbsp;=20  
 "LaMont" &lt;<A=20  
 href=3D"mailto:jjdpro@ameritech.net">jjdpro@ameritech.net</A>&g;=20  
 wrote:<BR>&g;&nbsp; &g;<BR>&g;&nbsp; &g;yes it works. Thank god =  
Waves=20  
 still code their plugins in Direct-x. =  
=3D<BR>&g;Surprisely,<BR>&g;&nbsp;=20  
 &g;the plug added no latency. However, the mix I was working on only=20  
 had<BR>=3D<BR>&g;10<BR>&g;&nbsp; &g;tracks.=3D20<BR>&g;&nbsp;=20  
 &g;<BR>&g;&nbsp; &g;"Goran Stojiljkovic" &lt;<A=20  
 =  
href=3D"mailto:goran.stojiljkovic@os.t-com.hr">goran.stojiljkovic@os.t-co=  
m.hr</A>&g;=20  
 wrote:<BR>&g;&nbsp; &g;&g;does it work?<BR>&g;&nbsp; =  
&g;&g;latency=20  
 ?<BR>&g;&nbsp; &g;&g;<BR>&g;&nbsp; &g;&g;please=20  
 answer.....=3D20<BR>&g;&nbsp; &g;&g;<BR>&g;&nbsp; =  
&g;&g;<BR>&g;&nbsp;=20  
 &g;<BR>&g;<BR>&g;<BR>&g;I choose Polesoft Lockspam to =  
fight spam,=20

and you?<BR>&gt;http://www.polesoft.com/refer.html&nbsp;&nbsp;&nbsp;=&nbsp;20  
<BR>&gt;<BR>&gt;&lt;!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=20  
Transitional//EN"&gt;<BR>&gt;&lt;HTML&gt;&lt;HEAD&gt; <BR>&gt;&lt;META=20  
http-equiv=3D3DContent-Type content=3D3D"text/html;=20  
=3D<BR>&gt;charset=3D3Diso-8859-1"&gt;<BR>&gt;&lt;META =  
content=3D3D"MSHTML=20  
6.00.2800.1400"=20  
=  
name=3D3DGENERATOR&gt;<BR>&gt;&lt;STYLE&gt;&lt;/STYLE&gt; <BR>&gt;&lt;/HEA=  
D&gt;<BR>&gt;&lt;BODY=20  
bgColor=3D3D#ffffff&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT face=3D3DArial=20  
size=3D3D2&gt;&gt;What's a sample among=20  
=  
=3D<BR>&gt;friends?&lt;/FONT&gt;&lt;/DIV&gt; <BR>&gt;&lt;DIV&gt;&lt;FONT=20  
face=3D3DArial =  
size=3D3D2&gt;&gt;T.&lt;/FONT&gt;&lt;/DIV&gt; ; <BR>&gt;&lt;DIV&gt;=20  
=  
&lt;/DIV&gt;<BR>&gt;&lt;BLOCKQUOTE=3D20<BR >&gt;style=3D3D"PADDING-RIGHT: =  
0px;=20  
PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D<BR>&gt;BORDER-LEFT: #000000 =  
2px solid;=20  
MARGIN-RIGHT: 0px"&gt;<BR>&gt;&nbsp;& &lt;DIV&gt;"Dimitrios"=20  
&lt;&lt;A=3D20<BR>&gt;&nbsp;& href=3D3D"<A=20  
=  
href=3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A'>mailto:musurgio=  
@otenet.gr"&gt;musurgio@otenet.gr&lt;/A</A>&gt;&gt;=20  
wrote in =3D<BR>&gt;message=3D20<BR>&gt;&nbsp;& =  
&lt;&lt;A=3D20<BR>&gt;&nbsp;& href=3D3D"<A=20  
=  
href=3D'news:453f8b69\$1 @linux">news:453f8b69\$1 @linux</A>...</DIV><BR>Hi'>=  
news:453f8b69\$1 @linux"&gt;news:453f8b69\$1 @linux&lt;/A&gt;...&lt;/DIV&gt;&=  
lt;BR&gt;Hi</A>,&lt;=3D<BR>&gt;BR&gt;The=3D20 <BR>&gt;&nbsp;&=20  
SSLcompressor has 0 latency.&lt;BR&gt;Thee SSL channel has 1=20  
sample=3D20<BR>&gt;&nbsp;&=20  
=  
latency.&lt;BR&gt;Regards,&lt;BR&gt;Dimitrio s&lt;BR&gt;&lt;BR&gt; "LaMont"=  
=20  
&lt;&lt;A=3D20<BR>&gt;&nbsp;& href=3D3D"<A=20  
=  
href=3D'mailto:jjdpro@ameritech.net">jjdpro@ameritech.net</A>>=3D20'>mail=  
to:jjdpro@ameritech.net"&gt;jjdpro@ameritech.net&lt;/A&gt;&gt;=3D20</A><B=  
R>&gt;&nbsp;&=20  
wrote:&lt;BR&gt;&gt;&lt;BR&gt;&gt;ye s it works. Thank god Waves still =  
code=20  
their =3D<BR>&gt;plugins=3D20<BR>&gt;&nbsp;& in Direct-x.=20  
Surprisely,&lt;BR&gt;&gt;the plug added no latency. However, =  
=3D<BR>&gt;the mix=20

I=3D20<BR>&gt;&nbsp; was working on only had 10&lt;BR&gt;&gt;tracks.=20  
&lt;BR&gt;&gt;&lt;BR&gt;&gt;"Goran =  
=3D<BR>&gt;Stojiljkovic"=3D20<BR>&gt;&nbsp;=20  
&lt;&lt;A=3D20<BR>&gt;&nbsp; =3D<BR>&gt;href=3D3D"<A=20  
=  
href=3D'mailto:goran.stojiljkovic@os.t-com.hr">goran.stojiljkovic@os.t-co=  
'>mailto:goran.stojiljkovic@os.t-com.hr"&gt;goran.stojiljkovic@os.t-co</A=  
>=3D<BR>&gt;m.hr&lt;/A&gt;&gt;=3D20<BR>&gt;&nbsp;=20  
wrote:&lt;BR&gt;&gt;&gt;does it=20  
work?&lt;BR&gt;&gt;&gt;latency=3D20<BR>&gt;&nbsp;=20  
?&lt;BR&gt;&gt;&gt;&lt;BR&gt;&gt; ;&gt;please =  
answer.....=3D20<BR>&gt;&nbsp;=20  
=  
&lt;BR&gt;&gt;&gt;&lt;BR&gt;&gt; &gt;&lt;BR&gt;&gt;&lt;BR&gt;&lt; /BLOCKQUO=  
TE&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT=20  
size=3D3D2&gt;&lt;BR&gt;&lt;BR&gt;I choose Polesoft Lockspam to fight =  
spam,=20  
=  
=3D<BR>&gt;and=3D20<BR>&gt;you?&lt;BR&gt;&lt;A=3D20 <BR>&gt;href=3D3D"<A=20  
=  
href=3D'http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=  
'>http://www.polesoft.com/refer.html"&gt;http://www.polesoft.com/refer</A=  
>=3D<BR>&gt;.html&lt;/A&gt;=20  
=  
&lt;/FONT&gt;&lt;/DIV&gt;&lt;/BODY&g t;&lt;/HTML&gt; <BR>&gt;<BR>&gt;<BR></=  
BLOCKQUOTE></BODY></HTML>

-----=\_NextPart\_000\_0036\_01C6F862.01B217D0--

---

Subject: Re: EMU PARIS & Waves ssl on xp  
Posted by [Robert Arsenault](#) on Thu, 26 Oct 2006 17:27:10 GMT  
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=\_NextPart\_000\_0035\_01C6F90A.D2CBD240

Content-Type: text/plain;  
charset="iso-8859-1"  
Content-Transfer-Encoding: quoted-printable

Speaking of SSL, have you guys seen this new piece , I wonder how this =  
would work with Paris latency speaking..??  
[http://www.solid-state-logic.com/music/duende\\_home.html](http://www.solid-state-logic.com/music/duende_home.html)

Rob

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =  
news:453fe0a4@linux...

oh.

"Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message =  
news:453fd252\$1@linux...

If it's a stool sample.....well.....never mind.

Rod

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>What's a sample among friends?

>T.

>

> "Dimitrios" <musurgio@otenet.gr> wrote in message =3D

>news:453f8b69\$1@linux...

>

> Hi,

> The SSLcompressor has 0 latency.

> Thee SSL channel has 1 sample latency.

> Regards,

> Dimitrios

>

> "LaMont" <jjdpro@ameritech.net> wrote:

> >

> >yes it works. Thank god Waves still code their plugins in =

Direct-x. =3D

>Surprisely,

> >the plug added no latency. However, the mix I was working on =  
only had

=3D

>10

> >tracks.=3D20

> >

> >"Goran Stojiljkovic" <goran.stojiljkovic@os.t-com.hr> wrote:

> >>does it work?

> >>latency ?

> >>

> >>please answer.....=3D20

> >>

> >>

> >

>

>

>

>I choose Polesoft Lockspam to fight spam, and you?

><http://www.polesoft.com/refer.html> =20

>

```

><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<<HTML><HEAD>
<<META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
>charset=3D3Diso-8859-1">
<<META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
<<STYLE></STYLE>
<</HEAD>
<<BODY bgColor=3D3D#ffffff>
<<DIV><FONT face=3D3DArial size=3D3D2>What's a sample among =3D
>friends?</FONT></DIV>
<<DIV><FONT face=3D3DArial size=3D3D2>T.</FONT></DIV>
<<DIV> </DIV>
<<BLOCKQUOTE=3D20
>style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3D
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Dimitrios" <<A=3D20
> href=3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>> =
wrote in =3D
>message=3D20
> <A=3D20
> =3D
=
>href=3D3D"news:453f8b69$1@linux">news:453f8b69$1@linux</A>...</DIV><BR>H=
i,<=3D
>BR>The=3D20
> SSLcompressor has 0 latency.<BR>Thee SSL channel has 1 =
sample=3D20
> latency.<BR>Regards,<BR>Dimitrios<BR><BR>"LaMont" <<A=3D20
> =
href=3D3D"mailto:jjdpro@ameritech.net">jjdpro@ameritech.net</A>>=3D20
> wrote:<BR>><BR>>yes it works. Thank god Waves still code their =
=3D
>plugins=3D20
> in Direct-x. Surprisely,<BR>>the plug added no latency. However, =
=3D
>the mix l=3D20
> was working on only had 10<BR>>tracks. <BR>><BR>>"Goran =3D
>Stojiljkovic"=3D20
> <<A=3D20
> =3D
=
>href=3D3D"mailto:goran.stojiljkovic@os.t-com.hr">goran.stojiljkovic@os.t=
-co=3D
>m.hr</A>>=3D20
> wrote:<BR>>>does it work?<BR>>>latency=3D20
> ?<BR>>><BR>>>please answer.....=3D20
> <BR>>><BR>>><BR>><BR></BLOCKQUOTE>

```

```
><DIV><FONT size=3D3D2><BR><BR>I choose Polesoft Lockspam to fight =
spam, =3D
>and=3D20
>you?<BR><A=3D20
=
>href=3D3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/re=
fer=3D
>.html</A> </FONT></DIV></BODY></HTML>
>
>
```

-----=\_NextPart\_000\_0035\_01C6F90A.D2CBD240

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
```

```
<HTML><HEAD>
```

```
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
```

```
<META content=3D"MSHTML 6.00.2900.2873" name=3DGENERATOR>
```

```
<STYLE></STYLE>
```

```
</HEAD>
```

```
<BODY bgColor=3D#ffffff>
```

```
<DIV><FONT size=3D2>Speaking of SSL, have you guys seen this =
new&nbsp;piece , l=20
```

```
wonder how this would work with Paris latency speaking..??</FONT></DIV>
```

```
<DIV><FONT size=3D2><A=20
```

```
href=3D"http://www.solid-state-logic.com/music/duende_home.html">http://w=
ww.solid-state-logic.com/music/duende_home.html</A></FONT> </DIV>
```

```
<DIV><FONT size=3D2></FONT>&nbsp;</DIV>
```

```
<DIV><FONT size=3D2>Rob</FONT></DIV>
```

```
<DIV><FONT size=3D2></FONT>&nbsp;</DIV>
```

```
<DIV><FONT size=3D2></FONT>&nbsp;</DIV>
```

```
<BLOCKQUOTE dir=3Dltr=20
```

```
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
```

```
<DIV>"Tom Bruhl" &lt;<A=20
```

```
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>&gt; wrote =
in message=20
```

```
<A href=3D"news:453fe0a4@linux">news:453fe0a4@linux</A>...</DIV>
```

```
<DIV><FONT face=3DArial size=3D2>oh.</FONT></DIV>
```

```
<BLOCKQUOTE=20
```

```
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
```

```
<DIV>"Rod Lincoln" &lt;<A=20
```

```
=
```

```
href=3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</A>&g=
```

t;=20  
wrote in message <A=20  
=  
href=3D"news:453fd252\$1@linux">news:453fd252\$1@linux</A>...</DIV><BR>If =  
it's a=20  
stool sample.....well.....never mind.<BR>Rod<BR>"Tom =  
Bruhl"=20  
&lt;<A =  
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>&gt;=20  
wrote:<BR>&gt;<BR>&gt;<BR>&gt;What's a sample among=20  
friends?<BR>&gt;T.<BR>&gt;<BR>&gt;&nbsp; "Dimitrios" &lt;<A=20  
href=3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>&gt; wrote =  
in message=20  
=3D<BR>&gt;news:453f8b69\$1@linux...<BR>&gt;<BR>&gt;&nbsp; =  
Hi,<BR>&gt;&nbsp;=20  
The SSLcompressor has 0 latency.<BR>&gt;&nbsp; Thee SSL channel has =  
1 sample=20  
latency.<BR>&gt;&nbsp; Regards,<BR>&gt;&nbsp;=20  
Dimitrios<BR>&gt;<BR>&gt;&nbsp; "LaMont" &lt;<A=20  
href=3D"mailto:jjdpro@ameritech.net">jjdpro@ameritech.net</A>&gt;=20  
wrote:<BR>&gt;&nbsp; &gt;<BR>&gt;&nbsp; &gt;<BR>&gt;&nbsp; &gt;yes it works. Thank god =  
Waves=20  
still code their plugins in Direct-x. =  
=3D<BR>&gt;Surprisely,<BR>&gt;&nbsp;=20  
&gt;the plug added no latency. However, the mix I was working on =  
only=20  
had<BR>=3D<BR>&gt;10<BR>&gt;&nbsp; &gt;tracks.=3D20<BR>&gt;&nbsp;=20  
&gt;<BR>&gt;&nbsp; &gt;"Goran Stojiljkovic" &lt;<A=20  
=  
href=3D"mailto:goran.stojiljkovic@os.t-com.hr">goran.stojiljkovic@os.t-co=  
m.hr</A>&gt;=20  
wrote:<BR>&gt;&nbsp; &gt;&gt;does it work?<BR>&gt;&nbsp; =  
&gt;&gt;latency=20  
?<BR>&gt;&nbsp; &gt;&gt;<BR>&gt;&nbsp; &gt;&gt;please=20  
answer.....=3D20<BR>&gt;&nbsp; &gt;&gt;<BR>&gt;&nbsp; =  
&gt;&gt;<BR>&gt;&nbsp;=20  
&gt;<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt;I choose Polesoft Lockspam to =  
fight=20  
spam, and you?<BR>&gt;http://www.polesoft.com/refer.html&nbsp;&nbsp;&nbsp; =  
  
<BR>&gt;<BR>&gt;&lt;!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=20  
=  
Transitional//EN"&gt;<BR>&gt;&lt;HTML&gt;&lt;HEAD&gt; <BR>&gt;&lt;META=20  
http-equiv=3D3DContent-Type content=3D3D"text/html";=20  
=3D<BR>&gt;charset=3D3Diso-8859-1"&gt;<BR>&gt;&lt;META =  
content=3D3D"MSHTML=20  
6.00.2800.1400"=20  
=  
=

name=3D3DGENERATOR&gt;<BR>&gt;&lt;STYLE&gt;&lt;/STYLE&gt; <BR>&gt;&lt;/HEA=  
D&gt;<BR>&gt;&lt;BODY=20  
bgColor=3D3D#ffffff&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT face=3D3DArial=20  
size=3D3D2&gt;&gt;What's a sample among=20  
=  
=3D<BR>&gt;friends?&lt;/FONT&gt;&lt;/DIV&gt; <BR>&gt;&lt;DIV&gt;&lt;FONT=20  
face=3D3DArial =  
size=3D3D2&gt;&gt;T.&lt;/FONT&gt;&lt;/DIV&gt; ; <BR>&gt;&lt;DIV&gt;=20  
=  
&lt;/DIV&gt;<BR>&gt;&lt;BLOCKQUOTE=3D20<BR >&gt;style=3D3D"PADDING-RIGHT: =  
0px;=20  
PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D<BR>&gt;BORDER-LEFT: #000000 =  
2px=20  
solid; MARGIN-RIGHT: 0px"&gt;&gt;&nbsp; &lt;DIV&gt;"Dimitrios"=20  
&lt;&lt;A=3D20<BR>&gt;&nbsp; href=3D3D"<A=20  
=  
href=3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A'>mailto:musurgio=  
@otenet.gr"&gt;musurgio@otenet.gr&lt;/A</A>&gt;&gt;=20  
wrote in =3D<BR>&gt;message=3D20<BR>&gt;&nbsp; =  
&lt;A=3D20<BR>&gt;&nbsp;=20  
=3D<BR>&gt;href=3D3D"<A=20  
=  
href=3D'news:453f8b69\$1 @linux">news:453f8b69\$1 @linux</A>...</DIV><BR>Hi'>=  
news:453f8b69\$1 @linux"&gt;news:453f8b69\$1 @linux&lt;/A&gt;...&lt;/DIV&gt;&=  
lt;BR&gt;Hi</A>,&lt;=3D<BR>&gt;BR&gt;The=3D20 <BR>&gt;&nbsp;=20  
SSLcompressor has 0 latency.&lt;BR&gt;Thee SSL channel has 1=20  
sample=3D20<BR>&gt;&nbsp;=20  
=  
latency.&lt;BR&gt;Regards,&lt;BR&gt;Dimitrio s&lt;BR&gt;&lt;BR&gt; "LaMont"=  
=20  
&lt;&lt;A=3D20<BR>&gt;&nbsp; href=3D3D"<A=20  
=  
href=3D'mailto:jjdpro@ameritech.net">jjdpro@ameritech.net</A>>=3D20'>mail=  
to:jjdpro@ameritech.net"&gt;jjdpro@ameritech.net&lt;/A&gt;&gt;=3D20</A><B=  
R>&gt;&nbsp;=20  
wrote:&lt;BR&gt;&gt;&lt;BR&gt;&gt;ye s it works. Thank god Waves =  
still code=20  
their =3D<BR>&gt;plugins=3D20<BR>&gt;&nbsp; in Direct-x.=20  
Surprisely,&lt;BR&gt;&gt;the plug added no latency. However, =  
=3D<BR>&gt;the=20  
mix l=3D20<BR>&gt;&nbsp; was working on only had =  
10&lt;BR&gt;&gt;tracks.=20  
&lt;BR&gt;&gt;&lt;BR&gt;&gt;"Goran =  
=3D<BR>&gt;Stojiljkovic"=3D20<BR>&gt;&nbsp;=20  
&lt;&lt;A=3D20<BR>&gt;&nbsp; =3D<BR>&gt;href=3D3D"<A=20  
=  
href=3D'mailto:goran.stojiljkovic@os.t-com.hr">goran.stojiljkovic@os.t-co=  
'>mailto:goran.stojiljkovic@os.t-com.hr"&gt;goran.stojiljkovic@os.t-co</A=



>=3D<BR>&gt;m.hr&lt;/A&gt;&gt;=3D20<BR>&gt;&nbsp;=20  
wrote:&lt;BR&gt;&gt;&gt;&gt;does it=20  
work?&lt;BR&gt;&gt;&gt;&gt;latency=3D20<BR>&gt;&nbsp;=20  
?&lt;BR&gt;&gt;&gt;&gt;&lt;BR&gt;&gt; ;&gt;please =  
answer.....=3D20<BR>&gt;&nbsp;=20  
=  
&lt;BR&gt;&gt;&gt;&gt;&lt;BR&gt;&gt; &gt;&lt;BR&gt;&gt;&lt;BR&gt;&lt; /BLOCKQUO=  
TE&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT=20  
size=3D3D2&gt;&lt;BR&gt;&lt;BR&gt;I choose Polesoft Lockspam to =  
fight spam,=20  
=  
=3D<BR>&gt;and=3D20<BR>&gt;you?&lt;BR&gt;&lt;A=3D20 <BR>&gt;href=3D3D" <A=20  
=  
href=3D'http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=  
'>http://www.polesoft.com/refer.html"&gt;http://www.polesoft.com/refer</A=  
>=3D<BR>&gt;.html&lt;/A&gt;=20  
=  
&lt;/FONT&gt;&lt;/DIV&gt;&lt;/BODY&gt;&lt;/HTML&gt; <BR>&gt;<BR>&gt;<BR></=  
BLOCKQUOTE></BLOCKQUOTE></BODY></HTML>  
  
-----=\_NextPart\_000\_0035\_01C6F90A.D2CBD240--

---