

---

Subject: dj about your idea

Posted by [chuck duffy](#) on Fri, 27 Oct 2006 13:16:25 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi DJ,

I guess what we are talking about is two things:

1. An ASIO host application with let's say 64 ins and 64 outs. This app would also be a VST host application that would let you insert plugs on each of the 64 ins. It would add up the total latency on each input, buffer the output to some consistent user entered amount, and send it out the output. The latency for every channel would end up being exactly the same user entered amount.

2. A simple VST plugin that would allow you to select an input and output ASIO channel. That's all that one would do. This plug wouldn't have any latency of it's own.

So my question is..... Is there any other possible use for such a setup?

I would be willing to get involved in an open source freeware, ad/donation supported project for this if there was.

Chuck

---

---

Subject: Re: dj about your idea

Posted by [Dimitrios](#) on Fri, 27 Oct 2006 14:03:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Chuck,

You have hit gold here.

Well at least among Paris users...

Can you imagine all Parisians have the ability to send their Cubase (sorry DJ) tracks via asio destination channels to Paris for mixing ?

So one could install a basic simple audio card with low latency like rme or other like pULSAR which can have up to 64 asio destinations, well 16 would be great 8 would be enough.

Thus you can open a vst effect on Paris audio track 1 choose asio destination 1 and then on Pulsar environment asio 1 will receive the output of that channel.

So if a Paris user installs a Pulsar II card (3ms) then a Paris audio track can go out to Pulsar have a great digital effect and come back on vst again with asio to complete the route.

That could be done with rme/Cubase on same computer with Paris or other combination.

Anyway Chuck I am willing to pay for it 100\$ is ok ? he

One thing that matters is the vst instances must be synced at the same latency asio card will use. I guess that this may be obvious but anyway I would

like to point.

Other daws that luck asio could benefit also.

How much would you define as a payment for the time and skills that would involve such a task ?

Regards and thanks !

Dimitrios

"chuck duffy" <c@c.com> wrote:

>

>Hi DJ,

>

>I guess what we are talking about is two things:

>

>1. An ASIO host application with let's say 64 ins and 64 outs. This app  
>>would also be a VST host application that would let you insert plugs on  
>each

>of the 64 ins. It would add up the total latency on each input, buffer  
>the

>output to some consistent user entered amount, and send it out the output.

> The latency for every channel would end up being exactly the same user  
>entered

>amount.

>

>2. A simple VST plugin that would allow you to select an input and output  
>ASIO channel. That's all that one would do. This plug wouldn't have any  
>latency of it's own.

>

>So my question is..... Is there any other possible use for such a setup?

> I would be willing to get involved in an open source freeware, ad/donation  
>supported project for this if there was.

>

>Chuck

>

>

>

>

---

Subject: Re: dj about your idea

Posted by [Rob Arsenault](#) on Fri, 27 Oct 2006 14:21:17 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

If this lets me use my uad plugins in paris with minimal latency grief,  
count me and my MasterCard in as well.

Rob

"chuck duffy" <c@c.com> wrote in message news:454206a9\$1@linux...  
>  
> Hi DJ,  
>  
> I guess what we are talking about is two things:  
>  
> 1. An ASIO host application with let's say 64 ins and 64 outs. This app  
> would also be a VST host application that would let you insert plugs on  
> each  
> of the 64 ins. It would add up the total latency on each input, buffer  
> the  
> output to some consistent user entered amount, and send it out the output.  
> The latency for every channel would end up being exactly the same user  
> entered  
> amount.  
>  
> 2. A simple VST plugin that would allow you to select an input and output  
> ASIO channel. That's all that one would do. This plug wouldn't have any  
> latency of it's own.  
>  
> So my question is..... Is there any other possible use for such a setup?  
> I would be willing to get involved in an open source freeware, ad/donation  
> supported project for this if there was.  
>  
> Chuck  
>  
>  
>  
>

---

---

Subject: Re: dj about your idea  
Posted by [chuck duffy](#) on Fri, 27 Oct 2006 15:12:59 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Well, the real question is if this has any use \*outside\* of paris users.  
It would need to have some sort of audience beyond the paris community to  
get the kind of numbers that make ad revenue possible.

Chuck

"Dimitrios" <musurgio@otenet.gr> wrote:

>  
>Chuck,  
>You have hit gold here.  
>Well at least among Paris users...  
>Can you imagine all Parisians have the ability to send their Cubase (sorry

>DJ) tracks via asio destination channels to Paris for mixing ?  
>So one could instal a basic simple audio card with low latency like rme  
>or  
>other like pULSAR which can have up to 64 asio destinations, well 16 would  
>be great 8 would be enough.  
>Thus you can open a vst effect on Paris audio track 1 choose asio destination  
>1 and then on Pulsar environnement asio 1 will receive the output of that  
>channel.  
>So if a Paris user installs a Pulsar II card (3ms) then a paris audio track  
>can go out to Pulsar have a great digital eefect and come back on vst again  
>with asio to complete the route.  
>That could be done with rme/Cubase on same computer with Paris or other  
>combination.  
>Anyway Chuck I am willing to pay for it 100\$ is ok ? he  
>One thing that matters is the vst instances must be synced at the same latency  
>asio card will use. I guess that this may be obvious but anyway I wouldd  
>like to point.  
>Other daws that luck asio could benefit also.  
>How much would you define as a payment for the time and skills that would  
>involve such a task ?  
>Regards and thanks !  
>Dimitrios  
>  
>  
>"chuck duffy" <c@c.com> wrote:  
>>  
>>Hi DJ,  
>>  
>>I guess what we are talking about is two things:  
>>  
>>1. An ASIO host application with let's say 64 ins and 64 outs. This app  
>>would also be a VST host application that would let you insert plugs on  
>>each  
>>of the 64 ins. It would add up the total latency on each input, buffer  
>>the  
>>output to some consistent user entered amount, and send it out the output.  
>> The latency for every channel would end up being exactly the same user  
>>entered  
>>amount.  
>>  
>>2. A simple VST plugin that would allow you to select an input and output  
>>ASIO channel. That's all that one would do. This plug wouldn't have any  
>>latency of it's own.  
>>  
>>So my question is..... Is there any other possible use for such a setup?  
>> I would be willing to get involved in an open source freeware, ad/donation  
>>supported project for this if there was.  
>>

>>Chuck  
>>  
>>  
>>  
>>  
>>  
>

---

Subject: Re: dj about your idea  
Posted by [chuck duffy](#) on Fri, 27 Oct 2006 15:23:08 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi Alex,

It might be, but I'm looking at a few other angles:

1. The plugin code in paris is ancient and it runs lots of newer plugs poorly, with weird side effects, or not at all. This would be an opportunity to run the plugs in a modern environment, and get latency compensation
2. We don't have access to the VST/DX plug-in code, or any other paris application code, so I can't really produce a delay compensator.
3. Since there are other, but more limited apps like this out there that act as effects, instrument hosts, i figured that there might be an audience outside of the paris community that could use it too. That's the only way I would really take on something like this.

Chuck

"alex plasko" <[alex.plasko@snet.net](mailto:alex.plasko@snet.net)> wrote:

>Chuck

>would an auto latency compensation plug in be easier to build?Im no software

>engineer but isnt that just a ping?

>

>"chuck duffy" <[c@c.com](mailto:c@c.com)> wrote in message [news:454206a9\\$1@linux...](news:454206a9$1@linux...)

>>

>> Hi DJ,

>>

>> I guess what we are talking about is two things:

>>

>> 1. An ASIO host application with let's say 64 ins and 64 outs. This app

>> would also be a VST host application that would let you insert plugs on

>> each

>> of the 64 ins. It would add up the total latency on each input, buffer

>> the  
>> output to some consistent user entered amount, and send it out the output.  
>> The latency for every channel would end up being exactly the same user  
  
>> entered  
>> amount.  
>>  
>> 2. A simple VST plugin that would allow you to select an input and output  
>> ASIO channel. That's all that one would do. This plug wouldn't have  
any  
>> latency of it's own.  
>>  
>> So my question is..... Is there any other possible use for such a setup?  
>> I would be willing to get involved in an open source freeware, ad/donation  
>> supported project for this if there was.  
>>  
>> Chuck  
>>  
>>  
>>  
>>  
>  
>

---

---

Subject: Re: dj about your idea  
Posted by [AlexPlasko](#) on Fri, 27 Oct 2006 15:26:22 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Chuck  
would an auto latency compensation plug in be easier to build?Im no software  
engineer but isnt that just a ping?

"chuck duffy" <c@c.com> wrote in message news:454206a9\$1@linux...

>  
> Hi DJ,  
>  
> I guess what we are talking about is two things:  
>  
> 1. An ASIO host application with let's say 64 ins and 64 outs. This app  
> would also be a VST host application that would let you insert plugs on  
> each  
> of the 64 ins. It would add up the total latency on each input, buffer  
> the  
> output to some consistent user entered amount, and send it out the output.  
> The latency for every channel would end up being exactly the same user  
> entered  
> amount.

>  
> 2. A simple VST plugin that would allow you to select an input and output  
> ASIO channel. That's all that one would do. This plug wouldn't have any  
> latency of it's own.  
>  
> So my question is..... Is there any other possible use for such a setup?  
> I would be willing to get involved in an open source freeware, ad/donation  
> supported project for this if there was.  
>  
> Chuck  
>  
>  
>  
>

---

---

Subject: Re: dj about your idea  
Posted by [Nil](#) on Fri, 27 Oct 2006 15:33:40 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

"chuck duffy" <c@c.com> wrote:

>  
>Well, the real question is if this has any use \*outside\* of paris users.  
  
>It would need to have some sort of audience beyond the paris community to  
>get the kind of numbers that make ad revenue possible.

Check, what if you included, as part of the whole package, a few plugins as well (maybe a basic selection of dynamics, reverb, EQ, modulation stuff, etc. - just some different flavors of those types of things)? That way it could give anyone & everyone a reason to try it beyond just the routing options. Are any of the plugins you ported over port-able to VST? If so, you could use some of those.

Neil

---

---

Subject: Re: dj about your idea  
Posted by [AlexPlasko](#) on Fri, 27 Oct 2006 15:50:33 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I hear that. I wouldnt want to work for next to nothing either.maybe someday edmund will have a change of heart and i can dust off the paris rig again.if i live that long :-)"chuck duffy" <c@c.com> wrote in message news:4542245c\$1@linux...  
>

> Hi Alex,  
>  
> It might be, but I'm looking at a few other angles:  
>  
> 1. The plugin code in paris is ancient and it runs lots of newer plugs  
> poorly,  
> with weird side effects, or not at all. This would be an opportunity to  
> run  
> the plugs in a modern environment, and get latency compensation  
>  
> 2. We don't have access to the VST/DX plug-in code, or any other paris  
> application  
> code, so I can't really produce a delay compensator.  
>  
> 3. Since there are other, but more limited apps like this out there that  
> act as effects, instrument hosts, i figured that there might be an  
> audience  
> outside of the paris community that could use it too. That's the only way  
> I would really take on something like this.  
>  
> Chuck  
>  
> "alex plasko" <alex.plasko@snet.net> wrote:  
>>Chuck  
>>would an auto latency compensation plug in be easier to build?Im no  
>>software  
>  
>>engineer but isnt that just a ping?  
>>  
>>"chuck duffy" <c@c.com> wrote in message news:454206a9\$1 @linux...  
>>>  
>>> Hi DJ,  
>>>  
>>> I guess what we are talking about is two things:  
>>>  
>>> 1. An ASIO host application with let's say 64 ins and 64 outs. This app  
>>> would also be a VST host application that would let you insert plugs on  
>  
>>> each  
>>> of the 64 ins. It would add up the total latency on each input, buffer  
>  
>>> the  
>>> output to some consistent user entered amount, and send it out the  
>>> output.  
>>> The latency for every channel would end up being exactly the same user  
>  
>>> entered  
>>> amount.



>>>  
>>> 2. A simple VST plugin that would allow you to select an input and  
>>> output  
>>> ASIO channel. That's all that one would do. This plug wouldn't have  
> any  
>>> latency of it's own.  
>>>  
>>> So my question is..... Is there any other possible use for such a setup?  
>>> I would be willing to get involved in an open source freeware,  
>>> ad/donation  
>>> supported project for this if there was.  
>>>  
>>> Chuck  
>>>  
>>>  
>>>  
>>>  
>>  
>>  
>

---

Subject: Re: dj about your idea  
Posted by [animix](#) on Fri, 27 Oct 2006 15:53:11 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Chuck,

There is already an ASIO host application that has unlimited I/O so #2 has been covered. It's not simple though  
<http://www.plogue.com/index.php?option=content&task=view &id=21&Itemid=35>  
I haven't tried it yet but will likely get around to it over the weekend or early next week. I was thinking of something that could interface directly with Paris so that the UAD-1 cards could work directly on the Paris DAW without having to interface via ADAT on a second workstation. Old Magma's are cheap these days and having the cards in the Paris workstation running Win XP without having to interface with a second DAW using lightpipe would be ideal. this is why I was thinking of Wires. As far as an ASIO driver, under the "Paris DAW being host" scenario, without an efficient ASIO driver, for Paris, I don't see this happening. To tell you the truth, I haven't used the Paris ASIO driver in years. I wonder if it would work with a VST host like Forte or Chainer? I do remember some latency with this driver, but it's been a long time. Anyway, as far as third party uses for the VST host you are proposing in #1 .....I honestly don't know unless they were wanting to stream from a DAW with no latency compensation to a digital mixer. I don't think there are any DAWs, other than Paris left on earth that don't have latency compensation.

If you decide you want to do this, I will support your efforts 100%.

Thanks,

DJ

"chuck duffy" <c@c.com> wrote in message news:454206a9\$1@linux...

>

> Hi DJ,

>

> I guess what we are talking about is two things:

>

> 1. An ASIO host application with let's say 64 ins and 64 outs. This app  
> would also be a VST host application that would let you insert plugs on  
> each

> of the 64 ins. It would add up the total latency on each input, buffer  
> the

> output to some consistent user entered amount, and send it out the output.

> The latency for every channel would end up being exactly the same user  
> entered

> amount.

>

> 2. A simple VST plugin that would allow you to select an input and output  
> ASIO channel. That's all that one would do. This plug wouldn't have any  
> latency of it's own.

>

> So my question is..... Is there any other possible use for such a setup?

> I would be willing to get involved in an open source freeware,  
> ad/donation

> supported project for this if there was.

>

> Chuck

>

>

>

>

>

---

Subject: Re: dj about your idea

Posted by [brandon\[2\]](#) on Fri, 27 Oct 2006 16:15:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Is the reason for all of this to basically make up for the need of native  
inserts on the PARIS AUX busses?

Brandon

"DJ" <notachance@net.net> wrote in message news:45422b7b@linux...  
> Chuck,  
>  
> There is already an ASIO host application that has unlimited I/O so #2 has  
> been covered. It's not simple though  
> [http://www.plogue.com/index.php?option=content&task=view &id=21&Itemid=35](http://www.plogue.com/index.php?option=content&task=view&id=21&Itemid=35)  
> I haven't tried it yet but will likely get around to it over the weekend  
> or  
> early next week. I was thinking of something that could interface directly  
> with Paris so that the UAD-1 cards could work directly on the Paris DAW  
> without having to interface via ADAT on a second workstation. Old Magma's  
> are cheap these days and having the cards in the Paris workstation running  
> Win XP without having to interface with a second DAW using lightpipe would  
> be ideal. this is why I was thinking of Wires. As far as an ASIO driver,  
> under the "Paris DAW being host" scenario, without an efficient ASIO  
driver,  
> for Paris, I don't see this happening. To tell you the truth, I haven't  
used  
> the Paris ASIO driver in years. I wonder if it would work with a VST host  
> like Forte or Chainer? I do remember some latency with this driver, but  
it's  
> been a long time. Anyway, as far as third party uses for the VST host you  
> are proposing in #1 .....I honestly don't know unless they were  
> wanting to stream from a DAW with no latency compensation to a digital  
> mixer. I don't think there are any DAWs, other than Paris left on earth  
that  
> don't have latency compensation.  
>  
> If you decide you want to do this, I will support your efforts 100%.  
>  
> Thanks,  
>  
> DJ  
>  
> "chuck duffy" <c@c.com> wrote in message news:454206a9\$1@linux...  
>>  
>> Hi DJ,  
>>  
>> I guess what we are talking about is two things:  
>>  
>> 1. An ASIO host application with let's say 64 ins and 64 outs. This app  
>> would also be a VST host application that would let you insert plugs on  
> each  
>> of the 64 ins. It would add up the total latency on each input, buffer  
> the  
>> output to some consistent user entered amount, and send it out the  
output.

> > The latency for every channel would end up being exactly the same user  
> entered  
> > amount.  
> >  
> > 2. A simple VST plugin that would allow you to select an input and  
output  
> > ASIO channel. That's all that one would do. This plug wouldn't have  
any  
> > latency of it's own.  
> >  
> > So my question is..... Is there any other possible use for such a setup?  
> > I would be willing to get involved in an open source freeware,  
> ad/donation  
> > supported project for this if there was.  
> >  
> > Chuck  
> >  
> >  
> >  
> >  
> >  
>  
>

---

---

Subject: Re: dj about your idea  
Posted by [animix](#) on Fri, 27 Oct 2006 16:20:19 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Not really. The need for this (for me) is to be able to work in a less chaotic way when using UAD-1 plugins with Paris. To be nudging tracks around all over the \*^%\$%\$^&^\* place and trying to keep up with what whas nudged where and how much drives me even crazier than the crap I'm dealing with trying to find a wyay not to do it....plus, it makes using the now line as a visual reference in the editor a useless endeavor because the latency is so extreme that the track is practically off the screen by the time you hear it.

;o)

"Brandon" <a@a.com> wrote in message news:45422e76\$1@linux...  
> Is the reason for all of this to basically make up for the need of native  
> inserts on the PARIS AUX busses?  
>  
> Brandon  
>  
>  
>  
> "DJ" <notachance@net.net> wrote in message news:45422b7b@linux...

> > Chuck,  
> >  
> > There is already an ASIO host application that has unlimited I/O so #2  
has  
> > been covered. It's not simple though  
> > [http://www.plogue.com/index.php?option=content&task=view &id=21&Itemid=35](http://www.plogue.com/index.php?option=content&task=view&id=21&Itemid=35)  
> > I haven't tried it yet but will likely get around to it over the weekend  
> > or  
> > early next week. I was thinking of something that could interface  
directly  
> > with Paris so that the UAD-1 cards could work directly on the Paris DAW  
> > without having to interface via ADAT on a second workstation. Old  
Magma's  
> > are cheap these days and having the cards in the Paris workstation  
running  
> > Win XP without having to interface with a second DAW using lightpipe  
would  
> > be ideal. this is why I was thinking of Wires. As far as an ASIO driver,  
> > under the "Paris DAW being host" scenario, without an efficient ASIO  
> driver,  
> > for Paris, I don't see this happening. To tell you the truth, I haven't  
> used  
> > the Paris ASIO driver in years. I wonder if it would work with a VST  
host  
> > like Forte or Chainer? I do remember some latency with this driver, but  
> it's  
> > been a long time. Anyway, as far as third party uses for the VST host  
you  
> > are proposing in #1 .....I honestly don't know unless they  
were  
> > wanting to stream from a DAW with no latency compensation to a digital  
> > mixer. I don't think there are any DAWs, other than Paris left on earth  
> that  
> > don't have latency compensation.  
> >  
> > If you decide you want to do this, I will support your efforts 100%.  
> >  
> > Thanks,  
> >  
> > DJ  
> >  
> > "chuck duffy" <c@c.com> wrote in message news:454206a9\$1@linux...  
> > >  
> > > Hi DJ,  
> > >  
> > > I guess what we are talking about is two things:  
> > >  
> > > 1. An ASIO host application with let's say 64 ins and 64 outs. This

app  
> > > would also be a VST host application that would let you insert plugs  
on  
> > each  
> > > of the 64 ins. It would add up the total latency on each input,  
buffer  
> > the  
> > > output to some consistent user entered amount, and send it out the  
> output.  
> > > The latency for every channel would end up being exactly the same  
user  
> > entered  
> > > amount.  
> > >  
> > > 2. A simple VST plugin that would allow you to select an input and  
> output  
> > > ASIO channel. That's all that one would do. This plug wouldn't have  
> any  
> > > latency of it's own.  
> > >  
> > > So my question is..... Is there any other possible use for such a  
setup?  
> > > I would be willing to get involved in an open source freeware,  
> > ad/donation  
> > > supported project for this if there was.  
> > >  
> > > Chuck  
> > >  
> > >  
> > >  
> > >  
> >  
> >  
>  
>

---

Subject: Re: dj about your idea  
Posted by [brandon\[2\]](#) on Fri, 27 Oct 2006 17:00:51 GMT  
[View Forum Message](#) <> [Reply to Message](#)

So if there was an automatic delay compensator and Native inserts on the AUX  
busses everyone would be happy?

Brandon

"DJ" <notachance@net.net> wrote in message news:454231d8@linux...  
> Not really. The need for this (for me) is to be able to work in a less  
> chaotic way when using UAD-1 plugins with Paris. To be nudging tracks  
around  
> all over the \*^%\$%^&\* place and trying to keep up with what whas nudged  
> where and how much drives me even crazier than the crap I'm dealing with  
> trying to find a wyay not to do it....plus, it makes using the now line as  
a  
> visual reference in the editor a useless endeavor because the latency is  
so  
> extreme that the track is practically off the screen by the time you hear  
> it.  
>  
> ;o)  
>  
> "Brandon" <a@a.com> wrote in message news:45422e76\$1@linux...  
>> Is the reason for all of this to basically make up for the need of  
native  
>> inserts on the PARIS AUX busses?  
>>  
>> Brandon  
>>  
>>  
>>  
>> "DJ" <notachance@net.net> wrote in message news:45422b7b@linux...  
>>> Chuck,  
>>>  
>>> There is already an ASIO host application that has unlimited I/O so #2  
> has  
>>> been covered. It's not simple though  
>>>  
>>> <http://www.plogue.com/index.php?option=content&task=view&id=21&Itemid=35>  
>>> I haven't tried it yet but will likely get around to it over the  
weekend  
>> or  
>>> early next week. I was thinking of something that could interface  
> directly  
>>> with Paris so that the UAD-1 cards could work directly on the Paris  
DAW  
>>> without having to interface via ADAT on a second workstation. Old  
> Magma's  
>>> are cheap these days and having the cards in the Paris workstation  
> running  
>>> Win XP without having to interface with a second DAW using lightpipe  
> would  
>>> be ideal. this is why I was thinking of Wires. As far as an ASIO  
driver,

> > > under the "Paris DAW being host" scenario, without an efficient ASIO  
> > driver,  
> > > for Paris, I don't see this happening. To tell you the truth, I  
haven't  
> > used  
> > > the Paris ASIO driver in years. I wonder if it would work with a VST  
> host  
> > > like Forte or Chainer? I do remember some latency with this driver,  
but  
> > it's  
> > > been a long time. Anyway, as far as third party uses for the VST host  
> you  
> > > are proposing in #1 .....I honestly don't know unless they  
> were  
> > > wanting to stream from a DAW with no latency compensation to a digital  
> > > mixer. I don't think there are any DAWs, other than Paris left on  
earth  
> > that  
> > > don't have latency compensation.  
> > >  
> > > If you decide you want to do this, I will support your efforts 100%.  
> > >  
> > > Thanks,  
> > >  
> > > DJ  
> > >  
> > > "chuck duffy" <c@c.com> wrote in message news:454206a9\$1 @linux...  
> > > >  
> > > > Hi DJ,  
> > > >  
> > > > I guess what we are talking about is two things:  
> > > >  
> > > > 1. An ASIO host application with let's say 64 ins and 64 outs. This  
> app  
> > > > would also be a VST host application that would let you insert plugs  
> on  
> > > each  
> > > > of the 64 ins. It would add up the total latency on each input,  
> buffer  
> > > the  
> > > > output to some consistent user entered amount, and send it out the  
> > output.  
> > > > The latency for every channel would end up being exactly the same  
> user  
> > > entered  
> > > > amount.  
> > > >  
> > > > 2. A simple VST plugin that would allow you to select an input and



> > output  
> > > ASIO channel. That's all that one would do. This plug wouldn't  
have  
> > any  
> > > latency of it's own.  
> > > >  
> > > > So my question is..... Is there any other possible use for such a  
> setup?  
> > > > I would be willing to get involved in an open source freeware,  
> > > ad/donation  
> > > > supported project for this if there was.  
> > > >  
> > > > Chuck  
> > > >  
> > > >  
> > > >  
> > > >  
> > > >  
> > >  
> > >  
> >  
> >  
> >  
>  
>

---

---

Subject: Re: dj about your idea  
Posted by [chuck duffy](#) on Fri, 27 Oct 2006 17:40:45 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Dj,

I think you are misunderstanding a little :-) The asio streams in this "new" asio host would be all virtual and not require any hardware or adats interfaces at all.

The "new" vst plug when used on a channel in paris would let you select a route in and back out of the "new" asio host.

The "new" host would accept real vsts and delay them to a specific user entered, consistent threshold, then feed the output back to the same "new" vst plug in paris.

It would be hardwareless.

Chuck

Chuck

"DJ" <notachance@net.net> wrote:

>Chuck,

>

>There is already an ASIO host application that has unlimited I/O so #2 has  
>been covered. It's not simple though

> [http://www.plogue.com/index.php?option=content&task=view &id=21&Itemid=35](http://www.plogue.com/index.php?option=content&task=view&id=21&Itemid=35)

>I haven't tried it yet but will likely get around to it over the weekend

or

>early next week. I was thinking of something that could interface directly

>with Paris so that the UAD-1 cards could work directly on the Paris DAW

>without having to interface via ADAT on a second workstation. Old Magma's

>are cheap these days and having the cards in the Paris workstation running

>Win XP without having to interface with a second DAW using lightpipe would

>be ideal. this is why I was thinking of Wires. As far as an ASIO driver,

>under the "Paris DAW being host" scenario, without an efficient ASIO driver,

>for Paris, I don't see this happening. To tell you the truth, I haven't

used

>the Paris ASIO driver in years. I wonder if it would work with a VST host

>like Forte or Chainer? I do remember some latency with this driver, but

it's

>been a long time. Anyway, as far as third party uses for the VST host you

>are proposing in #1 .....I honestly don't know unless they were

>wanting to stream from a DAW with no latency compensation to a digital

>mixer. I don't think there are any DAWs, other than Paris left on earth

that

>don't have latency compensation.

>

>If you decide you want to do this, I will support your efforts 100%.

>

>Thanks,

>

>DJ

>

>"chuck duffy" <c@c.com> wrote in message news:454206a9\$1@linux...

>>

>> Hi DJ,

>>

>> I guess what we are talking about is two things:

>>

>> 1. An ASIO host application with let's say 64 ins and 64 outs. This app

>> would also be a VST host application that would let you insert plugs on

>each

>> of the 64 ins. It would add up the total latency on each input, buffer

>the

>> output to some consistent user entered amount, and send it out the output.

>> The latency for every channel would end up being exactly the same user

>entered

>> amount.  
>>  
>> 2. A simple VST plugin that would allow you to select an input and output  
>> ASIO channel. That's all that one would do. This plug wouldn't have  
any  
>> latency of it's own.  
>>  
>> So my question is..... Is there any other possible use for such a setup?  
>> I would be willing to get involved in an open source freeware,  
>ad/donation  
>> supported project for this if there was.  
>>  
>> Chuck  
>>  
>>  
>>  
>>  
>  
>

---

---

Subject: Re: dj about your idea  
Posted by [chuck duffy](#) on Fri, 27 Oct 2006 17:41:38 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

No because there are tons of plugs that just DONT run in paris, let alone  
vstis!

Chuck

"Brandon" <a@a.com> wrote:

>So if there was an automatic delay compensator and Native inserts on the  
AUX

>busses everyone would be happy?

>

>Brandon

>

>

>

>

>"DJ" <notachance@net.net> wrote in message news:454231d8@linux...

>> Not really. The need for this (for me) is to be able to work in a less

>> chaotic way when using UAD-1 plugins with Paris. To be nudging tracks

>around

>> all over the \*^%\$%^&\* place and trying to keep up with what whas nudged

>> where and how much drives me even crazier than the crap I'm dealing with

>> trying to find a wyay not to do it....plus, it makes using the now line

as

>a  
>> visual reference in the editor a useless endeavor because the latency  
is  
>so  
>> extreme that the track is practically off the screen by the time you hear  
>> it.  
>>  
>> ;o)  
>>  
>> "Brandon" <a@a.com> wrote in message news:45422e76\$1@linux...  
>> > Is the reason for all of this to basically make up for the need of  
>native  
>> > inserts on the PARIS AUX busses?  
>> >  
>> > Brandon  
>> >  
>> >  
>> >  
>> > "DJ" <notachance@net.net> wrote in message news:45422b7b@linux...  
>> > > Chuck,  
>> > >  
>> > > There is already an ASIO host application that has unlimited I/O so  
#2  
>> has  
>> > > been covered. It's not simple though  
>> > >  
> [http://www.plogue.com/index.php?option=content&task=view &id=21&Itemid=35](http://www.plogue.com/index.php?option=content&task=view&id=21&Itemid=35)  
>> > > I haven't tried it yet but will likely get around to it over the  
>weekend  
>> > or  
>> > > early next week. I was thinking of something that could interface  
>> directly  
>> > > with Paris so that the UAD-1 cards could work directly on the Paris  
>DAW  
>> > > without having to interface via ADAT on a second workstation. Old  
>> Magma's  
>> > > are cheap these days and having the cards in the Paris workstation  
>> running  
>> > > Win XP without having to interface with a second DAW using lightpipe  
>> would  
>> > > be ideal. this is why I was thinking of Wires. As far as an ASIO  
>driver,  
>> > > under the "Paris DAW being host" scenario, without an efficient ASIO  
>> > driver,  
>> > > for Paris, I don't see this happening. To tell you the truth, I  
>haven't  
>> > used  
>> > > the Paris ASIO driver in years. I wonder if it would work with a VST

>> host  
>> > like Forte or Chainer? I do remember some latency with this driver,  
>but  
>> > it's  
>> > > been a long time. Anyway, as far as third party uses for the VST  
host  
>> you  
>> > > are proposing in #1 .....I honestly don't know unless they  
>> were  
>> > > wanting to stream from a DAW with no latency compensation to a digital  
>> > > mixer. I don't think there are any DAWs, other than Paris left on  
>earth  
>> > that  
>> > > don't have latency compensation.  
>> > >  
>> > > If you decide you want to do this, I will support your efforts 100%.  
>> > >  
>> > > Thanks,  
>> > >  
>> > > DJ  
>> > >  
>> > > "chuck duffy" <c@c.com> wrote in message news:454206a9\$1 @linux...  
>> > > >  
>> > > > Hi DJ,  
>> > > >  
>> > > > I guess what we are talking about is two things:  
>> > > >  
>> > > > 1. An ASIO host application with let's say 64 ins and 64 outs.  
This  
>> app  
>> > > > would also be a VST host application that would let you insert plugs  
>> on  
>> > > each  
>> > > > of the 64 ins. It would add up the total latency on each input,  
>> buffer  
>> > > the  
>> > > > output to some consistent user entered amount, and send it out the  
>> > output.  
>> > > > The latency for every channel would end up being exactly the same  
>> user  
>> > > entered  
>> > > > amount.  
>> > > >  
>> > > > 2. A simple VST plugin that would allow you to select an input and  
>> > output  
>> > > > ASIO channel. That's all that one would do. This plug wouldn't  
>have  
>> > any



> consistent threshold, then feed the output back to the same "new" vst plug  
> in paris.  
>  
> It would be hardwareless.  
>  
> Chuck  
>  
>  
>  
> Chuck  
> "DJ" <notachance@net.net> wrote:  
> >Chuck,  
> >  
> >There is already an ASIO host application that has unlimited I/O so #2  
has  
> >been covered. It's not simple though  
> > [http://www.plogue.com/index.php?option=content&task=view &id=21&Itemid=35](http://www.plogue.com/index.php?option=content&task=view&id=21&Itemid=35)  
> >I haven't tried it yet but will likely get around to it over the weekend  
> or  
> >early next week. I was thinking of something that could interface  
directly  
> >with Paris so that the UAD-1 cards could work directly on the Paris DAW  
> >without having to interface via ADAT on a second workstation. Old Magma's  
> >are cheap these days and having the cards in the Paris workstation  
running  
> >Win XP without having to interface with a second DAW using lightpipe  
would  
> >be ideal. this is why I was thinking of Wires. As far as an ASIO driver,  
> >under the "Paris DAW being host" scenario, without an efficient ASIO  
driver,  
> >for Paris, I don't see this happening. To tell you the truth, I haven't  
> used  
> >the Paris ASIO driver in years. I wonder if it would work with a VST host  
> >like Forte or Chainer? I do remember some latency with this driver, but  
> it's  
> >been a long time. Anyway, as far as third party uses for the VST host  
you  
> >are proposing in #1 .....I honestly don't know unless they were  
> >wanting to stream from a DAW with no latency compensation to a digital  
> >mixer. I don't think there are any DAWs, other than Paris left on earth  
> that  
> >don't have latency compensation.  
> >  
> >If you decide you want to do this, I will support your efforts 100%.  
> >  
> >Thanks,  
> >  
> >DJ

> >  
> >"chuck duffy" <c@c.com> wrote in message news:454206a9\$1@linux...  
> >>  
> >> Hi DJ,  
> >>  
> >> I guess what we are talking about is two things:  
> >>  
> >> 1. An ASIO host application with let's say 64 ins and 64 outs. This  
app  
> >> would also be a VST host application that would let you insert plugs on  
> >each  
> >> of the 64 ins. It would add up the total latency on each input, buffer  
> >the  
> >> output to some consistent user entered amount, and send it out the  
output.  
> >> The latency for every channel would end up being exactly the same user  
> >entered  
> >> amount.  
> >>  
> >> 2. A simple VST plugin that would allow you to select an input and  
output  
> >> ASIO channel. That's all that one would do. This plug wouldn't have  
> >any  
> >> latency of it's own.  
> >>  
> >> So my question is..... Is there any other possible use for such a  
setup?  
> >> I would be willing to get involved in an open source freeware,  
> >ad/donation  
> >> supported project for this if there was.  
> >>  
> >> Chuck  
> >>  
> >>  
> >>  
> >>  
> >  
> >  
>

---

Subject: Re: dj about your idea  
Posted by [animix](#) on Fri, 27 Oct 2006 17:52:41 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

DOH!!!!.....OK, the difference being that with this plug we ould compensate  
latency?



"DJ" <notachance@net.net> wrote in message news:454246bc\$1@linux...  
> Ahhh.....OK.....so Paris would open this as a VST plugin? Can't we  
already  
> do that with chainer, etc?  
>  
>  
>  
> "chuck duffy" <c@c.com> wrote in message news:4542449d\$1@linux...  
>>  
>> Dj,  
>>  
>> I think you are misunderstanding a little :-) The asio streams in this  
> "new"  
>> asio host would be all virtual and not require any hardware or adats  
> interfaces  
>> at all.  
>>  
>> The "new" vst plug when used on a channel in paris would let you select  
a  
>> route in and back out of the "new" asio host.  
>>  
>> The "new" host would accept real vsts and delay them to a specific user  
> entered,  
>> consistent threshold, then feed the output back to the same "new" vst  
plug  
>> in paris.  
>>  
>> It would be hardwareless.  
>>  
>> Chuck  
>>  
>>  
>>  
>> Chuck  
>> "DJ" <notachance@net.net> wrote:  
>> >Chuck,  
>> >  
>> >There is already an ASIO host application that has unlimited I/O so #2  
> has  
>> >been covered. It's not simple though  
>>  
> [http://www.plogue.com/index.php?option=content&task=view &id=21&Itemid=35](http://www.plogue.com/index.php?option=content&task=view&id=21&Itemid=35)  
>> >I haven't tried it yet but will likely get around to it over the  
weekend  
>> or  
>> >early next week. I was thinking of something that could interface  
> directly

> > >with Paris so that the UAD-1 cards could work directly on the Paris DAW  
> > >without having to interface via ADAT on a second workstation. Old  
Magma's  
> > >are cheap these days and having the cards in the Paris workstation  
> running  
> > >Win XP without having to interface with a second DAW using lightpipe  
> would  
> > >be ideal. this is why I was thinking of Wires. As far as an ASIO  
driver,  
> > >under the "Paris DAW being host" scenario, without an efficient ASIO  
> driver,  
> > >for Paris, I don't see this happening. To tell you the truth, I haven't  
> > used  
> > >the Paris ASIO driver in years. I wonder if it would work with a VST  
host  
> > >like Forte or Chainer? I do remember some latency with this driver, but  
> > it's  
> > >been a long time. Anyway, as far as third party uses for the VST host  
> you  
> > >are proposing in #1 .....I honestly don't know unless they  
were  
> > >wanting to stream from a DAW with no latency compensation to a digital  
> > >mixer. I don't think there are any DAWs, other than Paris left on earth  
> > that  
> > >don't have latency compensation.  
> > >  
> > >If you decide you want to do this, I will support your efforts 100%.  
> > >  
> > >Thanks,  
> > >  
> > >DJ  
> > >  
> > >"chuck duffy" <c@c.com> wrote in message news:454206a9\$1@linux...  
> > >>  
> > >> Hi DJ,  
> > >>  
> > >> I guess what we are talking about is two things:  
> > >>  
> > >> 1. An ASIO host application with let's say 64 ins and 64 outs. This  
> app  
> > >> would also be a VST host application that would let you insert plugs  
on  
> > >>each  
> > >> of the 64 ins. It would add up the total latency on each input,  
buffer  
> > >>the  
> > >> output to some consistent user entered amount, and send it out the  
> output.

> > >> The latency for every channel would end up being exactly the same user  
> > >entered  
> > >> amount.  
> > >>  
> > >> 2. A simple VST plugin that would allow you to select an input and  
> output  
> > >> ASIO channel. That's all that one would do. This plug wouldn't have  
> > any  
> > >> latency of it's own.  
> > >>  
> > >> So my question is..... Is there any other possible use for such a  
> setup?  
> > >> I would be willing to get involved in an open source freeware,  
> > >ad/donation  
> > >> supported project for this if there was.  
> > >>  
> > >> Chuck  
> > >>  
> > >>  
> > >>  
> > >>  
> > >  
> > >  
> >  
>  
>

---

---

Subject: Re: dj about your idea  
Posted by [Rich\[3\]](#) on Fri, 27 Oct 2006 18:02:53 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

That's like asking my wife if I finish painting the Kitichen and cut the grass  
can I watch all the games every Sunday for the rest of the year....

"Brandon" <a@a.com> wrote:

>So if there was an automatic delay compensator and Native inserts on the  
AUX

>busses everyone would be happy?

>

>Brandon

>

>

>

>

>"DJ" <notachance@net.net> wrote in message news:454231d8@linux...

>> Not really. The need for this (for me) is to be able to work in a less  
>> chaotic way when using UAD-1 plugins with Paris. To be nudging tracks  
>around  
>> all over the \*^%\$%^&\* place and trying to keep up with what whas nudged  
>> where and how much drives me even crazier than the crap I'm dealing with  
>> trying to find a wyay not to do it....plus, it makes using the now line  
as  
>a  
>> visual reference in the editor a useless endeavor because the latency  
is  
>so  
>> extreme that the track is practically off the screen by the time you hear  
>> it.  
>>  
>> ;o)  
>>  
>> "Brandon" <a@a.com> wrote in message news:45422e76\$1@linux...  
>> > Is the reason for all of this to basically make up for the need of  
>native  
>> > inserts on the PARIS AUX busses?  
>> >  
>> > Brandon  
>> >  
>> >  
>> >  
>> > "DJ" <notachance@net.net> wrote in message news:45422b7b@linux...  
>> > > Chuck,  
>> > >  
>> > > There is already an ASIO host application that has unlimited I/O so  
#2  
>> has  
>> > > been covered. It's not simple though  
>> > >  
> <http://www.plogue.com/index.php?option=content&task=view&id=21&Itemid=35>  
>> > > I haven't tried it yet but will likely get around to it over the  
>weekend  
>> > or  
>> > > early next week. I was thinking of something that could interface  
>> directly  
>> > > with Paris so that the UAD-1 cards could work directly on the Paris  
>DAW  
>> > > without having to interface via ADAT on a second workstation. Old  
>> Magma's  
>> > > are cheap these days and having the cards in the Paris workstation  
>> running  
>> > > Win XP without having to interface with a second DAW using lightpipe  
>> would  
>> > > be ideal. this is why I was thinking of Wires. As far as an ASIO

>driver,  
>> > > under the "Paris DAW being host" scenario, without an efficient ASIO  
>> > driver,  
>> > > for Paris, I don't see this happening. To tell you the truth, I  
>haven't  
>> > used  
>> > > the Paris ASIO driver in years. I wonder if it would work with a VST  
>> host  
>> > > like Forte or Chainer? I do remember some latency with this driver,  
>but  
>> > it's  
>> > > been a long time. Anyway, as far as third party uses for the VST  
host  
>> you  
>> > > are proposing in #1 .....I honestly don't know unless they  
>> were  
>> > > wanting to stream from a DAW with no latency compensation to a digital  
>> > > mixer. I don't think there are any DAWs, other than Paris left on  
>earth  
>> > that  
>> > > don't have latency compensation.  
>> > >  
>> > > If you decide you want to do this, I will support your efforts 100%.  
>> > >  
>> > > Thanks,  
>> > >  
>> > > DJ  
>> > >  
>> > > "chuck duffy" <c@c.com> wrote in message news:454206a9\$1@linux...  
>> > > >  
>> > > > Hi DJ,  
>> > > >  
>> > > > I guess what we are talking about is two things:  
>> > > >  
>> > > > 1. An ASIO host application with let's say 64 ins and 64 outs.  
This  
>> app  
>> > > > would also be a VST host application that would let you insert plugs  
>> on  
>> > > each  
>> > > > of the 64 ins. It would add up the total latency on each input,  
>> buffer  
>> > > the  
>> > > > output to some consistent user entered amount, and send it out the  
>> > output.  
>> > > > The latency for every channel would end up being exactly the same  
>> user  
>> > > entered

>>>> amount.  
>>>>  
>>>> 2. A simple VST plugin that would allow you to select an input and  
>>> output  
>>>> ASIO channel. That's all that one would do. This plug wouldn't  
>have  
>>> any  
>>>> latency of it's own.  
>>>>  
>>>> So my question is..... Is there any other possible use for such  
a  
>> setup?  
>>>> I would be willing to get involved in an open source freeware,  
>>>> ad/donation  
>>>> supported project for this if there was.  
>>>>  
>>>> Chuck  
>>>>  
>>>>  
>>>>  
>>>>  
>>>>  
>>>>  
>>>>  
>>>  
>>>  
>>>  
>>  
>>  
>  
>

---

Subject: Re: dj about your idea  
Posted by [chuck duffy](#) on Fri, 27 Oct 2006 18:16:54 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Well, there were three things going on.

1. I thought chainer didn't allow enough channels, or enough instances.
2. I thought the other VST hosts you were using required physical audio connections (ie were not virtual) .
3. I thought the other hosts didn't have enough asio channels

"DJ" <notachance@net.net> wrote:  
>DOH!!!!.....OK, the difference being that with this plug we ould compensate  
>latency?  
>

>  
>"DJ" <notachance@net.net> wrote in message news:454246bc\$1@linux...  
>> Ahhh.....OK.....so Paris would open this as a VST plugin? Can't we  
>already  
>> do that with chainer, etc?  
>>  
>>  
>>  
>> "chuck duffy" <c@c.com> wrote in message news:4542449d\$1@linux...  
>> >  
>> > Dj,  
>> >  
>> > I think you are misunderstanding a little :-) The asio streams in this  
>> "new"  
>> > asio host would be all virtual and not require any hardware or adats  
>> interfaces  
>> > at all.  
>> >  
>> > The "new" vst plug when used on a channel in paris would let you select  
>a  
>> > route in and back out of the "new" asio host.  
>> >  
>> > The "new" host would accept real vsts and delay them to a specific user  
>> entered,  
>> > consistent threshold, then feed the output back to the same "new" vst  
>plug  
>> > in paris.  
>> >  
>> > It would be hardwareless.  
>> >  
>> > Chuck  
>> >  
>> >  
>> >  
>> > Chuck  
>> > "DJ" <notachance@net.net> wrote:  
>> > >Chuck,  
>> > >  
>> > >There is already an ASIO host application that has unlimited I/O so  
>> #2  
>> has  
>> > >been covered. It's not simple though  
>> >  
>> > http://www.plogue.com/index.php?option=content&task=view &id=21&Itemid=35  
>> > >I haven't tried it yet but will likely get around to it over the  
>weekend  
>> > or  
>> > >early next week. I was thinking of something that could interface

>> directly  
>> > >with Paris so that the UAD-1 cards could work directly on the Paris DAW  
>> > >without having to interface via ADAT on a second workstation. Old >Magma's  
>> > >are cheap these days and having the cards in the Paris workstation >> running  
>> > >Win XP without having to interface with a second DAW using lightpipe >> would  
>> > >be ideal. this is why I was thinking of Wires. As far as an ASIO >driver,  
>> > >under the "Paris DAW being host" scenario, without an efficient ASIO >> driver,  
>> > >for Paris, I don't see this happening. To tell you the truth, I haven't >> > used  
>> > >the Paris ASIO driver in years. I wonder if it would work with a VST >host  
>> > >like Forte or Chainer? I do remember some latency with this driver, but  
>> > it's  
>> > >been a long time. Anyway, as far as third party uses for the VST host >> you  
>> > >are proposing in #1 .....I honestly don't know unless they >were  
>> > >wanting to stream from a DAW with no latency compensation to a digital >> > >mixer. I don't think there are any DAWs, other than Paris left on earth >> > that  
>> > >don't have latency compensation.  
>> > >  
>> > >If you decide you want to do this, I will support your efforts 100%.  
>> > >  
>> > >Thanks,  
>> > >  
>> > >DJ  
>> > >  
>> > >"chuck duffy" <c@c.com> wrote in message news:454206a9\$1@linux...  
>> > >>  
>> > >> Hi DJ,  
>> > >>  
>> > >> I guess what we are talking about is two things:  
>> > >>  
>> > >> 1. An ASIO host application with let's say 64 ins and 64 outs. This >> app  
>> > >> would also be a VST host application that would let you insert plugs >on  
>> > >each  
>> > >> of the 64 ins. It would add up the total latency on each input, >buffer



>> > >the  
>> > >> output to some consistent user entered amount, and send it out the  
>> output.  
>> > >> The latency for every channel would end up being exactly the same  
>user  
>> > >entered  
>> > >> amount.  
>> > >>  
>> > >> 2. A simple VST plugin that would allow you to select an input and  
>> output  
>> > >> ASIO channel. That's all that one would do. This plug wouldn't  
have  
>> > any  
>> > >> latency of it's own.  
>> > >>  
>> > >> So my question is..... Is there any other possible use for such a  
>> setup?  
>> > >> I would be willing to get involved in an open source freeware,  
>> > >ad/donation  
>> > >> supported project for this if there was.  
>> > >>  
>> > >> Chuck  
>> > >>  
>> > >>  
>> > >>  
>> > >>  
>> > >  
>> > >  
>> >  
>>  
>>  
>  
>

---

Subject: Re: dj about your idea  
Posted by [Don Nafe](#) on Fri, 27 Oct 2006 19:38:20 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hey Deej

Please excuse my pestering but Reaper has two relatively new things happening now...one is the their version of rewire (routing between apps) and the second is "Remote" which is Wormhole-like (passing audio via networking) and between these two things it might be what you're looking for.

DOn

"chuck duffy" <c@c.com> wrote in message news:454206a9\$1@linux...

>  
> Hi DJ,  
>  
> I guess what we are talking about is two things:  
>  
> 1. An ASIO host application with let's say 64 ins and 64 outs. This app  
> would also be a VST host application that would let you insert plugs on  
> each  
> of the 64 ins. It would add up the total latency on each input, buffer  
> the  
> output to some consistent user entered amount, and send it out the output.  
> The latency for every channel would end up being exactly the same user  
> entered  
> amount.  
>  
> 2. A simple VST plugin that would allow you to select an input and output  
> ASIO channel. That's all that one would do. This plug wouldn't have any  
> latency of it's own.  
>  
> So my question is..... Is there any other possible use for such a setup?  
> I would be willing to get involved in an open source freeware, ad/donation  
> supported project for this if there was.  
>  
> Chuck  
>  
>  
>  
>

---

Subject: Re: dj about your idea

Posted by [Dimitrios](#) on Fri, 27 Oct 2006 19:38:35 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Just to clear up things regarding Chuck's suggestion and ASIO.

Well

1)you will be needing another audio card that supports asio

i.e. Pulsar card with scope environment (which can accommodate 16adat channels,spdif,2 analog) Pulsar can give you 64 asio routing channels.

Now if Chuck's vst2asio plugin can "see" these channels (or less than 64 maybe 24 whatever) then if pulsar runs at 3ms asio the latency between pulsar and Paris back and forth will be 6ms.

2) If you are gonna use Cubase on same computer with Paris you will be needing either pulsar card or rme card on same computer with paris.

So vst2asio will see the cubase asio outputs and so audio can transfer back and forth.

3) If you are gonna use also UAD1 cards there will be a big pci stress on the machine.

I see only true benefit with a dsp card like Pulsar which has asio or any other dsp card with asio like Emu or maybe the Nuende or Focusrite ...

If you don't need to use UAD1 on same computer I am sure with one asio audio card cubase can be this way intergrated with Paris on same computer with very small latency as so to bring in VSTI and other.

Just some thoughts...

Regards,  
Dimitrios

"chuck duffy" <c@c.com> wrote:

>

>Well, there were three things going on.

>

>1. I thought chainer didn't allow enough channels, or enough instances.

>

>2. I thought the other VST hosts you were using required physical audio connections

>(ie were not virtual) .

>

>3. I thought the other hosts didn't have enough asio channels

>

>"DJ" <notachance@net.net> wrote:

>>DOH!!!!.....OK, the difference being that with this plug we ould compensate  
>>latency?

>>

>>

>>"DJ" <notachance@net.net> wrote in message news:454246bc\$1@linux...

>>> Ahhh.....OK.....so Paris would open this as a VST plugin? Can't we

>>>already

>>> do that with chainer, etc?

>>>

>>>

>>>

>>> "chuck duffy" <c@c.com> wrote in message news:4542449d\$1@linux...

>>> >

>>> > Dj,

>>> >

>>> > I think you are misunderstanding a little :-) The asio streams in this

>>> "new"

>>> > asio host would be all virtual and not require any hardware or adats

>>> interfaces  
>>> > at all.  
>>> >  
>>> > The "new" vst plug when used on a channel in paris would let you select  
>>a  
>>> > route in and back out of the "new" asio host.  
>>> >  
>>> > The "new" host would accept real vsts and delay them to a specific  
user  
>>> entered,  
>>> > consistent threshold, then feed the output back to the same "new" vst  
>>plug  
>>> > in paris.  
>>> >  
>>> > It would be hardwareless.  
>>> >  
>>> > Chuck  
>>> >  
>>> >  
>>> >  
>>> > Chuck  
>>> > "DJ" <notachance@net.net> wrote:  
>>> > >Chuck,  
>>> > >  
>>> > >There is already an ASIO host application that has unlimited I/O so  
>#2  
>>> has  
>>> > >been covered. It's not simple though  
>>> >  
>>> [http://www.plogue.com/index.php?option=content&task=view &id=21&Itemid=35](http://www.plogue.com/index.php?option=content&task=view&id=21&Itemid=35)  
>>> > >I haven't tried it yet but will likely get around to it over the  
>>weekend  
>>> > or  
>>> > >early next week. I was thinking of something that could interface  
>>> directly  
>>> > >with Paris so that the UAD-1 cards could work directly on the Paris  
>DAW  
>>> > >without having to interface via ADAT on a second workstation. Old  
>>Magma's  
>>> > >are cheap these days and having the cards in the Paris workstation  
>>> running  
>>> > >Win XP without having to interface with a second DAW using lightpipe  
>>> would  
>>> > >be ideal. this is why I was thinking of Wires. As far as an ASIO  
>>driver,  
>>> > >under the "Paris DAW being host" scenario, without an efficient ASIO  
>>> driver,  
>>> > >for Paris, I don't see this happening. To tell you the truth, I haven't

>>> > used  
>>> > >the Paris ASIO driver in years. I wonder if it would work with a VST  
>>host  
>>> > >like Forte or Chainer? I do remember some latency with this driver,  
>but  
>>> > it's  
>>> > >been a long time. Anyway, as far as third party uses for the VST  
host  
>>> you  
>>> > >are proposing in #1 .....I honestly don't know unless they  
>>were  
>>> > >wanting to stream from a DAW with no latency compensation to a digital  
>>> > >mixer. I don't think there are any DAWs, other than Paris left on  
earth  
>>> > that  
>>> > >don't have latency compensation.  
>>> > >  
>>> > >If you decide you want to do this, I will support your efforts 100%.  
>>> > >  
>>> > >Thanks,  
>>> > >  
>>> > >DJ  
>>> > >  
>>> > >"chuck duffy" <c@c.com> wrote in message news:454206a9\$1@linux...  
>>> > >  
>>> > >> Hi DJ,  
>>> > >>  
>>> > >> I guess what we are talking about is two things:  
>>> > >>  
>>> > >> 1. An ASIO host application with let's say 64 ins and 64 outs.  
This  
>>> app  
>>> > >> would also be a VST host application that would let you insert plugs  
>>on  
>>> > >each  
>>> > >> of the 64 ins. It would add up the total latency on each input,  
>>buffer  
>>> > >the  
>>> > >> output to some consistent user entered amount, and send it out the  
>>> output.  
>>> > >> The latency for every channel would end up being exactly the same  
>>user  
>>> > >entered  
>>> > >> amount.  
>>> > >>  
>>> > >> 2. A simple VST plugin that would allow you to select an input and  
>>> output  
>>> > >> ASIO channel. That's all that one would do. This plug wouldn't

>have  
>>> > any  
>>> > >> latency of it's own.  
>>> > >>  
>>> > >> So my question is..... Is there any other possible use for such  
a  
>>> setup?  
>>> > >> I would be willing to get involved in an open source freeware,  
>>> > >ad/donation  
>>> > >> supported project for this if there was.  
>>> > >>  
>>> > >> Chuck  
>>> > >>  
>>> > >>  
>>> > >>  
>>> > >>  
>>> > >>  
>>> > >  
>>> > >  
>>> >  
>>>  
>>>  
>>  
>>  
>

---

Subject: Re: dj about your idea  
Posted by [Aaron Allen](#) on Fri, 27 Oct 2006 22:31:18 GMT  
[View Forum Message](#) <> [Reply to Message](#)

I'm in.  
AA

"chuck duffy" <c@c.com> wrote in message news:4542245c\$1@linux...  
>  
> Hi Alex,  
>  
> It might be, but I'm looking at a few other angles:  
>  
> 1. The plugin code in paris is ancient and it runs lots of newer plugs  
> poorly,  
> with weird side effects, or not at all. This would be an opportunity to  
> run  
> the plugs in a modern environment, and get latency compensation  
>  
> 2. We don't have access to the VST/DX plug-in code, or any other paris  
> application  
> code, so I can't really produce a delay compensator.

>  
> 3. Since there are other, but more limited apps like this out there that  
> act as effects, instrument hosts, i figured that there might be an  
> audience  
> outside of the paris community that could use it too. That's the only way  
> I would really take on something like this.  
>  
> Chuck  
>  
> "alex plasko" <alex.plasko@snet.net> wrote:  
>>Chuck  
>>would an auto latency compensation plug in be easier to build?Im no  
>>software  
>  
>>engineer but isnt that just a ping?  
>>  
>>"chuck duffy" <c@c.com> wrote in message news:454206a9\$1 @linux...  
>>>  
>>> Hi DJ,  
>>>  
>>> I guess what we are talking about is two things:  
>>>  
>>> 1. An ASIO host application with let's say 64 ins and 64 outs. This app  
>>> would also be a VST host application that would let you insert plugs on  
>  
>>> each  
>>> of the 64 ins. It would add up the total latency on each input, buffer  
>  
>>> the  
>>> output to some consistent user entered amount, and send it out the  
>>> output.  
>>> The latency for every channel would end up being exactly the same user  
>  
>>> entered  
>>> amount.  
>>>  
>>> 2. A simple VST plugin that would allow you to select an input and  
>>> output  
>>> ASIO channel. That's all that one would do. This plug wouldn't have  
> any  
>>> latency of it's own.  
>>>  
>>> So my question is..... Is there any other possible use for such a setup?  
>>> I would be willing to get involved in an open source freeware,  
>>> ad/donation  
>>> supported project for this if there was.  
>>>  
>>> Chuck

>>>  
>>>  
>>>  
>>>  
>>  
>>  
>

---

Subject: Re: dj about your idea  
Posted by [Aaron Allen](#) on Fri, 27 Oct 2006 22:34:03 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

would work over a network/firewire??  
AA

"chuck duffy" <c@c.com> wrote in message news:4542449d\$1@linux...

>  
> Dj,  
>  
> I think you are misunderstanding a little :-) The asio streams in this  
> "new"  
> asio host would be all virtual and not require any hardware or adats  
> interfaces  
> at all.  
>  
> The "new" vst plug when used on a channel in paris would let you select a  
> route in and back out of the "new" asio host.  
>  
> The "new" host would accept real vsts and delay them to a specific user  
> entered,  
> consistent threshold, then feed the output back to the same "new" vst plug  
> in paris.  
>  
> It would be hardwareless.  
>  
> Chuck  
>  
>  
> Chuck  
> "DJ" <notachance@net.net> wrote:  
>>Chuck,  
>>  
>>There is already an ASIO host application that has unlimited I/O so #2 has  
>>been covered. It's not simple though  
>> <http://www.plogue.com/index.php?option=content&task=view &id=21&Itemid=35>



>>I haven't tried it yet but will likely get around to it over the weekend  
> or  
>>early next week. I was thinking of something that could interface directly  
>>with Paris so that the UAD-1 cards could work directly on the Paris DAW  
>>without having to interface via ADAT on a second workstation. Old Magma's  
>>are cheap these days and having the cards in the Paris workstation running  
>>Win XP without having to interface with a second DAW using lightpipe would  
>>be ideal. this is why I was thinking of Wires. As far as an ASIO driver,  
>>under the "Paris DAW being host" scenario, without an efficient ASIO  
>>driver,  
>>for Paris, I don't see this happening. To tell you the truth, I haven't  
> used  
>>the Paris ASIO driver in years. I wonder if it would work with a VST host  
>>like Forte or Chainer? I do remember some latency with this driver, but  
> it's  
>>been a long time. Anyway, as far as third party uses for the VST host you  
>>are proposing in #1 .....I honestly don't know unless they were  
>>wanting to stream from a DAW with no latency compensation to a digital  
>>mixer. I don't think there are any DAWs, other than Paris left on earth  
> that  
>>don't have latency compensation.  
>>  
>>If you decide you want to do this, I will support your efforts 100%.  
>>  
>>Thanks,  
>>  
>>DJ  
>>  
>>"chuck duffy" <c@c.com> wrote in message news:454206a9\$1@linux...  
>>>  
>>> Hi DJ,  
>>>  
>>> I guess what we are talking about is two things:  
>>>  
>>> 1. An ASIO host application with let's say 64 ins and 64 outs. This app  
>>> would also be a VST host application that would let you insert plugs on  
>>>each  
>>> of the 64 ins. It would add up the total latency on each input, buffer  
>>>the  
>>> output to some consistent user entered amount, and send it out the  
>>> output.  
>>> The latency for every channel would end up being exactly the same user  
>>>entered  
>>> amount.  
>>>  
>>> 2. A simple VST plugin that would allow you to select an input and  
>>> output  
>>> ASIO channel. That's all that one would do. This plug wouldn't have

> any  
>>> latency of it's own.  
>>>  
>>> So my question is..... Is there any other possible use for such a setup?  
>>> I would be willing to get involved in an open source freeware,  
>>ad/donation  
>>> supported project for this if there was.  
>>>  
>>> Chuck  
>>>  
>>>  
>>>  
>>>  
>>  
>>  
>

---

Subject: Re: dj about your idea  
Posted by [animix](#) on Fri, 27 Oct 2006 23:14:56 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

To me it's going to be all about whether I think the Pulsar FX are equivalent to UAD FX...not exactly the same, I wouldn't expect that, but equivalent. I would really like to be able to use the UAD-1 cards with Paris in a low latency environment though. These FX just wsound great and I'm used to working with them so mixing with them is comfortable.

;o)

"Dimitrios" <musurgio@otenet.gr> wrote in message news:4542603b\$1@linux...

>  
> Just to clear up things regarding Chuck's suggestion and ASIO.  
> Well  
> 1)you will be needing another audio card that supports asio  
> i.e. Pulsar card with scope environment (which can acommodate 16adat  
channels,spdif,2  
> analog) Pulsar can give you 64 asio routing channels.  
> Now if Chuck's vst2asio plugin can "see" these channels (or less than 64  
> maybe 24 whatever) then if pulsar runs at 3ms asio the latency between  
pulsar  
> and Paris back and forth will be 6ms.  
>  
> 2) If you are gonna use Cubase on same computer with Paris you will be  
needing  
> either pulsar card or rme card on same computer with paris.

> So vst2asio will see the cubase asio outputs and so audio can transfer  
back  
> and forth.  
>  
> 3) If you are gonna use also UAD1 cards there will be a big pci stress on  
> the machine.  
>  
> I see only true benefit with a dsp card like Pulsar which has asio or any  
> other dsp card with asio like Emu or maybe the Nuende or Focusrite ...  
>  
> If you don't need to use UAD1 on same computer I am sure with one asio  
audio  
> card cubase can be this way intergrated with Paris on same computer with  
> very small latency as so to bring in VSTI and other.  
>  
> Just some thoughts...  
> Regards,  
> Dimitrios  
>  
> "chuck duffy" <c@c.com> wrote:  
> >  
> >Well, there were three things going on.  
> >  
> >1. I thought chainer didn't allow enough channels, or enough instances.  
> >  
> >2. I thought the other VST hosts you were using required physical audio  
> connections  
> >(ie were not virtual) .  
> >  
> >3. I thought the other hosts didn't have enough asio channels  
> >  
> >"DJ" <notachance@net.net> wrote:  
> >>DOH!!!!.....OK, the difference being that with this plug we ould  
compensate  
> >>latency?  
> >>  
> >>  
> >>"DJ" <notachance@net.net> wrote in message news:454246bc\$1@linux...  
> >>> Ahhh.....OK.....so Paris would open this as a VST plugin? Can't we  
> >>>already  
> >>> do that with chainer, etc?  
> >>>  
> >>>  
> >>>  
> >>> "chuck duffy" <c@c.com> wrote in message news:4542449d\$1@linux...  
> >>> >  
> >>> > Dj,  
> >>> >

> >>> > I think you are misunderstanding a little :-) The asio streams in this  
> >>> "new"  
> >>> > asio host would be all virtual and not require any hardware or adats  
> >>> interfaces  
> >>> > at all.  
> >>> >  
> >>> > The "new" vst plug when used on a channel in paris would let you select  
> >>a  
> >>> > route in and back out of the "new" asio host.  
> >>> >  
> >>> > The "new" host would accept real vsts and delay them to a specific  
> user  
> >>> entered,  
> >>> > consistent threshold, then feed the output back to the same "new"  
vst  
> >>plug  
> >>> > in paris.  
> >>> >  
> >>> > It would be hardwareless.  
> >>> >  
> >>> > Chuck  
> >>> >  
> >>> >  
> >>> >  
> >>> > Chuck  
> >>> > "DJ" <notachance@net.net> wrote:  
> >>> > >Chuck,  
> >>> > >  
> >>> > >There is already an ASIO host application that has unlimited I/O so  
> >#2  
> >>> has  
> >>> > >been covered. It's not simple though  
> >>> >  
>  
>>> [http://www.plogue.com/index.php?option=content&task=view &id=21&Itemid=35](http://www.plogue.com/index.php?option=content&task=view&id=21&Itemid=35)  
> >>> > >I haven't tried it yet but will likely get around to it over the  
> >>weekend  
> >>> > or  
> >>> > >early next week. I was thinking of something that could interface  
> >>> directly  
> >>> > >with Paris so that the UAD-1 cards could work directly on the Paris  
> >DAW  
> >>> > >without having to interface via ADAT on a second workstation. Old  
> >>Magma's  
> >>> > >are cheap these days and having the cards in the Paris workstation  
> >>> running

> >>> > >Win XP without having to interface with a second DAW using  
lightpipe  
> >>> would  
> >>> > >be ideal. this is why I was thinking of Wires. As far as an ASIO  
> >>driver,  
> >>> > >under the "Paris DAW being host" scenario, without an efficient  
ASIO  
> >>> driver,  
> >>> > >for Paris, I don't see this happening. To tell you the truth, I  
haven't  
> >>> > used  
> >>> > >the Paris ASIO driver in years. I wonder if it would work with a  
VST  
> >>host  
> >>> > >like Forte or Chainer? I do remember some latency with this driver,  
> >but  
> >>> > it's  
> >>> > >been a long time. Anyway, as far as third party uses for the VST  
> host  
> >>> you  
> >>> > >are proposing in #1 .....I honestly don't know unless  
they  
> >>were  
> >>> > >wanting to stream from a DAW with no latency compensation to a  
digital  
> >>> > >mixer. I don't think there are any DAWs, other than Paris left on  
> earth  
> >>> > that  
> >>> > >don't have latency compensation.  
> >>> > >  
> >>> > >If you decide you want to do this, I will support your efforts  
100%.  
> >>> > >  
> >>> > >Thanks,  
> >>> > >  
> >>> > >DJ  
> >>> > >  
> >>> > >"chuck duffy" <c@c.com> wrote in message news:454206a9\$1@linux...  
> >>> > >>  
> >>> > >> Hi DJ,  
> >>> > >>  
> >>> > >> I guess what we are talking about is two things:  
> >>> > >>  
> >>> > >> 1. An ASIO host application with let's say 64 ins and 64 outs.  
> This  
> >>> app  
> >>> > >> would also be a VST host application that would let you insert  
plugs

> >>on  
> >>> > >each  
> >>> > >> of the 64 ins. It would add up the total latency on each input,  
> >>>buffer  
> >>> > >the  
> >>> > >> output to some consistent user entered amount, and send it out  
the  
> >>> output.  
> >>> > >> The latency for every channel would end up being exactly the  
same  
> >>>user  
> >>> > >entered  
> >>> > >> amount.  
> >>> > >>  
> >>> > >> 2. A simple VST plugin that would allow you to select an input  
and  
> >>> output  
> >>> > >> ASIO channel. That's all that one would do. This plug wouldn't  
> >have  
> >>> > any  
> >>> > >> latency of it's own.  
> >>> > >>  
> >>> > >> So my question is..... Is there any other possible use for such  
> a  
> >>> setup?  
> >>> > >> I would be willing to get involved in an open source freeware,  
> >>> > >ad/donation  
> >>> > >> supported project for this if there was.  
> >>> > >>  
> >>> > >> Chuck  
> >>> > >>  
> >>> > >>  
> >>> > >>  
> >>> > >>  
> >>> > >  
> >>> > >  
> >>> >  
> >>>  
> >>>  
> >>  
> >>  
> >  
>

---

Subject: Re: dj about your idea  
Posted by [animix](#) on Fri, 27 Oct 2006 23:21:42 GMT

Chuck,

"chuck duffy" <c@c.com> wrote in message news:45424d16\$1@linux...

>

> Well, there were three things going on.

>

> 1. I thought chainer didn't allow enough channels, or enough instances.

I've never used Chainer so I don't know.

>

> 2. I thought the other VST hosts you were using required physical audio connections

> (ie were not virtual) .

Again, I'm not sure.

>

> 3. I thought the other hosts didn't have enough asio channels

The only one that I know of that does is the one by Plogue.

I'm definitely not an authority on these things. I have used Forte as a standalone VST host. It worked great streaming over ADAT but I ran out of channels. The one with unlimited channels looks promising, but I don't know \*what\* it requires, other than it will recognize \*all\* physical I/O and allow it to be configured as busses of various types.

DJ

>

> "DJ" <notachance@net.net> wrote:

> >DOH!!!!.....OK, the difference being that with this plug we could compensate

> >latency?

> >

> >

> >"DJ" <notachance@net.net> wrote in message news:454246bc\$1@linux...

> >> Ahhh.....OK.....so Paris would open this as a VST plugin? Can't we

> >already

> >> do that with chainer, etc?

> >>

> >>

> >>

> >> "chuck duffy" <c@c.com> wrote in message news:4542449d\$1@linux...

> >>>

> >>> Dj,

> >>>

> >> > I think you are misunderstanding a little :-) The asio streams in  
this  
> >> "new"  
> >> > asio host would be all virtual and not require any hardware or adats  
> >> interfaces  
> >> > at all.  
> >> >  
> >> > The "new" vst plug when used on a channel in paris would let you  
select  
> >a  
> >> > route in and back out of the "new" asio host.  
> >> >  
> >> > The "new" host would accept real vsts and delay them to a specific  
user  
> >> entered,  
> >> > consistent threshold, then feed the output back to the same "new" vst  
> >plug  
> >> > in paris.  
> >> >  
> >> > It would be hardwareless.  
> >> >  
> >> > Chuck  
> >> >  
> >> >  
> >> >  
> >> > Chuck  
> >> > "DJ" <notachance@net.net> wrote:  
> >> > >Chuck,  
> >> > >  
> >> > >There is already an ASIO host application that has unlimited I/O so  
> >#2  
> >> has  
> >> > >been covered. It's not simple though  
> >> >  
> >> <http://www.plogue.com/index.php?option=content&task=view &id=21&Itemid=35>  
> >> > >I haven't tried it yet but will likely get around to it over the  
> >weekend  
> >> > or  
> >> > >early next week. I was thinking of something that could interface  
> >> directly  
> >> > >with Paris so that the UAD-1 cards could work directly on the Paris  
> >DAW  
> >> > >without having to interface via ADAT on a second workstation. Old  
> >Magma's  
> >> > >are cheap these days and having the cards in the Paris workstation  
> >> running  
> >> > >Win XP without having to interface with a second DAW using lightpipe  
> >> would



> > > >be ideal. this is why I was thinking of Wires. As far as an ASIO  
> >driver,  
> > > >under the "Paris DAW being host" scenario, without an efficient ASIO  
> > driver,  
> > > >for Paris, I don't see this happening. To tell you the truth, I  
haven't  
> > > used  
> > > >the Paris ASIO driver in years. I wonder if it would work with a VST  
> >host  
> > > >like Forte or Chainer? I do remember some latency with this driver,  
> but  
> > > it's  
> > > >been a long time. Anyway, as far as third party uses for the VST  
host  
> > you  
> > > >are proposing in #1 .....I honestly don't know unless they  
> >were  
> > > >wanting to stream from a DAW with no latency compensation to a  
digital  
> > > >mixer. I don't think there are any DAWs, other than Paris left on  
earth  
> > > that  
> > > >don't have latency compensation.  
> > > >  
> > > >If you decide you want to do this, I will support your efforts 100%.  
> > > >  
> > > >Thanks,  
> > > >  
> > > >DJ  
> > > >  
> > > >"chuck duffy" <c@c.com> wrote in message news:454206a9\$1@linux...  
> > > >>  
> > > >> Hi DJ,  
> > > >>  
> > > >> I guess what we are talking about is two things:  
> > > >>  
> > > >> 1. An ASIO host application with let's say 64 ins and 64 outs.  
This  
> > app  
> > > >> would also be a VST host application that would let you insert  
plugs  
> >on  
> > > >each  
> > > >> of the 64 ins. It would add up the total latency on each input,  
> >buffer  
> > > >the  
> > > >> output to some consistent user entered amount, and send it out the  
> > output.

> >> > >> The latency for every channel would end up being exactly the same  
> >user  
> >> > >entered  
> >> > > amount.  
> >> > >>  
> >> > >> 2. A simple VST plugin that would allow you to select an input and  
> >> output  
> >> > >> ASIO channel. That's all that one would do. This plug wouldn't  
> have  
> >> > any  
> >> > >> latency of it's own.  
> >> > >>  
> >> > >> So my question is..... Is there any other possible use for such a  
> >> setup?  
> >> > >> I would be willing to get involved in an open source freeware,  
> >> > >ad/donation  
> >> > >> supported project for this if there was.  
> >> > >>  
> >> > >> Chuck  
> >> > >>  
> >> > >>  
> >> > >>  
> >> > >>  
> >> > >  
> >> > >  
> >> >  
> >>  
> >>  
> >  
> >  
> >  
>

---

Subject: Re: dj about your idea  
Posted by [Dimitrios](#) on Sat, 28 Oct 2006 12:43:45 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

DJ,  
What I suggest.  
1)One pc with Paris cards only and the mecs with adat channels.  
  
2)One pc with three pulsar card and many adat /spdif connections.  
  
3) One pc with UAD1 cards only.

Now the fun part:  
On pc number 2 (pulsar) you occupy 16 adat channels (or even 24, one adat plate) to connect the pc number 3 wich has UAD1 cards and RME card.

On pc number 2 the other adat ports are send to Mecs and outboard converters for external devices hookup

Now adat come and go inside Pulsar is 15 samples latent, so add another 15 for the PC-UAD1 connection goes upto 30 samples, now RME can go as low as 1.5ms (Right?) thus the latency will be 3ms+30 samples or around 150-160 samples.

Inside Pulsar environement where everything interconnects you can add some extra latency to have a real Paris nudge latency of 2 or 3 nudge clicks or even a single 5ms nudge click.

When everything will be templated it will be damn easy to work with.

You will get the picture when you will have and work with your pulsars.

Regards,

Dimitrios

"DJ" <notachance@net.net> wrote:

>To me it's going to be all about whether I think the Pulsar FX are  
>equivalent to UAD FX...not exactly the same, I wouldn't expect that, but  
>equivalent. I would really like to be able to use the UAD-1 cards with Paris  
>in a low latency environment though.These FX just wsound great and I'm used  
>to working with them so mixing with them is comfortable.

>

>

>;o)

>

>

>"Dimitrios" <musurgio@otenet.gr> wrote in message news:4542603b\$1@linux...

>>

>> Just to clear up things regarding Chuck's suggestion and ASIO.

>> Well

>> 1)you will be needing another audio card that supports asio

>> i.e. Pulsar card with scope environement (which can acommodate 16adat  
>channels,spdif,2

>> analog) Pulsar can give you 64 asio routing channels.

>> Now if Chuck's vst2asio plugin can "see" these channels (or less than  
64

>> maybe 24 whatever) then if pulsar runs at 3ms asio the latency beetween  
>pulsar

>> and Paris back and forth will be 6ms.

>>

>> 2) If you are gonna use Cubase on same computer with Paris you will be  
>needing

>> either pulsar card or rme card on same computer with paris.

>> So vst2asio will see the cubase asio outputs and so audio can transfer  
>back

>> and forth.

>>

>> 3) If you are gonna use also UAD1 cards there will be a big pci stress  
on

>> the machine.  
>>  
>> I see only true benefit with a dsp card like Pulsar which has asio or  
any  
>> other dsp card with asio like Emu or maybe the Nuende or Focusrite ...  
>>  
>> If you don't need to use UAD1 on same computer I am sure with one asio  
>audio  
>> card cubase can be this way intergrated with Paris on same computer with  
>> very small latency as so to bring in VSTI and other.  
>>  
>> Just some thoughts...  
>> Regards,  
>> Dimitrios  
>>  
>> "chuck duffy" <c@c.com> wrote:  
>> >  
>> >Well, there were three things going on.  
>> >  
>> >1. I thought chainer didn't allow enough channels, or enough instances.  
>> >  
>> >2. I thought the other VST hosts you were using required physical audio  
>> connections  
>> >(ie were not virtual) .  
>> >  
>> >3. I thought the other hosts didn't have enough asio channels  
>> >  
>> >"DJ" <notachance@net.net> wrote:  
>> >>DOH!!!!.....OK, the difference being that with this plug we ould  
>compensate  
>> >>latency?  
>> >>  
>> >>  
>> >>"DJ" <notachance@net.net> wrote in message news:454246bc\$1@linux...  
>> >>> Ahhh.....OK.....so Paris would open this as a VST plugin? Can't we  
>> >>>already  
>> >>> do that with chainer, etc?  
>> >>>  
>> >>>  
>> >>>  
>> >>> "chuck duffy" <c@c.com> wrote in message news:4542449d\$1@linux...  
>> >>> >  
>> >>> > Dj,  
>> >>> >  
>> >>> > I think you are misunderstanding a little :-) The asio streams in  
>this  
>> >>> "new"  
>> >>> > asio host would be all virtual and not require any hardware or adats

>> >>> interfaces  
>> >>> > at all.  
>> >>> >  
>> >>> > The "new" vst plug when used on a channel in paris would let you  
>select  
>> >>a  
>> >>> > route in and back out of the "new" asio host.  
>> >>> >  
>> >>> > The "new" host would accept real vsts and delay them to a specific  
>> user  
>> >>> entered,  
>> >>> > consistent threshold, then feed the output back to the same "new"  
>vst  
>> >>plug  
>> >>> > in paris.  
>> >>> >  
>> >>> > It would be hardwareless.  
>> >>> >  
>> >>> > Chuck  
>> >>> >  
>> >>> >  
>> >>> >  
>> >>> > Chuck  
>> >>> > "DJ" <notachance@net.net> wrote:  
>> >>> > >Chuck,  
>> >>> > >  
>> >>> > >There is already an ASIO host application that has unlimited I/O  
so  
>> >#2  
>> >>> has  
>> >>> > >been covered. It's not simple though  
>> >>> >  
>>  
>>>> [http://www.plogue.com/index.php?option=content&task=view &id=21&Itemid=35](http://www.plogue.com/index.php?option=content&task=view&id=21&Itemid=35)  
>> >>> > >I haven't tried it yet but will likely get around to it over the  
>> >>>weekend  
>> >>> > or  
>> >>> > >early next week. I was thinking of something that could interface  
>> >>> directly  
>> >>> > >with Paris so that the UAD-1 cards could work directly on the Paris  
>> >DAW  
>> >>> > >without having to interface via ADAT on a second workstation. Old  
>> >>Magma's  
>> >>> > >are cheap these days and having the cards in the Paris workstation  
>> >>> running  
>> >>> > >Win XP without having to interface with a second DAW using  
>lightpipe  
>> >>> would

>> >>> > >be ideal. this is why I was thinking of Wires. As far as an ASIO  
>> >>>driver,  
>> >>> > >under the "Paris DAW being host" scenario, without an efficient  
>ASIO  
>> >>> driver,  
>> >>> > >for Paris, I don't see this happening. To tell you the truth, I  
>haven't  
>> >>> > used  
>> >>> > >the Paris ASIO driver in years. I wonder if it would work with  
a  
>VST  
>> >>>host  
>> >>> > >like Forte or Chainer? I do remember some latency with this driver,  
>> >but  
>> >>> > it's  
>> >>> > >been a long time. Anyway, as far as third party uses for the VST  
>> host  
>> >>> you  
>> >>> > >are proposing in #1 .....I honestly don't know unless  
>they  
>> >>>were  
>> >>> > >wanting to stream from a DAW with no latency compensation to a  
>digital  
>> >>> > >mixer. I don't think there are any DAWs, other than Paris left  
on  
>> earth  
>> >>> > that  
>> >>> > >don't have latency compensation.  
>> >>> > >  
>> >>> > >If you decide you want to do this, I will support your efforts  
>100%.  
>> >>> > >  
>> >>> > >Thanks,  
>> >>> > >  
>> >>> > >DJ  
>> >>> > >  
>> >>> > >"chuck duffy" <c@c.com> wrote in message news:454206a9\$1@linux...  
>> >>> > >>  
>> >>> > >> Hi DJ,  
>> >>> > >>  
>> >>> > >> I guess what we are talking about is two things:  
>> >>> > >>  
>> >>> > >> 1. An ASIO host application with let's say 64 ins and 64 outs.  
>> This  
>> >>> app  
>> >>> > >> would also be a VST host application that would let you insert  
>plugs  
>> >>>on

>> >>> > >each  
>> >>> > >> of the 64 ins. It would add up the total latency on each input,  
>> >>>buffer  
>> >>> > >the  
>> >>> > >> output to some consistent user entered amount, and send it out  
>the  
>> >>> output.  
>> >>> > >> The latency for every channel would end up being exactly the  
>same  
>> >>user  
>> >>> > >entered  
>> >>> > >> amount.  
>> >>> > >>  
>> >>> > >> 2. A simple VST plugin that would allow you to select an input  
>and  
>> >>> output  
>> >>> > >> ASIO channel. That's all that one would do. This plug wouldn't  
>> >have  
>> >>> > any  
>> >>> > >> latency of it's own.  
>> >>> > >>  
>> >>> > >> So my question is..... Is there any other possible use for such  
>> a  
>> >>> setup?  
>> >>> > >> I would be willing to get involved in an open source freeware,  
>> >>> > >ad/donation  
>> >>> > >> supported project for this if there was.  
>> >>> > >>  
>> >>> > >> Chuck  
>> >>> > >>  
>> >>> > >>  
>> >>> > >>  
>> >>> > >>  
>> >>> > >  
>> >>> > >  
>> >>> >  
>> >>>  
>> >>>  
>> >>  
>> >>  
>> >  
>>  
>  
>

---

Subject: Re: dj about your idea

Posted by [chuck duffy](#) on Sat, 28 Oct 2006 13:45:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

It would work by shuttling samples in and out of a piece of shared memory on a single machine. It would not be networked, or require hardware of any kind, but it would also not introduce and latency.

"Aaron Allen" <know-spam@not\_here.dude> wrote:

>would work over a network/firewire??

>AA

>

>

>"chuck duffy" <c@c.com> wrote in message news:4542449d\$1@linux...

>>

>> Dj,

>>

>> I think you are misunderstanding a little :-) The asio streams in this

>> "new"

>> asio host would be all virtual and not require any hardware or adats

>> interfaces

>> at all.

>>

>> The "new" vst plug when used on a channel in paris would let you select

a

>> route in and back out of the "new" asio host.

>>

>> The "new" host would accept real vsts and delay them to a specific user

>> entered,

>> consistent threshold, then feed the output back to the same "new" vst  
plug

>> in paris.

>>

>> It would be hardwareless.

>>

>> Chuck

>>

>>

>>

>> Chuck

>> "DJ" <notachance@net.net> wrote:

>>>Chuck,

>>>

>>>There is already an ASIO host application that has unlimited I/O so #2  
has

>>>been covered. It's not simple though

>>> <http://www.plogue.com/index.php?option=content&task=view&id=21&Itemid=35>

>>>I haven't tried it yet but will likely get around to it over the weekend



>> or  
>>>early next week. I was thinking of something that could interface directly  
>>>with Paris so that the UAD-1 cards could work directly on the Paris DAW  
>>>without having to interface via ADAT on a second workstation. Old Magma's  
>>>are cheap these days and having the cards in the Paris workstation running  
>>>Win XP without having to interface with a second DAW using lightpipe would  
>>>be ideal. this is why I was thinking of Wires. As far as an ASIO driver,  
>>>under the "Paris DAW being host" scenario, without an efficient ASIO  
>>>driver,  
>>>for Paris, I don't see this happening. To tell you the truth, I haven't  
>> used  
>>>the Paris ASIO driver in years. I wonder if it would work with a VST host  
>>>like Forte or Chainer? I do remember some latency with this driver, but  
>> it's  
>>>been a long time. Anyway, as far as third party uses for the VST host  
you  
>>>are proposing in #1 .....I honestly don't know unless they were  
>>>wanting to stream from a DAW with no latency compensation to a digital  
>>>mixer. I don't think there are any DAWs, other than Paris left on earth  
>> that  
>>>don't have latency compensation.  
>>>  
>>>If you decide you want to do this, I will support your efforts 100%.  
>>>  
>>>Thanks,  
>>>  
>>>DJ  
>>>  
>>>"chuck duffy" <c@c.com> wrote in message news:454206a9\$1@linux...  
>>>>  
>>>> Hi DJ,  
>>>>  
>>>> I guess what we are talking about is two things:  
>>>>  
>>>> 1. An ASIO host application with let's say 64 ins and 64 outs. This  
app  
>>>> would also be a VST host application that would let you insert plugs  
on  
>>>>each  
>>>> of the 64 ins. It would add up the total latency on each input, buffer  
>>>>the  
>>>> output to some consistent user entered amount, and send it out the  
>>>> output.  
>>>> The latency for every channel would end up being exactly the same user  
>>>>entered  
>>>> amount.  
>>>>  
>>>> 2. A simple VST plugin that would allow you to select an input and

>>>> output  
>>>> ASIO channel. That's all that one would do. This plug wouldn't have  
>> any  
>>>> latency of it's own.  
>>>>  
>>>> So my question is..... Is there any other possible use for such a setup?  
>>>> I would be willing to get involved in an open source freeware,  
>>>ad/donation  
>>>> supported project for this if there was.  
>>>>  
>>>> Chuck  
>>>>  
>>>>  
>>>>  
>>>>  
>>>>  
>>>  
>>>  
>>  
>  
>

---

---

Subject: Re: dj about your idea  
Posted by [chuck duffy](#) on Sat, 28 Oct 2006 13:48:22 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

"Dimitrios" <musurgio@otenet.gr> wrote:

>  
>Just to clear up things regarding Chuck's suggestion and ASIO.  
>Well  
>1)you will be needing another audio card that supports asio  
>.i.e. Pulsar card with scope environment (which can acomodate 16adat channels,spdif,2  
>analog)

NO NO NO :-) That is not correct:-) You will not need another card. The whole point is to virtualize connections, using shared memory on the PC for interconnections between the "new" asio host and paris.

I wouldn't do anything that required \*more\* hardware :-)

Chuck

---

---

Subject: Re: dj about your idea  
Posted by [audioguy\\_editout](#) on Sat, 28 Oct 2006 16:17:37 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Then you know for sure DJ won't go for it... ;-)

David.

chuck duffy wrote:

> I wouldn't do anything that required \*more\* hardware :-)  
>  
> Chuck  
>

---

Subject: Re: dj about your idea  
Posted by [DJ](#) on Sat, 28 Oct 2006 19:21:36 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I'm going to try this until Chuck gets his new ASIO beast built.

;o)

"Dimitrios" <musurgio@otenet.gr> wrote:

>  
>DJ,  
>What I suggest.  
>1)One pc with Paris cards only and the mecs with adat channels.  
>  
>2)One pc with three pulsar card and many adat /spdif connections.  
>  
>3) One pc with UAD1 cards only.  
>  
>Now the fun part:  
>On pc number 2 (pulsar) you occupy 16 adat channels (or even 24, one adat  
>plate) to connect the pc number 3 wich has UAD1 cards and RME card.  
>On pc number 2 the other adat ports are send to Mecs and outboard converters  
>for external devices hookup  
>Now adat come and go inside Pulsar is 15 samples latent, so add another  
15  
>for the PC-UAD1 connection goes upto 30 samples, now RME can go as low as  
>1.5ms (Right?) thus the latency will be 3ms+30 samples or around 150-160  
>samples.  
>Inside Pulsar environement where everything interconnects you can add some  
>extra latency to have a real Paris nudge latency of 2 or 3 nudge clicks  
or  
>even a single 5ms nudge click.  
>When everything will be templated it will be damn easy to work with.  
>You will get the picture when you will have and work with your pulsars.  
>  
>Regards,

>Dimitrios

>"DJ" <notachance@net.net> wrote:

>>To me it's going to be all about whether I think the Pulsar FX are  
>>equivalent to UAD FX...not exactly the same, I wouldn't expect that, but  
>>equivalent. I would really like to be able to use the UAD-1 cards with  
Paris

>>in a low latency environment though. These FX just sound great and I'm  
used

>>to working with them so mixing with them is comfortable.

>>

>>

>>;o)

>>

>>

>>"Dimitrios" <musurgio@otenet.gr> wrote in message news:4542603b\$1@linux...

>>>

>>> Just to clear up things regarding Chuck's suggestion and ASIO.

>>> Well

>>> 1) you will be needing another audio card that supports asio

>>> i.e. Pulsar card with scope environment (which can accommodate 16  
>>channels, spdif, 2

>>> analog) Pulsar can give you 64 asio routing channels.

>>> Now if Chuck's vst2asio plugin can "see" these channels (or less than  
>>64

>>> maybe 24 whatever) then if pulsar runs at 3ms asio the latency between  
>>pulsar

>>> and Paris back and forth will be 6ms.

>>>

>>> 2) If you are gonna use Cubase on same computer with Paris you will be  
>>needing

>>> either pulsar card or rme card on same computer with paris.

>>> So vst2asio will see the cubase asio outputs and so audio can transfer  
>>back

>>> and forth.

>>>

>>> 3) If you are gonna use also UAD1 cards there will be a big pci stress  
>>on

>>> the machine.

>>>

>>> I see only true benefit with a dsp card like Pulsar which has asio or  
>>any

>>> other dsp card with asio like Emu or maybe the Nuende or Focusrite ...

>>>

>>> If you don't need to use UAD1 on same computer I am sure with one asio  
>>audio

>>> card cubase can be this way integrated with Paris on same computer with  
>>> very small latency as so to bring in VSTI and other.

>>>

>>> Just some thoughts...  
>>> Regards,  
>>> Dimitrios  
>>>  
>>> "chuck duffy" <c@c.com> wrote:  
>>> >  
>>> >Well, there were three things going on.  
>>> >  
>>> >1. I thought chainer didn't allow enough channels, or enough instances.  
>>> >  
>>> >2. I thought the other VST hosts you were using required physical audio  
>>> connections  
>>> >(ie were not virtual) .  
>>> >  
>>> >3. I thought the other hosts didn't have enough asio channels  
>>> >  
>>> >"DJ" <notachance@net.net> wrote:  
>>> >>DOH!!!!.....OK, the difference being that with this plug we ould  
>>> >>compensate  
>>> >>latency?  
>>> >>  
>>> >>  
>>> >>"DJ" <notachance@net.net> wrote in message news:454246bc\$1@linux...  
>>> >>> Ahhh.....OK.....so Paris would open this as a VST plugin? Can't  
>>> we  
>>> >>already  
>>> >>> do that with chainer, etc?  
>>> >>>  
>>> >>>  
>>> >>>  
>>> >>> "chuck duffy" <c@c.com> wrote in message news:4542449d\$1@linux...  
>>> >>> >  
>>> >>> > Dj,  
>>> >>> >  
>>> >>> > I think you are misunderstanding a little :-) The asio streams  
>>> in  
>>> >>this  
>>> >>> "new"  
>>> >>> > asio host would be all virtual and not require any hardware or  
>>> adats  
>>> >>> interfaces  
>>> >>> > at all.  
>>> >>> >  
>>> >>> > The "new" vst plug when used on a channel in paris would let you  
>>> >>select  
>>> >>a  
>>> >>> > route in and back out of the "new" asio host.  
>>> >>> >

>>> >>> > The "new" host would accept real vsts and delay them to a specific  
>>> user  
>>> >>> entered,  
>>> >>> > consistent threshold, then feed the output back to the same "new"  
>>vst  
>>> >>plug  
>>> >>> > in paris.  
>>> >>> >  
>>> >>> > It would be hardwareless.  
>>> >>> >  
>>> >>> > Chuck  
>>> >>> >  
>>> >>> >  
>>> >>> >  
>>> >>> > Chuck  
>>> >>> > "DJ" <notachance@net.net> wrote:  
>>> >>> > >Chuck,  
>>> >>> > >  
>>> >>> > >There is already an ASIO host application that has unlimited I/O  
>so  
>>> >#2  
>>> >>> has  
>>> >>> > >been covered. It's not simple though  
>>> >>> >  
>>>  
>>>>> [http://www.plogue.com/index.php?option=content&task=view &id=21&Itemid=35](http://www.plogue.com/index.php?option=content&task=view&id=21&Itemid=35)  
>>> >>> > >I haven't tried it yet but will likely get around to it over the  
>>> >>weekend  
>>> >>> > or  
>>> >>> > >early next week. I was thinking of something that could interface  
>>> >>> directly  
>>> >>> > >with Paris so that the UAD-1 cards could work directly on the  
Paris  
>>> >DAW  
>>> >>> > >without having to interface via ADAT on a second workstation.  
Old  
>>> >>Magma's  
>>> >>> > >are cheap these days and having the cards in the Paris workstation  
>>> >>> running  
>>> >>> > >Win XP without having to interface with a second DAW using  
>>lightpipe  
>>> >>> would  
>>> >>> > >be ideal. this is why I was thinking of Wires. As far as an ASIO  
>>> >>driver,  
>>> >>> > >under the "Paris DAW being host" scenario, without an efficient  
>>ASIO  
>>> >>> driver,  
>>> >>> > >for Paris, I don't see this happening. To tell you the truth,

I  
>>haven't  
>>> >>> > used  
>>> >>> > >the Paris ASIO driver in years. I wonder if it would work with  
>a  
>>VST  
>>> >>host  
>>> >>> > >like Forte or Chainer? I do remember some latency with this driver,  
>>> >but  
>>> >>> > it's  
>>> >>> > >been a long time. Anyway, as far as third party uses for the  
VST  
>>> host  
>>> >>> you  
>>> >>> > >are proposing in #1 .....I honestly don't know unless  
>>they  
>>> >>were  
>>> >>> > >wanting to stream from a DAW with no latency compensation to a  
>>digital  
>>> >>> > >mixer. I don't think there are any DAWs, other than Paris left  
>on  
>>> earth  
>>> >>> > that  
>>> >>> > >don't have latency compensation.  
>>> >>> > >  
>>> >>> > >If you decide you want to do this, I will support your efforts  
>>100%.  
>>> >>> > >  
>>> >>> > >Thanks,  
>>> >>> > >  
>>> >>> > >DJ  
>>> >>> > >  
>>> >>> > >"chuck duffy" <c@c.com> wrote in message news:454206a9\$1@linux...  
>>> >>> > >>  
>>> >>> > >> Hi DJ,  
>>> >>> > >>  
>>> >>> > >> I guess what we are talking about is two things:  
>>> >>> > >>  
>>> >>> > >> 1. An ASIO host application with let's say 64 ins and 64 outs.  
>>> This  
>>> >>> app  
>>> >>> > >> would also be a VST host application that would let you insert  
>>plugs  
>>> >>>on  
>>> >>> > >each  
>>> >>> > >> of the 64 ins. It would add up the total latency on each input,  
>>> >>buffer  
>>> >>> > >the





get (big surprise) further and further behind this way, biggest problem being the CPU. Once you can no longer buy a single core CPU things are gonna be ugly for Paris users, and we're almost there now.

Is there any way to code in a TCP (network/IEEE1394) stack to offload to a separate or bank of machines?

AA

"chuck duffy" <c@c.com> wrote in message news:45435ee3\$1@linux...

>  
> It would work by shuttling samples in and out of a piece of shared memory  
> on a single machine. It would not be networked, or require hardware of  
> any  
> kind, but it would also not introduce and latency.

>  
> "Aaron Allen" <know-spam@not\_here.dude> wrote:  
>> would work over a network/firewire??

>> AA

>>

>>

>> "chuck duffy" <c@c.com> wrote in message news:4542449d\$1@linux...

>>>

>>> Dj,

>>>

>>> I think you are misunderstanding a little :-) The asio streams in this

>

>>> "new"

>>> asio host would be all virtual and not require any hardware or adats

>>> interfaces

>>> at all.

>>>

>>> The "new" vst plug when used on a channel in paris would let you select

> a

>>> route in and back out of the "new" asio host.

>>>

>>> The "new" host would accept real vsts and delay them to a specific user

>

>>> entered,

>>> consistent threshold, then feed the output back to the same "new" vst

> plug

>>> in paris.

>>>

>>> It would be hardwareless.

>>>

>>> Chuck

>>>

>>>

>>>  
>>> Chuck  
>>> "DJ" <notachance@net.net> wrote:  
>>>>Chuck,  
>>>>  
>>>>There is already an ASIO host application that has unlimited I/O so #2  
> has  
>>>>been covered. It's not simple though  
>>>> [http://www.plogue.com/index.php?option=content&task=view &id=21&Itemid=35](http://www.plogue.com/index.php?option=content&task=view&id=21&Itemid=35)  
>>>>I haven't tried it yet but will likely get around to it over the weekend  
>>> or  
>>>>early next week. I was thinking of something that could interface  
>>>>directly  
>>>>with Paris so that the UAD-1 cards could work directly on the Paris DAW  
>>>>without having to interface via ADAT on a second workstation. Old  
>>>>Magma's  
>>>>are cheap these days and having the cards in the Paris workstation  
>>>>running  
>>>>Win XP without having to interface with a second DAW using lightpipe  
>>>>would  
>>>>be ideal. this is why I was thinking of Wires. As far as an ASIO driver,  
>>>>under the "Paris DAW being host" scenario, without an efficient ASIO  
>>>>driver,  
>>>>for Paris, I don't see this happening. To tell you the truth, I haven't  
>>> used  
>>>>the Paris ASIO driver in years. I wonder if it would work with a VST  
>>>>host  
>>>>like Forte or Chainer? I do remember some latency with this driver, but  
>>> it's  
>>>>been a long time. Anyway, as far as third party uses for the VST host  
> you  
>>>>are proposing in #1 .....I honestly don't know unless they  
>>>>were  
>>>>wanting to stream from a DAW with no latency compensation to a digital  
>>>>mixer. I don't think there are any DAWs, other than Paris left on earth  
>>> that  
>>>>don't have latency compensation.  
>>>>  
>>>>If you decide you want to do this, I will support your efforts 100%.  
>>>>  
>>>>Thanks,  
>>>>  
>>>>DJ  
>>>>  
>>>>"chuck duffy" <c@c.com> wrote in message news:454206a9\$1@linux...  
>>>>>  
>>>>> Hi DJ,  
>>>>>

```

>>>>> I guess what we are talking about is two things:
>>>>>
>>>>> 1. An ASIO host application with let's say 64 ins and 64 outs. This
> app
>>>>> would also be a VST host application that would let you insert plugs
> on
>>>>>each
>>>>> of the 64 ins. It would add up the total latency on each input,
>>>>> buffer
>>>>>the
>>>>> output to some consistent user entered amount, and send it out the
>>>>> output.
>>>>> The latency for every channel would end up being exactly the same
>>>>> user
>>>>>entered
>>>>> amount.
>>>>>
>>>>> 2. A simple VST plugin that would allow you to select an input and
>>>>> output
>>>>> ASIO channel. That's all that one would do. This plug wouldn't have
>>> any
>>>>> latency of it's own.
>>>>>
>>>>> So my question is..... Is there any other possible use for such a
>>>>> setup?
>>>>> I would be willing to get involved in an open source freeware,
>>>>>ad/donation
>>>>> supported project for this if there was.
>>>>>
>>>>> Chuck
>>>>>
>>>>>
>>>>>
>>>>>
>>>>
>>>>
>>>
>>
>>
>

```

---

**Subject:** Re: dj about your idea  
**Posted by** [animix](#) on Sun, 29 Oct 2006 05:37:22 GMT  
[View Forum Message](#) <> [Reply to Message](#)

Dimitrios. I loaded one of the Pulsar cards tonight. No problems with it but it was the one with the ADAT I/O and these cannot be configured to work as

optical I/O, only ADAT so I haven't hooked them up to the Paris MECs yet. I don't have a registration key for my other on yet so I can't use it, plus the sync cable that connects the two cards didn't come today. The routing options for Pulsar are amazing to behold and they actually make sense!!!Very much like Paris in some ways, but maybe more flexible from what I can see right now. Compared to Totalmix, there is no comparison (IMHO). I'll be getting this going with some Paris tracks tomorrow and let you know what I think about it. I'm curious to know how the delay compensator plugins works (and where it is.....I couldn't find it).

;o)

Deej

"Dimitrios" <musurgio@otenet.gr> wrote in message news:45435081\$1@linux...

>  
> DJ,  
> What I suggest.  
> 1)One pc with Paris cards only and the mecs with adat channels.  
>  
> 2)One pc with three pulsar card and many adat /spdif connections.  
>  
> 3) One pc with UAD1 cards only.  
>  
> Now the fun part:  
> On pc number 2 (pulsar) you occupy 16 adat channels (or even 24, one adat  
> plate) to connect the pc number 3 wich has UAD1 cards and RME card.  
> On pc number 2 the other adat ports are send to Mecs and outboard  
converters  
> for external devices hookup  
> Now adat come and go inside Pulsar is 15 samples latent, so add another 15  
> for the PC-UAD1 connection goes upto 30 samples, now RME can go as low as  
> 1.5ms (Right?) thus the latency will be 3ms+30 samples or around 150-160  
> samples.  
> Inside Pulsar environement where everything interconnects you can add some  
> extra latency to have a real Paris nudge latency of 2 or 3 nudge clicks or  
> even a single 5ms nudge click.  
> When everything will be templated it will be damn easy to work with.  
> You will get the picture when you will have and work with your pulsars.  
>  
> Regards,  
> Dimitrios  
> "DJ" <notachance@net.net> wrote:  
> >To me it's going to be all about whether I think the Pulsar FX are  
> >equivalent to UAD FX...not exactly the same, I wouldn't expect that, but  
> >equivalent. I would really like to be able to use the UAD-1 cards with  
Paris

> > in a low latency environment though. These FX just sound great and I'm used  
> > to working with them so mixing with them is comfortable.  
> >  
> >  
> >;o)  
> >  
> >  
> > "Dimitrios" <musurgio@otenet.gr> wrote in message  
news:4542603b\$1@linux...  
> >>  
> >> Just to clear up things regarding Chuck's suggestion and ASIO.  
> >> Well  
> >> 1) you will be needing another audio card that supports asio  
> >> i.e. Pulsar card with scope environment (which can accommodate 16  
> > channels, spdif, 2  
> >> analog) Pulsar can give you 64 asio routing channels.  
> >> Now if Chuck's vst2asio plugin can "see" these channels (or less than  
> > 64  
> >> maybe 24 whatever) then if pulsar runs at 3ms asio the latency between  
> > pulsar  
> >> and Paris back and forth will be 6ms.  
> >>  
> >> 2) If you are gonna use Cubase on same computer with Paris you will be  
> > needing  
> >> either pulsar card or rme card on same computer with paris.  
> >> So vst2asio will see the cubase asio outputs and so audio can transfer  
> > back  
> >> and forth.  
> >>  
> >> 3) If you are gonna use also UAD1 cards there will be a big pci stress  
> > on  
> >> the machine.  
> >>  
> >> I see only true benefit with a dsp card like Pulsar which has asio or  
> > any  
> >> other dsp card with asio like Emu or maybe the Nuende or Focusrite ...  
> >>  
> >> If you don't need to use UAD1 on same computer I am sure with one asio  
> > audio  
> >> card cubase can be this way intergrated with Paris on same computer  
with  
> >> very small latency as so to bring in VSTI and other.  
> >>  
> >> Just some thoughts...  
> >> Regards,  
> >> Dimitrios  
> >>

> >> "chuck duffy" <c@c.com> wrote:  
> >> >  
> >> >Well, there were three things going on.  
> >> >  
> >> >1. I thought chainer didn't allow enough channels, or enough instances.  
> >> >  
> >> >2. I thought the other VST hosts you were using required physical audio connections  
> >> >(ie were not virtual) .  
> >> >  
> >> >3. I thought the other hosts didn't have enough asio channels  
> >> >  
> >> >"DJ" <notachance@net.net> wrote:  
> >> >>DOH!!!!.....OK, the difference being that with this plug we could compensate latency?  
> >> >>  
> >> >>  
> >> >>"DJ" <notachance@net.net> wrote in message news:454246bc\$1@linux...  
> >> >>> Ahhh.....OK.....so Paris would open this as a VST plugin? Can't we already do that with chainer, etc?  
> >> >>>  
> >> >>>  
> >> >>>  
> >> >>> "chuck duffy" <c@c.com> wrote in message news:4542449d\$1@linux...  
> >> >>> >  
> >> >>> > Dj,  
> >> >>> >  
> >> >>> > I think you are misunderstanding a little :-) The asio streams in this "new" asio host would be all virtual and not require any hardware or adats interfaces at all.  
> >> >>> >  
> >> >>> > The "new" vst plug when used on a channel in paris would let you select a route in and back out of the "new" asio host.  
> >> >>> >  
> >> >>> > The "new" host would accept real vsts and delay them to a specific user entered,

> >> >>> > consistent threshold, then feed the output back to the same "new"  
> >vst  
> >> >>plug  
> >> >>> > in paris.  
> >> >>> >  
> >> >>> > It would be hardwareless.  
> >> >>> >  
> >> >>> > Chuck  
> >> >>> >  
> >> >>> >  
> >> >>> >  
> >> >>> > Chuck  
> >> >>> > "DJ" <notachance@net.net> wrote:  
> >> >>> > >Chuck,  
> >> >>> > >  
> >> >>> > >There is already an ASIO host application that has unlimited I/O  
> >so  
> >> >#2  
> >> >>> has  
> >> >>> > >been covered. It's not simple though  
> >> >>> >  
> >>  
>  
>>>> [http://www.plogue.com/index.php?option=content&task=view &id=21&Itemid=35](http://www.plogue.com/index.php?option=content&task=view&id=21&Itemid=35)  
> >> >>> > >I haven't tried it yet but will likely get around to it over the  
> >> >>weekend  
> >> >>> > or  
> >> >>> > >early next week. I was thinking of something that could  
interface  
> >> >>> directly  
> >> >>> > >with Paris so that the UAD-1 cards could work directly on the  
Paris  
> >> >DAW  
> >> >>> > >without having to interface via ADAT on a second workstation.  
Old  
> >> >>Magma's  
> >> >>> > >are cheap these days and having the cards in the Paris  
workstation  
> >> >>> running  
> >> >>> > >Win XP without having to interface with a second DAW using  
> >lightpipe  
> >> >>> would  
> >> >>> > >be ideal. this is why I was thinking of Wires. As far as an ASIO  
> >> >>driver,  
> >> >>> > >under the "Paris DAW being host" scenario, without an efficient  
> >ASIO  
> >> >>> driver,  
> >> >>> > >for Paris, I don't see this happening. To tell you the truth, I

> >haven't  
> >> >>> > used  
> >> >>> > >the Paris ASIO driver in years. I wonder if it would work with  
> a  
> >VST  
> >> >>host  
> >> >>> > >like Forte or Chainer? I do remember some latency with this  
driver,  
> >> >but  
> >> >>> > it's  
> >> >>> > >been a long time. Anyway, as far as third party uses for the  
VST  
> >> host  
> >> >>> you  
> >> >>> > >are proposing in #1 .....I honestly don't know unless  
> >they  
> >> >>were  
> >> >>> > >wanting to stream from a DAW with no latency compensation to a  
> >digital  
> >> >>> > >mixer. I don't think there are any DAWs, other than Paris left  
> on  
> >> earth  
> >> >>> > that  
> >> >>> > >don't have latency compensation.  
> >> >>> > >  
> >> >>> > >If you decide you want to do this, I will support your efforts  
> >100%.  
> >> >>> > >  
> >> >>> > >Thanks,  
> >> >>> > >  
> >> >>> > >DJ  
> >> >>> > >  
> >> >>> > >"chuck duffy" <c@c.com> wrote in message  
news:454206a9\$1@linux...  
> >> >>> > >>  
> >> >>> > >> Hi DJ,  
> >> >>> > >>  
> >> >>> > >> I guess what we are talking about is two things:  
> >> >>> > >>  
> >> >>> > >> 1. An ASIO host application with let's say 64 ins and 64 outs.  
> >> This  
> >> >>> app  
> >> >>> > >> would also be a VST host application that would let you insert  
> >plugs  
> >> >>>on  
> >> >>> > >each  
> >> >>> > >> of the 64 ins. It would add up the total latency on each  
input,





Subject: Re: dj about your idea  
Posted by [Dimitrios](#) on Sun, 29 Oct 2006 11:59:42 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Dear DJ,  
Nice to know you are on Pulsar boat !  
Goodit sounds familiar in a way...  
There is NO delay compensation well automatic plugin.  
There is a free device found under devices in planetz which is called millidelay.  
This lets you delay audio tracks by samples !  
No 80 samples minimum shit here, just simple sample by sample delay.  
You will be needing to do your classic homework for all your connections  
measuring the actual delay and keep your tracks for it.  
For example adat from Paris to Pulsar is 7,5 samples long.  
So round trip adat 15 samples.  
Now if you use pulsar mixer device from the simplest like "channel" to  
the biggest it is 4 samples using normal Pulsar effects.  
Some heavy effects like SPL transient are around 37 samples, so a basic  
 $15+37+4=56$  samples , now put in series millidelay and delay a further 24  
samples for a total of 80 samples just to nudge 1ms back in paris, you got  
the picture right ?  
For instance I have some ad preamps with digi outs.  
DBX 376/386 .These when I measure the analog out (dbx) to Paris analog in  
against the digital out (dbx) to spdif in (paris) there is a 13 samples difference,  
so I take this into account when I am recording drums.  
Regards,  
Dimitrios

"DJ" <notachance@net.net> wrote:  
>Dimitrios. I loaded one of the Pulsar cards tonight. No problems with it  
>but  
>it was the one with the ADAT I/O and these cannot be configured to work  
>as  
>optical I/O, only ADAT so I haven't hooked them up to the Paris MECs yet.  
I  
>don't have a registration key for my other on yet so I can't use it, plus  
>the sync cable that connects the two cards didn't come today. The routing  
>options for Pulsar are amazing to behold and they actually make sense!!!Very  
>much like Paris in some ways, but maybe more flexible from what I can see  
>right now. Compared to Totalmix, there is no comparison (IMHO). I'll be  
>getting this going with some Paris tracks tomorrow and let you know what  
I  
>think about it. I'm curious to know how the delay compensator plugins works  
>(and where it is.....I couldn't find it).  
>  
> ;o)  
>  
>Deej  
>

>  
>"Dimitrios" <musurgio@otenet.gr> wrote in message news:45435081\$1@linux...  
>>  
>> DJ,  
>> What I suggest.  
>> 1)One pc with Paris cards only and the mecs with adat channels.  
>>  
>> 2)One pc with three pulsar card and many adat /spdif connections.  
>>  
>> 3) One pc with UAD1 cards only.  
>>  
>> Now the fun part:  
>> On pc number 2 (pulsar) you occupy 16 adat channels (or even 24, one adat  
>> plate) to connect the pc number 3 wich has UAD1 cards and RME card.  
>> On pc number 2 the other adat ports are send to Mecs and outboard  
>converters  
>> for external devices hookup  
>> Now adat come and go inside Pulsar is 15 samples latent, so add another  
15  
>> for the PC-UAD1 connection goes upto 30 samples, now RME can go as low  
as  
>> 1.5ms (Right?) thus the latency will be 3ms+30 samples or around 150-160  
>> samples.  
>> Inside Pulsar environement where everything interconnects you can add  
some  
>> extra latency to have a real Paris nudge latency of 2 or 3 nudge clicks  
or  
>> even a single 5ms nudge click.  
>> When everything will be templated it will be damn easy to work with.  
>> You will get the picture when you will have and work with your pulsars.  
>>  
>> Regards,  
>> Dimitrios  
>> "DJ" <notachance@net.net> wrote:  
>> >To me it's going to be all about whether I think the Pulsar FX are  
>> >equivalent to UAD FX...not exactly the same, I wouldn't expect that,  
but  
>> >equivalent. I would really like to be able to use the UAD-1 cards with  
>Paris  
>> >in a low latency environment though.These FX just wsound great and I'm  
>used  
>> >to working with them so mixing with them is comfortable.  
>> >  
>> >  
>> >;o)  
>> >  
>> >  
>> >  
>> >"Dimitrios" <musurgio@otenet.gr> wrote in message

>news:4542603b\$1@linux...  
>> >>  
>> >> Just to clear up things regarding Chuck's suggestion and ASIO.  
>> >> Well  
>> >> 1)you will be needing another audio card that supports asio  
>> >> i.e. Pulsar card with scope environement (which can acomodate 16adat  
>> >channels,spdif,2  
>> >> analog) Pulsar can give you 64 asio routing channels.  
>> >> Now if Chuck's vst2asio plugin can "see" these channels (or less than  
>> >> 64  
>> >> maybe 24 whatever) then if pulsar runs at 3ms asio the latency beetween  
>> >pulsar  
>> >> and Paris back and forth will be 6ms.  
>> >>  
>> >> 2) If you are gonna use Cubase on same computer with Paris you will  
be  
>> >needing  
>> >> either pulsar card or rme card on same computer with paris.  
>> >> So vst2asio will see the cubase asio outputs and so audio can transfer  
>> >back  
>> >> and forth.  
>> >>  
>> >> 3) If you are gonna use also UAD1 cards there will be a big pci stress  
>> >> on  
>> >> the machine.  
>> >>  
>> >> I see only true benefit with a dsp card like Pulsar which has asio  
or  
>> >any  
>> >> other dsp card with asio like Emu or maybe the Nuende or Focusrite  
...  
>> >>  
>> >> If you don't need to use UAD1 on same computer I am sure with one asio  
>> >audio  
>> >> card cubase can be this way intergrated with Paris on same computer  
>with  
>> >> very small latency as so to bring in VSTI and other.  
>> >>  
>> >> Just some thoughts...  
>> >> Regards,  
>> >> Dimitrios  
>> >>  
>> >> "chuck duffy" <c@c.com> wrote:  
>> >> >  
>> >> >Well, there were three things going on.  
>> >> >  
>> >> >1. I thought chainer didn't allow enough channels, or enough  
>instances.

>> >> >  
>> >> >2. I thought the other VST hosts you were using required physical  
>audio  
>> >> connections  
>> >> >(ie were not virtual) .  
>> >> >  
>> >> >3. I thought the other hosts didn't have enough asio channels  
>> >> >  
>> >> >"DJ" <notachance@net.net> wrote:  
>> >> >>DOH!!!!.....OK, the difference being that with this plug we could  
>> >compensate  
>> >> >>latency?  
>> >> >>  
>> >> >>  
>> >> >>"DJ" <notachance@net.net> wrote in message news:454246bc\$1@linux...  
>> >> >>> Ahhh.....OK.....so Paris would open this as a VST plugin? Can't  
we  
>> >> >>>already  
>> >> >>> do that with chainer, etc?  
>> >> >>>  
>> >> >>>  
>> >> >>>  
>> >> >>> "chuck duffy" <c@c.com> wrote in message news:4542449d\$1@linux...  
>> >> >>> >  
>> >> >>> > Dj,  
>> >> >>> >  
>> >> >>> > I think you are misunderstanding a little :-) The asio streams  
in  
>> >this  
>> >> >>> "new"  
>> >> >>> > asio host would be all virtual and not require any hardware or  
>adats  
>> >> >>> interfaces  
>> >> >>> > at all.  
>> >> >>> >  
>> >> >>> > The "new" vst plug when used on a channel in paris would let  
you  
>> >select  
>> >> >>>a  
>> >> >>> > route in and back out of the "new" asio host.  
>> >> >>> >  
>> >> >>> > The "new" host would accept real vsts and delay them to a  
>specific  
>> >> user  
>> >> >>> entered,  
>> >> >>> > consistent threshold, then feed the output back to the same "new"  
>> >vst  
>> >> >>>plug

>> >> >>> > in paris.  
>> >> >>> >  
>> >> >>> > It would be hardwareless.  
>> >> >>> >  
>> >> >>> > Chuck  
>> >> >>> >  
>> >> >>> >  
>> >> >>> >  
>> >> >>> > Chuck  
>> >> >>> > "DJ" <notachance@net.net> wrote:  
>> >> >>> > >Chuck,  
>> >> >>> > >  
>> >> >>> > >There is already an ASIO host application that has unlimited  
I/O  
>> so  
>> >> >#2  
>> >> >>> has  
>> >> >>> > >been covered. It's not simple though  
>> >> >>> >  
>> >>  
>>  
>>>>> [http://www.plogue.com/index.php?option=content&task=view &id=21&Itemid=35](http://www.plogue.com/index.php?option=content&task=view&id=21&Itemid=35)  
>> >> >>> > >I haven't tried it yet but will likely get around to it over  
the  
>> >> >>>weekend  
>> >> >>> > or  
>> >> >>> > >early next week. I was thinking of something that could  
>interface  
>> >> >>> directly  
>> >> >>> > >with Paris so that the UAD-1 cards could work directly on the  
>Paris  
>> >> >DAW  
>> >> >>> > >without having to interface via ADAT on a second workstation.  
>Old  
>> >> >>>Magma's  
>> >> >>> > >are cheap these days and having the cards in the Paris  
>workstation  
>> >> >>> running  
>> >> >>> > >Win XP without having to interface with a second DAW using  
>> >lightpipe  
>> >> >>> would  
>> >> >>> > >be ideal. this is why I was thinking of Wires. As far as an  
ASIO  
>> >> >>>driver,  
>> >> >>> > >under the "Paris DAW being host" scenario, without an efficient  
>> >ASIO  
>> >> >>> driver,  
>> >> >>> > >for Paris, I don't see this happening. To tell you the truth,

I  
>> >haven't  
>> >> >>> > used  
>> >> >>> > >the Paris ASIO driver in years. I wonder if it would work with  
>> a  
>> >VST  
>> >> >>host  
>> >> >>> > >like Forte or Chainer? I do remember some latency with this  
>driver,  
>> >> >but  
>> >> >>> > it's  
>> >> >>> > >been a long time. Anyway, as far as third party uses for the  
>VST  
>> >> host  
>> >> >>> you  
>> >> >>> > >are proposing in #1 .....I honestly don't know unless  
>> >they  
>> >> >>were  
>> >> >>> > >wanting to stream from a DAW with no latency compensation to  
a  
>> >digital  
>> >> >>> > >mixer. I don't think there are any DAWs, other than Paris left  
>> on  
>> >> earth  
>> >> >>> > that  
>> >> >>> > >don't have latency compensation.  
>> >> >>> > >  
>> >> >>> > >If you decide you want to do this, I will support your efforts  
>> >100%.  
>> >> >>> > >  
>> >> >>> > >Thanks,  
>> >> >>> > >  
>> >> >>> > >DJ  
>> >> >>> > >  
>> >> >>> > >"chuck duffy" <c@c.com> wrote in message  
>news:454206a9\$1@linux...  
>> >> >>> > >>  
>> >> >>> > >> Hi DJ,  
>> >> >>> > >>  
>> >> >>> > >> I guess what we are talking about is two things:  
>> >> >>> > >>  
>> >> >>> > >> 1. An ASIO host application with let's say 64 ins and 64 outs.  
>> >> This  
>> >> >>> app  
>> >> >>> > >> would also be a VST host application that would let you insert  
>> >plugs  
>> >> >>on  
>> >> >>> > >each





>> >  
>>  
>  
>

---

---

Subject: Re: dj about your idea  
Posted by [animix](#) on Sun, 29 Oct 2006 15:38:25 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Thanks Dimitrios,

this sounds simple.....simple is good.....(did I really say that?)

;o)

"Dimitrios" <[musurgio@otenet.gr](mailto:musurgio@otenet.gr)> wrote in message [news:4544899e\\$1@linux...](news:4544899e$1@linux...)

>

> Dear DJ,

> Nice to know you are on Pulsar boat !

> Goodit sounds familiar in a way...

> There is NO delay compensation well automatic plugin.

> There is a free device found under devices in planetz which is called millidelay.

> This lets you delay audio tracks by samples !

> No 80 samples minimum shit here, just simple sample by sample delay.

> You will be needing to do your classic homework for all your connections

> measuring the actual delay and keep your tracks for it.

> For example adat from Paris to Pulsar is 7,5 samples long.

> So round trip adat 15 samples.

> Now if you use pulsar mixer device from the simplest like "channel" to

> the biggest it is 4 samples using normal Pulsar effects.

> Some heavy effects like SPL transient are around 37 samples, so a basic

>  $15+37+4=56$  samples, now put in series millidelay and delay a further 24

> samples for a total of 80 samples just to nudge 1ms back in paris, you got

> the picture right ?

> For instance I have some ad preamps with digi outs.

> DBX 376/386 .These when I measure the analog out (dbx) to Paris analog in

> against the digital out (dbx) to spdif in (paris) there is a 13 samples difference,

> so I take this into account when I am recording drums.

> Regards,

> Dimitrios

>

> "DJ" <[notachance@net.net](mailto:notachance@net.net)> wrote:

> >Dimitrios. I loaded one of the Pulsar cards tonight. No problems with it

> >but

> >it was the one with the ADAT I/O and these cannot be configured to work

> as  
> >optical I/O, only ADAT so I haven't hooked them up to the Paris MECs yet.  
> I  
> >don't have a registration key for my other on yet so I can't use it, plus  
> >the sync cable that connects the two cards didn't come today. The routing  
> >options for Pulsar are amazing to behold and they actually make  
sense!!!Very  
> >much like Paris in some ways, but maybe more flexible from what I can see  
> >right now. Compared to Totalmix, there is no comparison (IMHO). I'll be  
> >getting this going with some Paris tracks tomorrow and let you know what  
> I  
> >think about it. I'm curious to know how the delay compensator plugins  
works  
> >(and where it is.....I couldn't find it).  
> >  
> >;o)  
> >  
> >Deej  
> >  
> >  
> >"Dimitrios" <musurgio@otenet.gr> wrote in message  
news:45435081\$1@linux...  
> >>  
> >> DJ,  
> >> What I suggest.  
> >> 1)One pc with Paris cards only and the mecs with adat channels.  
> >>  
> >> 2)One pc with three pulsar card and many adat /spdif connections.  
> >>  
> >> 3) One pc with UAD1 cards only.  
> >>  
> >> Now the fun part:  
> >> On pc number 2 (pulsar) you occupy 16 adat channels (or even 24, one  
adat  
> >> plate) to connect the pc number 3 wich has UAD1 cards and RME card.  
> >> On pc number 2 the other adat ports are send to Mecs and outboard  
> >converters  
> >> for external devices hookup  
> >> Now adat come and go inside Pulsar is 15 samples latent, so add another  
> 15  
> >> for the PC-UAD1 connection goes upto 30 samples, now RME can go as low  
> as  
> >> 1.5ms (Right?) thus the latency will be 3ms+30 samples or around  
150-160  
> >> samples.  
> >> Inside Pulsar environement where everything interconnects you can add  
> some  
> >> extra latency to have a real Paris nudge latency of 2 or 3 nudge clicks

> or  
> >> even a single 5ms nudge click.  
> >> When everything will be templated it will be damn easy to work with.  
> >> You will get the picture when you will have and work with your pulsars.  
> >>  
> >> Regards,  
> >> Dimitrios  
> >> "DJ" <notachance@net.net> wrote:  
> >> >To me it's going to be all about whether I think the Pulsar FX are  
> >> >equivalent to UAD FX...not exactly the same, I wouldn't expect that,  
> >> but  
> >> >equivalent. I would really like to be able to use the UAD-1 cards with  
> >> Paris  
> >> >in a low latency environment though. These FX just sound great and I'm  
> >> used  
> >> >to working with them so mixing with them is comfortable.  
> >> >  
> >> >  
> >> >;o)  
> >> >  
> >> >  
> >> >"Dimitrios" <musurgio@otenet.gr> wrote in message  
> >> >news:4542603b\$1@linux...  
> >> >>  
> >> >> Just to clear up things regarding Chuck's suggestion and ASIO.  
> >> >> Well  
> >> >> 1) you will be needing another audio card that supports asio  
> >> >> i.e. Pulsar card with scope environment (which can accommodate  
> >> >> 16adats  
> >> >> channels, spdif, 2  
> >> >> analog) Pulsar can give you 64 asio routing channels.  
> >> >> Now if Chuck's vst2asio plugin can "see" these channels (or less  
> >> >> than  
> >> >> 64  
> >> >> maybe 24 whatever) then if pulsar runs at 3ms asio the latency  
> >> >> between  
> >> >> pulsar  
> >> >> and Paris back and forth will be 6ms.  
> >> >>  
> >> >> 2) If you are gonna use Cubase on same computer with Paris you will  
> >> >> be  
> >> >> needing  
> >> >> either pulsar card or rme card on same computer with paris.  
> >> >> So vst2asio will see the cubase asio outputs and so audio can  
> >> >> transfer  
> >> >> back  
> >> >> and forth.  
> >> >>

> > > 3) If you are gonna use also UAD1 cards there will be a big pci stress

> > on

> > > the machine.

> > >

> > > I see only true benefit with a dsp card like Pulsar which has asio

> or

> > any

> > > other dsp card with asio like Emu or maybe the Nuende or Focusrite

> ..

> > >

> > > If you don't need to use UAD1 on same computer I am sure with one asio

> > > audio

> > > card cubase can be this way intergrated with Paris on same computer

> > with

> > > very small latency as so to bring in VSTI and other.

> > >

> > > Just some thoughts...

> > > Regards,

> > > Dimitrios

> > >

> > > "chuck duffy" <c@c.com> wrote:

> > > >

> > > > Well, there were three things going on.

> > > >

> > > > 1. I thought chainer didn't allow enough channels, or enough > instances.

> > > >

> > > > 2. I thought the other VST hosts you were using required physical > audio

> > > > connections

> > > > >(ie were not virtual) .

> > > >

> > > > 3. I thought the other hosts didn't have enough asio channels

> > > >

> > > > "DJ" <notachance@net.net> wrote:

> > > > >DOH!!!!.....OK, the difference being that with this plug we ould

> > > > >compensate

> > > > >latency?

> > > > >

> > > > >

> > > > >"DJ" <notachance@net.net> wrote in message

news:454246bc\$1@linux...

> > > > > Ahhh.....OK.....so Paris would open this as a VST plugin? Can't

> we

> > > > >already

> > > > > do that with chainer, etc?

> >> >> >>>  
> >> >> >>>  
> >> >> >>>  
> >> >> >>> "chuck duffy" <c@c.com> wrote in message  
news:4542449d\$1@linux...  
> >> >> >>> >  
> >> >> >>> > Dj,  
> >> >> >>> >  
> >> >> >>> > I think you are misunderstanding a little :-) The asio streams  
> in  
> >> >this  
> >> >> >>> "new"  
> >> >> >>> > asio host would be all virtual and not require any hardware or  
> >adats  
> >> >> >>> interfaces  
> >> >> >>> > at all.  
> >> >> >>> >  
> >> >> >>> > The "new" vst plug when used on a channel in paris would let  
> you  
> >> >select  
> >> >> >>a  
> >> >> >>> > route in and back out of the "new" asio host.  
> >> >> >>> >  
> >> >> >>> > The "new" host would accept real vsts and delay them to a  
> >specific  
> >> >> user  
> >> >> >>> entered,  
> >> >> >>> > consistent threshold, then feed the output back to the same  
"new"  
> >> >vst  
> >> >> >>plug  
> >> >> >>> > in paris.  
> >> >> >>> >  
> >> >> >>> > It would be hardwareless.  
> >> >> >>> >  
> >> >> >>> > Chuck  
> >> >> >>> >  
> >> >> >>> >  
> >> >> >>> > Chuck  
> >> >> >>> > "DJ" <notachance@net.net> wrote:  
> >> >> >>> > >Chuck,  
> >> >> >>> > >  
> >> >> >>> > >There is already an ASIO host application that has unlimited  
> I/O  
> >> so  
> >> >> >#2  
> >> >> >>> has

> >> >> >>> > >been covered. It's not simple though  
> >> >> >>> >  
> >> >>  
> >>  
>  
>>>>> [http://www.plogue.com/index.php?option=content&task=view &id=21&Itemid=35](http://www.plogue.com/index.php?option=content&task=view&id=21&Itemid=35)  
> >> >> >>> > >I haven't tried it yet but will likely get around to it over  
> the  
> >> >> >>>weekend  
> >> >> >>> > or  
> >> >> >>> > >early next week. I was thinking of something that could  
> >interface  
> >> >> >>> directly  
> >> >> >>> > >with Paris so that the UAD-1 cards could work directly on the  
> >Paris  
> >> >> >DAW  
> >> >> >>> > >without having to interface via ADAT on a second workstation.  
> >Old  
> >> >> >>>Magma's  
> >> >> >>> > >are cheap these days and having the cards in the Paris  
> >workstation  
> >> >> >>> running  
> >> >> >>> > >Win XP without having to interface with a second DAW using  
> >> >lightpipe  
> >> >> >>> would  
> >> >> >>> > >be ideal. this is why I was thinking of Wires. As far as an  
> ASIO  
> >> >> >>>driver,  
> >> >> >>> > >under the "Paris DAW being host" scenario, without an  
efficient  
> >> >ASIO  
> >> >> >>> driver,  
> >> >> >>> > >for Paris, I don't see this happening. To tell you the truth,  
> I  
> >> >haven't  
> >> >> >>> > used  
> >> >> >>> > >the Paris ASIO driver in years. I wonder if it would work  
with  
> >> a  
> >> >VST  
> >> >> >>>host  
> >> >> >>> > >like Forte or Chainer? I do remember some latency with this  
> >driver,  
> >> >> >but  
> >> >> >>> > it's  
> >> >> >>> > >been a long time. Anyway, as far as third party uses for the  
> >VST

> >> >> host  
> >> >> >>> you  
> >> >> >>> > >are proposing in #1 .....I honestly don't know  
unless  
> >> >they  
> >> >> >>>were  
> >> >> >>> > >wanting to stream from a DAW with no latency compensation to  
> a  
> >> >digital  
> >> >> >>> > >mixer. I don't think there are any DAWs, other than Paris  
left  
> >> on  
> >> >> earth  
> >> >> >>> > that  
> >> >> >>> > >don't have latency compensation.  
> >> >> >>> > >  
> >> >> >>> > >If you decide you want to do this, I will support your  
efforts  
> >> >100%.  
> >> >> >>> > >  
> >> >> >>> > >Thanks,  
> >> >> >>> > >  
> >> >> >>> > >DJ  
> >> >> >>> > >  
> >> >> >>> > >"chuck duffy" <c@c.com> wrote in message  
> >news:454206a9\$1@linux...  
> >> >> >>> > >>  
> >> >> >>> > >> Hi DJ,  
> >> >> >>> > >>  
> >> >> >>> > >> I guess what we are talking about is two things:  
> >> >> >>> > >>  
> >> >> >>> > >> 1. An ASIO host application with let's say 64 ins and 64  
outs.  
> >> >> This  
> >> >> >>> app  
> >> >> >>> > >> would also be a VST host application that would let you  
insert  
> >> >plugins  
> >> >> >>>on  
> >> >> >>> > >each  
> >> >> >>> > >> of the 64 ins. It would add up the total latency on each  
> >input,  
> >> >> >>>buffer  
> >> >> >>> > >the  
> >> >> >>> > >> output to some consistent user entered amount, and send it  
> out  
> >> >the  
> >> >> >>> output.

> >> >> >>> > >> The latency for every channel would end up being exactly  
> the  
> >> >same  
> >> >> >>user  
> >> >> >>> > >entered  
> >> >> >>> > >> amount.  
> >> >> >>> > >>  
> >> >> >>> > >> 2. A simple VST plugin that would allow you to select an  
input  
> >> >and  
> >> >> >>> output  
> >> >> >>> > >> ASIO channel. That's all that one would do. This plug  
> >wouldn't  
> >> >> >have  
> >> >> >>> > any  
> >> >> >>> > >> latency of it's own.  
> >> >> >>> > >>  
> >> >> >>> > >> So my question is..... Is there any other possible use for  
> >such  
> >> >> >a  
> >> >> >>> setup?  
> >> >> >>> > >> I would be willing to get involved in an open source  
> >freeware,  
> >> >> >>> > >ad/donation  
> >> >> >>> > >> supported project for this if there was.  
> >> >> >>> > >>  
> >> >> >>> > >> Chuck  
> >> >> >>> > >>  
> >> >> >>> > >>  
> >> >> >>> > >>  
> >> >> >>> > >>  
> >> >> >>> > >  
> >> >> >>> > >  
> >> >> >>> >  
> >> >> >>>  
> >> >> >>>  
> >> >> >>  
> >> >> >>  
> >> >> >  
> >> >>  
> >> >  
> >> >  
> >>  
> >  
> >  
>  
>

---