

---

Subject: installing 8-in & 8-out cards

Posted by [David Feldman](#) on Sat, 07 Jun 2008 20:15:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi there,

I'm hoping that someone can point me in the right direction for troubleshooting an installation problem. I've recently put a new 8-in an 8-out card into my MEC, and when I run Paris, they don't show up on the patch bay and I can't seem to use them. I'm wondering if there are steps that I am missing here.

I've looked in the manual and can't find any notes on installing these things into an existing MEC. So I'm a little bit lost. Any help would be appreciated.

Thanks,  
David

---

---

Subject: Re: installing 8-in & 8-out cards

Posted by [JeffH](#) on Sun, 08 Jun 2008 04:49:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

David,

What version of Paris and what OS? How many EDS cards? If more than one, what is connected to each?

Just need more info to help with troubleshooting.

Jeff

David Feldman wrote:

> Hi there,  
> I'm hoping that someone can point me in the right direction for troubleshooting  
> an installation problem. I've recently put a new 8-in an 8-out card into  
> my MEC, and when I run Paris, they don't show up on the patch bay and I can't  
> seem to use them. I'm wondering if there are steps that I am missing here.  
> I've looked in the manual and can't find any notes on installing these things  
> into an existing MEC. So I'm a little bit lost. Any help would be appreciated.  
> Thanks,  
> Davi

---

---

Subject: Re: installing 8-in & 8-out cards

Posted by [Tom Bruhl](#) on Sun, 08 Jun 2008 05:54:25 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

This is a multi-part message in MIME format.

-----=\_NextPart\_000\_0027\_01C8C90A.947E4BE0

Content-Type: text/plain;  
charset="iso-8859-1"  
Content-Transfer-Encoding: quoted-printable

David,  
In theory they should just show up in the modules section in the patchbay. Does the Mec master module show up that these new 8 in/outs are installed in?

More info will help.  
Tom

"Jeff Hoover" <jkhoover@excite.com> wrote in message =  
news:484b6746@linux...

David,

What version of Paris and what OS? How many EDS cards? If more than=20 one, what is connected to each?

Just need more info to help with troubleshooting.

Jeff

David Feldman wrote:

> Hi there,  
> I'm hoping that someone can point me in the right direction for =  
troubleshooting  
> an installation problem. I've recently put a new 8-in an 8-out card =  
into  
> my MEC, and when I run Paris, they don't show up on the patch bay =  
and I can't  
> seem to use them. I'm wondering if there are steps that I am =  
missing here.  
> I've looked in the manual and can't find any notes on installing =  
these things  
> into an existing MEC. So I'm a little bit lost. Any help would be =  
appreciated.  
> Thanks,  
> Davi

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=\_NextPart\_000\_0027\_01C8C90A.947E4BE0

Content-Type: text/html;  
charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2180" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>David,</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>In theory they should just show up in =
the modules=20
section in</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>the patchbay.&nbsp; Does the Mec master =
module show=20
up that these</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>new 8 in/outs are installed =
in?</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>More info will help.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
<DIV>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"Jeff Hoover" &lt;<A=20
  href=3D"mailto:jkhoover@excite.com">jkhoover@excite.com</A>&gt; wrote =
in message=20
  <A=20
  =
href=3D"news:484b6746@linux">news:484b6746@linux</A>...</DIV>David,<BR><B=
R>What=20
  version of Paris and what OS?&nbsp; How many EDS cards?&nbsp; If more =
than=20
  <BR>one, what is connected to each?<BR><BR>Just need more info to help =
with=20
  troubleshooting.<BR><BR>Jeff<BR><BR>David Feldman wrote:<BR>&gt; Hi=20
  there,<BR>&gt; I'm hoping that someone can point me in the right =
direction for=20
  troubleshooting<BR>&gt; an installation problem.&nbsp; I've recently =
put a new=20
  8-in an 8-out card into<BR>&gt; my MEC, and when I run Paris, they =
don't show=20
  up on the patch bay and I can't<BR>&gt; seem to use them.&nbsp; I'm =
wondering=20
```



-David

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>David,

>In theory they should just show up in the modules section in

>the patchbay. Does the Mec master module show up that these

>new 8 in/outs are installed in?

>

>More info will help.

>Tom

>

>

>

> "Jeff Hoover" <jkhoover@excite.com> wrote in message =

>news:484b6746@linux...

> David,

>

> What version of Paris and what OS? How many EDS cards? If more than=20

> one, what is connected to each?

>

> Just need more info to help with troubleshooting.

>

> Jeff

>

> David Feldman wrote:

> > Hi there,

> > I'm hoping that someone can point me in the right direction for =

>troubleshooting

> > an installation problem. I've recently put a new 8-in an 8-out card

=

>into

> > my MEC, and when I run Paris, they don't show up on the patch bay =

>and I can't

> > seem to use them. I'm wondering if there are steps that I am =

>missing here.

> > I've looked in the manual and can't find any notes on installing =

>these things

> > into an existing MEC. So I'm a little bit lost. Any help would be

=

>appreciated.

> > Thanks,

> > Davi

>

>

>I choose Polesoft Lockspam to fight spam, and you?

><http://www.polesoft.com/refer.html>

```

>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3DContent-Type content=3D"text/html; =
>charset=3Diso-8859-1">
><META content=3D"MSHTML 6.00.2900.2180" name=3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D#ffffff>
><DIV><FONT face=3DArial size=3D2>David,</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>In theory they should just show up in =
>the modules=20
>section in</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>the patchbay. Does the Mec master =
>module show=20
>up that these</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>new 8 in/outs are installed =
>in?</FONT></DIV>
><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
><DIV><FONT face=3DArial size=3D2>More info will help.</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
><DIV> </DIV>
><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
><BLOCKQUOTE=20
>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Jeff Hoover" <<A=20
> href=3D"mailto:jkhoover@excite.com">jkhoover@excite.com</A>> wrote =
>in message=20
> <A=20
> =
>href=3D"news:484b6746@linux">news:484b6746@linux</A>...</DIV>David,<BR><B=
>R>What=20
> version of Paris and what OS? How many EDS cards? If more =
>than=20
> <BR>one, what is connected to each?<BR><BR>Just need more info to help
=
>with=20
> troubleshooting.<BR><BR>Jeff<BR><BR>David Feldman wrote:<BR>> Hi=20
> there,<BR>> I'm hoping that someone can point me in the right =
>direction for=20
> troubleshooting<BR>> an installation problem. I've recently =
>put a new=20
> 8-in an 8-out card into<BR>> my MEC, and when I run Paris, they =
>don't show=20
> up on the patch bay and I can't<BR>> seem to use them. I'm =
>wondering=20

```

> if there are steps that I am missing here.<BR>> I've looked =  
>in the=20  
> manual and can't find any notes on installing these things<BR>> =  
>into an=20  
> existing MEC. So I'm a little bit lost. Any help would be=20  
> appreciated.<BR>> Thanks,<BR>> Davi</BLOCKQUOTE>  
><DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight spam, =  
>and=20  
>you?<BR><A=20  
>href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=  
>.html</A> </FONT></DIV></BODY></HTML>  
>  
>

---

---

Subject: Re: installing 8-in & 8-out cards  
Posted by [Aaron Allen](#) on Mon, 09 Jun 2008 01:21:02 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

OOohhhh.. ok. This is a limit. You have to select which modules from the itemized lists in the patch bay on the right hand side. Adat, no matter where in the MEC, will be the first default as I recall. I think this has to do with how Paris does it's hardware inventory. Make sure to scroll on that list, if they aren't there then you have a problem. If they are, that is normal Paris behaviour.

AA

"David Feldman" <dfeldmania@gmail.com> wrote in message  
news:484c80cb\$1@linux...

>  
> Hi guys,  
> Thanks for trying to help. Here is some more information that I should  
> have  
> included earlier. I am running Paris 3.0 on Windows ME with three EDS  
> cards  
> installed. My MEC is connected to the first EDS card and that's it. When  
> I run Paris, only 16 ins and outs show up in the modules section of the  
> patch  
> bay. What do you think?  
> -David  
>  
> "Tom Bruhl" <arpegio@comcast.net> wrote:  
>>  
>>  
>>David,  
>>In theory they should just show up in the modules section in

>>the patchbay. Does the Mec master module show up that these  
>>new 8 in/outs are installed in?  
>>  
>>More info will help.  
>>Tom  
>>  
>>  
>>  
>> "Jeff Hoover" <jkhoover@excite.com> wrote in message =  
>>news:484b6746@linux...  
>> David,  
>>  
>> What version of Paris and what OS? How many EDS cards? If more than=20  
>> one, what is connected to each?  
>>  
>> Just need more info to help with troubleshooting.  
>>  
>> Jeff  
>>  
>> David Feldman wrote:  
>> > Hi there,  
>> > I'm hoping that someone can point me in the right direction for =  
>>troubleshooting  
>> > an installation problem. I've recently put a new 8-in an 8-out card  
> =  
>>into  
>> > my MEC, and when I run Paris, they don't show up on the patch bay =  
>>and I can't  
>> > seem to use them. I'm wondering if there are steps that I am =  
>>missing here.  
>> > I've looked in the manual and can't find any notes on installing =  
>>these things  
>> > into an existing MEC. So I'm a little bit lost. Any help would be  
> =  
>>appreciated.  
>> > Thanks,  
>> > Davi  
>>  
>>  
>>I choose Polesoft Lockspam to fight spam, and you?  
>><http://www.polesoft.com/refer.html>  
>>  
>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">  
>><HTML><HEAD>  
>><META http-equiv=3DContent-Type content=3D"text/html; =  
>>charset=3Diso-8859-1">  
>><META content=3D"MSHTML 6.00.2900.2180" name=3DGENERATOR>  
>><STYLE></STYLE>



```

>></HEAD>
>><BODY bgColor=#ffffff>
>><DIV><FONT face=Arial size=12>David,</FONT></DIV>
>><DIV><FONT face=Arial size=12>In theory they should just show up in =
>>the modules=20
>>section in</FONT></DIV>
>><DIV><FONT face=Arial size=12>the patchbay. Does the Mec master =
>>module show=20
>>up that these</FONT></DIV>
>><DIV><FONT face=Arial size=12>new 8 in/outs are installed =
>>in?</FONT></DIV>
>><DIV><FONT face=Arial size=12></FONT> </DIV>
>><DIV><FONT face=Arial size=12>More info will help.</FONT></DIV>
>><DIV><FONT face=Arial size=12>Tom</FONT></DIV>
>><DIV> </DIV>
>><DIV><FONT face=Arial size=12></FONT> </DIV>
>><DIV><FONT face=Arial size=12></FONT> </DIV>
>><BLOCKQUOTE=20
>>style="PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
>> <DIV>"Jeff Hoover" <A=20
>> href="mailto:jkhoover@excite.com">jkhoover@excite.com</A>> wrote =
>>in message=20
>> <A=20
>> =
>>href="news:484b6746@linux">news:484b6746@linux</A>...</DIV>David,<BR><B=
>>R>What=20
>> version of Paris and what OS? How many EDS cards? If more =
>>than=20
>> <BR>one, what is connected to each?<BR><BR>Just need more info to help
> =
>>with=20
>> troubleshooting.<BR><BR>Jeff<BR><BR>David Feldman wrote:<BR>> Hi=20
>> there,<BR>> I'm hoping that someone can point me in the right =
>>direction for=20
>> troubleshooting<BR>> an installation problem. I've recently =
>>put a new=20
>> 8-in an 8-out card into<BR>> my MEC, and when I run Paris, they =
>>don't show=20
>> up on the patch bay and I can't<BR>> seem to use them. I'm =
>>wondering=20
>> if there are steps that I am missing here.<BR>> I've looked =
>>in the=20
>> manual and can't find any notes on installing these things<BR>> =
>>into an=20
>> existing MEC. So I'm a little bit lost. Any help would be=20
>> appreciated.<BR>> Thanks,<BR>> Davi</BLOCKQUOTE>
>><DIV><FONT size=12><BR><BR>I choose Polesoft Lockspam to fight spam, =

```

>>and=20  
>>you?<BR><A=20  
>>href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=  
>>.html</A> </FONT></DIV></BODY></HTML>  
>>  
>>  
>

---

---

Subject: Re: installing 8-in & 8-out cards  
Posted by [Aaron Allen](#) on Mon, 09 Jun 2008 01:36:57 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

To clarify, you can only have 2 input and 2 output modules per MEC, giving you 16 ins and 16 outs for each Paris submixer.

AA

"Aaron Allen" <know-spam@not\_here.dude> wrote in message  
news:484c87c8\$1@linux...

> OOohhhh.. ok. This is a limit. You have to select which modules from the  
> itemized lists in the patch bay on the right hand side. Adat, no matter  
> where in the MEC, will be the first default as I recall. I think this has  
> to do with how Paris does it's hardware inventory. Make sure to scroll on  
> that list, if they aren't there then you have a problem. If they are, that  
> is normal Paris behaviour.

>

> AA

>

>

> "David Feldman" <dfeldmania@gmail.com> wrote in message  
> news:484c80cb\$1@linux...

>>

>> Hi guys,

>> Thanks for trying to help. Here is some more information that I should  
>> have

>> included earlier. I am running Paris 3.0 on Windows ME with three EDS  
>> cards

>> installed. My MEC is connected to the first EDS card and that's it.

>> When

>> I run Paris, only 16 ins and outs show up in the modules section of the  
>> patch

>> bay. What do you think?

>> -David

>>

>> "Tom Bruhl" <arpeggio@comcast.net> wrote:

>>>

>>>  
>>>David,  
>>>In theory they should just show up in the modules section in  
>>>the patchbay. Does the Mec master module show up that these  
>>>new 8 in/outs are installed in?  
>>>  
>>>More info will help.  
>>>Tom  
>>>  
>>>  
>>>  
>>> "Jeff Hoover" <jkhoover@excite.com> wrote in message =  
>>>news:484b6746@linux...  
>>> David,  
>>>  
>>> What version of Paris and what OS? How many EDS cards? If more  
>>> than=20  
>>> one, what is connected to each?  
>>>  
>>> Just need more info to help with troubleshooting.  
>>>  
>>> Jeff  
>>>  
>>> David Feldman wrote:  
>>> > Hi there,  
>>> > I'm hoping that someone can point me in the right direction for =  
>>>troubleshooting  
>>> > an installation problem. I've recently put a new 8-in an 8-out card  
>> =  
>>>into  
>>> > my MEC, and when I run Paris, they don't show up on the patch bay =  
>>>and I can't  
>>> > seem to use them. I'm wondering if there are steps that I am =  
>>>missing here.  
>>> > I've looked in the manual and can't find any notes on installing =  
>>>these things  
>>> > into an existing MEC. So I'm a little bit lost. Any help would be  
>> =  
>>>appreciated.  
>>> > Thanks,  
>>> > Davi  
>>>  
>>>  
>>>I choose Polesoft Lockspam to fight spam, and you?  
>>><http://www.polesoft.com/refer.html>  
>>>  
>>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">  
>>><HTML><HEAD>

```
>>><META http-equiv=3DContent-Type content=3D"text/html"; =
>>>charset=3Diso-8859-1">
>>><META content=3D"MSHTML 6.00.2900.2180" name=3DGENERATOR>
>>><STYLE></STYLE>
>>></HEAD>
>>><BODY bgColor=3D#ffffff>
>>><DIV><FONT face=3DArial size=3D2>David,</FONT></DIV>
>>><DIV><FONT face=3DArial size=3D2>In theory they should just show up in =
>>>the modules=20
>>>section in</FONT></DIV>
>>><DIV><FONT face=3DArial size=3D2>the patchbay. Does the Mec master =
>>>module show=20
>>>up that these</FONT></DIV>
>>><DIV><FONT face=3DArial size=3D2>new 8 in/outs are installed =
>>>in?</FONT></DIV>
>>><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
>>><DIV><FONT face=3DArial size=3D2>More info will help.</FONT></DIV>
>>><DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
>>><DIV> </DIV>
>>><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
>>><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
>>><BLOCKQUOTE=20
>>>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>>>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
>>> <DIV>"Jeff Hoover" <<A=20
>>> href=3D"mailto:jkhoover@excite.com">jkhoover@excite.com</A>> wrote =
>>>in message=20
>>> <A=20
>>> =
>>>href=3D"news:484b6746@linux">news:484b6746@linux</A>...</DIV>David,<BR><B=
>>>R>What=20
>>> version of Paris and what OS? How many EDS cards? If more =
>>>than=20
>>> <BR>one, what is connected to each?<BR><BR>Just need more info to help
>> =
>>>with=20
>>> troubleshooting.<BR><BR>Jeff<BR><BR>David Feldman wrote:<BR>> Hi=20
>>> there,<BR>> I'm hoping that someone can point me in the right =
>>>direction for=20
>>> troubleshooting<BR>> an installation problem. I've recently =
>>>put a new=20
>>> 8-in an 8-out card into<BR>> my MEC, and when I run Paris, they =
>>>don't show=20
>>> up on the patch bay and I can't<BR>> seem to use them. I'm =
>>>wondering=20
>>> if there are steps that I am missing here.<BR>> I've looked =
>>>in the=20
>>> manual and can't find any notes on installing these things<BR>> =
```

>>>into an=20  
>>> existing MEC. So I'm a little bit lost. Any help would be=20  
>>> appreciated.<BR>> Thanks,<BR>> Davi</BLOCKQUOTE>  
>>><DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight spam, =  
>>>and=20  
>>>you?<BR><A=20  
>>>href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=  
>>>.html</A> </FONT></DIV></BODY></HTML>  
>>>  
>>>  
>>  
>  
>

---

---

Subject: Re: installing 8-in & 8-out cards  
Posted by [David Feldman](#) on Wed, 11 Jun 2008 04:12:35 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I'm not sure I understand.

In the itemized list in the patch bay on the right hand side, I only see "Modules A" which only shows 16 ins and 16 outs.

Do you mean to say that each MEC can only run up to two input and output modules? If that's the case, then why in the world does the MEC have 9 expansion slots? Am I going to have to run a whole extra 4-rack-unit MEC just to use my extra modules? Or is there a more efficient workaround that I don't know about here? Or am I misunderstanding this completely?

Somebody help explain this to me.  
-David

"Aaron Allen" <know-spam@not\_here.dude> wrote:  
>To clarify, you can only have 2 input and 2 output modules per MEC, giving

>you 16 ins and 16 outs for each Paris submixer.

>

>AA

>

>

>"Aaron Allen" <know-spam@not\_here.dude> wrote in message

>news:484c87c8\$1@linux...

>> OOohhhh.. ok. This is a limit. You have to select which modules from the

>> itemized lists in the patch bay on the right hand side. Adat, no matter

>> where in the MEC, will be the first default as I recall. I think this  
has  
>> to do with how Paris does it's hardware inventory. Make sure to scroll  
on  
>> that list, if they aren't there then you have a problem. If they are,  
that  
>> is normal Paris behaviour.  
>>  
>> AA  
>>  
>>  
>> "David Feldman" <dfeldmania@gmail.com> wrote in message  
>> news:484c80cb\$1@linux...  
>>>  
>>> Hi guys,  
>>> Thanks for trying to help. Here is some more information that I should  
  
>>> have  
>>> included earlier. I am running Paris 3.0 on Windows ME with three EDS  
  
>>> cards  
>>> installed. My MEC is connected to the first EDS card and that's it.  
  
>>> When  
>>> I run Paris, only 16 ins and outs show up in the modules section of the  
  
>>> patch  
>>> bay. What do you think?  
>>> -David  
>>>  
>>> "Tom Bruhl" <arpeggio@comcast.net> wrote:  
>>>>  
>>>>  
>>>>David,  
>>>>In theory they should just show up in the modules section in  
>>>>the patchbay. Does the Mec master module show up that these  
>>>>new 8 in/outs are installed in?  
>>>>  
>>>>More info will help.  
>>>>Tom  
>>>>  
>>>>  
>>>>  
>>>> "Jeff Hoover" <jkhoover@excite.com> wrote in message =  
>>>>news:484b6746@linux...  
>>>> David,  
>>>>  
>>>> What version of Paris and what OS? How many EDS cards? If more

>>>> than=20  
>>>> one, what is connected to each?  
>>>>  
>>>> Just need more info to help with troubleshooting.  
>>>>  
>>>> Jeff  
>>>>  
>>>> David Feldman wrote:  
>>>> > Hi there,  
>>>> > I'm hoping that someone can point me in the right direction for =  
>>>>troubleshooting  
>>>> > an installation problem. I've recently put a new 8-in an 8-out card  
>>> =  
>>>>into  
>>>> > my MEC, and when I run Paris, they don't show up on the patch bay  
=  
>>>>and I can't  
>>>> > seem to use them. I'm wondering if there are steps that I am =  
>>>>missing here.  
>>>> > I've looked in the manual and can't find any notes on installing  
=  
>>>>these things  
>>>> > into an existing MEC. So I'm a little bit lost. Any help would  
be  
>>> =  
>>>>appreciated.  
>>>> > Thanks,  
>>>> > Davi  
>>>>  
>>>>  
>>>>I choose Polesoft Lockspam to fight spam, and you?  
>>>><http://www.polesoft.com/refer.html>  
>>>>  
>>>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">  
>>>><HTML><HEAD>  
>>>><META http-equiv=3DContent-Type content=3D"text/html; =  
>>>>charset=3Diso-8859-1">  
>>>><META content=3D"MSHTML 6.00.2900.2180" name=3DGENERATOR>  
>>>><STYLE></STYLE>  
>>>></HEAD>  
>>>><BODY bgColor=3D#ffffff>  
>>>><DIV><FONT face=3DArial size=3D2>David,</FONT></DIV>  
>>>><DIV><FONT face=3DArial size=3D2>In theory they should just show up in  
=  
>>>>the modules=20  
>>>>section in</FONT></DIV>  
>>>><DIV><FONT face=3DArial size=3D2>the patchbay. Does the Mec master =  
>>>>module show=20

```
>>>>up that these</FONT></DIV>
>>>><DIV><FONT face=3DArial size=3D2>new 8 in/outs are installed =
>>>>in?</FONT></DIV>
>>>><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
>>>><DIV><FONT face=3DArial size=3D2>More info will help.</FONT></DIV>
>>>><DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
>>>><DIV> </DIV>
>>>><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
>>>><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
>>>><BLOCKQUOTE=20
>>>>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>>>>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
>>>> <DIV>"Jeff Hoover" <<A=20
>>>> href=3D"mailto:jkhoover@excite.com">jkhoover@excite.com</A>> wrote
=
>>>>in message=20
>>>> <A=20
>>>> =
>>>>href=3D"news:484b6746@linux">news:484b6746@linux</A>...</DIV>David,<BR><B=
>>>>R>What=20
>>>> version of Paris and what OS? How many EDS cards? If more =
>>>>than=20
>>>> <BR>one, what is connected to each?<BR><BR>Just need more info to help
>>> =
>>>>with=20
>>>> troubleshooting.<BR><BR>Jeff<BR><BR>David Feldman wrote:<BR>> Hi=20
>>>> there,<BR>> I'm hoping that someone can point me in the right =
>>>>direction for=20
>>>> troubleshooting<BR>> an installation problem. I've recently =
>>>>put a new=20
>>>> 8-in an 8-out card into<BR>> my MEC, and when I run Paris, they =
>>>>don't show=20
>>>> up on the patch bay and I can't<BR>> seem to use them. I'm =
>>>>wondering=20
>>>> if there are steps that I am missing here.<BR>> I've looked =
>>>>in the=20
>>>> manual and can't find any notes on installing these things<BR>> =
>>>>into an=20
>>>> existing MEC. So I'm a little bit lost. Any help would be=20
>>>> appreciated.<BR>> Thanks,<BR>> Davi</BLOCKQUOTE>
>>>><DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight spam,
=
>>>>and=20
>>>>you?<BR><A=20
>>>>href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
>>>>.html</A> </FONT></DIV></BODY></HTML>
>>>>
>>>>
```



>>>  
>>  
>>  
>  
>

---

---

Subject: Re: installing 8-in & 8-out cards  
Posted by [Aaron Allen](#) on Wed, 11 Jun 2008 04:41:32 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

> Do you mean to say that each MEC can only run up to two input and output  
> modules? If that's the case, then why in the world does the MEC have 9  
> expansion  
> slots?

Drag'n'drop as you need. Yes, only 2 MEC in modules and 2 MEC out add on  
modules at a time. think about it though, you have only 16 channels per  
submix, right?

You can use additional inputs (8 to be exact) to feed auxes/External loops  
on channels though you cannot of course record those. That gives you the  
total of 24 streams of I/O PER CARD. No more. If you need more you need  
another MEC and another EDS card to host that MEC.

AA

"David Feldman" <dfeldmania@gmail.com> wrote in message  
news:484f50b3\$1@linux...

>  
> I'm not sure I understand.  
>  
> In the itemized list in the patch bay on the right hand side, I only see  
> "Modules A" which only shows 16 ins and 16 outs.  
>  
> Do you mean to say that each MEC can only run up to two input and output  
> modules? If that's the case, then why in the world does the MEC have 9  
> expansion  
> slots? Am I going to have to run a whole extra 4-rack-unit MEC just to  
> use  
> my extra modules?

At the same time? Yes.

Or is there a more efficient workaround that I don't know

> about here? Or am I misunderstanding this completely?

Best workaround is to store patches as presets  
in the patchbay.

AA

>

> Somebody help explain this to me.

> -David

>

>

> "Aaron Allen" <know-spam@not\_here.dude> wrote:

>>To clarify, you can only have 2 input and 2 output modules per MEC, giving

>

>>you 16 ins and 16 outs for each Paris submixer.

>>

>>AA

>>

>>

>>"Aaron Allen" <know-spam@not\_here.dude> wrote in message

>>news:484c87c8\$1@linux...

>>> OOohhhh.. ok. This is a limit. You have to select which modules from the

>

>>> itemized lists in the patch bay on the right hand side. Adat, no matter

>

>>> where in the MEC, will be the first default as I recall. I think this

> has

>>> to do with how Paris does it's hardware inventory. Make sure to scroll

> on

>>> that list, if they aren't there then you have a problem. If they are,

> that

>>> is normal Paris behaviour.

>>>

>>> AA

>>>

>>>

>>> "David Feldman" <dfeldmania@gmail.com> wrote in message

>>> news:484c80cb\$1@linux...

>>>>

>>>> Hi guys,

>>>> Thanks for trying to help. Here is some more information that I should

>

>>>> have

>>>> included earlier. I am running Paris 3.0 on Windows ME with three EDS

>

>>>> cards  
>>>> installed. My MEC is connected to the first EDS card and that's it.  
>  
>>>> When  
>>>> I run Paris, only 16 ins and outs show up in the modules section of the  
>  
>>>> patch  
>>>> bay. What do you think?  
>>>> -David  
>>>>  
>>>> "Tom Bruhl" <arpeggio@comcast.net> wrote:  
>>>>>  
>>>>>  
>>>>>David,  
>>>>>In theory they should just show up in the modules section in  
>>>>>the patchbay. Does the Mec master module show up that these  
>>>>>new 8 in/outs are installed in?  
>>>>>  
>>>>>More info will help.  
>>>>>Tom  
>>>>>  
>>>>>  
>>>>>  
>>>>> "Jeff Hoover" <jkhoover@excite.com> wrote in message =  
>>>>>news:484b6746@linux...  
>>>>> David,  
>>>>>  
>>>>> What version of Paris and what OS? How many EDS cards? If more  
>>>>> than=20  
>>>>> one, what is connected to each?  
>>>>>  
>>>>> Just need more info to help with troubleshooting.  
>>>>>  
>>>>> Jeff  
>>>>>  
>>>>> David Feldman wrote:  
>>>>> > Hi there,  
>>>>> > I'm hoping that someone can point me in the right direction for =  
>>>>>troubleshooting  
>>>>> > an installation problem. I've recently put a new 8-in an 8-out  
>>>>> card  
>>>> =  
>>>>>into  
>>>>> > my MEC, and when I run Paris, they don't show up on the patch bay  
> =  
>>>>>and I can't  
>>>>> > seem to use them. I'm wondering if there are steps that I am =  
>>>>>missing here.

```

>>>> > I've looked in the manual and can't find any notes on installing
> =
>>>>these things
>>>> > into an existing MEC. So I'm a little bit lost. Any help would
> be
>>>> =
>>>>appreciated.
>>>> > Thanks,
>>>> > Davi
>>>>
>>>>
>>>>I choose Polesoft Lockspam to fight spam, and you?
>>>>http://www.polesoft.com/refer.html
>>>>
>>>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
>>>><HTML><HEAD>
>>>><META http-equiv=3DContent-Type content=3D"text/html"; =
>>>>charset=3Diso-8859-1">
>>>><META content=3D"MSHTML 6.00.2900.2180" name=3DGENERATOR>
>>>><STYLE></STYLE>
>>>></HEAD>
>>>><BODY bgColor=3D#ffffff>
>>>><DIV><FONT face=3DArial size=3D2>David,</FONT></DIV>
>>>><DIV><FONT face=3DArial size=3D2>In theory they should just show up in
> =
>>>>the modules=20
>>>>section in</FONT></DIV>
>>>><DIV><FONT face=3DArial size=3D2>the patchbay. Does the Mec master =
>>>>module show=20
>>>>up that these</FONT></DIV>
>>>><DIV><FONT face=3DArial size=3D2>new 8 in/outs are installed =
>>>>in?</FONT></DIV>
>>>><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
>>>><DIV><FONT face=3DArial size=3D2>More info will help.</FONT></DIV>
>>>><DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
>>>><DIV> </DIV>
>>>><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
>>>><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
>>>><BLOCKQUOTE=20
>>>>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>>>>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
>>>> <DIV>"Jeff Hoover" <<A=20
>>>> href=3D"mailto:jkhoover@excite.com">jkhoover@excite.com</A>> wrote
> =
>>>>in message=20
>>>> <A=20
>>>> =
>>>>href=3D"news:484b6746@linux">news:484b6746@linux</A>...</DIV>David,<BR><B=

```

>>>>R>What=20  
>>>> version of Paris and what OS? How many EDS cards? If more =  
>>>>than=20  
>>>> <BR>one, what is connected to each?<BR><BR>Just need more info to  
>>>> help  
>>>> =  
>>>>with=20  
>>>> troubleshooting.<BR><BR>Jeff<BR><BR>David Feldman wrote:<BR>> Hi=20  
>>>> there,<BR>> I'm hoping that someone can point me in the right =  
>>>>direction for=20  
>>>> troubleshooting<BR>> an installation problem. I've recently =  
>>>>put a new=20  
>>>> 8-in an 8-out card into<BR>> my MEC, and when I run Paris, they =  
>>>>don't show=20  
>>>> up on the patch bay and I can't<BR>> seem to use them. I'm =  
>>>>wondering=20  
>>>> if there are steps that I am missing here.<BR>> I've looked =  
>>>>in the=20  
>>>> manual and can't find any notes on installing these things<BR>> =  
>>>>into an=20  
>>>> existing MEC. So I'm a little bit lost. Any help would be=20  
>>>> appreciated.<BR>> Thanks,<BR>> Davi</BLOCKQUOTE>  
>>>><DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight spam,  
> =  
>>>>and=20  
>>>>you?<BR><A=20  
>>>>href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=  
>>>>.html</A> </FONT></DIV></BODY></HTML>  
>>>>  
>>>>  
>>>>  
>>>  
>>>  
>>  
>>  
>>  
>

---

**Subject: Re: installing 8-in & 8-out cards**  
Posted by [EK Sound](#) on Wed, 11 Jun 2008 15:45:43 GMT  
[View Forum Message](#) <> [Reply to Message](#)

Aaron is quite correct... only 4 cards "live" at one time. Why have 9 slots? Choice. You could have 16 channels worth of analog I/O and 16 channels worth of adat I/O for 8 cards, and the SMPTE card, which makes 9. This would give you the option of having all 16 I/O digital, or analog, or a mix.

David.

David Feldman wrote:

> I'm not sure I understand.

>

> In the itemized list in the patch bay on the right hand side, I only see

> "Modules A" which only shows 16 ins and 16 outs.

>

> Do you mean to say that each MEC can only run up to two input and output

> modules? If that's the case, then why in the world does the MEC have 9 expansion

> slots? Am I going to have to run a whole extra 4-rack-unit MEC just to use

> my extra modules? Or is there a more efficient workaround that I don't know

> about here? Or am I misunderstanding this completely?

>

> Somebody help explain this to me.

> -David

>

>

> "Aaron Allen" <know-spam@not\_here.dude> wrote:

>> To clarify, you can only have 2 input and 2 output modules per MEC, giving

>

>> you 16 ins and 16 outs for each Paris submixer.

>>

>> AA

>>

>>

>> "Aaron Allen" <know-spam@not\_here.dude> wrote in message

>> news:484c87c8\$1@linux...

>>> OOohhhh.. ok. This is a limit. You have to select which modules from the

>

>>> itemized lists in the patch bay on the right hand side. Adat, no matter

>

>>> where in the MEC, will be the first default as I recall. I think this

> has

>>> to do with how Paris does it's hardware inventory. Make sure to scroll

> on

>>> that list, if they aren't there then you have a problem. If they are,

> that

>>> is normal Paris behaviour.

>>>

>>> AA

>>>

>>>

>>> "David Feldman" <dfeldmania@gmail.com> wrote in message

>>> news:484c80cb\$1@linux...

>>>> Hi guys,

>>>> Thanks for trying to help. Here is some more information that I should

>

>>>> have  
>>>> included earlier. I am running Paris 3.0 on Windows ME with three EDS  
>  
>>>> cards  
>>>> installed. My MEC is connected to the first EDS card and that's it.  
>  
>>>> When  
>>>> I run Paris, only 16 ins and outs show up in the modules section of the  
>  
>>>> patch  
>>>> bay. What do you think?  
>>>> -David  
>>>>  
>>>> "Tom Bruhl" <arpeggio@comcast.net> wrote:  
>>>>>  
>>>>> David,  
>>>>> In theory they should just show up in the modules section in  
>>>>> the patchbay. Does the Mec master module show up that these  
>>>>> new 8 in/outs are installed in?  
>>>>>  
>>>>> More info will help.  
>>>>> Tom  
>>>>>  
>>>>>  
>>>>>  
>>>>> "Jeff Hoover" <jkhoover@excite.com> wrote in message =  
>>>>> news:484b6746@linux...  
>>>>> David,  
>>>>>  
>>>>> What version of Paris and what OS? How many EDS cards? If more  
>>>>> than=20  
>>>>> one, what is connected to each?  
>>>>>  
>>>>> Just need more info to help with troubleshooting.  
>>>>>  
>>>>> Jeff  
>>>>>  
>>>>> David Feldman wrote:  
>>>>> > Hi there,  
>>>>> > I'm hoping that someone can point me in the right direction for =  
>>>>> troubleshooting  
>>>>> > an installation problem. I've recently put a new 8-in an 8-out card  
>>>>> =  
>>>>> into  
>>>>> > my MEC, and when I run Paris, they don't show up on the patch bay  
> =  
>>>>> and I can't  
>>>>> > seem to use them. I'm wondering if there are steps that I am =

```

>>>> missing here.
>>>> > I've looked in the manual and can't find any notes on installing
> =
>>>> these things
>>>> > into an existing MEC. So I'm a little bit lost. Any help would
> be
>>>> =
>>>> appreciated.
>>>> > Thanks,
>>>> > Davi
>>>>
>>>>
>>>> I choose Polesoft Lockspam to fight spam, and you?
>>>> http://www.polesoft.com/refer.html
>>>>
>>>> <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
>>>> <HTML><HEAD>
>>>> <META http-equiv=3DContent-Type content=3D"text/html; =
>>>> charset=3Diso-8859-1">
>>>> <META content=3D"MSHTML 6.00.2900.2180" name=3DGENERATOR>
>>>> <STYLE></STYLE>
>>>> </HEAD>
>>>> <BODY bgColor=3D#ffffff>
>>>> <DIV><FONT face=3DArial size=3D2>David,</FONT></DIV>
>>>> <DIV><FONT face=3DArial size=3D2>In theory they should just show up in
> =
>>>> the modules=20
>>>> section in</FONT></DIV>
>>>> <DIV><FONT face=3DArial size=3D2>the patchbay. Does the Mec master =
>>>> module show=20
>>>> up that these</FONT></DIV>
>>>> <DIV><FONT face=3DArial size=3D2>new 8 in/outs are installed =
>>>> in?</FONT></DIV>
>>>> <DIV><FONT face=3DArial size=3D2></FONT> </DIV>
>>>> <DIV><FONT face=3DArial size=3D2>More info will help.</FONT></DIV>
>>>> <DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
>>>> <DIV> </DIV>
>>>> <DIV><FONT face=3DArial size=3D2></FONT> </DIV>
>>>> <DIV><FONT face=3DArial size=3D2></FONT> </DIV>
>>>> <BLOCKQUOTE=20
>>>> style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>>>> BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
>>>> <DIV>"Jeff Hoover" <<A=20
>>>> href=3D"mailto:jkhoover@excite.com">jkhoover@excite.com</A>> wrote
> =
>>>> in message=20
>>>> <A=20
>>>> =

```



>>>> href=3D"news:484b6746@linux">news:484b6746@linux</A>...</DIV>David,<BR><B=  
>>>> R>What=20  
>>>> version of Paris and what OS? How many EDS cards? If more =  
>>>> than=20  
>>>> <BR>one, what is connected to each?<BR><BR>Just need more info to help  
>>>> =  
>>>> with=20  
>>>> troubleshooting.<BR><BR>Jeff<BR><BR>David Feldman wrote:<BR>> Hi=20  
>>>> there,<BR>> I'm hoping that someone can point me in the right =  
>>>> direction for=20  
>>>> troubleshooting<BR>> an installation problem. I've recently =  
>>>> put a new=20  
>>>> 8-in an 8-out card into<BR>> my MEC, and when I run Paris, they =  
>>>> don't show=20  
>>>> up on the patch bay and I can't<BR>> seem to use them. I'm =  
>>>> wondering=20  
>>>> if there are steps that I am missing here.<BR>> I've looked =  
>>>> in the=20  
>>>> manual and can't find any notes on installing these things<BR>> =  
>>>> into an=20  
>>>> existing MEC. So I'm a little bit lost. Any help would be=20  
>>>> appreciated.<BR>> Thanks,<BR>> Davi</BLOCKQUOTE>  
>>>> <DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight spam,  
> =  
>>>> and=20  
>>>> you?<BR><A=20  
>>>> href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=  
>>>> .html</A> </FONT></DIV></BODY></HTML>  
>>>>  
>>>>  
>>>  
>>  
>

---

Subject: Re: installing 8-in & 8-out cards

Posted by [David Feldman](#) on Thu, 12 Jun 2008 05:38:44 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Thanks for explaining this to me guys. I kind of see the logic, but I guess I just took for granted that the hardware pairings would be more flexible, and I never found anything specifically telling me differently. For my situation (3 EDS cards, one MEC), it just seems like a waste of space and hardware.

Oh well, I guess I'm dragging my spare MEC out of storage.

-David

EK Sound <ask\_me@nospam.net> wrote:

>Aaron is quite correct... only 4 cards "live" at one time. Why have 9

>slots? Choice. You could have 16 channels worth of analog I/O and 16  
>channels worth of adat I/O for 8 cards, and the SMPTE card, which makes

>9. This would give you the option of having all 16 I/O digital, or  
>analog, or a mix.

>

>David.

>

>David Feldman wrote:

>> I'm not sure I understand.

>>

>> In the itemized list in the patch bay on the right hand side, I only see

>> "Modules A" which only shows 16 ins and 16 outs.

>>

>> Do you mean to say that each MEC can only run up to two input and output  
>> modules? If that's the case, then why in the world does the MEC have  
9 expansion

>> slots? Am I going to have to run a whole extra 4-rack-unit MEC just to  
use

>> my extra modules? Or is there a more efficient workaround that I don't  
know

>> about here? Or am I misunderstanding this completely?

>>

>> Somebody help explain this to me.

>> -David

>>

>>

>> "Aaron Allen" <know-spam@not\_here.dude> wrote:

>>> To clarify, you can only have 2 input and 2 output modules per MEC, giving

>>>

>>> you 16 ins and 16 outs for each Paris submixer.

>>>

>>> AA

>>>

>>>

>>> "Aaron Allen" <know-spam@not\_here.dude> wrote in message

>>> news:484c87c8\$1@linux...

>>>> OOohhhh.. ok. This is a limit. You have to select which modules from  
the

>>>>

>>>> itemized lists in the patch bay on the right hand side. Adat, no matter

>>>>

>>>> where in the MEC, will be the first default as I recall. I think this

>>>> has

>>>> to do with how Paris does it's hardware inventory. Make sure to scroll

>>>> on

>>>> that list, if they aren't there then you have a problem. If they are,

>>>> that

>>>> is normal Paris behaviour.  
>>>>  
>>>> AA  
>>>>  
>>>>  
>>>> "David Feldman" <dfeldmania@gmail.com> wrote in message  
>>>> news:484c80cb\$1@linux...  
>>>>> Hi guys,  
>>>>> Thanks for trying to help. Here is some more information that I should  
>>  
>>>>> have  
>>>>> included earlier. I am running Paris 3.0 on Windows ME with three  
EDS  
>>  
>>>>> cards  
>>>>> installed. My MEC is connected to the first EDS card and that's it.  
>>  
>>>>> When  
>>>>> I run Paris, only 16 ins and outs show up in the modules section of  
the  
>>  
>>>>> patch  
>>>>> bay. What do you think?  
>>>>> -David  
>>>>>  
>>>>> "Tom Bruhl" <arpeggio@comcast.net> wrote:  
>>>>>>  
>>>>>> David,  
>>>>>> In theory they should just show up in the modules section in  
>>>>>> the patchbay. Does the Mec master module show up that these  
>>>>>> new 8 in/outs are installed in?  
>>>>>>  
>>>>>> More info will help.  
>>>>>> Tom  
>>>>>>  
>>>>>>  
>>>>>>  
>>>>>> "Jeff Hoover" <jkhoover@excite.com> wrote in message =  
>>>>>> news:484b6746@linux...  
>>>>>> David,  
>>>>>>  
>>>>>> What version of Paris and what OS? How many EDS cards? If more  
  
>>>>>> than=20  
>>>>>> one, what is connected to each?  
>>>>>>  
>>>>>> Just need more info to help with troubleshooting.  
>>>>>>

>>>>> Jeff  
>>>>>  
>>>>> David Feldman wrote:  
>>>>> > Hi there,  
>>>>> > I'm hoping that someone can point me in the right direction for  
=  
>>>>> troubleshooting  
>>>>> > an installation problem. I've recently put a new 8-in an 8-out  
card  
>>>>> =  
>>>>> into  
>>>>> > my MEC, and when I run Paris, they don't show up on the patch bay  
>> =  
>>>>> and I can't  
>>>>> > seem to use them. I'm wondering if there are steps that I am =  
>>>>> missing here.  
>>>>> > I've looked in the manual and can't find any notes on installing  
>> =  
>>>>> these things  
>>>>> > into an existing MEC. So I'm a little bit lost. Any help would  
>> be  
>>>>> =  
>>>>> appreciated.  
>>>>> > Thanks,  
>>>>> > Davi  
>>>>>  
>>>>>  
>>>>> I choose Polesoft Lockspam to fight spam, and you?  
>>>>> <http://www.polesoft.com/refer.html>  
>>>>>  
>>>>> <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">  
>>>>> <HTML><HEAD>  
>>>>> <META http-equiv=3DContent-Type content=3D"text/html"; =  
>>>>> charset=3Diso-8859-1">  
>>>>> <META content=3D"MSHTML 6.00.2900.2180" name=3DGENERATOR>  
>>>>> <STYLE></STYLE>  
>>>>> </HEAD>  
>>>>> <BODY bgColor=3D#ffffff>  
>>>>> <DIV><FONT face=3DArial size=3D2>David,</FONT></DIV>  
>>>>> <DIV><FONT face=3DArial size=3D2>In theory they should just show up  
in  
>> =  
>>>>> the modules=20  
>>>>> section in</FONT></DIV>  
>>>>> <DIV><FONT face=3DArial size=3D2>the patchbay. Does the Mec master  
=  
>>>>> module show=20  
>>>>> up that these</FONT></DIV>

```

>>>>> <DIV><FONT face=3DArial size=3D2>new 8 in/outs are installed =
>>>>> in?</FONT></DIV>
>>>>> <DIV><FONT face=3DArial size=3D2></FONT> </DIV>
>>>>> <DIV><FONT face=3DArial size=3D2>More info will help.</FONT></DIV>
>>>>> <DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
>>>>> <DIV> </DIV>
>>>>> <DIV><FONT face=3DArial size=3D2></FONT> </DIV>
>>>>> <DIV><FONT face=3DArial size=3D2></FONT> </DIV>
>>>>> <BLOCKQUOTE=20
>>>>> style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px;
=
>>>>> BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
>>>>> <DIV>"Jeff Hoover" <<A=20
>>>>> href=3D"mailto:jkhoover@excite.com">jkhoover@excite.com</A>> wrote
>> =
>>>>> in message=20
>>>>> <A=20
>>>>> =
>>>>> href=3D"news:484b6746@linux">news:484b6746@linux</A>...</DIV>David,<BR><B=
>>>>> R>What=20
>>>>> version of Paris and what OS? How many EDS cards? If more =
>>>>> than=20
>>>>> <BR>one, what is connected to each?<BR><BR>Just need more info to
help
>>>>> =
>>>>> with=20
>>>>> troubleshooting.<BR><BR>Jeff<BR><BR>David Feldman wrote:<BR>> Hi=20
>>>>> there,<BR>> I'm hoping that someone can point me in the right =
>>>>> direction for=20
>>>>> troubleshooting<BR>> an installation problem. I've recently =
>>>>> put a new=20
>>>>> 8-in an 8-out card into<BR>> my MEC, and when I run Paris, they =
>>>>> don't show=20
>>>>> up on the patch bay and I can't<BR>> seem to use them. I'm =
>>>>> wondering=20
>>>>> if there are steps that I am missing here.<BR>> I've looked =
>>>>> in the=20
>>>>> manual and can't find any notes on installing these things<BR>> =
>>>>> into an=20
>>>>> existing MEC. So I'm a little bit lost. Any help would be=20
>>>>> appreciated.<BR>> Thanks,<BR>> Davi</BLOCKQUOTE>
>>>>> <DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight spam,
>> =
>>>>> and=20
>>>>> you?<BR><A=20
>>>>> href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
>>>>> .html</A> </FONT></DIV></BODY></HTML>
>>>>>

```

>>>>>  
>>>>  
>>>  
>>  
>>

---

---

Subject: Re: installing 8-in & 8-out cards  
Posted by [Aaron Allen](#) on Thu, 12 Jun 2008 07:27:22 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Just FYI.. be also aware that adding a 2nd MEC will be fine sans external clock, but a 3rd will require you buy a word clock. Also, the 2nd MEC may want to live on EDS 2 or EDS 3. It's \*generally\* the last one, in your case #3, but not always.  
Make sure to use a quality word clock cable from the 1st MEC to the 2nd MEC.

AA

"David Feldman" <dfeldmania@gmail.com> wrote in message  
news:4850b664\$1@linux...

>  
> Thanks for explaining this to me guys. I kind of see the logic, but I  
> guess  
> I just took for granted that the hardware pairings would be more flexible,  
> and I never found anything specifically telling me differently. For my  
> situation  
> (3 EDS cards, one MEC), it just seems like a waste of space and hardware.  
> Oh well, I guess I'm dragging my spare MEC out of storage.  
> -David

>  
> EK Sound <ask\_me@nospam.net> wrote:  
>> Aaron is quite correct... only 4 cards "live" at one time. Why have 9  
>> slots? Choice. You could have 16 channels worth of analog I/O and 16  
>> channels worth of adat I/O for 8 cards, and the SMPTE card, which makes  
>  
>> 9. This would give you the option of having all 16 I/O digital, or  
>> analog, or a mix.

>>  
>> David.

>>  
>> David Feldman wrote:

>>> I'm not sure I understand.

>>>

>>> In the itemized list in the patch bay on the right hand side, I only see  
>>> "Modules A" which only shows 16 ins and 16 outs.

>>>

>>> Do you mean to say that each MEC can only run up to two input and output

>>> modules? If that's the case, then why in the world does the MEC have  
> 9 expansion  
>>> slots? Am I going to have to run a whole extra 4-rack-unit MEC just to  
> use  
>>> my extra modules? Or is there a more efficient workaround that I don't  
> know  
>>> about here? Or am I misunderstanding this completely?  
>>>  
>>> Somebody help explain this to me.  
>>> -David  
>>>  
>>>  
>>> "Aaron Allen" <know-spam@not\_here.dude> wrote:  
>>>> To clarify, you can only have 2 input and 2 output modules per MEC,  
>>>> giving  
>>>  
>>>> you 16 ins and 16 outs for each Paris submixer.  
>>>>  
>>>> AA  
>>>>  
>>>>  
>>>> "Aaron Allen" <know-spam@not\_here.dude> wrote in message  
>>>> news:484c87c8\$1@linux...  
>>>>> OOohhhh.. ok. This is a limit. You have to select which modules from  
> the  
>>>  
>>>>> itemized lists in the patch bay on the right hand side. Adat, no  
>>>>> matter  
>>>  
>>>>> where in the MEC, will be the first default as I recall. I think this  
>>> has  
>>>>> to do with how Paris does it's hardware inventory. Make sure to scroll  
>>> on  
>>>>> that list, if they aren't there then you have a problem. If they are,  
>>> that  
>>>>> is normal Paris behaviour.  
>>>>>  
>>>>> AA  
>>>>>  
>>>>>  
>>>>> "David Feldman" <dfeldmania@gmail.com> wrote in message  
>>>>> news:484c80cb\$1@linux...  
>>>>>> Hi guys,  
>>>>>> Thanks for trying to help. Here is some more information that I  
>>>>>> should  
>>>  
>>>>>> have  
>>>>>>> included earlier. I am running Paris 3.0 on Windows ME with three

> EDS  
>>>  
>>>>> cards  
>>>>> installed. My MEC is connected to the first EDS card and that's it.  
>>>  
>>>>> When  
>>>>> I run Paris, only 16 ins and outs show up in the modules section of  
> the  
>>>  
>>>>> patch  
>>>>> bay. What do you think?  
>>>>> -David  
>>>>>  
>>>>> "Tom Bruhl" <arpegio@comcast.net> wrote:  
>>>>>  
>>>>>> David,  
>>>>>> In theory they should just show up in the modules section in  
>>>>>> the patchbay. Does the Mec master module show up that these  
>>>>>> new 8 in/outs are installed in?  
>>>>>>  
>>>>>> More info will help.  
>>>>>> Tom  
>>>>>>  
>>>>>>  
>>>>>>  
>>>>>> "Jeff Hoover" <jkhoover@excite.com> wrote in message =  
>>>>>> news:484b6746@linux...  
>>>>>> David,  
>>>>>>  
>>>>>> What version of Paris and what OS? How many EDS cards? If more  
>  
>>>>>> than=20  
>>>>>> one, what is connected to each?  
>>>>>>  
>>>>>> Just need more info to help with troubleshooting.  
>>>>>>  
>>>>>> Jeff  
>>>>>>  
>>>>>> David Feldman wrote:  
>>>>>> > Hi there,  
>>>>>> > I'm hoping that someone can point me in the right direction for  
> =  
>>>>>> troubleshooting  
>>>>>> > an installation problem. I've recently put a new 8-in an 8-out  
> card  
>>>>>> =  
>>>>>> into  
>>>>>> > my MEC, and when I run Paris, they don't show up on the patch bay



```

>>> =
>>>>>> and I can't
>>>>>> > seem to use them. I'm wondering if there are steps that I am =
>>>>>> missing here.
>>>>>> > I've looked in the manual and can't find any notes on installing
>>> =
>>>>>> these things
>>>>>> > into an existing MEC. So I'm a little bit lost. Any help would
>>> be
>>>>>> =
>>>>>> appreciated.
>>>>>> > Thanks,
>>>>>> > Davi
>>>>>>
>>>>>>
>>>>>> I choose Polesoft Lockspam to fight spam, and you?
>>>>>> http://www.polesoft.com/refer.html
>>>>>>
>>>>>> <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
>>>>>> <HTML><HEAD>
>>>>>> <META http-equiv=3DContent-Type content=3D"text/html; =
>>>>>> charset=3Diso-8859-1">
>>>>>> <META content=3D"MSHTML 6.00.2900.2180" name=3DGENERATOR>
>>>>>> <STYLE></STYLE>
>>>>>> </HEAD>
>>>>>> <BODY bgColor=3D#ffffff>
>>>>>> <DIV><FONT face=3DArial size=3D2>David,</FONT></DIV>
>>>>>> <DIV><FONT face=3DArial size=3D2>In theory they should just show up
> in
>>> =
>>>>>> the modules=20
>>>>>> section in</FONT></DIV>
>>>>>> <DIV><FONT face=3DArial size=3D2>the patchbay. Does the Mec master
> =
>>>>>> module show=20
>>>>>> up that these</FONT></DIV>
>>>>>> <DIV><FONT face=3DArial size=3D2>new 8 in/outs are installed =
>>>>>> in?</FONT></DIV>
>>>>>> <DIV><FONT face=3DArial size=3D2></FONT> </DIV>
>>>>>> <DIV><FONT face=3DArial size=3D2>More info will help.</FONT></DIV>
>>>>>> <DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
>>>>>> <DIV> </DIV>
>>>>>> <DIV><FONT face=3DArial size=3D2></FONT> </DIV>
>>>>>> <DIV><FONT face=3DArial size=3D2></FONT> </DIV>
>>>>>> <BLOCKQUOTE=20
>>>>>> style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px;
> =
>>>>>> BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

```

>>>>>> <DIV>"Jeff Hoover" <<A=20  
>>>>>> href=3D"mailto:jkhoover@excite.com">jkhoover@excite.com</A>> wrote  
>>> =  
>>>>>> in message=20  
>>>>>> <A=20  
>>>>>> =  
>>>>>> href=3D"news:484b6746@linux">news:484b6746@linux</A>...</DIV>David,<BR><B=  
>>>>>> R>What=20  
>>>>>> version of Paris and what OS? How many EDS cards? If more =  
>>>>>> than=20  
>>>>>> <BR>one, what is connected to each?<BR><BR>Just need more info to  
> help  
>>>>>> =  
>>>>>> with=20  
>>>>>> troubleshooting.<BR><BR>Jeff<BR><BR>David Feldman wrote:<BR>>> Hi=20  
>>>>>> there,<BR>>> I'm hoping that someone can point me in the right =  
>>>>>> direction for=20  
>>>>>> troubleshooting<BR>>> an installation problem. I've recently =  
>>>>>> put a new=20  
>>>>>> 8-in an 8-out card into<BR>>> my MEC, and when I run Paris, they =  
>>>>>> don't show=20  
>>>>>> up on the patch bay and I can't<BR>>> seem to use them. I'm =  
>>>>>> wondering=20  
>>>>>> if there are steps that I am missing here.<BR>>> I've looked =  
>>>>>> in the=20  
>>>>>> manual and can't find any notes on installing these things<BR>>> =  
>>>>>> into an=20  
>>>>>> existing MEC. So I'm a little bit lost. Any help would be=20  
>>>>>> appreciated.<BR>>> Thanks,<BR>>> Davi</BLOCKQUOTE>  
>>>>>> <DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight  
>>>>>> spam,  
>>> =  
>>>>>> and=20  
>>>>>> you?<BR><A=20  
>>>>>> href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=  
>>>>>> .html</A> </FONT></DIV></BODY></HTML>  
>>>>>>  
>>>>>>  
>>>>>  
>>>>  
>>>>  
>>>  
>>>  
>

---

Subject: Re: installing 8-in & 8-out cards  
Posted by [JeffH](#) on Thu, 12 Jun 2008 07:43:38 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

FYI,

I'm sitting with a six card system with MECs on cards 1 and 2. Surprisingly no problems and multipl ADATs on the MECs. I am using a word clock even though it probably isn't necessary in this config.

JH

Aaron Allen wrote:

> Just FYI.. be also aware that adding a 2nd MEC will be fine sans external  
> clock, but a 3rd will require you buy a word clock. Also, the 2nd MEC may  
> want to live on EDS 2 or EDS 3. It's \*generally\* the last one, in your case  
> #3, but not always.  
> Make sure to use a quality word clock cable from the 1st MEC to the 2nd MEC.

>

> AA

>

>

> "David Feldman" <dfeldmania@gmail.com> wrote in message  
> news:4850b664\$1@linux...

>

>>Thanks for explaining this to me guys. I kind of see the logic, but I  
>>guess

>>I just took for granted that the hardware pairings would be more flexible,  
>>and I never found anything specifically telling me differently. For my  
>>situation

>>(3 EDS cards, one MEC), it just seems like a waste of space and hardware.  
>>Oh well, I guess I'm dragging my spare MEC out of storage.

>>-David

>>

>>EK Sound <ask\_me@nospam.net> wrote:

>>

>>>Aaron is quite correct... only 4 cards "live" at one time. Why have 9  
>>>slots? Choice. You could have 16 channels worth of analog I/O and 16  
>>>channels worth of adat I/O for 8 cards, and the SMPTE card, which makes  
>>

>>>9. This would give you the option of having all 16 I/O digital, or  
>>>analog, or a mix.

>>>

>>>David.

>>>

>>>David Feldman wrote:

>>>

>>>>I'm not sure I understand.

>>>>

>>>>In the itemized list in the patch bay on the right hand side, I only see  
>>>>"Modules A" which only shows 16 ins and 16 outs.

>>>>

>>>>Do you mean to say that each MEC can only run up to two input and output  
>>>>modules? If that's the case, then why in the world does the MEC have  
>>  
>>9 expansion  
>>  
>>>>slots? Am I going to have to run a whole extra 4-rack-unit MEC just to  
>>  
>>use  
>>  
>>>>my extra modules? Or is there a more efficient workaround that I don't  
>>  
>>know  
>>  
>>>>about here? Or am I misunderstanding this completely?  
>>>>  
>>>>Somebody help explain this to me.  
>>>>-David  
>>>>  
>>>>  
>>>>"Aaron Allen" <know-spam@not\_here.dude> wrote:  
>>>>  
>>>>>To clarify, you can only have 2 input and 2 output modules per MEC,  
>>>>>giving  
>>>>  
>>>>>you 16 ins and 16 outs for each Paris submixer.  
>>>>>  
>>>>>AA  
>>>>>  
>>>>>  
>>>>>"Aaron Allen" <know-spam@not\_here.dude> wrote in message  
>>>>>news:484c87c8\$1@linux...  
>>>>>  
>>>>>>OOohhhh.. ok. This is a limit. You have to select which modules from  
>>  
>>the  
>>  
>>>>>>itized lists in the patch bay on the right hand side. Adat, no  
>>>>>>matter  
>>>>>  
>>>>>>where in the MEC, will be the first default as I recall. I think this  
>>>>>  
>>>>>has  
>>>>>  
>>>>>>>to do with how Paris does it's hardware inventory. Make sure to scroll  
>>>>>  
>>>>>on  
>>>>>  
>>>>>>>that list, if they aren't there then you have a problem. If they are,

>>>>  
>>>>that  
>>>>  
>>>>>>is normal Paris behaviour.  
>>>>>>  
>>>>>>AA  
>>>>>>  
>>>>>>  
>>>>>>"David Feldman" <dfeldmania@gmail.com> wrote in message  
>>>>>>news:484c80cb\$1@linux...  
>>>>>>  
>>>>>>>Hi guys,  
>>>>>>>Thanks for trying to help. Here is some more information that I  
>>>>>>>should  
>>>>>>>  
>>>>>>>have  
>>>>>>>included earlier. I am running Paris 3.0 on Windows ME with three  
>>  
>>EDS  
>>  
>>>>>>>cards  
>>>>>>>installed. My MEC is connected to the first EDS card and that's it.  
>>>>>>>  
>>>>>>>When  
>>>>>>>I run Paris, only 16 ins and outs show up in the modules section of  
>>  
>>the  
>>  
>>>>>>>patch  
>>>>>>>bay. What do you think?  
>>>>>>>-David  
>>>>>>>  
>>>>>>>"Tom Bruhl" <arpeggio@comcast.net> wrote:  
>>>>>>>  
>>>>>>>David,  
>>>>>>>In theory they should just show up in the modules section in  
>>>>>>>the patchbay. Does the Mec master module show up that these  
>>>>>>>new 8 in/outs are installed in?  
>>>>>>>  
>>>>>>>More info will help.  
>>>>>>>Tom  
>>>>>>>  
>>>>>>>  
>>>>>>>  
>>>>>>> "Jeff Hoover" <jkhoover@excite.com> wrote in message =  
>>>>>>>news:484b6746@linux...  
>>>>>>> David,  
>>>>>>>

>>>>>>> What version of Paris and what OS? How many EDS cards? If more  
>>  
>>>>>>>than=20  
>>>>>>> one, what is connected to each?  
>>>>>>>  
>>>>>>> Just need more info to help with troubleshooting.  
>>>>>>>  
>>>>>>> Jeff  
>>>>>>>  
>>>>>>> David Feldman wrote:  
>>>>>>> > Hi there,  
>>>>>>> > I'm hoping that someone can point me in the right direction for  
>>  
>>=  
>>  
>>>>>>>troubleshooting  
>>>>>>> > an installation problem. I've recently put a new 8-in an 8-out  
>>  
>>card  
>>  
>>>>>>>=  
>>>>>>>  
>>>>>>>into  
>>>>>>> > my MEC, and when I run Paris, they don't show up on the patch bay  
>>>>  
>>>>=  
>>>>  
>>>>>>>and I can't  
>>>>>>> > seem to use them. I'm wondering if there are steps that I am =  
>>>>>>>missing here.  
>>>>>>> > I've looked in the manual and can't find any notes on installing  
>>>>  
>>>>=  
>>>>  
>>>>>>>these things  
>>>>>>> > into an existing MEC. So I'm a little bit lost. Any help would  
>>>>  
>>>>be  
>>>>  
>>>>>>>=  
>>>>>>>  
>>>>>>>appreciated.  
>>>>>>> > Thanks,  
>>>>>>> > Davi  
>>>>>>>  
>>>>>>>  
>>>>>>>I choose Polesoft Lockspam to fight spam, and you?  
>>>>>>>><http://www.polesoft.com/refer.html>

```

>>>>>>>
>>>>>>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
>>>>>>><HTML><HEAD>
>>>>>>><META http-equiv=3DContent-Type content=3D"text/html; =
>>>>>>> charset=3Diso-8859-1">
>>>>>>><META content=3D"MSHTML 6.00.2900.2180" name=3DGENERATOR>
>>>>>>><STYLE></STYLE>
>>>>>>></HEAD>
>>>>>>><BODY bgColor=3D#ffffff>
>>>>>>><DIV><FONT face=3DArial size=3D2>David,</FONT></DIV>
>>>>>>><DIV><FONT face=3DArial size=3D2>In theory they should just show up
>>
>>in
>>
>>>>=
>>>>
>>>>>>>the modules=20
>>>>>>>section in</FONT></DIV>
>>>>>>><DIV><FONT face=3DArial size=3D2>the patchbay. Does the Mec master
>>
>>=
>>
>>>>>>>module show=20
>>>>>>>up that these</FONT></DIV>
>>>>>>><DIV><FONT face=3DArial size=3D2>new 8 in/outs are installed =
>>>>>>>in?</FONT></DIV>
>>>>>>><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
>>>>>>><DIV><FONT face=3DArial size=3D2>More info will help.</FONT></DIV>
>>>>>>><DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
>>>>>>><DIV> </DIV>
>>>>>>><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
>>>>>>><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
>>>>>>><BLOCKQUOTE=20
>>>>>>>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px;
>>
>>=
>>
>>>>>>>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
>>>>>>> <DIV>"Jeff Hoover" <<A=20
>>>>>>> href=3D"mailto:jkhoover@excite.com">jkhoover@excite.com</A>> wrote
>>>>
>>>>=
>>>>
>>>>>>>in message=20
>>>>>>> <A=20
>>>>>>> =
>>>>>>>href=3D"news:484b6746@linux">news:484b6746@linux</A>...</DIV>David,<BR><B=
>>>>>>>R>What=20

```

>>>>>> version of Paris and what OS? How many EDS cards? If more =  
>>>>>>than=20  
>>>>>> <BR>one, what is connected to each?<BR><BR>Just need more info to  
>>  
>>help  
>>  
>>>>>>=  
>>>>>>  
>>>>>>with=20  
>>>>>> troubleshooting.<BR><BR>Jeff<BR><BR>David Feldman wrote:<BR>> Hi=20  
>>>>>> there,<BR>> I'm hoping that someone can point me in the right =  
>>>>>>direction for=20  
>>>>>> troubleshooting<BR>> an installation problem. I've recently =  
>>>>>>put a new=20  
>>>>>> 8-in an 8-out card into<BR>> my MEC, and when I run Paris, they =  
>>>>>>don't show=20  
>>>>>> up on the patch bay and I can't<BR>> seem to use them. I'm =  
>>>>>>wondering=20  
>>>>>> if there are steps that I am missing here.<BR>> I've looked =  
>>>>>>in the=20  
>>>>>> manual and can't find any notes on installing these things<BR>> =  
>>>>>>into an=20  
>>>>>> existing MEC. So I'm a little bit lost. Any help would be=20  
>>>>>> appreciated.<BR>> Thanks,<BR>> Davi</BLOCKQUOTE>  
>>>>>><DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight  
>>>>>>>spam,  
>>>>  
>>>>=  
>>>>  
>>>>>>>and=20  
>>>>>>>you?<BR><A=20  
>>>>>>>href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=  
>>>>>>>.html</A> </FONT></DIV></BODY></HTML>  
>>>>>>>  
>>>>>>>  
>  
>

---

Subject: Re: installing 8-in & 8-out cards  
Posted by [EK Sound](#) on Fri, 13 Jun 2008 17:35:26 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

No, you can not cross card boundaries with I/O. This means you can only record a maximum of 16 channels per MEC / Card / Submix combo at one time... regardless of the number of EDS cards you have, or I/O cards you have in your MEC.



David.

David Feldman wrote:

> Here's a question. If I swapped out my third 8-in and 8-out cards with ADAT  
> cards, would I be able to run 24-track recording off of one MEC, patching  
> the extra inputs to the mixer module of one of my extra EDS cards. Does  
> this make sense? I'm interested to know if this is a potential work-around  
> for my situation. Those MECs sure do take up a lot of space.

> Thanks.

> David

>

> Jeff Hoover <jkhoover@excite.com> wrote:

>> FYI,

>>

>> I'm sitting with a six card system with MECs on cards 1 and 2.

>> Surprisingly no problems and multipl ADATs on the MECs. I am using a  
>> word clock even though it probably isn't necessary in this config.

>>

>> JH

>>

>> Aaron Allen wrote:

>>> Just FYI.. be also aware that adding a 2nd MEC will be fine sans external

>

>>> clock, but a 3rd will require you buy a word clock. Also, the 2nd MEC

> may

>>> want to live on EDS 2 or EDS 3. It's \*generally\* the last one, in your

> case

>>> #3, but not always.

>>> Make sure to use a quality word clock cable from the 1st MEC to the 2nd

> MEC.

>>> AA

>>>

>>>

>>> "David Feldman" <dfeldmania@gmail.com> wrote in message

>>> news:4850b664\$1@linux...

>>>

>>>> Thanks for explaining this to me guys. I kind of see the logic, but I

>

>>>> guess

>>>> I just took for granted that the hardware pairings would be more flexible,

>>>> and I never found anything specifically telling me differently. For my

>

>>>> situation

>>>> (3 EDS cards, one MEC), it just seems like a waste of space and hardware.

>>>> Oh well, I guess I'm dragging my spare MEC out of storage.

>>>> -David

>>>>

>>>> EK Sound <ask\_me@nospam.net> wrote:

>>>>  
>>>>> Aaron is quite correct... only 4 cards "live" at one time. Why have  
> 9  
>>>>> slots? Choice. You could have 16 channels worth of analog I/O and 16  
>>>>> channels worth of adat I/O for 8 cards, and the SMPTE card, which makes  
>>>>> 9. This would give you the option of having all 16 I/O digital, or  
>>>>> analog, or a mix.  
>>>>>  
>>>>> David.  
>>>>>  
>>>>> David Feldman wrote:  
>>>>>  
>>>>>> I'm not sure I understand.  
>>>>>>  
>>>>>> In the itemized list in the patch bay on the right hand side, I only  
> see  
>>>>>> "Modules A" which only shows 16 ins and 16 outs.  
>>>>>>  
>>>>>> Do you mean to say that each MEC can only run up to two input and output  
>>>>>> modules? If that's the case, then why in the world does the MEC have  
>>>> 9 expansion  
>>>>>  
>>>>>> slots? Am I going to have to run a whole extra 4-rack-unit MEC just  
> to  
>>>> use  
>>>>>  
>>>>>> my extra modules? Or is there a more efficient workaround that I don't  
>>>> know  
>>>>>  
>>>>>> about here? Or am I misunderstanding this completely?  
>>>>>>  
>>>>>> Somebody help explain this to me.  
>>>>>> -David  
>>>>>>  
>>>>>>  
>>>>>> "Aaron Allen" <know-spam@not\_here.dude> wrote:  
>>>>>>  
>>>>>>> To clarify, you can only have 2 input and 2 output modules per MEC,  
>  
>>>>>>> giving  
>>>>>>> you 16 ins and 16 outs for each Paris submixer.  
>>>>>>>  
>>>>>>> AA  
>>>>>>>  
>>>>>>>  
>>>>>>> "Aaron Allen" <know-spam@not\_here.dude> wrote in message  
>>>>>>> news:484c87c8\$1@linux...  
>>>>>>>

>>>>>>> OOohhhh.. ok. This is a limit. You have to select which modules from  
>>>> the  
>>>>  
>>>>>>> itemized lists in the patch bay on the right hand side. Adat, no  
>>>>>>> matter  
>>>>>>> where in the MEC, will be the first default as I recall. I think this  
>>>>>>> has  
>>>>>>>  
>>>>>>> to do with how Paris does it's hardware inventory. Make sure to scroll  
>>>>>>> on  
>>>>>>>  
>>>>>>> that list, if they aren't there then you have a problem. If they are,  
>>>>>>> that  
>>>>>>>  
>>>>>>> is normal Paris behaviour.  
>>>>>>>  
>>>>>>> AA  
>>>>>>>  
>>>>>>>  
>>>>>>> "David Feldman" <dfeldmania@gmail.com> wrote in message  
>>>>>>> news:484c80cb\$1@linux...  
>>>>>>>  
>>>>>>>> Hi guys,  
>>>>>>>> Thanks for trying to help. Here is some more information that I  
>  
>>>>>>>> should  
>>>>>>>> have  
>>>>>>>> included earlier. I am running Paris 3.0 on Windows ME with three  
>>>> EDS  
>>>>  
>>>>>>>> cards  
>>>>>>>> installed. My MEC is connected to the first EDS card and that's  
> it.  
>>>>>>>> When  
>>>>>>>> I run Paris, only 16 ins and outs show up in the modules section  
> of  
>>>> the  
>>>>  
>>>>>>>> patch  
>>>>>>>> bay. What do you think?  
>>>>>>>> -David  
>>>>>>>>  
>>>>>>>> "Tom Bruhl" <arpeggio@comcast.net> wrote:  
>>>>>>>>  
>>>>>>>>> David,  
>>>>>>>>> In theory they should just show up in the modules section in  
>>>>>>>>> the patchbay. Does the Mec master module show up that these  
>>>>>>>>> new 8 in/outs are installed in?

>>>>>>>>>  
>>>>>>>>> More info will help.  
>>>>>>>>> Tom  
>>>>>>>>>  
>>>>>>>>>  
>>>>>>>>>  
>>>>>>>>> "Jeff Hoover" <jkhoover@excite.com> wrote in message =  
>>>>>>>>> news:484b6746@linux...  
>>>>>>>>> David,  
>>>>>>>>>  
>>>>>>>>> What version of Paris and what OS? How many EDS cards? If more  
>>>>>>>>> than=20  
>>>>>>>>> one, what is connected to each?  
>>>>>>>>>  
>>>>>>>>> Just need more info to help with troubleshooting.  
>>>>>>>>>  
>>>>>>>>> Jeff  
>>>>>>>>>  
>>>>>>>>> David Feldman wrote:  
>>>>>>>>> Hi there,  
>>>>>>>>> I'm hoping that someone can point me in the right direction for  
>>>> =  
>>>>  
>>>>>>>>> troubleshooting  
>>>>>>>>> an installation problem. I've recently put a new 8-in an 8-out  
>>>> card  
>>>>  
>>>>>>>>> =  
>>>>>>>>>  
>>>>>>>>> into  
>>>>>>>>> my MEC, and when I run Paris, they don't show up on the patch  
> bay  
>>>>>> =  
>>>>>>  
>>>>>>>>> and I can't  
>>>>>>>>> seem to use them. I'm wondering if there are steps that I am  
> =  
>>>>>>>>> missing here.  
>>>>>>>>> I've looked in the manual and can't find any notes on installing  
>>>>>> =  
>>>>>>  
>>>>>>>>> these things  
>>>>>>>>> into an existing MEC. So I'm a little bit lost. Any help would  
>>>>>> be  
>>>>>>  
>>>>>>>>> =  
>>>>>>>>>  
>>>>>>>>> appreciated.

>>>>>>>>> Thanks,  
>>>>>>>>> Davi  
>>>>>>>>>  
>>>>>>>>> I choose Polesoft Lockspam to fight spam, and you?  
>>>>>>>>> http://www.polesoft.com/refer.html  
>>>>>>>>>  
>>>>>>>>> <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">  
>>>>>>>>> <HTML><HEAD>  
>>>>>>>>> <META http-equiv=3DContent-Type content=3D"text/html; =  
>>>>>>>>> charset=3Diso-8859-1">  
>>>>>>>>> <META content=3D"MSHTML 6.00.2900.2180" name=3DGENERATOR>  
>>>>>>>>> <STYLE></STYLE>  
>>>>>>>>> </HEAD>  
>>>>>>>>> <BODY bgColor=3D#ffffff>  
>>>>>>>>> <DIV><FONT face=3DArial size=3D2>David,</FONT></DIV>  
>>>>>>>>> <DIV><FONT face=3DArial size=3D2>In theory they should just show  
> up  
>>>> in  
>>>>  
>>>>>> =  
>>>>>>  
>>>>>>>>> the modules=20  
>>>>>>>>> section in</FONT></DIV>  
>>>>>>>>> <DIV><FONT face=3DArial size=3D2>the patchbay. Does the Mec master  
>>>> =  
>>>>  
>>>>>>>>> module show=20  
>>>>>>>>> up that these</FONT></DIV>  
>>>>>>>>> <DIV><FONT face=3DArial size=3D2>new 8 in/outs are installed =  
>>>>>>>>> in?</FONT></DIV>  
>>>>>>>>> <DIV><FONT face=3DArial size=3D2></FONT> </DIV>  
>>>>>>>>> <DIV><FONT face=3DArial size=3D2>More info will help.</FONT></DIV>  
>>>>>>>>> <DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>  
>>>>>>>>> <DIV> </DIV>  
>>>>>>>>> <DIV><FONT face=3DArial size=3D2></FONT> </DIV>  
>>>>>>>>> <DIV><FONT face=3DArial size=3D2></FONT> </DIV>  
>>>>>>>>> <BLOCKQUOTE=20  
>>>>>>>>> style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px;  
>>>> =  
>>>>  
>>>>>>>>> BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">  
>>>>>>>>> <DIV>"Jeff Hoover" <<A=20  
>>>>>>>>> href=3D"mailto:jkhoover@excite.com">jkhoover@excite.com</A>> wrote  
>>>>>> =  
>>>>>>>>>  
>>>>>>>>> in message=20  
>>>>>>>>> <A=20  
>>>>>>>>> =

>>>>>>>>>>  
href=3D"news:484b6746@linux">news:484b6746@linux</A>...</DIV>David,<BR><B=  
>>>>>>>>>> R>What=20  
>>>>>>>>>> version of Paris and what OS? How many EDS cards? If more =  
>>>>>>>>>> than=20  
>>>>>>>>>> <BR>one, what is connected to each?<BR><BR>Just need more info  
> to  
>>>> help  
>>>>  
>>>>>>>>>> =  
>>>>>>>>>>  
>>>>>>>>>> with=20  
>>>>>>>>>> troubleshooting.<BR><BR>Jeff<BR><BR>David Feldman wrote:<BR>> Hi=20  
>>>>>>>>>> there,<BR>> I'm hoping that someone can point me in the right =  
>>>>>>>>>> direction for=20  
>>>>>>>>>> troubleshooting<BR>> an installation problem. I've recently =  
>>>>>>>>>> put a new=20  
>>>>>>>>>> 8-in an 8-out card into<BR>> my MEC, and when I run Paris, they  
> =  
>>>>>>>>>> don't show=20  
>>>>>>>>>> up on the patch bay and I can't<BR>> seem to use them. I'm =  
>>>>>>>>>> wondering=20  
>>>>>>>>>> if there are steps that I am missing here.<BR>> I've looked =  
>>>>>>>>>> in the=20  
>>>>>>>>>> manual and can't find any notes on installing these things<BR>>  
> =  
>>>>>>>>>> into an=20  
>>>>>>>>>> existing MEC. So I'm a little bit lost. Any help would be=20  
>>>>>>>>>> appreciated.<BR>> Thanks,<BR>> Davi</BLOCKQUOTE>  
>>>>>>>>>> <DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight  
>  
>>>>>>>>>> spam,  
>>>>>>>>>> =  
>>>>>>>>>>  
>>>>>>>>>> and=20  
>>>>>>>>>> you?<BR><A=20  
>>>>>>>>>> href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=  
>>>>>>>>>> .html</A> </FONT></DIV></BODY></HTML>  
>>>>>>>>>>  
>>>>>>>>>>  
>>>>  
>

---

Subject: Re: installing 8-in & 8-out cards

Posted by [David Feldman](#) on Fri, 13 Jun 2008 17:38:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Here's a question. If I swapped out my third 8-in and 8-out cards with ADAT cards, would I be able to run 24-track recording off of one MEC, patching the extra inputs to the mixer module of one of my extra EDS cards. Does this make sense? I'm interested to know if this is a potential work-around for my situation. Those MECs sure do take up a lot of space.

Thanks.

David

Jeff Hoover <jkhoover@excite.com> wrote:

>FYI,

>

>I'm sitting with a six card system with MECs on cards 1 and 2.

>Surprisingly no problems and multipl ADATs on the MECs. I am using a

>word clock even though it probably isn't necessary in this config.

>

>JH

>

>Aaron Allen wrote:

>> Just FYI.. be also aware that adding a 2nd MEC will be fine sans external

>> clock, but a 3rd will require you buy a word clock. Also, the 2nd MEC may

>> want to live on EDS 2 or EDS 3. It's \*generally\* the last one, in your case

>> #3, but not always.

>> Make sure to use a quality word clock cable from the 1st MEC to the 2nd MEC.

>>

>> AA

>>

>>

>> "David Feldman" <dfeldmania@gmail.com> wrote in message

>> news:4850b664\$1@linux...

>>

>>>Thanks for explaining this to me guys. I kind of see the logic, but I

>>>guess

>>>I just took for granted that the hardware pairings would be more flexible,

>>>and I never found anything specifically telling me differently. For my

>>>situation

>>>(3 EDS cards, one MEC), it just seems like a waste of space and hardware.

>>>Oh well, I guess I'm dragging my spare MEC out of storage.

>>>-David

>>>

>>>EK Sound <ask\_me@nospam.net> wrote:

>>>

>>>>Aaron is quite correct... only 4 cards "live" at one time. Why have

9

>>>>slots? Choice. You could have 16 channels worth of analog I/O and 16  
>>>>channels worth of adat I/O for 8 cards, and the SMPTE card, which makes

>>>

>>>>9. This would give you the option of having all 16 I/O digital, or  
>>>>analog, or a mix.

>>>>

>>>>David.

>>>>

>>>>David Feldman wrote:

>>>>

>>>>>I'm not sure I understand.

>>>>>

>>>>>In the itemized list in the patch bay on the right hand side, I only  
see

>>>>>"Modules A" which only shows 16 ins and 16 outs.

>>>>>

>>>>>Do you mean to say that each MEC can only run up to two input and output  
>>>>>modules? If that's the case, then why in the world does the MEC have

>>>

>>>9 expansion

>>>

>>>>>slots? Am I going to have to run a whole extra 4-rack-unit MEC just  
to

>>>

>>>use

>>>

>>>>>my extra modules? Or is there a more efficient workaround that I don't

>>>

>>>know

>>>

>>>>>about here? Or am I misunderstanding this completely?

>>>>>

>>>>>Somebody help explain this to me.

>>>>>-David

>>>>>

>>>>>

>>>>>"Aaron Allen" <know-spam@not\_here.dude> wrote:

>>>>>

>>>>>>To clarify, you can only have 2 input and 2 output modules per MEC,

>>>>>>giving

>>>>>>

>>>>>>you 16 ins and 16 outs for each Paris submixer.

>>>>>>

>>>>>>AA

>>>>>>

>>>>>>



>>>>>"Aaron Allen" <know-spam@not\_here.dude> wrote in message  
>>>>>news:484c87c8\$1@linux...  
>>>>>  
>>>>>>OOohhhh.. ok. This is a limit. You have to select which modules from  
>>>  
>>>the  
>>>  
>>>>>>itemized lists in the patch bay on the right hand side. Adat, no  
>>>>>>matter  
>>>>>  
>>>>>>where in the MEC, will be the first default as I recall. I think this  
>>>>>  
>>>>>has  
>>>>>  
>>>>>>to do with how Paris does it's hardware inventory. Make sure to scroll  
>>>>>  
>>>>>on  
>>>>>  
>>>>>>that list, if they aren't there then you have a problem. If they are,  
>>>>>  
>>>>>that  
>>>>>  
>>>>>>is normal Paris behaviour.  
>>>>>>  
>>>>>>AA  
>>>>>>  
>>>>>>  
>>>>>>"David Feldman" <dfeldmania@gmail.com> wrote in message  
>>>>>>news:484c80cb\$1@linux...  
>>>>>>  
>>>>>>>Hi guys,  
>>>>>>>Thanks for trying to help. Here is some more information that I  
  
>>>>>>>should  
>>>>>>>  
>>>>>>>have  
>>>>>>>included earlier. I am running Paris 3.0 on Windows ME with three  
>>>  
>>>EDS  
>>>  
>>>>>>>cards  
>>>>>>>installed. My MEC is connected to the first EDS card and that's  
it.  
>>>>>>>  
>>>>>>>>When  
>>>>>>>>I run Paris, only 16 ins and outs show up in the modules section  
of  
>>>

>>>the  
>>>  
>>>>>>>patch  
>>>>>>>bay. What do you think?  
>>>>>>>-David  
>>>>>>>  
>>>>>>>"Tom Bruhl" <arpeggio@comcast.net> wrote:  
>>>>>>>  
>>>>>>>David,  
>>>>>>>In theory they should just show up in the modules section in  
>>>>>>>the patchbay. Does the Mec master module show up that these  
>>>>>>>new 8 in/out are installed in?  
>>>>>>>  
>>>>>>>More info will help.  
>>>>>>>Tom  
>>>>>>>  
>>>>>>>  
>>>>>>>  
>>>>>>> "Jeff Hoover" <jkhoover@excite.com> wrote in message =  
>>>>>>>news:484b6746@linux...  
>>>>>>> David,  
>>>>>>>  
>>>>>>> What version of Paris and what OS? How many EDS cards? If more  
>>>  
>>>>>>>than=20  
>>>>>>> one, what is connected to each?  
>>>>>>>  
>>>>>>> Just need more info to help with troubleshooting.  
>>>>>>>  
>>>>>>> Jeff  
>>>>>>>  
>>>>>>> David Feldman wrote:  
>>>>>>> > Hi there,  
>>>>>>> > I'm hoping that someone can point me in the right direction for  
>>>  
>>>=  
>>>  
>>>>>>>troubleshooting  
>>>>>>> > an installation problem. I've recently put a new 8-in an 8-out  
>>>  
>>>card  
>>>  
>>>>>>>=  
>>>>>>>  
>>>>>>>into  
>>>>>>> > my MEC, and when I run Paris, they don't show up on the patch  
bay  
>>>>>

>>>>=  
>>>>  
>>>>>>>and I can't  
>>>>>>> > seem to use them. I'm wondering if there are steps that I am  
=  
>>>>>>>missing here.  
>>>>>>> > I've looked in the manual and can't find any notes on installing  
>>>>>  
>>>>=  
>>>>>  
>>>>>>>these things  
>>>>>>> > into an existing MEC. So I'm a little bit lost. Any help would  
>>>>>  
>>>>>be  
>>>>>  
>>>>>>>=  
>>>>>>>  
>>>>>>>appreciated.  
>>>>>>> > Thanks,  
>>>>>>> > Davi  
>>>>>>>  
>>>>>>>  
>>>>>>>I choose Polesoft Lockspam to fight spam, and you?  
>>>>>>><http://www.polesoft.com/refer.html>  
>>>>>>>  
>>>>>>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">  
>>>>>>><HTML><HEAD>  
>>>>>>><META http-equiv=3DContent-Type content=3D"text/html; =  
>>>>>>>charset=3Diso-8859-1">  
>>>>>>><META content=3D"MSHTML 6.00.2900.2180" name=3DGENERATOR>  
>>>>>>><STYLE></STYLE>  
>>>>>>></HEAD>  
>>>>>>><BODY bgColor=3D#ffffff>  
>>>>>>><DIV><FONT face=3DArial size=3D2>David,</FONT></DIV>  
>>>>>>><DIV><FONT face=3DArial size=3D2>In theory they should just show  
up  
>>>  
>>>in  
>>>  
>>>>=  
>>>>>  
>>>>>>>the modules=20  
>>>>>>>section in</FONT></DIV>  
>>>>>>><DIV><FONT face=3DArial size=3D2>the patchbay. Does the Mec master  
>>>  
>>>=  
>>>  
>>>>>>>module show=20

>>>>>>>up that these</FONT></DIV>  
>>>>>>><DIV><FONT face=3DArial size=3D2>new 8 in/outs are installed =  
>>>>>>>in?</FONT></DIV>  
>>>>>>><DIV><FONT face=3DArial size=3D2></FONT> </DIV>  
>>>>>>><DIV><FONT face=3DArial size=3D2>More info will help.</FONT></DIV>  
>>>>>>><DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>  
>>>>>>><DIV> </DIV>  
>>>>>>><DIV><FONT face=3DArial size=3D2></FONT> </DIV>  
>>>>>>><DIV><FONT face=3DArial size=3D2></FONT> </DIV>  
>>>>>>><BLOCKQUOTE=20  
>>>>>>>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px;  
>>>  
>>>=  
>>>  
>>>>>>>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">  
>>>>>>> <DIV>"Jeff Hoover" <<A=20  
>>>>>>> href=3D"mailto:jkhoover@excite.com">jkhoover@excite.com</A>> wrote  
>>>>>  
>>>>>=  
>>>>>  
>>>>>>>in message=20  
>>>>>>> <A=20  
>>>>>>> =  
>>>>>>>href=3D"news:484b6746@linux">news:484b6746@linux</A>...</DIV>David,<BR><B  
=  
>>>>>>>R>What=20  
>>>>>>> version of Paris and what OS? How many EDS cards? If more =  
>>>>>>>than=20  
>>>>>>> <BR>one, what is connected to each?<BR><BR>Just need more info  
to  
>>>  
>>>help  
>>>  
>>>>>>>=  
>>>>>>>  
>>>>>>>with=20  
>>>>>>> troubleshooting.<BR><BR>Jeff<BR><BR>David Feldman wrote:<BR>> Hi=20  
>>>>>>> there,<BR>> I'm hoping that someone can point me in the right =  
>>>>>>>direction for=20  
>>>>>>> troubleshooting<BR>> an installation problem. I've recently =  
>>>>>>>put a new=20  
>>>>>>> 8-in an 8-out card into<BR>> my MEC, and when I run Paris, they  
=  
>>>>>>>don't show=20  
>>>>>>> up on the patch bay and I can't<BR>> seem to use them. I'm =  
>>>>>>>wondering=20  
>>>>>>> if there are steps that I am missing here.<BR>> I've looked =  
>>>>>>>in the=20

>>>>>>> manual and can't find any notes on installing these things<BR>>  
=  
>>>>>>>into an=20  
>>>>>>> existing MEC. So I'm a little bit lost. Any help would be=20  
>>>>>>> appreciated.<BR>> Thanks,<BR>> Davi</BLOCKQUOTE>  
>>>>>>><DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight  
  
>>>>>>>spam,  
>>>>>  
>>>>>=  
>>>>>  
>>>>>>>and=20  
>>>>>>>you?<BR><A=20  
>>>>>>>href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=  
>>>>>>>.html</A> </FONT></DIV></BODY></HTML>  
>>>>>>>>  
>>>>>>>>  
>>  
>>

---

---

Subject: Re: installing 8-in & 8-out cards  
Posted by [rick](#) on Fri, 13 Jun 2008 19:45:59 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

+1 on 16 I/O no matter what the combo.

On Fri, 13 Jun 2008 11:35:26 -0600, EK Sound <[ask\\_me@nospam.net](mailto:ask_me@nospam.net)>  
wrote:

>No, you can not cross card boundaries with I/O. This means you can only  
>record a maximum of 16 channels per MEC / Card / Submix combo at one  
>time... regardless of the number of EDS cards you have, or I/O cards you  
>have in your MEC.

>  
>David.

>  
>David Feldman wrote:

>> Here's a question. If I swapped out my third 8-in and 8-out cards with ADAT  
>> cards, would I be able to run 24-track recording off of one MEC, patching  
>> the extra inputs to the mixer module of one of my extra EDS cards. Does  
>> this make sense? I'm interested to know if this is a potential work-around  
>> for my situation. Those MECs sure do take up a lot of space.

>> Thanks.

>> David

>>

>> Jeff Hoover <[jkhoover@excite.com](mailto:jkhoover@excite.com)> wrote:

>>> FYI,

>>>  
>>> I'm sitting with a six card system with MECs on cards 1 and 2.  
>>> Surprisingly no problems and multipl ADATs on the MECs. I am using a  
>>> word clock even though it probably isn't necessary in this config.  
>>>  
>>> JH  
>>>  
>>> Aaron Allen wrote:  
>>>> Just FYI.. be also aware that adding a 2nd MEC will be fine sans external  
>>  
>>>> clock, but a 3rd will require you buy a word clock. Also, the 2nd MEC  
>> may  
>>>> want to live on EDS 2 or EDS 3. It's \*generally\* the last one, in your  
>> case  
>>>> #3, but not always.  
>>>> Make sure to use a quality word clock cable from the 1st MEC to the 2nd  
>> MEC.  
>>>> AA  
>>>>  
>>>>  
>>>> "David Feldman" <dfeldmania@gmail.com> wrote in message  
>>>> news:4850b664\$1@linux...  
>>>>  
>>>>> Thanks for explaining this to me guys. I kind of see the logic, but I  
>>  
>>>>> guess  
>>>>> I just took for granted that the hardware pairings would be more flexible,  
>>>>> and I never found anything specifically telling me differently. For my  
>>  
>>>>> situation  
>>>>> (3 EDS cards, one MEC), it just seems like a waste of space and hardware.  
>>>>> Oh well, I guess I'm dragging my spare MEC out of storage.  
>>>>> -David  
>>>>>  
>>>>> EK Sound <ask\_me@nospam.net> wrote:  
>>>>>  
>>>>>> Aaron is quite correct... only 4 cards "live" at one time. Why have  
>> 9  
>>>>>> slots? Choice. You could have 16 channels worth of analog I/O and 16  
>>>>>> channels worth of adat I/O for 8 cards, and the SMPTE card, which makes  
>>>>>> 9. This would give you the option of having all 16 I/O digital, or  
>>>>>> analog, or a mix.  
>>>>>>  
>>>>>> David.  
>>>>>>  
>>>>>> David Feldman wrote:  
>>>>>>  
>>>>>>> I'm not sure I understand.

>>>>>>  
>>>>>> In the itemized list in the patch bay on the right hand side, I only  
>> see  
>>>>>> "Modules A" which only shows 16 ins and 16 outs.  
>>>>>>  
>>>>>> Do you mean to say that each MEC can only run up to two input and output  
>>>>>> modules? If that's the case, then why in the world does the MEC have  
>>>>> 9 expansion  
>>>>>  
>>>>>> slots? Am I going to have to run a whole extra 4-rack-unit MEC just  
>> to  
>>>>> use  
>>>>>  
>>>>>> my extra modules? Or is there a more efficient workaround that I don't  
>>>>> know  
>>>>>  
>>>>>> about here? Or am I misunderstanding this completely?  
>>>>>>  
>>>>>> Somebody help explain this to me.  
>>>>>> -David  
>>>>>>  
>>>>>>  
>>>>>> "Aaron Allen" <know-spam@not\_here.dude> wrote:  
>>>>>>  
>>>>>>> To clarify, you can only have 2 input and 2 output modules per MEC,  
>>  
>>>>>>> giving  
>>>>>>> you 16 ins and 16 outs for each Paris submixer.  
>>>>>>>  
>>>>>>> AA  
>>>>>>>  
>>>>>>>  
>>>>>>>> "Aaron Allen" <know-spam@not\_here.dude> wrote in message  
>>>>>>>> news:484c87c8\$1@linux...  
>>>>>>>>  
>>>>>>>>> OOohhhh.. ok. This is a limit. You have to select which modules from  
>>>>>>> the  
>>>>>>>  
>>>>>>>>> itemized lists in the patch bay on the right hand side. Adat, no  
>>>>>>>>> matter  
>>>>>>>>> where in the MEC, will be the first default as I recall. I think this  
>>>>>>>>> has  
>>>>>>>>>  
>>>>>>>>>> to do with how Paris does it's hardware inventory. Make sure to scroll  
>>>>>>>>>> on  
>>>>>>>>>>  
>>>>>>>>>>> that list, if they aren't there then you have a problem. If they are,  
>>>>>>>>>>> that

>>>>>>  
>>>>>>> is normal Paris behaviour.  
>>>>>>>  
>>>>>>> AA  
>>>>>>>  
>>>>>>>  
>>>>>>> "David Feldman" <dfeldmania@gmail.com> wrote in message  
>>>>>>> news:484c80cb\$1@linux...  
>>>>>>>  
>>>>>>> Hi guys,  
>>>>>>> Thanks for trying to help. Here is some more information that I  
>>  
>>>>>>>> should  
>>>>>>>> have  
>>>>>>>> included earlier. I am running Paris 3.0 on Windows ME with three  
>>>>> EDS  
>>>>>  
>>>>>>>> cards  
>>>>>>>> installed. My MEC is connected to the first EDS card and that's  
>> it.  
>>>>>>>> When  
>>>>>>>> I run Paris, only 16 ins and outs show up in the modules section  
>> of  
>>>>> the  
>>>>>  
>>>>>>>> patch  
>>>>>>>> bay. What do you think?  
>>>>>>>> -David  
>>>>>>>>  
>>>>>>>> "Tom Bruhl" <arpeggio@comcast.net> wrote:  
>>>>>>>>  
>>>>>>>>> David,  
>>>>>>>>> In theory they should just show up in the modules section in  
>>>>>>>>> the patchbay. Does the Mec master module show up that these  
>>>>>>>>> new 8 in/outs are installed in?  
>>>>>>>>>  
>>>>>>>>> More info will help.  
>>>>>>>>> Tom  
>>>>>>>>>  
>>>>>>>>>  
>>>>>>>>>  
>>>>>>>>> "Jeff Hoover" <jkhoover@excite.com> wrote in message =  
>>>>>>>>> news:484b6746@linux...  
>>>>>>>>> David,  
>>>>>>>>>  
>>>>>>>>>> What version of Paris and what OS? How many EDS cards? If more  
>>>>>>>>>> than=20  
>>>>>>>>>> one, what is connected to each?



>>>>>>>>>>  
>>>>>>>>>> Just need more info to help with troubleshooting.  
>>>>>>>>>>  
>>>>>>>>>> Jeff  
>>>>>>>>>>  
>>>>>>>>>> David Feldman wrote:  
>>>>>>>>>> Hi there,  
>>>>>>>>>> I'm hoping that someone can point me in the right direction for  
>>>>> =  
>>>>>  
>>>>>>>>>> troubleshooting  
>>>>>>>>>> an installation problem. I've recently put a new 8-in an 8-out  
>>>>> card  
>>>>>  
>>>>>>>>>> =  
>>>>>>>>>>  
>>>>>>>>>> into  
>>>>>>>>>> my MEC, and when I run Paris, they don't show up on the patch  
>> bay  
>>>>>>>>>> =  
>>>>>>>>>>  
>>>>>>>>>> and I can't  
>>>>>>>>>> seem to use them. I'm wondering if there are steps that I am  
>> =  
>>>>>>>>>> missing here.  
>>>>>>>>>> I've looked in the manual and can't find any notes on installing  
>>>>>>>>>> =  
>>>>>>>>>>  
>>>>>>>>>> these things  
>>>>>>>>>> into an existing MEC. So I'm a little bit lost. Any help would  
>>>>>>>>>> be  
>>>>>>>>>>  
>>>>>>>>>> =  
>>>>>>>>>>  
>>>>>>>>>> appreciated.  
>>>>>>>>>> Thanks,  
>>>>>>>>>> Davi  
>>>>>>>>>>  
>>>>>>>>>> I choose Polesoft Lockspam to fight spam, and you?  
>>>>>>>>>> <http://www.polesoft.com/refer.html>  
>>>>>>>>>>  
>>>>>>>>>> <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">  
>>>>>>>>>> <HTML><HEAD>  
>>>>>>>>>> <META http-equiv=3DContent-Type content=3D"text/html; =  
>>>>>>>>>> charset=3Diso-8859-1">  
>>>>>>>>>> <META content=3D"MSHTML 6.00.2900.2180" name=3DGENERATOR>  
>>>>>>>>>> <STYLE></STYLE>  
>>>>>>>>>> </HEAD>



>>>>>>>>> there,<BR>> I'm hoping that someone can point me in the right =  
>>>>>>>>> direction for=20  
>>>>>>>>> troubleshooting<BR>> an installation problem. I've recently =  
>>>>>>>>> put a new=20  
>>>>>>>>> 8-in an 8-out card into<BR>> my MEC, and when I run Paris, they  
>> =  
>>>>>>>>> don't show=20  
>>>>>>>>> up on the patch bay and I can't<BR>> seem to use them. I'm =  
>>>>>>>>> wondering=20  
>>>>>>>>> if there are steps that I am missing here.<BR>> I've looked =  
>>>>>>>>> in the=20  
>>>>>>>>> manual and can't find any notes on installing these things<BR>>  
>> =  
>>>>>>>>> into an=20  
>>>>>>>>> existing MEC. So I'm a little bit lost. Any help would be=20  
>>>>>>>>> appreciated.<BR>> Thanks,<BR>> Davi</BLOCKQUOTE>  
>>>>>>>>> <DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight  
>>  
>>>>>>>>> spam,  
>>>>>>>>> =  
>>>>>>>>>  
>>>>>>>>> and=20  
>>>>>>>>> you?<BR><A=20  
>>>>>>>>> href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=  
>>>>>>>>> .html</A> </FONT></DIV></BODY></HTML>  
>>>>>>>>>  
>>>>>>>>>  
>>>>  
>>

---