Subject: XP problems with 1 and 2 eds cards; Error 2/2; FX presets not saving Posted by Dan on Mon, 15 Aug 2005 09:26:33 GMT

View Forum Message <> Reply to Message

O4GfcKE

OonNT2SZmVcpLbby1FoNySRjPgK56XNkOWYGED9VrYWC3IHJpHrt4rlP41Cs HqYpYkxsjC0nPfQb089qCDb5V+nyXZEEQluModfK8qyCnI7qzjUu9Xhq43Rd 0fSqKA4UpcUByegweKgzLyHvcARQ8/mrTdJBJ+LgL6HTKinP4xAPgaT61Fzj egDxxQctmprhP0Ndu1fWJURA2vpUQog47+tUuldQ3NWpoCJNxlOsLWUgQ46p QOUnuJ8aaPIzXNeaFtTjSLBN9kfTKjY6ox7g8JMXaDuR7yOlfOD+pry5LdWm 6zEoLhIQH1AAZPGK2Uq4XNnX7bSZUgx+wD3Y7zsICOePhTy5OXHW6uRai/SQ zuUXQ/FUOFNGk+sxSojc2COua+fG7hedRSpbyrm80WmlPhCVlKQB3ACth6Pr zOuTcuLPeW8GAhTS3OSAc5BPfih5edlY0PUNWE8mlNY29yKnrEUnGWs/8+Vd L8X/AFOB3mhH6Q77Ogyltvhvqjpcb7V1bStqlckAAg9ODVE1cb3py+xGl3B6 SI5La1pUsqQpKu7BzTY+fIS44mNC+yi3SgWbtyPBfi8Dczk+Y4paHIpyCWM9 2MUEdW6gusLVi40ae+yyA3hCVYHOK7fNS3iNrFUNie4hjtWkhsYl5Az9tTZl 5jq00ORaX2Tx37o4ARfFk+/Fe2xSP5n6qCGrNT3yDqmTCqzltNJKEobSlJ5I HiKnSLpqm16TlSri4pqWH0JaWtKD7J69Bil79kta1zgPi7cpvso0DfdGANxf BnHwpQajnoGj5cUMtC3afeLbIduD4eWh/YIWwJwMA9ABVHp7Vd4uGr0W6TJS uMpx1JR2aRnAJHIHIQhquRukaWi2d+VE6W4Ei+yl2rm2kwgWggEtucJA8KD2 nEn5PaJ8fvooXFO6O6Oo7JfX3UL9OgeoIx4kfXW5pOZ73j9WgWTOzY/ajPKG Y0H/AMOn769XZP5LB/8ADpr1WmdkF3dU6YCHCUpRuPeAM4pKrQnjDXPuqxir LCIrKCQU/o1xd4QFYDSz5HFcb9ixHs4rU94cqtyzDHLP1VGNIBVygVdO3lBa UCjB6YKuTUJNzSpRBRjjxp/sUeTyn6/yVcuyJI5bBpAsiEuJlbAwQcgVZ/Ka AP5JZHiOab+WrY4dqpkdtecbFODOalHozw4ESFM6cEchZCaf4a4OnJqDbOJs 4/61r/Kqp0z8tWe7car7fgzJ6Sf51rn+wquyaKipZrj8SK8Mk2YHP890+Aoc elle1buO5dEW2l2aeSBlQ7bqTnuFDr0pZBt3uVXE5BrWgfkug0k0Ras0/wDw nVgf/IGsbp/I01qPH+qT9tbu2xXJ/o0TFZH412CpKB4q7hQ1t9yTbLddoLzS 0vSWw3g8bSDzmpacQ7rN89y1liCHD5gz08f/AHR1GP8AVIP11SMbosaPcGh7 bcgp+gAj7a0tjgPsaDvst1BSl5ADeeNwB5NVLMcuaGku7eW56efAFH/8rThy GNkfzwSjNkDS79VXSGOyt8B/gmQXFE+QVj7gOjbDLsdtS2kFZZSkgKRnBTyM 0G77GMa1aeRz7UUuc/0lk/fRmSntLelH67AGf7NYWvT7xGWmuSquVJvApCi7 2G5aTuHr9vd3MJUSh5rnaD3KHhW40bqkagacaeaQ1LYSCvZ81YPePjQ5izXr Fcp8e4leWVsuMhCiep6Hmr/0Ywn/AJQlzChQYDPZhR6KUSDx7sVZ1CJsmETK blAo+qnK3dEd3dXuutNuXllmXFUgSmEkdmo43pPOB51m9Matk2uY3a7o0XGN wbBcT+MaPd8KI+kpiWzcoc5suBqtdmooUQAoEnB9+aztwl/hHqWK5CYXuUhp BAGSSOpptPjD8EMkNtr9k0Tbip3Kk65UpWtJHZ5Ksl2gDPOO6q5DkyRqiKq4 bvWjlbC9ycEcqD7qs9UJJ15t6kONA8dTwK5dDu9JSR3evND/ABJrUqlY2Bsf +08qwx4DA35JvWTi0a6mqbG5SXUbRjOSEpxV/fbpcLnoV565Rgw6JSEhISRx 8az2qnwzrya+RuCHkKx44Smr7UepWtSaPkONsLY7KU2jClZzkGq0jSWwECxx z6KBv+WrX0Zj+I5KvGTx/dFZTRyt+v46v6bx/wAKqsdBaiahFFoVHcU5lfyF gjA48PhWcsF2as2pG7i+hTiEFeQjryCPvqAx39XI/wBw4TFp3SIwXRwohvIP J7Jf2UMNNnNubJ/W++iJKkoudh9bbKklejqWkHqBihzppWbayT5/bWr7ONLM ENPflcjmCpjaMdwnRorcFp55CFmKkhJPOK9WigRWHrfFccYbWsNJG5SQTjwr 1Xt7gaQwwFY1MmQcficjyV/wpQfc3EmKffkVMRGQeN3PupfYNAcFwnyRxVGq R6UMO5OTFV9VPJSIwBeVICh08KcDZUvYhDh4zkgYrjsWUpI7FQQe8EU4clS9 2Q2Kysk

Subject: Re: XP problems with 1 and 2 eds cards; Error 2/2; FX presets not saving Posted by justcron on Tue, 16 Aug 2005 13:45:17 GMT

View Forum Message <> Reply to Message

```
ate, realistic feeling to this as it was tracked live in
>my
>>studio with 10 open mics.
>>
>>I'd be glad to e-mail it to those here who would be willing to critique
>it.
>>
>>TIA for the enlightenment.
>>
>>;0)
>>Deei
>>
>>Deei
>>
>>
>DJ,this sounds somewhat familiar to me;)Seems like some of the
issues I was having awhile back that you helped me on. Just like
you I wasn't hearing much, but the waveforms looked a little
crazy;don't think I was getting too many errors though.
Try pulling down the global submix faders like someone said. That
helped my situation.
Pete
"DJ" <animix_spam-this-ahole_@animas.net> wrote:
>I've been playing around with a couple of these songs I'm mixing. 10 tracks
>on one submix. I'm applying compression in SX, then lightpiping to Paris,
>ap[plying reverb and panning and bouncing to disk. I'm mixing hot, the
>faders are often kissing the 0dBfs limit on the individual Paris channels
>and the submix fader is redlined almost constantly. The Global fader is
>0dBfs and I've got NoLimit set with a threshold of -2, limiting at -0.9.
>This mix sounds very big and I hear no distortion at all. It's really
>reminiscent of analog tape, no harshness/brittle sound. It may be a bit
much
```

> When I open it in Wavelab, it's obvious where the NoLimit was doing it's > thing. Certain peaks were squared off a bit......nothing resembling a > square wave situation, just a number of spots where it is visually apparent.

>for a Bluegrass mix but it held together well and there is plenty of

>separation.

>When I run an analysis of the mix file in Wavelab, I'm getting huge amounts of errors, like 1000 errors in the first 6 seconds.

>I wonder what's up. If NoLimit is doing something to this file which would preclude it being dupliccated in reproduction plant, then I'm going to have to be much more careful. I'm also wondeering if lightpiping this many tracks from SX to Paris with a dither Igo applied to each track to avoid equantization errors is perhaps causing errors somehow. I have listened very closely and I hear absolutely no audible problems, other than the sort of exmooth glue that is the *secret sauce* that mixing hot on this system can impart to the tracks.

>While Zep 1 has great depth, it does not have any of the imaging found on The Woman In Me.

Cujo wrote:

>

- > I may sound like a luddite(il am occused of this often by friends) here,
- > but old Glynn Johns for instance had a left right and center pan control,
- > sounds like Ememrick did too. annd some tape delays, springs and plates.
- > Ok, they probably had some real chambers. I still think Zep 1 and Who's Next
- > sound amazing. and have "depth"
- > Of course the general public probably thinks they sound old..so what the
- > hell do I know?

Subject: Re: XP problems with 1 and 2 eds cards; Error 2/2; FX presets not saving Posted by Deej [1] on Tue, 16 Aug 2005 16:50:34 GMT

View Forum Message <> Reply to Message

gt;>

>> Does anyone know if this board would work with Paris?

>>

>> All my experience has been with AMD processors and Paris, so this is

>> new territory.

>>

>> Any thoughts are appreciated.

>>

>> Cheers,

>>

>> TC

>

>I am having a hard time with my Insurance Agent getting insurance to cover my studio

equipment. I am not actually running it as a business right now so I wasn't going to

insure it as such...problem is they don't have a policy that will cover over \$1000 on

electronics. I know it sounds outrageous to me too.... There is also no way to upgrade that policy to cover the dollar value\$50,000..it's more like \$40,000 but I didn't think it would hurt to have over coverage for growth. Of course that is when everything was brand new...nowadays it is probably worth \$15,000. Anyway...who are you guys using for this? I wonder if ASCAP has something available???? Should I go ahead and insure it as a business...benefits???non-benefits???? Thanks, There used to be a website that had "current" resale value for just about any pro audio gear... Anyone know it?www.ebay.com (0; "Brandon" <brandon_goodwin@REMOVETHISsbcglobal.net> wrote in message news:43026d39\$1@linux... > There used to be a website that had "current" resale value for just about > any pro audio gear... > Anyone know it? >David, any idea of the cost on this unit. I went to the website, but unless I overlooked it, there was no reference to cost. Thanks, Tyronehomie can you fix your clock pleeeeze :) "Brandon" <brandon_goodwin@REMOVETHISsbcglobal.net> wrote in message news:43026d39\$1@linux... > There used to be a website that had "current" resale value for just about > any pro audio gear... > Anyone know it? >prepal.com "justcron" <justcron@hydrorecords.compound> wrote in message news:43026eb7@linux... > homie can you fix your clock pleeeeze :) > "Brandon" <brandon_goodwin@REMOVETHISsbcglobal.net> wrote in message

> news:43026d39\$1@linux...

```
>> There used to be a website that had "current" resale value for just about
>> any pro audio gear...
>> Anyone know it?
>>
>>
>>
>
>Pentium processors, probably give more hassal free service than the
equivalent AMD version with Paris.
AMD work but there seems to be more tweeking involved to get a stable
system.
Martin Harrington
www.lendanear-sound.com
"TC" <tc@spammetodeathyoubastards.org> wrote in message
news:43023c0d$1@linux...
> Hi Chris.
>
> Thanks for the link. So I assume that I should stay away from
> Pentium processors with Paris then? The reason I was looking
> at that asus one was that my dealer down the street carries it,
> and gave me a good price on a customized system. I'm not going
> to be able to fit that many EDS cards in my tower so I thought I
> may as well go smaller and use the magma.
>
> Cheers,
> TC
> Chris Ludwig wrote:
>> Hi TC.
>> Not sure what your planning for this but if you having some strange urge
>> to use a small form factor PC with Paris then I would say the Shuttle
>> boxes are a far better option. They actually make a great AMD Nforce 3
>> chipset 939 based system.
>> http://global.shuttle.com/Product/Barebone/SN95G5%20V3.asp
>>
>> Chris
>>
>>
>> TC wrote:
>>
>>>
>>> I am thinking of putting together a new system with a magma chassis for
>>> Paris, and am looking at the following:
>>>
>>> http://usa.asus.com/prog/spec.asp?m=S-presso&langs=09
```

```
>>> Does anyone know if this board would work with Paris?
>>> All my experience has been with AMD processors and Paris, so this is new
>>> territory.
>>>
>>> Any thoughts are appreciated.
>>>
>>> Cheers,
>>> TC
>>Really? I thought the opposite was true by what most people use here?
Or am I thinking of more like 3 years ago?
```

Cheers,

TC

Martin Harrington wrote:

- > Pentium processors, probably give more hassal free service than the
- > equivalent AMD version with Paris.
- > AMD work but there seems to be more tweeking involved t

Subject: Re: XP problems with 1 and 2 eds cards; Error 2/2; FX presets not saving Posted by Dan B on Fri, 19 Aug 2005 15:50:00 GMT

View Forum Message <> Reply to Message

```
r />
>>Cheers,
>>
>>db
>>"db" <daniel burneNOSPAM@yahoo.com> wrote:
>>
>>>Hi all,
>>>
>>>As promised I've put together a PPJ of collected Paris FX presets - unfortuantely
>>>I can't attach it as it's too large (c.1.7Meg) - I'll happily e-mail it
>>
>>though
>>>if you drop me an e-mail. I'll also send a copy to Mike Audet as he's got
>>>some webspace for this purpose.
>>>
>>>Most of these have been compiled from other users or the newsgroup or the
>>>FX preset updates. There are settings for the Comp, NoLimit, Plate and
```

```
> Room
>
>>>Reverbs, Chorus, and Tap Delay.
>>>
>>>If anyone has any to add, let us all know. You might also want to contact
>>>Mike Audet (mike@mikeFSPAM!audet.com) and myself, as Mike has some webspace
>>>(www.mikeaudet.com/paris) set up for Paris FX Presets.
>>>
>>>Enjoy.
>>> Dan B / db
>>
>Enjoy courtesy of Dan B
```

http://people.musc.edu/~bercikj/All Presets.ppjtaint a workin for me sir. gets the 404 not found on this server.

thanky

On Fri, 19 Aug 2005 14:25:02 -0400, John <no@no.com> wrote:

>Enjoy courtesy of Dan B

>

>http://people.musc.edu/~bercikj/All Presets.ppjl'm going to be tracking some Roland electronic drums with the intention of

replacing some or all of the sounds with samples via Drumagog. How much CPU does this app use per track?

Thankstry this please

http://people.musc.edu/~bercikj/all_presets.ppjForgive my ignorance, but I have never attempted this.

I see on the Inserts on the Global Master there is an EXTERNAL option. Yet when I look in the Patch Bay I see no L&R on the INSERT BLOCK.

How is a loop formed with an external FX on the Global Master?

```
ThanksJohn <no@no.com> wrote:
>try this please
>
>http://people.musc.edu/~bercikj/all_presets.ppj
```

That works! thanks!Brandon,

On the inserts for your first submix (usually Submix A)there should be a left and right i/o. Route those from and to your interface (442,MEC, etc.) and that will function as your external effects loop. Not in front of my system at present, but I believe the L & R only exist on the inserts of the first submix.

JH

brandon wrote:

- > Forgive my ignorance, but I have never attempted this.
- > I see on the Inserts on the Global Master there is an EXTERNAL
- > option. Yet when I look in the Patch Bay I see no L&R on the INSERT
- > BLOCK.
- > How is a loop formed with an external FX on the Global Master?

>

> ThanksThis is a multi-part message in MIME format.

----= NextPart 000 00C5 01C5A4DF.83EBFB30 Content-Type: text/plain; charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

JH.

They exist on others but don't do squat as far as I can tell. Wouldn't have been great to insert effects across the submixes this way?!!!

Tom

"Jeff hoover" < jkhoover@excite.com> wrote in message = news:43064284@linux...

Brandon,

On the inserts for your first submix (usually Submix A)there should be = a = 20

left and right i/o. Route those from and to your interface (442,MEC,=20 etc.) and that will function as your external effects loop. Not in=20 front of my system at present, but I believe the L & R only exist on = the=20

inserts of the first submix.

JH

brandon wrote:

- > Forgive my ignorance, but I have never attempted this.
- > I see on the Inserts on the Global Master there is an EXTERNAL
- > option. Yet when I look in the Patch Bay I see no L&R on the INSERT

```
> BLOCK.
  > How is a loop formed with an external FX on the Global Master?
  >=20
  >=20
  >=20
  > Thanks
-----= NextPart 000 00C5 01C5A4DF.83EBFB30
Content-Type: text/html;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>JH,</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>They exist on others but don't do squat =
as far as I=20
can tell.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Wouldn't have been great to =
insert effects=20
across the submixes</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>this way?!!!</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"Jeff hoover" &lt:<A=20
  href=3D"mailto:ikhoover@excite.com">ikhoover@excite.com</A>&gt; wrote =
in message=20
  < A = 20
href=3D"news:43064284@linux">news:43064284@linux</A>...</DIV>Brandon.<BR>=
<BR>On=20
  the inserts for your first submix (usually Submix A)there should be a =
<BR>left=20
  and right i/o.  Route those from and to your interface (442,MEC,=20
  <BR>etc.) and that will function as your external effects loop.&nbsp; =
Not in=20
  <BR>front of my system at present, but I believe the L & D system at present, but I believe the L & D system at present, but I believe the L & D system at present, but I believe the L & D system at present, but I believe the L & D system at present, but I believe the L & D system at present, but I believe the L & D system at present, but I believe the L & D system at present, but I believe the L & D system at present, but I believe the L & D system at present, but I believe the L & D system at present, but I believe the L & D system at present, but I believe the L & D system at present, but I believe the L & D system at present, but I believe the L & D system at present, but I believe the L & D system at present at p
exist on=20
  the <BR>inserts of the first submix .<BR><BR>JH<BR><BR>brandon =
wrote:<BR>&gt;=20
  Forgive my ignorance, but I have never attempted this.<BR>&gt; I see =
```

on the=20 Inserts on the Global Master ther

Page 10 of 10 ---- Generated from The PARIS Forums