
Subject: RME Wordclock ?

Posted by [Sound Dog](#) on Tue, 06 Jun 2006 01:35:45 GMT

[View Forum Message](#) <> [Reply to Message](#)

Greetings

I have a system comprising of a G5 with an RME HDSP9652 (Logic), a P4 Intel with an HDSP9652 and 3 EDS1000 (PARIS), and a spare Athlon PC which I'll either dedicate to PARIS and the EDS cards or VST instruments and the HDSP9652. The PARIS system has 2 MECs (one ADAT card each) and a spare 442.

Currently I'm only using the 2 MECs but I'd like to utilise the S/PDIF on the 442 as an audio input from the VST-instrument-dedicated-PC. From what I've read I will need to clock the PARIS interfaces externally.

I've seen references to the Lucid GENx6 (DJ this is what you use isn't it ?), however this product is end of life, so I'm considering the Lucid GENx96 or perhaps the GENx192. Anyone had any experience with either of these newer devices with PARIS ?

I was also wondering if I could get away with using the wordclock output of one of the RME HDSP9652s, and running it through a distribution device, such as Lucid's CLKx6. Is the RME wordclock up to the task ?

Cheers,

Stewart.

Subject: Re: RME Wordclock ?

Posted by [Deej \[1\]](#) on Tue, 06 Jun 2006 01:59:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

It's definitely up to the task.

und Dog" <dogster@tpg.com.au> wrote in message news:4484da88\$1@linux...

> Greetings

>

> I have a system comprising of a G5 with an RME HDSP9652 (Logic), a P4 Intel

> with an HDSP9652 and 3 EDS1000 (PARIS), and a spare Athlon PC which I'll

> either dedicate to PARIS and the EDS cards or VST instruments and the

> HDSP9652. The PARIS system has 2 MECs (one ADAT card each) and a spare 442.

>

> Currently I'm only using the 2 MECs but I'd like to utilise the S/PDIF on

> the 442 as an audio input from the VST-instrument-dedicated-PC. From what
> I've read I will need to clock the PARIS interfaces externally.
>
> I've seen references to the Lucid GENx6 (DJ this is what you use isn't it
> ?), however this product is end of life, so I'm considering the Lucid
GENx96
> or perhaps the GENx192. Anyone had any experience with either of these
newer
> devices with PARIS ?
>
> I was also wondering if I could get away with using the wordclock output
of
> one of the RME HDSP9652s, and running it through a distribution device,
such
> as Lucid's CLKx6. Is the RME wordclock up to the task ?
>
> Cheers,
>
> Stewart.
>
>
>
>

Subject: Re: RME Wordclock ?
Posted by [Sound Dog](#) on Tue, 06 Jun 2006 06:18:47 GMT
[View Forum Message](#) <> [Reply to Message](#)

Thanks for the feedback DJ. I can't make up my mind whether to get a CLKx6
or GENx192... Any advice ?

Cheers,
Stewart.

DJ wrote in message <4484e24b@linux>...
>It's definitely up to the task.
>
>
>
>und Dog" <dogster@tpg.com.au> wrote in message news:4484da88\$1@linux...
>> Greetings
>>
>> I have a system comprising of a G5 with an RME HDSP9652 (Logic), a P4
>Intel
>> with an HDSP9652 and 3 EDS1000 (PARIS), and a spare Athlon PC which I'll
>> either dedicate to PARIS and the EDS cards or VST instruments and the
>> HDSP9652. The PARIS system has 2 MECs (one ADAT card each) and a spare

>442.
>>
>> Currently I'm only using the 2 MECs but I'd like to utilise the S/PDIF on
>> the 442 as an audio input from the VST-instrument-dedicated-PC. From
what
>> I've read I will need to clock the PARIS interfaces externally.
>>
>> I've seen references to the Lucid GENx6 (DJ this is what you use isn't it
>> ?), however this product is end of life, so I'm considering the Lucid
>GENx96
>> or perhaps the GENx192. Anyone had any experience with either of these
>newer
>> devices with PARIS ?
>>
>> I was also wondering if I could get away with using the wordclock output
>of
>> one of the RME HDSP9652s, and running it through a distribution device,
>such
>> as Lucid's CLKx6. Is the RME wordclock up to the task ?
>>
>> Cheers,
>>
>> Stewart.
>>
>>
>>
>>
>
>

Subject: Re: RME Wordclock ?
Posted by [Deej \[1\]](#) on Tue, 06 Jun 2006 11:44:10 GMT
[View Forum Message](#) <> [Reply to Message](#)

If you're using the RME clock, no point in buying the GENx192. The CLKx6 is a lot less expensive. If you're using one of your HDSP cards as master, just route the clock out to the CLKx6 and then distribute the signal to the other devices. I've actually got a CLKx6 here.. It will distribute a signal at whatever sample rate it receives. Pretty handy device.

"Sound Dog" <dogster@tpg.com.au> wrote in message news:44851d0b@linux...
> Thanks for the feedback DJ. I can't make up my mind whether to get a
CLKx6
> or GENx192... Any advice ?
>
> Cheers,
> Stewart.

>
> DJ wrote in message <4484e24b@linux>...
> >It's definitely up to the task.
> >
> >
> >
> >und Dog" <dogster@tpg.com.au> wrote in message news:4484da88\$1@linux...
> >> Greetings
> >>
> >> I have a system comprising of a G5 with an RME HDSP9652 (Logic), a P4
> >Intel
> >> with an HDSP9652 and 3 EDS1000 (PARIS), and a spare Athlon PC which
I'll
> >> either dedicate to PARIS and the EDS cards or VST instruments and the
> >> HDSP9652. The PARIS system has 2 MECs (one ADAT card each) and a spare
> >442.
> >>
> >> Currently I'm only using the 2 MECs but I'd like to utilise the S/PDIF
on
> >> the 442 as an audio input from the VST-instrument-dedicated-PC. From
> what
> >> I've read I will need to clock the PARIS interfaces externally.
> >>
> >> I've seen references to the Lucid GENx6 (DJ this is what you use isn't
it
> >> ?), however this product is end of life, so I'm considering the Lucid
> >GENx96
> >> or perhaps the GENx192. Anyone had any experience with either of these
> >newer
> >> devices with PARIS ?
> >>
> >> I was also wondering if I could get away with using the wordclock
output
> >of
> >> one of the RME HDSP9652s, and running it through a distribution device,
> >such
> >> as Lucid's CLKx6. Is the RME wordclock up to the task ?
> >>
> >> Cheers,
> >>
> >> Stewart.
> >>
> >>
> >>
> >>
> >
> >
>

>

Subject: Re: RME Wordclock ?
Posted by [Sound Dog](#) on Tue, 06 Jun 2006 14:06:53 GMT
[View Forum Message](#) <> [Reply to Message](#)

You've convinced me. I'll spend the \$600 difference on, oh I don't know, fixing the transmission on my Javelin or something 8)

Cheers,

Stewart.

DJ wrote in message <44856b2f@linux>...

>If you're using the RME clock, no point in buying the GENx192. The CLKx6 is
>a lot less expensive. If you're using one of your HDSP cards as master, just
>route the clock out to the CLKx6 and then distribute the signal to the
other

>devices. I've actually got a CLKx6 here.. It will distribute a signal at
>whatever sample rate it receives. Pretty handy device.

>

>"Sound Dog" <dogster@tpg.com.au> wrote in message news:44851d0b@linux...

>> Thanks for the feedback DJ. I can't make up my mind whether to get a
>CLKx6

>> or GENx192... Any advice ?

>>

>> Cheers,

>> Stewart.

>>

>> DJ wrote in message <4484e24b@linux>...

>> >It's definitely up to the task.

>> >

>> >

>> >

>> >und Dog" <dogster@tpg.com.au> wrote in message news:4484da88\$1@linux...

>> >> Greetings

>> >>

>> >> I have a system comprising of a G5 with an RME HDSP9652 (Logic), a P4
>> >Intel

>> >> with an HDSP9652 and 3 EDS1000 (PARIS), and a spare Athlon PC which
>> >I'll

>> >> either dedicate to PARIS and the EDS cards or VST instruments and the
>> >> HDSP9652. The PARIS system has 2 MECs (one ADAT card each) and a
spare

>> >442.

>> >>

>> >> Currently I'm only using the 2 MECs but I'd like to utilise the S/PDIF
>on
>> >> the 442 as an audio input from the VST-instrument-dedicated-PC. From
>> what
>> >> I've read I will need to clock the PARIS interfaces externally.
>> >>
>> >> I've seen references to the Lucid GENx6 (DJ this is what you use isn't
>it
>> >> ?), however this product is end of life, so I'm considering the Lucid
>> >GENx96
>> >> or perhaps the GENx192. Anyone had any experience with either of these
>> >newer
>> >> devices with PARIS ?
>> >>
>> >> I was also wondering if I could get away with using the wordclock
>output
>> >of
>> >> one of the RME HDSP9652s, and running it through a distribution
device,
>> >such
>> >> as Lucid's CLKx6. Is the RME wordclock up to the task ?
>> >>
>> >> Cheers,
>> >>
>> >> Stewart.
>> >>
>> >>
>> >>
>> >>
>> >
>> >
>>
>>
>
>

Subject: Re: RME Wordclock ?

Posted by [Deej \[1\]](#) on Tue, 06 Jun 2006 14:44:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

I'm going to EBay my CLKx6 pretty soon. It's like brand new. I used it for about 3 months, but then I started clocking all 3 of my RME cards directly from the ADAT sync ports of my Paris modules so I don't really use it any more. If I need higher sample rates than 44.1, I can use my GENx6 as a distro module clocked from my RME card or my Mytek A/D converter. Street on these is around \$400.00. I'm going to need to fly one-way to Connecticut next week to pick up a truck I bought and so I'll let this one go for

\$325.00 (the price of the ticket ;o) plus shipping. Guaranteed to work.. If you want it, give me a call. My OE is all screwed up right now and I can't return e-mails from this account.

970-375-7081

DJ

"Sound Dog" <dogster@tpg.com.au> wrote in message news:44858a30\$1@linux...
> You've convinced me. I'll spend the \$600 difference on, oh I don't know,
> fixing the transmission on my Javelin or something 8)
>
> Cheers,
>
> Stewart.
>
>
> DJ wrote in message <44856b2f@linux>...
> >If you're using the RME clock, no point in buying the GENx192. The CLKx6
is
> >a lot less expensive. If you're using one of your HDSP cards as master,
just
> >route the clock out to the CLKx6 and then distribute the signal to the
> other
> >devices. I've actually got a CLKx6 here.. It will distribute a signal at
> >whatever sample rate it receives. Pretty handy device.
> >
> >"Sound Dog" <dogster@tpg.com.au> wrote in message news:44851d0b@linux...
> >> Thanks for the feedback DJ. I can't make up my mind whether to get a
> >CLKx6
> >> or GENx192... Any advice ?
> >>
> >> Cheers,
> >> Stewart.
> >>
> >> DJ wrote in message <4484e24b@linux>...
> >> >It's definitely up to the task.
> >> >
> >> >
> >> >
> >> >
> >> >und Dog" <dogster@tpg.com.au> wrote in message
news:4484da88\$1@linux...
> >> >> Greetings
> >> >>
> >> >> I have a system comprising of a G5 with an RME HDSP9652 (Logic), a
P4
> >> >Intel

>
>

Subject: Re: RME Wordclock ?

Posted by [Sound Dog](#) on Wed, 07 Jun 2006 05:43:23 GMT

[View Forum Message](#) <> [Reply to Message](#)

I would jump at that offer, but I live in Sydney so it's probably not practical. Thanks anyway though, and thanks again for your help and advice.

Cheers,
Stewart.

DJ wrote in message <4485955c@linux>...

>I'm going to EBay my CLKx6 pretty soon. It's like brand new. I used it for
>about 3 months, but then I started clocking all 3 of my RME cards directly
>from the ADAT sync ports of my Paris modules so I don't really use it any
>more. If I need higher sample rates than 44.1, I can use my GENx6 as a
>distro module clocked from my RME card or my Mytek A/D converter. Street
on

>these is around \$400.00. I'm going to need to fly one-way to to
Connecticut

>next week to pick up a truck I bought and so I'll let this one go for
>\$325.00 (the price of the ticket ;o) plus shipping. Guaranteed to work.. If
>you want it, give me a call. My OE is all screwed up right now and I can't
>return e-mails from this account.

>
>970-375-7081

>
>DJ

>
>
>"Sound Dog" <dogster@tpg.com.au> wrote in message news:44858a30\$1@linux...

>> You've convinced me. I'll spend the \$600 difference on, oh I don't know,
>> fixing the transmission on my Javelin or something 8)

>>
>> Cheers,
>>
>> Stewart.

>>
>>

>> DJ wrote in message <44856b2f@linux>...

>> >If you're using the RME clock, no point in buying the GENx192. The CLKx6
>is

>> >a lot less expensive. If you're using one of your HDSP cards as master,
>just

>> >route the clock out to the CLKx6 and then distribute the signal to the
>> other
>> >devices. I've actually got a CLKx6 here.. It will distribute a signal at
>> >whatever sample rate it receives. Pretty handy device.
>> >
>> >"Sound Dog" <dogster@tpg.com.au> wrote in message news:44851d0b@linux...
>> >> Thanks for the feedback DJ. I can't make up my mind whether to get a
>> >CLKx6
>> >> or GENx192... Any advice ?
>> >>
>> >> Cheers,
>> >> Stewart.
>> >>
>> >> DJ wrote in message <4484e24b@linux>...
>> >> >It's definitely up to the task.
>> >> >
>> >> >
>> >> >
>> >> >und Dog" <dogster@tpg.com.au> wrote in message
>> >news:4484da88\$1@linux...
>> >> >> Greetings
>> >> >>
>> >> >> I have a system comprising of a G5 with an RME HDSP9652 (Logic), a
>> >P4
>> >> >Intel
>> >> >> with an HDSP9652 and 3 EDS1000 (PARIS), and a spare Athlon PC which
>> >> >I'll
>> >> >> either dedicate to PARIS and the EDS cards or VST instruments and
>> >the
>> >> >> HDSP9652. The PARIS system has 2 MECs (one ADAT card each) and a
>> >spare
>> >> >442.
>> >> >>
>> >> >> Currently I'm only using the 2 MECs but I'd like to utilise the
>> >S/PDIF
>> >on
>> >> >> the 442 as an audio input from the VST-instrument-dedicated-PC.
>> >From
>> >> >what
>> >> >> I've read I will need to clock the PARIS interfaces externally.
>> >> >>
>> >> >> I've seen references to the Lucid GENx6 (DJ this is what you use
>> >isn't
>> >it
>> >> >> ?), however this product is end of life, so I'm considering the
>> >Lucid
>> >> >GENx96
>> >> >> or perhaps the GENx192. Anyone had any experience with either of

>these
>> >> >newer
>> >> >> devices with PARIS ?
>> >> >>
>> >> >> I was also wondering if I could get away with using the wordclock
>> >output
>> >> >of
>> >> >> one of the RME HDSP9652s, and running it through a distribution
>> device,
>> >> >such
>> >> >> as Lucid's CLKx6. Is the RME wordclock up to the task ?
>> >> >>
>> >> >> Cheers,
>> >> >>
>> >> >> Stewart.
>> >> >>
>> >> >>
>> >> >>
>> >> >>
>> >> >
>> >> >
>> >>
>> >>
>> >
>> >
>>
>>
>
>

Subject: Re: RME Wordclock ?
Posted by [Deej \[1\]](#) on Wed, 07 Jun 2006 06:09:41 GMT
[View Forum Message](#) <> [Reply to Message](#)

No problem. Glad I could help.

Deej

"Sound Dog" <dogster@tpg.com.au> wrote in message news:448665c1\$1@linux...
> I would jump at that offer, but I live in Sydney so it's probably not
> practical. Thanks anyway though, and thanks again for your help and
advice.
>
> Cheers,
> Stewart.
>
>

> DJ wrote in message <4485955c@linux>...

> >I'm going to EBay my CLKx6 pretty soon. It's like brand new. I used it for

> >about 3 months, but then I started clocking all 3 of my RME cards directly

> >from the ADAT sync ports of my Paris modules so I don't really use it any

> >more. If I need higher sample rates than 44.1, I can use my GENx6 as a

> >distro module clocked from my RME card or my Mytek A/D converter. Street

> on

> >these is around \$400.00. I'm going to need to fly one-way to to

> Connecticut

> >next week to pick up a truck I bought and so I'll let this one go for

> >\$325.00 (the price of the ticket ;o) plus shipping. Guaranteed to work..

If

> >you want it, give me a call. My OE is all screwed up right now and I can't

> >return e-mails from this account.

> >

> >970-375-7081

> >

> >DJ

> >

> >

> >"Sound Dog" <dogster@tpg.com.au> wrote in message news:44858a30\$1@linux...

> >> You've convinced me. I'll spend the \$600 difference on, oh I don't know,

> >> fixing the transmission on my Javelin or something 8)

> >>

> >> Cheers,

> >>

> >> Stewart.

> >>

> >>

> >> DJ wrote in message <44856b2f@linux>...

> >> >If you're using the RME clock, no point in buying the GENx192. The CLKx6

> >is

> >> >a lot less expensive. If you're using one of your HDSP cards as master,

> >just

> >> >route the clock out to the CLKx6 and then distribute the signal to the

> >> other

> >> >devices. I've actually got a CLKx6 here.. It will distribute a signal at

> >> >whatever sample rate it receives. Pretty handy device.

> >> >

> >> >"Sound Dog" <dogster@tpg.com.au> wrote in message news:44851d0b@linux...

> > > Thanks for the feedback DJ. I can't make up my mind whether to get
a
> > > CLKx6
> > > or GENx192... Any advice ?
> > >
> > > Cheers,
> > > Stewart.
> > >
> > > DJ wrote in message <4484e24b@linux>...
> > > > It's definitely up to the task.
> > > >
> > > >
> > > >
> > > > und Dog" <dogster@tpg.com.au> wrote in message
> > > > news:4484da88\$1@linux...
> > > > > Greetings
> > > > >
> > > > > I have a system comprising of a G5 with an RME HDSP9652 (Logic),
a
> > > > P4
> > > > Intel
> > > > > with an HDSP9652 and 3 EDS1000 (PARIS), and a spare Athlon PC
which
> > > > > I'll
> > > > > either dedicate to PARIS and the EDS cards or VST instruments and
> > > > the
> > > > > HDSP9652. The PARIS system has 2 MECs (one ADAT card each) and a
> > > > spare
> > > > > 442.
> > > > >
> > > > > Currently I'm only using the 2 MECs but I'd like to utilise the
> > > > > S/PDIF
> > > > > on
> > > > > the 442 as an audio input from the VST-instrument-dedicated-PC.
> > > > > From
> > > > > what
> > > > > I've read I will need to clock the PARIS interfaces externally.
> > > > >
> > > > > I've seen references to the Lucid GENx6 (DJ this is what you use
> > > > > isn't
> > > > > it
> > > > > ?), however this product is end of life, so I'm considering the
> > > > > Lucid
> > > > > GENx96
> > > > > or perhaps the GENx192. Anyone had any experience with either of
> > > > > these
> > > > > newer
> > > > > devices with PARIS ?

