
Subject: Paris saga

Posted by Tom Bruhl on Fri, 19 Oct 2007 04:22:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0083_01C811E6.2866B8B0

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

I thought I was groovin' but once the second Mec was introduced the system stopped. That was a few weeks ago.

Today I tried different cables, eds cards, mecs, eliminated the magma = and still no clock lock or modules showing up in the paris patchbay.

This means to me software unless someone tells me differently.

I have a new C drive which I will load XP and no pace. Any other=20 suggestions?

More frustrated than my clients,
Tom

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=_NextPart_000_0083_01C811E6.2866B8B0

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
```

```
<HTML><HEAD>
```

```
<META http-equiv=3DContent-Type content=3D"text/html; =  
charset=3Diso-8859-1">
```

```
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
```

```
<STYLE></STYLE>
```

```
</HEAD>
```

```
<BODY bgColor=3D#ffffff>
```

```
<DIV><FONT face=3DArial size=3D2>I thought I was groovin' but once the =  
second Mec=20
```

```
was introduced</FONT></DIV>
```

```
<DIV><FONT face=3DArial size=3D2>the system stopped.&nbsp; That was a =
```

few weeks=20
ago.</DIV>
<DIV> </DIV>
<DIV>Today I tried different cables, eds =
cards, mecs,=20
eliminated the magma and</DIV>
<DIV>still no </DIV>
clock lock or modules =
showing up in=20
the paris patchbay.</DIV>
<DIV> </DIV>
<DIV>This means to me software unless =
someone tells me=20
differently.</DIV>
<DIV> </DIV>
<DIV>I have a new C drive which I will load =
XP and no=20
pace. </DIV>
<DIV>suggestions?</DIV>
<DIV> </DIV>
<DIV>More frustrated than my =
clients,</DIV>
<DIV>Tom</DIV>
<DIV> </DIV>
<DIV> </DIV>
<DIV>

I choose Polesoft Lockspam to fight spam, =
and=20
you?
<A=20
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html </DIV></BODY ></HTML>

-----=_NextPart_000_0083_01C811E6.2866B8B0--

Subject: Re: Paris saga
Posted by [rick](#) on Fri, 19 Oct 2007 08:33:35 GMT
[View Forum Message](#) <> [Reply to Message](#)

i know this as dumb as it gets but the bnc is attached in the right
order...right?
all the cards show up in paris with the single mec?
how many i/o cards in each mec?

On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" <arpegio@comcast.net>
wrote:

>I thought I was groovin' but once the second Mec was introduced
>the system stopped. That was a few weeks ago.

>
>Today I tried different cables, eds cards, mecs, eliminated the magma and
>still no clock lock or modules showing up in the paris patchbay.
>
>This means to me software unless someone tells me differently.
>
>I have a new C drive which I will load XP and no pace. Any other
>suggestions?
>
>More frustrated than my clients,
>Tom
>
>
>
>
>I choose Polesoft Lockspam to fight spam, and you?
><http://www.polesoft.com/refer.html>

Subject: Re: Paris saga
Posted by [Tom Bruhl](#) on Fri, 19 Oct 2007 16:26:08 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0031_01C8124B.39CE07B0
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Rick,
1 mec, no BNC involved. Paris boots up so the 1 mec that
I'm using shows up but never any A to Ds or any installed modules.
This is the same symptom before I repaired one of my mecs with a
new chip. The clock light continues to flash too. Never locks in.

I am using the simplest setup I can imagine and still it's not working.
Mike A. suggested the .ini file to make sure card A is 0. I'll try =
that.
Pretty sure it's right but who knows?
Thanks,
Tom

"rick" <parnell68@hotmail.com> wrote in message =

news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
i know this as dumb as it gets but the bnc is attached in the right
order...right?
all the cards show up in paris with the single mec?
how many i/o cards in each mec?

On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" <arpegio@comcast.net>
wrote:

>I thought I was groovin' but once the second Mec was introduced
>the system stopped. That was a few weeks ago.
>
>Today I tried different cables, eds cards, mecs, eliminated the magma =
and
>still no clock lock or modules showing up in the paris patchbay.
>
>This means to me software unless someone tells me differently.
>
>I have a new C drive which I will load XP and no pace. Any other=20
>suggestions?
>
>More frustrated than my clients,
>Tom
>
>
>
>
>I choose Polesoft Lockspam to fight spam, and you?
><http://www.polesoft.com/refer.html> =20

-----=_NextPart_000_0031_01C8124B.39CE07B0

Content-Type: text/html;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Rick,</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>1 mec, no BNC involved.&nbsp; Paris =
boots up so the=20
1 mec that</FONT></DIV>
```

<DIV>I'm using shows up but never any A to =
Ds or any=20
installed modules.</DIV>
<DIV>This is the same symptom before I =
repaired one of=20
my mecs with a</DIV>
<DIV>new chip. The clock light =
continues to flash=20
too. Never locks in.</DIV>
<DIV> </DIV>
<DIV>I am using the simplest setup I can =
imagine and=20
still it's not working.</DIV>
<DIV>Mike A. suggested the .ini file =
to make sure=20
card A is 0. I'll try that.</DIV>
<DIV>Pretty sure it's right but who =
knows?</DIV>
<DIV>Thanks,</DIV>
<DIV>Tom</DIV>
<DIV> </DIV>
<DIV> </DIV>
<DIV> </DIV>
<DIV> </DIV>
<DIV> </DIV>
<DIV> </DIV>
<DIV>"rick" <<A=20
href=3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com> =
wrote in=20
message <A=20
href=3D"news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393an5=
s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">i=20
know this as dumb as it gets but the bnc is attached in the=20
right
order...right?
all the cards show up in paris with the =
single=20
mec?
how many i/o cards in each mec?

On Fri, 19 Oct 2007 =

00:22:39 -0400, "Tom Bruhl" <<A=20
=
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
wrote:=

>l=20
thought I was groovin' but once the second Mec was =
introduced
>the=20
system stopped. That was a few weeks ago.
>
>Today I =
tried=20
different cables, eds cards, mecs, eliminated the magma =

and
>still no=20
clock lock or modules showing up in the paris =
patchbay.
>
>This=20
means to me software unless someone tells me =
differently.
>
>I=20
have a new C drive which I will load XP and no pace. Any other=20

>suggestions?
>
>More frustrated than my=20
clients,
>Tom
>
>
>
>
>I choose =
Polesoft=20
Lockspam to fight spam, and=20
you?
>http://www.polesoft.com/refer.html = =20

</BLOCKQUOTE></BODY></HTML>

-----=_NextPart_000_0031_01C8124B.39CE07B0--

Subject: Re: Paris saga
Posted by [rick](#) on Fri, 19 Oct 2007 16:50:08 GMT
[View Forum Message](#) <> [Reply to Message](#)

hope it works.

On Fri, 19 Oct 2007 12:26:08 -0400, "Tom Bruhl" <arpegio@comcast.net>
wrote:

>Rick,
>1 mec, no BNC involved. Paris boots up so the 1 mec that
>I'm using shows up but never any A to Ds or any installed modules.
>This is the same symptom before I repaired one of my mecs with a
>new chip. The clock light continues to flash too. Never locks in.
>
>I am using the simplest setup I can imagine and still it's not working.
>Mike A. suggested the .ini file to make sure card A is 0. I'll try that.
>Pretty sure it's right but who knows?
>Thanks,
>Tom
>
>
>
>
>
>"rick" <parnell68@hotmail.com> wrote in message
news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> i know this as dumb as it gets but the bnc is attached in the right
> order...right?
> all the cards show up in paris with the single mec?
> how many i/o cards in each mec?
>

>
> On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" <arpegio@comcast.net>
> wrote:
>
> >I thought I was groovin' but once the second Mec was introduced
> >the system stopped. That was a few weeks ago.
> >
> >Today I tried different cables, eds cards, mecs, eliminated the magma and
> >still no clock lock or modules showing up in the paris patchbay.
> >
> >This means to me software unless someone tells me differently.
> >
> >I have a new C drive which I will load XP and no pace. Any other
> >suggestions?
> >
> >More frustrated than my clients,
> >Tom
> >
> >
> >
> >
> >I choose Polesoft Lockspam to fight spam, and you?
> ><http://www.polesoft.com/refer.html>

Subject: Re: Paris saga
Posted by [Dimitrios](#) on Sat, 20 Oct 2007 13:37:10 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi Tom !@
Sorry to hear you still having problems like this ~!!
Must be very frustrating.
Open the Paris ini file and there change the mastercardoutput with your other
cards and see what happens !!
Let me know.
Regards,
Dimitrios

"Tom Bruhl" <arpegio@comcast.net> wrote:

>
>
>Rick,
>1 mec, no BNC involved. Paris boots up so the 1 mec that
>I'm using shows up but never any A to Ds or any installed modules.
>This is the same symptom before I repaired one of my mecs with a
>new chip. The clock light continues to flash too. Never locks in.
>
>I am using the simplest setup I can imagine and still it's not working.

>Mike A. suggested the .ini file to make sure card A is 0. I'll try =
>that.
>Pretty sure it's right but who knows?
>Thanks,
>Tom
>
>
>
>
>
>
>"rick" <parnell68@hotmail.com> wrote in message =
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> i know this as dumb as it gets but the bnc is attached in the right
> order...right?
> all the cards show up in paris with the single mec?
> how many i/o cards in each mec?
>
>
> On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" <arpegio@comcast.net>
> wrote:
>
> >I thought I was groovin' but once the second Mec was introduced
> >the system stopped. That was a few weeks ago.
> >
> >Today I tried different cables, eds cards, mecs, eliminated the magma
> =
>and
> >still no clock lock or modules showing up in the paris patchbay.
> >
> >This means to me software unless someone tells me differently.
> >
> >I have a new C drive which I will load XP and no pace. Any other=20
> >suggestions?
> >
> >More frustrated than my clients,
> >Tom
> >
> >
> >
> >
> >I choose Polesoft Lockspam to fight spam, and you?
> ><http://www.polesoft.com/refer.html> =20
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3DContent-Type content=3D"text/html; =
>charset=3Diso-8859-1">


```
><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D#ffffff>
><DIV><FONT face=3DArial size=3D2>Rick,</FONT></DIV>
```

```
>boots up so the=20
>1 mec that</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>I'm using shows up but never any A to =
>Ds or any=20
>installed modules.</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>This is the same symptom before I =
>repaired one of=20
>my mecs with a</FONT></DIV>
```

```
>continues to flash=20
```

```
><DIV><FONT face=3DArial size=3D2>I am using the simplest setup I can =
>imagine and=20
>still it's not working.</FONT></DIV>
```

```
>to make sure=20
```

```
><DIV><FONT face=3DArial size=3D2>Pretty sure it's right but who =
>knows?</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>Thanks,</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
```

```
><DIV>"rick" <<A=20
>href=3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com</A>> =
>wrote in=20
>message <A=20
>href=3D"news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393an5=
>s4m99qcaojn09vn112t4u6r@4ax.com</A>...</DIV>
><BLOCKQUOTE=20
>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">i=20
> know this as dumb as it gets but the bnc is attached in the=20
> right<BR>order...right?<BR>all the cards show up in paris with the =
>single=20
> mec?<BR>how many i/o cards in each mec?<BR><BR><BR>On Fri, 19 Oct 2007
=
>
```

> 00:22:39 -0400, "Tom Bruhl" <<A=20
> =
>href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>
wrote:=
>

>I=20
> thought I was groovin' but once the second Mec was =
>introduced
>the=20

>tried=20
> different cables, eds cards, mecs, eliminated the magma =
>and
>still no=20
> clock lock or modules showing up in the paris =
>patchbay.
>
>This=20
> means to me software unless someone tells me =
>differently.
>
>I=20

>
>suggestions?
>
>More frustrated than my=20
> clients,
>Tom
>
>
>
>
>
>I choose =
>Polesoft=20
> Lockspam to fight spam, and=20

>
</BLOCKQUOTE></BODY></HTML>
>
>

Subject: Re: Paris saga
Posted by [Tom Bruhl](#) on Sun, 21 Oct 2007 07:26:56 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0102_01C81392.3B819480
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Thanks Dimitrios.

Mike said the same thing. Is the ini in the Paris folde or system 32?
Do I want the Master card to be 0 absolutely? I only have one card
in there right now and it's all freaky just the same.
Tom

"Dimitrios" <musurgio@otenet.gr> wrote in message =
news:471a0486\$1@linux...

Hi Tom !@

Sorry to hear you still having problems like this ~!!

Must be very frustrating.

Open the Paris ini file and there change the mastercardoutput with =
your other

cards and see what happens !!

Let me know.

Regards,

Dimitrios

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>Rick,

>1 mec, no BNC involved. Paris boots up so the 1 mec that

>I'm using shows up but never any A to Ds or any installed modules.

>This is the same symptom before I repaired one of my mecs with a

>new chip. The clock light continues to flash too. Never locks in.

>

>I am using the simplest setup I can imagine and still it's not =
working.

>Mike A. suggested the .ini file to make sure card A is 0. I'll try =
=3D

>that.

>Pretty sure it's right but who knows?

>Thanks,

>Tom

>

>

>

>

>

>"rick" <parnell68@hotmail.com> wrote in message =3D

>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...

> i know this as dumb as it gets but the bnc is attached in the right

> order...right?

> all the cards show up in paris with the single mec?

> how many i/o cards in each mec?

>

>

> On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =
<arpeggio@comcast.net>

> wrote:

>

> >I thought I was groovin' but once the second Mec was introduced

> >the system stopped. That was a few weeks ago.

> >

> >Today I tried different cables, eds cards, mecs, eliminated the =

magma
 =3D
 >and
 > >still no clock lock or modules showing up in the paris patchbay.
 > >
 > >This means to me software unless someone tells me differently.
 > >
 > >I have a new C drive which I will load XP and no pace. Any =
 other=3D20
 > >suggestions?
 > >
 > >More frustrated than my clients,
 > >Tom
 > >
 > >
 > >
 > >
 > >I choose Polesoft Lockspam to fight spam, and you?
 > ><http://www.polesoft.com/refer.html> =3D20
 >
 >
 ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
 ><HTML><HEAD>
 ><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
 >charset=3D3Diso-8859-1">
 ><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
 ><STYLE></STYLE>
 ></HEAD>
 ><BODY bgColor=3D3D#ffffff>
 ><DIV>Rick,</DIV>
 ><DIV>1 mec, no BNC involved. Paris =
 =3D
 >boots up so the=3D20
 >1 mec that</DIV>
 ><DIV>I'm using shows up but never any =
 A to =3D
 >Ds or any=3D20
 >installed modules.</DIV>
 ><DIV>This is the same symptom before =
 I =3D
 >repaired one of=3D20
 >my mecs with a</DIV>
 ><DIV>new chip. The clock light =3D
 >continues to flash=3D20
 >too. Never locks in.</DIV>
 ><DIV> </DIV>
 ><DIV>I am using the simplest setup I =
 can =3D

>imagine and=3D20
>still it's not working.</DIV>
><DIV>Mike A. suggested the .ini file =
=3D
>to make sure=3D20
>card A is 0. I'll try that.</DIV>
><DIV>Pretty sure it's right but who =
=3D
>knows?</DIV>
><DIV>Thanks,</DIV>
><DIV>Tom</DIV>
><DIV> </DIV>
><DIV> </DIV>
><DIV> </DIV>
><DIV> </DIV>
><DIV> </DIV>
><DIV>"rick" <<A=3D20
>href=3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com> =
=3D
>wrote in=3D20
>message <A=3D20
=
>href=3D3D"news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393=
an5=3D
>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
><BLOCKQUOTE=3D20
>style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3D
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">i=3D20
> know this as dumb as it gets but the bnc is attached in the=3D20
> right
order...right?
all the cards show up in paris with the =
=3D
>single=3D20
> mec?
how many i/o cards in each mec?

On Fri, 19 Oct =
2007
=3D
>
> 00:22:39 -0400, "Tom Bruhl" <<A=3D20
> =3D
=
>href=3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>
wrote:=
=3D
>

>I=3D20
> thought I was groovin' but once the second Mec was =3D
>introduced
>the=3D20
> system stopped. That was a few weeks ago.
>
>Today I =3D
>tried=3D20
> different cables, eds cards, mecs, eliminated the magma =3D

>and
>still no=3D20
> clock lock or modules showing up in the paris =3D
>patchbay.
>
>This=3D20
> means to me software unless someone tells me =3D
>differently.
>
>I=3D20
> have a new C drive which I will load XP and no pace. Any other=3D20
>
>suggestions?
>
>More frustrated than my=3D20
> clients,
>Tom
>
>
>
>
>
>I choose =3D
>Polesoft=3D20
> Lockspam to fight spam, and=3D20
> you?
>http://www.polesoft.com/refer.html =3D20
>
</BLOCKQUOTE></BODY></HTML>
>
>

-----=_NextPart_000_0102_01C81392.3B819480

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Thanks Dimitrios.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>Mike said the same thing.&nbsp;<A href=
=3D"mailto:musurgio@otenet.gr">Is the =
ini in the=20
Paris folde or system 32?</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Do I want the Master&nbsp;<A href=
=3D"mailto:musurgio@otenet.gr">card to be 0=20
absolutely?&nbsp;<A href=
=3D"mailto:musurgio@otenet.gr">I only have one card</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>in there right now and it's all freaky =
just the=20
same.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Dimitrios" &lt;<A href=
=3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>&gt; wrote in =
message=20
```


size=3D3D2> </DIV>
></DIV></FONT =
face=3D3DArial=20
size=3D3D2>I am using the simplest setup I can =3D
>imagine=20
and=3D20
>still it's not=20
working.</DIV>
></DIV></FONT =
face=3D3DArial=20
size=3D3D2>Mike A. suggested the .ini file =3D
>to make=20
sure=3D20
>card A is 0. I'll try=20
that.</DIV>
></DIV></FONT =
face=3D3DArial=20
size=3D3D2>Pretty sure it's right but who=20
=3D
>knows?</DIV>
></DIV></FONT=20
face=3D3DArial=20
=
size=3D3D2>Thanks,</DIV>
></DIV></FONT=
=20
face=3D3DArial=20
size=3D3D2>Tom</DIV>
></DIV></FONT=20
face=3D3DArial size=3D3D2> =
</DIV>
></DIV></FONT=20
face=3D3DArial size=3D3D2> =
</DIV>
></DIV>=20
</DIV>
></DIV> </DIV>
></DIV>=20
</DIV>
></DIV>"rick" =
<<A=3D20
></A=20
=
href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto:pa=
rnell68@hotmail.com">parnell68@hotmail.com</A>>=20
=3D
>wrote in=3D20
>message <A=3D20
>href=3D3D"<A =
=
href=3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393an5=
'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393an5</A=
>=3D
>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
&=
gt;</BLOCKQUOTE=3D20
>style=3D3D"PADDING-RIGHT:=20
0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
>BORDER-LEFT: =
#000000 2px=20
solid; MARGIN-RIGHT: 0px">i=3D20
> know this as dumb as =
it gets=20
but the bnc is attached in the=3D20
> =20
right</BR>order...right?</BR>all the cards show up in paris =
with the=20
=3D
>single=3D20
> mec?</BR>how many i/o cards =
in each=20
mec?</BR></BR></BR>On Fri, 19 Oct=20
2007
=3D
>
> 00:22:39 -0400, "Tom Bruhl"=20
<<A=3D20
> =3D
>href=3D3D"<A=20

I'd still check it out to see what it is set to.

If it is wrong, what you are describing will happen.

Good luck!

Mike

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>Thanks Dimitrios.

>

>Mike said the same thing. Is the ini in the Paris folde or system 32?

>Do I want the Master card to be 0 absolutely? I only have one card

>in there right now and it's all freaky just the same.

>Tom

>

>

>

> "Dimitrios" <musurgio@otenet.gr> wrote in message =

>news:471a0486\$1@linux...

>

> Hi Tom !@

> Sorry to hear you still having problems like this ~!!

> Must be very frustrating.

> Open the Paris ini file and there change the mastercardoutput with =

>your other

> cards and see what happens !!

> Let me know.

> Regards,

> Dimitrios

>

> "Tom Bruhl" <arpeggio@comcast.net> wrote:

> >

> >

> >Rick,

> >1 mec, no BNC involved. Paris boots up so the 1 mec that

> >I'm using shows up but never any A to Ds or any installed modules.

> >This is the same symptom before I repaired one of my mecs with a

> >new chip. The clock light continues to flash too. Never locks in.

> >

> >I am using the simplest setup I can imagine and still it's not =

>working.

> >Mike A. suggested the .ini file to make sure card A is 0. I'll try

=

>=3D

> >that.

> >Pretty sure it's right but who knows?
> >Thanks,
> >Tom
> >
> >
> >
> >
> >
> >
> >"rick" <parnell68@hotmail.com> wrote in message =3D
> >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> > i know this as dumb as it gets but the bnc is attached in the right
> > order...right?
> > all the cards show up in paris with the single mec?
> > how many i/o cards in each mec?
> >
> >
> > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =
> ><arpegio@comcast.net>
> > wrote:
> >
> > >I thought I was groovin' but once the second Mec was introduced
> > >the system stopped. That was a few weeks ago.
> > >
> > >Today I tried different cables, eds cards, mecs, eliminated the =
> > >magma
> > >=3D
> > >and
> > >>still no clock lock or modules showing up in the paris patchbay.
> > >
> > >>This means to me software unless someone tells me differently.
> > >
> > >>I have a new C drive which I will load XP and no pace. Any =
> > >>other=3D20
> > >>>suggestions?
> > >
> > >>More frustrated than my clients,
> > >>Tom
> > >
> > >
> > >
> > >
> > >
> > >>I choose Polesoft Lockspam to fight spam, and you?
> > >>http://www.polesoft.com/refer.html =3D20
> > >
> > >
> > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> > ><HTML><HEAD>
> > ><META http-equiv=3D3DContent-Type content=3D3D"text/html"; =3D

```

> > charset="iso-8859-1">
> ><META content="MSHTML 6.00.2800.1400" name="GENERATOR">
> ><STYLE></STYLE>
> ></HEAD>
> ><BODY bgcolor="#ffffff">
> ><DIV><FONT face="Arial" size="2">Rick,</FONT></DIV>
> ><DIV><FONT face="Arial" size="2">1 mec, no BNC involved. Paris =
>=
> > boots up so the
> > 1 mec that</FONT></DIV>
> ><DIV><FONT face="Arial" size="2">I'm using shows up but never any
=
> A to
> > Ds or any
> > installed modules.</FONT></DIV>
> ><DIV><FONT face="Arial" size="2">This is the same symptom before
=
> I
> > repaired one of
> > my mecs with a</FONT></DIV>
> ><DIV><FONT face="Arial" size="2">new chip. The clock light
> > continues to flash
> > too. Never locks in.</FONT></DIV>
> ><DIV><FONT face="Arial" size="2"></FONT> </DIV>
> ><DIV><FONT face="Arial" size="2">I am using the simplest setup I
=
> can
> > imagine and
> > still it's not working.</FONT></DIV>
> ><DIV><FONT face="Arial" size="2">Mike A. suggested the .ini file
=
>=
> > to make sure
> > card A is 0. I'll try that.</FONT></DIV>
> ><DIV><FONT face="Arial" size="2">Pretty sure it's right but who =
>=
> > knows?</FONT></DIV>
> ><DIV><FONT face="Arial" size="2">Thanks,</FONT></DIV>
> ><DIV><FONT face="Arial" size="2">Tom</FONT></DIV>
> ><DIV><FONT face="Arial" size="2"></FONT> </DIV>
> ><DIV><FONT face="Arial" size="2"></FONT> </DIV>
> ><DIV> </DIV>
> ><DIV> </DIV>
> ><DIV> </DIV>
> ><DIV>"rick" <<A
> > href="mailto:parnell68@hotmail.com">parnell68@hotmail.com</A>> =
>=
> > wrote in

```

> >message <A=3D20
> =
>>href=3D3D"news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393=
>an5=3D
> >s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> ><BLOCKQUOTE=3D20
> >style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>=3D
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">i=3D20
> > know this as dumb as it gets but the bnc is attached in the=3D20
> > right
order...right?
all the cards show up in paris with the
=
>=3D
> >single=3D20
> > mec?
how many i/o cards in each mec?

On Fri, 19 Oct =
>2007
> =3D
> >
> > 00:22:39 -0400, "Tom Bruhl" <<A=3D20
> > =3D
> =
>>href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
wrote:=
>=3D
> >

>I=3D20
> > thought I was groovin' but once the second Mec was =3D
> >introduced
>the=3D20
> > system stopped. That was a few weeks ago.
>
>Today I =3D
> >tried=3D20
> > different cables, eds cards, mecs, eliminated the magma =3D
> >and
>still no=3D20
> > clock lock or modules showing up in the paris =3D
> >patchbay.
>
>This=3D20
> > means to me software unless someone tells me =3D
> >differently.
>
>I=3D20
> > have a new C drive which I will load XP and no pace. Any other=3D20
> >
>suggestions?
>
>More frustrated than my=3D20
> > clients,
>Tom
>
>
>
>
>I choose =3D
> >Polesoft=3D20
> > Lockspam to fight spam, and=3D20
> > you?
>http://www.polesoft.com/refer.html =3D20
> >
</BLOCKQUOTE></BODY></HTML>
> >
> >
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3DContent-Type content=3D"text/html; =

```

> charset="iso-8859-1">
<META content="MSHTML 6.00.2800.1400" name="GENERATOR">
</STYLE>
</HEAD>
<BODY bgcolor="#ffffff">
<DIV><FONT face="Arial" size="2">Thanks Dimitrios.</FONT></DIV>
<DIV><FONT face="Arial" size="2"></FONT> </DIV>
<DIV><FONT face="Arial" size="2">Mike said the same thing. Is the =
> ini in the=20
> Paris folder or system 32?</FONT></DIV>
<DIV><FONT face="Arial" size="2">Do I want the Master card to be 0=20
> absolutely? I only have one card</FONT></DIV>
<DIV><FONT face="Arial" size="2">in there right now and it's all freaky
=
> just the=20
> same.</FONT></DIV>
<DIV><FONT face="Arial" size="2">Tom</FONT></DIV>
<DIV><FONT face="Arial" size="2"></FONT> </DIV>
<DIV><FONT face="Arial" size="2"></FONT> </DIV>
<DIV><FONT face="Arial" size="2"></FONT> </DIV>
<BLOCKQUOTE style="padding-right: 0px; padding-left: 5px; margin-left: 5px; =
> border-left: #000000 2px solid; margin-right: 0px">
> <DIV>"Dimitrios" <A=20
> href="mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>> wrote in =
> message=20
> <A =
> href="news:471a0486$1@linux">news:471a0486$1@linux</A>...</DIV><BR>Hi
=
> Tom=20
> !@<BR>Sorry to hear you still having problems like this ~!!<BR>Must be
=
> very=20
> frustrating.<BR>Open the Paris ini file and there change the =
> mastercardoutput=20
> with your other<BR>cards and see what happens !!<BR>Let me=20
> know.<BR>Regards,<BR>Dimitrios<BR><BR>"Tom Bruhl" <A=20
> href="mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>>=20
> wrote:<BR><BR><BR><BR>Rick,<BR><BR>1 mec, no BNC =
> involved. Paris=20
> boots up so the 1 mec that<BR><BR>I'm using shows up but never any A =
> to Ds or=20
> any installed modules.<BR><BR>This is the same symptom before I =
> repaired one=20
> of my mecs with a<BR><BR>new chip. The clock light continues to =
> flash=20
> too. Never locks in.<BR><BR><BR>I am using the simplest =
> setup I can=20

```



```

>HTML 4.0=20
> Transitional//EN"><BR>><HTML><HEAD><BR>><META=20
> http-equiv=3D3DContent-Type content=3D3D"text/html";=20
> =3D<BR>> charset=3D3Diso-8859-1"><BR>><META =
>content=3D3D"MSHTML=20
> 6.00.2800.1400"=20
> =
>name=3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=
>D><BR>><BODY=20
> bgcolor=3D3D#ffffff><BR>><DIV><FONT face=3D3DArial=20
> =
>size=3D3D2>Rick,</FONT></DIV><BR>><DIV><FONT=20
> face=3D3DArial size=3D3D2>1 mec, no BNC involved. Paris =
>=3D<BR>>boots up so=20
> the=3D20<BR>>1 mec =
>that</FONT></DIV><BR>><DIV><FONT=20
> face=3D3DArial size=3D3D2>I'm using shows up but never any A to =
>=3D<BR>>Ds or=20
> any=3D20<BR>>installed=20
> modules.</FONT></DIV><BR>><DIV><FONT =
>face=3D3DArial=20
> size=3D3D2>This is the same symptom before I =3D<BR>>repaired =
>one=20
> of=3D20<BR>>my mecs with=20
> a</FONT></DIV><BR>><DIV><FONT face=3D3DArial=20
> size=3D3D2>new chip. The clock light =3D<BR>>continues to=20
> flash=3D20<BR>>too. Never locks=20
> in.</FONT></DIV><BR>><DIV><FONT face=3D3DArial =
>
> size=3D3D2></FONT> </DIV><BR>><DIV><FONT =
>face=3D3DArial=20
> size=3D3D2>I am using the simplest setup I can =3D<BR>>imagine=20
> and=3D20<BR>>still it's not=20
> working.</FONT></DIV><BR>><DIV><FONT =
>face=3D3DArial=20
> size=3D3D2>Mike A. suggested the .ini file =3D<BR>>to make=20
> sure=3D20<BR>>card A is 0. I'll try=20
> that.</FONT></DIV><BR>><DIV><FONT =
>face=3D3DArial=20
> size=3D3D2>Pretty sure it's right but who=20
> =3D<BR>>knows?</FONT></DIV><BR>><DIV><FONT=20
> face=3D3DArial=20
> =
>size=3D3D2>Thanks,</FONT></DIV><BR>><DIV><FONT=
>=20
> face=3D3DArial=20
> size=3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=20
> face=3D3DArial size=3D3D2></FONT> =

```

></DIV>
><DIV><FONT=20
> face=3D3DArial size=3D3D2> =
></DIV>
><DIV>=20
> </DIV>
><DIV> </DIV>
><DIV>=20
> </DIV>
><DIV>"rick" =
><<A=3D20
>href=3D3D"<A=20
> =
>href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto:pa=
>rnell68@hotmail.com">parnell68@hotmail.com</A>=20
> =3D
>wrote in=3D20
>message <A=3D20
>href=3D3D"<A =
>
> =
>href=3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393an5=
>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393an5</A=
>>=3D
>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
&=
>gt;<BLOCKQUOTE=3D20
>style=3D3D"PADDING-RIGHT:=20
> 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
>BORDER-LEFT: =
>#000000 2px=20
> solid; MARGIN-RIGHT: 0px">i=3D20
> know this as dumb as =
>it gets=20
> but the bnc is attached in the=3D20
> =20
> right
order...right?
all the cards show up in paris =
>with the=20
> =3D
>single=3D20
> mec?
how many i/o cards =
>in each=20
> mec?

On Fri, 19 Oct=20
> 2007
=3D
>
> 00:22:39 -0400, "Tom Bruhl"=20
> <<A=3D20
> =3D
>href=3D3D"<A=20
> =
>href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
wrote'>ma=
>ilto:arpegio@comcast.net">arpegio@comcast.net>
w=
>rote:=3D
>

>l=3D20
> =20
> thought I was groovin' but once the second Mec was=20
> =3D
>introduced
>the=3D20
> system =
>stopped. That was=20
> a few weeks ago.
>
>Today l=20
> =3D
>tried=3D20
> different cables, eds cards, mecs, =
>eliminated=20
> the magma =3D
>and
>still no=3D20
> =
>clock lock or=20
> modules showing up in the paris=20
> =
>=3D
>patchbay.
>
>This=3D20
> =
>means to=20
> me software unless someone tells me=20
> =
>=3D
>differently.
>
>l=3D20
> =
>have a new=20

> C drive which I will load XP and no pace. Any other=3D20
> =
>
>
>suggestions?
>
>More frustrated =
>than=20
> my=3D20
> =20
> =
>clients,
>Tom
>
>
>
>
=
>>>
>I=20
> choose =3D
>Polesoft=3D20
> Lockspam to fight spam,=20
> and=3D20
> =
>you?
>http://www.polesoft.com/refer.html=20
> =
>=3D20
>
</BLOCKQUOTE></BODY></HTML>
&=
>gt;
>
</BLOCKQUOTE></BODY></HTML>
>
>

Subject: Re: Paris saga
Posted by [Tom Bruhl](#) on Sun, 21 Oct 2007 14:52:44 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_012D_01C813D0.82656EB0
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Hi Mike,
Well I've been to .cfg many a time.
I've seen that Mastercard setting as being 0
but maybe it changed after removing the 4 other
eds cards for this round of testing.

If it's still 0 what else could this be? Busted mobo?
I'm really in an idunno place right now. I'll be checking
seriously today again because of a session tomorrow morning.
Tom

"Mike Audet" <mike@....> wrote in message news:471b2ec2\$1@linux...

Hi Tom,

If you've only got one card in, then the Mastercard =3D 0 setting is =
right.

The file is Paris.cfg, and it lives in the c:\program files\Emu\PARIS =

PRO
folder.

I'd still check it out to see what it is set to.

If it is wrong, what you are describing will happen.

Good luck!

Mike

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>
>
>Thanks Dimitrios.
>
>Mike said the same thing. Is the ini in the Paris folde or system =
32?
>Do I want the Master card to be 0 absolutely? I only have one card
>in there right now and it's all freaky just the same.
>Tom
>
>
>
> "Dimitrios" <musurgio@otenet.gr> wrote in message =3D
>news:471a0486\$1@linux...
>
> Hi Tom !@
> Sorry to hear you still having problems like this ~!!
> Must be very frustrating.
> Open the Paris ini file and there change the mastercardoutput with =
=3D
>your other
> cards and see what happens !!
> Let me know.
> Regards,
> Dimitrios
>
> "Tom Bruhl" <arpeggio@comcast.net> wrote:
> >
> >
> >
> >Rick,
> >1 mec, no BNC involved. Paris boots up so the 1 mec that
> >I'm using shows up but never any A to Ds or any installed modules.
> >This is the same symptom before I repaired one of my mecs with a
> >new chip. The clock light continues to flash too. Never locks =
in.
> >

> >I am using the simplest setup I can imagine and still it's not =3D
>working.
> >Mike A. suggested the .ini file to make sure card A is 0. I'll =
try
=3D
>=3D3D
> >that.
> >Pretty sure it's right but who knows?
> >Thanks,
> >Tom
> >
> >
> >
> >
> >
> >
> >"rick" <parnell68@hotmail.com> wrote in message =3D3D
> >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> > i know this as dumb as it gets but the bnc is attached in the =
right
> > order...right?
> > all the cards show up in paris with the single mec?
> > how many i/o cards in each mec?
> >
> >
> > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D
><arpeggio@comcast.net>
> > wrote:
> >
> > >I thought I was groovin' but once the second Mec was introduced
> > >the system stopped. That was a few weeks ago.
> > >
> > >Today I tried different cables, eds cards, mecs, eliminated the =
=3D
>magma
> =3D3D
> >and
> > >still no clock lock or modules showing up in the paris =
patchbay.
> > >
> > >This means to me software unless someone tells me differently.
> > >
> > >I have a new C drive which I will load XP and no pace. Any =3D
>other=3D3D20
> > >suggestions?
> > >
> > >More frustrated than my clients,
> > >Tom
> > >

```

> > >
> > >
> > >
> > >I choose Polesoft Lockspam to fight spam, and you?
> > >http://www.polesoft.com/refer.html =3D3D20
> >
> >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> ><HTML><HEAD>
> ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =
=3D3D
> >charset=3D3D3Diso-8859-1">
> ><META content=3D3D3D"MSHTML 6.00.2800.1400" name=3D3D3DGENERATOR>
> ><STYLE></STYLE>
> ></HEAD>
> ><BODY bgColor=3D3D3D#ffffff>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Rick,</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>1 mec, no BNC involved. =
Paris =3D
>=3D3D
> >boots up so the=3D3D20
> >1 mec that</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>I'm using shows up but =
never any
=3D
>A to =3D3D
> >Ds or any=3D3D20
> >installed modules.</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>This is the same symptom =
before
=3D
>I =3D3D
> >repaired one of=3D3D20
> >my mecs with a</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>new chip. The clock light =
=3D3D
> >continues to flash=3D3D20
> >too. Never locks in.</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>I am using the simplest =
setup I
=3D
>can =3D3D
> >imagine and=3D3D20
> >still it's not working.</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Mike A. suggested the =
..ini file
=3D

```

>=3D3D
> >to make sure=3D3D20
> >card A is 0. I'll try that.</DIV>
> ><DIV>Pretty sure it's right =
but who =3D
>=3D3D
> >knows?</DIV>
> ><DIV>Thanks,</DIV>
> ><DIV>Tom</DIV>
> ><DIV> </DIV>
> ><DIV> </DIV>
> ><DIV> </DIV>
> ><DIV> </DIV>
> ><DIV> </DIV>
> ><DIV>"rick" <<A=3D3D20
> =
>href=3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com> =
=3D
>=3D3D
> >wrote in=3D3D20
> >message <A=3D3D20
> =3D
=
>>href=3D3D3D"news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh=
393=3D
>an5=3D3D
> >s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> ><BLOCKQUOTE=3D3D20
> >style=3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
5px; =3D
>=3D3D
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">i=3D3D20
> > know this as dumb as it gets but the bnc is attached in =
the=3D3D20
> > right
order...right?
all the cards show up in paris with =
the
=3D
>=3D3D
> >single=3D3D20
> > mec?
how many i/o cards in each mec?

On Fri, 19 =
Oct =3D
>2007
> =3D3D
> >
> > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D20
> > =3D3D
> =3D
=

>>href="mailto:arpeggio@comcast.net">arpeggio@comcast.net
wrote:
>>
> >

>I thought I was groovin' but once the second Mec was introduced the system stopped. That was a few weeks ago.

>Today I tried different cables, eds cards, mecs, eliminated the magma and
>still no clock lock or modules showing up in the paris patchbay.

>This means to me software unless someone tells me differently.

>I have a new C drive which I will load XP and no pace. Any other suggestions?

>More frustrated than my clients, Tom

>I choose Polesoft Lockspam to fight spam, and you?

><http://www.polesoft.com/refer.html>
>
</BLOCKQUOTE></BODY></HTML>
> >
> >
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv="Content-Type" content="text/html; charset="iso-8859-1">
><META content="MSHTML 6.00.2800.1400" name="GENERATOR">
><STYLE></STYLE>
></HEAD>
><BODY bgColor="#ffffff">
><DIV>Thanks Dimitrios.</DIV>
><DIV> </DIV>
><DIV>Mike said the same thing. Is the ini in the Paris folde or system 32?</DIV>
><DIV>Do I want the Master card to be 0 absolutely? I only have one card</DIV>
><DIV>in there right now and it's all freaky
>=3D
>just the
>same.</DIV>

=3D
>wrote=3D20
> in message=3D20
> =3D
=
>=3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
>&nbs=3D=

>p; i=3D20
> know this as dumb as it gets but the bnc is attached in the=3D20
> right
> order...right?
> all the cards show up =3D
>in=3D20
> paris with the single mec?
> how many i/o cards in each=3D20
> mec?
>
>
> On Fri, 19 Oct 2007 00:22:39 -0400, =3D
>"Tom=3D20
> Bruhl" <<A=3D20
> =3D
=
>href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=3D=

>bsp;=3D20
> wrote:
>
> >I thought I was groovin' but once the =3D
>second=3D20
> Mec was introduced
> >the system stopped. That =3D
>was a few=3D20
> weeks ago.
> >
> >Today I tried =3D
>different=3D20
> cables, eds cards, mecs, eliminated the =3D
>magma
=3D3D
>and
> =3D20
> >still no clock lock or modules showing up in the paris=3D20
> patchbay.
> >
> >This means to me =3D
>software=3D20
> unless someone tells me differently.
> >
> =3D
>>I=3D20
> have a new C drive which I will load XP and no pace. Any=3D20
> other=3D3D20
> >suggestions?
> =3D
>>
> =3D20
> >More frustrated than my clients,
> =3D
>>Tom
> =3D20
> >
> >
> >
> =3D
>>
> =3D20
> >I choose Polesoft Lockspam to fight spam, and you?
> =3D20
> >http://www.polesoft.com/refer.html =3D20
> =3D3D20
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD =3D
>HTML 4.0=3D20
> Transitional//EN">
><HTML><HEAD>
><META=3D20
> http-equiv=3D3D3DContent-Type content=3D3D3D"text/html;=3D20
> =3D3D3D
>charset=3D3D3Diso-8859-1">
><META =3D
>content=3D3D3D"MSHTML=3D20

```

> 6.00.2800.1400"=3D20
> =3D
>name=3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D
>D><BR>><BODY=3D20
> bgColor=3D3D3D#ffffff><BR>><DIV><FONT face=3D3D3DArial=3D20
> =3D
>size=3D3D3D2>Rick,</FONT></DIV>><BR>><DIV><FONT=3D20
> face=3D3D3DArial size=3D3D3D2>1 mec, no BNC involved. Paris =3D
>=3D3D<BR>>boots up so=3D20
> the=3D3D20<BR>>1 mec =3D
>that</FONT></DIV>><BR>><DIV><FONT=3D20
> face=3D3D3DArial size=3D3D3D2>I'm using shows up but never any A to =
=3D
>=3D3D<BR>>Ds or=3D20
> any=3D3D20<BR>>installed=3D20
> modules.</FONT></DIV>><BR>><DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>This is the same symptom before I =3D3D<BR>>repaired =
=3D
>one=3D20
> of=3D3D20<BR>>my mecs with=3D20
> a</FONT></DIV>><BR>><DIV><FONT face=3D3D3DArial=3D20
> size=3D3D3D2>new chip. The clock light =3D3D<BR>>continues to=3D20
> flash=3D3D20<BR>>too. Never locks=3D20
> in.</FONT></DIV>><BR>><DIV><FONT face=3D3D3DArial =3D
>
> size=3D3D3D2></FONT> </DIV>><BR>><DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>I am using the simplest setup I can =
=3D3D<BR>>imagine=3D20
> and=3D3D20<BR>>still it's not=3D20
> working.</FONT></DIV>><BR>><DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>Mike A. suggested the .ini file =3D3D<BR>>to make=3D20
> sure=3D3D20<BR>>card A is 0. I'll try=3D20
> that.</FONT></DIV>><BR>><DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>Pretty sure it's right but who=3D20
> =3D3D<BR>>knows?</FONT></DIV>><BR>><DIV><FONT=3D20
> face=3D3D3DArial=3D20
> =3D
>size=3D3D3D2>Thanks,</FONT></DIV>><BR>><DIV><FONT=3D
>=3D20
> face=3D3D3DArial=3D20
> size=3D3D3D2>Tom</FONT></DIV>><BR>><DIV><FONT=3D20
> face=3D3D3DArial size=3D3D3D2></FONT> =3D
></DIV>><BR>><DIV><FONT=3D20
> face=3D3D3DArial size=3D3D3D2></FONT> =3D

```

></DIV>
><DIV>=3D20
> </DIV>
><DIV> </DIV>
><DIV>=3D20
> </DIV>
><DIV>"rick" =3D
><<A=3D3D20
>href=3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto=
>:pa=3D
>rnell68@hotmail.com">parnell68@hotmail.com</A>=3D20
> =3D3D
>wrote in=3D3D20
>message <A=3D3D20
>href=3D3D3D"<A =
=3D
>
> =3D
=
>href=3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393=
an5=3D
=
>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393an5</A=3D=

>>=3D3D
>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
&=3D
>gt;<BLOCKQUOTE=3D3D20
>style=3D3D3D"PADDING-RIGHT:=3D20
> 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D
>BORDER-LEFT: =
=3D
>#000000 2px=3D20
> solid; MARGIN-RIGHT: 0px">i=3D3D20
> know this as dumb as =3D
>it gets=3D20
> but the bnc is attached in the=3D3D20
> =3D20
> right
order...right?
all the cards show up in paris =3D
>with the=3D20
> =3D3D
>single=3D3D20
> mec?
how many i/o cards =3D
>in each=3D20
> mec?

On Fri, 19 Oct=3D20
> 2007
=3D3D
>
> 00:22:39 -0400, "Tom Bruhl"=3D20
> <<A=3D3D20
> =3D3D
>href=3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
wrote'=
>ma=3D
>ilto:arpegio@comcast.net">arpegio@comcast.net>
w=3D
>rote:=3D3D
>

>l=3D3D20
> =3D20
> thought I was groovin' but once the second Mec was=3D20
> =3D3D
>introduced
>the=3D3D20
> system =3D
>stopped. That was=3D20
> a few weeks ago.
>
>Today I=3D20
> =3D3D
>tried=3D3D20
> different cables, eds cards, mecs, =3D
>eliminated=3D20
> the magma =3D3D
>and
>still no=3D3D20
> =3D
>clock lock or=3D20

> modules showing up in the paris=3D20
> =3D
>=3D3D
>patchbay.
>
>This=3D3D20
> =3D
>means to=3D20
> me software unless someone tells me=3D20
> =3D
>=3D3D
>differently.
>
>I=3D3D20
> =3D
>have a new=3D20
> C drive which I will load XP and no pace. Any other=3D3D20
> =
=3D
>
>
>suggestions?
>
>More frustrated =3D
>than=3D20
> my=3D3D20
> =3D20
> =3D
>clients,
>Tom
>
>
>
>
=3D
>>>
>I=3D20
> choose =3D3D
>Polesoft=3D3D20
> Lockspam to fight spam,=3D20
> and=3D3D20
> =3D
>you?
><http://www.polesoft.com/refer.html>=3D20
> =3D
>=3D3D20
>
</BLOCKQUOTE></BODY></HTML>
&=3D
>gt;
>
</BLOCKQUOTE></BODY></HTML>
>
>

-----=_NextPart_000_012D_01C813D0.82656EB0

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Hi Mike,</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Well I've been to .cfg many a =
time.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>I've seen that Mastercard setting as =
being=20
0</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>but maybe it changed after removing the =
4=20
other</FONT></DIV>
```


Dimitrios
>
> =20
"Tom Bruhl" <<A=20
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=20
wrote:
> >
> >
> =20
>Rick,
> >1 mec, no BNC involved. Paris boots =
up so=20
the 1 mec that
> >I'm using shows up but never any A to =
Ds or=20
any installed modules.
> >This is the same symptom =
before I=20
repaired one of my mecs with a
> >new chip. The =
clock=20
light continues to flash too. Never locks in.
> =20
>
> >I am using the simplest setup I can imagine and =
still=20
it's not =3D
>working.
> >Mike A. suggested =
the .ini=20
file to make sure card A is 0. I'll =
try
=3D
>=3D3D
> =20
>that.
> >Pretty sure it's right but who=20
knows?
> >Thanks,
> >Tom
> =20
>
> >
> >
> =
>
> =20
>
> >"rick" <<A=20
href=3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com> =
wrote in=20
message =3D3D
> =20
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =20
> i know this as dumb as it gets but the bnc is attached in =
the=20
right
> > order...right?
> > =
all the=20
cards show up in paris with the single mec?
> > =
how many=20
i/o cards in each mec?
> >
> =
>
> =20
> On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =
=3D
><<A=20
=
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=
bsp;=20
> wrote:
> >
> > >I =
thought I=20
was groovin' but once the second Mec was introduced
> =
> =20
>the system stopped. That was a few weeks ago.
> =20
> >
> > >Today I tried different =
cables,=20

eds cards, mecs, eliminated the =3D
>magma
> =
=3D3D
> =20
>&and
> > > >still no clock lock or modules =
showing up=20
in the paris patchbay.
> > >
> =
> =20
>This means to me software unless someone tells me=20
differently.
> > >
> > =
>I have=20
a new C drive which I will load XP and no pace. Any=20
=3D
>other=3D3D20
> > =
>suggestions?
> =20
> >
> > >More frustrated than my=20
clients,
> > >Tom
> > =20
>
> > >
> > =
>
> =20
> >
> > >I choose Polesoft =
Lockspam to=20
fight spam, and you?
> > =20
>http://www.polesoft.com/refer.html =3D3D20
> =20
>
> >
> ><!DOCTYPE HTML PUBLIC=20
"-//W3C//DTD HTML 4.0 Transitional//EN"> =20
><HTML><HEAD>
> ><META=20
http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =
=3D3D
> =20
>charset=3D3D3Diso-8859-1"> ><META =
content=3D3D3D"MSHTML=20
6.00.2800.1400" name=3D3D3DGENERATOR>
> =20
><STYLE></STYLE>
> =
></HEAD>
> =20
><BODY bgColor=3D3D3D#ffffff>
> =
><DIV><FONT=20
face=3D3D3DArial =
size=3D3D3D2>Rick,</DIV&a mp;gt;
> =20
><DIV>1 mec, no BNC =
involved.=20
Paris =3D
>=3D3D
> >boots up so =
the=3D3D20
> >1=20
mec that</DIV>
> =
><DIV><FONT=20
face=3D3D3DArial size=3D3D3D2>I'm using shows up but never =
any
=3D
>A to=20
=3D3D
> >Ds or any=3D3D20
> >installed=20
modules.</DIV>
> =
><DIV><FONT=20
face=3D3D3DArial size=3D3D3D2>This is the same symptom =
before
=3D
>I=20
=3D3D
> >repaired one of=3D3D20
> >my =

mecs with=20
a</DIV>
 </DIV>=20
face=3D3D3DArial size=3D3D3D2>new chip. The clock light =
=3D3D
 =20
>continues to flash=3D3D20
 >too. Never locks=20
in.</DIV>
 </DIV>=20
face=3D3D3DArial size=3D3D3D2> </DIV>
 =20
></DIV> face=3D3D3DArial size=3D3D3D2>I am using =
the simplest=20
setup l
=3D
>can =3D3D
> >imagine =
and=3D3D20
> =20
>still it's not working.</DIV>
> =20
></DIV> face=3D3D3DArial size=3D3D3D2>Mike A. =
suggested the=20
.ini file
=3D
>=3D3D
> >to make =
sure=3D3D20
> =20
>card A is 0. I'll try that.</DIV>
> =

></DIV> face=3D3D3DArial size=3D3D3D2>Pretty sure =
it's right=20
but who =3D
>=3D3D
> =20
>knows?</DIV>
> =
></DIV>=20
face=3D3D3DArial =
size=3D3D3D2>Thanks,</DIV >
> =20
></DIV> face=3D3D3DArial=20
size=3D3D3D2>Tom</DIV& >
> =20
></DIV> face=3D3D3DArial size=3D3D3D2> > =

</DIV>
> </DIV> face=3D3D3DArial=20
size=3D3D3D2> </DIV>
> =
></DIV>&=20
</DIV>
> </DIV>& </DIV>
> =20
></DIV>& </DIV>
> </DIV>&"rick"=20
>&A=3D3D20
> >href=3D3D3D"<A=20
=
href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto:pa=
rnell68@hotmail.com">parnell68@hotmail.com>>=20
=3D
>=3D3D
> >wrote in=3D3D20
> =
>message=20
>A=3D3D20
> =3D
>>href=3D3D3D"<A=20
=
href=3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393'>n=
ews:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393=3D<B=
R>>an5=3D3D
> =20
=
>s4m99qcaojn09vn112t4u6r@4ax.com>...</DIV>
> =

> Lockspam=20
to fight spam, and=3D3D20
> > > =20
you?
>http://www.polesoft.com/refer.html =
=3D3D20
> =20
=
>
</BLOCKQUOTE>< /BODY></HTML>
> =
=20
>
> >
>
>
><!DOCTYPE HTML =
PUBLIC=20
"-//W3C//DTD HTML 4.0=20
Transitional//EN">
></HTML></HEAD>
></META=20
http-equiv=3D3DContent-Type content=3D3D"text/html;=20
=3D
> charset=3D3Diso-8859-1">
></META =
content=3D3D"MSHTML=20
6.00.2800.1400"=20
=
name=3D3DGENERATOR>
></STYLE></STYLE>
></HEA=
D>
></BODY=20
bgColor=3D3D#ffffff>
></DIV></FONT face=3D3DArial=20
size=3D3D2><Thanks=20
Dimitrios.</DIV>
></DIV></FONT =
face=3D3DArial=20
size=3D3D2> </DIV>
></DIV></FONT =
face=3D3DArial=20
size=3D3D2><Mike said the same thing. Is the =3D
>ini in =

the=3D20
>Paris folde or system=20
32?</DIV>
></DIV></FONT face=3D3DArial =

size=3D3D2><Do I want the Master card to be =
0=3D20
>absolutely? I=20
only have one card</DIV>
></DIV></FONT =

face=3D3DArial size=3D3D2><in there right now and it's all=20
freaky
=3D
><just=20
=
the=3D20
>same.</DIV>
></DIV></FONT=
=20
face=3D3DArial=20
size=3D3D2><Tom</DIV&g t;
></DIV></FONT=20
face=3D3DArial size=3D3D2> =
</DIV>
></DIV></FONT=20
face=3D3DArial size=3D3D2> =
</DIV>
></DIV></FONT=20
face=3D3DArial size=3D3D2>=20
=
</DIV>
></BLOCKQUOTE=3D20
>style=3D3D"PADDING-RIGHT: =
0px;=20

PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
>BORDER-LEFT: #000000 =
2px solid;=20
MARGIN-RIGHT: 0px">
> <DIV>"Dimitrios"=20
<<A=3D20
> href=3D3D"<A=20
=
href=3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A'>mailto:musurgio=
@otenet.gr">musurgio@otenet.gr</A>>=20
wrote in =3D
>message=3D20
> <A =
=3D
>href=3D3D"<A=20
=
href=3D'news:471a0486\$1 @linux">news:471a0486\$1 @linux...</DIV>
Hi'>=
news:471a0486\$1 @linux">news:471a0486\$1 @linux...</DIV>&=
lt;BR>Hi
=3D
>Tom=3D20
> =20
<A href=3D"mailto:!!@
Sorry">!!
Sorry to hear you still =
having=20
problems like this ~!!
Must =
be
=3D
>very=3D20
> =20
frustrating.
Open the Paris ini file and there change the=20
=3D
>mastercardoutput=3D20
> with your =
other
cards and=20
see what happens !!
Let me=3D20
> =20
know.
Regards,
Dimitrios&a mp;lt;BR>
 "Tom =
Bruhl"=20
<<A=3D20
> href=3D3D"<A=20
=
href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net>=3D20'>mailto=
:arpeggio@comcast.net">arpeggio@comcast.net>=3D20
&g=
t; =20
wrote:
>
>&a mp;lt;BR>>Rick,
>1 =
mec, no=20
BNC =3D
>involved. Paris=3D20
> boots up so =
the 1 mec=20
that
>I'm using shows up but never any A =3D
>to Ds=20
or=3D20
> any installed modules.
>This is the =
same=20
symptom before I =3D
>repaired one=3D20
> of my mecs =
with=20
a
>new chip. The clock light continues to=20
=3D
>flash=3D20
> too. Never locks=20
in.
>
>I am using the simplest =
=3D
>setup I=20
can=3D20
> imagine and still it's not =
working.
>Mike A.=20
suggested the =3D
>.ini=3D20
> file to make =
sure card A is=20
0. I'll try=20
=
=3D
 >=3D3D
>that.
>Pretty=3D20
> =

; sure it's=20
right but who=3D20
> =20
=
=3D
 >knows?
>Thanks,<BR&am p;gt;>Tom
><=
BR>>
><BR&g t;gt;
><=3D
>BR>=
>"rick"=3D20
> =20
<<A =3D
>href=3D3D"<A=20
=
href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto:pa=
rnell68@hotmail.com">parnell68@hotmail.com</A>>=20
=3D
>wrote=3D20
> in message=3D20
> =20
=
=3D
>=3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax=
..com...
>&nbs=3D
>p;=20
i=3D20
> know this as dumb as it gets but the bnc is =
attached in=20
the=3D20
> right
> =20
order...right?
> all the cards show up=20
=3D
>in=3D20
> paris with the single =
mec?
> =20
how many i/o cards in each=3D20
> =20
mec?
>
>& ;lt;BR>> On Fri, 19 Oct =
2007=20
00:22:39 -0400, =3D
>"Tom=3D20
> Bruhl"=20
<<A=3D20
> =3D
>href=3D3D"<A=20
=
href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net>
>&n'>=
mailto:arpeggio@comcast.net">arpeggio@comcast.net>
=
>&n=3D
>bsp;=3D20
> =20
wrote:
>
>&a mp;nbs; >I thought I was groovin' =
but once=20
the =3D
>second=3D20
> Mec was =
introduced
> =20
>the system stopped. That =3D
>was a =
few=3D20
> weeks=20
ago.
> >
> >Today I tried=20
=3D
>different=3D20
> cables, eds cards, mecs, =
eliminated the=20
=3D
 >magma
=3D3D
&g t;and
> =
=3D20
> =20
>still no clock lock or modules showing up in the =
paris=3D20
> =20
patchbay.
> >
> >This means =
to me=20
=3D
>software=3D20
> unless someone tells me=20
differently.
> >
> =20
=3D
>>I=3D20
> have a new C drive which I will =
load XP and no=20

pace. Any=3D20
> other=3D3D20
> =20
>>suggestions?
> =3D
>
>=20
=3D20
> >&More frustrated than my =
clients,
> =20
=3D
>>Tom
> =3D20
> =
>
> =20
>
> >
> =
=3D
>>
>=20
=3D20
> >&I choose Polesoft Lockspam to fight spam, and=20
you?
> =3D20
> =
>&http://www.polesoft.com/refer.html=20
=3D20
> =
=3D3D20
>
>& amp;
><!DOCTYPE=20
HTML PUBLIC "-//W3C//DTD =3D
>HTML 4.0=3D20
> =20
=
Transitional//EN" >
><HTML><HEAD>
>=
<META=3D20
> =20
http-equiv=3D3D3DContent-Type =
content=3D3D3D"text/html;=3D20
> =20
=3D3D
> charset=3D3D3Diso-8859-1">
><META =
=3D
>& content=3D3D3D"MSHTML=3D20
> =
6.00.2800.1400"=3D20
> =20
=
=3D
 >&name=3D3D3DGENERATOR>
&g t;<STYLE></STYLE&=
>
></HEA=3D
 >&D>
><BODY=3D20
&=
> =20
bgColor=3D3D3D#ffffff>
>& lt;DIV><FONT=20
face=3D3D3DArial=3D20
> =20
=
=3D
 >&size=3D3D3D2>&Rick,<DIV>
><=
t;DIV><FONT=3D20
> =20
face=3D3D3DArial size=3D3D3D2>&1 mec, no BNC involved. Paris=20
=3D
>=3D3D
> boots up so=3D20
> =
the=3D3D20
>1=20
mec=20
=
=3D
 >&that<DIV>
><DIV><FONT=
=3D20
> =20
face=3D3D3DArial size=3D3D3D2>&I'm using shows up but never any A to =
=3D
>=3D3D
>Ds or=3D20
> =20
any=3D3D20
> installed=3D20
> =20
modules.<DIV><BR& amp;><DIV><FONT=20
=3D
>& face=3D3D3DArial=3D20
> size=3D3D3D2>&This is =
the same=20
symptom before I =3D3D
> repaired =
=3D
>& one=3D20
> =20

=3D
>clock lock or=3D20
> modules showing up in the=20
paris=3D20
> =20
=
=3D
 >=3D3D
>patchbay.<BR&a mp;gt;>
>This=3D=
3D20
> =20
=3D
>means to=3D20
> me software unless someone =
tells=20
me=3D20
> =20
=
=3D
 >=3D3D
>differently.<B R>>
>l=3D=
3D20
> =20
=3D
>have a new=3D20
> C drive which I will load XP =
and no pace.=20
Any other=3D3D20
> =3D
>
> =20

>suggestions?
>& amp ;gt;
>More frustrated=20
=3D
>than=3D20
> my=3D3D20
> =
=3D20
> =20
=
=3D
 >clients,
>Tom<BR& gt;>
>
=
>
>=3D
>>
>l=3D20
> =20
choose =3D3D
>Polesoft=3D3D20<BR& amp ;gt;> Lockspam =
to fight=20
spam,=3D20
> and=3D3D20
> =20
=
=3D
>you?
>http://www.polesoft.com/refer.html=3D20
&=
gt; =20
=
=3D
 >=3D3D20
>
& amp ;lt;/BLOCKQUOTE></BODY>=
</HTML>
& amp ;=3D
 >gt;
>
& lt;/B=
LOCKQUOTE></BODY></HTML>
>
>
></BLOCKQUOTE><=
</BODY></HTML>

-----=_NextPart_000_012D_01C813D0.82656EB0--

Subject: Re: Paris saga

Posted by [mike audet\[1\]](#) on Sun, 21 Oct 2007 15:22:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi Tom,

Are you using a default project with PARIS? I'm so sorry of this has been asked and answered already. If so, perhaps it is telling card zero to lock to an external clock, which it can't because there isn't one.

It would be interesting to attach an external clock source to the MEC and then start PARIS to see how it behaves. Or, if the clock generator is fried, tell paris to lock externally and see what happens when an external clock

source is applied.

Isn't there a master house synch switch in the cfg file? I've never used it. Maybe DJ could help with what that should/shouldn't be set to.

Wish I could do more than think out loud...

Mike

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>Hi Mike,

>Well I've been to .cfg many a time.

>I've seen that Mastercard setting as being 0

>but maybe it changed after removing the 4 other

>eds cards for this round of testing.

>

>If it's still 0 what else could this be? Busted mobo?

>I'm really in an idunno place right now. I'll be checking

>seriously today again because of a session tomorrow morning.

>Tom

>

>

> "Mike Audet" <mike@....> wrote in message news:471b2ec2\$1@linux...

>

> Hi Tom,

>

> If you've only got one card in, then the Mastercard =3D 0 setting is =

>right.

> The file is Paris.cfg, and it lives in the c:\program files\Emu\PARIS

=

>PRO

> folder.

>

> I'd still check it out to see what it is set to.

>

> If it is wrong, what you are describing will happen.

>

> Good luck!

>

> Mike

>

> "Tom Bruhl" <arpeggio@comcast.net> wrote:

> >

> >

> >Thanks Dimitrios.

> >

> >Mike said the same thing. Is the ini in the Paris folde or system =
>=32?
> >Do I want the Master card to be 0 absolutely? I only have one card
> >in there right now and it's all freaky just the same.
> >Tom
> >
> >
> >
> > "Dimitrios" <musurgio@otenet.gr> wrote in message =3D
> >news:471a0486\$1@linux...
> >
> > Hi Tom !@
> > Sorry to hear you still having problems like this ~!!
> > Must be very frustrating.
> > Open the Paris ini file and there change the mastercardoutput with
=
>=3D
> >your other
> > cards and see what happens !!
> > Let me know.
> > Regards,
> > Dimitrios
> >
> > "Tom Bruhl" <arpeggio@comcast.net> wrote:
> > >
> > >
> > >Rick,
> > >1 mec, no BNC involved. Paris boots up so the 1 mec that
> > >I'm using shows up but never any A to Ds or any installed modules.
> > >This is the same symptom before I repaired one of my mecs with a
> > >new chip. The clock light continues to flash too. Never locks =
>in.
> > >
> > >I am using the simplest setup I can imagine and still it's not =3D
> >working.
> > >Mike A. suggested the .ini file to make sure card A is 0. I'll =
>try
> =3D
> >=3D3D
> > >that.
> > >Pretty sure it's right but who knows?
> > >Thanks,
> > >Tom
> > >
> > >
> > >
> > >
> > >
> > >

> > > "rick" <parnell68@hotmail.com> wrote in message =3D3D
 > > > news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
 > > > i know this as dumb as it gets but the bnc is attached in the =
 >right
 > > > order...right?
 > > > all the cards show up in paris with the single mec?
 > > > how many i/o cards in each mec?
 > > >
 > > >
 > > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D
 > ><arpeggio@comcast.net>
 > > > wrote:
 > > >
 > > > >I thought I was groovin' but once the second Mec was introduced
 > > > >the system stopped. That was a few weeks ago.
 > > > >
 > > > >Today I tried different cables, eds cards, mecs, eliminated the
 =
 >=3D
 > >magma
 > > =3D3D
 > > >and
 > > > >still no clock lock or modules showing up in the paris =
 >patchbay.
 > > > >
 > > > >This means to me software unless someone tells me differently.
 > > > >
 > > > >I have a new C drive which I will load XP and no pace. Any =3D
 > >other=3D3D20
 > > > >suggestions?
 > > > >
 > > > >More frustrated than my clients,
 > > > >Tom
 > > > >
 > > > >
 > > > >
 > > > >
 > > > >
 > > > >I choose Polesoft Lockspam to fight spam, and you?
 > > > >http://www.polesoft.com/refer.html =3D3D20
 > > >
 > > >
 > > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
 > > ><HTML><HEAD>
 > > ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =
 >=3D3D
 > > >charset=3D3D3Diso-8859-1">
 > > ><META content=3D3D3D"MSHTML 6.00.2800.1400" name=3D3D3DGENERATOR>
 > > ><STYLE></STYLE>

> > ></HEAD>
> > ><BODY bgColor=#ffffff>
> > ><DIV>Rick,</DIV>
> > ><DIV>1 mec, no BNC involved. =
>Paris =
> =
> > >boots up so the
> > >1 mec that</DIV>
> > ><DIV>I'm using shows up but =
>never any
> =
> >A to =
> > >Ds or any
> > >installed modules.</DIV>
> > ><DIV>This is the same symptom
=
>before
> =
> >I =
> > >repaired one of
> > >my mecs with a</DIV>
> > ><DIV>new chip. The clock light
=
> =
> > >continues to flash
> > >too. Never locks in.</DIV>
> > ><DIV> </DIV>
> > ><DIV>I am using the simplest =
>setup I
> =
> >can =
> > >imagine and
> > >still it's not working.</DIV>
> > ><DIV>Mike A. suggested the =
>.ini file
> =
> > =
> > >to make sure
> > >card A is 0. I'll try that.</DIV>
> > ><DIV>Pretty sure it's right =
>but who =
> > =
> > >knows?</DIV>
> > ><DIV>Thanks,</DIV>
> > ><DIV>Tom</DIV>
> > ><DIV> </DIV>
> > ><DIV> </DIV>
> > ><DIV> </DIV>

> > ><DIV> </DIV>
> > ><DIV> </DIV>
> > ><DIV>"rick" <<A=3D3D20
> > =
>>href=3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com> =
>=3D
> >=3D3D
> > >wrote in=3D3D20
> > >message <A=3D3D20
> > =3D
> =
>>>href=3D3D3D"news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh=
>393=3D
> >an5=3D3D
> > >s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> > ><BLOCKQUOTE=3D3D20
> > >style=3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
>5px; =3D
> >=3D3D
> > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">i=3D3D20
> > > know this as dumb as it gets but the bnc is attached in =
>the=3D3D20
> > > right
order...right?
all the cards show up in paris with =
>the
> =3D
> >=3D3D
> > >single=3D3D20
> > > mec?
how many i/o cards in each mec?

On Fri, 19 =
>Oct =3D
> >2007
> > =3D3D
> > >
> > > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D20
> > > =3D3D
> > =3D
> =
>>>href=3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
wro=
>te:=3D
> >=3D3D
> > >

>I=3D3D20
> > > thought I was groovin' but once the second Mec was =3D3D
> > >introduced
>the=3D3D20
> > > system stopped. That was a few weeks ago.
>
>Today I =3D3D
> > >tried=3D3D20
> > > different cables, eds cards, mecs, eliminated the magma =3D3D
> > >and
>still no=3D3D20
> > > clock lock or modules showing up in the paris =3D3D
> > >patchbay.
>
>This=3D3D20

```

> > > means to me software unless someone tells me =3D3D
> > > differently.<BR>><BR>>I=3D3D20
> > > have a new C drive which I will load XP and no pace. Any =
> other=3D3D20
> > > <BR>>suggestions?<BR>><BR>>More frustrated than my=3D3D20
> > > clients,<BR>>Tom<BR>><BR>><BR>><BR>><BR>>I choose =3D3D
> > > Polesoft=3D3D20
> > > Lockspam to fight spam, and=3D3D20
> > > you?<BR>>http://www.polesoft.com/refer.html =3D3D20
> > ><BR></BLOCKQUOTE></BODY></HTML>
> > >
> > >
> > >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> ><HTML><HEAD>
> ><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
> > charset=3D3Diso-8859-1">
> ><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
> ><STYLE></STYLE>
> ></HEAD>
> ><BODY bgColor=3D3D#ffffff>
> ><DIV><FONT face=3D3DArial size=3D3D2>Thanks Dimitrios.</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>Mike said the same thing. Is =
> the =3D
> >ini in the=3D20
> >Paris folde or system 32?</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>Do I want the Master card to be
=
> 0=3D20
> >absolutely? I only have one card</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>in there right now and it's all
=
> freaky
> =3D
> >just the=3D20
> >same.</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>Tom</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> ><BLOCKQUOTE=3D20
> >style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
> =3D
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > <DIV>"Dimitrios" <<A=3D20
> > href=3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>> wrote

```

=
>in =3D
> >message=3D20
> > <A =3D
> =
>>href=3D3D"news:471a0486\$1@linux">news:471a0486\$1@linux...</DIV>
H=
>i
> =3D
> >Tom=3D20
> > !@
Sorry to hear you still having problems like this ~!!
Must
=
>be
> =3D
> >very=3D20
> > frustrating.
Open the Paris ini file and there change the =3D
> >mastercardoutput=3D20
> > with your other
cards and see what happens !!
Let me=3D20
> > know.
Regards,
Dimitrios

"Tom Bruhl" <<A=3D20
> > href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=3D20
> > wrote:
>
>
>Rick,
>1 mec, no BNC =3D
> >involved. Paris=3D20
> > boots up so the 1 mec that
>I'm using shows up but never any A =
>=3D
> >to Ds or=3D20
> > any installed modules.
>This is the same symptom before I =3D
> >repaired one=3D20
> > of my mecs with a
>new chip. The clock light continues to =3D
> >flash=3D20
> > too. Never locks in.
>
>I am using the simplest =3D
> >setup I can=3D20
> > imagine and still it's not working.
>Mike A. suggested the =3D
> >.ini=3D20
> > file to make sure card A is 0. I'll try =3D
> >=3D3D
>that.
>Pretty=3D20
> > sure it's right but who=3D20
> > =3D
> >knows?
>Thanks,
>Tom
>
>
>
>
 ><=3D
> >BR>>"rick"=3D20
> > <<A =3D
> >href=3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com> =
>=3D
> >wrote=3D20
> > in message=3D20
> > =3D
> =
>>=3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
>&nbs=3D=
>
> >p; i=3D20

> > know this as dumb as it gets but the bnc is attached in the=3D20
 > > right
> order...right?
> all the cards show up =3D
 > > in=3D20
 > > paris with the single mec?
> how many i/o cards in each=3D20
 > > mec?
>
>
> On Fri, 19 Oct 2007 00:22:39 -0400, =3D
 > > "Tom=3D20
 > > Bruhl" <<A=3D20
 > > =3D
 > =
 >>href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=3D=
 >
 > > bsp;=3D20
 > > wrote:
>
> >I thought I was groovin' but once the =3D
 > > second=3D20
 > > Mec was introduced
> >the system stopped. That =3D
 > > was a few=3D20
 > > weeks ago.
> >
> >Today I tried =3D
 > > different=3D20
 > > cables, eds cards, mecs, eliminated the =3D
 > > magma
=3D3D
>and
> =3D20
 > > >still no clock lock or modules showing up in the paris=3D20
 > > patchbay.
> >
> >This means to me =3D
 > > software=3D20
 > > unless someone tells me differently.
> >
> =3D
 > >>I=3D20
 > > have a new C drive which I will load XP and no pace. Any=3D20
 > > other=3D3D20
> >suggestions?
> =3D
 > >>
> =3D20
 > > >More frustrated than my clients,
> =3D
 > >>Tom
> =3D20
 > > >
> >
> >
> =3D
 > >>
> =3D20
 > > >I choose Polesoft Lockspam to fight spam, and you?
> =3D20
 > > >http://www.polesoft.com/refer.html =3D20
 > > =3D3D20
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD =3D
 > >HTML 4.0=3D20
 > > Transitional//EN">
><HTML><HEAD>
><META=3D20
 > > http-equiv=3D3D3DContent-Type content=3D3D3D"text/html;=3D20
 > > =3D3D
> charset=3D3D3Diso-8859-1">
><META =3D
 > > content=3D3D3D"MSHTML=3D20
 > > 6.00.2800.1400"=3D20
 > > =3D
 > > name=3D3D3DGENERATOR>
><STYLE></STYLE>
></HEA=3D
 > > D>
><BODY=3D20
 > > bgColor=3D3D3D#ffffff>
><DIV><FONT face=3D3D3DArial=3D20
 > > =3D
 > > size=3D3D3D2>Rick,</DIV>
><DIV><FONT=3D20
 > > face=3D3D3DArial size=3D3D3D2>1 mec, no BNC involved. Paris =3D

> >=3D3D
>boots up so=3D20
 > > the=3D3D20
>1 mec =3D
 > >that</DIV>
><DIV><FONT=3D20
 > > face=3D3D3DArial size=3D3D3D2>l'm using shows up but never any A to
 =
 >=3D
 > >=3D3D
>Ds or=3D20
 > > any=3D3D20
>installed=3D20
 > > modules.</DIV>
><DIV><FONT =3D
 > >face=3D3D3DArial=3D20
 > > size=3D3D3D2>This is the same symptom before I =3D3D
>repaired =
 >=3D
 > >one=3D20
 > > of=3D3D20
>my mecs with=3D20
 > > a</DIV>
><DIV><FONT face=3D3D3DArial=3D20
 > > size=3D3D3D2>new chip. The clock light =3D3D
>continues to=3D20
 > > flash=3D3D20
>too. Never locks=3D20
 > > in.</DIV>
><DIV><FONT face=3D3D3DArial =3D
 > >
 > > size=3D3D3D2> </DIV>
><DIV><FONT =3D
 > >face=3D3D3DArial=3D20
 > > size=3D3D3D2>I am using the simplest setup I can =
 >=3D3D
>imagine=3D20
 > > and=3D3D20
>still it's not=3D20
 > > working.</DIV>
><DIV><FONT =3D
 > >face=3D3D3DArial=3D20
 > > size=3D3D3D2>Mike A. suggested the .ini file =3D3D
>to make=3D20
 > > sure=3D3D20
>card A is 0. I'll try=3D20
 > > that.</DIV>
><DIV><FONT =3D
 > >face=3D3D3DArial=3D20
 > > size=3D3D3D2>Pretty sure it's right but who=3D20
 > > =3D3D
>knows?</DIV>
><DIV><FONT=3D20
 > > face=3D3D3DArial=3D20
 > > =3D
 > >size=3D3D3D2>Thanks,</DIV>
><DIV><FONT=3D
 > >=3D20
 > > face=3D3D3DArial=3D20
 > > size=3D3D3D2>Tom</DIV>
><DIV><FONT=3D20
 > > face=3D3D3DArial size=3D3D3D2> =3D
 > ></DIV>
><DIV><FONT=3D20
 > > face=3D3D3DArial size=3D3D3D2> =3D
 > ></DIV>
><DIV>=3D20
 > > </DIV>
><DIV> </DIV>
><DIV>=3D20
 > > </DIV>
><DIV>"rick" =3D
 > ><<A=3D3D20
>href=3D3D3D" <A=3D20
 > > =3D
 > =
 >>href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto=

>:pa=3D
> >rnell68@hotmail.com">parnell68@hotmail.com</A>=3D20
> > =3D3D
>wrote in=3D3D20
>message <A=3D3D20
>href=3D3D3D"<A
=
>=3D
> >
> > =3D
> =
>>href=3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393=
>an5=3D
> =
>>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393an5</A=3D=
>
> >>=3D3D
>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
&=3D
> >gt;<BLOCKQUOTE=3D3D20
>style=3D3D3D"PADDING-RIGHT:=3D20
> > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D
>BORDER-LEFT: =
>=3D
> >#000000 2px=3D20
> > solid; MARGIN-RIGHT: 0px">i=3D3D20
> know this as dumb as =3D
> >it gets=3D20
> > but the bnc is attached in the=3D3D20
> =3D20
> > right
order...right?
all the cards show up in paris =3D
> >with the=3D20
> > =3D3D
>single=3D3D20
> mec?
how many i/o cards =3D
> >in each=3D20
> > mec?

On Fri, 19 Oct=3D20
> > 2007
=3D3D
>
> 00:22:39 -0400, "Tom Bruhl"=3D20
> > <<A=3D3D20
> =3D3D
>href=3D3D3D"<A=3D20
> > =3D
> =
>>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
wrote'=
>>ma=3D
> >mailto:arpegio@comcast.net">arpegio@comcast.net>
w=3D
> >rote:=3D3D
>

>l=3D3D20
> =3D20
> > thought I was groovin' but once the second Mec was=3D20
> > =3D3D
>introduced
>the=3D3D20
> system =3D
> >stopped. That was=3D20
> > a few weeks ago.
>
>Today l=3D20
> > =3D3D
>tried=3D3D20
> different cables, eds cards, mecs, =3D
> >eliminated=3D20
> > the magma =3D3D
>and
>still no=3D3D20
> =3D
> >clock lock or=3D20
> > modules showing up in the paris=3D20
> > =3D
> >=3D3D
>patchbay.
>
>This=3D3D20
> =3D
> >means to=3D20
> > me software unless someone tells me=3D20
> > =3D

```

> >=3D3D<BR>>differently.<BR>><BR>>I=3D3D20<BR>> =3D
> >have a new=3D20
> > C drive which I will load XP and no pace. Any other=3D3D20<BR>> =
>=3D
> >
> > <BR>>suggestions?<BR>><BR>>More frustrated =3D
> >than=3D20
> > my=3D3D20<BR>> =3D20
> > =3D
> >clients,<BR>>Tom<BR>><BR>><BR>><BR>><BR>=3D
> >>><BR>>I=3D20
> > choose =3D3D<BR>>Polesoft=3D3D20<BR>> Lockspam to fight spam,=3D20
> > and=3D3D20<BR>> =3D
> >you?<BR>>http://www.polesoft.com/refer.html=3D20
> > =3D
> >=3D3D20<BR>><BR></BLOCKQUOTE></BODY></HTML><BR>&=3D
> >gt;<BR>><BR></BLOCKQUOTE></BODY></HTML>
> >
> >
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3DContent-Type content=3D"text/html; =
>charset=3Diso-8859-1">
><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D#ffffff>
><DIV><FONT face=3DArial size=3D2>Hi Mike,</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>Well I've been to .cfg many a =
>time.</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>I've seen that Mastercard setting as =
>being=20
>0</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>but maybe it changed after removing the
=
>4=20
>other</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>eds cards for this round of =
>testing.</FONT></DIV>
><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
><DIV><FONT face=3DArial size=3D2>If it's still 0 what else could this =
>be? =20
>Busted mobo?</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>I'm really in an idunno place right =
>now. I'll=20
>be checking</FONT></DIV>

```

```

><DIV><FONT face=3DArial size=3D2>seriously today again because of a =
>session tomorrow=20
>morning.</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
><BLOCKQUOTE=20
>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Mike Audet" <mike@....> wrote in message <A=20
> =
>href=3D"news:471b2ec2$1@linux">news:471b2ec2$1@linux</A>...</DIV><BR>Hi=20
> Tom,<BR><BR>If you've only got one card in, then the Mastercard =3D 0
=
>setting is=20
> right.<BR> The file is Paris.cfg, and it lives in the c:\program=20
> files\Emu\PARIS PRO<BR>folder.<BR><BR>I'd still check it out to see =
>what it is=20
> set to.<BR><BR>If it is wrong, what you are describing will=20
> happen.<BR><BR>Good luck!<BR><BR>Mike<BR><BR>"Tom Bruhl" <<A=20
> href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>>=20
> wrote:<BR>><BR>><BR>>Thanks Dimitrios.<BR>><BR>>Mike =
>said the=20
> same thing. Is the ini in the Paris folde or system =
>32?<BR>>Do I want=20
> the Master card to be 0 absolutely? I only have one =
>card<BR>>in there=20
> right now and it's all freaky just the=20
> same.<BR>>Tom<BR>><BR>><BR>><BR>> "Dimitrios" =
><<A=20
> href=3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>> wrote in =
>message=20
> =3D<BR>>news:471a0486$1@linux...<BR>><BR>> Hi Tom=20
> !@<BR>> Sorry to hear you still having problems like this=20
> ~!!<BR>> Must be very frustrating.<BR>> Open the =
>Paris ini=20
> file and there change the mastercardoutput with =3D<BR>>your=20
> other<BR>> cards and see what happens !!<BR>> Let me =
>
> know.<BR>> Regards,<BR>> =
>Dimitrios<BR>><BR>> =20
> "Tom Bruhl" <<A=20
> href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>>=20
> wrote:<BR>> ><BR>> ><BR>> =20
> >Rick,<BR>> >1 mec, no BNC involved. Paris boots =
>up so=20
> the 1 mec that<BR>> >I'm using shows up but never any A to =
>Ds or=20

```

> any installed modules.
> >This is the same symptom =
>before I=20
> repaired one of my mecs with a
> >new chip. The =
>clock=20
> light continues to flash too. Never locks in.
> =20
> >
> >I am using the simplest setup I can imagine and =
>still=20
> it's not =3D
>working.
> >Mike A. suggested =
>the .ini=20
> file to make sure card A is 0. I'll =
>try
=3D
>=3D3D
> =20
> >that.
> >Pretty sure it's right but who=20
> knows?
> >Thanks,
> >Tom
> =20
> >
> >
> >
> =
>>
> =20
> >
> >"rick" <<A=20
> href=3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com > =
>wrote in=20
> message =3D3D
> =20
> >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =20
> > i know this as dumb as it gets but the bnc is attached in =
>the=20
> right
> > order...right?
> > =
>all the=20
> cards show up in paris with the single mec?
> > =
>how many=20
> i/o cards in each mec?
> >
> =
>>
> =20
> > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =
>=3D
><<A=20
> =
>href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=
>bsp;=20
> > wrote:
> >
> > >I =
>thought I=20
> was groovin' but once the second Mec was introduced
> =
>> =20
> >the system stopped. That was a few weeks ago.
> =20
> > >
> > >Today I tried different =
>cables,=20
> eds cards, mecs, eliminated the =3D
>magma
> =
>=3D3D
> =20
> >and
> > >still no clock lock or modules =
>showing up=20
> in the paris patchbay.
> > >
> =
>> =20
> >This means to me software unless someone tells me=20
> differently.
> > >
> > =

>>I have=20
> a new C drive which I will load XP and no pace. Any=20
> =3D
>other=3D3D20
> > =
>>suggestions?
> =20
> >
> > >More frustrated than my=20
> clients,
> > >Tom
> > =20
> >
> > >
> > =
>>
> =20
> > >
> > >I choose Polesoft =
>Lockspam to=20
> fight spam, and you?
> > =20
> >http://www.polesoft.com/refer.html =3D3D20
> =20
> >
> >
> ><!DOCTYPE HTML PUBLIC=20
> "-//W3C//DTD HTML 4.0 Transitional//EN">
> =20
> ><HTML><HEAD>
> ><META=20
> http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =
>=3D3D
> =20
> >charset=3D3D3DDiso-8859-1">
> ><META =
>content=3D3D3D"MSHTML=20
> 6.00.2800.1400" name=3D3D3DGENERATOR>
> =20
> ><STYLE></STYLE>
> =
>></HEAD>
> =20
> ><BODY bgColor=3D3D3D#ffffff>
> =
>><DIV><FONT=20
> face=3D3D3DArial =
>size=3D3D3D2>Rick,</DIV>
> =20
> ><DIV>1 mec, no BNC =
>involved.=20
> Paris =3D
>=3D3D
>> >boots up so =
>the=3D3D20
>> >1=20
> mec that</DIV>
> =
>><DIV><FONT=20
> face=3D3D3DArial size=3D3D3D2>I'm using shows up but never =
>any
=3D
>A to=20
> =3D3D
>> >Ds or any=3D3D20
>> >installed=20
> modules.</DIV>
> =
>><DIV><FONT=20
> face=3D3D3DArial size=3D3D3D2>This is the same symptom =
>before
=3D
>I=20
> =3D3D
>> >repaired one of=3D3D20
>> >my =
>mecs with=20
> a</DIV>
> ><DIV><FONT=20
> face=3D3D3DArial size=3D3D3D2>new chip. The clock light =
>=3D3D
>> =20
> >continues to flash=3D3D20
>> >too. Never locks=20
> in.</DIV>
> ><DIV><FONT=20
> face=3D3D3DArial size=3D3D3D2> =
></DIV>
> =20


```

> <<DIV><FONT face=3D3D3DArial size=3D3D3D2>I am using =
>the simplest=20
> setup I<BR>=3D<BR>>can =3D3D<BR>> >imagine =
>and=3D3D20<BR>> =20
> >still it's not working.</FONT></DIV><BR>> =20
> <<DIV><FONT face=3D3D3DArial size=3D3D3D2>Mike A. =
>suggested the=20
> .ini file<BR>=3D<BR>>=3D3D<BR>> >to make =
>sure=3D3D20<BR>> =20
> >card A is 0. I'll try that.</FONT></DIV><BR>> =
>
> <<DIV><FONT face=3D3D3DArial size=3D3D3D2>Pretty sure =
>it's right=20
> but who =3D<BR>>=3D3D<BR>> =20
> >knows?</FONT></DIV><BR>> =
>><DIV><FONT=20
> face=3D3D3DArial =
>size=3D3D3D2>Thanks,</FONT></DIV><BR>> =20
> <<DIV><FONT face=3D3D3DArial=20
> size=3D3D3D2>Tom</FONT></DIV><BR>> =20
> <<DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> =
>
> </DIV><BR>> <<DIV><FONT face=3D3D3DArial=20
> size=3D3D3D2></FONT> </DIV><BR>> =
>><DIV>=20
> </DIV><BR>> <<DIV> </DIV><BR>> =20
> <<DIV> </DIV><BR>> <<DIV>"rick"=20
> <<A=3D3D20<BR>> >href=3D3D3D"<A=20
> =
>href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A>>mailto:pa=
>rnell68@hotmail.com">parnell68@hotmail.com</A</A>>>=20
> =3D<BR>>=3D3D<BR>> >wrote in=3D3D20<BR>> =
>>message=20
> <A=3D3D20<BR>> =3D<BR>>>href=3D3D3D"<A=20
> =
>href=3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393'>n=
>ews:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393</A>=3D<B=
>R>>an5=3D3D<BR>> =20
> =
>>s4m99qcaojn09vn112t4u6r@4ax.com</A>...</DIV><BR>> =
>;=20
> <<BLOCKQUOTE=3D3D20<BR>> =
>>style=3D3D3D"PADDING-RIGHT: 0px;=20
> PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D<BR>>=3D3D<BR>>> =20
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =
>0px">i=3D3D20<BR>> =20
> > know this as dumb as it gets but the bnc is attached in=20
> the=3D3D20<BR>> > =

```


>right
order...right?
all=20
> the cards show up in paris with the
=3D
=>=3D3D
=> =20
> >single=3D3D20
=> > mec?
how many i/o =
>cards in=20
> each mec?

On Fri, 19 Oct=20
> =3D
=>2007
=> =3D3D
=> >
=> =
>> =20
> 00:22:39 -0400, "Tom Bruhl" <<A=3D3D20
=> > =20
> =3D3D
=> =3D
=>>href=3D3D3D"<A=20
> =
>href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
wrote'>ma=
>mailto:arpegio@comcast.net">arpegio@comcast.net>
w=
>rote:=3D
=>=3D3D
=> =20
> >

I=3D3D20
=> > thought =
>I was=20
> groovin' but once the second Mec was =3D3D
=> =20
> >introduced
=>the=3D3D20
=> > system =
>stopped.=20
> That was a few weeks ago.
=>
=>Today I =
>=3D3D
=> =20
> >tried=3D3D20
=> > different cables, eds cards, =
>mecs,=20
> eliminated the magma =3D3D
=> >and
=>still=20
> no=3D3D20
=> > clock lock or modules showing up in =
>the paris=20
> =3D3D
=> =20
> >patchbay.
=>
=>This=3D3D20
=> =
>> =20
> means to me software unless someone tells me =3D3D
=> =20
> >differently.
=>
=>I=3D3D20
=> =
>> =20
> have a new C drive which I will load XP and no pace. Any=20
> other=3D3D20
=> > =20
>
=>suggestions?
=>
=>More frustrated =
>than=20
> my=3D3D20
=> > =20
> =
>clients,
=>Tom
=>
=>
=>
=>
=
>>>
=>I=20
> choose =3D3D
=> >Polesoft=3D3D20
=> =
>> Lockspam=20
> to fight spam, and=3D3D20
=> > =20
> you?
=>http://www.polesoft.com/refer.html =
>=3D3D20
=> =20
> =
>>
</BLOCKQUOTE></BODY></HTML>
=> =
>=20
> >
=> >
=>
=>
=><!DOCTYPE HTML =

```

>PUBLIC=20
> "-//W3C//DTD HTML 4.0=20
> Transitional//EN"><BR>><HTML><HEAD><BR>><META=20
> http-equiv=3D3DContent-Type content=3D3D"text/html;=20
> =3D<BR>> charset=3D3Diso-8859-1"><BR>><META =
>content=3D3D"MSHTML=20
> 6.00.2800.1400"=20
> =
>name=3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=
>D><BR>><BODY=20
> bgColor=3D3D#ffffff><BR>><DIV><FONT face=3D3DArial=20
> size=3D3D2>Thanks=20
> Dimitrios.</FONT></DIV><BR>><DIV><FONT =
>face=3D3DArial=20
> size=3D3D2></FONT> </DIV><BR>><DIV><FONT =
>face=3D3DArial=20
> size=3D3D2>Mike said the same thing. Is the =3D<BR>>ini in =
>
> the=3D20<BR>>Paris folde or system=20
> 32?</FONT></DIV><BR>><DIV><FONT face=3D3DArial =
>
> size=3D3D2>Do I want the Master card to be =
>0=3D20<BR>>absolutely? I=20
> only have one card</FONT></DIV><BR>><DIV><FONT =
>
> face=3D3DArial size=3D3D2>in there right now and it's all=20
> freaky<BR>=3D<BR>>just=20
> =
>the=3D20<BR>>same.</FONT></DIV><BR>><DIV><FONT=
>=20
> face=3D3DArial=20
> size=3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=20
> face=3D3DArial size=3D3D2></FONT> =
></DIV><BR>><DIV><FONT=20
> face=3D3DArial size=3D3D2></FONT> =
></DIV><BR>><DIV><FONT=20
> face=3D3DArial size=3D3D2></FONT>=20
> =
></DIV><BR>><BLOCKQUOTE=3D20<BR>>style=3D3D"PADDING-RIGHT: =
>0px;=20
> PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D<BR>>BORDER-LEFT: #000000 =
>2px solid;=20
> MARGIN-RIGHT: 0px"><BR>> <DIV>"Dimitrios"=20
> <<A=3D20<BR>> href=3D3D"<A=20
> =
>href=3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A'>mailto:musurgio=
>@otenet.gr">musurgio@otenet.gr</A</A>>=20
> wrote in =3D<BR>>message=3D20<BR>> <A =

```


>[href=3D'mailto:parnell68@hotmail.com'](mailto:parnell68@hotmail.com)>parnell68@hotmail.com</A'>mailto:pa=
>rnell68@hotmail.com">parnell68@hotmail.com</A>=20
> =3D
>wrote=3D20
> in message=3D20
> =20
> =
>=3D
>=3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax=
>.com...
>&nbs=3D
>p;=20
> i=3D20
> know this as dumb as it gets but the bnc is =
>attached in=20
> the=3D20
> right
> =20
> order...right?
> all the cards show up=20
> =3D
>in=3D20
> paris with the single =
>mec?
> =20
> how many i/o cards in each=3D20
> =20
> mec?
>
>
> On Fri, 19 Oct =
>2007=20
> 00:22:39 -0400, =3D
>"Tom=3D20
> Bruhl"=20
> <<A=3D20
> =3D
>href=3D3D"<A=20
> =
>[href=3D'mailto:arpegio@comcast.net'](mailto:arpegio@comcast.net)>arpegio@comcast.net>
>&n'>=
>mailto:arpegio@comcast.net">arpegio@comcast.net>
=
>,>&n=3D
>bsp;=3D20
> =20
> wrote:
>
> >I thought I was groovin' =
>but once=20
> the =3D
>second=3D20
> Mec was =
>introduced
> =20
> >the system stopped. That =3D
>was a =
>few=3D20
> weeks=20
> ago.
> >
> >Today I tried=20
> =3D
>different=3D20
> cables, eds cards, mecs, =
>eliminated the=20
> =3D
>magma
=3D3D
>and
> =
>=3D20
> =20
> >still no clock lock or modules showing up in the =
>paris=3D20
> =20
> patchbay.
> >
> >This means =
>to me=20
> =3D
>software=3D20
> unless someone tells me=20
> differently.
> >
> =20
> =3D
>>I=3D20
> have a new C drive which I will =
>load XP and no=20
> pace. Any=3D20
> other=3D3D20
> =20
> >suggestions?
> =3D
>>
>=20
> =3D20
> >More frustrated than my =
>clients,
> =20
> =3D
>>Tom
> =3D20
> =
>>
> =20
> >
> >
> =
>=3D
>>
>=20

```

> =3D20<BR>> >I choose Polesoft Lockspam to fight spam, and=20
> you?<BR>> =3D20<BR>> =
>>http://www.polesoft.com/refer.html=20
> =3D20<BR>> =
>=3D3D20<BR>><BR>><BR>><!DOCTYPE=20
> HTML PUBLIC "-//W3C//DTD =3D<BR>>HTML 4.0=3D20<BR>> =20
> =
>Transitional//EN"><BR>><HTML><HEAD><BR>>=
><META=3D20<BR>> =20
> http-equiv=3D3D3DContent-Type =
>content=3D3D3D"text/html;=3D20<BR>> =20
> =3D3D<BR>>charset=3D3D3Diso-8859-1"><BR>><META =
>
> =3D<BR>>content=3D3D3D"MSHTML=3D20<BR>> =
>6.00.2800.1400"=3D20<BR>> =20
> =
>=3D<BR>>name=3D3D3DGENERATOR><BR>><STYLE></STYLE&=
>gt;<BR>></HEA=3D<BR>>D><BR>><BODY=3D20<BR>>=&=
>gt; =20
> bgColor=3D3D3D#ffffff><BR>><DIV><FONT=20
> face=3D3D3DArial=3D20<BR>> =20
> =
>=3D<BR>>size=3D3D3D2>Rick,</FONT></DIV><BR>>&l=
>t;DIV><FONT=3D20<BR>> =20
> face=3D3D3DArial size=3D3D3D2>1 mec, no BNC involved. Paris=20
> =3D<BR>>=3D3D<BR>>boots up so=3D20<BR>> =
>the=3D3D20<BR>>1=20
> mec=20
> =
>=3D<BR>>that</FONT></DIV><BR>><DIV><FONT=
>=3D20<BR>> =20
> face=3D3D3DArial size=3D3D3D2>I'm using shows up but never any A to =
>
> =3D<BR>>=3D3D<BR>>Ds or=3D20<BR>> =20
> any=3D3D20<BR>>installed=3D20<BR>> =20
> modules.</FONT></DIV><BR>><DIV><FONT=20
> =3D<BR>>face=3D3D3DArial=3D20<BR>> size=3D3D3D2>This is =
>the same=20
> symptom before I =3D3D<BR>>repaired =
>=3D<BR>>one=3D20<BR>> =20
> of=3D3D20<BR>>my mecs with=3D20<BR>> =20
> a</FONT></DIV><BR>><DIV><FONT=20
> face=3D3D3DArial=3D20<BR>> size=3D3D3D2>new chip. The =
>clock light=20
> =3D3D<BR>>continues to=3D20<BR>> =
>flash=3D3D20<BR>>too.=20
> Never locks=3D20<BR>> =20
> in.</FONT></DIV><BR>><DIV><FONT =

```

```

>face=3D3D3DArial=20
> =3D<BR>><BR>> size=3D3D3D2></FONT>=20
> </DIV><BR>><DIV><FONT=20
> =3D<BR>>face=3D3D3DArial=3D20<BR>> size=3D3D3D2>I am =
>using the simplest=20
> setup I can =3D3D<BR>>imagine=3D20<BR>> =20
> and=3D3D20<BR>>still it's not=3D20<BR>> =20
> working.</FONT></DIV><BR>><DIV><FONT=20
> =3D<BR>>face=3D3D3DArial=3D20<BR>> size=3D3D3D2>Mike A. =
>suggested the=20
> .ini file =3D3D<BR>>to make=3D20<BR>> =20
> sure=3D3D20<BR>>card A is 0. I'll try=3D20<BR>> =20
> that.</FONT></DIV><BR>><DIV><FONT=20
> =3D<BR>>face=3D3D3DArial=3D20<BR>> size=3D3D3D2>Pretty =
>sure it's right=20
> but who=3D20<BR>> =20
> =
>=3D3D<BR>>knows?</FONT></DIV><BR>><DIV&g=
>t;<FONT=3D20<BR>> =20
> face=3D3D3DArial=3D20<BR>> =20
> =
>=3D<BR>>size=3D3D3D2>Thanks,</FONT></DIV><BR>>=
><DIV><FONT=3D<BR>>=3D20<BR>> =20
> face=3D3D3DArial=3D20<BR>> =20
> =
>size=3D3D3D2>Tom</FONT></DIV><BR>><DIV><=
>FONT=3D20<BR>> =20
> face=3D3D3DArial size=3D3D3D2></FONT>=20
> =
>=3D<BR>></DIV><BR>><DIV><FONT=3D20<BR>>&nbs=
>p;=20
> face=3D3D3DArial size=3D3D3D2></FONT>=20
> =3D<BR>></DIV><BR>><DIV>=3D20<BR>> =20
> </DIV><BR>><DIV>=20
> </DIV><BR>><DIV>=3D20<BR>> =20
> </DIV><BR>><DIV>"rick"=20
> =
>=3D<BR>><<A=3D3D20<BR>>href=3D3D3D"<A=3D20<BR>>&n=
>bsp;=20
> =
>=3D<BR>>href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.c=
>om</A'>mailto:pa=3D<BR>>rnell68@hotmail.com">parnell68@hotmail=
>l.com</A</A>>=3D20<BR>> =20
> =3D3D<BR>>wrote in=3D3D20<BR>>message=20
> <A=3D3D20<BR>>href=3D3D3D"<A =3D<BR>><BR>> =20
> =
>=3D<BR>>href=3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">=
>news:inqgh393an5=3D<BR>>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4=

```


> =
>=3D
>=3D3D
>differently.
>
>I=3D=
>3D20
> =20
> =3D
>have a new=3D20
> C drive which I will load XP =
>and no pace.=20
> Any other=3D3D20
> =3D
>
> =20
>
>suggestions?
>
>More frustrated=20
> =3D
>than=3D20
> my=3D3D20
> =
>=3D20
> =20
> =
>=3D
>clients,
>Tom
>
>
>=20
>;<BR=3D
>>>
>I=3D20
> =20
> choose =3D3D
>Polesoft=3D3D20
> Lockspam =
>to fight=20
> spam,=3D20
> and=3D3D20
> =20
> =
>=3D
>you?
>http://www.polesoft.com/refer.html=3D20
&=
>gt; =20
> =
>=3D
>=3D3D20
>
</BLOCKQUOTE></BODY>=
>;</HTML>
&=3D
>gt;
>
</B=
>LOCKQUOTE></BODY></HTML>
>
>
</BLOCKQUOTE><=
>/BODY></HTML>
>
>

Subject: Re: Paris saga
Posted by [Tom Bruhl](#) on Sun, 21 Oct 2007 18:57:44 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0143_01C813F2.BC71D810
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Mike,
I used to use a Lucid but since all of this mess I stopped.
I'm trying to get stable from square one with the least amount=20
of hardware. I am using the default project for sure. The only=20
other thing that I still question is my move of Paris to C:ParisPro .
I should think the default project will either work or not. Maybe
configs or something else is fighting during Paris startup?

Pats 42 - Miami 7 . . . Halftime and the games over.
Tom

"Mike Audet" <mike@....> wrote in message news:471b6eb0\$1@linux...

Hi Tom,

Are you using a default project with PARIS? I'm so sorry of this has =
been
asked and answered already. If so, perhaps it is telling card zero to =
lock
to an external clock, which it can't because there isn't one.

It would be interesting to attach an external clock source to the MEC =
and
then start PARIS to see how it behaves. Or, if the clock generator is =
fried,
tell paris to lock externally and see what happens when an external =
clock
source is applied.

Isn't there a master house synch switch in the cfg file? I've never =
used
it. Maybe DJ could help with what that should/shouldn't be set to.

Wish I could do more than think out loud...

Mike

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>
>
>Hi Mike,
>Well I've been to .cfg many a time.
>I've seen that Mastercard setting as being 0
>but maybe it changed after removing the 4 other
>eds cards for this round of testing.
>
>If it's still 0 what else could this be? Busted mobo?
>I'm really in an idunno place right now. I'll be checking
>seriously today again because of a session tomorrow morning.
>Tom
>
>
> "Mike Audet" <mike@....> wrote in message news:471b2ec2\$1@linux...
>
> Hi Tom,
>

> If you've only got one card in, then the Mastercard =3D3D 0 setting =
is =3D
>right.
> The file is Paris.cfg, and it lives in the c:\program =
files\Emu\PARIS
=3D
>PRO
> folder.
>
> I'd still check it out to see what it is set to.
>
> If it is wrong, what you are describing will happen.
>
> Good luck!
>
> Mike
>
> "Tom Bruhl" <arpeggio@comcast.net> wrote:
> >
> >
> >Thanks Dimitrios.
> >
> >Mike said the same thing. Is the ini in the Paris folde or system =
=3D
>32?
> >Do I want the Master card to be 0 absolutely? I only have one =
card
> >in there right now and it's all freaky just the same.
> >Tom
> >
> >
> >
> > "Dimitrios" <musurgio@otenet.gr> wrote in message =3D3D
> >news:471a0486\$1@linux...
> >
> > Hi Tom !@
> > Sorry to hear you still having problems like this ~!!
> > Must be very frustrating.
> > Open the Paris ini file and there change the mastercardoutput =
with
=3D
>=3D3D
> >your other
> > cards and see what happens !!
> > Let me know.
> > Regards,
> > Dimitrios
> >

> > "Tom Bruhl" <arpegio@comcast.net> wrote:
> > >
> > >
> > >Rick,
> > >1 mec, no BNC involved. Paris boots up so the 1 mec that
> > >I'm using shows up but never any A to Ds or any installed =
modules.
> > >This is the same symptom before I repaired one of my mecs with =
a
> > >new chip. The clock light continues to flash too. Never locks =
=3D
> > >in.
> > >
> > >I am using the simplest setup I can imagine and still it's not =
=3D3D
> > >working.
> > >Mike A. suggested the .ini file to make sure card A is 0. =
I'll =3D
> > >try
> > >=3D3D
> > >=3D3D3D
> > >that.
> > >Pretty sure it's right but who knows?
> > >Thanks,
> > >Tom
> > >
> > >
> > >
> > >
> > >
> > >
> > >"rick" <parnell68@hotmail.com> wrote in message =3D3D3D
> > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> > > i know this as dumb as it gets but the bnc is attached in the =
=3D
> > >right
> > > order...right?
> > > all the cards show up in paris with the single mec?
> > > how many i/o cards in each mec?
> > >
> > >
> > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D3D
> > ><arpegio@comcast.net>
> > > wrote:
> > >
> > > >I thought I was groovin' but once the second Mec was =
introduced
> > > >the system stopped. That was a few weeks ago.
> > > >

> > > >Today I tried different cables, eds cards, mecs, eliminated =
 the
 =3D
 >=3D3D
 > >magma
 > > =3D3D3D
 > > >and
 > > > >still no clock lock or modules showing up in the paris =3D
 >patchbay.
 > > > >
 > > > >This means to me software unless someone tells me =
 differently.
 > > > >
 > > > >I have a new C drive which I will load XP and no pace. Any =
 =3D3D
 > >other=3D3D3D20
 > > > >suggestions?
 > > > >
 > > > >More frustrated than my clients,
 > > > >Tom
 > > > >
 > > > >
 > > > >
 > > > >
 > > > >
 > > > >I choose Polesoft Lockspam to fight spam, and you?
 > > > ><http://www.polesoft.com/refer.html> =3D3D3D20
 > > >
 > > >
 > > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
 > > ><HTML><HEAD>
 > > ><META http-equiv=3D3D3D3DContent-Type =
 content=3D3D3D3D"text/html; =3D
 >=3D3D3D
 > > >charset=3D3D3D3Diso-8859-1">
 > > ><META content=3D3D3D3D"MSHTML 6.00.2800.1400" =
 name=3D3D3D3DGENERATOR>
 > > ><STYLE></STYLE>
 > > ></HEAD>
 > > ><BODY bgColor=3D3D3D3D#ffffff>
 > > ><DIV>Rick,</DIV>
 > > ><DIV>1 mec, no BNC =
 involved. =3D
 >Paris =3D3D
 > >=3D3D3D
 > > >boots up so the=3D3D3D20
 > > >1 mec that</DIV>
 > > ><DIV>I'm using shows up =
 but =3D

>never any
 > =3D3D
 > >A to =3D3D3D
 > > >Ds or any=3D3D3D20
 > > >installed modules.</DIV>
 > > ><DIV>This is the same =
 symptom
 =3D
 >before
 > =3D3D
 > >I =3D3D3D
 > > >repaired one of=3D3D3D20
 > > >my mecs with a</DIV>
 > > ><DIV>new chip. The =
 clock light
 =3D
 >=3D3D3D
 > > >continues to flash=3D3D3D20
 > > >too. Never locks in.</DIV>
 > > ><DIV> </DIV>
 > > ><DIV>I am using the =
 simplest =3D
 >setup I
 > =3D3D
 > >can =3D3D3D
 > > >imagine and=3D3D3D20
 > > >still it's not working.</DIV>
 > > ><DIV>Mike A. suggested =
 the =3D
 >.ini file
 > =3D3D
 > >=3D3D3D
 > > >to make sure=3D3D3D20
 > > >card A is 0. I'll try that.</DIV>
 > > ><DIV>Pretty sure it's =
 right =3D
 >but who =3D3D
 > >=3D3D3D
 > > >knows?</DIV>
 > > ><DIV><FONT face=3D3D3D3DArial =
 size=3D3D3D3D2>Thanks,</DIV>
 > > ><DIV>Tom</DIV>
 > > ><DIV> </DIV>
 > > ><DIV> </DIV>
 > > ><DIV> </DIV>
 > > ><DIV> </DIV>
 > > ><DIV> </DIV>
 > > ><DIV> </DIV>
 > > ><DIV>"rick" <<A=3D3D3D20

> > =3D
=
>>href=3D3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com> =
=3D
>=3D3D3D
> >=3D3D3D3D
> > >wrote in=3D3D3D20
> > >message <A=3D3D3D20
> > =3D3D3D
> =3D
=
>>>href=3D3D3D3D"news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in=
qgh=3D
>393=3D3D3D
> >an5=3D3D3D3D
> > >s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> > ><BLOCKQUOTE=3D3D3D20
> > >style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
MARGIN-LEFT: =3D
>5px; =3D3D3D
> >=3D3D3D3D
> > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">i=3D3D3D20
> > > know this as dumb as it gets but the bnc is attached in =3D
>the=3D3D3D20
> > > right
order...right?
all the cards show up in paris =
with =3D
>the
> =3D3D3D
> >=3D3D3D3D
> > >single=3D3D3D20
> > > mec?
how many i/o cards in each mec?

On Fri, 19 =
=3D
>Oct =3D3D3D
> >2007
> > =3D3D3D3D
> > >
> > > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D20
> > > =3D3D3D3D
> > =3D3D3D
> =3D
=
>>>href=3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
=
wro=3D
>te:=3D3D3D
> >=3D3D3D3D
> > >

>I=3D3D3D20
> > > thought I was groovin' but once the second Mec was =3D3D3D3D
> > >introduced
>the=3D3D3D20

> > > system stopped. That was a few weeks ago.

>Today I =
=3D3D3D
> > >tried=3D3D3D20
> > > different cables, eds cards, mecs, eliminated the magma =
=3D3D3D
> > >and
>still no=3D3D3D20
> > > clock lock or modules showing up in the paris =3D3D3D
> > >patchbay.
>
>This=3D3D3D20
> > > means to me software unless someone tells me =3D3D3D
> > >differently.
>
>I=3D3D3D20
> > > have a new C drive which I will load XP and no pace. Any =3D
>other=3D3D3D20
> > >
>suggestions?
>
>More frustrated than my=3D3D3D20
> > > clients,
>Tom
>
>
>
>
>I choose =3D3D3D
> > >Polesoft=3D3D3D20
> > > Lockspam to fight spam, and=3D3D3D20
> > > you?
><http://www.polesoft.com/refer.html> =3D3D3D20
> > >
</BLOCKQUOTE></BODY></HTML>
> > >
> > >
> >
> >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> ><HTML><HEAD>
> ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html"; =
=3D3D3D
> > charset=3D3D3Diso-8859-1">
> ><META content=3D3D3D"MSHTML 6.00.2800.1400" name=3D3D3DGENERATOR>
> ><STYLE></STYLE>
> ></HEAD>
> ><BODY bgColor=3D3D3D#ffffff>
> ><DIV>Thanks =
Dimitrios.</DIV>
> ><DIV> </DIV>
> ><DIV>Mike said the same thing. =
Is =3D
>the =3D3D
> >ini in the=3D3D20
> >Paris folde or system 32?</DIV>
> ><DIV>Do I want the Master card =
to be
=3D
>0=3D3D20
> >absolutely? I only have one card</DIV>
> ><DIV>in there right now and =
it's all
=3D
>freaky


```

> =3D3D
> >just the=3D3D20
> >same.</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Tom</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> ><BLOCKQUOTE=3D3D20
> >style=3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
5px; =3D
>=3D3D
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > <DIV>"Dimitrios" <<A=3D3D20
> > href=3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>> =
wrote
=3D
>in =3D3D
> >message=3D3D20
> > <A =3D3D
> =3D
=
>>href=3D3D3D"news:471a0486$1 @linux">news:471a0486$1 @linux</A>...</DIV><B=
R>H=3D
>i
> =3D3D
> >Tom=3D3D20
> > !@<BR>Sorry to hear you still having problems like this =
~!!<BR>Must
=3D
>be
> =3D3D
> >very=3D3D20
> > frustrating.<BR>Open the Paris ini file and there change the =
=3D3D
> >mastercardoutput=3D3D20
> > with your other<BR>cards and see what happens !!<BR>Let =
me=3D3D20
> > know.<BR>Regards,<BR>Dimitrios<BR><BR>"Tom Bruhl" <<A=3D3D20
> > =
href=3D3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>>=3D3D20
> > wrote:<BR>><BR>><BR>>Rick,<BR>>1 mec, no BNC =3D3D
> >involved. Paris=3D3D20
> > boots up so the 1 mec that<BR>>I'm using shows up but never any =
A=3D
>=3D3D
> >to Ds or=3D3D20
> > any installed modules.<BR>>This is the same symptom before I =
=3D3D

```

> > repaired one
 > > of my mecs with a new chip. The clock light continues to
 > > flash
 > > too. Never locks in. I am using the simplest
 > > setup I can
 > > imagine and still it's not working. Mike A. suggested the
 > > .ini
 > > file to make sure card A is 0. I'll try
 > > that. Pretty
 > > sure it's right but who
 > > knows?
 > > Thanks, Tom
 > > "rick"
 > > <<A
 > > =
 > > <mailto:parnell68@hotmail.com> =
 > > wrote
 > > in message
 > > in
 > > =
 > > news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...&nbs=
 > > <p; i
 > > know this as dumb as it gets but the bnc is attached in =
 > > the
 > > right order...right? all the cards show up
 > > in
 > > paris with the single mec? how many i/o cards in =
 > > each
 > > mec? On Fri, 19 Oct 2007 00:22:39 -0400, =
 > > "Tom
 > > Bruhl" <<A
 > > =
 > > =
 > > <mailto:arpeggio@comcast.net> <<A>>
>&n=
 > >
=
 > >
=
 > > wrote: > I thought I was groovin' but once the
 > > second
 > > Mec was introduced > the system stopped. That

> >was a few
 > > weeks ago.
> >
> >Today I tried
 > >different
 > > cables, eds cards, mecs, eliminated the
 > >magma
>and
>
 > > >still no clock lock or modules showing up in the paris
 > > patchbay.
> >
> >This means to me
 > >software
 > > unless someone tells me differently.
> >
>
 > >>I
 > > have a new C drive which I will load XP and no pace. Any
 > > other
> >suggestions?
>
 > >>
>
 > > >More frustrated than my clients,
>
 > >>Tom
>
 > > >
> >
> >
>
 > >>
>
 > > >I choose Polesoft Lockspam to fight spam, and you?
>
 > > >http://www.polesoft.com/refer.html
 > >
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD
 > >HTML 4.0
 > > Transitional//EN">
><HTML><HEAD>
><META
 > > http-equiv=Content-Type =
 content="text/html;
 > > charset=Diso-8859-1">
><META =
 > >content="MSHTML
 > > 6.00.2800.1400"
 > > =
 > >name=GENERATOR>
><STYLE></STYLE>
></HEA
 > >D>
><BODY
 > > bgColor=#ffffff>
><DIV><FONT =
 face=Arial
 > > =
 > >size=2>Rick,</DIV>
><DIV><FONT
 > > face=Arial size=2>1 mec, no BNC involved. Paris =
 =
 > >=boots up so
 > > the
>1 mec
 > >that</DIV>
><DIV><FONT
 > > face=Arial size=2>I'm using shows up but never =
 any A to
 =
 =
 > >=Ds or
 > > any
>installed
 > > modules.</DIV>
><DIV><FONT =
 > >face=Arial
 > > size=2>This is the same symptom before I =

```

=3D3D3D<BR>>repaired =3D
>=3D3D
> >one=3D3D20
> > of=3D3D3D20<BR>>my mecs with=3D3D20
> > a</FONT></DIV><BR>><DIV><FONT face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2>new chip. The clock light =3D3D3D<BR>>continues =
to=3D3D20
> > flash=3D3D3D20<BR>>too. Never locks=3D3D20
> > in.</FONT></DIV><BR>><DIV><FONT face=3D3D3D3DArial =3D3D
> >
> > size=3D3D3D3D2></FONT> </DIV><BR>><DIV><FONT =3D3D
> >face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2>I am using the simplest setup I can =3D
>=3D3D3D<BR>>imagine=3D3D20
> > and=3D3D3D20<BR>>still it's not=3D3D20
> > working.</FONT></DIV><BR>><DIV><FONT =3D3D
> >face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2>Mike A. suggested the .ini file =3D3D3D<BR>>to =
make=3D3D20
> > sure=3D3D3D20<BR>>card A is 0. I'll try=3D3D20
> > that.</FONT></DIV><BR>><DIV><FONT =3D3D
> >face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2>Pretty sure it's right but who=3D3D20
> > =3D3D3D<BR>>knows?</FONT></DIV><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3DArial=3D3D20
> > =3D3D
> >size=3D3D3D3D2>Thanks,</FONT></DIV><BR>><DIV><FONT=3D3D
> >=3D3D20
> > face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D3D
> ></DIV><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D3D
> ></DIV><BR>><DIV>=3D3D20
> > </DIV><BR>><DIV> </DIV><BR>><DIV>=3D3D20
> > </DIV><BR>><DIV>"rick" =3D3D
> ><<A=3D3D3D20<BR>>href=3D3D3D3D"<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mai=
lto=3D
>:pa=3D3D
> > rnell68@hotmail.com">parnell68@hotmail.com</A/A>>=3D3D20
> > =3D3D3D<BR>>wrote in=3D3D3D20<BR>>message =
<A=3D3D3D20<BR>>href=3D3D3D3D"<A
=3D
>=3D3D

```

```

> >
> > =3D3D
> =3D
=
>>href=3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh=
393=3D
>an5=3D3D
> =3D
=
>>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393an5</A=3D=
3D=3D
>
> =
>>=3D3D3D<BR>>s4m99qcaojn09vn112t4u6r@4ax.com</A>...</DIV><BR>&=3D3D
> >gt;<BLOCKQUOTE=3D3D3D20<BR>>style=3D3D3D3D"PADDING-RIGHT:=3D3D20
> > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3D3D3D<BR>>BORDER-LEFT: =3D
>=3D3D
> >#000000 2px=3D3D20
> > solid; MARGIN-RIGHT: 0px">i=3D3D3D20<BR>> know this as dumb as =
=3D3D
> >it gets=3D3D20
> > but the bnc is attached in the=3D3D3D20<BR>> =3D3D20
> > right<BR>order...right?<BR>all the cards show up in paris =3D3D
> >with the=3D3D20
> > =3D3D3D<BR>>single=3D3D3D20<BR>> mec?<BR>how many i/o cards =
=3D3D
> >in each=3D3D20
> > mec?<BR><BR><BR>On Fri, 19 Oct=3D3D20
> > 2007<BR>=3D3D3D<BR>><BR>> 00:22:39 -0400, "Tom Bruhl"=3D3D20
> > <<A=3D3D3D20<BR>> =3D3D3D<BR>>href=3D3D3D3D"<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net</A>><BR>wro=
te'=3D
>>ma=3D3D
> >mailto:arpegio@comcast.net">arpegio@comcast.net</A>><BR>w=3D3D
> >rote</A>:=3D3D3D<BR>><BR><BR>I=3D3D3D20<BR>> =3D3D20
> > thought I was groovin' but once the second Mec was=3D3D20
> > =3D3D3D<BR>>introduced<BR>>the=3D3D3D20<BR>> system =3D3D
> >stopped. That was=3D3D20
> > a few weeks ago.<BR>><BR>>Today I=3D3D20
> > =3D3D3D<BR>>tried=3D3D3D20<BR>> different cables, eds cards, =
mecs, =3D3D
> >eliminated=3D3D20
> > the magma =3D3D3D<BR>>and<BR>>still no=3D3D3D20<BR>> =3D3D
> >clock lock or=3D3D20

```

> > modules showing up in the paris=3D3D20
 > > =3D3D
 > >=3D3D3D
>patchbay.
>
>This=3D3D3D20
> =3D3D
 > >means to=3D3D20
 > > me software unless someone tells me=3D3D20
 > > =3D3D
 > >=3D3D3D
>differently.
>
>I=3D3D3D20
> =3D3D
 > >have a new=3D3D20
 > > C drive which I will load XP and no pace. Any =
 other=3D3D3D20
> =3D
 >=3D3D
 > >
 > >
>suggestions?
>
>More frustrated =3D3D
 > >than=3D3D20
 > > my=3D3D3D20
> =3D3D20
 > > =3D3D
 > >clients,
>Tom
>
>
>
>
>=3D3D
 > >>
>I=3D3D20
 > > choose =3D3D3D
>Polesoft=3D3D3D20
> Lockspam to fight =
 spam,=3D3D20
 > > and=3D3D3D20
> =3D3D
 > >you?
><http://www.polesoft.com/refer.html>=3D3D20
 > > =3D3D
 > >=3D3D3D20
>
</BLOCKQUOTE></BODY></HTML>
&=3D3D
 > >gt;
>
</BLOCKQUOTE></BODY></HTML>
 > >
 > >
 >
 >
 ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
 ><HTML><HEAD>
 ><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
 >charset=3D3Diso-8859-1">
 ><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
 ><STYLE></STYLE>
 ></HEAD>
 ><BODY bgColor=3D3D#ffffff>
 ><DIV>Hi Mike,</DIV>
 ><DIV>Well I've been to .cfg many a =
 =3D
 >time.</DIV>
 ><DIV>I've seen that Mastercard =
 setting as =3D
 >being=3D20
 >0</DIV>
 ><DIV>but maybe it changed after =
 removing the
 =3D

```

>4=3D20
>other</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>eds cards for this round of =3D
>testing.</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><DIV><FONT face=3D3DArial size=3D3D2>If it's still 0 what else could =
this =3D
>be? =3D20
>Busted mobo?</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>I'm really in an idunno place =
right =3D
>now. I'll=3D20
>be checking</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>seriously today again because of =
a =3D
>session tomorrow=3D20
>morning.</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>Tom</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><BLOCKQUOTE=3D20
>style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3D
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Mike Audet" <mike@....> wrote in message <A=3D20
> =3D
=
>href=3D3D"news:471b2ec2$1@linux">news:471b2ec2$1@linux</A>...</DIV><BR>H=
i=3D20
> Tom,<BR><BR>If you've only got one card in, then the Mastercard =
=3D3D 0
=3D
>setting is=3D20
> right.<BR> The file is Paris.cfg, and it lives in the =
c:\program=3D20
> files\Emu\PARIS PRO<BR>folder.<BR><BR>I'd still check it out to see =
=3D
>what it is=3D20
> set to.<BR><BR>If it is wrong, what you are describing will=3D20
> happen.<BR><BR>Good luck!<BR><BR>Mike<BR><BR>"Tom Bruhl" <<A=3D20
> href=3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>>=3D20
> wrote:<BR>><BR>><BR>>Thanks Dimitrios.<BR>><BR>>Mike =3D
>said the=3D20
> same thing. Is the ini in the Paris folde or system =3D
>32?<BR>>Do I want=3D20
> the Master card to be 0 absolutely? I only have one =3D
>card<BR>>in there=3D20
> right now and it's all freaky just the=3D20

```


> same.
>Tom
>
>
>
> "Dimitrios" =3D
><<A=3D20
> href=3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr> wrote =
in =3D
>message=3D20
> =3D3D
>news:471a0486\$1@linux...
>
> Hi Tom=3D20
> !@
> Sorry to hear you still having problems like this=3D20
> ~!!
> Must be very frustrating.
> Open the =3D
>Paris ini=3D20
> file and there change the mastercardoutput with =3D3D
>your=3D20
> other
> cards and see what happens !!
> Let me =3D
>
> know.
> Regards,
> =3D
>Dimitrios
>
> =3D20
> "Tom Bruhl" <<A=3D20
> href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=3D20
> wrote:
> >
> >
> =3D20
> >Rick,
> >1 mec, no BNC involved. Paris boots =3D
>up so=3D20
> the 1 mec that
> >I'm using shows up but never any A to =3D
>Ds or=3D20
> any installed modules.
> >This is the same symptom =3D
>before I=3D20
> repaired one of my mecs with a
> >new chip. The =3D
>clock=3D20
> light continues to flash too. Never locks in.
> =3D20
> >
> >I am using the simplest setup I can imagine and =3D
>still=3D20
> it's not =3D3D
>working.
> >Mike A. suggested =3D
>the .ini=3D20
> file to make sure card A is 0. I'll =3D
>try
=3D3D
>=3D3D3D
> =3D20
> >that.
> >Pretty sure it's right but who=3D20
> knows?
> >Thanks,
> >Tom
> =3D20
> >
> >
> >
> =3D
>>
> =3D20
> >
> >"rick" <<A=3D20
> href=3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com> =
=3D
>wrote in=3D20
> message =3D3D3D
> =3D20
> >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =3D20
> > i know this as dumb as it gets but the bnc is attached in =3D
>the=3D20
> right
> > order...right?
> > =3D
>all the=3D20
> cards show up in paris with the single mec?
> > =3D
>how many=3D20

> i/o cards in each mec?
> >
> =3D
>>
> =3D20
> > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D
>=3D3D
><<A=3D20
> =3D
=
>href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=3D=

>bsp;=3D20
> > wrote:
> >
> > >I =3D
>thought I=3D20
> was groovin' but once the second Mec was introduced
> =3D
>> =3D20
> >the system stopped. That was a few weeks ago.
> =3D20
> > >
> > >Today I tried different =3D
>cables,=3D20
> eds cards, mecs, eliminated the =3D3D
>magma
> =3D
>=3D3D3D
> =3D20
> >and
> > >still no clock lock or modules =3D
>showing up=3D20
> in the paris patchbay.
> > >
> =3D
>> =3D20
> >This means to me software unless someone tells me=3D20
> differently.
> > >
> > =3D
>>I have=3D20
> a new C drive which I will load XP and no pace. Any=3D20
> =3D3D
>other=3D3D3D20
> > =3D
>>suggestions?
> =3D20
> > >
> > >More frustrated than my=3D20
> clients,
> > >Tom
> > =3D20
> >
> > >
> > =3D
>>
> =3D20
> > >
> > >I choose Polesoft =3D
>Lockspam to=3D20
> fight spam, and you?
> > =3D20
> >http://www.polesoft.com/refer.html =3D3D3D20
> =3D20
> >
> >
> ><!DOCTYPE HTML PUBLIC=3D20
> "-//W3C//DTD HTML 4.0 Transitional//EN">
> =3D20
> ><HTML><HEAD>
> ><META=3D20
> http-equiv=3D3D3D3DContent-Type content=3D3D3D3D"text/html; =3D
>=3D3D3D
> =3D20
> >charset=3D3D3D3Diso-8859-1">
> ><META =3D
>content=3D3D3D3D"MSHTML=3D20
> 6.00.2800.1400" name=3D3D3D3DGENERATOR>
> =3D20
> ><STYLE></STYLE>
> =3D
>></HEAD>
> =3D20
> ><BODY bgColor=3D3D3D3D#ffffff>
> =3D
>><DIV><FONT=3D20

> face=Arial =
 >size=2>Rick,</DIV>
> =
 > <DIV>1 mec, no BNC =
 >involved.=
 > Paris =
> =
> >boots up so =
 >the=
> >1=
 > mec that</DIV>
> =
 >><DIV><FONT=
 > face=Arial size=2>I'm using shows up but never =
 >any
=
>A to=
 > =
> >Ds or any=
> >installed=
 > modules.</DIV>
> =
 >><DIV><FONT=
 > face=Arial size=2>This is the same symptom =
 >before
=
>I=
 > =
> >repaired one of=
> >my =
 >mecs with=
 > a</DIV>
> ><DIV><FONT=
 > face=Arial size=2>new chip. The clock light =
 >=
> =
 > >continues to flash=
> >too. Never locks=
 > in.</DIV>
> ><DIV><FONT=
 > face=Arial size=2> =
 ></DIV>
> =
 > ><DIV>I am using =
 >the simplest=
 > setup I
=
>can =
> >imagine =
 >and=
> =
 > >still it's not working.</DIV>
> =
 > ><DIV>Mike A. =
 >suggested the=
 > .ini file
=
>=
> >to make =
 >sure=
> =
 > >card A is 0. I'll try that.</DIV>
> =
 >
 > ><DIV>Pretty sure =
 >it's right=
 > but who =
>=
> =
 > >knows?</DIV>
> =
 >><DIV><FONT=
 > face=Arial =
 >size=2>Thanks,</DIV>
> =
 > ><DIV><FONT face=Arial=
 > size=2>Tom</DIV>
> =
 > ><DIV> =
 >
 > </DIV>
> ><DIV><FONT face=Arial=
 > size=2> </DIV>
> =

>><DIV>=3D20
> </DIV>
> ><DIV> </DIV>
> =3D20
> ><DIV> </DIV>
> ><DIV>"rick"=3D20
> <<A=3D3D3D20
> >href=3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.commailto=
>pa=3D
>rnell68@hotmail.com">parnell68@hotmail.com</A/>>=3D20
> =3D3D
>=3D3D3D
> >wrote in=3D3D3D20
> =3D
>>message=3D20
> <A=3D3D3D20
> =3D3D
>>href=3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393=
'>n=3D
=
>ews:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393=3D3D<B=
=3D
>R>>an5=3D3D3D
> =3D20
> =3D
>>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> =3D
>;=3D20
> ><BLOCKQUOTE=3D3D3D20
> =3D
>>style=3D3D3D3D"PADDING-RIGHT: 0px;=3D20
> PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D
>=3D3D3D
> =3D20
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =3D
>0px">i=3D3D3D20
> =3D20
> > know this as dumb as it gets but the bnc is attached in=3D20
> the=3D3D3D20
> > =3D
>right
order...right?
all=3D20
> the cards show up in paris with the
=3D3D
>=3D3D3D
> =3D20
> >single=3D3D3D20
> > mec?
how many i/o =3D
>cards in=3D20
> each mec?

On Fri, 19 Oct=3D20
> =3D3D
>2007
> =3D3D3D
> >
> =3D
>> =3D20
> 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D20
> > =3D20
> =3D3D3D
> =3D3D
>>href=3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
wrote'=
>ma=3D
>ilto:arpegio@comcast.net">arpegio@comcast.net>
w=3D
>rote:=3D3D
>=3D3D3D
> =3D20
> >

>l=3D3D3D20
> > thought =3D
>l was=3D20
> groovin' but once the second Mec was =3D3D3D
> =3D20

> >introduced
>the=3D3D3D20
> > system =3D
 >stopped.=3D20
 > That was a few weeks ago.
>
>Today I =3D
 >=3D3D3D
> =3D20
 > >tried=3D3D3D20
> > different cables, eds cards, =3D
 >mecs,=3D20
 > eliminated the magma =3D3D3D
> >and
>still=3D20
 > no=3D3D3D20
> > clock lock or modules showing up in =3D
 >the paris=3D20
 > =3D3D3D
> =3D20
 > >patchbay.
>
>This=3D3D3D20
> =3D
 >> =3D20
 > means to me software unless someone tells me =3D3D3D
> =3D20
 > >differently.
>
>I=3D3D3D20
> =3D
 >> =3D20
 > have a new C drive which I will load XP and no pace. Any=3D20
 > other=3D3D3D20
> > =3D20
 >
>suggestions?
>
>More frustrated =3D
 >than=3D20
 > my=3D3D3D20
> > =3D20
 > =3D
 >clients,
>Tom
>
>
>
>
=3D
 >>>
>I=3D20
 > choose =3D3D3D
> >Polesoft=3D3D3D20
> =3D
 >> Lockspam=3D20
 > to fight spam, and=3D3D3D20
> > =3D20
 > you?
><http://www.polesoft.com/refer.html> =3D
 >=3D3D3D20
> =3D20
 > =3D
 >>
</BLOCKQUOTE></BODY></HTML>
> =3D
 >=3D20
 > >
> >
>
>
><!DOCTYPE HTML =3D
 >PUBLIC=3D20
 > "-//W3C//DTD HTML 4.0=3D20
 > Transitional//EN">
><HTML><HEAD>
><META=3D20
 > http-equiv=3D3D3DContent-Type content=3D3D3D"text/html;=3D20
 > =3D3D
>charset=3D3D3Diso-8859-1">
><META =3D
 >content=3D3D3D"MSHTML=3D20
 > 6.00.2800.1400"=3D20
 > =3D
 >name=3D3D3DGENERATOR>
><STYLE></STYLE>
></HEA=3D
 >D>
><BODY=3D20
 > bgColor=3D3D3D#ffffff>
><DIV><FONT face=3D3D3DArial=3D20
 > size=3D3D3D2>Thanks=3D20
 > Dimitrios.</DIV>
><DIV><FONT =3D
 >face=3D3D3DArial=3D20
 > size=3D3D3D2> </DIV>
><DIV><FONT =3D
 >face=3D3D3DArial=3D20

```

> size=3D3D3D2>Mike said the same thing. Is the =3D3D<BR>>ini in =3D
>
> the=3D3D20<BR>>Paris folde or system=3D20
> 32?</FONT></DIV><BR>><DIV><FONT face=3D3D3DArial =3D
>
> size=3D3D3D2>Do I want the Master card to be =3D
>0=3D3D20<BR>>absolutely? I=3D20
> only have one card</FONT></DIV><BR>><DIV><FONT =3D
>
> face=3D3D3DArial size=3D3D3D2>in there right now and it's all=3D20
> freaky<BR>=3D3D<BR>>just=3D20
> =3D
>the=3D3D20<BR>>same.</FONT></DIV><BR>><DIV><FONT=3D
>=3D20
> face=3D3D3DArial=3D20
> size=3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D20
> face=3D3D3DArial size=3D3D3D2></FONT> =3D
></DIV><BR>><DIV><FONT=3D20
> face=3D3D3DArial size=3D3D3D2></FONT> =3D
></DIV><BR>><DIV><FONT=3D20
> face=3D3D3DArial size=3D3D3D2></FONT>=3D20
> =3D
></DIV><BR>><BLOCKQUOTE=3D3D20<BR>>style=3D3D3D"PADDING-RIGHT: =3D
>0px;=3D20
> PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D<BR>>BORDER-LEFT: #000000 =
=3D
>2px solid;=3D20
> MARGIN-RIGHT: 0px"><BR>> <DIV>"Dimitrios"=3D20
> <<A=3D3D20<BR>> href=3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A'>mailto:musur=
gio=3D
>@otenet.gr">musurgio@otenet.gr</A</A>>=3D20
> wrote in =3D3D<BR>>message=3D3D20<BR>> <A =3D
>=3D3D<BR>>href=3D3D3D"<A=3D20
> =3D
=
>href=3D3D'news:471a0486$1 @linux">news:471a0486$1 @linux</A>...</DIV><BR>H=
i'>=3D
>news:471a0486$1 @linux">news:471a0486$1 @linux</A>...</DIV>&=3D
>lt;BR>Hi</A><BR>=3D3D<BR>>Tom=3D3D20<BR>> =3D20
> <A href=3D3D"mailto:!!@<BR>Sorry">!!@<BR>Sorry</A> to hear you still =
=3D
>having=3D20
> problems like this ~!!<BR>Must =3D
>be<BR>=3D3D<BR>>very=3D3D20<BR>> =3D20
> frustrating.<BR>Open the Paris ini file and there change the=3D20

```

> mastercardoutput with your
> other cards and
> see what happens !!
Let me
> know.
Regards,
Dimitrios
"Tom Bruhl"
> <<A href="A=3D20
> =3D
=
>mailto:arpegio@comcast.net">arpegio@comcast.net=
'm=
ailto=3D
>:arpegio@comcast.net">arpegio@comcast.net=
20
&g=3D
>t; =3D20
> wrote:

Rick,
>1 =3D
>mec, no=3D20
> BNC =3D
>involved. Paris=3D
> boots up so =3D
>the 1 mec=3D20
> that
>I'm using shows up but never any A =3D
>to Ds=3D20
> or=3D
> any installed modules.
>This is the =3D
>same=3D20
> symptom before I =3D
>repaired one=3D
> of my mecs =3D
>with=3D20
> a
>new chip. The clock light continues to=3D20
> =3D
>flash=3D
> too. Never locks=3D20
> in.
>
>I am using the simplest =3D
>=3D
>setup I=3D20
> can=3D
> imagine and still it's not =3D
>working.
>Mike A.=3D20
> suggested the =3D
>.ini=3D
> file to make =3D
>sure card A is=3D20
> 0. I'll try=3D20
> =3D
>=3D
>=3D
>that.
>Pretty=3D
> =3D
>; sure it's=3D20
> right but who=3D
> =3D20
> =3D
>=3D
>knows?
>Thanks,
>Tom
><=3D
>
>
>
><=3D
>
=3D
>>"rick"=3D
> =3D20
> <<A =3D
>href=3D
>"<A=3D20
> =3D
=
>mailto:parnell68@hotmail.com">parnell68@hotmail.commailto=
:pa=3D
>rnell68@hotmail.com">parnell68@hotmail.com</A=
20
> =3D
>wrote=3D
> in message=3D
> =3D20
> =3D
>=3D
>=3D
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax=3D
>.com...
>&nbs=3D
>p;=3D20

> i know this as dumb as it gets but the bnc is attached in the right order...right? all the cards show up in paris with the single mec? how many i/o cards in each mec? On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" <arpegio@comcast.net>&n'>

>mailto:arpegio@comcast.net">arpegio@comcast.net>
>
> ;&n bsp;
>
> wrote:
> > I thought I was groovin' but once
> the second Mec was introduced
> >the system stopped. That was a few weeks ago.
> >Today I tried
> different cables, eds cards, mecs,
> eliminated the
> magma and
>
> >still no clock lock or modules showing up in the paris
> patchbay.
> >This means
> to me
> software unless someone tells me differently.
>
> I have a new C drive which I will load XP and no
> pace. Any other
>
> >suggestions?
>
> More frustrated than my clients,
>
> Tom
>
>
>
>
>
> I choose Polesoft Lockspam to fight spam, and
> you?
>
>>http://www.polesoft.com/refer.html
>
>
>

```

>=3D3D3D20<BR>><BR>><BR>><!DOCTYPE=3D20
> HTML PUBLIC "-//W3C//DTD =3D3D<BR>>HTML 4.0=3D3D20<BR>> =3D20
> =3D
>Transitional//EN"><BR>><HTML><HEAD><BR>>=3D
><META=3D3D20<BR>> =3D20
> http-equiv=3D3D3D3DContent-Type =3D
>content=3D3D3D3D"text/html;=3D3D20<BR>> =3D20
> =3D3D3D<BR>>charset=3D3D3D3DISO-8859-1"><BR>><META =3D
>
> =3D3D<BR>>content=3D3D3D3D"MSHTML=3D3D20<BR>> =3D
>6.00.2800.1400"=3D3D20<BR>> =3D20
> =3D
>=3D3D<BR>>name=3D3D3D3DGENERATOR><BR>><STYLE></STYLE&=3D
>gt;<BR>></HEA=3D3D<BR>>D><BR>><BODY=3D3D20<BR>&=3D
>gt; =3D20
> bgColor=3D3D3D3D#ffffff><BR>><DIV><FONT=3D20
> face=3D3D3D3DArial=3D3D20<BR>> =3D20
> =3D
>=3D3D<BR>>size=3D3D3D3D2>Rick,</FONT></DIV><BR>>&l=3D
>t;DIV><FONT=3D3D20<BR>> =3D20
> face=3D3D3D3DArial size=3D3D3D3D2>1 mec, no BNC involved. =
Paris=3D20
> =3D3D<BR>>=3D3D3D<BR>>boots up so=3D3D20<BR>> =3D
>the=3D3D3D20<BR>>1=3D20
> mec=3D20
> =3D
>=3D3D<BR>>that</FONT></DIV><BR>><DIV><FONT=3D
>=3D3D20<BR>> =3D20
> face=3D3D3D3DArial size=3D3D3D3D2>I'm using shows up but never any =
A to =3D
>
> =3D3D<BR>>=3D3D3D<BR>>Ds or=3D3D20<BR>> =3D20
> any=3D3D3D20<BR>>installed=3D3D20<BR>> =3D20
> modules.</FONT></DIV><BR>><DIV><FONT=3D20
> =3D3D<BR>>face=3D3D3D3DArial=3D3D20<BR>> size=3D3D3D3D2>This is =
=3D
>the same=3D20
> symptom before I =3D3D3D<BR>>repaired =3D
>=3D3D<BR>>one=3D3D20<BR>> =3D20
> of=3D3D3D20<BR>>my mecs with=3D3D20<BR>> =3D20
> a</FONT></DIV><BR>><DIV><FONT=3D20
> face=3D3D3D3DArial=3D3D20<BR>> size=3D3D3D3D2>new chip. The =3D
>clock light=3D20
> =3D3D3D<BR>>continues to=3D3D20<BR>> =3D
>flash=3D3D3D20<BR>>too.=3D20
> Never locks=3D3D20<BR>> =3D20
> in.</FONT></DIV><BR>><DIV><FONT =3D
>face=3D3D3D3DArial=3D20

```

```

> =3D3D<BR>><BR>> size=3D3D3D3D2></FONT>=3D20
> </DIV><BR>><DIV><FONT=3D20
> =3D3D<BR>>face=3D3D3D3DArial=3D3D20<BR>> size=3D3D3D3D2>I am =3D
>using the simplest=3D20
> setup I can =3D3D3D<BR>>imagine=3D3D20<BR>> =3D20
> and=3D3D3D20<BR>>still it's not=3D3D20<BR>> =3D20
> working.</FONT></DIV><BR>><DIV><FONT=3D20
> =3D3D<BR>>face=3D3D3D3DArial=3D3D20<BR>> size=3D3D3D3D2>Mike A. =
=3D
>suggested the=3D20
> .ini file =3D3D3D<BR>>to make=3D3D20<BR>> =3D20
> sure=3D3D3D20<BR>>card A is 0. I'll try=3D3D20<BR>> =3D20
> that.</FONT></DIV><BR>><DIV><FONT=3D20
> =3D3D<BR>>face=3D3D3D3DArial=3D3D20<BR>> size=3D3D3D3D2>Pretty =3D
>sure it's right=3D20
> but who=3D3D20<BR>> =3D20
> =3D
>=3D3D3D<BR>>knows?</FONT></DIV><BR>><DIV&g=3D
>t;<FONT=3D3D20<BR>> =3D20
> face=3D3D3D3DArial=3D3D20<BR>> =3D20
> =3D
>=3D3D<BR>>size=3D3D3D3D2>Thanks,</FONT></DIV><BR>>=3D
><DIV><FONT=3D3D<BR>>=3D3D20<BR>> =3D20
> face=3D3D3D3DArial=3D3D20<BR>> =3D20
> =3D
>size=3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><=3D
>FONT=3D3D20<BR>> =3D20
> face=3D3D3D3DArial size=3D3D3D3D2></FONT>=3D20
> =3D
>=3D3D<BR>></DIV><BR>><DIV><FONT=3D3D20<BR>>&nbs=3D
>p;=3D20
> face=3D3D3D3DArial size=3D3D3D3D2></FONT>=3D20
> =3D3D<BR>></DIV><BR>><DIV>=3D3D20<BR>> =3D20
> </DIV><BR>><DIV>=3D20
> </DIV><BR>><DIV>=3D3D20<BR>> =3D20
> </DIV><BR>><DIV>"rick"=3D20
> =3D
>=3D3D<BR>><<A=3D3D3D20<BR>>href=3D3D3D3D"<A=3D3D20<BR >>&n=3D
>bsp;=3D20
> =3D
=
>=3D3D<BR>>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.c=3D=
>om</A>mailto:pa=3D3D<BR>>rnell68@hotmail.com">parnell68@hotmail=3D
>.com</A/<A>>=3D3D20<BR>> =3D20
> =3D3D3D<BR>>wrote in=3D3D3D20<BR>>message=3D20
> <A=3D3D3D20<BR>>href=3D3D3D3D"<A =3D3D<BR>><BR>> =3D20
> =3D

```

=
>=3D3D
>href=3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">=3D=
=
>news:inqgh393an5=3D3D
>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4=3D=

>ax.com">news:inqgh393an5</A=3D3D
>>=3D3D3D
>s4m99q=3D
>caojn09vn112t4u6r@4ax.com...</DIV>
&=3D3D
&=3D
=
>gt;gt;<BLOCKQUOTE=3D3D3D20
>style=3D3D3D3D"PADDING-RIGHT:=3D3D20=3D
>
> =3D20
> 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
>=3D3D3D
>BORDER-LEFT:=3D20
> =3D3D
>#000000 2px=3D3D20
> solid; MARGIN-RIGHT:=3D20
> 0px">i=3D3D3D20
> know this as dumb as =3D
>=3D3D
>it=3D20
> gets=3D3D20
> but the bnc is attached in =3D
>the=3D3D3D20
>=3D20
> =3D3D20
> right
order...right?
all the =3D
>cards show up=3D20
> in paris =3D3D
>with the=3D3D20
> =3D20
> =3D3D3D
>single=3D3D3D20
> mec?
how =3D
>many i/o=3D20
> cards =3D3D
>in each=3D3D20
> =3D
>mec?

On=3D20
> Fri, 19 Oct=3D3D20
> =3D20
> 2007
=3D3D3D
>
> 00:22:39 -0400, =3D
>"Tom=3D20
> Bruhl"=3D3D20
> <<A=3D3D3D20
> =3D20
> =3D3D3D
>href=3D3D3D3D"<A=3D3D20
> =3D20
> =3D
=
>=3D3D
>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net&l=3D=

>t;/A>>
wrote'>ma=3D3D
>ilto:arpegio@comcast.net">=3D
>;arpegio@comcast.net>
w=3D3D
>rote:=3D3D=3D
>3D
>

>l=3D3D3D20
>=3D20
> =3D3D20
> thought I was groovin' but once the second Mec=3D20
> was=3D3D20
> =3D20
> =3D
>=3D3D3D
>introduced
>the=3D3D3D20
> =3D
> system=3D20
> =3D3D
>stopped. That was=3D3D20
> a few weeks=3D20
> ago.
>
>Today I=3D3D20
> =3D20
> =3D3D3D
>tried=3D3D3D20
> different cables, =3D
>eds cards,=3D20
> mecs, =3D3D
>eliminated=3D3D20
> the magma=3D20
> =3D3D3D
>and
>still =3D

>no=3D3D3D20
> =3D20
> =3D3D
>clock lock or=3D3D20
> modules showing up in the=3D20
> paris=3D3D20
> =3D20
> =3D
>=3D3D
>=3D3D3D
>patchbay.
>
>This=3D3D=3D
>3D20
> =3D20
> =3D3D
>means to=3D3D20
> me software unless someone =3D
>tells=3D20
> me=3D3D20
> =3D20
> =3D
>=3D3D
>=3D3D3D
>differently.
>
>I=3D3D=3D
>3D20
> =3D20
> =3D3D
>have a new=3D3D20
> C drive which I will load XP =3D
>and no pace.=3D20
> Any other=3D3D3D20
> =3D3D
>
> =3D20
>
>suggestions?
>
>More frustrated=3D20
> =3D3D
>than=3D3D20
> my=3D3D3D20
> =3D
>=3D3D20
> =3D20
> =3D
>=3D3D
>clients,
>Tom
>
>
=3D
>,>
=3D3D
>>
>I=3D3D20
> =3D20
> choose =3D3D3D
>Polesoft=3D3D3D20
> Lockspam =3D
>to fight=3D20
> spam,=3D3D20
> and=3D3D3D20
> =3D20
> =3D
>=3D3D
>you?
><http://www.polesoft.com/refer.html>=3D3D20
>&=3D
>gt; =3D20
> =3D
>=3D3D
>=3D3D3D20
>
</BLOCKQUOTE></BODY>=3D
>,</HTML>
&=3D3D
>gt;
>
</B=3D
>LOCKQUOTE></BODY></HTML>
>
>
</BLOCKQUOTE><=3D
>/BODY></HTML>
>
>

-----=_NextPart_000_0143_01C813F2.BC71D810

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =

charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV>Mike,</DIV>
<DIV>I used to use a Lucid but since all of =
this mess I=20
stopped.</DIV>
<DIV>I'm trying to get stable from square =
one with the=20
least amount </DIV>
<DIV>of hardware. I am using the =
default project=20
for sure. The only </DIV>
<DIV>other thing that I still question is my =
move of=20
Paris to C:ParisPro .</DIV>
<DIV>I should think the default project will =
either work=20
or not. Maybe</DIV>
<DIV>configs or something else is =
fighting during=20
Paris startup?</DIV>
<DIV> </DIV>
<DIV>Pats 42 - Miami 7 . . . Halftime and =
the games=20
over.</DIV>
<DIV>Tom</DIV>
<DIV> </DIV>
<DIV> </DIV>
<DIV> </DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Mike Audet" <mike@....> wrote in message <A=20
=
href=3D"news:471b6eb0\$1 @linux">news:471b6eb0\$1 @linux...</DIV>
Hi=20
Tom,

Are you using a default project with PARIS? I'm so =
sorry of=20
this has been
asked and answered already. If so, perhaps it =
is=20
telling card zero to lock
to an external clock, which it can't =
because=20
there isn't one.

It would be interesting to attach an external =
clock=20
source to the MEC and
then start PARIS to see how it behaves. =
Or, if=20
the clock generator is fried,
tell paris to lock externally and see =
what=20
happens when an external clock
source is applied.

Isn't there =
a=20
master house synch switch in the cfg file? I've never =

used
Maybe DJ could help with what that should/shouldn't be set =
to.
Wish I =
could do more than think out loud...
Mike
"Tom Bruhl" =
<
href="mailto:arpeggio@comcast.net">arpeggio@comcast.net</> =
wrote: <<<Hi Mike, <Well I've been to .cfg =
many a =
time. <I've seen that Mastercard setting as being 0 <but =
maybe it =
changed after removing the 4 other <eds cards for this round of =
testing. <<If it's still 0 what else could this be? =
Busted =
mobo? <I'm really in an idunno place right now. I'll be =
checking <seriously today again because of a session tomorrow =
morning. <Tom << "Mike Audet" =
<mike@....< wrote in message <A =
=
href="news:471b2ec2\$1 @linux">news:471b2ec2\$1 @linux</>... <<<g =
t; =
Hi Tom, <<< If you've only got one card in, then the =

Mastercard =3D3D 0 setting is =3D <right. < =
The file is =
Paris.cfg, and it lives in the c:\program =
files\Emu\PARIS <=3D <<PRO < =
folder. <<< =
I'd still check it out to see what it is set to. <<< =
If it =
is wrong, what you are describing will happen. <<< =
Good =
luck! <<< Mike <<< "Tom Bruhl" =
<<A =
href="mailto:arpeggio@comcast.net">arpeggio@comcast.net</> =
wrote: < << <<< <Thanks =
Dimitrios. < << <Mike said the same =
thing. Is the ini in the Paris folde or system =
=3D <32? < <<Do I want the Master card to be 0 =
absolutely? I only have one card <<< <in there =
right now =
and it's all freaky just the same. <<< <Tom <<< =

<<< <<< <<< < =
"Dimitrios" <<A =
href="mailto:musurgio@otenet.gr">musurgio@otenet.gr</> =
wrote in message =3D3D << =
<news:471a0486\$1 @linux... <<< =
<<< < < Hi Tom !@ <<< < < Sorry =

to hear=20
 you still having problems like this ~!!
> > Must =
 be very=20
 frustrating.
> > Open the Paris ini file and =
 there change=20
 the mastercardoutput with
=3D
>=3D3D
> >your=20
 other
> > cards and see what happens =
 !!
> =20
 > Let me know.
> > =
 Regards,
> =20
 > Dimitrios
> >
> > "Tom =
 Bruhl"=20
 <arpeggio@comcast.net> =

wrote:
> > >
> > =20
 >
> > >Rick,
> > >1 =
 mec, no=20
 BNC involved. Paris boots up so the 1 mec that
> =
 > =20
 >I'm using shows up but never any A to Ds or any installed=20
 modules.
> > >This is the same symptom before =
 l=20
 repaired one of my mecs with a
> > >new =
 chip. =20
 The clock light continues to flash too. Never locks=20
 =3D
>in.
> > >
> > =
 >I am=20
 using the simplest setup I can imagine and still it's not =
 =3D3D
> =20
 >working.
> > >Mike A. suggested the =
 ..ini=20
 file to make sure card A is 0. I'll =3D
>try
> =

=3D3D
> >=3D3D3D
> > =
 >that.
> =20
 > >Pretty sure it's right but who knows?
> =
 > =20
 >Thanks,
> > >Tom
> > =20
 >
> > >
> > =
 >
> =20
 > >
> > >
> > =

>"rick" <<A=20
 href=3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com> =
 wrote in=20
 message =3D3D3D
> > =20
 >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =20
 > > i know this as dumb as it gets but the bnc is =

attached=20
in the =3D
>right
> > > > =20
order...right?
> > > > all the cards show =
up in=20
paris with the single mec?
> > > > how =
many i/o=20
cards in each mec?
> > > >
> =
>
> > > > On Fri, 19 Oct 2007 00:22:39 =
-0400,=20
"Tom Bruhl" =3D3D
> ><<A=20
=
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>
>&n=
bsp;=20
> > > wrote:
> > > =
>
> > > > > > I thought I was groovin' but once the second =
Mec was=20
introduced
> > > > > the system =
stopped. =20
That was a few weeks ago.
> > > > > =20
>
> > > > > Today I tried different =
cables,=20
eds cards, mecs, eliminated the
=3D
>=3D3D
> > =20
>magnum
> > > > > > > =20
> > > > > > > still no clock lock or =
modules=20
showing up in the paris =3D
>patchbay.
> > > =
> > > > > > This means to me software =
unless=20
someone tells me differently.
> > > > > =20
>
> > > > > > I have a new C drive =
which I will=20
load XP and no pace. Any =3D3D
> > =20
>other=3D3D3D20
> > > > > > =20
>uggestions?
> > > > > > =
>
> > > > > > More frustrated than my =
clients,
> > > > > > =20
> > > > > Tom
> > > > > > =20
>
> > > > > > > > > > =
> >
> > > > > > > >
> > > =
> > > > > > > > I choose Polesoft Lockspam to fight spam, =
and=20
you?
> > > > > > =20

>http://www.polesoft.com/refer.html =3D3D3D20
> =
> =20
>
> > > >
> > > =
><!DOCTYPE=20
HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> =20
> ><HTML><HEAD>
> > > =
><META=20
http-equiv=3D3D3D3DContent-Type content=3D3D3D3D"text/html";=20
=3D
>=3D3D3D
> > > =20
> charset=3D3D3D3Diso-8859-1">
> > > =
><META=20
content=3D3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3D3DGENERATOR>
> =20
> ><STYLE></STYLE>
> > > =20
></HEAD>
> > ><BODY=20
bgColor=3D3D3D3D#ffffff>
> > > =
><DIV><FONT=20
face=3D3D3D3DArial =
size=3D3D3D3D2>Rick,</DIV >
> =20
> ><DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>1 mec, no=20
BNC involved. =3D
>Paris =3D3D
> =
>=3D3D3D
> =20
> >boots up so the=3D3D3D20
> > >1 =
mec=20
that</DIV>
> > > =
><DIV><FONT=20
face=3D3D3D3DArial size=3D3D3D3D2>I'm using shows up but =
=3D
>never=20
any
> =3D3D
> > >A to =3D3D3D
> =
> =20
>Ds or any=3D3D3D20
> > >installed=20
modules.</DIV>
> > > =20
><DIV>This is =
the same=20
symptom
=3D
>before
> =3D3D
> >I=20
=3D3D3D
> > >repaired one =
of=3D3D3D20
> =20
> >my mecs with a</DIV>
> =20
> ><DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>new chip.=20
The clock light
=3D
>=3D3D3D
> > > =
>continues to=20
flash=3D3D3D20
> > >too. Never locks=20
in.</DIV>
> > > =
><DIV><FONT=20
face=3D3D3D3DArial size=3D3D3D3D2> =
</DIV>
> =20

> ><DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>I am using=20
the simplest =3D
>setup I
> =3D3D
> =
>&can=20
=3D3D3D
> > > >imagine =
and=3D3D3D20
> > > =20
>&still it's not working.</DIV>
> =
> =20
><DIV>Mike A. =
suggested the=20
=3D
>.ini file
> =3D3D
> =
>&=3D3D3D
> =20
> >&to make sure=3D3D3D20
> > > >card =
A is 0.=20
I'll try that.</DIV>
> > =20
><DIV>Pretty =
sure it's=20
right =3D
>but who =3D3D
> >=3D3D3D
> =
> =20
>&knows?</DIV>
> > =20
><DIV><FONT face=3D3D3D3DArial=20
size=3D3D3D3D2>Thanks,</D IV>
> =
> =20
><DIV><FONT face=3D3D3D3DArial=20
size=3D3D3D3D2>Tom</DIV&a mp;gt;
> =
> =20
><DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>=20
</DIV>
> > ><DIV><FONT =
face=3D3D3D3DArial=20
size=3D3D3D3D2> </DIV>
> > =20
><DIV> </DIV>
> > ><DIV>=20
</DIV>
> > ><DIV>=20
</DIV>
> > ><DIV>"rick"=20
<<A=3D3D3D20
> > =
=3D
>>&href=3D3D3D3D"<A=20
=
href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto:pa=
rnell68@hotmail.com">parnell68@hotmail.com</A>>=20
=3D
>&=3D3D
> >&=3D3D3D
> > =
>&wrote=20
in=3D3D3D20
> > >message =
<A=3D3D3D20
> =20
> =3D3D
> =3D
>>&href=3D3D3D3D"<A=20
=
href=3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh'>news=
:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh=3D
>>
393=3D3D
> =20

>patchbay.
>
 ;>This=3D3D3D20
> =
> = 20
> means to me software unless someone tells me =
=3D3D3D
> = 20
> =
>differently.
>
& ;>>l=3D3D3D20
> = 20
> > have a new C drive which I will load XP and no =
pace. Any=20
=3D
>other=3D3D3D20
> > > = 20

>suggestions?
& ;>
>More frustrated =
than=20
my=3D3D3D20
> > > = 20
=
clients,
>Tom
& ;>
>
>
& ;
=
>>
>l=20
choose =3D3D3D
> > =
>Polesoft=3D3D3D20
> = 20
> > Lockspam to fight spam, =
and=3D3D3D20
> = 20
> > =
you?
>http://www.polesoft.com/refer.html=20
=3D3D3D20
> > = 20
=
>
</BLOCKQUOTE>< ;/BODY></HTML>
> =
=20
> >
> > >
> =
>
> = 20
>
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=20
Transitional//EN">
> =
></HTML></HEAD>
> = 20
></META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html;=20
=3D3D3D
> > charset=3D3D3Diso-8859-1">
> =
></META=20
content=3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3DGENERATOR>
> = 20
></STYLE></STYLE>
> =
></HEAD>
> = 20
></BODY bgcolor=3D3D3D#ffffff>
> =
></DIV></FONT=20
face=3D3D3DArial size=3D3D3D2>Thanks=20
Dimitrios.</DIV>
> =
></DIV></FONT=20
face=3D3D3DArial size=3D3D3D2> =
</DIV>
> = 20
></DIV>Mike said the =
same=20
thing. Is =3D
>the =3D3D
> >ini in=20
the=3D3D20
> >Paris folde or system=20

<<A=3D3D20
> > href=3D3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net=>3D3D20'>mail=
to:arpegio@comcast.net">arpegio@comcast.net>=3D3D20<B=
R>> =20
> =20
wrote:
>
>& a mp;
>Rick,
>1 =
mec, no=20
BNC =3D3D
> >involved. Paris=3D3D20
> =
> =20
boots up so the 1 mec that
>I'm using shows up but never =
any A=20
=3D
>=3D3D
> >to Ds or=3D3D20
> =
> any=20
installed modules.
>This is the same symptom before I=20
=3D3D
> >repaired one=3D3D20
> > =
of my mecs=20
with a
>new chip. The clock light continues to=20
=3D3D
> >flash=3D3D20
> > =
too. Never=20
locks in.
>
>I am using the simplest =
=3D3D
> =20
>setup I can=3D3D20
> > imagine and still it's =
not=20
working.
>Mike A. suggested the =3D3D
> =20
>.ini=3D3D20
> > file to make sure card A is =
0. =20
I'll try =3D3D
> =20
=
>=3D3D3D
>that.<BR& ;>>Pretty=3D3D20
> =
> =20
sure it's right but who=3D3D20
> > =
=3D3D
> =20
=
>knows?
>Thanks,<BR&am p;>>Tom
>
 &=
gt;
>
>& lt;BR>><=3D3D
> =20
>BR>>"rick"=3D3D20
> > <<A =
=3D3D
> =20
>href=3D3D3D"<A=20
=
href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto:pa=
rnell68@hotmail.com">parnell68@hotmail.com</A>>=20
=3D
>=3D3D
> >wrote=3D3D20
> =
> in=20
message=3D3D20
> > =3D3D
> =20
=
=3D
 >>=3D3D3D
>news:inqgh3 93an5s4m99qcaojn09vn112t4u=
6r@4ax.com...
>&nbs=3D3D=3D
>
> =20

>p; i=3D3D20
> > know this as dumb as it gets =
but the=20
bnc is attached in the=3D3D20
> > > =
right
> =20
order...right?
> all the cards show up =
=3D3D
> =20
>in=3D3D20
> > > paris with the single=20
mec?
> how many i/o cards in =
each=3D3D20
> =20
> mec?
>
> & ;lt;BR>> On =
Fri, 19 Oct=20
2007 00:22:39 -0400, =3D3D
> >"Tom=3D3D20
> =
> =20
Bruhl" <<A=3D3D20
> > =3D3D
> =20
=3D
>>href=3D3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
> &n=3D=
3D'>mailto:arpegio@comcast.net">arpegio@comcast.net><B=
R>> &n=3D3D=3D
>
> =20
>bsp;=3D3D20
> > =20
wrote:
>
> &a mp;nbsp; >I thought I was groovin' =
but once=20
the =3D3D
> >second=3D3D20
> > Mec =
was=20
introduced
> >the system stopped. That=20
=3D3D
> >was a few=3D3D20
> > =
weeks=20
ago.
> >
> >Today I tried=20
=3D3D
> >different=3D3D20
> > =
cables, eds=20
cards, mecs, eliminated the =3D3D
> =20
>magma
=3D3D3D
 >and
> =
=3D3D20
> =20
> >still no clock lock or modules showing up in the=20
paris=3D3D20
> > patchbay.
> =20
>
> >This means to me =3D3D
> =20
>software=3D3D20
> > unless someone tells me=20
differently.
> >
> =
=3D3D
> =20
>>I=3D3D20
> > have a new C drive which I =
will load=20
XP and no pace. Any=3D3D20
> > =20
other=3D3D3D20
> =
>suggestions?
> =20
=3D3D
> >>
> =3D3D20
> =
> =20
>More frustrated than my clients,
> =
=3D3D
> =20

face=Arial=20
> =20
=
size=2>Tom</DIV& mp>
<</DIV>&l=
t;FONT=20
> =20
> face=Arial size=2> =
=20
> =20
></DIV>
>&l t;DIV><FONT=20
> =

> face=Arial size=2> =
=20
> =20
></DIV>
>&l t;DIV>=20
> =
> =20
</DIV>
>&l t;DIV& mp>=20
</DIV>
>&l t;DIV& mp>=20
> > =20
</DIV>
>&l t;DIV& mp> "rick" =20
>=20
=
><<A=20
> href=20 "A=20
>&nb=
sp;=20
> =20
>=20
=
=20
> href=20'mailto:parnell68@hotmail.com">parnell68@hot=
mail.com</A'>mailto=20
>:pa=20
>=20
=
>rnell68@hotmail.com">parnell68@hotmail.com</A>>=
=20
> =20
> =20
>
>wrote in=20
>message =

=
<A=20
> href=20"
=20
>=20
>g=
t; =20
>
> > =20
>=20
=
=20
> href=20'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.co=
m">news:inqgh393=20
>an5=20
>=20
=
=20
>& '>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">n=
ews:inqgh393an5</A=20=20
>
>=20
=
>>=20
>& s4m99qcaojn09vn112t4u6r@4ax.com&...=
</DIV>
&=20
>=20
=
>><BLOCKQUOTE=20
& ;>style=20 "PADDING-RIGHT:=
=20
> =20
> 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px;=20
=20
>
>BORDER-LEFT: =20
>=20
>=20
>>#000000=20
2px=20
> > > solid; MARGIN-RIGHT:=20

0px">=3D3D3D20
> know this as dumb as =
=3D3D
> =20
>it gets=3D3D20
> > but the bnc is attached in =

the=3D3D3D20
> =3D3D20
> > =20
right
>order...right?
>all the cards show up in paris=20
=3D3D
> >with the=3D3D20
> > =20
=3D3D3D
>>single=3D3D3D20
& a mp;>> =
mec?
>how many=20
i/o cards =3D3D
> >in each=3D3D20
> =
> =20
mec?
>
>
>On Fri, 19 Oct=3D3D20
> =
> =20
2007
>=3D3D3D
>>& lt;>> 00:22:39 =
-0400, "Tom=20
Bruhl"=3D3D20
> > =
<<A=3D3D3D20
>> p;=20
=3D3D3D
>>href=3D3D3D3D" <A=3D3D20
> =
> =20
=3D3D
> =20
=
=3D
>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast=
..net
>>
>wrote'=3D
>>>ma=3D3D
> =20
=
>ilto:arpegio@comcast.net">arpegio@comcast.net
>>
&=
gt;w=3D3D
> =20
=
>rote
>>=3D3D3D
>& amp ;>
>
>>l=3D3D3D2=
0
>>=20
=3D3D20
> > thought I was groovin' but once the =
second Mec=20
was=3D3D20
> > =20
=
=3D3D3D
>>introduced
> ;>>the=3D3D3D20
>>&n=
bsp;=20
system =3D3D
> >stopped. That was=3D3D20
> =
> a=20
few weeks ago.
>>
>>Toda y l=3D3D20
> =

> =3D3D3D
>>tried=3D3D3D20
& am p;>> =
different=20
cables, eds cards, mecs, =3D3D
> =
>eliminated=3D3D20
> =20
> the magma =3D3D3D
>>and
>>still=20
no=3D3D3D20
>> =3D3D
> >clock lock=20
or=3D3D20
> > modules showing up in the=20
paris=3D3D20
> > =3D3D
> =20
=
=

size=3D3D2>Hi=20
Mike,</DIV>
></DIV></FONT =
face=3D3DArial=20
size=3D3D2>Well I've been to .cfg many a=20
=3D
>time.</DIV>
></DIV></FONT=20
face=3D3DArial size=3D3D2>I've seen that Mastercard setting as=20
=
=3D
>being=3D20
>0</DIV>
></DIV>=
</FONT=20
face=3D3DArial size=3D3D2>but maybe it changed after removing=20
=
the
=3D
>4=3D20
>other</DIV>
><=
</DIV></FONT=20
face=3D3DArial size=3D3D2>eds cards for this round of=20
=
=3D
>testing.</DIV>
></DIV></FONT=20
face=3D3DArial size=3D3D2> =
</DIV>
></DIV></FONT=20
face=3D3DArial size=3D3D2>If it's still 0 what else could this =
=3D
>be?=20
=3D20
>Busted =
mobo?</DIV>
></DIV></FONT=20
face=3D3DArial size=3D3D2>I'm really in an idunno place right=20
=3D
>now. I'll=3D20
>be=20
checking</DIV>
></DIV></FONT =
face=3D3DArial=20
size=3D3D2>seriously today again because of a =3D
>session=20
=
tomorrow=3D20
>morning.</DIV>
></DIV>=
</FONT=20
face=3D3DArial=20
size=3D3D2>Tom</DIV&g t;
></DIV></FONT=20
face=3D3DArial size=3D3D2> =
</DIV>
></DIV></FONT=20
face=3D3DArial size=3D3D2>=20
=
</DIV>
></BLOCKQUOTE=3D20
>style=3D3D"PADDING-RIGHT: =
0px;=20
PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
>BORDER-LEFT: #000000 =
2px solid;=20
MARGIN-RIGHT: 0px">
> & </DIV>"Mike Audet" =
</mike@....>=20
wrote in message <A=3D20
> & =3D
>href=3D3D"<A=20
=
href=3D'news:471b2ec2\$1 @linux">news:471b2ec2\$1 @linux...</DIV>
Hi=3D=
20'>news:471b2ec2\$1 @linux">news:471b2ec2\$1 @linux...</DIV&=
></BR>Hi=3D20
> &=20
Tom,</BR></BR>If you've only got one card in, then the =

=3D
 >Dimitrios
>
 ;> =3D20
> =
"Tom Bruhl"=20
<<A=3D20
> href=3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net=>=3D20'>mailto=
:arpegio@comcast.net">arpegio@comcast.net>=3D20
&g=
t; =20
wrote:
> >
> >
> =

=3D20
> >Rick,
> >1 mec, no BNC=20
involved. Paris boots =3D
>up so=3D20
> the 1 =
mec=20
that
> >I'm using shows up but never any A to =
=3D
>&Ds=20
or=3D20
> any installed modules.
> =
>This is the=20
same symptom =3D
>before I=3D20
> repaired one of my =
mecs with=20
a
> >new chip. The =
=3D
>clock=3D20
> =20
light continues to flash too. Never locks in.
>=20
=3D20
> >
> >I am using the =
simplest setup I=20
can imagine and =3D
>still=3D20
> it's not=20
=3D3D
>working.
> >Mike A. =
suggested =20
=3D
>the .ini=3D20
> file to make sure card A is =
0. I'll=20
=3D
 >try
=3D3D
> =3D3D3D
> =
=3D20
> =20
>that.
> >Pretty sure it's right but=20
who=3D20
> knows?
> =20
>Thanks,
> >Tom
> =
=3D20
> =20
>
> >
> =
>
> =20
=3D
>>
> =3D20
> =
>
> =20
>"rick" <<A=3D20
> href=3D3D"<A=20
=
href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto:pa=
rnell68@hotmail.com">parnell68@hotmail.com</A>>=20
=3D
>wrote in=3D20
> message =3D3D3D
>=20
=3D20
> =20
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
>=20
=3D20
> > i know this as dumb as it gets but the =
bnc is=20
attached in =3D
>the=3D20
> =

right
> > =20
order...right?
> > =3D
>all=20
the=3D20
> cards show up in paris with the single=20
mec?
> > =3D
>how =
many=3D20
> i/o=20
cards in each mec?
> >
> =20
=3D
>
>=3D20
> > On Fri, =
19 Oct 2007=20
00:22:39 -0400, "Tom Bruhl"=20
=3D
 >=3D3D
><A=3D2 0
> =
=3D
>href=3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n'>=
mailto:arpegio@comcast.net">arpegio@comcast.net>
=
>&n=3D
>bsp;=3D20
> =20
> wrote:
> >
> =
> =20
>I=3D
>thought I=3D20
> was groovin' but once =
the second Mec=20
was introduced
> =3D
> =3D20
> =
>the=20
system stopped. That was a few weeks ago.
>=20
=3D20
> > >
> > =
>Today I=20
tried different =3D
>cables,=3D20
> eds cards, mecs, =
eliminated=20
the =3D3D
>magma
> t = =
=3D
>=3D3D3D
>=20
=3D20
> >and
> > >still =
no clock=20
lock or modules =3D
>showing up=3D20
> in the paris=20
patchbay.
> > >
> =20
=3D
>>=3D20
> >This means to me software =
unless someone=20
tells me=3D20
> differently.
> =
> =20
>
> > =3D
>>I =
have=3D20
> a new=20
C drive which I will load XP and no pace. Any=3D20
> =

=3D3D
>other=3D3D3D20
> > =20
=3D
>>suggestions?
>=3D20
> =
> =20
>
> > >More frustrated than=20
my=3D20
> clients,
> > =20
>Tom
> >=3D20
> =
>
> =20
> >
> > =

=3D
>
>=20
=3D20
> > >
> > =
>I choose=20
Polesoft =3D
>Lockspam to=3D20
> fight spam, and=20
you?
> > =3D20
> =20
>http://www.polesoft.com/refer.html =3D3D3D20
>=20
=3D20
> >
> >
> =20
><!DOCTYPE HTML PUBLIC=3D20
> "-//W3C//DTD HTML 4.0=20
Transitional//EN">
> =3D20
> =20
><HTML><HEAD><BR&a mp;gt;> =
><META=3D20
> =20
http-equiv=3D3D3D3DContent-Type content=3D3D3D3D"text/html;=20
=3D
>=3D3D3D
> =3D20
> =20
>charset=3D3D3D3Diso-8859-1">
> ><META=20
=3D
>content=3D3D3D3D"MSHTML=3D20
> 6.00.2800.1400"=20
name=3D3D3D3DGENERATOR>
> =3D20
> =20
><STYLE></STYLE><B R>> =20
=3D
 >></HEAD>
& gt; =3D20
> =
><BODY=20
bgColor=3D3D3D3D#ffffff>
>&am p; =20
=3D
>><DIV><FONT=3D20
> =
face=3D3D3D3DArial=20
=
=3D
 >size=3D3D3D3D2>Rick,& ;lt;/DIV>
>=
=20
=3D20
> ><DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>1=20
mec, no BNC =3D
>involved.=3D20
> Paris=20
=3D3D
>=3D3D3D
& ;gt; >boots up so=20
=3D
>the=3D3D3D20
> >1=3D20
> =
mec=20
that</DIV><BR& gt;> =20
=3D
>><DIV><FONT=3D20
> =
face=3D3D3D3DArial=20
size=3D3D3D3D2>I'm using shows up but never=20
=3D
 >any
=3D3D
> A to=3D20
> =20
=3D3D3D
> >Ds or any=3D3D3D20
> =

>installed=3D20
> =20
modules.</DIV><BR& amp;gt;> =20
=3D
>><DIV><FONT=3D20
> =
face=3D3D3D3DArial=20
size=3D3D3D3D2>This is the same symptom=20
=3D
 >before
=3D3D
& gt;I=3D20
> =20
=3D3D3D
> >repaired one =
of=3D3D3D20
> =20
>my =3D
>mecs with=3D20
> =20
a</DIV>
 > =20

><DIV><FONT=3D20
> face=3D3D3D3DArial =
size=3D3D3D3D2><new=20
chip. The clock light =3D
>=3D3D3D
> =
=3D20
> =20
>continues to flash=3D3D3D20
> >too. Never=20
locks=3D20
> =
in.</DIV><BR&g t> =20
><DIV><FONT=3D20
> face=3D3D3D3DArial=20
size=3D3D3D3D2> =3D
></DIV>
>=20
=3D20
> ><DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2><l=20
am using =3D
>the simplest=3D20
> setup=20

=3D3D
>can =3D3D3D
> =
>imagine=20
=3D
>and=3D3D3D20
> =3D20
> >still =
it's not=20
working.</DIV><BR& amp>> =3D20
> =20
><DIV>Mike A.=20
=3D
>suggested the=3D20
> .ini=20
file
=3D3D
>=3D3D3D
> >to =
make=20
=3D
>sure=3D3D3D20
> =3D20
> >card A =
is 0. I'll try=20
that.</DIV><BR& amp ;gt;> =
=3D
>
> =20
><DIV>Pretty =
sure=20
=3D
>it's right=3D20
> but who=20
=3D3D
>=3D3D3D
& amp ;gt; =3D20
> =20
>knows?</DIV>& lt;BR>> =20
=3D
>><DIV><FONT=3D20
> =
face=3D3D3D3DArial=20
=
=3D
 >size=3D3D3D3D2>Thanks,&a mp</DIV>
&g=
t;=20
=3D20
> ><DIV><FONT =
face=3D3D3D3DArial=3D20
> =20
size=3D3D3D3D2>Tom</DIV&a mp>
> =
=3D20
> =20
><DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>=20
=3D
>
> </DIV>
> =20
><DIV><FONT face=3D3D3D3DArial=3D20
> =20
size=3D3D3D3D2> </DIV>
> =20
=3D
>><DIV>=3D20
> =
</DIV>
> =20
><DIV> </DIV>
> =3D20
> =
><DIV>=20

</DIV>
 =
<DIV>"rick"=3D20
 =20
<<A=3D3D3D20
 p; =
<href=3D3D3D3D"<A=3D20
 =20
=
=3D
<href=3D3D'mailto:parnell68@hotmail.com"<parnell68@hotmail.c=
om</A'<mailto:pa=3D
<rnell68@hotmail.com"<parnell68@hotmail=
l.com</A</A<<=3D20
< =20
=3D3D
<=3D3D3D
<& amp ;< <wrote=20
in=3D3D3D20
< =
=3D
<<message=3D20
< =20
<A=3D3D3D20
< =20
=3D3D
<<href=3D3D3D3D"<A=3D20
< =20
=
=3D
<href=3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com"<=
news:inqgh393'<n=3D
<ews:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.=
com"<news:inqgh393</A<=3D3D<B=3D
<R<<an5=3D3D3D<=
t;BR<<=20
=3D20
< =20
=
=3D
<<s4m99qcaojn09vn112t4u6r@4ax.com</A<...</DIV><=<=
t;BR<<=20
=3D
<=3D20
< =
<<BLOCKQUOTE=3D3D3D20
<< < =20
=3D
<<style=3D3D3D3D"PADDING-RIGHT: 0px;=3D20
< =
PADDING-LEFT: =20
5px; MARGIN-LEFT: 5px; =3D3D
<=3D3D3D
<& amp ;< =
=3D20
< =20
<BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =20
=3D
<0px"<i=3D3D3D20
<< =3D20
< =
< know this=20
as dumb as it gets but the bnc is attached in=3D20
< =20
the=3D3D3D20
<< < =20
=
=3D
 <right
<order...right?<BR< all=3D20
< =
the cards=20
show up in paris with =
the
=3D3D
<=3D3D3D& amp ;
<<=20
=3D20
< <single=3D3D3D20
<< < =

mec?
<how many i/o =3D
<cards in=3D20
< each =

mec?
<
<
<On Fri, 19 Oct=3D20
< =20
=3D3D
<<2007
<< < =
=3D3D3D
<< =20
<
<< =3D
<< =3D20
< 00:22:39 =
-0400, "Tom=20
Bruhl" <<A=3D3D3D20
<< p; < =3D20
< =

=3D3D3D
> =&20
=&20
>><A>=&20
> =&20
=
=&20
><A>=&20'mailto:arpegio@comcast.net'>arpegio@comcast.net<=
t;/A>>
wrote >ma=&20
<mailto:arpegio@comcast.net'>=
;arpegio@comcast.net>
w=&20
>rote:=&20=
3D
>=&203D3D3D
> ;&20
=&20
> =
>

>I=&203D3D3D 20
> =&20
> thought =&20
>I was=&20
> groovin' but =
once the=&20
second Mec was =&203D3D3D
> =&20
> =&20
>introduced
>the=&203D3D3D20& ;lt;BR>> =
> system=&20
=&20
>stopped.=&20
> That was a few weeks=&20
ago.
>
>Toda y I =
=&20
>=&203D3D3D
>=&20
=&20
> >tried=&203D3D3D20
> > =
different=&20
cables, eds cards, =&20
>mecs,=&20
> eliminated the =
magma=&20
=&203D3D3D
> =
>&and
>still=&20
> =&20
no=&203D3D3D20
> > clock lock or modules =
showing up in=&20
=&20
>the paris=&20
> =&203D3D3D
> =
=&20
> =&20
=
>patchbay.
>
 ;>This=&203D3D3D20
> =
=&20
=&20
>=&20
> means to me software unless =
someone tells me=&20
=&203D3D3D
>=&20
> =&20
=
>differently.
>
& ;>I=&203D3D3D20
> =
=&20
=&20
>=&20
> have a new C drive which I will =
load XP and no=&20
pace. Any=&20
> other=&203D3D3D20
> >=&20
=&20
> =

>suggestions?
& ;
>More=&20
frustrated =&20
>than=&20
> =
my=&203D3D3D20
> >=&20
=&20
> =&20
=
=&20
 >clients,
>Tom
 >
>
=&20
;>
=&20
>
>I=&20
> =&20

choose =3D3D3D
> =
>Polesoft=3D3D3D20
> ;=20
=3D
>> Lockspam=3D20
> to fight spam,=20
and=3D3D3D20
> > =3D20
> =20
you?
>http://www.polesoft.com/refer.html=20
=3D
>=3D3D3D20
> =3D20
> =20
=
=3D
 >>
</BLOCKQUOTE> ;</BODY></HTML><=20

>=20
=3D
>=3D20
> >
> =20
>
>
>
><DOCTYPE HTML=20
=3D
>PUBLIC=3D20
> ; "-//W3C//DTD HTML =
4.0=3D20
> =20
=
Transitional//EN" >
><HTML><HEAD>
>=
<META=3D20
> =20
http-equiv=3D3D3DContent-Type =
content=3D3D3D"text/html;=3D20
> =20
=3D3D
> charset=3D3D3Diso-8859-1">
><META =
=3D
>content=3D3D3D"MSHTML=3D20
> =
6.00.2800.1400"=3D20
> =20
=
=3D
 >name=3D3D3DGENERATOR>
> ><STYLE></STYLE&=20
>
></HEA=3D
 >D>
><BODY=3D20
&=20
> =20
bgColor=3D3D3D#ffffff>
><DIV><FONT=20
face=3D3D3DArial=3D20
> =
size=3D3D3D2>Thanks=3D20
> =20
Dimitrios.</DIV>
><DIV><FONT=20
=3D
>face=3D3D3DArial=3D20
> =
size=3D3D3D2>=20
</DIV>
><DIV><FONT=20
=3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>Mike =
said the same=20
thing. Is the =3D3D
>ini in =
=3D
>
> =20
the=3D3D20
>Paris folde or system=3D20
> =20
32?</DIV>
><DIV><FONT =
face=3D3D3DArial=20
=3D
>
> size=3D3D3D2>Do I want the Master card to =
be=20
=3D
 >0=3D3D20
>absolutely? sp; =
l=3D20
> only have=20
one card</DIV>
><DIV><FONT=20
=3D
>
> face=3D3D3DArial size=3D3D3D2>in there =
right now and=20
it's all=3D20
> =20

freaky
=3D3D
>just= 3D20
> =20
=
=3D
 >the=3D3D20
>>same.
/FO NT
></DIV
>
g=
></DIV
></FONT=3D
>=3D20
> =20
face=3D3D3DArial=3D20
> =20
=
size=3D3D3D2
Tom
/FONT
></DIV& ;>
></DIV
><=
FONT=3D20
> =20
face=3D3D3DArial size=3D3D3D2
>=20
=
=3D
 ></DIV
>
></DIV
></FONT=3D20
> =
p;=20
face=3D3D3DArial size=3D3D3D2
>=20
=
=3D
 ></DIV
>
></DIV
></FONT=3D20
> =
p;=20
face=3D3D3DArial size=3D3D3D2
>=3D20
> =20
=
=3D
 ></DIV
>
></BLOCKQUOTE=3D3D20
>>s=
tyle=3D3D3D"PADDING-RIGHT: =20
=3D
>0px;=3D20
> PADDING-LEFT: 5px; MARGIN-LEFT: =
5px;=20
=3D3D
>>BORDER-LEFT: #000000 =3D
>2px =
solid;=3D20
> =20
MARGIN-RIGHT: 0px">
> =20
</DIV
"Dimitrios"=3D20
> =
</A=3D3D20
> =20
href=3D3D3D"</A=3D20
> =20
=
=3D
>href=3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr
=
</A'>mailto:musurgio=3D
>@otenet.gr">musurgio@otenet.gr
</A=>=3D20
> =20
wrote in =3D3D
>message=3D3D20
> </A=20
=3D
>=3D3D
>href=3D3D3D"</A=3D20
> =20
=
=3D
>href=3D3D'news:471a0486\$1@linux">news:471a0486\$1@linux
...</DIV
>
>Hi'> ;=3D
>news:471a0486\$1@linux">=
;news:471a0486\$1@linux
...</DIV
>&=3D
>lt;br>>H=
i
/A
</BR
=3D3D
>>Tom=3D3D20
>>=20
=3D20
> </A href=3D3D"</A=20
=
href=3D'mailto:!!@
Sorry">!!@
Sorry</A'>mailto:!!@
Sorry ">=
!!@
Sorry
</A>=20
to hear you still =3D
>having=3D20
> problems like =
this=20
~!!
>Must=20
=3D
 >be
=3D3D
>>v ery=3D3D20
>>=20
=3D20
> frustrating.
>Open the Paris ini file and =

there=20
change the=3D20
> =20
=3D3D
>mastercardoutput=3D3D20&l t;BR>> with =
your=20
=3D
>other
cards and=3D20
> see what =
happens=20
!!
Let me=3D3D20
> =3D20
> =20
know.
Regards,
Dimitrios&a mp;lt;BR>
 "Tom=20
=3D
>Bruhl"=3D20
> =
<<A=3D3D20
> =20
href=3D3D3D"<A=3D20
> =20
=
=3D
>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net&l=
t;/A>>=3D3D20'>mailto=3D
>:arpegio@comcast.net">arpegio=
@comcast.net>=3D3D20</A& gt;
&g=3D
>t; =

=3D20
> =20
wrote:
>
>&a mp;lt;BR>>Rick,
>1=20
=3D
>mec, no=3D20
> BNC =
=3D3D
>involved. =20
Paris=3D3D20
> boots up so =3D
>the 1 =
mec=3D20
> =20
that
>I'm using shows up but never any A =
=3D3D
>to=20
Ds=3D20
> or=3D3D20
> any installed=20
modules.
>This is the =3D
>same=3D20
> =
symptom=20
before I =3D3D
>repaired one=3D3D20
> of =
my mecs=20
=3D
>with=3D20
> a
>new chip. The =
clock light=20
continues to=3D20
> =
=3D3D
>flash=3D3D20
 > =20
too. Never locks=3D20
> =
in.
>
>I am=20
using the simplest =3D
>=3D3D
>setup =
l=3D20
> =20
can=3D3D20
> imagine and still it's not=20
=3D
>working.
>Mike A.=3D20
> =
suggested the=20
=3D3D
>.ini=3D3D20
 > file to make =
=3D
>sure card=20
A is=3D20
> 0. I'll try=3D20
> =20
=
=3D
 >=3D3D
>=3D3D3D<BR& ;>>that.
>Pre=
tty=3D3D20
>=20
=3D
>; sure it's=3D20
> right but =
who=3D3D20
>=20

=3D20
> =20
=
=3D
 >=3D3D
>knows?<BR& gt;>Thanks,
>To=
m
><=3D
 >BR>>
>< BR>><B=
R>><=3D3D
>BR&a mp;gt;=3D
>>"rick"=3D3D20<BR&=
gt;>=20
=3D20
> <<A =
=3D3D
>href=3D3D3D"<A=3D20
> =20
=
=3D
>href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.c=
om</A'>mailto:pa=3D
>rnell68@hotmail.com">parnell68@hotmai=
l.com</A>>=3D20
> =20
=3D3D
>wrote=3D3D20
 > in =
message=3D3D20
>=20
=3D20
> =20
=
=3D
 >=3D3D
>=3D3D3D<BR& amp ;gt;>news:inqgh393an5s4m99q=
caojn09vn112t4u6r@4ax=3D
 >.com...
>& amp;nbs=3D3D&a mp;lt;BR&=
gt;>p;=3D20
> =20
i=3D3D20
> know this as dumb as it gets but the bnc =
is=20
=3D
>attached in=3D20
> =
the=3D3D20
> =20
right
> =3D20
> =
order...right?
> all=20
the cards show up=3D20
> =20
=3D3D
>in=3D3D20
&a mp;gt; paris with the single =

=3D
>mec?
> =3D20
> how many i/o cards =
in=20
each=3D3D20
> =3D20
> =20
mec?
>
>& amp ;lt;BR>> On Fri, 19 Oct=20
=3D
>2007=3D20
> 00:22:39 -0400,=20
=3D3D
>"Tom=3D3D20
> =
Bruhl"=3D20
> =20
<<A=3D3D20
> =20
=3D3D
>href=3D3D3D"<A=3D20
> =20
=
=3D
>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net&l=
t;/A>>
>& amp;n'&am p;gt;=3D
>mailto:arpegio@comcast.ne=
t">arpegio@comcast.net>
=3D
>>& amp;n&l=
t;/A>=3D3D
>bsp;=3D3D20&l t;BR>>=20
=3D20
> wrote:
>
>&a mp;nbsp; >l =
thought I was=20
groovin' =3D
>but once=3D20
> the=20
=3D3D
>second=3D3D20<BR&g t;> Mec was=20
=3D
>introduced
> =3D20
> >the system =

3D20
>=20
=3D20
> face=3D3D3D3DArial=3D3D20
> > =
=3D20
> =20
=
=3D
 >size=3D3D3D3D2>Tom&l t;/DIV>
>&l=
t;/DIV><=3D
>FONT=3D3D20
>>=20
=3D20
> face=3D3D3D3DArial=20
size=3D3D3D3D2>=3D20
> =20
=
=3D
 >=3D3D
></DIV>& amp;lt;BR>><DIV><FO=
NT=3D3D20
>& & nbs=3D
>p;=3D20
> =20
face=3D3D3D3DArial size=3D3D3D3D2>=3D20
> =20
=
=3D3D
></DIV><B R>><DIV>=3D3D20
> ;=
>=20
=3D20
> =
</DIV>
><DIV&am p;gt;=3D20
> =20
</DIV>
><DIV&am p;gt;=3D3D20
>> =
=3D20
> =20
</DIV>
><DIV&am p;gt; "rick"=3D20
> =20
=
=3D
 >=3D3D
><<A=3D3 D3D20
>>href=3D3D3D=
3D"<A=3D3D20
>>& n=3D
 >bsp;=3D20
> =20
=
=3D
>=3D3D
>href=3D3D3D'mailto:parnell68@hotmail.com"&g=
t;parnell68@hotmail.c=3D
 >om</A'>mailto:pa=3D3D
 >=>=
rnell68@hotmail.com">parnell68@hotmail=3D
>.com</A&=&
gt;>=3D3D20
>>=20
=3D20
> =3D3D3D
>wrote=20
in=3D3D3D20
>>message=3D20
> =20
<A=3D3D3D20
>>href=3D3D3D3D"<A =
=3D3D
>
>=20
=3D20
> =20
=
=3D
 >=3D3D
>href=3D3D3D'news:inqg h393an5s4m99qcaojn09vn=
112t4u6r@4ax.com">=3D
 >news:inqgh393an5=3D3D
>'& >n=
ews:inqgh393an5s4m99qcaojn09vn112t4u6r@4=3D
>ax.com">news:inqgh3=
93an5</A=3D3D
>>=3D3D3 D
>s4m99q=3D
>c=
aojn09vn112t4u6r@4ax.com ...</DIV>
& amp;=3D3D<=
BR>&=3D
 >gt;gt;<BLOCKQUOTE=3D3D3D20
>& amp;gt;style=3D=
3D3D3D"PADDING-RIGHT:=3D3D20=3D
>
>=20
=3D20
> 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px;=20
=3D
>=3D3D3D
>BORDER-LEFT:=3D20
> =20
=3D3D
>#000000 2px=3D3D20
>> solid;=20
MARGIN-RIGHT:=3D20
> =
0px">i=3D3D3D20
>> know this=20
as dumb as =3D
>=3D3D
>it=3D20
> =20
gets=3D3D20
>> but the bnc is attached in=20

=3D
 >=3D3D
>=3D3D3D<BR& ;gt;>patchbay.
>=
;
>This=3D3D=3D
>3D20
>=20
=3D20
> =3D3D
>means =
to=3D3D20
> =20
software unless someone =3D
>tells=3D20
> =
me=3D3D20
>=20
=3D20
> =20
=
=3D
 >=3D3D
>=3D3D3D<BR& ;gt;>differently.
=
>
>l=3D3D=3D
>3D20
>=20
=3D20
> =3D3D
>have a =
new=3D3D20
> C drive=20
which I will load XP =3D
>and no pace.=3D20
> Any=20
other=3D3D3D20
> =3D3D
>
>=20
=3D20
> =

>suggestions?
& ;gt;
>More=20
frustrated=3D20
> =
=3D3D
>than=3D3D20
 > =20
my=3D3D3D20
> =3D
>=3D3D20
> =
=3D20
> =20
=
=3D
 >=3D3D
>clients,<BR&am p;gt;>Tom
>
>
=3D
 >>
=3D3D
>&a mp;gt;>
>l=3D3D20
>=20
=3D20
> choose=20
=3D3D3D
>Polesoft=3D3D3D20
> Lockspam =
=3D
>to=20
fight=3D20
> spam,=3D3D20
> =
and=3D3D3D20
>=20
=3D20
> =20
=
=3D
 >=3D3D
>you?
 ;>http://www.polesoft.com/r=
efer.html=3D3D20
&=3D
>gt;=20
=3D20
> =20
=
=3D
 >=3D3D
>=3D3D3D20<BR&a mp;gt;>
</BLOCK=
QUOTE></BODY>=3D
 ></HTML>
&=3D 3D<BR=
>>
><BR& gt;</B=3D
>LOCKQUOTE></BOD=
Y></HTML>
>& ;lt;BR>>
</BLOCKQUOTE& amp;g=
t;<=3D
>/BODY></HTML>
>
>
</BLOCKQUOTE><=
/BODY></HTML>

-----=_NextPart_000_0143_01C813F2.BC71D810--

Subject: Re: Paris saga
Posted by [mike audet\[1\]](#) on Sun, 21 Oct 2007 21:58:15 GMT

Hi Tom,

I have an idea.

Try removing UseHouseSync=1 from the paris.cfg file.

Next, remove your default project from the program files\emu\paris pro folder.

Let me know if it makes a difference.

Good luck!

Mike

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>Mike,

>I used to use a Lucid but since all of this mess I stopped.

>I'm trying to get stable from square one with the least amount=20

>of hardware. I am using the default project for sure. The only=20

>other thing that I still question is my move of Paris to C:ParisPro .

>I should think the default project will either work or not. Maybe

>configs or something else is fighting during Paris startup?

>

>Pats 42 - Miami 7 . . . Halftime and the games over.

>Tom

>

>

>

> "Mike Audet" <mike@....> wrote in message news:471b6eb0\$1@linux...

>

> Hi Tom,

>

> Are you using a default project with PARIS? I'm so sorry of this has

=

>been

> asked and answered already. If so, perhaps it is telling card zero to

=

>lock

> to an external clock, which it can't because there isn't one.

>

> It would be interesting to attach an external clock source to the MEC

=

>and

> then start PARIS to see how it behaves. Or, if the clock generator is

=
>fried,
> tell paris to lock externally and see what happens when an external =
>clock
> source is applied.
>
> Isn't there a master house synch switch in the cfg file? I've never =
>used
> it. Maybe DJ could help with what that should/shouldn't be set to.
>
> Wish I could do more than think out loud...
>
> Mike
>
> "Tom Bruhl" <arpeggio@comcast.net> wrote:
> >
> >
> >Hi Mike,
> >Well I've been to .cfg many a time.
> >I've seen that Mastercard setting as being 0
> >but maybe it changed after removing the 4 other
> >eds cards for this round of testing.
> >
> >If it's still 0 what else could this be? Busted mobo?
> >I'm really in an idunno place right now. I'll be checking
> >seriously today again because of a session tomorrow morning.
> >Tom
> >
> >
> > "Mike Audet" <mike@....> wrote in message news:471b2ec2\$1@linux...
> >
> > Hi Tom,
> >
> > If you've only got one card in, then the Mastercard =3D3D 0 setting
=
>is =3D
> >right.
> > The file is Paris.cfg, and it lives in the c:\program =
>files\Emu\PARIS
> =3D
> >PRO
> > folder.
> >
> > I'd still check it out to see what it is set to.
> >
> > If it is wrong, what you are describing will happen.
> >
> > Good luck!

> >
> > Mike
> >
> > "Tom Bruhl" <arpeggio@comcast.net> wrote:
> > >
> > >
> > >Thanks Dimitrios.
> > >
> > >Mike said the same thing. Is the ini in the Paris folde or system
=
>=3D
> >32?
> > >Do I want the Master card to be 0 absolutely? I only have one =
>card
> > >in there right now and it's all freaky just the same.
> > >Tom
> > >
> > >
> > >
> > > "Dimitrios" <musurgio@otenet.gr> wrote in message =3D3D
> > >news:471a0486\$1 @linux...
> > >
> > > Hi Tom !@
> > > Sorry to hear you still having problems like this ~!!
> > > Must be very frustrating.
> > > Open the Paris ini file and there change the mastercardoutput =
>with
> =3D
> >=3D3D
> > >your other
> > > cards and see what happens !!
> > > Let me know.
> > > Regards,
> > > Dimitrios
> > >
> > > "Tom Bruhl" <arpeggio@comcast.net> wrote:
> > > >
> > > >
> > > >Rick,
> > > >1 mec, no BNC involved. Paris boots up so the 1 mec that
> > > >I'm using shows up but never any A to Ds or any installed =
>modules.
> > > >This is the same symptom before I repaired one of my mecs with
=
>a
> > > >new chip. The clock light continues to flash too. Never locks
=
>=3D

> >in.
> > > >
> > > >I am using the simplest setup I can imagine and still it's not
=
>=3D3D
> > >working.
> > > >Mike A. suggested the .ini file to make sure card A is 0. =
>I'll =3D
> >try
> > =3D3D
> > >=3D3D3D
> > > >that.
> > > >Pretty sure it's right but who knows?
> > > >Thanks,
> > > >Tom
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >"rick" <parnell68@hotmail.com> wrote in message =3D3D3D
> > > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> > > > i know this as dumb as it gets but the bnc is attached in the
=
>=3D
> >right
> > > > order...right?
> > > > all the cards show up in paris with the single mec?
> > > > how many i/o cards in each mec?
> > > >
> > > >
> > > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D3D
> > ><arpeggio@comcast.net>
> > > > wrote:
> > > >
> > > > >I thought I was groovin' but once the second Mec was =
>introduced
> > > > >the system stopped. That was a few weeks ago.
> > > > >
> > > > >Today I tried different cables, eds cards, mecs, eliminated
=
>the
> =3D
> >=3D3D
> > >magma
> > > =3D3D3D3D
> > > >and
> > > > >still no clock lock or modules showing up in the paris =3D

> >patchbay.
> > > >
> > > > This means to me software unless someone tells me =
> differently.
> > > >
> > > > I have a new C drive which I will load XP and no pace. Any
=
> =3D3D
> > > other=3D3D3D20
> > > > suggestions?
> > > >
> > > > More frustrated than my clients,
> > > > Tom
> > > >
> > > >
> > > >
> > > >
> > > > I choose Polesoft Lockspam to fight spam, and you?
> > > > http://www.polesoft.com/refer.html =3D3D3D20
> > > >
> > > >
> > > > <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> > > > <HTML><HEAD>
> > > > <META http-equiv=3D3D3D3DContent-Type =
> content=3D3D3D3D"text/html; =3D
> =3D3D3D3D
> > > > charset=3D3D3D3Diso-8859-1">
> > > > <META content=3D3D3D3D"MSHTML 6.00.2800.1400" =
> name=3D3D3D3DGENERATOR>
> > > > <STYLE></STYLE>
> > > > </HEAD>
> > > > <BODY bgColor=3D3D3D3D#ffffff>
> > > > <DIV>Rick,</DIV>
> > > > <DIV>1 mec, no BNC =
> involved. =3D
> > Paris =3D3D
> > =3D3D3D
> > > boots up so the=3D3D3D20
> > > > 1 mec that</DIV>
> > > > <DIV>I'm using shows up
=
> but =3D
> > never any
> > =3D3D
> > > A to =3D3D3D
> > > > Ds or any=3D3D3D20
> > > > installed modules.</DIV>
> > > > <DIV>This is the same =

```

>symptom
> =3D
> >before
> > =3D3D
> > >I =3D3D3D
> > > >repaired one of=3D3D3D20
> > > >my mecs with a</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>new chip. The =
>clock light
> =3D
> >=3D3D3D
> > > >continues to flash=3D3D3D20
> > > >too. Never locks in.</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>I am using the =
>simplest =3D
> >setup I
> > =3D3D
> > >can =3D3D3D
> > > >imagine and=3D3D3D20
> > > >still it's not working.</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Mike A. suggested
=
>the =3D
> >.ini file
> > =3D3D
> > >=3D3D3D
> > > >to make sure=3D3D3D20
> > > >card A is 0. I'll try that.</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Pretty sure it's =
>right =3D
> >but who =3D3D
> > >=3D3D3D
> > > >knows?</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3DArial =
>size=3D3D3D3D2>Thanks,</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Tom</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > > ><DIV> </DIV>
> > > ><DIV> </DIV>
> > > ><DIV> </DIV>
> > > ><DIV>"rick" <<A=3D3D3D20
> > > =3D
> =
>>>href=3D3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com</A>>
=
>=3D

```


> >=3D3D
> > >=3D3D3D
> > > >wrote in=3D3D3D20
> > > >message <A=3D3D3D20
> > > =3D3D
> > =3D
> =
>>>>href=3D3D3D3D"news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in=
>qgh=3D
> >393=3D3D
> > >an5=3D3D3D
> > > >s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> > > ><BLOCKQUOTE=3D3D3D20
> > > >style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
>MARGIN-LEFT: =3D
> >5px; =3D3D
> > >=3D3D3D
> > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">i=3D3D3D20
> > > > know this as dumb as it gets but the bnc is attached in =3D
> >the=3D3D3D20
> > > > right
order...right?
all the cards show up in paris =
>with =3D
> >the
> > =3D3D
> > >=3D3D3D
> > > >single=3D3D3D20
> > > > mec?
how many i/o cards in each mec?

On Fri, 19
=
>=3D
> >Oct =3D3D
> > >2007
> > > =3D3D3D
> > > >
> > > > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D20
> > > > =3D3D3D
> > > =3D3D
> > =3D
> =
>>>>href=3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
=
>wro=3D
> >te:=3D3D
> > >=3D3D3D
> > > >

>I=3D3D3D20
> > > > thought I was groovin' but once the second Mec was =3D3D3D
> > > >introduced
>the=3D3D3D20
> > > > system stopped. That was a few weeks ago.
>
>Today I =
>=3D3D3D
> > > >tried=3D3D3D20

```

> > > > different cables, eds cards, mecs, eliminated the magma =
>=3D3D3D
> > > >and<BR>>still no=3D3D3D20
> > > > clock lock or modules showing up in the paris =3D3D3D
> > > >patchbay.<BR>><BR>>This=3D3D3D20
> > > > means to me software unless someone tells me =3D3D3D
> > > >differently.<BR>><BR>>I=3D3D3D20
> > > > have a new C drive which I will load XP and no pace. Any =3D
> >other=3D3D3D20
> > > > <BR>>suggestions?<BR>><BR>>More frustrated than my=3D3D3D20
> > > > clients,<BR>>Tom<BR>><BR>><BR>><BR>><BR>>I choose =3D3D3D
> > > >Polesoft=3D3D3D20
> > > > Lockspam to fight spam, and=3D3D3D20
> > > > you?<BR>>http://www.polesoft.com/refer.html =3D3D3D20
> > > ><BR></BLOCKQUOTE></BODY></HTML>
> > > >
> > > >
> > > >
> > > >
> > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> > ><HTML><HEAD>
> > ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =
>=3D3D
> > > charset=3D3D3Diso-8859-1">
> > ><META content=3D3D3D"MSHTML 6.00.2800.1400" name=3D3D3DGENERATOR>
> > ><STYLE></STYLE>
> > ></HEAD>
> > ><BODY bgColor=3D3D3D#ffffff>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Thanks =
>Dimitrios.</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Mike said the same thing.
=
> ls =3D
> >the =3D3D
> > >ini in the=3D3D20
> > >Paris folde or system 32?</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Do I want the Master card
=
>to be
> =3D
> >0=3D3D20
> > >absolutely? I only have one card</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>in there right now and =
>it's all
> =3D
> >freaky
> > =3D3D

```

```

> > >just the=3D3D20
> > >same.</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Tom</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> > ><BLOCKQUOTE=3D3D20
> > >style=3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
>5px; =3D
> >=3D3D
> > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > > <DIV>"Dimitrios" <<A=3D3D20
> > > href=3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>> =
>wrote
> =3D
> >in =3D3D
> > >message=3D3D20
> > > <A =3D3D
> > =3D
> =
>>>href=3D3D3D"news:471a0486$1 @linux">news:471a0486$1 @linux</A>...</DIV><B=
>R>H=3D
> >i
> > =3D3D
> > >Tom=3D3D20
> > > !@<BR>Sorry to hear you still having problems like this =
>~!!<BR>Must
> =3D
> >be
> > =3D3D
> > >very=3D3D20
> > > frustrating.<BR>Open the Paris ini file and there change the =
>=3D3D
> > >mastercardoutput=3D3D20
> > > with your other<BR>cards and see what happens !!<BR>Let =
>me=3D3D20
> > > know.<BR>Regards,<BR>Dimitrios<BR><BR>"Tom Bruhl" <<A=3D3D20
> > > =
>href=3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>>=3D3D20
> > > wrote:<BR>><BR>><BR>>Rick,<BR>>1 mec, no BNC =3D3D
> > >involved. Paris=3D3D20
> > > boots up so the 1 mec that<BR>>>l'm using shows up but never any
=
>A =3D
> >=3D3D
> > >to Ds or=3D3D20
> > > any installed modules.<BR>>>This is the same symptom before I =
>=3D3D

```


> > >was a few=3D3D20
 > > > weeks ago.
> >
> >Today I tried =3D3D
 > > >different=3D3D20
 > > > cables, eds cards, mecs, eliminated the =3D3D
 > > >magma
=3D3D3D
>and
> =3D3D20
 > > >still no clock lock or modules showing up in the paris=3D3D20
 > > > patchbay.
> >
> >This means to me =3D3D
 > > >software=3D3D20
 > > > unless someone tells me differently.
> >
> =3D3D
 > > >>I=3D3D20
 > > > have a new C drive which I will load XP and no pace. Any=3D3D20
 > > > other=3D3D3D20
> >suggestions?
> =3D3D
 > > >>
> =3D3D20
 > > > >More frustrated than my clients,
> =3D3D
 > > >>Tom
> =3D3D20
 > > > >
> >
> >
> =3D3D
 > > >>
> =3D3D20
 > > > >I choose Polesoft Lockspam to fight spam, and you?
> =3D3D20
 > > > >http://www.polesoft.com/refer.html =3D3D20
 > > > =3D3D3D20
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD =3D3D
 > > >HTML 4.0=3D3D20
 > > > Transitional//EN">
><HTML><HEAD>
><META=3D3D20
 > > > http-equiv=3D3D3D3DContent-Type =
 > > >content=3D3D3D3D"text/html;=3D3D20
 > > > =3D3D3D
>charset=3D3D3D3Diso-8859-1">
><META =3D3D
 > > >content=3D3D3D3D"MSHTML=3D3D20
 > > > 6.00.2800.1400"=3D3D20
 > > > =3D3D
 > > >name=3D3D3D3DGENERATOR>
><STYLE></STYLE>
></HEA=3D3D
 > > >D>
><BODY=3D3D20
 > > > bgColor=3D3D3D3D#ffffff>
><DIV><FONT =
 > > >face=3D3D3D3DArial=3D3D20
 > > > =3D3D
 > > >size=3D3D3D3D2>Rick,</DIV>
><DIV><FONT=3D3D20
 > > > face=3D3D3D3DArial size=3D3D3D3D2>1 mec, no BNC involved. Paris
 =
 >=3D3D
 > > >=3D3D3D
>boots up so=3D3D20
 > > > the=3D3D3D20
>1 mec =3D3D
 > > >that</DIV>
><DIV><FONT=3D3D20
 > > > face=3D3D3D3DArial size=3D3D3D3D2>I'm using shows up but never =
 >any A to
 > =3D
 > >=3D3D
 > > >=3D3D3D
>Ds or=3D3D20
 > > > any=3D3D3D20
>installed=3D3D20
 > > > modules.</DIV>
><DIV><FONT =3D3D
 > > >face=3D3D3D3DArial=3D3D20

```

> > > size=3D3D3D2>This is the same symptom before I =
>=3D3D3D<BR>>repaired =3D
> >=3D3D
> > >one=3D3D20
> > > of=3D3D3D20<BR>>my mecs with=3D3D20
> > > a</FONT></DIV><BR>><DIV><FONT face=3D3D3D3DArial=3D3D20
> > > size=3D3D3D3D2>new chip. The clock light =3D3D3D<BR>>continues =
>to=3D3D20
> > > flash=3D3D3D20<BR>>too. Never locks=3D3D20
> > > in.</FONT></DIV><BR>><DIV><FONT face=3D3D3D3DArial =3D3D
> > >
> > > size=3D3D3D3D2></FONT> </DIV><BR>><DIV><FONT =3D3D
> > >face=3D3D3D3DArial=3D3D20
> > > size=3D3D3D3D2>I am using the simplest setup I can =3D
> >=3D3D3D<BR>>imagine=3D3D20
> > > and=3D3D3D20<BR>>still it's not=3D3D20
> > > working.</FONT></DIV><BR>><DIV><FONT =3D3D
> > >face=3D3D3D3DArial=3D3D20
> > > size=3D3D3D3D2>Mike A. suggested the .ini file =3D3D3D<BR>>to =
>make=3D3D20
> > > sure=3D3D3D20<BR>>card A is 0. I'll try=3D3D20
> > > that.</FONT></DIV><BR>><DIV><FONT =3D3D
> > >face=3D3D3D3DArial=3D3D20
> > > size=3D3D3D3D2>Pretty sure it's right but who=3D3D20
> > > =3D3D3D<BR>>knows?</FONT></DIV><BR>><DIV><FONT=3D3D20
> > > face=3D3D3D3DArial=3D3D20
> > > =3D3D
> > >size=3D3D3D3D2>Thanks,</FONT></DIV><BR>><DIV><FONT=3D3D
> > >=3D3D20
> > > face=3D3D3D3DArial=3D3D20
> > > size=3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D3D20
> > > face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D3D
> > ></DIV><BR>><DIV><FONT=3D3D20
> > > face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D3D
> > ></DIV><BR>><DIV>=3D3D20
> > > </DIV><BR>><DIV> </DIV><BR>><DIV>=3D3D20
> > > </DIV><BR>><DIV>"rick" =3D3D
> > ><<A=3D3D3D20<BR>>href=3D3D3D3D"<A=3D3D20
> > > =3D3D
> > =3D
> =
>>>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mai=
>lto=3D
> >:pa=3D3D
> > >rnell68@hotmail.com">parnell68@hotmail.com</A</A>>=3D3D20
> > > =3D3D3D<BR>>wrote in=3D3D3D20<BR>>message =
><A=3D3D3D20<BR>>href=3D3D3D3D"<A
> =3D

```

> >=3D3D
> > >
> > > =3D3D
> > =3D
> =
>>>href=3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh=
>393=3D
> >an5=3D3D
> > =3D
> =
>>>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393an5</A=3D=
>3D=3D
> >
> > =
>>>=3D3D3D
>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
&=3D3D
> > >gt;<BLOCKQUOTE=3D3D3D20
>style=3D3D3D3D"PADDING-RIGHT:=3D3D20
> > > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>=3D3D3D
>BORDER-LEFT: =3D
> >=3D3D
> > >#000000 2px=3D3D20
> > > solid; MARGIN-RIGHT: 0px">i=3D3D3D20
> know this as dumb as
=
>=3D3D
> > >it gets=3D3D20
> > > but the bnc is attached in the=3D3D3D20
> =3D3D20
> > > right
order...right?
all the cards show up in paris =3D3D
> > >with the=3D3D20
> > > =3D3D3D
>single=3D3D3D20
> mec?
how many i/o cards =
>=3D3D
> > >in each=3D3D20
> > > mec?

On Fri, 19 Oct=3D3D20
> > > 2007
=3D3D3D
>
> 00:22:39 -0400, "Tom Bruhl"=3D3D20
> > > <<A=3D3D3D20
> =3D3D3D
>href=3D3D3D3D"<A=3D3D20
> > > =3D3D
> > =3D
> =
>>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
wro=
>te'=3D
> >>ma=3D3D
> > >ilto:arpegio@comcast.net">arpegio@comcast.net>
w=3D3D
> > >rote:=3D3D3D
>

>I=3D3D3D20
> =3D3D20
> > > thought I was groovin' but once the second Mec was=3D3D20
> > > =3D3D3D
>introduced
>the=3D3D3D20
> system =3D3D
> > >stopped. That was=3D3D20
> > > a few weeks ago.
>
>Today I=3D3D20
> > > =3D3D3D
>tried=3D3D3D20
> different cables, eds cards, =
>mecs, =3D3D
> > >eliminated=3D3D20


```

> > > the magma =3D3D3D<BR>>and<BR>>still no=3D3D3D20<BR>> =3D3D
> > >clock lock or=3D3D20
> > > modules showing up in the paris=3D3D20
> > > =3D3D
> > >=3D3D3D<BR>>patchbay.<BR>><BR>>This=3D3D3D20<BR>> =3D3D
> > >means to=3D3D20
> > > me software unless someone tells me=3D3D20
> > > =3D3D
> > >=3D3D3D<BR>>differently.<BR>><BR>>I=3D3D3D20<BR>> =3D3D
> > >have a new=3D3D20
> > > C drive which I will load XP and no pace. Any =
> > >other=3D3D3D20<BR>> =3D
> > >=3D3D
> > >
> > > <BR>>suggestions?<BR>><BR>>More frustrated =3D3D
> > >than=3D3D20
> > > my=3D3D3D20<BR>> =3D3D20
> > > =3D3D
> > >clients,<BR>>Tom<BR>><BR>><BR>><BR>><BR>>=3D3D
> > >><BR>>I=3D3D20
> > > choose =3D3D3D<BR>>Polesoft=3D3D3D20<BR>> Lockspam to fight =
> > >spam,=3D3D20
> > > and=3D3D3D20<BR>> =3D3D
> > >you?<BR>>http://www.polesoft.com/refer.html=3D3D20
> > > =3D3D
> > >=3D3D3D20<BR>><BR></BLOCKQUOTE></BODY></HTML><BR>&=3D3D
> > >gt;<BR>><BR></BLOCKQUOTE></BODY></HTML>
> > >
> > >
> > >
> > >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> ><HTML><HEAD>
> ><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
> > charset=3D3Diso-8859-1">
> ><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
> ><STYLE></STYLE>
> ></HEAD>
> ><BODY bgColor=3D3D#ffffff>
> ><DIV><FONT face=3D3DArial size=3D3D2>Hi Mike,</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>Well I've been to .cfg many a =
> >=3D
> >time.</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>I've seen that Mastercard =
> >setting as =3D
> >being=3D20
> >>0</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>but maybe it changed after =

```

```

>removing the
> =3D
> >4=3D20
> >other</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>eds cards for this round of =3D
> >testing.</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>If it's still 0 what else could
=
>this =3D
> >be? =3D20
> >Busted mobo?</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>I'm really in an idunno place =
>right =3D
> >now. I'll=3D20
> >be checking</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>seriously today again because of
=
>a =3D
> >session tomorrow=3D20
> >morning.</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>Tom</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> ><BLOCKQUOTE=3D20
> >style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>=3D
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > <DIV>"Mike Audet" <mike@....> wrote in message <A=3D20
> > =3D
> =
>>href=3D3D"news:471b2ec2$1 @linux">news:471b2ec2$1 @linux</A>...</DIV><BR>H=
>i=3D20
> > Tom,<BR><BR>If you've only got one card in, then the Mastercard =
>=3D3D 0
> =3D
> >setting is=3D20
> > right.<BR> The file is Paris.cfg, and it lives in the =
>c:\program=3D20
> > files\Emu\PARIS PRO<BR>folder.<BR><BR>I'd still check it out to see
=
>=3D
> >what it is=3D20
> > set to.<BR><BR>If it is wrong, what you are describing will=3D20
> > happen.<BR><BR>Good luck!<BR><BR>Mike<BR><BR>"Tom Bruhl" <<A=3D20
> > href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>>=3D20
> > wrote:<BR>><BR>><BR>>Thanks Dimitrios.<BR>><BR>>Mike =3D
> >said the=3D20

```

> > same thing. Is the ini in the Paris folde or system =3D
 > >32?
>Do I want=3D20
 > > the Master card to be 0 absolutely? I only have one =3D
 > >card
>in there=3D20
 > > right now and it's all freaky just the=3D20
 > > same.
>Tom
>
>
>
> "Dimitrios" =3D
 > ><<A=3D20
 > > href=3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr> wrote
 =
 >in =3D
 > >message=3D20
 > > =3D3D
>news:471a0486\$1@linux...
>
> Hi Tom=3D20
 > > !@
> Sorry to hear you still having problems like this=3D20
 > > ~!!
> Must be very frustrating.
> Open the =3D
 > >Paris ini=3D20
 > > file and there change the mastercardoutput with =3D3D
>your=3D20
 > > other
> cards and see what happens !!
> Let me =3D
 > >
 > > know.
> Regards,
> =3D
 > >Dimitrios
>
> =3D20
 > > "Tom Bruhl" <<A=3D20
 > > href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=3D20
 > > wrote:
> >
> >
> =3D20
 > > >Rick,
> >1 mec, no BNC involved. Paris boots =3D
 > >up so=3D20
 > > the 1 mec that
> >I'm using shows up but never any A to =3D
 > >Ds or=3D20
 > > any installed modules.
> >This is the same symptom =3D
 > >before I=3D20
 > > repaired one of my mecs with a
> >new chip. The =3D
 > >clock=3D20
 > > light continues to flash too. Never locks in.
> =3D20
 > > >
> >I am using the simplest setup I can imagine and =3D
 > >still=3D20
 > > it's not =3D3D
>working.
> >Mike A. suggested =3D
 > >the .ini=3D20
 > > file to make sure card A is 0. I'll =3D
 > >try
=3D3D
>=3D3D3D
> =3D20
 > > >that.
> >Pretty sure it's right but who=3D20
 > > knows?
> >Thanks,
> >Tom
> =3D20
 > > >
> >
> >
> =3D
 > >>
> =3D20
 > > >
> >"rick" <<A=3D20
 > > href=3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com>
 =
 >=3D
 > >wrote in=3D20
 > > message =3D3D3D
> =3D20

> > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =3D20
> > > i know this as dumb as it gets but the bnc is attached in =3D
> >the=3D20
> > right
> > order...right?
> > =3D
> >all the=3D20
> > cards show up in paris with the single mec?
> > =3D
> >how many=3D20
> > i/o cards in each mec?
> >
> =3D
> >>
> =3D20
> > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D
> >=3D3D
><<A=3D20
> > =3D
> =
>>href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=3D=
>
> >bsp;=3D20
> > > wrote:
> >
> > >I =3D
> >thought I=3D20
> > was groovin' but once the second Mec was introduced
> =3D
> >> =3D20
> > >the system stopped. That was a few weeks ago.
> =3D20
> > > >
> > >Today I tried different =3D
> >cables,=3D20
> > eds cards, mecs, eliminated the =3D3D
>magma
> =3D
> >=3D3D3D
> =3D20
> > >and
> > >still no clock lock or modules =3D
> >showing up=3D20
> > in the paris patchbay.
> > >
> =3D
> >> =3D20
> > >This means to me software unless someone tells me=3D20
> > differently.
> > >
> > =3D
> >>I have=3D20
> > a new C drive which I will load XP and no pace. Any=3D20
> > =3D3D
>other=3D3D3D20
> > =3D
> >>suggestions?
> =3D20
> > > >
> > >More frustrated than my=3D20
> > clients,
> > >Tom
> > =3D20
> > >
> > >
> > =3D
> >>
> =3D20
> > > >
> > >I choose Polesoft =3D
> >Lockspam to=3D20
> > fight spam, and you?
> > =3D20
> > >http://www.polesoft.com/refer.html =3D3D3D20
> =3D20
> > >
> >
> ><!DOCTYPE HTML PUBLIC=3D20
> > "-//W3C//DTD HTML 4.0 Transitional//EN">
> =3D20
> > ><HTML><HEAD>
> ><META=3D20
> > http-equiv=3D3D3D3DContent-Type content=3D3D3D3D"text/html; =3D
> >=3D3D3D3D
> =3D20

```

> > > charset="iso-8859-1"><BR>> ><META =3D
> > content="MSHTML=3D20
> > 6.00.2800.1400" name="GENERATOR"><BR>> =3D20
> > ><STYLE></STYLE><BR>> =3D
> >></HEAD><BR>> =3D20
> > ><BODY bgcolor="#ffffff"><BR>> =3D
> >><DIV><FONT=3D20
> > face="Arial =3D
> > size="2">Rick,</FONT></DIV><BR>> =3D20
> > ><DIV><FONT face="Arial size="2">1 mec, no BNC =3D
> > involved.=3D20
> > Paris =3D<BR>>=3D<BR>> > boots up so =3D
> > the=3D<BR>> > 1=3D20
> > mec that</FONT></DIV><BR>> =3D
> >><DIV><FONT=3D20
> > face="Arial size="2">I'm using shows up but never =3D
> > any<BR>=3D<BR>>A to=3D20
> > =3D<BR>> >Ds or any=3D<BR>> > installed=3D20
> > modules.</FONT></DIV><BR>> =3D
> >><DIV><FONT=3D20
> > face="Arial size="2">This is the same symptom =3D
> > before<BR>=3D<BR>>I=3D20
> > =3D<BR>> > repaired one of=3D<BR>> > my =3D
> > mecs with=3D20
> > a</FONT></DIV><BR>> ><DIV><FONT=3D20
> > face="Arial size="2">new chip. The clock light =3D
> > =3D<BR>> =3D20
> > > continues to flash=3D<BR>> > too. Never locks=3D20
> > in.</FONT></DIV><BR>> ><DIV><FONT=3D20
> > face="Arial size="2"></FONT> =3D
> ></DIV><BR>> =3D20
> > ><DIV><FONT face="Arial size="2">I am using =3D
> > the simplest=3D20
> > setup I<BR>=3D<BR>>can =3D<BR>> > imagine =3D
> > and=3D<BR>> =3D20
> > > still it's not working.</FONT></DIV><BR>> =3D20
> > ><DIV><FONT face="Arial size="2">Mike A. =3D
> > suggested the=3D20
> > .ini file<BR>=3D<BR>>=3D<BR>> > to make =3D
> > sure=3D<BR>> =3D20
> > > card A is 0. I'll try that.</FONT></DIV><BR>> =3D
> >
> > ><DIV><FONT face="Arial size="2">Pretty sure =3D
> > it's right=3D20
> > > but who =3D<BR>>=3D<BR>> =3D20
> > > knows?</FONT></DIV><BR>> =3D
> >><DIV><FONT=3D20
> > face="Arial =3D

```

> >size=3D3D3D3D2>Thanks.</DIV>
> =3D20
> > ><DIV><FONT face=3D3D3D3DArial=3D20
> > size=3D3D3D3D2>Tom</DIV>
> =3D20
> > ><DIV> =3D
> >
> > </DIV>
> ><DIV><FONT face=3D3D3D3DArial=3D20
> > size=3D3D3D3D2> </DIV>
> =3D
> >><DIV>=3D20
> > </DIV>
> ><DIV> </DIV>
> =3D20
> > ><DIV> </DIV>
> ><DIV>"rick"=3D20
> > <<A=3D3D3D20
> >href=3D3D3D3D"<A=3D20
> > =3D
> > =
>>href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto=
>:pa=3D
> >rnell68@hotmail.com">parnell68@hotmail.com</A>>=3D20
> > =3D3D
>=3D3D3D
> >wrote in=3D3D3D20
> =3D
> >>message=3D20
> > <A=3D3D3D20
> =3D3D
>>href=3D3D3D3D"<A=3D20
> > =3D
> > =
>>href=3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393=
>'>n=3D
> > =
>>ews:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393=3D3D<B=
>=3D
> >R>>an5=3D3D3D
> =3D20
> > =3D
> >>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> =3D
> >;=3D20
> > ><BLOCKQUOTE=3D3D3D20
> =3D
> >>style=3D3D3D3D"PADDING-RIGHT: 0px;=3D20
> > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D
>=3D3D3D
> =3D20
> > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =3D
> >0px">i=3D3D3D20
> =3D20
> > > know this as dumb as it gets but the bnc is attached in=3D20
> > the=3D3D3D20
> > =3D
> >right
order...right?
all=3D20
> > the cards show up in paris with the
=3D3D
>=3D3D3D
> =3D20
> > >single=3D3D3D20
> > mec?
how many i/o =3D
> >cards in=3D20
> > each mec?

On Fri, 19 Oct=3D20
> > =3D3D
>2007
> =3D3D3D
> >
> =3D
> >> =3D20
> > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D20
> > =3D20
> > =3D3D3D
> =3D3D
>>href=3D3D3D3D"<A=3D20
> > =3D
> > =

>>href="mailto:arpegio@comcast.net">arpegio@comcast.net
wrote'=
>>ma=3D
> >mailto:arpegio@comcast.net">arpegio@comcast.net
w=3D
> >rote:=3D3D
>=3D3D3D
> =3D20
> > >

I=3D3D3D20
> > thought =3D
> >I was=3D20
> > groovin' but once the second Mec was =3D3D3D
> =3D20
> > >introduced
>the=3D3D3D20
> > system =3D
> >stopped.=3D20
> > That was a few weeks ago.
>
>Today I =3D
> >=3D3D3D
> =3D20
> > >tried=3D3D3D20
> > different cables, eds cards, =3D
> >mechs,=3D20
> > eliminated the magma =3D3D3D
> >and
>still=3D20
> > no=3D3D3D20
> > clock lock or modules showing up in =3D
> >the paris=3D20
> > =3D3D3D
> =3D20
> > >patchbay.
>
>This=3D3D3D20
> =3D
> >> =3D20
> > means to me software unless someone tells me =3D3D3D
> =3D20
> > >differently.
>
>I=3D3D3D20
> =3D
> >> =3D20
> > have a new C drive which I will load XP and no pace. Any=3D20
> > other=3D3D3D20
> > =3D20
> >
>suggestions?
>
>More frustrated =3D
> >than=3D20
> > my=3D3D3D20
> > =3D20
> > =3D
> >clients,
>Tom
>
>
>
>
=3D
> >>>
>I=3D20
> > choose =3D3D3D
> >Polesoft=3D3D3D20
> =3D
> >> Lockspam=3D20
> > to fight spam, and=3D3D3D20
> > =3D20
> > you?
>http://www.polesoft.com/refer.html =3D
> >=3D3D3D20
> =3D20
> > =3D
> >>
</BLOCKQUOTE></BODY></HTML>
> =3D
> >=3D20
> > >
> >
>
>
><!DOCTYPE HTML =3D
> >PUBLIC=3D20
> > "-//W3C//DTD HTML 4.0=3D20
> > Transitional//EN">
><HTML><HEAD>
><META=3D20
> > http-equiv=3D3D3DContent-Type content=3D3D3D"text/html;=3D20
> > =3D3D
>charset=3D3D3Diso-8859-1">
><META =3D
> >content=3D3D3D"MSHTML=3D20
> > 6.00.2800.1400"=3D20
> > =3D
> >name=3D3D3DGENERATOR>
><STYLE></STYLE>
></HEA=3D


```

> >D><BR>><BODY=3D20
> > bgColor=3D3D3D#ffffff><BR>><DIV><FONT face=3D3D3DArial=3D20
> > size=3D3D3D2>Thanks=3D20
> > Dimitrios.</FONT></DIV>><DIV><FONT =3D
> >face=3D3D3DArial=3D20
> > size=3D3D3D2></FONT> </DIV>><DIV><FONT =3D
> >face=3D3D3DArial=3D20
> > size=3D3D3D2>Mike said the same thing. Is the =3D3D<BR>>ini in =3D
> >
> > the=3D3D20<BR>>Paris folde or system=3D20
> > 32?</FONT></DIV>><DIV><FONT face=3D3D3DArial =3D
> >
> > size=3D3D3D2>Do I want the Master card to be =3D
> >0=3D3D20<BR>>absolutely? I=3D20
> > only have one card</FONT></DIV>><DIV><FONT =3D
> >
> > face=3D3D3DArial size=3D3D3D2>in there right now and it's all=3D20
> > freaky<BR>=3D3D<BR>>just=3D20
> > =3D
> >the=3D3D20<BR>>same.</FONT></DIV>><DIV><FONT=3D
> >=3D20
> > face=3D3D3DArial=3D20
> > size=3D3D3D2>Tom</FONT></DIV>><DIV><FONT=3D20
> > face=3D3D3DArial size=3D3D3D2></FONT> =3D
> ></DIV>><DIV><FONT=3D20
> > face=3D3D3DArial size=3D3D3D2></FONT> =3D
> ></DIV>><DIV><FONT=3D20
> > face=3D3D3DArial size=3D3D3D2></FONT>=3D20
> > =3D
> ></DIV>><BR>><BLOCKQUOTE=3D3D20<BR>>style=3D3D3D"PADDING-RIGHT: =3D
> >0px;=3D20
> > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D<BR>>BORDER-LEFT: #000000
> =
>=3D
> >2px solid;=3D20
> > MARGIN-RIGHT: 0px"><BR>> <DIV>"Dimitrios"=3D20
> > <<A=3D3D20<BR>> href=3D3D3D"<A=3D20
> > =3D
> =
>>href=3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>'mailto:musur=
>gio=3D
> >@otenet.gr">musurgio@otenet.gr</A>>=3D20
> > wrote in =3D3D<BR>>message=3D3D20<BR>> <A =3D
> >=3D3D<BR>>href=3D3D3D"<A=3D20
> > =3D
> =
>>href=3D3D'news:471a0486$1@linux">news:471a0486$1@linux</A>...</DIV>><BR>H=
>i'>=3D

```

> >news:471a0486\$1@linux">news:471a0486\$1@linux...</DIV>&=3D
 > >lt;BR>Hi
=3D3D
>Tom=3D3D20
> =3D20
 > > <A href=3D3D"mailto:!!@
Sorry">!!@
Sorry to hear you still
 =
 >=3D
 > >having=3D20
 > > problems like this ~!!
Must =3D
 > >be
=3D3D
>very=3D3D20
> =3D20
 > > frustrating.
Open the Paris ini file and there change the=3D20
 > > =3D3D
>mastercardoutput=3D3D20
> with your =3D
 > >other
cards and=3D20
 > > see what happens !!
Let me=3D3D20
> =3D20
 > > know.
Regards,
Dimitrios

"Tom =3D
 > >Bruhl"=3D20
 > > <<A=3D3D20
> href=3D3D3D"<A=3D20
 > > =3D
 > =
 >>href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3D20'>m=
 >ailto=3D
 > :arpegio@comcast.net">arpegio@comcast.net>=3D3D20
&g=3D
 > >t; =3D20
 > > wrote:
>
>
>Rick,
>1 =3D
 > >mec, no=3D20
 > > BNC =3D3D
>involved. Paris=3D3D20
> boots up so =3D
 > >the 1 mec=3D20
 > > that
>I'm using shows up but never any A =3D3D
>to Ds=3D20
 > > or=3D3D20
> any installed modules.
>This is the =3D
 > >same=3D20
 > > symptom before I =3D3D
>repaired one=3D3D20
> of my mecs =3D
 > >with=3D20
 > > a
>new chip. The clock light continues to=3D20
 > > =3D3D
>flash=3D3D20
> too. Never locks=3D20
 > > in.
>
>I am using the simplest =3D
 > >=3D3D
>setup I=3D20
 > > can=3D3D20
> imagine and still it's not =3D
 > >working.
>Mike A.=3D20
 > > suggested the =3D3D
>.ini=3D3D20
> file to make =3D
 > >sure card A is=3D20
 > > 0. I'll try=3D20
 > > =3D
 > >=3D3D
>=3D3D3D
>that.
>Pretty=3D3D20
> =3D
 > >; sure it's=3D20
 > > right but who=3D3D20
> =3D20
 > > =3D
 > >=3D3D
>knows?
>Thanks,
>Tom
><=3D
 > >BR>>
>
>
><=3D3D
>BR>=3D
 > >>"rick"=3D3D20
> =3D20
 > > <<A =3D3D
>href=3D3D3D"<A=3D20

> > =3D
> =
>>href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto=
>:pa=3D
> >rnell68@hotmail.com">parnell68@hotmail.com</A>=3D20
> > =3D3D
>wrote=3D3D20
> in message=3D3D20
> =3D20
> > =3D
> >=3D3D
>=3D3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax=3D
> >.com...
>&nbs=3D3D
>p;=3D20
> > i=3D3D20
> know this as dumb as it gets but the bnc is =3D
> >attached in=3D20
> > the=3D3D20
> right
> =3D20
> > order...right?
> all the cards show up=3D20
> > =3D3D
>in=3D3D20
> paris with the single =3D
> >mec?
> =3D20
> > how many i/o cards in each=3D3D20
> =3D20
> > mec?
>
>
> On Fri, 19 Oct =3D
> >2007=3D20
> > 00:22:39 -0400, =3D3D
>"Tom=3D3D20
> Bruhl"=3D20
> > <<A=3D3D20
> =3D3D
>href=3D3D3D"<A=3D20
> > =3D
> =
>>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n'>=3D=
>
> >mailto:arpegio@comcast.net">arpegio@comcast.net>
=3D
> >;&n=3D3D
>bsp;=3D3D20
> =3D20
> > wrote:
>
> >I thought I was groovin' =3D
> >but once=3D20
> > the =3D3D
>second=3D3D20
> Mec was =3D
> >introduced
> =3D20
> > >the system stopped. That =3D3D
>was a =3D
> >few=3D3D20
> weeks=3D20
> > ago.
> >
> >Today I tried=3D20
> > =3D3D
>different=3D3D20
> cables, eds cards, mecs, =3D
> >eliminated the=3D20
> > =3D3D
>magma
=3D3D3D
>and
> =3D
> >=3D3D20
> =3D20
> > >still no clock lock or modules showing up in the =3D
> >paris=3D3D20
> =3D20
> > patchbay.
> >
> >This means =3D
> >to me=3D20
> > =3D3D
>software=3D3D20
> unless someone tells me=3D20
> > differently.
> >
> =3D20
> > =3D3D
>>I=3D3D20
> have a new C drive which I will =3D
> >load XP and no=3D20
> > pace. Any=3D3D20
> other=3D3D3D20
> =3D20
> > >suggestions?
> =3D3D
>>
>=3D20
> > =3D3D20
> >More frustrated than my =3D

```

> >clients,<BR>> =3D20
> > =3D3D<BR>>>Tom<BR>> =3D3D20<BR>> =3D
> >><BR>> =3D20
> > ><BR>> ><BR>> =3D
> >=3D3D<BR>>><BR>>=3D20
> > =3D3D20<BR>> >I choose Polesoft Lockspam to fight spam, and=3D20
> > you?<BR>> =3D3D20<BR>> =3D
> >>http://www.polesoft.com/refer.html=3D20
> > =3D3D20<BR>> =3D
> >=3D3D3D20<BR>><BR>><BR>><!DOCTYPE=3D20
> > HTML PUBLIC "-//W3C//DTD =3D3D<BR>>HTML 4.0=3D3D20<BR>> =3D20
> > =3D
> >Transitional//EN"><BR>><HTML><HEAD><BR>>=3D
> ><META=3D3D20<BR>> =3D20
> > http-equiv=3D3D3D3DContent-Type =3D
> >content=3D3D3D3D"text/html;=3D3D20<BR>> =3D20
> > =3D3D3D<BR>>charset=3D3D3D3Diso-8859-1"><BR>><META =3D
> >
> > =3D3D<BR>>content=3D3D3D3D"MSHTML=3D3D20<BR>> =3D
> >6.00.2800.1400"=3D3D20<BR>> =3D20
> > =3D
> >=3D3D<BR>>name=3D3D3D3DGENERATOR><BR>><STYLE></STYLE&=3D
> >gt;<BR>></HEA=3D3D<BR>>D><BR>><BODY=3D3D20<BR>>&=3D
> >gt; =3D20
> > bgColor=3D3D3D3D#ffffff><BR>><DIV><FONT=3D20
> > face=3D3D3D3DArial=3D3D20<BR>> =3D20
> > =3D
> >=3D3D<BR>>size=3D3D3D3D2>Rick,</FONT></DIV><BR>>&l=3D
> >t;DIV><FONT=3D3D20<BR>> =3D20
> > face=3D3D3D3DArial size=3D3D3D3D2>1 mec, no BNC involved. =
>Paris=3D20
> > =3D3D<BR>>=3D3D3D<BR>>boots up so=3D3D20<BR>> =3D
> >the=3D3D3D20<BR>>1=3D20
> > mec=3D20
> > =3D
> >=3D3D<BR>>that</FONT></DIV><BR>><DIV><FONT=3D
> >=3D3D20<BR>> =3D20
> > face=3D3D3D3DArial size=3D3D3D3D2>I'm using shows up but never any
=
>A to =3D
> >
> > =3D3D<BR>>=3D3D3D<BR>>Ds or=3D3D20<BR>> =3D20
> > any=3D3D3D20<BR>>installed=3D3D20<BR>> =3D20
> > modules.</FONT></DIV><BR>><DIV><FONT=3D20
> > =3D3D<BR>>face=3D3D3D3DArial=3D3D20<BR>> size=3D3D3D3D2>This is =
>=3D
> >the same=3D20
> > symptom before I =3D3D3D<BR>>repaired =3D

```

```

> >=3D3D<BR>>one=3D3D20<BR>> =3D20
> > of=3D3D3D20<BR>>my mecs with=3D3D20<BR>> =3D20
> > a</FONT></DIV><BR>><DIV><FONT=3D20
> > face=3D3D3D3DArial=3D3D20<BR>> size=3D3D3D3D2>new chip. The =3D
> >clock light=3D20
> > =3D3D3D<BR>>continues to=3D3D20<BR>> =3D
> >flash=3D3D3D20<BR>>too.=3D20
> > Never locks=3D3D20<BR>> =3D20
> > in.</FONT></DIV><BR>><DIV><FONT =3D
> >face=3D3D3D3DArial=3D20
> > =3D3D<BR>><BR>> size=3D3D3D3D2></FONT>=3D20
> > </DIV><BR>><DIV><FONT=3D20
> > =3D3D<BR>>face=3D3D3D3DArial=3D3D20<BR>> size=3D3D3D3D2>I am =3D
> >using the simplest=3D20
> > setup I can =3D3D3D<BR>>imagine=3D3D20<BR>> =3D20
> > and=3D3D3D20<BR>>still it's not=3D3D20<BR>> =3D20
> > working.</FONT></DIV><BR>><DIV><FONT=3D20
> > =3D3D<BR>>face=3D3D3D3DArial=3D3D20<BR>> size=3D3D3D3D2>Mike A. =
> =3D
> >suggested the=3D20
> > .ini file =3D3D3D<BR>>to make=3D3D20<BR>> =3D20
> > sure=3D3D3D20<BR>>card A is 0. I'll try=3D3D20<BR>> =3D20
> > that.</FONT></DIV><BR>><DIV><FONT=3D20
> > =3D3D<BR>>face=3D3D3D3DArial=3D3D20<BR>> size=3D3D3D3D2>Pretty =3D
> >sure it's right=3D20
> > but who=3D3D20<BR>> =3D20
> > =3D
> >=3D3D3D<BR>>knows?</FONT></DIV><BR>><DIV&g=3D
> >t;<FONT=3D3D20<BR>> =3D20
> > face=3D3D3D3DArial=3D3D20<BR>> =3D20
> > =3D
> >=3D3D<BR>>size=3D3D3D3D2>Thanks,</FONT></DIV><BR>>=3D
> ><DIV><FONT=3D3D<BR>>=3D3D20<BR>> =3D20
> > face=3D3D3D3DArial=3D3D20<BR>> =3D20
> > =3D
> >size=3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><=3D
> >FONT=3D3D20<BR>> =3D20
> > face=3D3D3D3DArial size=3D3D3D3D2></FONT>=3D20
> > =3D
> >=3D3D<BR>></DIV><BR>><DIV><FONT=3D3D20<BR>>&nbs=3D
> >p;=3D20
> > face=3D3D3D3DArial size=3D3D3D3D2></FONT>=3D20
> > =3D3D<BR>></DIV><BR>><DIV>=3D3D20<BR>> =3D20
> > </DIV><BR>><DIV>=3D20
> > </DIV><BR>><DIV>=3D3D20<BR>> =3D20
> > </DIV><BR>><DIV>"rick"=3D20
> > =3D
> >=3D3D<BR>><<A=3D3D3D20<BR>>href=3D3D3D3D"<A=3D3D20<BR >>&n=3D

```

> > bsp;=3D20
> > =3D
> =
>>=3D3D
>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.c=3D=
>
> >om</A'>mailto:pa=3D3D
>rnell68@hotmail.com">parnell68@hotmail=3D
> >l.com</A/A>>=3D3D20
> =3D20
> > =3D3D3D
>wrote in=3D3D3D20
>message=3D20
> > <A=3D3D3D20
>href=3D3D3D3D"<A =3D3D
>
> =3D20
> > =3D
> =
>>=3D3D
>href=3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">=3D=
>
> =
>>news:inqgh393an5=3D3D
>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4=3D=
>
> >ax.com">news:inqgh393an5</A=3D3D
>>=3D3D3D
>s4m99q=3D
> >caojn09vn112t4u6r@4ax.com...</DIV>
&=3D3D
&=3D
> =
>>gt;gt;<BLOCKQUOTE=3D3D3D20
>style=3D3D3D3D"PADDING-RIGHT:=3D3D20=3D
> >
> =3D20
> > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
> >=3D3D3D
>BORDER-LEFT:=3D20
> > =3D3D
>#000000 2px=3D3D20
> solid; MARGIN-RIGHT:=3D20
> > 0px">i=3D3D3D20
> know this as dumb as =3D
> >=3D3D
>it=3D20
> > gets=3D3D20
> but the bnc is attached in =3D
> >the=3D3D3D20
>=3D20
> > =3D3D20
> right
order...right?
all the =3D
> >cards show up=3D20
> > in paris =3D3D
>with the=3D3D20
> =3D20
> > =3D3D3D
>single=3D3D3D20
> mec?
how =3D
> >many i/o=3D20
> > cards =3D3D
>in each=3D3D20
> =3D
> >mec?

On=3D20
> > Fri, 19 Oct=3D3D20
> =3D20
> > 2007
=3D3D3D
>
> 00:22:39 -0400, =3D
> >"Tom=3D20
> > Bruhl"=3D3D20
> <<A=3D3D3D20
> =3D20
> > =3D3D3D
>href=3D3D3D3D"<A=3D3D20
> =3D20
> > =3D
> =
>>=3D3D
>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net&l=3D=
>
> >t;/A>>
wrote'>ma=3D3D
>ilto:arpegio@comcast.net">=3D
> >;arpegio@comcast.net>
w=3D3D
>rote:=3D3D=3D
> >3D
>

>l=3D3D3D20
>=3D20
> > =3D3D20
> thought I was groovin' but once the second Mec=3D20

```

> > was=3D3D20<BR>> =3D20
> > =3D
> >=3D3D3D<BR>>introduced<BR>>the=3D3D3D20<BR>> =3D
> > system=3D20
> > =3D3D<BR>>stopped. That was=3D3D20<BR>> a few weeks=3D20
> > ago.<BR>><BR>>Today I=3D3D20<BR>> =3D20
> > =3D3D3D<BR>>tried=3D3D3D20<BR>> different cables, =3D
> >eds cards,=3D20
> > mecs, =3D3D<BR>>eliminated=3D3D20<BR>> the magma=3D20
> > =3D3D3D<BR>>and<BR>>still =3D
> >no=3D3D3D20<BR>> =3D20
> > =3D3D<BR>>clock lock or=3D3D20<BR>> modules showing up in the=3D20
> > paris=3D3D20<BR>> =3D20
> > =3D
> >=3D3D<BR>>=3D3D3D<BR>>patchbay.<BR>><BR>>This=3D3D=3D
> >3D20<BR>> =3D20
> > =3D3D<BR>>means to=3D3D20<BR>> me software unless someone =3D
> >tells=3D20
> > me=3D3D20<BR>> =3D20
> > =3D
> >=3D3D<BR>>=3D3D3D<BR>>differently.<BR>><BR>>I=3D3D=3D
> >3D20<BR>> =3D20
> > =3D3D<BR>>have a new=3D3D20<BR>> C drive which I will load XP =3D
> >and no pace.=3D20
> > Any other=3D3D3D20<BR>> =3D3D<BR>><BR>> =3D20
> > <BR>>suggestions?<BR>><BR>>More frustrated=3D20
> > =3D3D<BR>>than=3D3D20<BR>> my=3D3D3D20<BR>> =3D
> >=3D3D20<BR>> =3D20
> > =3D
> >=3D3D<BR>>clients,<BR>>Tom<BR>><BR>><BR>>=3D
> >;<BR>=3D3D<BR>>>><BR>>I=3D3D20<BR>> =3D20
> > choose =3D3D3D<BR>>Polesoft=3D3D3D20<BR>> Lockspam =3D
> >to fight=3D20
> > spam,=3D3D20<BR>> and=3D3D3D20<BR>> =3D20
> > =3D
> >=3D3D<BR>>you?<BR>>http://www.polesoft.com/refer.html=3D3D20<BR>>&=3D
> >gt; =3D20
> > =3D
> >=3D3D<BR>>=3D3D3D20<BR>><BR></BLOCKQUOTE></BODY>=3D
> >;</HTML><BR>&=3D3D<BR>>gt;<BR>><BR></B=3D
> >LOCKQUOTE></BODY></HTML><BR>><BR>><BR></BLOCKQUOTE><=3D
> >/BODY></HTML>
> >
> >
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>

```



```

><META http-equiv=3DContent-Type content=3D"text/html; =
>charset=3Diso-8859-1">
><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D#ffffff>
><DIV><FONT face=3DArial size=3D2>Mike,</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>I used to use a Lucid but since all of
=
>this mess I=20
>stopped.</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>I'm trying to get stable from square =
>one with the=20
>least amount </FONT></DIV>
><DIV><FONT face=3DArial size=3D2>of hardware. I am using the =
>default project=20
>for sure. The only </FONT></DIV>
><DIV><FONT face=3DArial size=3D2>other thing that I still question is my
=
>move of=20
>Paris to C:ParisPro .</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>I should think the default project will
=
>either work=20
>or not. Maybe</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>configs or something else is =
>fighting during=20
>Paris startup?</FONT></DIV>
><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
><DIV><FONT face=3DArial size=3D2>Pats 42 - Miami 7 . . . Halftime and =
>the games=20
>over.</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
><BLOCKQUOTE=20
>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Mike Audet" <mike@....> wrote in message <A=20
> =
>href=3D"news:471b6eb0$1@linux">news:471b6eb0$1@linux</A>...</DIV><BR>Hi=20
> Tom,<BR><BR>Are you using a default project with PARIS? I'm so =
>sorry of=20
> this has been<BR>asked and answered already. If so, perhaps it =
>is=20
> telling card zero to lock<BR>to an external clock, which it can't =
>because=20

```

> there isn't one.

It would be interesting to attach an external
 =
 >clock=20
 > source to the MEC and
then start PARIS to see how it behaves. =
 >Or, if=20
 > the clock generator is fried,
tell paris to lock externally and see
 =
 >what=20
 > happens when an external clock
source is applied.

Isn't there
 =
 >a=20
 > master house synch switch in the cfg file? I've never =
 >used
it. =20
 > Maybe DJ could help with what that should/shouldn't be set =
 >to.

Wish I=20
 > could do more than think out loud...

Mike

"Tom Bruhl" =
 ><<A=20
 > href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net=20
 > wrote:
>
>
>Hi Mike,
>Well I've been to .cfg =
 >many a=20
 > time.
>I've seen that Mastercard setting as being 0
>but =
 >maybe it=20
 > changed after removing the 4 other
>eds cards for this round of=20
 > testing.
>
>If it's still 0 what else could this be? =
 >Busted=20
 > mobo?
>I'm really in an idunno place right now. I'll be=20
 > checking
>seriously today again because of a session tomorrow=20
 > morning.
>Tom
>
>
> "Mike Audet"=20
 > <mike@....> wrote in message <A=20
 > =
 >href=3D"news:471b2ec2\$1@linux">news:471b2ec2\$1@linux...
>
>&g=
 >t; =20
 > Hi Tom,
>
> If you've only got one card in, then the =
 >
 > Mastercard =3D3D 0 setting is =3D
>right.
> =
 >The file is=20
 > Paris.cfg, and it lives in the c:\program=20
 > files\Emu\PARIS
=3D
>PRO
> =
 >folder.
>
> =20
 > I'd still check it out to see what it is set to.
>
> =
 >If it=20
 > is wrong, what you are describing will happen.
>
> =
 >Good=20
 > luck!
>
> Mike
>
> "Tom Bruhl" =
 ><<A=20
 > href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net=20
 > wrote:
> >
> >
> >Thanks=20
 > Dimitrios.
> >
> >Mike said the same=20

> thing. Is the ini in the Paris folde or system=20
 > =3D
>32?
> >Do I want the Master card to be 0=20
 > absolutely? I only have one card
> >in there =
 >right now=20
 > and it's all freaky just the same.
> >Tom
> =
 >
 > >
> >
> >
> > =20
 > "Dimitrios" <<A =
 >href=3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr>=20
 > wrote in message =3D3D
> =
 >>news:471a0486\$1@linux...
> =20
 > >
> > Hi Tom !@
> > Sorry =
 >to hear=20
 > you still having problems like this ~!!
> > Must =
 >be very=20
 > frustrating.
> > Open the Paris ini file and =
 >there change=20
 > the mastercardoutput with
=3D
>=3D3D
> >your=20
 > other
> > cards and see what happens =
 >!!
> =20
 > > Let me know.
> > =
 >Regards,
> =20
 > > Dimitrios
> >
> > "Tom =
 >Bruhl"=20
 > <arpegio@comcast.net> =
 >
 > wrote:
> > >
> > =20
 > >
> > >Rick,
> > >1 =
 >mec, no=20
 > BNC involved. Paris boots up so the 1 mec that
> =
 >> =20
 > >I'm using shows up but never any A to Ds or any installed=20
 > modules.
> > >This is the same symptom before =
 >I=20
 > repaired one of my mecs with a
> > >new =
 >chip. =20
 > The clock light continues to flash too. Never locks=20
 > =3D
>in.
> > >
> > =
 >>I am=20
 > using the simplest setup I can imagine and still it's not =
 >=3D3D
> =20
 > >working.
> > >Mike A. suggested the =
 >.ini=20
 > file to make sure card A is 0. I'll =3D
>try
> =
 >
 > =3D3D
> >=3D3D3D
> > =
 >>that.
> =20
 > > >Pretty sure it's right but who knows?
> =

>> =20
> >Thanks,
> > >Tom
> > =20
> >
> > >
> > =
>>
> =20
> > >
> > >
> > =
>
> >"rick" <<A=20
> href=3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com> =
>wrote in=20
> message =3D3D3D
> > =20
> >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =20
> > > i know this as dumb as it gets but the bnc is =
>attached=20
> in the =3D
>right
> > > =20
> order...right?
> > > all the cards show =
>up in=20
> paris with the single mec?
> > > how =
>many i/o=20
> cards in each mec?
> > >
> =
>> =20
> >
> > > On Fri, 19 Oct 2007 00:22:39 =
>-0400,=20
> "Tom Bruhl" =3D3D
> ><<A=20
> =
>href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=
>bsp;=20
> > > wrote:
> > =
>>
> =20
> > > >I thought I was groovin' but once the second =
>Mec was=20
> introduced
> > > >the system =
>stopped. =20
> That was a few weeks ago.
> > > =20
> >
> > > >Today I tried different =
>cables,=20
> eds cards, mecs, eliminated the
=3D
>=3D3D
> =20
> >magma
> > =3D3D3D
> > =20
> >and
> > > >still no clock lock or =
>modules=20
> showing up in the paris =3D
>patchbay.
> > =
>> =20
> >
> > > >This means to me software =
>unless=20
> someone tells me differently.
> > > =20
> >
> > > >I have a new C drive =
>which I will=20
> load XP and no pace. Any =3D3D
> =20
> >other=3D3D3D20
> > > =20

```

> >suggestions?<BR>> > > =
>><BR>> =20
> > > >More frustrated than my =
>clients,<BR>> =20
> > > >Tom<BR>> > > =20
> ><BR>> > > ><BR>> > =
>
> > ><BR>> > > ><BR>> =
>
> > > >I choose Polesoft Lockspam to fight spam, =
>and=20
> you?<BR>> > > =20
> >http://www.polesoft.com/refer.html =3D3D3D20<BR>> =
>> =20
> ><BR>> > ><BR>> > =
>><!DOCTYPE=20
> HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN"><BR>> =20
> > ><HTML><HEAD><BR>> > =
>><META=20
> http-equiv=3D3D3D3DContent-Type content=3D3D3D3D"text/html;=20
> =3D<BR>>=3D3D3D<BR>> > =20
> >charset=3D3D3D3Diso-8859-1"><BR>> > =
>><META=20
> content=3D3D3D3D"MSHTML 6.00.2800.1400" =
>name=3D3D3D3DGENERATOR><BR>> =20
> > ><STYLE></STYLE><BR>> > =20
> ></HEAD><BR>> > ><BODY=20
> bgColor=3D3D3D3D#ffffff><BR>> > =
>><DIV><FONT=20
> face=3D3D3D3DArial =
>size=3D3D3D3D2>Rick,</FONT></DIV><BR>> =20
> > ><DIV><FONT face=3D3D3D3DArial =
>size=3D3D3D3D2>1 mec, no=20
> BNC involved. =3D<BR>>Paris =3D3D<BR>> =
>>=3D3D3D<BR>> =20
> > >boots up so the=3D3D3D20<BR>> > >1 =
>mec=20
> that</FONT></DIV><BR>> > =
>><DIV><FONT=20
> face=3D3D3D3DArial size=3D3D3D3D2>I'm using shows up but =
>=3D<BR>>never=20
> any<BR>> =3D3D<BR>> >A to =3D3D3D<BR>> =
>> =20
> >Ds or any=3D3D3D20<BR>> > >installed=20
> modules.</FONT></DIV><BR>> > =20
> ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>This is =
>the same=20
> symptom<BR>=3D<BR>>before<BR>> =3D3D<BR>> >I=20

```

```

> =3D3D3D<BR>> > >repaired one =
>of=3D3D3D20<BR>> =20
> > >my mecs with a</FONT></DIV><BR>> =20
> > ><DIV><FONT face=3D3D3D3DArial =
>size=3D3D3D3D2>new chip.=20
> The clock light<BR>=3D<BR>>=3D3D3D<BR>> > =
>>continues to=20
> flash=3D3D3D20<BR>> > >too. Never locks=20
> in.</FONT></DIV><BR>> > =
>><DIV><FONT=20
> face=3D3D3D3DArial size=3D3D3D3D2></FONT> =
></DIV><BR>> =20
> > ><DIV><FONT face=3D3D3D3DArial =
>size=3D3D3D3D2>I am using=20
> the simplest =3D<BR>>setup l<BR>> =3D3D<BR>> =
>>can=20
> =3D3D3D<BR>> > >imagine =
>and=3D3D3D20<BR>> > =20
> >still it's not working.</FONT></DIV><BR>> =
>> =20
> ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Mike A. =
>suggested the=20
> =3D<BR>>.ini file<BR>> =3D3D<BR>> =
>>=3D3D3D<BR>> =20
> > >to make sure=3D3D3D20<BR>> > >card =
>A is 0.=20
> I'll try that.</FONT></DIV><BR>> > =20
> ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Pretty =
>sure it's=20
> right =3D<BR>>but who =3D3D<BR>> >=3D3D3D<BR>> =
>> =20
> >knows?</FONT></DIV><BR>> > =20
> ><DIV><FONT face=3D3D3D3DArial=20
> size=3D3D3D3D2>Thanks,</FONT></DIV><BR>> =
>> =20
> ><DIV><FONT face=3D3D3D3DArial=20
> size=3D3D3D3D2>Tom</FONT></DIV><BR>> =
>> =20
> ><DIV><FONT face=3D3D3D3DArial =
>size=3D3D3D3D2></FONT>=20
> </DIV><BR>> > ><DIV><FONT =
>face=3D3D3D3DArial=20
> size=3D3D3D3D2></FONT> </DIV><BR>> > =20
> ><DIV> </DIV><BR>> > ><DIV>=20
> </DIV><BR>> > ><DIV>=20
> </DIV><BR>> > ><DIV>"rick"=20
> <<A=3D3D3D20<BR>> > =
>=3D<BR>>>href=3D3D3D3D"<A=20

```

> =
>href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto:pa=
>rnell68@hotmail.com">parnell68@hotmail.com</A>=20
> =3D
>=3D3D
> >=3D3D3D
> > =
>>wrote=20
> in=3D3D3D20
> > >message =
><A=3D3D3D20
> =20
> > =3D3D
> =3D
>>>href=3D3D3D3D"<A=20
> =
>href=3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh'>news=
>:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh=3D
>=
>393=3D3D
> =20
> >an5=3D3D3D
> > =20
> =
>>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> =
>;=20
> > ><BLOCKQUOTE=3D3D3D20
> > =20
> >style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
>
> =3D
>5px; =3D3D
> >=3D3D3D
> =
>> =20
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT:=20
> 0px">i=3D3D3D20
> > > know this as =
>dumb as it=20
> gets but the bnc is attached in =3D
>the=3D3D3D20
> =
>> =20
> > right
order...right?
all the cards show =
>up in=20
> paris with =3D
>the
> =3D3D
> =20
> >=3D3D3D
> > >single=3D3D3D20
> =
>> =20
> > mec?
how many i/o cards in each=20
> mec?

On Fri, 19 =3D
>Oct =
>=3D3D
> =20
> >2007
> > =3D3D3D
> > =20
> >
> > > 00:22:39 -0400, "Tom Bruhl"=20
> <<A=3D3D3D20
> > > =
>=3D3D3D
> =20
> > =3D3D
> =3D
>>>href=3D3D3D3D"<A=20
> =
>href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
wro'>mail=
>to:arpegio@comcast.net">arpegio@comcast.net>
wro=
>=3D
>te:=3D3D
> =20
> >=3D3D3D
> > =20
> >

>I=3D3D3D20
> > =
>> =20
> thought I was groovin' but once the second Mec was =
>=3D3D3D
> =20


```

> > >introduced<BR>>the=3D3D3D20<BR>> =
>> =20
> > system stopped. That was a few weeks=20
> ago.<BR>><BR>>Today I =3D3D3D<BR>> =
>> =20
> >tried=3D3D3D20<BR>> > > different =
>cables, eds=20
> cards, mecs, eliminated the magma =3D3D3D<BR>> > =20
> >and<BR>>>still no=3D3D3D20<BR>> > =
>> clock=20
> lock or modules showing up in the paris =3D3D3D<BR>> =
>> =20
> >patchbay.<BR>><BR>>This=3D3D3D20<BR>> =
>> =20
> > means to me software unless someone tells me =
>=3D3D3D<BR>> =20
> > =
>>differently.<BR>><BR>>I=3D3D3D20<BR>> =20
> > > have a new C drive which I will load XP and no =
>pace. Any=20
> =3D<BR>>other=3D3D3D20<BR>> > > =20
> <BR>>suggestions?<BR>><BR>>More frustrated =
>than=20
> my=3D3D3D20<BR>> > > =20
> =
>>clients,<BR>>Tom<BR>><BR>><BR>><BR>><BR>=
>>><BR>>I=20
> choose =3D3D3D<BR>> > =
>>Polesoft=3D3D3D20<BR>> =20
> > > Lockspam to fight spam, =
>and=3D3D3D20<BR>> =20
> > > =
>>you?<BR>>http://www.polesoft.com/refer.html=20
> =3D3D3D20<BR>> > =20
> =
>><BR></BLOCKQUOTE></BODY></HTML><BR>> =
>=20
> > ><BR>> > ><BR>> =
>><BR>> =20
> ><BR>> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=20
> Transitional//EN"><BR>> =
>><HTML><HEAD><BR>> =20
> ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html;=20
> =3D3D<BR>> > charset=3D3D3Diso-8859-1"><BR>> =
>><META=20
> content=3D3D3D"MSHTML 6.00.2800.1400" =
>name=3D3D3DGENERATOR><BR>> =20
> ><STYLE></STYLE><BR>> =

```

```

>></HEAD><BR>> =20
> ><BODY bgColor=#ffffff><BR>> =
>><DIV><FONT=20
> face=3D3D3DArial size=3D3D3D2>Thanks=20
> Dimitrios.</FONT></DIV><BR>> =
>><DIV><FONT=20
> face=3D3D3DArial size=3D3D3D2></FONT> =
></DIV><BR>> =20
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Mike said the =
>same=20
> thing. Is =3D<BR>>the =3D3D<BR>> >ini in=20
> the=3D3D20<BR>> >Paris folde or system=20
> 32?</FONT></DIV><BR>> ><DIV><FONT=20
> face=3D3D3DArial size=3D3D3D2>Do I want the Master card to=20
> be<BR>=3D<BR>>0=3D3D20<BR>> >absolutely? I only =
>have one=20
> card</FONT></DIV><BR>> ><DIV><FONT=20
> face=3D3D3DArial size=3D3D3D2>in there right now and it's=20
> all<BR>=3D<BR>>freaky<BR>> =3D3D<BR>> >just=20
> the=3D3D20<BR>> =
>>same.</FONT></DIV><BR>> =20
> ><DIV><FONT face=3D3D3DArial=20
> size=3D3D3D2>Tom</FONT></DIV><BR>> =20
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> =
>
> </DIV><BR>> ><DIV><FONT face=3D3D3DArial=20
> size=3D3D3D2></FONT> </DIV><BR>> =
>><DIV><FONT=20
> face=3D3D3DArial size=3D3D3D2></FONT> =
></DIV><BR>> =20
> ><BLOCKQUOTE=3D3D20<BR>> =
>>style=3D3D3D"PADDING-RIGHT: 0px;=20
> PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D<BR>>=3D3D<BR>> =20
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =
>0px"><BR>> =20
> > <DIV>"Dimitrios" <<A=3D3D20<BR>> =
>> =20
> href=3D3D3D"<A=20
> =
>href=3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A'>mailto:musurgio=
>@otenet.gr">musurgio@otenet.gr</A</A>>>=20
> wrote<BR>=3D<BR>>in =3D3D<BR>> =
>>message=3D3D20<BR>> =20
> > <A =3D3D<BR>> =3D<BR>>>href=3D3D3D"<A=20
> =
>href=3D'news:471a0486$1 @linux">news:471a0486$1 @linux</A>...</DIV><BR>H'>n=
>ews:471a0486$1 @linux">news:471a0486$1 @linux</A>...</DIV>&l=
>t;BR>H</A>=3D<BR>>i<BR>> =20

```


> >BR>>"rick"=3D3D20
> > <<A =
>=3D3D
> =20
> >href=3D3D3D"<A=20
> =
>href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto:pa=
>rnell68@hotmail.com">parnell68@hotmail.com</A>=20
> =3D
>=3D3D
> >wrote=3D3D20
> =
>> in=20
> message=3D3D20
> > =3D3D
> =20
> =
>=3D
>>=3D3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u=
>6r@4ax.com...
>&nbs=3D3D=3D
>
> =20
> >p; i=3D3D20
> > know this as dumb as it gets =
>but the=20
> bnc is attached in the=3D3D20
> > =
>right
> =20
> order...right?
> all the cards show up =
>=3D3D
> =20
> >in=3D3D20
> > paris with the single=20
> mec?
> how many i/o cards in =
>each=3D3D20
> =20
> > mec?
>
>
> On =
>Fri, 19 Oct=20
> 2007 00:22:39 -0400, =3D3D
> >"Tom=3D3D20
> =
>> =20
> Bruhl" <<A=3D3D20
> > =3D3D
> =20
> =3D
>>href=3D3D3D"<A=20
> =
>href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=3D=
>3D'>mailto:arpegio@comcast.net">arpegio@comcast.net><B=
>R>>&n=3D3D=3D
>
> =20
> >bsp;=3D3D20
> > =20
> wrote:
>
> >I thought I was groovin' =
>but once=20
> the =3D3D
> >second=3D3D20
> > Mec =
>was=20
> introduced
> >the system stopped. That=20
> =3D3D
> >was a few=3D3D20
> > =
>weeks=20
> ago.
> >
> >Today I tried=20
> =3D3D
> >different=3D3D20
> > =
>cables, eds=20
> cards, mecs, eliminated the =3D3D
> =20
> >magma
=3D3D3D
>and
> =
>=3D3D20
> =20
> > >still no clock lock or modules showing up in the=20
> paris=3D3D20
> > patchbay.
> =20
> >
> >This means to me =3D3D
> =20

> >software=3D3D20
> > unless someone tells me=20
> differently.
> >
> =
>=3D3D
> =20
> >>l=3D3D20
> > have a new C drive which I =
>will load=20
> XP and no pace. Any=3D3D20
> > =20
> other=3D3D3D20
> =
>>suggestions?
> =20
> =3D3D
> >>
> =3D3D20
> =
>> =20
> >More frustrated than my clients,
> =
>=3D3D
> =20
> >>Tom
> =3D3D20
> > =20
> >
> >
> =
>>
> =20
> =3D3D
> >>
> =3D3D20
> =
>> >l=20
> choose Polesoft Lockspam to fight spam, and you?
>=20
> =3D3D20
> > =
>>http://www.polesoft.com/refer.html=20

Subject: Re: Paris saga
Posted by [Tom Bruhl](#) on Sun, 21 Oct 2007 22:46:02 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0017_01C81412.A17511B0
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

I'm about to try some things Mike.

I have already removed the housesync line.
Maybe not from both folders though.
I'll give it a run and report back.
T

"Mike Audet" <mike@....> wrote in message news:471bcb77\$1@linux...

Hi Tom,

I have an idea.

Try removing UseHouseSync=3D1 from the paris.cfg file.

Next, remove your default project from the program files\emu\paris pro =
folder.
=20

Let me know if it makes a difference.

Good luck!

Mike

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>
>
>Mike,
>I used to use a Lucid but since all of this mess I stopped.
>I'm trying to get stable from square one with the least amount=3D20
>of hardware. I am using the default project for sure. The only=3D20
>other thing that I still question is my move of Paris to C:ParisPro .
>I should think the default project will either work or not. Maybe
>configs or something else is fighting during Paris startup?
>
>Pats 42 - Miami 7 . . . Halftime and the games over.
>Tom
>
>
>
> "Mike Audet" <mike@....> wrote in message news:471b6eb0\$1@linux...
>
> Hi Tom,
>
> Are you using a default project with PARIS? I'm so sorry of this =
has
=3D
>been
> asked and answered already. If so, perhaps it is telling card zero =
to
=3D
>lock
> to an external clock, which it can't because there isn't one.
>
> It would be interesting to attach an external clock source to the =
MEC
=3D
>and
> then start PARIS to see how it behaves. Or, if the clock generator =
is
=3D

>fried,
 > tell paris to lock externally and see what happens when an external =
 =3D
 >clock
 > source is applied.
 >
 > Isn't there a master house synch switch in the cfg file? I've =
 never =3D
 >used
 > it. Maybe DJ could help with what that should/shouldn't be set to.
 >
 > Wish I could do more than think out loud...
 >
 > Mike
 >
 > "Tom Bruhl" <arpeggio@comcast.net> wrote:
 > >
 > >
 > >Hi Mike,
 > >Well I've been to .cfg many a time.
 > >I've seen that Mastercard setting as being 0
 > >but maybe it changed after removing the 4 other
 > >eds cards for this round of testing.
 > >
 > >If it's still 0 what else could this be? Busted mobo?
 > >I'm really in an idunno place right now. I'll be checking
 > >seriously today again because of a session tomorrow morning.
 > >Tom
 > >
 > >
 > > "Mike Audet" <mike@....> wrote in message =
 news:471b2ec2\$1@linux...
 > >
 > > Hi Tom,
 > >
 > > If you've only got one card in, then the Mastercard =3D3D3D 0 =
 setting
 =3D
 >is =3D3D
 > >right.
 > > The file is Paris.cfg, and it lives in the c:\program =3D
 >files\Emu\PARIS
 > =3D3D
 > >PRO
 > > folder.
 > >
 > > I'd still check it out to see what it is set to.
 > >

> > If it is wrong, what you are describing will happen.
> >
> > Good luck!
> >
> > Mike
> >
> > "Tom Bruhl" <arpegio@comcast.net> wrote:
> > >
> > >
> > >Thanks Dimitrios.
> > >
> > >Mike said the same thing. Is the ini in the Paris folde or =
system
=3D
>=3D3D
> >32?
> > >Do I want the Master card to be 0 absolutely? I only have one =
=3D
>card
> > >in there right now and it's all freaky just the same.
> > >Tom
> > >
> > >
> > >
> > > "Dimitrios" <musurgio@otenet.gr> wrote in message =3D3D3D
> > >news:471a0486\$1@linux...
> > >
> > > Hi Tom !@
> > > Sorry to hear you still having problems like this ~!!
> > > Must be very frustrating.
> > > Open the Paris ini file and there change the mastercardoutput =
=3D
>with
> =3D3D
> >=3D3D3D
> > >your other
> > > cards and see what happens !!
> > > Let me know.
> > > Regards,
> > > Dimitrios
> > >
> > > "Tom Bruhl" <arpegio@comcast.net> wrote:
> > > >
> > > >
> > > >Rick,
> > > >1 mec, no BNC involved. Paris boots up so the 1 mec that
> > > >I'm using shows up but never any A to Ds or any installed =
=3D

>modules.
 > > > >This is the same symptom before I repaired one of my mecs =
 with
 =3D
 >a
 > > > >new chip. The clock light continues to flash too. Never =
 locks
 =3D
 >=3D3D
 > >in.
 > > > >
 > > > >I am using the simplest setup I can imagine and still it's =
 not
 =3D
 >=3D3D3D
 > > >working.
 > > > >Mike A. suggested the .ini file to make sure card A is 0. =
 =3D
 >I'll =3D3D
 > >try
 > > =3D3D3D
 > > >=3D3D3D3D
 > > > >that.
 > > > >Pretty sure it's right but who knows?
 > > > >Thanks,
 > > > >Tom
 > > > >
 > > > >
 > > > >
 > > > >
 > > > >
 > > > >
 > > > >"rick" <parnell68@hotmail.com> wrote in message =3D3D3D3D
 > > > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
 > > > > i know this as dumb as it gets but the bnc is attached in =
 the
 =3D
 >=3D3D
 > >right
 > > > > order...right?
 > > > > all the cards show up in paris with the single mec?
 > > > > how many i/o cards in each mec?
 > > > >
 > > > >
 > > > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D3D3D
 > > > ><arpeggio@comcast.net>
 > > > > wrote:
 > > > >
 > > > > >I thought I was groovin' but once the second Mec was =3D

>introduced
 > > > > >the system stopped. That was a few weeks ago.
 > > > > >
 > > > > >Today I tried different cables, eds cards, mecs, =
 eliminated
 =3D
 >the
 > =3D3D
 > >=3D3D3D
 > > >magma
 > > > =3D3D3D3D
 > > > >and
 > > > > >still no clock lock or modules showing up in the paris =
 =3D3D
 > >patchbay.
 > > > > >
 > > > > >This means to me software unless someone tells me =3D
 > > > > >differently.
 > > > > >
 > > > > >I have a new C drive which I will load XP and no pace. =

Any

=3D
 >=3D3D3D
 > > >other=3D3D3D3D20
 > > > > >suggestions?
 > > > > >
 > > > > >More frustrated than my clients,
 > > > > >Tom
 > > > > >
 > > > > >
 > > > > >
 > > > > >
 > > > > >I choose Polesoft Lockspam to fight spam, and you?
 > > > > ><http://www.polesoft.com/refer.html> =3D3D3D3D20
 > > > > >
 > > > > >
 > > > > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =
 Transitional//EN">
 > > > > ><HTML><HEAD>
 > > > > ><META http-equiv=3D3D3D3D3DContent-Type =3D
 > > > > >content=3D3D3D3D3D"text/html"; =3D3D
 > > > > >=3D3D3D3D3D
 > > > > >charset=3D3D3D3D3DDiso-8859-1">
 > > > > ><META content=3D3D3D3D3D"MSHTML 6.00.2800.1400" =3D
 > > > > >name=3D3D3D3D3DGENERATOR>
 > > > > ><STYLE></STYLE>
 > > > > ></HEAD>
 > > > > ><BODY bgColor=3D3D3D3D3D#ffffff>

> > > ><DIV><FONT face=3D3D3D3D3DArial =
 size=3D3D3D3D3D2>Rick,</DIV>
 > > > ><DIV>1 mec, no =
 BNC =3D
 >involved. =3D3D
 > >Paris =3D3D3D
 > > >=3D3D3D3D
 > > > >boots up so the=3D3D3D3D20
 > > > >1 mec that</DIV>
 > > > ><DIV>I'm using =
 shows up
 =3D
 >but =3D3D
 > >never any
 > > =3D3D3D
 > > >A to =3D3D3D3D
 > > > >Ds or any=3D3D3D3D20
 > > > >installed modules.</DIV>
 > > > ><DIV>This is the =
 same =3D
 >symptom
 > =3D3D
 > >before
 > > =3D3D3D
 > > >I =3D3D3D3D
 > > > >repaired one of=3D3D3D3D20
 > > > >my mecs with a</DIV>
 > > > ><DIV>new chip. =
 The =3D
 >clock light
 > =3D3D
 > >=3D3D3D3D
 > > > >continues to flash=3D3D3D3D20
 > > > >too. Never locks in.</DIV>
 > > > ><DIV> =
 </DIV>
 > > > ><DIV>I am using =
 the =3D
 >simplest =3D3D
 > >setup I
 > > =3D3D3D
 > > >can =3D3D3D3D
 > > > >imagine and=3D3D3D3D20
 > > > >still it's not working.</DIV>
 > > > ><DIV>Mike A. =
 suggested
 =3D
 >the =3D3D

> >.ini file
> > =3D3D3D
> > >=3D3D3D3D
> > > >to make sure=3D3D3D3D20
> > > >card A is 0. I'll try that.</DIV>
> > > ><DIV>Pretty sure =
it's =3D
>right =3D3D
> >but who =3D3D3D
> > >=3D3D3D3D
> > > >knows?</DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial =3D
>size=3D3D3D3D3D2>Thanks,</DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial =
size=3D3D3D3D3D2>Tom</DIV>
> > > ><DIV> =
</DIV>
> > > ><DIV> =
</DIV>
> > > ><DIV> </DIV>
> > > ><DIV> </DIV>
> > > ><DIV> </DIV>
> > > ><DIV>"rick" <<A=3D3D3D3D20
> > > =3D3D
> =3D
=
>>>href=3D3D3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com</A=
>>
=3D
>=3D3D
> >=3D3D3D
> > >=3D3D3D3D
> > > >wrote in=3D3D3D3D20
> > > >message <A=3D3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>>href=3D3D3D3D3D"news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news=
:in=3D
>qgh=3D3D
> >393=3D3D3D
> > >an5=3D3D3D3D
> > > >s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> > > ><BLOCKQUOTE=3D3D3D3D20
> > > >style=3D3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =3D
>MARGIN-LEFT: =3D3D
> >5px; =3D3D3D

> > >=3D3D3D3D
 > > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =
 0px">i=3D3D3D3D20
 > > > > know this as dumb as it gets but the bnc is attached in =
 =3D3D
 > >the=3D3D3D3D20
 > > > > right
order...right?
all the cards show up in paris =
 =3D
 >with =3D3D
 > >the
 > > =3D3D3D
 > > >=3D3D3D3D
 > > > >single=3D3D3D3D20
 > > > > mec?
how many i/o cards in each mec?

On Fri, =
 19
 =3D
 >=3D3D
 > >Oct =3D3D3D
 > > >2007
 > > > =3D3D3D3D
 > > > >
 > > > > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D3D20
 > > > > =3D3D3D3D
 > > > =3D3D3D
 > > =3D3D
 > =3D
 =
 >>>>href=3D3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net><=
 BR>=3D
 >wro=3D3D
 > >te:=3D3D3D
 > > >=3D3D3D3D
 > > > >

>I=3D3D3D3D20
 > > > > thought I was groovin' but once the second Mec was =
 =3D3D3D3D
 > > > >introduced
>the=3D3D3D3D20
 > > > > system stopped. That was a few weeks ago.
>
>Today I =
 =3D
 >=3D3D3D3D
 > > > >tried=3D3D3D3D20
 > > > > different cables, eds cards, mecs, eliminated the magma =
 =3D
 >=3D3D3D3D
 > > > >and
>still no=3D3D3D3D20
 > > > > clock lock or modules showing up in the paris =3D3D3D3D
 > > > >patchbay.
>
>This=3D3D3D3D20
 > > > > means to me software unless someone tells me =3D3D3D3D
 > > > > differently.
>
>I=3D3D3D3D20


```

> > =3D3D3D
> > >just the=3D3D3D20
> > >same.</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Tom</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > ><BLOCKQUOTE=3D3D3D20
> > >style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
MARGIN-LEFT: =3D
>5px; =3D3D
> >=3D3D3D
> > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > > <DIV>"Dimitrios" <<A=3D3D3D20
> > > =
href=3D3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>> =3D
>wrote
> =3D3D
> >in =3D3D3D
> > >message=3D3D3D20
> > > <A =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D"news:471a0486$1 @linux">news:471a0486$1 @linux</A>...</DIV=
><B=3D
>R>H=3D3D
> >i
> > =3D3D3D
> > >Tom=3D3D3D20
> > > !@<BR>Sorry to hear you still having problems like this =3D
>~!!<BR>Must
> =3D3D
> >be
> > =3D3D3D
> > >very=3D3D3D20
> > > frustrating.<BR>Open the Paris ini file and there change the =
=3D
>=3D3D3D
> > >mastercardoutput=3D3D3D20
> > > with your other<BR>cards and see what happens !!<BR>Let =3D
>me=3D3D3D20
> > > know.<BR>Regards,<BR>Dimitrios<BR><BR>"Tom Bruhl" =
<<A=3D3D3D20
> > > =3D
=
>href=3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>>=3D3D3=
D20

```


>the=3D3D3D20
 > > > right
> order...right?
> all the cards show up =
 =3D3D3D
 > > >in=3D3D3D20
 > > > paris with the single mec?
> how many i/o cards in =3D
 >each=3D3D3D20
 > > > mec?
>
>
> On Fri, 19 Oct 2007 00:22:39 -0400, =
 =3D3D3D
 > > >"Tom=3D3D3D20
 > > > Bruhl" <<A=3D3D3D20
 > > > =3D3D3D
 > > =3D3D
 > =3D
 =
 >>>href=3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
=
 >&n=3D
 >=3D3D3D=3D3D
 > >
 > > >bsp;=3D3D3D20
 > > > wrote:
>
> >I thought I was groovin' but once the =
 =3D3D3D
 > > >second=3D3D3D20
 > > > Mec was introduced
> >the system stopped. That =3D3D3D
 > > >was a few=3D3D3D20
 > > > weeks ago.
> >
> >Today I tried =3D3D3D
 > > >different=3D3D3D20
 > > > cables, eds cards, mecs, eliminated the =3D3D3D
 > > >magma
=3D3D3D3D
>and
> =3D3D3D20
 > > > >still no clock lock or modules showing up in the =
 paris=3D3D3D20
 > > > patchbay.
> >
> >This means to me =3D3D3D
 > > >software=3D3D3D20
 > > > unless someone tells me differently.
> >
> =3D3D3D
 > > >>I=3D3D3D20
 > > > have a new C drive which I will load XP and no pace. =
 Any=3D3D3D20
 > > > other=3D3D3D3D20
> >suggestions?
> =3D3D3D
 > > >>
> =3D3D3D20
 > > > >More frustrated than my clients,
> =3D3D3D
 > > >>Tom
> =3D3D3D20
 > > > >
> >
> >
> =3D3D3D
 > > >>
> =3D3D3D20
 > > > >I choose Polesoft Lockspam to fight spam, and you?
> =
 =3D3D3D20
 > > > >http://www.polesoft.com/refer.html =3D3D3D20
 > > > =3D3D3D3D20
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD =
 =3D3D3D
 > > >HTML 4.0=3D3D3D20

```

> > > Transitional//EN"><BR>><HTML><HEAD><BR>><META=3D3D3D20
> > > http-equiv=3D3D3D3D3DContent-Type =3D
>content=3D3D3D3D3D"text/html;=3D3D3D20
> > > =3D3D3D3D<BR>>charset=3D3D3D3D3Diso-8859-1"><BR>><META =
=3D3D3D
> > >content=3D3D3D3D3D"MSHTML=3D3D3D20
> > > 6.00.2800.1400"=3D3D3D20
> > > =3D3D3D
> > >name=3D3D3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D3D3D
> > >D><BR>><BODY=3D3D3D20
> > > bgColor=3D3D3D3D3D#ffffff><BR>><DIV><FONT =3D
>face=3D3D3D3D3DArial=3D3D3D20
> > > =3D3D3D
> > >size=3D3D3D3D3D2>Rick,</FONT></DIV>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>1 mec, no BNC involved. =
Paris
=3D
>=3D3D3D
> > >=3D3D3D3D<BR>>boots up so=3D3D3D20
> > > the=3D3D3D3D20<BR>>1 mec =3D3D3D
> > >that</FONT></DIV>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using shows up but =
never =3D
>any A to
> =3D3D
> >=3D3D3D
> > >=3D3D3D3D<BR>>Ds or=3D3D3D20
> > > any=3D3D3D3D20<BR>>installed=3D3D3D20
> > > modules.</FONT></DIV>><DIV><FONT =3D3D3D
> > >face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>This is the same symptom before I =3D
>=3D3D3D3D<BR>>repaired =3D3D
> >=3D3D3D
> > >one=3D3D3D20
> > > of=3D3D3D3D20<BR>>my mecs with=3D3D3D20
> > > a</FONT></DIV>><DIV><FONT face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>new chip. The clock light =
=3D3D3D3D<BR>>continues =3D
>to=3D3D3D20
> > > flash=3D3D3D3D20<BR>>too. Never locks=3D3D3D20
> > > in.</FONT></DIV>><DIV><FONT face=3D3D3D3D3DArial =3D3D3D
> > >
> > > size=3D3D3D3D3D2></FONT> </DIV>><DIV><FONT =3D3D3D
> > >face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>I am using the simplest setup I can =3D3D
> >=3D3D3D3D<BR>>imagine=3D3D3D20
> > > and=3D3D3D3D20<BR>>still it's not=3D3D3D20
> > > working.</FONT></DIV>><DIV><FONT =3D3D3D

```

> > >face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Mike A. suggested the .ini file =
=3D3D3D3D
>to =3D
>make=3D3D3D20
> > > sure=3D3D3D3D20
>card A is 0. I'll try=3D3D3D20
> > > that.</DIV>
><DIV><FONT =3D3D3D
> > >face=3D3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Pretty sure it's right but who=3D3D3D20
> > > =3D3D3D3D
>knows?</DIV>
><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3D3DArial=3D3D3D20
> > > =3D3D3D
> > >size=3D3D3D3D3D2>Thanks,</DIV>
><DIV><FONT=3D3D3D
> > >=3D3D3D20
> > > face=3D3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Tom</DIV>
><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3D3DArial size=3D3D3D3D3D2> =3D3D3D
> > ></DIV>
><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3D3DArial size=3D3D3D3D3D2> =3D3D3D
> > ></DIV>
><DIV>=3D3D3D20
> > > </DIV>
><DIV> </DIV>
><DIV>=3D3D3D20
> > > </DIV>
><DIV>"rick" =3D3D3D
> > ><<A=3D3D3D3D20
>href=3D3D3D3D3D"<A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>=
mai=3D
>lto=3D3D
> >:pa=3D3D3D
> > >rnell68@hotmail.com">parnell68@hotmail.com</A>>=3D3D3D20
> > > =3D3D3D3D
>wrote in=3D3D3D3D20
>message =3D
><A=3D3D3D3D20
>href=3D3D3D3D3D"<A
> =3D3D
> >=3D3D3D
> > >
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in=
qgh=3D
>393=3D3D
> >an5=3D3D3D
> > =3D3D
> =3D
=
>>>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393an5</A=

=3D3D=3D
>3D=3D3D
> >
> > =3D
=
>>=3D3D3D3D
>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
&=3D3D3D=

> > =
>gt;<BLOCKQUOTE=3D3D3D3D20
>style=3D3D3D3D3D"PADDING-RIGHT:=3D3D3D20
> > > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
>=3D3D3D3D
>BORDER-LEFT: =3D3D
> >=3D3D3D
> > >#000000 2px=3D3D3D20
> > > solid; MARGIN-RIGHT: 0px">i=3D3D3D3D20
> know this as =
dumb as
=3D
>=3D3D3D
> > >it gets=3D3D3D20
> > > but the bnc is attached in the=3D3D3D3D20
> =3D3D3D20
> > > right
order...right?
all the cards show up in paris =
=3D3D3D
> > >with the=3D3D3D20
> > > =3D3D3D3D
>single=3D3D3D3D20
> mec?
how many i/o =
cards =3D
>=3D3D3D
> > >in each=3D3D3D20
> > > mec?

On Fri, 19 Oct=3D3D3D20
> > > 2007
=3D3D3D3D
>
> 00:22:39 -0400, "Tom =
Bruhl"=3D3D3D20
> > > <<A=3D3D3D3D20
> =
=3D3D3D3D
>href=3D3D3D3D3D"<A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
=
wro=3D
>te'=3D3D
> >>ma=3D3D3D
> > >ilto:arpegio@comcast.net">arpegio@comcast.net>
w=3D3D3D
> > >rote:=3D3D3D3D
>

>I=3D3D3D3D20
> =3D3D3D20
> > > thought I was groovin' but once the second Mec was=3D3D3D20
> > > =3D3D3D3D
>introduced
>the=3D3D3D3D20
> system =
=3D3D3D
> > >stopped. That was=3D3D3D20
> > > a few weeks ago.
>
>Today I=3D3D3D20
> > > =3D3D3D3D
>tried=3D3D3D3D20
> different cables, eds =
cards, =3D

```

>mecs, =3D3D3D
> > >eliminated=3D3D3D20
> > > the magma =3D3D3D3D<BR>>and<BR>>still no=3D3D3D3D20<BR>> =
=3D3D3D
> > >clock lock or=3D3D3D20
> > > modules showing up in the paris=3D3D3D20
> > > =3D3D3D
> > >=3D3D3D3D<BR>>patchbay.<BR>><BR>>This=3D3D3D3D20<BR>> =3D3D3D
> > >means to=3D3D3D20
> > > me software unless someone tells me=3D3D3D20
> > > =3D3D3D
> > >=3D3D3D3D<BR>>differently.<BR>><BR>>I=3D3D3D3D20<BR>> =3D3D3D
> > >have a new=3D3D3D20
> > > C drive which I will load XP and no pace. Any =3D
>other=3D3D3D3D20<BR>> =3D3D
> >=3D3D3D
> > >
> > > <BR>>suggestions?<BR>><BR>>More frustrated =3D3D3D
> > >than=3D3D3D20
> > > my=3D3D3D3D20<BR>> =3D3D3D20
> > > =3D3D3D
> > >clients,<BR>>Tom<BR>><BR>><BR>><BR>><BR>=3D3D3D
> > >>><BR>>I=3D3D3D20
> > > choose =3D3D3D3D<BR>>Polesoft=3D3D3D3D20<BR>> Lockspam to =
fight =3D
>spam,=3D3D3D20
> > > and=3D3D3D3D20<BR>> =3D3D3D
> > >you?<BR>>http://www.polesoft.com/refer.html=3D3D3D20
> > > =3D3D3D
> > >=3D3D3D3D20<BR>><BR></BLOCKQUOTE></BODY></HTML><BR>&=3D3D3D
> > >gt;<BR>><BR></BLOCKQUOTE></BODY></HTML>
> > >
> > >
> > >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> ><HTML><HEAD>
> ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =
=3D3D
> >charset=3D3D3Diso-8859-1">
> ><META content=3D3D3D"MSHTML 6.00.2800.1400" name=3D3D3DGENERATOR>
> ><STYLE></STYLE>
> ></HEAD>
> ><BODY bgColor=3D3D3D#ffffff>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Hi Mike,</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Well I've been to .cfg =
many a =3D
>=3D3D

```



```

> >time.</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>I've seen that Mastercard =
=3D
>setting as =3D3D
> >being=3D3D20
> >0</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>but maybe it changed =
after =3D
>removing the
> =3D3D
> >4=3D3D20
> >other</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>eds cards for this round =
of =3D3D
> >testing.</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>If it's still 0 what else =
could
=3D
>this =3D3D
> >be? =3D3D20
> >Busted mobo?</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>I'm really in an idunno =
place =3D
>right =3D3D
> >now. I'll=3D3D20
> >be checking</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>seriously today again =
because of
=3D
>a =3D3D
> >session tomorrow=3D3D20
> >morning.</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Tom</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> ><BLOCKQUOTE=3D3D20
> >style=3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
5px; =3D
>=3D3D
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > <DIV>"Mike Audet" <mike@....> wrote in message <A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D"news:471b2ec2$1@linux">news:471b2ec2$1@linux</A>...</DIV><B=
R>H=3D
>i=3D3D20

```

> > Tom,

If you've only got one card in, then the Mastercard =
=3D
>=3D3D3D 0
> =3D3D
> >setting is=3D3D20
> > right.
 The file is Paris.cfg, and it lives in the =3D
>c:\program=3D3D20
> > files\Emu\PARIS PRO
folder.

I'd still check it out to =
see
=3D
>=3D3D
> >what it is=3D3D20
> > set to.

If it is wrong, what you are describing =
will=3D3D20
> > happen.

Good luck!

Mike

"Tom Bruhl" =
<<A=3D3D20
> > =
href=3D3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net=>=3D3D20
> > wrote:
>
>
>Thanks Dimitrios.
>
>Mike =3D3D
> >said the=3D3D20
> > same thing. Is the ini in the Paris folde or system =3D3D
> >32?
>Do I want=3D3D20
> > the Master card to be 0 absolutely? I only have one =3D3D
> >card
>in there=3D3D20
> > right now and it's all freaky just the=3D3D20
> > same.
>Tom
>
>
>
> "Dimitrios" =3D3D
> ><<A=3D3D20
> > href=3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr=> =
wrote
=3D
>in =3D3D
> >message=3D3D20
> > =3D3D3D
>news:471a0486\$1@linux...
>
> Hi Tom=3D3D20
> > !@
> Sorry to hear you still having problems like =
this=3D3D20
> > ~!!
> Must be very frustrating.
> Open the =3D3D
> >Paris ini=3D3D20
> > file and there change the mastercardoutput with =
=3D3D3D
>your=3D3D20
> > other
> cards and see what happens !!
> Let me =3D3D
> >
> > know.
> Regards,
> =3D3D
> >Dimitrios
>
> =3D3D20
> > "Tom Bruhl" <<A=3D3D20
> > =
href=3D3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net=>=3D3D20
> > wrote:
> >
> >
> =3D3D20
> > >Rick,
> >1 mec, no BNC involved. Paris boots =3D3D

> >up so
 > > the 1 mec that >> >I'm using shows up but never any A to =
 =
 > >Ds or
 > > any installed modules.
> >This is the same symptom =
 > >before I
 > > repaired one of my mecs with a
> >new chip. The =
 > >clock
 > > light continues to flash too. Never locks in.
> =
 > > >
> >I am using the simplest setup I can imagine and =
 > >still
 > > it's not
>working.
> >Mike A. suggested =
 > >the .ini
 > > file to make sure card A is 0. I'll =
 > >try
=
=
=
 =
 > > >that.
> >Pretty sure it's right but who=
 > > knows?
> >Thanks,
> >Tom
> =
 > > >
> >
> >
> =
 > >>
> =
 > > >
> >"rick" <<A=
 > > =
[href="mailto:parnell68@hotmail.com">parnell68@hotmail.com>](mailto:parnell68@hotmail.com)
 =
 >=3D3D
 > >wrote in
 > > message
> =
 > > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =
 > > > i know this as dumb as it gets but the bnc is attached in =
 =
 > >the
 > > right
> > order...right?
> > =
 > >all the
 > > cards show up in paris with the single mec?
> > =
 > >how many
 > > i/o cards in each mec?
> >
> =
 > >>
> =
 > > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =
 > >=
><<A=
 > > =
 > =
 =
 >>[href="mailto:arpeggio@comcast.net">arpeggio@comcast.net>
>&n=](mailto:arpeggio@comcast.net)
 =3D3D=3D
 >
 > >bsp;=
 > > > wrote:
> >
> > >I =
 > >thought I
 > > was groovin' but once the second Mec was introduced
> =

> >> =3D3D20
 > > >the system stopped. That was a few weeks ago.
> =3D3D20
 > > > >
> > >Today I tried different =3D3D
 > > cables,=3D3D20
 > > eds cards, mecs, eliminated the =3D3D3D
>magma
> =3D3D
 > >=3D3D3D3D3D
> =3D3D20
 > > >and
> > >still no clock lock or modules =3D3D
 > > showing up=3D3D20
 > > in the paris patchbay.
> > >
> =3D3D
 > >> =3D3D20
 > > >This means to me software unless someone tells me=3D3D20
 > > differently.
> > >
> > =3D3D
 > >>I have=3D3D20
 > > a new C drive which I will load XP and no pace. Any=3D3D20
 > > =3D3D3D3D
>other=3D3D3D3D20
> > =3D3D
 > >>suggestions?
> =3D3D20
 > > > >
> > >More frustrated than my=3D3D20
 > > clients,
> > >Tom
> > =3D3D20
 > > >
> > >
> > =3D3D
 > >>
> =3D3D20
 > > > >
> > >I choose Polesoft =3D3D
 > > Lockspam to=3D3D20
 > > fight spam, and you?
> > =3D3D20
 > > >http://www.polesoft.com/refer.html =3D3D3D3D20
> =3D3D20
 > > >
> >
> ><!DOCTYPE HTML PUBLIC=3D3D20
 > > "-//W3C//DTD HTML 4.0 Transitional//EN">
> =3D3D20
 > > ><HTML><HEAD>
> ><META=3D3D20
 > > http-equiv=3D3D3D3D3DContent-Type content=3D3D3D3D3D"text/html; =
 =3D3D
 > >=3D3D3D3D3D
> =3D3D20
 > > >charset=3D3D3D3D3D3Diso-8859-1">
> ><META =3D3D
 > > content=3D3D3D3D3D3D"MSHTML=3D3D20
 > > 6.00.2800.1400" name=3D3D3D3D3D3DGENERATOR>
> =3D3D20
 > > ><STYLE></STYLE>
> =3D3D
 > >></HEAD>
> =3D3D20
 > > ><BODY bgcolor=3D3D3D3D3D#ffffff>
> =3D3D
 > >><DIV><FONT=3D3D20
 > > face=3D3D3D3D3D3DArial =3D3D
 > > size=3D3D3D3D3D2>Rick,</DIV>
> =3D3D20
 > > ><DIV>1 mec, no BNC =
 =3D3D
 > > involved.=3D3D20
 > > Paris =3D3D3D3D
>=3D3D3D3D3D
> >boots up so =3D3D
 > > the=3D3D3D3D20
> >1=3D3D20
 > > mec that</DIV>
> =3D3D
 > >><DIV><FONT=3D3D20
 > > face=3D3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using shows up but =
 never =3D3D

> >any
=3D3D3D
>A to=3D3D20
 > > =3D3D3D3D
> >Ds or any=3D3D3D3D20
> >installed=3D3D20
 > > modules.</DIV>
> =3D3D
 > ><DIV><FONT=3D3D20
 > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>This is the same symptom =
 =3D3D
 > >before
=3D3D3D
>I=3D3D20
 > > =3D3D3D3D
> >repaired one of=3D3D3D3D20
> >my =3D3D
 > >mecs with=3D3D20
 > > a</DIV>
> ><DIV><FONT=3D3D20
 > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>new chip. The clock light =
 =3D3D
 > >=3D3D3D3D
> =3D3D20
 > > >continues to flash=3D3D3D3D20
> >too. Never locks=3D3D20
 > > in.</DIV>
> ><DIV><FONT=3D3D20
 > > face=3D3D3D3D3DArial size=3D3D3D3D3D2> =3D3D
 > ></DIV>
> =3D3D20
 > > ><DIV>I am using =
 =3D3D
 > >the simplest=3D3D20
 > > setup I
=3D3D3D
>can =3D3D3D3D
> >imagine =3D3D
 > >and=3D3D3D3D20
> =3D3D20
 > > >still it's not working.</DIV>
> =3D3D20
 > > ><DIV>Mike A. =3D3D
 > >suggested the=3D3D20
 > > .ini file
=3D3D3D
>=3D3D3D3D
> >to make =3D3D
 > >sure=3D3D3D3D20
> =3D3D20
 > > >card A is 0. I'll try that.</DIV>
> =3D3D
 > >
 > > ><DIV>Pretty sure =
 =3D3D
 > >it's right=3D3D20
 > > but who =3D3D3D
>=3D3D3D3D
> =3D3D20
 > > >knows?</DIV>
> =3D3D
 > >><DIV><FONT=3D3D20
 > > face=3D3D3D3D3DArial =3D3D
 > >size=3D3D3D3D3D2>Thanks,</DIV>
> =3D3D20
 > > ><DIV><FONT face=3D3D3D3D3DArial=3D3D20
 > > size=3D3D3D3D3D2>Tom</DIV>
> =3D3D20
 > > ><DIV> =3D3D
 > >
 > > </DIV>
> ><DIV><FONT face=3D3D3D3D3DArial=3D3D20
 > > size=3D3D3D3D3D2> </DIV>
> =3D3D
 > >><DIV>=3D3D20
 > > </DIV>
> ><DIV> </DIV>
> =3D3D20
 > > ><DIV> </DIV>
> ><DIV>"rick"=3D3D20
 > > <<A=3D3D3D3D20
> >href=3D3D3D3D3D"<A=3D3D20
 > > =3D3D

> =3D
=
>>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mai=
lto=3D
>:pa=3D3D
> >rnell68@hotmail.com">parnell68@hotmail.com</A>=3D3D20
> > =3D3D3D
>=3D3D3D3D
> >wrote in=3D3D3D3D20
> =3D3D
> >>message=3D3D20
> > <A=3D3D3D3D20
> =3D3D3D
>>href=3D3D3D3D3D3D"<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh=
393=3D
>'>n=3D3D
> =3D
=
>>ews:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393=3D3D3=
D<B=3D
>=3D3D
> >R>>an5=3D3D3D3D
> =3D3D20
> > =3D3D
> >>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> =3D3D
> >;=3D3D20
> > ><BLOCKQUOTE=3D3D3D3D20
> =3D3D
> >>style=3D3D3D3D3D"PADDING-RIGHT: 0px;=3D3D20
> > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D3D
>=3D3D3D3D
> =
=3D3D20
> > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =3D3D
> >0px">i=3D3D3D3D20
> =3D3D20
> > > know this as dumb as it gets but the bnc is attached =
in=3D3D20
> > the=3D3D3D3D20
> > =3D3D
> >right
order...right?
all=3D3D20
> > the cards show up in paris with =
the
=3D3D3D
>=3D3D3D3D
> =3D3D20
> > >single=3D3D3D3D20
> > mec?
how many i/o =3D3D
> >cards in=3D3D20
> > each mec?

On Fri, 19 Oct=3D3D20
> > =3D3D3D
>2007
> =3D3D3D3D
> >
> =3D3D
> >>=3D3D20
> > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D3D20
> > =3D3D20
> > =3D3D3D3D
> =3D3D3D
>>href=3D3D3D3D3D3D"<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
wro=
te'=3D

>>ma=3D3D
> >ilto:arpeggio@comcast.net">arpeggio@comcast.net>
w=3D3D
> >rote:=3D3D3D
>=3D3D3D3D
> =3D3D20
> > >

>I=3D3D3D3D20
> > thought =3D3D
> >I was=3D3D20
> > groovin' but once the second Mec was =3D3D3D3D
> =3D3D20
> > >introduced
>the=3D3D3D3D20
> > system =3D3D
> >stopped.=3D3D20
> > That was a few weeks ago.
>
>Today I =3D3D
> >=3D3D3D3D
> =3D3D20
> > >tried=3D3D3D3D20
> > different cables, eds cards, =3D3D
> >mecs,=3D3D20
> > eliminated the magma =3D3D3D3D
> >and
>still=3D3D20
> > no=3D3D3D3D20
> > clock lock or modules showing up in =3D3D
> >the paris=3D3D20
> > =3D3D3D3D
> =3D3D20
> > >patchbay.
>
>This=3D3D3D3D20
> =3D3D
> >> =3D3D20
> > means to me software unless someone tells me =3D3D3D3D
> =
=3D3D20
> > >differently.
>
>I=3D3D3D3D20
> =3D3D
> >> =3D3D20
> > have a new C drive which I will load XP and no pace. Any=3D3D20
> > other=3D3D3D3D20
> > =3D3D20
> >
>suggestions?
>
>More frustrated =3D3D
> >than=3D3D20
> > my=3D3D3D3D20
> > =3D3D20
> > =3D3D
> >clients,
>Tom
>
>
>
>
=3D3D
> >>>
>I=3D3D20
> > choose =3D3D3D3D
> >Polesoft=3D3D3D3D20
> =3D3D
> >> Lockspam=3D3D20
> > to fight spam, and=3D3D3D3D20
> > =3D3D20
> > you?
><http://www.polesoft.com/refer.html> =3D3D
> >=3D3D3D3D20
> =3D3D20
> > =3D3D
> >>
</BLOCKQUOTE></BODY></HTML>
> =3D3D
> >=3D3D20
> > >
> >
>
>
><!DOCTYPE HTML =3D3D
> >PUBLIC=3D3D20
> > "-//W3C//DTD HTML 4.0=3D3D20
> > Transitional//EN">
><HTML><HEAD>
><META=3D3D20
> > http-equiv=3D3D3D3DContent-Type =
content=3D3D3D3D"text/html;=3D3D20
> > =3D3D3D
>charset=3D3D3D3Diso-8859-1">
><META =3D3D
> >content=3D3D3D3D"MSHTML=3D3D20
> > 6.00.2800.1400"=3D3D20
> > =3D3D


```

> >name=3D3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D3D
> >D><BR>><BODY=3D3D20
> > bgColor=3D3D3D3D#ffffff><BR>><DIV><FONT =
face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2>Thanks=3D3D20
> > Dimitrios.</FONT></DIV><BR>><DIV><FONT =3D3D
> >face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2></FONT> </DIV><BR>><DIV><FONT =3D3D
> >face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2>Mike said the same thing. Is the =3D3D3D<BR>>ini =
in =3D3D
> >
> > the=3D3D3D20<BR>>Paris folde or system=3D3D20
> > 32?</FONT></DIV><BR>><DIV><FONT face=3D3D3D3DArial =3D3D
> >
> > size=3D3D3D3D2>Do I want the Master card to be =3D3D
> >0=3D3D3D20<BR>>absolutely? I=3D3D20
> > only have one card</FONT></DIV><BR>><DIV><FONT =3D3D
> >
> > face=3D3D3D3DArial size=3D3D3D3D2>in there right now and it's =
all=3D3D20
> > freaky<BR>=3D3D3D<BR>>just=3D3D20
> > =3D3D
> >the=3D3D3D20<BR>>same.</FONT></DIV><BR>><DIV><FONT=3D3D
> >=3D3D20
> > face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D3D
> ></DIV><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D3D
> ></DIV><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3DArial size=3D3D3D3D2></FONT>=3D3D20
> > =3D3D
> ></DIV><BR>><BLOCKQUOTE=3D3D3D20<BR>>style=3D3D3D3D"PADDING-RIGHT: =
=3D3D
> >0px;=3D3D20
> > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D3D<BR>>BORDER-LEFT: =
#000000
=3D
>=3D3D
> >2px solid;=3D3D20
> > MARGIN-RIGHT: 0px"><BR>> <DIV>"Dimitrios"=3D3D20
> > <<A=3D3D3D20<BR>> href=3D3D3D3D"<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A'>mailto:mu=
sur=3D

```

>gio=3D3D
 > >@otenet.gr">musurgio@otenet.gr</A/>>=3D3D20
 > > wrote in =3D3D3D
>message=3D3D3D20
> <A =3D3D3D
 > >=3D3D3D
>href=3D3D3D3D"<A=3D3D20
 > > =3D3D
 > =3D
 =
 >>href=3D3D3D'news:471a0486\$1 @linux">news:471a0486\$1 @linux...</DIV><B=
 R>H=3D
 >'>=3D3D
 > >news:471a0486\$1 @linux">news:471a0486\$1 @linux...</DIV>&=3D3D
 > >lt;BR>Hi
=3D3D3D
>Tom=3D3D3D20
> =3D3D20
 > > <A href=3D3D3D"mailto:!!@
Sorry">!!@
Sorry to hear you =
 still
 =3D
 >=3D3D
 > >having=3D3D20
 > > problems like this ~!!
Must =3D3D
 > >be
=3D3D3D
>very=3D3D3D20
> =3D3D20
 > > frustrating.
Open the Paris ini file and there change =
 the=3D3D20
 > > =3D3D3D
>mastercardoutput=3D3D3D20
> with your =3D3D
 > >other
cards and=3D3D20
 > > see what happens !!
Let me=3D3D3D20
> =3D3D20
 > > know.
Regards,
Dimitrios

"Tom =3D3D
 > >Bruhl"=3D3D20
 > > <<A=3D3D3D20
> href=3D3D3D3D"<A=3D3D20
 > > =3D3D
 > =3D
 =
 >>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D=
 20'>m=3D
 >ailto=3D3D
 > =
 >:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D20
&g=3D3D
 > >t; =3D3D20
 > > wrote:
>
>
>Rick,
>1 =3D3D
 > >mec, no=3D3D20
 > > BNC =3D3D3D
>involved. Paris=3D3D3D20
> boots up so =
 =3D3D
 > >the 1 mec=3D3D20
 > > that
>I'm using shows up but never any A =3D3D3D
>to =
 Ds=3D3D20
 > > or=3D3D3D20
> any installed modules.
>This is the =3D3D
 > >same=3D3D20
 > > symptom before I =3D3D3D
>repaired one=3D3D3D20
> of my =
 mecs =3D3D
 > >with=3D3D20

> > a
>new chip. The clock light continues to=3D3D20
 > > =3D3D3D
>flash=3D3D3D20
> too. Never locks=3D3D20
 > > in.
>
>I am using the simplest =3D3D
 > >=3D3D3D
>setup l=3D3D20
 > > can=3D3D3D20
> imagine and still it's not =3D3D
 > >working.
>Mike A.=3D3D20
 > > suggested the =3D3D3D
>.ini=3D3D3D20
> file to make =
 =3D3D
 > >sure card A is=3D3D20
 > > 0. I'll try=3D3D20
 > > =3D3D
 > >=3D3D3D
>=3D3D3D3D
>that.
>Pretty=3D3D3D20
> =3D3D
 > >; sure it's=3D3D20
 > > right but who=3D3D3D20
> =3D3D20
 > > =3D3D
 > >=3D3D3D
>knows?
>Thanks,
>Tom
><=3D3D
 > >BR>>
>
>
><=3D3D3D
>BR>=3D3D
 > >>"rick"=3D3D3D20
> =3D3D20
 > > <<A =3D3D3D
>href=3D3D3D3D"<A=3D3D20
 > > =3D3D
 > =3D
 =
 >>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mai=
 lto=3D
 >:pa=3D3D
 > >rnell68@hotmail.com">parnell68@hotmail.com</A/A>>=3D3D20
 > > =3D3D3D
>wrote=3D3D3D20
> in message=3D3D3D20
> =
 =3D3D20
 > > =3D3D
 > =
 >=3D3D3D
>=3D3D3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax=3D=
 3D
 > >.com...
>&nbs=3D3D3D
>p;=3D3D20
 > > i=3D3D3D20
> know this as dumb as it gets but the bnc is =
 =3D3D
 > >attached in=3D3D20
 > > the=3D3D3D20
> right
> =3D3D20
 > > order...right?
> all the cards show up=3D3D20
 > > =3D3D3D
>in=3D3D3D20
> paris with the single =3D3D
 > >mec?
> =3D3D20
 > > how many i/o cards in each=3D3D3D20
> =3D3D20
 > > mec?
>
>
> On Fri, 19 Oct =3D3D
 > >2007=3D3D20
 > > 00:22:39 -0400, =3D3D3D
>"Tom=3D3D3D20
> Bruhl"=3D3D20
 > > <<A=3D3D3D20
> =3D3D3D
>href=3D3D3D3D"<A=3D3D20
 > > =3D3D
 > =3D
 =

>>href="mailto:arpeggio@comcast.net">arpeggio@comcast.net
>&n=
'>=>
>
> >mailto:arpeggio@comcast.net">arpeggio@comcast.net
=>
> >,>&n=>bsp;=>=>
> > wrote:
>
> >I thought I was groovin' =>
> >but once=>
> > the =>second=> Mec was =>
> >introduced
> =>
> > >the system stopped. That =>was a =>
> >few=> weeks=>
> > ago.
> >
> >Today I tried=>
> > =>different=> cables, eds cards, mecs, =
=>
> >eliminated the=>
> > =>magma
=>and
> =>
> >=>=>
> > >still no clock lock or modules showing up in the =>
> >paris=>=>
> > patchbay.
> >
> >This means =>
> >to me=>
> > =>software=> unless someone tells =
me=>
> > differently.
> >
> =>
> > =>I=> have a new C drive which I will =
=>
> >load XP and no=>
> > pace. Any=> other=>=>
> > >suggestions?
> =>>
>=>
> > => >More frustrated than my =>
> >clients,
> =>
> > =>Tom
> =>=>
> >>
>=>
> > >
> >
> =>
> >=>>
>>
>=>
> > => >I choose Polesoft Lockspam to fight spam, =
and=>
> > you?
> =>=>
> >>http://www.polesoft.com/refer.html=>
> > =>=>
> >=>>
>>
><!DOCTYPE=>
> > HTML PUBLIC "-//W3C//DTD =>HTML 4.0=>=>
=>
> > =>
> >Transitional//EN">
><HTML><HEAD>
>=>
> ><META=>=>
> > http-equiv=>Content-Type =>
> >content=>"text/html;=>=>

```

> > =3D3D3D3D<BR>> charset=3D3D3D3D3D3Diso-8859-1"><BR>><META =3D3D
> >
> > =3D3D3D3D<BR>> content=3D3D3D3D3D3D"MSHTML=3D3D3D20<BR>> =3D3D
> > 6.00.2800.1400"=3D3D3D20<BR>> =3D3D20
> > =3D3D
> > =3D3D3D3D<BR>> name=3D3D3D3D3D3DGENERATOR><BR>><STYLE></STYLE&=3D3D
> > gt;<BR>></HEA=3D3D3D3D<BR>> D><BR>><BODY=3D3D3D20<BR>> &=3D3D
> > gt; =3D3D20
> > bgColor=3D3D3D3D3D3D#ffffff><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3D3D3DArial=3D3D3D20<BR>> =3D3D20
> > =3D3D
> > =3D3D3D3D<BR>> size=3D3D3D3D3D2>Rick,</FONT></DIV><BR>> &l=3D3D
> > t;DIV><FONT=3D3D3D20<BR>> =3D3D20
> > face=3D3D3D3D3D3DArial size=3D3D3D3D3D2>1 mec, no BNC involved. =
=3D
> Paris=3D3D20
> > =3D3D3D3D<BR>>=3D3D3D3D<BR>> boots up so=3D3D3D20<BR>> =3D3D
> > the=3D3D3D3D20<BR>> 1=3D3D20
> > mec=3D3D20
> > =3D3D
> > =3D3D3D3D<BR>> that</FONT></DIV><BR>><DIV><FONT=3D3D
> > =3D3D3D20<BR>> =3D3D20
> > face=3D3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using shows up but =
never any
=3D
> A to =3D3D
> >
> > =3D3D3D3D<BR>>=3D3D3D3D<BR>> Ds or=3D3D3D20<BR>> =3D3D20
> > any=3D3D3D3D20<BR>> installed=3D3D3D20<BR>> =3D3D20
> > modules.</FONT></DIV><BR>><DIV><FONT=3D3D20
> > =3D3D3D3D<BR>> face=3D3D3D3D3D3DArial=3D3D3D20<BR>> =
size=3D3D3D3D3D2>This is =3D
> =3D3D
> > the same=3D3D20
> > symptom before I =3D3D3D3D3D<BR>> repaired =3D3D
> > =3D3D3D3D<BR>> one=3D3D3D20<BR>> =3D3D20
> > of=3D3D3D3D20<BR>> my mecs with=3D3D3D20<BR>> =3D3D20
> > a</FONT></DIV><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3D3D3DArial=3D3D3D20<BR>> size=3D3D3D3D3D2>new chip. =
The =3D3D
> > clock light=3D3D20
> > =3D3D3D3D3D<BR>> continues to=3D3D3D20<BR>> =3D3D
> > flash=3D3D3D3D20<BR>> too.=3D3D20
> > Never locks=3D3D3D20<BR>> =3D3D20
> > in.</FONT></DIV><BR>><DIV><FONT =3D3D
> > face=3D3D3D3D3D3DArial=3D3D20
> > =3D3D3D3D<BR>><BR>> size=3D3D3D3D3D2></FONT>=3D3D20
> > </DIV><BR>><DIV><FONT=3D3D20

```

```

> > =3D3D3D<BR>>face=3D3D3D3D3DArial=3D3D3D20<BR>> =
size=3D3D3D3D3D2>I am =3D3D
> >using the simplest=3D3D20
> > setup I can =3D3D3D3D<BR>>imagine=3D3D3D20<BR>> =3D3D20
> > and=3D3D3D3D20<BR>>still it's not=3D3D3D20<BR>> =3D3D20
> > working.</FONT></DIV><BR>><DIV><FONT=3D3D20
> > =3D3D3D<BR>>face=3D3D3D3D3DArial=3D3D3D20<BR>> =
size=3D3D3D3D3D2>Mike A. =3D
>=3D3D
> >suggested the=3D3D20
> > .ini file =3D3D3D3D<BR>>to make=3D3D3D20<BR>> =3D3D20
> > sure=3D3D3D3D20<BR>>card A is 0. I'll try=3D3D3D20<BR>> =3D3D20
> > that.</FONT></DIV><BR>><DIV><FONT=3D3D20
> > =3D3D3D<BR>>face=3D3D3D3D3DArial=3D3D3D20<BR>> =
size=3D3D3D3D3D2>Pretty =3D3D
> >sure it's right=3D3D20
> > but who=3D3D3D20<BR>> =3D3D20
> > =3D3D
> >=3D3D3D3D<BR>>knows?</FONT></DIV><BR>><DIV&g=3D3D
> >t;<FONT=3D3D3D20<BR>> =3D3D20
> > face=3D3D3D3D3DArial=3D3D3D20<BR>> =3D3D20
> > =3D3D
> >=3D3D3D<BR>>size=3D3D3D3D3D2>Thanks,</FONT></DIV><BR> >=3D3D
> ><DIV><FONT=3D3D3D<BR>>=3D3D3D20<BR>> =3D3D20
> > face=3D3D3D3D3DArial=3D3D3D20<BR>> =3D3D20
> > =3D3D
> >size=3D3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><=3D3D
> >FONT=3D3D3D20<BR>> =3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT>=3D3D20
> > =3D3D
> >=3D3D3D<BR>></DIV><BR>><DIV><FONT=3D3D3D20<BR>>&nbs=3D3D
> >p;=3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT>=3D3D20
> > =3D3D3D<BR>></DIV><BR>><DIV>=3D3D3D20<BR>> =3D3D20
> > </DIV><BR>><DIV>=3D3D20
> > </DIV><BR>><DIV>=3D3D3D20<BR>> =3D3D20
> > </DIV><BR>><DIV>"rick"=3D3D20
> > =3D3D
> =
>=3D3D3D<BR>><<A=3D3D3D3D20<BR>>href=3D3D3D3D3D" <A=3D3D3D20
<BR>>&n=3D3D
> >bsp;=3D3D20
> > =3D3D
> =3D
=
>>=3D3D3D<BR>>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotma=
il.c=3D3D=3D
>

```

> =
>om</A'>mailto:pa=3D3D3D
>rnell68@hotmail.com">parnell68@hotmail.com=3D3D
> >l.com</A>=3D3D3D20
> =3D3D20
> > =3D3D3D3D
>wrote in=3D3D3D3D20
>message=3D3D20
> > <A=3D3D3D3D20
>href=3D3D3D3D3D"<A =3D3D3D
>
> =3D3D20
> > =3D3D
> =3D
=
>>=3D3D3D
>href=3D3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.c=om">=3D3D=3D
>
> =3D
=
>>news:inqgh393an5=3D3D3D
>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4=3D3D=3D
>
> >ax.com">news:inqgh393an5</A=3D3D3D
>>=3D3D3D3D
>s4m99q=3D3D
> >caojn09vn112t4u6r@4ax.com...</DIV>
&=3D3D3D
&=3D3D
> =3D
=
>>gt;gt;<BLOCKQUOTE=3D3D3D3D20
>style=3D3D3D3D3D"PADDING-RIGHT:=3D3D3D
=
20=3D3D
> >
> =3D3D20
> > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D
> >=3D3D3D3D
>BORDER-LEFT:=3D3D20
> > =3D3D3D
>#000000 2px=3D3D3D20
> solid; =
MARGIN-RIGHT:=3D3D20
> > 0px">i=3D3D3D3D20
> know this as dumb as =3D3D
> >=3D3D3D
>it=3D3D20
> > gets=3D3D3D20
> but the bnc is attached in =3D3D
> >the=3D3D3D3D20
>=3D3D20
> > =3D3D3D20
> right
order...right?
all the =3D3D
> >cards show up=3D3D20
> > in paris =3D3D3D
>with the=3D3D3D20
> =3D3D20
> > =3D3D3D3D
>single=3D3D3D3D20
> mec?
how =3D3D
> >many i/o=3D3D20
> > cards =3D3D3D
>in each=3D3D3D20
> =3D3D
> >mec?

On=3D3D20
> > Fri, 19 Oct=3D3D3D20
> =3D3D20
> > 2007
=3D3D3D3D
>
> 00:22:39 -0400, =3D3D
> >"Tom=3D3D20
> > Bruhl"=3D3D3D20
> <<A=3D3D3D3D20
> =3D3D20
> > =3D3D3D3D
>href=3D3D3D3D3D"<A=3D3D3D20
> =3D3D20
> > =3D3D
> =3D
=
>>=3D3D3D
>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.n=

et&l=3D3D=3D
>
> >/A>>
wrote'>ma=3D3D3D
>ilto:arpegio@comcast.net">=3D3D
> >;arpegio@comcast.net>
w=3D3D3D
>rote:=3D3D3D=3D3D
> >3D
>

>l=3D3D3D3D20
>=3D3D20
> > =3D3D3D20
> thought I was groovin' but once the second =
Mec=3D3D20
> > was=3D3D3D20
> =3D3D20
> > =3D3D
> >=3D3D3D3D
>introduced
>the=3D3D3D3D20
> =3D3D
> > system=3D3D20
> > =3D3D3D
>stopped. That was=3D3D3D20
> a few weeks=3D3D20
> > ago.
>
>Today l=3D3D3D20
> =3D3D20
> > =3D3D3D3D
>tried=3D3D3D3D20
> different cables, =3D3D
> >eds cards,=3D3D20
> > mecs, =3D3D3D
>eliminated=3D3D3D20
> the magma=3D3D20
> > =3D3D3D3D
>and
>still =3D3D
> >no=3D3D3D3D20
> =3D3D20
> > =3D3D3D
>clock lock or=3D3D3D20
> modules showing up in =
the=3D3D20
> > paris=3D3D3D20
> =3D3D20
> > =3D3D
> >=3D3D3D
>=3D3D3D3D
>patchbay.
>
>This=3D3D3D=3D3D
> >3D20
> =3D3D20
> > =3D3D3D
>means to=3D3D3D20
> me software unless someone =
=3D3D
> >tells=3D3D20
> > me=3D3D3D20
> =3D3D20
> > =3D3D
> >=3D3D3D
>=3D3D3D3D
>differently.
>
>l=3D3D3D=3D3D
> >3D20
> =3D3D20
> > =3D3D3D
>have a new=3D3D3D20
> C drive which I will load =
XP =3D3D
> >and no pace.=3D3D20
> > Any other=3D3D3D3D20
> =3D3D3D
>
> =3D3D20
> >
>suggestions?
>
>More frustrated=3D3D20
> > =3D3D3D
>than=3D3D3D20
> my=3D3D3D3D20
> =3D3D
> >=3D3D3D20
> =3D3D20
> > =3D3D
> >=3D3D3D
>clients,
>Tom
>
>
>=3D3D
> >;>
=3D3D3D
>>>
>l=3D3D3D20
> =3D3D20
> > choose =3D3D3D3D
>Polesoft=3D3D3D3D20
> Lockspam =3D3D
> >to fight=3D3D20
> > spam,=3D3D3D20
> and=3D3D3D3D20
> =3D3D20
> > =3D3D
> =
>=3D3D3D
>you?
><http://www.polesoft.com/refer.html>=3D3D3D20
>&=3D=
3D

```

> >gt; =3D3D20
> > =3D3D
> >=3D3D3D<BR>>=3D3D3D3D20<BR>><BR></BLOCKQUOTE></BODY>=3D3D
> >;</HTML><BR>&=3D3D3D<BR>>gt;<BR>><BR></B=3D3D
> >LOCKQUOTE></BODY></HTML><BR>><BR>><BR></BLOCKQUOTE><=3D3D
> >/BODY></HTML>
> >
> >
> >
> >
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
>charset=3D3Diso-8859-1">
><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D3D#ffffff>
><DIV><FONT face=3D3DArial size=3D3D2>Mike,</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>I used to use a Lucid but since =
all of
=3D
>this mess I=3D20
>stopped.</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>I'm trying to get stable from =
square =3D
>one with the=3D20
>least amount </FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>of hardware. I am using the =3D
>default project=3D20
>for sure. The only </FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>other thing that I still =
question is my
=3D
>move of=3D20
>Paris to C:ParisPro .</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>I should think the default =
project will
=3D
>either work=3D20
>or not. Maybe</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>configs or something else is =3D
>fighting during=3D20
>Paris startup?</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><DIV><FONT face=3D3DArial size=3D3D2>Pats 42 - Miami 7 . . . Halftime =
and =3D
>the games=3D20

```

```
>over.</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>Tom</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><BLOCKQUOTE=3D20
>style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3D
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Mike Audet" <mike@....> wrote in message <A=3D20
> =3D
=
>href=3D3D"news:471b6eb0$1 @linux">news:471b6eb0$1 @linux</A>...</DIV><BR>H=
i=3D20
> Tom,<BR><BR>Are you using a default project with PARIS? I'm so =3D
>sorry of=3D20
> this has been<BR>asked and answered already. If so, perhaps it =3D
>is=3D20
> telling card zero to lock<BR>to an external clock, which it can't =
=3D
>because=3D20
> there isn't one.<BR><BR>It would be interesting to attach an =
external
=3D
>clock=3D20
> source to the MEC and<BR>then start PARIS to see how it behaves. =
=3D
>Or, if=3D20
> the clock generator is fried,<BR>tell paris to lock externally and =
see
=3D
>what=3D20
> happens when an external clock<BR>source is applied.<BR><BR>Isn't =
there
=3D
>a=3D20
> master house synch switch in the cfg file? I've never =3D
>used<BR>it. =3D20
> Maybe DJ could help with what that should/shouldn't be set =3D
>to.<BR><BR>Wish I=3D20
> could do more than think out loud...<BR><BR>Mike<BR><BR>"Tom Bruhl" =
=3D
><<A=3D20
> href=3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>>=3D20
> wrote:<BR>><BR>><BR>>Hi Mike,<BR>>Well I've been to .cfg =3D
>many a=3D20
> time.<BR>>I've seen that Mastercard setting as being 0<BR>>but =3D
>maybe it=3D20
```

> changed after removing the 4 other cards for this round =
of=3D20
> testing.

>If it's still 0 what else could this be? =3D
>Busted=3D20
> mobo?
>I'm really in an idunno place right now. I'll be=3D20
> checking
>seriously today again because of a session =
tomorrow=3D20
> morning.
>Tom
>
>
> "Mike Audet"=3D20
> <mike@....> wrote in message <A=3D20
> =3D
=
>href=3D3D"news:471b2ec2\$1@linux">news:471b2ec2\$1@linux...
>
>&g=
=3D
>t; =3D20
> Hi Tom,
>
> If you've only got one card in, then the =3D
>
> Mastercard =3D3D3D 0 setting is =3D3D
>right.
> =3D
>The file is=3D20
> Paris.cfg, and it lives in the c:\program=3D20
> files\Emu\PARIS
=3D3D
>PRO
> =3D
>folder.
>
> =3D20
> I'd still check it out to see what it is set to.
>
> =3D
>If it=3D20
> is wrong, what you are describing will happen.
>
> =3D
>Good=3D20
> luck!
>
> Mike
>
> "Tom Bruhl" =3D
><<A=3D20
> href=3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net=>=3D20
> wrote:
> >
> >
> >Thanks=3D20
> Dimitrios.
> >
> >Mike said the same=3D20
> thing. Is the ini in the Paris folde or system=3D20
> =3D3D
>32?
> >Do I want the Master card to be 0=3D20
> absolutely? I only have one card
> >in there =3D
>right now=3D20
> and it's all freaky just the same.
> >Tom
> =3D
>
> >
> >
> >
> > =3D20
> "Dimitrios" <<A =3D
>href=3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr=>=3D20
> wrote in message =3D3D3D
> =3D
>>news:471a0486\$1@linux...
> =3D20
> >
> > Hi Tom !@
> > Sorry =3D
>to hear=3D20
> you still having problems like this ~!!
> > Must =3D
>be very=3D20
> frustrating.
> > Open the Paris ini file and =3D
>there change=3D20
> the mastercardoutput with
=3D3D
>=3D3D3D
> >your=3D20

> other
> > cards and see what happens =3D
>!!
> =3D20
> > Let me know.
> > =3D
>Regards,
> =3D20
> > Dimitrios
> >
> > "Tom =3D
>Bruhl"=3D20
> <arpegio@comcast.net> =
=3D
>
> wrote:
> > >
> > =3D20
> >
> > >Rick,
> > >1 =3D
>mec, no=3D20
> BNC involved. Paris boots up so the 1 mec that
> =3D
>> =3D20
> >I'm using shows up but never any A to Ds or any installed=3D20
> modules.
> > >This is the same symptom before =3D
>I=3D20
> repaired one of my mecs with a
> > >new =3D
>chip. =3D20
> The clock light continues to flash too. Never locks=3D20
> =3D3D
>in.
> > >
> > =3D
>>I am=3D20
> using the simplest setup I can imagine and still it's not =3D
>=3D3D3D
> =3D20
> >working.
> > >Mike A. suggested the =3D
>.ini=3D20
> file to make sure card A is 0. I'll =3D3D
>try
> =3D
>
> =3D3D3D
> >=3D3D3D3D
> > =3D
>>that.
> =3D20
> > >Pretty sure it's right but who knows?
> =3D
>> =3D20
> >Thanks,
> > >Tom
> > =3D20
> >
> > >
> > =3D
>>
> =3D20
> > >
> > >
> > =3D
>
> >"rick" <<A=3D20
> href=3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com> =
=3D
>wrote in=3D20
> message =3D3D3D3D
> > =3D20
> >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =3D20
> > > i know this as dumb as it gets but the bnc is =3D
>attached=3D20
> in the =3D3D
>right
> > > =3D20
> order...right?
> > > all the cards show =3D
>up in=3D20

> paris with the single mec?
> > > how =3D
>many i/o=3D20
> cards in each mec?
> > >
> =3D
>> =3D20
> >
> > > On Fri, 19 Oct 2007 00:22:39 =3D
>-0400,=3D20
> "Tom Bruhl" =3D3D3D
> ><<A=3D20
> =3D
=
>href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=3D=

>bsp;=3D20
> > > wrote:
> > =3D
>>
> =3D20
> > > >I thought I was groovin' but once the second =3D
>Mec was=3D20
> introduced
> > > >the system =3D
>stopped. =3D20
> That was a few weeks ago.
> > > =3D20
> >
> > > >Today I tried different =3D
>cables,=3D20
> eds cards, mecs, eliminated the
=3D3D
>=3D3D3D
> =3D20
> >magma
> > =3D3D3D3D
> > =3D20
> >and
> > > >still no clock lock or =3D
>modules=3D20
> showing up in the paris =3D3D
>patchbay.
> > =3D
>> =3D20
> >
> > > >This means to me software =3D
>unless=3D20
> someone tells me differently.
> > > =3D20
> >
> > > >I have a new C drive =3D
>which I will=3D20
> load XP and no pace. Any =3D3D3D
> =3D20
> >other=3D3D3D3D20
> > > =3D20
> >suggestions?
> > > =3D
>>
> =3D20
> > > >More frustrated than my =3D
>clients,
> =3D20
> > > >Tom
> > > =3D20
> >
> > > >
> > =3D
>
> > >
> > > >
> =3D
>
> > > >I choose Polesoft Lockspam to fight spam, =3D
>and=3D20
> you?
> > > =3D20
> >http://www.polesoft.com/refer.html =3D3D3D3D20
> =3D
>> =3D20

```

> ><BR>> > ><BR>> > =3D
>><!DOCTYPE=3D20
> HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN"><BR>> =3D20
> > ><HTML><HEAD><BR>> > =3D
>><META=3D20
> http-equiv=3D3D3D3D3DContent-Type =
content=3D3D3D3D3D"text/html";=3D20
> =3D3D<BR>>=3D3D3D3D<BR>> > =3D20
> > charset=3D3D3D3D3Diso-8859-1"><BR>> > =3D
>><META=3D20
> content=3D3D3D3D3D"MSHTML 6.00.2800.1400" =3D
> name=3D3D3D3D3DGENERATOR><BR>> =3D20
> > ><STYLE></STYLE><BR>> > =3D20
> ></HEAD><BR>> > ><BODY=3D20
> bgColor=3D3D3D3D3D#ffffff><BR>> > =3D
>><DIV><FONT=3D20
> face=3D3D3D3D3DArial =3D
> size=3D3D3D3D3D2>Rick,</FONT></DIV><BR>> =3D20
> > ><DIV><FONT face=3D3D3D3D3DArial =3D
> size=3D3D3D3D3D2>1 mec, no=3D20
> BNC involved. =3D3D<BR>>Paris =3D3D3D<BR>> =3D
>>=3D3D3D3D<BR>> =3D20
> > >boots up so the=3D3D3D3D20<BR>> > >1 =3D
> mec=3D20
> that</FONT></DIV><BR>> > =3D
>><DIV><FONT=3D20
> face=3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using shows up but =3D
> =3D3D<BR>>never=3D20
> any<BR>> =3D3D3D<BR>> >A to =3D3D3D3D<BR>> =3D
>> =3D20
> >Ds or any=3D3D3D3D20<BR>> > >installed=3D20
> modules.</FONT></DIV><BR>> > =3D20
> ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>This is =3D
> the same=3D20
> symptom<BR>=3D3D<BR>>before<BR>> =3D3D3D<BR>> >I=3D20
> =3D3D3D3D<BR>> > >repaired one =3D
> of=3D3D3D3D20<BR>> =3D20
> > >my mecs with a</FONT></DIV><BR>> =3D20
> > ><DIV><FONT face=3D3D3D3D3DArial =3D
> size=3D3D3D3D3D2>new chip.=3D20
> The clock light<BR>=3D3D<BR>>=3D3D3D3D<BR>> > =3D
>>continues to=3D20
> flash=3D3D3D3D20<BR>> > >too. Never locks=3D20
> in.</FONT></DIV><BR>> > =3D
>><DIV><FONT=3D20
> face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =3D
>></DIV><BR>> =3D20
> > ><DIV><FONT face=3D3D3D3D3DArial =3D

```



```

>size=3D3D3D3D3D2>I am using=3D20
> the simplest =3D3D<BR>>setup I<BR>> =3D3D3D<BR>> =3D
>>can=3D20
> =3D3D3D3D<BR>> > >imagine =3D
>and=3D3D3D3D20<BR>> > =3D20
> >still it's not working.</FONT></DIV><BR>> =3D
>> =3D20
> ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>Mike A. =3D
>suggested the=3D20
> =3D3D<BR>>.ini file<BR>> =3D3D3D<BR>> =3D
>>=3D3D3D3D<BR>> =3D20
> > >to make sure=3D3D3D3D20<BR>> > >card =3D
>A is 0.=3D20
> I'll try that.</FONT></DIV><BR>> > =3D20
> ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>Pretty =3D
>sure it's=3D20
> right =3D3D<BR>>but who =3D3D3D<BR>> >=3D3D3D3D<BR>> =3D
>> =3D20
> >knows?</FONT></DIV><BR>> > =3D20
> ><DIV><FONT face=3D3D3D3D3DArial=3D20
> size=3D3D3D3D3D2>Thanks,</FONT></DIV><BR>> =3D
>> =3D20
> ><DIV><FONT face=3D3D3D3D3DArial=3D20
> size=3D3D3D3D3D2>Tom</FONT></DIV><BR>> =3D
>> =3D20
> ><DIV><FONT face=3D3D3D3D3DArial =3D
>size=3D3D3D3D3D2></FONT>=3D20
> </DIV><BR>> > ><DIV><FONT =3D
>face=3D3D3D3D3DArial=3D20
> size=3D3D3D3D3D2></FONT> </DIV><BR>> > =3D20
> ><DIV> </DIV><BR>> > ><DIV>=3D20
> </DIV><BR>> > ><DIV>=3D20
> </DIV><BR>> > ><DIV>"rick"=3D20
> <<A=3D3D3D3D20<BR>> > =3D
>=3D3D<BR>>>href=3D3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A>>mailto=
:pa=3D
>rnell68@hotmail.com">parnell68@hotmail.com</A</A>>>=3D20
> =3D3D<BR>>=3D3D3D<BR>> >=3D3D3D3D<BR>> > =3D
>>wrote=3D20
> in=3D3D3D3D20<BR>> > >message =3D
><A=3D3D3D3D20<BR>> =3D20
> > =3D3D3D<BR>> =3D3D<BR>>>>href=3D3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh'>n=

```

ews=3D
=
>:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh=3D3D
>=3D=

>393=3D3D3D
> =3D20
> >an5=3D3D3D3D
> > =3D20
> =3D
>>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> =3D
>;=3D20
> > ><BLOCKQUOTE=3D3D3D3D20
> > =3D20
> >style=3D3D3D3D3D"padding-right: 0px; padding-left: 5px; =
margin-left: =3D
>
> =3D3D
>5px; =3D3D3D
> >=3D3D3D3D
> =3D
>> =3D20
> >border-left: #000000 2px solid; margin-right:=3D20
> 0px">i=3D3D3D3D20
> > > know this as =3D
>dumb as it=3D20
> gets but the bnc is attached in =3D3D
>the=3D3D3D3D20
> =3D
>> =3D20
> > right
order...right?
all the cards show =3D
>up in=3D20
> paris with =3D3D
>the
> =3D3D3D
> =3D20
> >=3D3D3D3D
> > >single=3D3D3D3D20
> =3D
>> =3D20
> > mec?
how many i/o cards in each=3D20
> mec?

On Fri, 19 =3D3D
>Oct =3D
>=3D3D3D
> =3D20
> >2007
> > =3D3D3D3D
> > =3D20
> >
> > > 00:22:39 -0400, "Tom Bruhl"=3D20
> <<A=3D3D3D3D20
> > > =3D
>=3D3D3D3D
> =3D20
> > =3D3D3D
> =3D3D
>>>href=3D3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
wro'>m=
ail=3D
>to:arpegio@comcast.net">arpegio@comcast.net>
wro=3D
>=3D3D
>te:=3D3D3D
> =3D20
> >=3D3D3D3D
> > =3D20
> >

|=3D3D3D3D20
> > =3D
>> =3D20
> thought I was groovin' but once the second Mec was =3D
>=3D3D3D3D
> =3D20
> > >introduced
>the=3D3D3D3D20
> =3D
>> =3D20
> > system stopped. That was a few weeks=3D20
> ago.
>
>Today I =3D3D3D3D
> =3D

>> =3D20
 > >tried=3D3D3D3D20
> > > different =3D
 >cables, eds=3D20
 > cards, mecs, eliminated the magma =3D3D3D3D
> > =3D20
 > >and
>still no=3D3D3D3D20
> > =3D
 >> clock=3D20
 > lock or modules showing up in the paris =3D3D3D3D
> =3D
 >> =3D20
 > >patchbay.
>
>This=3D3D3D3D20
> =3D
 >> =3D20
 > > means to me software unless someone tells me =3D
 >=3D3D3D3D
> =3D20
 > > =3D
 >>differently.
>
>I=3D3D3D3D20
> =3D20
 > > > have a new C drive which I will load XP and no =3D
 >pace. Any=3D20
 > =3D3D
>other=3D3D3D3D20
> > > =3D20
 >
>suggestions?
>
>More frustrated =3D
 >than=3D20
 > my=3D3D3D3D20
> > > =3D20
 > =3D
 >clients,
>Tom
>
>
>
>
=3D
 >>>
>I=3D20
 > choose =3D3D3D3D
> > =3D
 >>Polesoft=3D3D3D3D20
> =3D20
 > > > Lockspam to fight spam, =3D
 >and=3D3D3D3D20
> =3D20
 > > > =3D
 >you?
>http://www.polesoft.com/refer.html=3D20
 > =3D3D3D3D20
> > =3D20
 > =3D
 >>
</BLOCKQUOTE></BODY></HTML>
> =3D
 >=3D20
 > > >
> > >
> =3D
 >>
> =3D20
 > >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=3D20
 > Transitional//EN">
> =3D
 >><HTML><HEAD>
> =3D20
 > ><META http-equiv=3D3D3D3DContent-Type =
 content=3D3D3D3D"text/html;=3D20
 > =3D3D3D
> >charset=3D3D3D3Diso-8859-1">
> =3D
 >><META=3D20
 > content=3D3D3D3D"MSHTML 6.00.2800.1400" =3D
 >name=3D3D3D3DGENERATOR>
> =3D20
 > ><STYLE></STYLE>
> =3D
 >></HEAD>
> =3D20
 > ><BODY bgColor=3D3D3D3D#ffffff>
> =3D
 >><DIV><FONT=3D20

```

> face=3D3D3D3DArial size=3D3D3D3D2>Thanks=3D20
> Dimitrios.</FONT></DIV><BR>> =3D
>><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D
></DIV><BR>> =3D20
> ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Mike said the =3D
>same=3D20
> thing. Is =3D3D<BR>>the =3D3D3D<BR>> >ini in=3D20
> the=3D3D3D20<BR>> >Paris folde or system=3D20
> 32?</FONT></DIV><BR>> ><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2>Do I want the Master card to=3D20
> be<BR>=3D3D<BR>>0=3D3D3D20<BR>> >absolutely? I only =3D
>have one=3D20
> card</FONT></DIV><BR>> ><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2>in there right now and it's=3D20
> all<BR>=3D3D<BR>>freaky<BR>> =3D3D3D<BR>> >just=3D20
> the=3D3D3D20<BR>> =3D
>>same.</FONT></DIV><BR>> =3D20
> ><DIV><FONT face=3D3D3D3DArial=3D20
> size=3D3D3D3D2>Tom</FONT></DIV><BR>> =3D20
> ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D
>
> </DIV><BR>> ><DIV><FONT face=3D3D3D3DArial=3D20
> size=3D3D3D3D2></FONT> </DIV><BR>> =3D
>><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D
></DIV><BR>> =3D20
> ><BLOCKQUOTE=3D3D3D20<BR>> =3D
>>style=3D3D3D3D"PADDING-RIGHT: 0px;=3D20
> PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D<BR>>=3D3D3D<BR>> =3D20
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =3D
>0px"><BR>> =3D20
> > <DIV>"Dimitrios" <<A=3D3D3D20<BR>> =3D
>> =3D20
> href=3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A'>mailto:musur=
gio=3D
>@otenet.gr">musurgio@otenet.gr</A/A>>>=3D20
> wrote<BR>=3D3D<BR>>in =3D3D3D<BR>> =3D
>>message=3D3D3D20<BR>> =3D20
> > <A =3D3D3D<BR>> =3D3D<BR>>>href=3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'news:471a0486$1@linux">news:471a0486$1@linux</A>...</DIV><BR>H=
'>n=3D
>ews:471a0486$1@linux">news:471a0486$1@linux</A>...</DIV>>&l=3D

```

>t;BR>H=3D3D
>i
> =3D20
> =3D3D3D
> >Tom=3D3D3D20
> > <A=3D20
> href=3D3D"mailto:!!@
Sorry">!!@
Sorry to hear you still =3D
>having=3D20
> problems like this ~!!
Must
=3D3D
>be
> =3D20
> =3D3D3D
> >very=3D3D3D20
> > =3D20
> frustrating.
Open the Paris ini file and there change the=3D20
> =3D3D3D
> >mastercardoutput=3D3D3D20
> =3D
>> with your=3D20
> other
cards and see what happens !!
Let=3D20
> me=3D3D3D20
> > =3D20
> know.
Regards,
Dimitrios

"Tom =3D
>Bruhl"=3D20
> <<A=3D3D3D20
> > href=3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net=>=3D3D3D20'=
>mail=3D
>to:arpegio@comcast.net">arpegio@comcast.net=>=3D3D3D20<B=3D
>R>> =3D20
> > =3D20
> wrote:
>
>
>Rick,
>1 =3D
>mec, no=3D20
> BNC =3D3D3D
> >involved. Paris=3D3D3D20
> =3D
>> =3D20
> boots up so the 1 mec that
>I'm using shows up but never =3D
>any A=3D20
> =3D3D
>=3D3D3D
> >to Ds or=3D3D3D20
> =3D
>> any=3D20
> installed modules.
>This is the same symptom before I=3D20
> =3D3D3D
> >repaired one=3D3D3D20
> > =3D
>of my mecs=3D20
> with a
>new chip. The clock light continues to=3D20
> =3D3D3D
> >flash=3D3D3D20
> > =3D
>too. Never=3D20
> locks in.
>
>I am using the simplest =3D
>=3D3D3D
> =3D20
> >setup I can=3D3D3D20
> > imagine and still it's =3D
>not=3D20
> working.
>Mike A. suggested the =3D3D3D
> =3D20
> >.ini=3D3D3D20
> > file to make sure card A is =3D
>0. =3D20
> I'll try =3D3D3D
> =3D20
> =3D
>>=3D3D3D3D
>that.
>Pretty=3D3D3D20
> =3D
>> =3D20
> sure it's right but who=3D3D3D20
> > =3D
>=3D3D3D
> =3D20

> =3D
>>knows?
>Thanks,
>Tom
>
&=3D
>gt;
>
>
><=3D3D3D
> =3D20
> >BR>>"rick"=3D3D3D20
> > <<A =3D
>=3D3D3D
> =3D20
> >href=3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto=
:pa=3D
>rnell68@hotmail.com">parnell68@hotmail.com</A>=3D20
> =3D3D
>=3D3D3D
> >wrote=3D3D3D20
> =3D
>> in=3D20
> message=3D3D3D20
> > =3D3D3D
> =3D20
> =3D
>=3D3D
>>=3D3D3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u=3D
>6r@4ax.com...
>&nbs=3D3D3D=3D3D
>
> =3D20
> >p; i=3D3D3D20
> > know this as dumb as it gets =3D
>but the=3D20
> bnc is attached in the=3D3D3D20
> > =3D
>right
> =3D20
> order...right?
> all the cards show up =3D
>=3D3D3D
> =3D20
> >in=3D3D3D20
> > paris with the single=3D20
> mec?
> how many i/o cards in =3D
>each=3D3D3D20
> =3D20
> > mec?
>
>
> On =3D
>Fri, 19 Oct=3D20
> 2007 00:22:39 -0400, =3D3D3D
> >"Tom=3D3D3D20
> =3D
>> =3D20
> Bruhl" <<A=3D3D3D20
> > =3D3D3D
> =3D20
> =3D3D
>>href=3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=3D=
3D=3D
>3D'>mailto:arpegio@comcast.net">arpegio@comcast.net><B=3D
>R>>&n=3D3D3D=3D3D
>
> =3D20
> >bsp;=3D3D3D20
> > =3D20
> wrote:
>
> >I thought I was groovin' =3D
>but once=3D20
> the =3D3D3D
> >second=3D3D3D20
> > Mec =3D
>was=3D20
> introduced
> >the system stopped. That=3D20
> =3D3D3D
> >was a few=3D3D3D20
> > =3D
>weeks=3D20
> ago.
> >
> >Today I tried=3D20
> =3D3D3D
> >different=3D3D3D20
> > =3D

>cables, eds=3D20
> cards, mecs, eliminated the =3D3D3D
> =3D20
> >magma
=3D3D3D3D
>and
> =3D
>=3D3D3D20
> =3D20
> > >still no clock lock or modules showing up in the=3D20
> paris=3D3D3D20
> > patchbay.
> =3D20
> >
> >This means to me =3D3D3D
> =3D20
> >software=3D3D3D20
> > unless someone tells me=3D20
> differently.
> >
> =3D
>=3D3D3D
> =3D20
> >>I=3D3D3D20
> > have a new C drive which I =3D
>will load=3D20
> XP and no pace. Any=3D3D3D20
> > =3D20
> other=3D3D3D3D20
> =3D
>>suggestions?
> =3D20
> =3D3D3D
> >>
> =3D3D3D20
> =3D
>> =3D20
> >More frustrated than my clients,
> =3D
>=3D3D3D
> =3D20
> >>Tom
> =3D3D3D20
> > =3D20
> >
> >
> =3D
>>
> =3D20
> =3D3D3D
> >>
> =3D3D3D20
> =3D
>> >I=3D20
> choose Polesoft Lockspam to fight spam, and you?
>=3D20
> =3D3D3D20
> > =3D
>>http://www.polesoft.com/refer.html=3D20

-----=_NextPart_000_0017_01C81412.A17511B0

Content-Type: text/html;
charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>I'm about to try some things =
Mike.</FONT></DIV>
<DIV>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>I have already removed the housesync=20
line.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Maybe not from both folders =
though.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>I'll give it a run and report =
```


back.</DIV>
<DIV>T</DIV>
<DIV> </DIV>
<DIV> </DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Mike Audet" <mike@....> wrote in message <A=20
=
href=3D"news:471bcb77\$1 @linux">news:471bcb77\$1 @linux...</DIV>
Hi=20
Tom,

I have an idea.

Try removing UseHouseSync=3D1 from =
the=20
paris.cfg file.

Next, remove your default project from the =
program=20
files\emu\paris pro folder.

Let me know if it makes a =

difference.

Good luck!

Mike

"Tom Bruhl" <<A=20
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=20
wrote:
>
>
>Mike,
>I used to use a Lucid but =
since all=20
of this mess I stopped.
>I'm trying to get stable from square =
one with=20
the least amount=3D20
>of hardware. I am using the default =
project=20
for sure. The only=3D20
>other thing that I still question =
is my=20
move of Paris to C:ParisPro .
>I should think the default =
project will=20
either work or not. Maybe
>configs or something else is =
fighting=20
during Paris startup?
>
>Pats 42 - Miami 7 . . . Halftime =
and the=20
games over.
>Tom
>
>
>
> "Mike =
Audet"=20
<mike@....> wrote in message <A=20
=
href=3D"news:471b6eb0\$1 @linux">news:471b6eb0\$1 @linux...
>
&g=
t; =20
Hi Tom,
>
> Are you using a default project with=20
PARIS? I'm so sorry of this has
=3D
>been
> =
asked and=20
answered already. If so, perhaps it is telling card zero=20
to
=3D
>lock
> to an external clock, which it =
can't because=20
there isn't one.
>
> It would be interesting to =
attach an=20
external clock source to the MEC
=3D
>and
> then =
start=20

PARIS to see how it behaves. Or, if the clock generator is fried, tell paris to lock externally and see what happens when an external clock source is applied. Isn't there a master house synch switch in the cfg file? I've never used it. Maybe DJ could help with what that should/shouldn't be set to. Wish I could do more than think out loud... Mike <mailto:arpegio@comcast.net> wrote: Mike, Well I've been to .cfg many a time. I've seen that Mastercard setting as being 0 but maybe it changed after removing the 4 other eds cards for this round of testing. If it's still 0 what else could this be? Busted mobo? I'm really in a idunno place right now. I'll be checking seriously today again because of a session tomorrow morning. Tom & Mike "Mike Audet" & wrote in message <news:471b2ec2\$1@linux>... & Hi Tom, & & If you've only got one card in, then the Mastercard = 0 setting is & right. & & The file is Paris.cfg, and it lives in the c:\program = & files\Emu\PARIS & = & PRO & & folder. & & I'd = still check it out to see what it is set to. & & If it is wrong, what you are describing will happen. & & Good luck! &

>
 =20
 Mike

 "Tom =
Bruhl" <<A=20
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net =20
wrote:

 =20

 Thanks Dimitrios.
 =
 =20

 Mike said the same thing. Is =
the ini=20
in the Paris folde or system
=3D
 =3D3D
 =20
 32?
 Do I want the Master card to be 0 =

absolutely? I only have one =3D
 card
 =
 =20
 in there right now and it's all freaky just the =
same.
 =20
 Tom

 =
 =20

 =

"Dimitrios" <<A =
href=3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr =20
wrote in message =3D3D3D
 =20
 news:471a0486\$1@linux...
 =

 =20
 Hi Tom !@
 =
Sorry to=20
hear you still having problems like this ~!!
 =20
 Must be very frustrating.
 =
 Open=20
the Paris ini file and there change the mastercardoutput=20
=3D
 with
 =3D3D
 =
 =3D3D3D
 =20
 your other
 cards =
and see=20
what happens !!
 Let me =
know.
 =20
 Regards,
 =20
Dimitrios

 =
 =20
"Tom Bruhl" <<A=20
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net =20
wrote:

 =
 =20

 =
 Rick,
 =20
 1 mec, no BNC involved. Paris boots up =
so the=20

19 Oct=20

2007 00:22:39 -0400, "Tom Bruhl" =3D3D3D
> > =
><<A=20

=

href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>
>&n=
bsp;=20

> > > wrote:
> > =
> =20

>
> > > > > I thought I =
was=20

groovin' but once the second Mec was =

=3D
>introduced
> =20

> > > > the system stopped. That =
was a few=20

weeks ago.
> > > > =
>
> =20

> > > Today I tried different cables, =
eds=20

cards, mecs, eliminated
=3D
>the
> =
=3D3D
> =20

>=3D3D3D
> > > magma
> =
> =20

> =3D3D3D3D
> > > =
>&and
> =20

> > > still no clock lock or modules =
showing up=20

in the paris =3D3D
> > patchbay.
> =
> =20

> > >
> > > =
> =20

>&This means to me software unless someone tells me=20

=3D
>differently.
> > > > =

>
> > > > > I have a new C =
drive=20

which I will load XP and no pace. =

Any
=3D
>=3D3D3D
> =20

> > other=3D3D3D3D20
> > > =
> =20

>&suggestions?
> > > > =20

>
> > > > > More =
frustrated than=20

my clients,
> > > > =20

>&Tom
> > > > =

>
> =20

> > > >
> > =
> =20

> >
> > > > =20

>
> > > > > > I choose =
Polesoft=20
Lockspam to fight spam, and you?
> > > > =20
> > http://www.polesoft.com/refer.html =20
=3D3D3D3D20
> > > >
> =
> =20
> >
> > > > > <!DOCTYPE =
HTML=20
PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> =
> =20
> > <HTML><HEAD>
> > > =
> =20
> <META http-equiv=3D3D3D3D3DContent-Type=20
=3D
>content=3D3D3D3D3D"text/html; =3D3D
> =20
>=3D3D3D3D
> > > > =20
>charset=3D3D3D3D3Diso-8859-1">
> > > =
> =20
> <META content=3D3D3D3D3D"MSHTML 6.00.2800.1400"=20
=3D
>name=3D3D3D3D3DGENERATOR>
> > > =
> =20
> <STYLE></STYLE>
> > > > =20
> </HEAD>
> > > > > <BODY=20
bgColor=3D3D3D3D3D#ffffff>
> > > > =20
> <DIV><FONT face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2> Rick,</D IV>
> =
> =20
> > <DIV><FONT face=3D3D3D3D3DArial =
size=3D3D3D3D3D2> 1 mec,=20
no BNC =3D
>involved. =3D3D
> > Paris =
=3D3D3D
> =20
> > =3D3D3D3D
> > > > > boots =
up so=20
the=3D3D3D3D20
> > > > > 1 mec=20
that</DIV>
> > > > =20
> <DIV> I'm =
using shows=20
up
=3D
>but =3D3D
> > never any
> =
> =20
=3D3D3D
> > > > A to =3D3D3D3D
> =
> =20
> > Ds or any=3D3D3D3D20
> > > =
> =20
> installed modules.</DIV>
> =
> =20
> > <DIV><FONT face=3D3D3D3D3DArial =
size=3D3D3D3D3D2> This=20
is the same =3D
>symptom
> =3D3D
> =20
> before
> > > =3D3D3D
> > > =

up in=20
paris =3D
>with =3D3D
> > the
> =
> =20
=3D3D3D
> > > =3D3D3D3D
> =
> > =20
>single=3D3D3D3D20
> > > > > =20
mec?
how many i/o cards in each =
mec?

On =20
Fri, 19
=3D
>=3D3D
> > Oct =
=3D3D3D
> > =20
>2007
> > > > =3D3D3D3D
> =
> =20
> >
> > > > > =
00:22:39 -0400,=20
"Tom Bruhl" <<A=3D3D3D3D20
> > > =
> =20
=3D3D3D3D
> > > > =3D3D3D
> =
> =20
=3D3D
> =3D
>>>>href=3D3D3D3D3D"<A=20
=
href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net><BR'>mailto:a=
rpeggio@comcast.net">arpeggio@comcast.net><BR>=3D=

>wro=3D3D
> =20
>te:=3D3D3D
> > >=3D3D3D3D
> =
> =20
> >

>l=3D3D3D 3D20
> =
> =20
> > thought I was groovin' but once the second Mec =
was=20
=3D3D3D3D
> > > =20
>introduced
>the=3D3D3D3D20
> > =
> =20
> > system stopped. That was a few weeks=20
ago.
>
>Toda y I =
=3D
>=3D3D3D3D
> =20
> > >tried=3D3D3D3D20
> > =
> =20
> > different cables, eds cards, mecs, eliminated the magma=20
=3D
>=3D3D3D3D
> > > =20
>&and
>still no=3D3D3D3D20
> > =
> =20
> > clock lock or modules showing up in the paris =
=3D3D3D3D
> =20
> > =20
>patchbay.
>
 ;>This=3D3D3D3D20
> =

> > > means to me software unless someone =
tells me=20

size=3D3D3D2>Mike said the same thing.
=3D
> ls =
=3D3D
> =20
>the =3D3D3D
> > > >ini in =
the=3D3D3D20
> =20
> >Paris folde or system=20
32?</DIV>
> > =
></DIV></FONT=20
face=3D3D3D3DArial size=3D3D3D2>Do I want the Master =
card
=3D
>to=20
be
> =3D3D
> >0=3D3D3D20
> =
> =20
>absolutely? I only have one=20
card</DIV>
> > =
></DIV></FONT=20
face=3D3D3D3DArial size=3D3D3D2>in there right now and =
=3D
>it's=20
all
> =3D3D
> >freaky
> =
> =20
=3D3D3D
> > >just the=3D3D3D20
> =
> =20
>same.</DIV>
> > =20
></DIV></FONT face=3D3D3D3DArial=20
size=3D3D3D2>Tom</DIV&a mp;gt;
> =
> =20
></DIV></FONT face=3D3D3D3DArial =
size=3D3D3D2>=20
</DIV>
> > ></DIV></FONT =
face=3D3D3D3DArial=20
size=3D3D3D2> </DIV>
> > =20
></DIV></FONT face=3D3D3D3DArial =
size=3D3D3D2>=20
</DIV>
> > =
></BLOCKQUOTE=3D3D3D20
> =20
> >style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px;=20
MARGIN-LEFT: =3D
>5px; =3D3D
> =
>=3D3D3D
> =20
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT:=20
0px">
> > > </DIV>"Dimitrios"=20
</<A=3D3D3D20
> > > =
href=3D3D3D3D"<A=20
=
href=3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A'>mailto:musurgio=
@otenet.gr">musurgio@otenet.gr</A>>=20
=3D
>wrote
> =3D3D
> >in =
=3D3D3D
> =20
> >message=3D3D3D20
> > > =
</A=20
=3D3D3D
> > =3D3D
> =20

=3D
>>>href=3D3D3D3D"<A=20
=
href=3D'news:471a0486\$1 @linux">news:471a0486\$1 @linux...</DIV><B'>news=
:471a0486\$1 @linux">news:471a0486\$1 @linux...</DIV><B=
=3D
>&R>H=3D3D
> =20
>&i
> > > =3D3D3D
> > > =20
>&Tom=3D3D3D20
> > > > <A=20
href=3D"mailto:!!@
Sorry">!!@
Sorry to hear you still =
having=20
problems like this =3D
>~!!
Must
> =
=3D3D
> =20
>&be
> > > =3D3D3D
> > > =20
>&very=3D3D3D20
> > > > > =
frustrating.
Open=20
the Paris ini file and there change the =
=3D
>=3D3D3D
> =20
> >&mastercardoutput=3D3D3D20
> > > =
> =20
with your other
cards and see what happens !!
Let=20
=3D
>me=3D3D3D20
> > > > =20
know.
Regards,
Dimitrios&a mp;lt;BR>
 "Tom =
Bruhl"=20
<<A=3D3D3D20
> > > > =
=3D
>href=3D3D3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net=>=3D3D3D20'>ma=
ilto:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D20</=
A>
> =20
> > > =20
wrote:
>
>&a mp;lt;BR>>Rick,
>>1 =
mec, no=20
BNC =3D3D3D
> > > >&involved. =20
Paris=3D3D3D20
> > > > boots up so the 1 =
mec=20
that
>I'm using shows up but never any
=3D
>A=20
=3D3D
> >=3D3D3D
> > > >&to Ds=20
or=3D3D3D20
> > > > any installed=20
modules.
>This is the same symptom before I=20
=3D
>=3D3D3D
> > > >&repaired =
one=3D3D3D20
> =20
> > > of my mecs with a
>new chip. =
The clock=20
light continues to =3D
>=3D3D3D
> > > =20
>&flash=3D3D3D20
> > > > too. =
Never locks=20
in.
>
>I am using the simplest =
=3D3D3D
> =20
> >&setup I can=3D3D3D20
> > > =

> imagine=20
and still it's not working.
>Mike A. suggested the=20
=3D
>=3D3D3D
> > =
>.ini=3D3D3D20
> =20
> > file to make sure card A is 0. I'll try=20
=3D3D3D
> > =20
=
>=3D3D3D3D
>that.<BR&a mp;gt;>Pretty=3D3D3D20
> =
p;=20
> > sure it's right but who=3D3D3D20
> =
> =20
> =3D3D3D
> > =20
=
>knows?
>Thanks,<BR&am p;gt;>Tom
>
 &=
gt;
>
>& lt;BR>><=3D3D3D
> =20
> >BR>>"rick"=3D3D3D20
> > =
> =20
<<A =3D3D3D
> > =
=3D
>>href=3D3D3D3D"<A=20
=
href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto:pa=
rnell68@hotmail.com">parnell68@hotmail.com</A>>=20
=3D
>=3D3D
> >=3D3D3D
> > =20
>wrote=3D3D3D20
> > > in=20
message=3D3D3D20
> > > =
=3D3D3D
> =20
> =3D3D
> =20
=
=3D
 >>>=3D3D3D3D
>n ews:inqgh393an5s4m99qcaojn09vn=
112t4u6r@4ax.com...
>& amp;nbs=3D
>=3D3D3D=3D3D
>&=&
nbsp;=20
>
> > >p; i=3D3D3D20
> =
> =20
> know this as dumb as it gets but the bnc is attached in=20
=3D
>the=3D3D3D20
> > > =20
right
> order...right?
> all the =
cards=20
show up =3D3D3D
> > >in=3D3D3D20
> =
> =20
> paris with the single mec?
> how many i/o =
cards=20
in =3D
>each=3D3D3D20
> > > =20
mec?
>
>& amp ;lt;BR>> On Fri, 19 Oct =
2007=20
00:22:39 -0400, =3D3D3D
> > =
>"Tom=3D3D3D20
> =20
> > Bruhl" <<A=3D3D3D20
> =
> =20

using shows up=20
but never =3D
>any A to
> =3D3D
> =20
>=3D3D3D
> > >=3D3D3D3D
>Ds=20
or=3D3D3D20
> > > =20
any=3D3D3D3D20
>installed=3D3D3D20
> =
> > =20
modules.</DIV><BR& amp;gt;><DIV><FONT=20
=3D3D3D
> > =
>face=3D3D3D3D3DArial=3D3D3D20
> =20
> > size=3D3D3D3D2>This is the same symptom =
before l=20
=3D
>=3D3D3D3D
>repaired =3D3D
> =20
>=3D3D3D
> > >one=3D3D3D20
> =
> =20
> of=3D3D3D3D20
>my mecs =
with=3D3D3D20
> =20
> > =20
a</DIV>
 ><DIV><FONT=20
face=3D3D3D3D3DArial=3D3D3D20
> > > =20
size=3D3D3D3D2>new chip. The clock light =
=3D3D3D3D
>continues=20
=3D
>to=3D3D3D20
> > > =20
flash=3D3D3D3D20
>too. Never locks=3D3D3D20
> =
> =20
> =
in.</DIV><BR&g t><DIV><FONT=20
face=3D3D3D3D3DArial =3D3D3D
> > =
>
> =20
> > size=3D3D3D3D2>=20
</DIV>
><DIV&am p;gt;<FONT =3D3D3D
> =
> =20
>face=3D3D3D3D3DArial=3D3D3D20
> > > =20
size=3D3D3D3D2>I am using the simplest setup I can =
=3D3D
> =20
>=3D3D3D3D
>imagine=3D3D3D20
> > =
> =20
and=3D3D3D3D20
>still it's not=3D3D3D20
> =
> =20
> =
working.</DIV><BR& amp;gt;><DIV><FONT=20
=3D3D3D
> > =
>face=3D3D3D3D3DArial=3D3D3D20
> =20
> > size=3D3D3D3D2>Mike A. suggested the .ini =
file=20
=3D3D3D3D
>to =3D
>make=3D3D3D20
> =
> =20
> sure=3D3D3D3D20
>card A is 0. I'll=20
try=3D3D3D20
> > > =20

that.</DIV></BR>& ;gt;></DIV>=20
=3D3D3D
> > =
>&face=3D3D3D3D3DArial=3D3D3D20
> =20
> > size=3D3D3D3D2>Pretty sure it's right but=20
who=3D3D3D20
> > > =20
=
=3D3D3D3D
>>knows?</FONT&g t;</DIV>
>><D=
IV><FONT=3D3D3D20
> =20
> > face=3D3D3D3D3DArial=3D3D3D20
> =
> =20
> =3D3D3D
> > =20
=
>&size=3D3D3D3D2>Thanks, </DIV>
>><=
<DIV><FONT=3D3D3D
> =20
> >=3D3D3D20
> > > =20
face=3D3D3D3D3DArial=3D3D3D20
> > > =20
=
size=3D3D3D3D2>Tom</DIV >
>><DIV>=
<FONT=3D3D3D20
> =20
> > face=3D3D3D3D3DArial =
size=3D3D3D3D2>=20
=3D3D3D
> > =20
=
>&</DIV>
>>& l t;DIV><FONT=3D3D3D20
> =
> > face=3D3D3D3D3DArial =
size=3D3D3D3D2>=20
=3D3D3D
> > =20
>&</DIV>
>>& l t;DIV>=3D3D3D20
> =
> =20
> </DIV>
>>& l t;DIV&am p;gt;=20
</DIV>
>>& l t;DIV&am p;gt;=3D3D3D20
> =
> =20
> </DIV>
>>& l t;DIV&am p;gt; "rick" =
=3D3D3D
> =20
> =20
=
>&<A=3D3D3D3D20
>&g t;href=3D3D3D3D3D "<A=3D3D3D20
>=&
gt; =20
> > =3D3D3D
> > > =
=3D3D
> =20
=
=3D
>>& href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell=
68@hotmail.com</A'>mai=3D
><to=3D3D
> =20
>&pa=3D3D3D
> > =20
=
>&rnell68@hotmail.com">parnell68@hotmail.com</A>>=
=3D3D3D20
> =20

> > =3D3D3D3D
>wrote=20
in=3D3D3D3D20
>message=20
=
=3D
 ><A=3D3D3D3D20
>href=3 D3D3D3D3D "<A
>&nb=
sp;=20
=3D3D
> >=3D3D3D
> > =
>
> =20
> > =3D3D3D
> > =
=3D3D
> =20
=
=3D
 >>>href=3D3D3D3D'news:inqgh393an5s4m99q caojn09vn112t4u6r@=
4ax.com">news:inqgh=3D
>393=3D3D
> =20
>an5=3D3D3D
> > =3D3D
> =20
=
=3D
>>>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com"&=
>news:inqgh393an5</A=3D3D=3D
>3D=3D3D
> =20
>
> > =20
=
=3D
>>>=3D3D3D3D
>>s4m99qcaojn09vn112t4u6r@4ax.com=
...</DIV>
& & amp;=3D3D3D
> =20
> =20
=
><BLOCKQUOTE=3D3D3D3D20
>& amp;gt;style=3D3D3D3D3D "PADDING-RI=
GHT:=3D3D3D20
> =20
> > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px;=20
=3D
>=3D3D3D3D
>>BORDER-LEFT: =3D3D
> =20
>=3D3D3D
> > >#000000 =
2px=3D3D3D20
> =20
> > solid; MARGIN-RIGHT:=20
0px">i=3D3D3D3D20
>> know this as dumb=20
as
=3D
>=3D3D3D
> > >it =
gets=3D3D3D20
> =20
> > but the bnc is attached in =
the=3D3D3D3D20
>>=20
=3D3D3D20
> > > =20
right
>order...right?
>all the cards show up in paris=20
=3D3D3D
> > >with the=3D3D3D20
> =
> =20
> =
=3D3D3D3D
>>single=3D3D3D3D20
>>=20
mec?
>how many i/o cards =3D
>=3D3D3D
> =
> =20
>in each=3D3D3D20
> > > =20
mec?
>
>
>On Fri, 19 =
Oct=3D3D3D20
> =20
> > =
2007
>=3D3D3D3D
>>& amp p;lt;BR>>> =20
00:22:39 -0400, "Tom Bruhl"=3D3D3D20
> > =

> =20
<<A=3D3D3D3D20
>&n bsp;=20
=3D3D3D3D
>href=3D3D3D3D3D"<A=3D3D3D20
> =20
> =20
> =3D3D3D
> > =3D3D
> =20
=
=3D
>>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@c=
omcast.net>
wro=3D
>te'=3D3D
> =20
>>ma=3D3D3D
> > =20
=
>ilto:arpegio@comcast.net">arpegio@comcast.net><BR&=
gt;w=3D3D3D
> =20
> =20
=
>rote:=3D3D3D3D
&a mp;gt;

>l=3D3D3=
D3D20
>=20
=3D3D3D20
> > > thought I was groovin' =
but once=20
the second Mec was=3D3D3D20
> > > =20
=
=3D3D3D3D
>introduced<BR& gt;>the=3D3D3D3D20
&g=
t; =20
system =3D3D3D
> > >stopped. That=20
was=3D3D3D20
> > > a few weeks=20
ago.
>
>Toda y l=3D3D3D20
> =
> =20
> =3D3D3D3D
>tried=3D3D3D3D20<B R>> =
different=20
cables, eds cards, =3D
>mecs, =3D3D3D
> > =20
>eliminated=3D3D3D20
> > > the magma=20
=3D3D3D3D
>and
& amp ;gt;still =
no=3D3D3D3D20
> =20
=3D3D3D
> > >clock lock =
or=3D3D3D20
> =20
> > modules showing up in the =
paris=3D3D3D20
> =20
> > =3D3D3D
> > =20
=
>=3D3D3D3D
>patchbay.< BR>>
>This=3D3D=
3D3D20
> =20
=3D3D3D
> > >means to=3D3D3D20
> =
> =20
> me software unless someone tells me=3D3D3D20
> =
> =20
> =3D3D3D
> > =20
=
>=3D3D3D3D
>differently.& lt;BR>>
>l=3D3D=
3D3D20
> =20

Mike,</DIV>
> =20
></DIV>Well I've =
been to .cfg=20
many a =3D
>=3D3D
> =20
>time.</DIV>
> =
></DIV></FONT=20
face=3D3D3DArial size=3D3D3D2>I've seen that Mastercard =
=3D
>setting as=20
=3D3D
> >being=3D3D20
> =20
>0</DIV>
> ></DIV></FONT=20
face=3D3D3DArial size=3D3D3D2>but maybe it changed after =
=3D
>removing=20
the
> =3D3D
> >4=3D3D20
> =20
>other</DIV>
> =
></DIV></FONT=20
face=3D3D3DArial size=3D3D3D2>eds cards for this round of =
=3D3D
> =20
>testing.</DIV>
> =
></DIV></FONT=20
face=3D3D3DArial size=3D3D3D2> =
</DIV>
> =20
></DIV>If it's still =
0 what else=20
could
=3D
>this =3D3D
> >be? =
=3D3D20
> =20
>Busted mobo?</DIV>
> =20
></DIV>I'm really in =
an idunno=20
place =3D
>right =3D3D
> >now. =20
I'll=3D3D20
> =20
>be checking</DIV>
> =
></DIV></FONT=20
face=3D3D3DArial size=3D3D3D2>seriously today again because =
of
=3D
>a=20
=3D3D
> >session tomorrow=3D3D20
> =20
>morning.</DIV>
> =
></DIV></FONT=20
face=3D3D3DArial =
size=3D3D3D2>Tom</DIV>& >
> =20
></DIV> =

</DIV>
> ></DIV></FONT face=3D3D3DArial=20
size=3D3D3D2> </DIV>
> =20
></BLOCKQUOTE=3D3D20
> =
></DIV></FONT=20
PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
>=3D3D
> =20
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =
0px">
> =20

wrote
>in
>message
>>
=
=>>news:471a0486\$1@linux...

=>>
>>
Hi Tom
href="mailto:!"@
!"@
/A>>> Sorry to hear you =
still having
problems like this
~!

 Must
be very frustrating.

 Open the
>Paris
ini
mastercardoutput
with
other
!!

 Let me
know.

 Regards,

 =
=>>
>>Dimitrios

 ;> =>>
>> "Tom
Bruhl"

A=>> href="mailto:arpeggio@comcast.net">arpeggio@comcast.net>=>>mail=
to:arpeggio@comcast.net">arpeggio@comcast.net>=>><B=
R>>>
>> wrote:

=>>
>>

 =>>>
>>Rick,

1 mec, no BNC involved.
 Paris =
boots
=>>

up so=>>

 the 1 =
mec
that

I'm using shows up but never any A to=20
=>>

Ds or=>>

 any =
installed
modules.

This is the same symptom =
=>>

=>>
>>before I=>>

 repaired one of my mecs =
with
a

new chip.
 The =>>

=>>
>>clock=>>

 light continues to flash =
too.
=>>
Never locks in.

 =>>

=>>
>>

I am using the simplest setup I can =
imagine and=20
=>>

still=>>

 it's not =

=3D3D3D
>working.
> & amp;gt; >Mike A. =
suggested = 20
=3D3D
> >the .ini=3D3D20
> > > file =
to make sure=20
card A is 0. I'll =3D3D
> = 20
>try
>=3D3D3D
>&g t;=3D3D3D3D
>> =
=3D3D20
> = 20
> >that.
>> >Pretty sure it's right =
but=20
who=3D3D20
> > > knows?
>> = 20
>Thanks.
>> >Tom
>> =
=3D3D20
> = 20
> >
>> >
>> = 20
>
>> =3D3D
> >>
>>=20
=3D3D20
> > >
>> >"rick"=20
<<A=3D3D20
> > > href=3D3D3D"<A=20
=
href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto:pa=
rnell68@hotmail.com">parnell68@hotmail.com</A>>
=3D<BR=
>>=3D3D
> = 20
>wrote in=3D3D20
> > > message =
=3D3D3D3D
>>=20
=3D3D20
> > >= 20
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
>>=20
=3D3D20
> > > > i know this as dumb as it =
gets but=20
the bnc is attached in =3D3D
> > =
>the=3D3D20
> > >= 20
right
>> > > =
order...right?
>> = 20
> =3D3D
> > >all the=3D3D20
> > =
> > cards=20
show up in paris with the single mec?
>> > >= 20
=3D3D
> > >how many=3D3D20
> > > i/o =
cards in each=20
mec?
>> >
>> =3D3D
> >= 20
>>
>> =3D3D20
> > > > On =
Fri, 19=20
Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D3D
> = 20
>=3D3D3D
>><<A=3 D3D20
> > >= 20
=3D3D
> =3D
>>href=3D3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
>& amp;n=3D=
3D'>mailto:arpegio@comcast.net">arpegio@comcast.net><B=
R>>& amp;n=3D3D=3D
>>
> = 20
>bsp;=3D3D20
> > > > =
wrote:
>> = 20

PUBLIC=3D3D20
> =20
> ; "/W3C//DTD HTML 4.0 Transitional//EN">
>=20
=3D3D20
> > =20
><HTML><HEAD><BR& a mp;gt;> =20
><META=3D3D20
> > =
http-equiv=3D3D3D3D3DContent-Type=20
content=3D3D3D3D3D"text/html; =3D3D
> =
>=3D3D3D3D
>=20
=3D3D20
> > =20
> charset=3D3D3D3D3D"iso-8859-1">
> ><META =

=3D3D
> > content=3D3D3D3D3D"MSHTML=3D3D20
> =
> =20
6.00.2800.1400" name=3D3D3D3D3DGENERATOR>
> =
=3D3D20
> =20
> ><STYLE></STYLE><B R>> =20
=3D3D
> >></HEAD>
& g t; =
=3D3D20
> =20
> ><BODY =
bgColor=3D3D3D3D3D#ffffff>
>& amp;nbsp;=20
=3D3D
> >><DIV><FONT=3D3D20
> =
> =20
face=3D3D3D3D3DArial =3D3D
> =20
> size=3D3D3D3D3D2> Rick,& a mp;lt;/DIV>
>=20
=3D3D20
> > ><DIV><FONT =
face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2>1 mec, no BNC =3D3D
> =20
> involved.=3D3D20
> > Paris=20
=3D3D3D
>=3D3D3D3D
 > > boots up so=20
=3D3D
> > the=3D3D3D3D20
> =2 0
> 1=3D3D20
> > mec=20
that</DIV><BR& g t;> =3D3D
> =20
>><DIV><FONT=3D3D20
> > =
face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2>I'm using shows up but never =3D3D
> =20
> any
=3D3D3D
& g t;A to=3D3D20
> =
> =20
=3D3D3D3D
> >Ds or =
any=3D3D3D3D20
> =20
> installed=3D3D20
> > =20
modules.</DIV><BR& amp;gt;> =
=3D3D
> =20
>><DIV><FONT=3D3D20
> > =
face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2>This is the same symptom =3D3D
> =20
> before
=3D3D3D
& am p;gt;I=3D3D20
> =
> =20
=3D3D3D3D
> > repaired one =

of=3D3D3D3D20
> =20
>my =3D3D
> >mechs with=3D3D20
> =
> =20
a</DIV>
 > =20
><DIV><FONT=3D3D20
> > =
face=3D3D3D3D3DArial=20
size=3D3D3D3D2>new chip. The clock light =3D3D
> =20
>=3D3D3D3D
> =3D3D20
> > =
>continues to=20
flash=3D3D3D3D20
> >too. Never =
locks=3D3D20
> =20
> in.</DIV>
 > =20
><DIV><FONT=3D3D20
> > =
face=3D3D3D3D3DArial=20
size=3D3D3D3D2> =3D3D
> =20
></DIV>
> =3D3D20
> > =20
><DIV>I am =
using=20
=3D3D
> >the simplest=3D3D20
> > =
setup=20
I
=3D3D3D
>can =3D3D3D3D
> =
>imagine=20
=3D3D
> >and=3D3D3D3D20
> =
=3D3D20
> =20
> >still it's not =
working.</DIV>
 > =20
=3D3D20
> > ><DIV><FONT =
face=3D3D3D3D3DArial=20
size=3D3D3D3D2>Mike A. =3D3D
> >suggested=20
the=3D3D20
> > .ini=20
file
=3D3D3D
>=3D3D 3D3D
> =
>to make=20
=3D3D
> >sure=3D3D3D3D20
> =
=3D3D20
> =20
> >card A is 0. I'll try=20
that.</DIV>
 > =3D3D
> =

>
> > ><DIV><FONT =
face=3D3D3D3D3DArial=20
size=3D3D3D3D2>Pretty sure =3D3D
> >it's=20
right=3D3D20
> > but who=20
=3D3D3D
>=3D3D3D3D
 > =3D3D20
> =
> =20
>knows?</DIV>
> =
=3D3D
> =20
>><DIV><FONT=3D3D20
> > =
face=3D3D3D3D3DArial=20
=3D3D
> =20

>size=3D3D3D3D2>Thanks, </DIV>
> =
=3D3D20
> > > ></DIV><FONT=20
face=3D3D3D3DArial=3D3D20
> > =20
size=3D3D3D3D2>Tom</DIV >
>=20
=3D3D20
> > ></DIV><FONT =
face=3D3D3D3DArial=20
size=3D3D3D3D2> =3D3D
> =
>
> =20
> </DIV>
> ></DIV><FONT=20
face=3D3D3D3DArial=3D3D20
> > =20
size=3D3D3D3D2> </DIV>
> =20
=3D3D
> >></DIV>=3D3D20
> =
> =20
</DIV>
> ></DIV> =
</DIV>
>=20
=3D3D20
> > ></DIV>=20
</DIV>
> =
></DIV>"rick"=3D3D20
> =20
> <<A=3D3D3D3D20</BR>> =20
>&href=3D3D3D3D"<A=3D3D20
> > =
=3D3D
> =20
=
=3D
>>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hot=
mail.com</A'>mailto=3D
>:pa=3D3D
> =20
=
>rnell68@hotmail.com">parnell68@hotmail.com</A>>=
=3D3D20
> =20
> =3D3D3D</BR>>=3D3D3D3D</BR> > =
>wrote=20
in=3D3D3D3D20</BR>> =3D3D
> =20
>&message=3D3D20
> > =20
<A=3D3D3D3D20</BR>> =20
=3D3D3D</BR>>>href=3D3D3D3D"<A=3D3D20
> =
> =20
=3D3D
> =20
=
=3D
>>href=3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.co=
m">news:inqgh393=3D
>>'>n=3D3D
> =20
=
=3D
>>ews:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in=
qgh393=3D3D3D</B=3D
>=3D3D
> =20
>&R>>an5=3D3D3D3D</BR>> =3D3D20
> =
> =20
=3D3D
> =20
=
>>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
=
>=20

=3D3D
> >;=3D3D20
> > > =20
><BLOCKQUOTE=3D3D3D3D20
& > > =3D3D
> > =20
>>style=3D3D3D3D3D" PADDING-RIGHT: 0px;=3D3D20
> > =
> >=20
PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3D3D3D
>=3D3D3D3D
& >=20
=3D3D20
> > > >BORDER-LEFT: #000000 2px solid;=20
MARGIN-RIGHT: =3D3D
> > =
>0px">i=3D3D3D3D20
>=20
=3D3D20
> > > > know this as dumb as it =
gets but the=20
bnc is attached in=3D3D20
> > > =20
the=3D3D3D3D20
> > > > =3D3D
> > =20
>right
order...right?<BR& >all=3D3D20
> > =
> >=20
the cards show up in paris with=20
the
=3D3D3D
>=3D3D3 D3D
> =
=3D3D20
> > =20
> >single=3D3D3D3D20
> > > =20
mec?
how many i/o =3D3D
> > >cards =
in=3D3D20
> >=20
> >each mec?

On Fri, 19=20
Oct=3D3D20
> > > =
=3D3D3D
>2007
& > > =20
=3D3D3D3D
> >
> > =
=3D3D
> >=20
>> =3D3D20
> > > 00:22:39 -0400, "Tom Bruhl"=20
<<A=3D3D3D3D20
> > > =3D3D20
> > =
> >=20
=3D3D3D3D
> > > =20
=3D3D3D
>>>href=3D3D3D3D3D"<A=3D3D20
> > =
> >=20
=3D3D
> >=20
=
=3D
>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast=
..net>
wrote'=3D
>>ma=3D3D
> >=20
=
>mailto:arpegio@comcast.net">arpegio@comcast.net><BR&=
>w=3D3D
> >=20
>rote:=3D3D3D
& >=3D3D3D3D
>=20
=3D3D20
> > > =20
>

>I=3D3D3D 3D20
> > =
> >thought=20
=3D3D
> >
> > > groovin' =
but once=20
the second Mec was =3D3D3D3D
> =3D3D20
> > =
> >=20
>introduced
>the=3D3D3D3D20&a mp;lt;BR>> > =

=3D3D20
> > =20
=3D3D
> =20
=
>></BR></BLOCKQUOTE> </BODY></HTML>
 =
>=20
=3D3D
> >=3D3D20
> > =
></BR>> =20
></BR>></BR>>& </BR>><!DOCTYPE HTML=20
=3D3D
> >PUBLIC=3D3D20
> > =
"-//W3C//DTD HTML=20
4.0=3D3D20
> > =20
=
Transitional//EN" ></BR>></HTML>< t;HEAD></BR>>=
</META=3D3D20
> =20
> http-equiv=3D3D3D3DContent-Type=20
content=3D3D3D3D"text/html;=3D3D20
> > =20
=
=3D3D3D</BR>> charset=3D3D3D3Diso-8859-1"></BR>></MET=
A=20
=3D3D
> > content=3D3D3D3D"MSHTML=3D3D20
> =
> =20
6.00.2800.1400"> > =3D3D
> =20
=
> name=3D3D3D3DGENERATOR></BR>& ></STYLE></STYLE></=20
</BR>></HEA=3D3D
> =20
></D></BR>></BODY=3D3D 20
> > =20
bgColor=3D3D3D3D#ffffff></BR>>& </DIV></FONT=20
face=3D3D3D3DArial=3D3D20
> > =20
size=3D3D3D3D2>& Thanks=3D3D20
> > =20
Dimitrios.</DIV></B R>></DIV></FONT=20
=3D3D
> > face=3D3D3D3DArial=3D3D20
> =
> =20
size=3D3D3D3D2> =
</DIV></BR>></DIV& </FONT=20
=3D3D
> > face=3D3D3D3DArial=3D3D20
> =
> =20
size=3D3D3D3D2> Mike said the same thing. Is the =
=3D3D3D</BR>>ini=20
in =3D3D
> >
> > =20
the=3D3D3D20</BR>> Paris folde or system=3D3D20
> =
> =20
32?</DIV></BR&g t;></DIV></FONT =
face=3D3D3D3DArial=20
=3D3D
> >
> > size=3D3D3D3D2> Do =
I want the=20
Master card to be =3D3D
> =20
>0=3D3D3D20</BR>> absolutely? I=3D3D20
> =
> =20

only have one =
card</DIV>
 ></DIV><FONT=20
=3D3D
> >
> > > face=3D3D3D3DArial=20
size=3D3D3D3D2>in there right now and it's all=3D3D20
> =
> =20
freaky
>=3D3D3D
>jus t=3D3D20
> =
> =20
=3D3D
> =20
=
>the=3D3D3D20
>>same.</ FONT></DIV>
>=
</DIV></FONT=3D3D
> =20
>=3D3D20
> > > =
face=3D3D3D3DArial=3D3D20
> =20
> =20
=
size=3D3D3D3D2>Tom</DIV&a mp;gt;
></DIV><=
t;FONT=3D3D20
> =20
> face=3D3D3D3DArial size=3D3D3D3D2> =
=3D3D
> =20
></DIV>
>< DIV><FONT=3D3D20
> =

> face=3D3D3D3DArial size=3D3D3D3D2> =
=3D3D
> =20
></DIV>
>< DIV><FONT=3D3D20
> =

> face=3D3D3D3DArial =
size=3D3D3D3D2>=3D3D20
> =20
> =3D3D
> =20
=
></DIV>
>< DIV><BLOCKQUOTE=3D3D3D20
>>style=3D=
3D3D3D" PADDING-RIGHT:=20
=3D3D
> >0px;=3D3D20
> > =
PADDING-LEFT: 5px;=20
MARGIN-LEFT: 5px; =3D3D3D
>>BORDER-LEFT:=20
#000000
=3D
>=3D3D
> >2px =
solid;=3D3D20
> =20
> MARGIN-RIGHT: 0px">
> =20
</DIV>"Dimitrios"=3D3D20
> > =20
<<A=3D3D3D20
>> p; =
href=3D3D3D3D"<A=3D3D20
> =20
> =3D3D
> =20
=
=3D
>>href=3D3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.=
gr</A'>mailto:musur=3D
>gio=3D3D
> =20
=
>@otenet.gr">musurgio@otenet.gr</A>=3D3D20
&=&
> =20
> wrote in =

=3D3D3D
>message=3D3D3D20
 >> =20
<A =3D3D
> =20
>=3D3D3D
>>href=3D3D3D3D"<A=3D3D20
> = > =20
=3D3D
> =20
=
=3D
>>href=3D3D3D'news:471a0486\$1 @linux">news:471a0486\$1 @linu=
x...</DIV>
> H=3D
>'>=3D3D
> = > =20
=
>news:471a0486\$1 @linux">news:471a0486\$1 @linux...</DIV&=
>&=3D3D
> =20
=
>lt;BR>>Hi
>= 3D3D3D
>>Tom=3D3D3D20<B=
R>>=20
=3D3D20
> > <A href=3D3D3D"<A=20
=
href=3D'mailto:!!@
Sorry">!!@
Sorrymailto:!!@
>Sorry ">=
!@
>Sorry</A>=20
to hear you still
=3D
>=3D3D
> = > =
>having=3D3D20
> =20
> problems like this ~!!
>Must =3D3D
> =20
>be
>=3D3D3D
>>very=3D3D3D20
>>=20
=3D3D20
> > frustrating.
>Open the Paris =
ini file=20
and there change the=3D3D20
> > =20
=3D3D3D
>>mastercardoutput=3D3D3D20&a mp;lt;BR>>> =
with your=20
=3D3D
> >other
>cards and=3D3D20
> = > =
> =20
see what happens !!
>Let me=3D3D3D20
>> =
=3D3D20
> =20
> = > =
know.
>Regards,
>Dimitrios&a mp;lt;BR>>
> "Tom=20
=3D3D
> >Bruhl"=3D3D20
> > =20
<<A=3D3D3D20
>> p; =
href=3D3D3D3D"<A=3D3D20
> =20
> =3D3D
> =20
=
=3D
>>href=3D3D3D'mailto:arpegio @comcast.net">arpegio @comcast=
..net>=3D3D3D20'>m=3D
>ailto=3D3D
> =20
=
>:arpegio @comcast.net">arpegio @comcast.net>=3D3D3D20&l=
t;/A>
>&g=3D3D
> =20
>t; =3D3D20
> > =20
wrote:
>>
>>&a mp;lt;BR>>>Rick,
>>1=20
=3D3D
> >mec, no=3D3D20
> > BNC=20
=3D3D3D
>>involved. =

Paris boots up so the 1 mecs that I'm using shows up but never any A =
 Ds or any installed modules. This is the symptom before I repaired one of my mecs with a new chip. The clock light continues to flash; too. Never locks in. I am using the simplest I can imagine and still it's not working. Mike A. suggested; ini; file to make = 0. I'll try =
 =
 >=3D3D3D
>=3D3D3D3D
 >>that.
>Pretty=
 =3D3D3D20
>=20
 =3D3D
> >; sure it's=3D3D20
> > =
 right but=20
 who=3D3D3D20
> =3D3D20
> > =
 =3D3D
>=20
 =
 >=3D3D3D
>knows?
& p; >>Thanks,
>Tom
>=
 BR>><=3D3D
>=20
 =
 >BR>>
>< BR>>
><=3D3D3D& amp;lt;BR=
 >>BR>=3D3D
>=20
 >>"rick"=3D3D3D20
> =3D3D20
> > =
 <<A=20
 =3D3D3D
>>href=3D3D3D3D"<A=3D3D20
> > =
 > =20
 =3D3D
> > =20
 =
 =3D
>>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hot=
 mail.com</A'>mailto=3D
>;pa=3D3D
 > =20

=
>:rnell68@hotmail.com">parnell68@hotmail.com</A>>=
=3D3D20
> =20
> =3D3D3D
>wrote=3D3D3D20<BR&am p;gt;> in=20
message=3D3D3D20
> =3D3D20
> > =
=3D3D
> =20
=
>=3D3D3D
>=3D3D3D3D
>news:inqgh393an5s4m99qcao=
jn09vn112t4u6r@4ax=3D3D
> =20
=
>.com...
>&nbs=3D3D3D
>p;=3D3D20
>&n=
bsp;=20
> i=3D3D3D20
> know this as dumb as it gets =
but the=20
bnc is =3D3D
> >attached in=3D3D20
> =
> =20
the=3D3D3D20
> right
> =
=3D3D20
> =20
> order...right?
> all the cards show=20
up=3D3D20
> > =20
=3D3D3D
>in=3D3D3D20<BR&g t;> paris with the =
single=20
=3D3D
> >mec?
> =3D3D20
> =
> how=20
many i/o cards in each=3D3D3D20
> =3D3D20
> =
> =20
mec?
>
>& ;lt;BR>> On Fri, 19 Oct=20
=3D3D
> >2007=3D3D20
> > 00:22:39 =
-0400,=20
=3D3D3D
>"Tom=3D3D3D20
> =
Bruhl"=3D3D20
> =20
> <<A=3D3D3D20
>&nbs p;=20
=3D3D3D
>href=3D3D3D3D"<A=3D3D20
> =
> =20
=3D3D
> =20
=
=3D
>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast=
..net>
>&am p;amp;n'>=3D3D=3D
>
> =
=20
=
>mailto:arpegio@comcast.net">arpegio@comcast.net><B=
R>=3D3D
> =20
=
>;>&n=3D3D3D< BR>>bsp;=3D3D3D20
>=
=20
=3D3D20
> > =
wrote:
>
>&a mp;nbsp; >l=20
thought I was groovin' =3D3D
> >but =

once=3D3D20
> =20
> the =
=3D3D3D
>second=3D3D3D20<BR&a mp;gt;> Mec was=20
=3D3D
> >introduced
> =3D3D20
> =
> =20
>the system stopped. That =3D3D3D
>was a =
=3D3D
> =20
>few=3D3D3D20
> weeks=3D3D20
> =
> =20
ago.
> >
> >Today I=20
tried=3D3D20
> > =20
=3D3D3D
>different=3D3D3D20<B R>> cables, =
eds cards,=20
mecs, =3D3D
> >eliminated the=3D3D20
> =
> =20
=
=3D3D3D
>magma
=3D3 D3D3D
>and
&=
gt;=20
=3D3D
> >=3D3D3D20
> =3D3D20
> =
> =20
>still no clock lock or modules showing up in the =
=3D3D
> =20
>paris=3D3D3D20
> =3D3D20
> > =20
patchbay.
> >
> >This means=20
=3D3D
> >to me=3D3D20
> > =20
=3D3D3D
>software=3D3D3D20
> unless =
someone tells=20
me=3D3D20
> > differently.
> =20
>
> =3D3D20
> > =20
=3D3D3D
>>I=3D3D3D20<B R>> have a new C =
drive which I=20
will =3D3D
> >load XP and no=3D3D20
> =
> =20
pace. Any=3D3D3D20
> =
other=3D3D3D3D20
>=20
=3D3D20
> > >suggestions?
> =20
=3D3D3D
>>
& amp;gt;=3D3D20
> =
> =20
=3D3D3D20
> >More frustrated than my =
=3D3D
> =20
>clients,
> =3D3D20
> > =20
=3D3D3D
>>Tom<BR&g t;> =
=3D3D3D20
> =20
=3D3D
> >>
> =3D3D20
> =
> =20
>
> >
> =3D3D
> =20
>=3D3D3D
>><BR& amp;gt;>=3D3D20
> =
> =20

=3D3D3D20
>> >I choose Polesoft Lockspam to fight =
spam,=20
> > > you?
>>=20
=3D3D3D20
>> =3D3D
> =20
>>http://www.polesoft.com/refer.html=3D3D20
> =
> =20
=3D3D3D20
>> =3D3D
> =20
=
>=3D3D3D3D20
>><BR& gt;>
><!DOCTYPE=3D3=
D20
> =20
> HTML PUBLIC "-//W3C//DTD =3D3D3D
>>HTML=20
4.0=3D3D3D20
>> =3D3D20
> > =
=3D3D
> =20
=
>Transitional//EN" >
>><HTML><HEAD>
=
>=3D3D
> =20
><META=3D3D3D20
>> =3D3D20
> > =20
http-equiv=3D3D3D3DContent-Type =3D3D
> =20
>content=3D3D3D3D"text/html;=3D3D3D20
>> =
=3D3D20
> =20
> =20
=
=3D3D3D3D
>>charset=3D3D3D3DDiso-885 9-1 ">
>><=
;META=20
=3D3D
> >
> > =20
=
=3D3D3D
>>content=3D3D3D3D"MSHTML=3D3D3D20
>> =
p;=20
=3D3D
> >6.00.2800.1400"=3D3D3D20
>> =
=3D3D20
> =20
> =3D3D
> =20
=
>=3D3D3D
>>name=3D3D3D3DGENE RATOR>
>><ST=
YLE></STYLE&=3D3D
> =20
=
>>
>></HEA=3D3D3D& ;lt;BR>>>D>
>>&am p;lt;=
BODY=3D3D3D20
>&am p;=3D3D
> =20
>> =3D3D20
> > =20
=
bgColor=3D3D3D3D3D#ffffff>
>>& amp;lt;DIV><FONT=3D3D20
=
> =20
> face=3D3D3D3D3DArial=3D3D3D20
>> =
=3D3D20
> =20
> =3D3D
> =20
=
>=3D3D3D
>>size=3D3D3D3D3D2&am p;gt;Rick,</DIV&g=
t;
>>&am p;l=3D3D
> =20
>t;DIV><FONT=3D3D3D20
>> =3D3D20
> =

> =20
face=3D3D3D3D2>1 mec, no BNC involved.=20
=3D
>Paris=3D3D20
> > =20
=3D3D3D
>=3D3D3D3D
 >>boots up =
so=3D3D3D20
> =20
=3D3D
> =
>the=3D3D3D3D20
>1=3D3D20
> =20
> mec=3D3D20
> > =3D3D
> =20
=
>=3D3D3D
>that</FONT&a mp;gt;</DIV>
>< D=
IV><FONT=3D3D
> =20
>=3D3D3D20
> =3D3D20
> > =
face=3D3D3D3D3D2>Arial=20
size=3D3D3D3D2>I'm using shows up but never any
=3D
>A =
to=20
=3D3D
> >
> > =20
=3D3D3D
>=3D3D3D3D
 >&Ds =
or=3D3D3D20
>=20
=3D3D20
> > =20
any=3D3D3D3D20
>installed=3D3D3D20&a mp;lt;BR>> =
=3D3D20
> =20
> =20
=
modules.</DIV><BR& amp;gt;><DIV><FONT=3D3D20=

> =20
> =
=3D3D3D
>face=3D3D3D3D3D2>Arial=3D3D3D 20
> =20
size=3D3D3D3D2>This is =3D
>=3D3D
> >the=20
same=3D3D20
> > symptom before l=20
=3D3D3D3D
>repaired =3D3D
> =20
>=3D3D3D
>one=3D3D3D20< ;BR>> =
=3D3D20
> > =20
of=3D3D3D3D20
>my mecs with=3D3D3D20
> =
=3D3D20
> =20
> =20
=
a</DIV>
 ><DIV><FONT=3D3D20
>=
 =20
> face=3D3D3D3D3D2>Arial=3D3D3D20
> =
size=3D3D3D3D3D2>new=20
chip. The =3D3D
> >clock light=3D3D20
> =
> =20
=3D3D3D3D
>continues to=3D3D3D20
> =
=3D3D
> =20
>flash=3D3D3D3D20
>too.=3D3D2 0
> > =
Never=20
locks=3D3D3D20
> =3D3D20
> > =20
in.</DIV><BR&g t;><DIV><FONT=20

=3D3D
> >face=3D3D3D3D3DArial=3D3D20
> =
> = =20
=3D3D3D
>
>& amp;nbsp;= =20
size=3D3D3D3D3D2>=3D3D20
> > = =20
</DIV>
><DIV& amp ;><FONT=3D3D20
> =
> = =20
=3D3D3D
>face=3D3D3D3D3DArial=3D3D3D 20
> =
size=3D3D3D3D3D2><I am =3D3D
> >using the=20
simplest=3D3D20
> > setup I can=20
=3D3D3D3D
>imagine=3D3D3D20<B R>> =
=3D3D20
> = =20
> and=3D3D3D3D20
>still it's =
not=3D3D3D20
>= =20
=3D3D20
> > = =20
=
working.</DIV><BR& amp ;>><DIV><FONT=3D3D20=

> = =20
> =
=3D3D3D
>face=3D3D3D3D3DArial=3D3D3D 20
> = =20
size=3D3D3D3D3D2>Mike A. =3D
>=3D3D
> =
> suggested=20
the=3D3D20
> > .ini file =
=3D3D3D3D
>to=20
make=3D3D3D20
> =3D3D20
> > = =20
sure=3D3D3D3D20
>card A is 0. I'll =
try=3D3D3D20
>= =20
=3D3D20
> > = =20
=
that.</DIV><BR& amp ;>><DIV><FONT=3D3D20 <BR=
>> = =20
> =
=3D3D3D
>face=3D3D3D3D3DArial=3D3D3D 20
> = =20
size=3D3D3D3D3D2>Pretty =3D3D
> > sure it's=20
right=3D3D20
> > but who=3D3D3D20
>= =20
=3D3D20
> > =3D3D
> = =20
=
>=3D3D3D3D
>knows?</FO NT></DIV>
>& amp ; =
lt;DIV& amp ;>=3D3D
> = =20
><t;<FONT=3D3D3D20
> =3D3D20
> > =
face=3D3D3D3D3DArial=3D3D3D20
> =3D3D20
> =
> = =20
=3D3D
> = =20
=
>=3D3D3D
>size=3D3D3D3D3D2& amp ;>Thanks,</DIV=
>
>=3D3D
> = =20
><DIV><FONT=3D3D3D<BR& amp ;>>=3D3D3D20
>= =20

=
>ax.com" >news:inqgh393an5</A=3D3D3D
& amp;gt;>=3D3D3D3D
>s4m99q=3D3D
> =20
=
>caojn09vn112t4u6r@4ax.com ...</DIV>
& amp;amp;=3D3D3D3D
>=3D3D
> =20
=
=3D
 >>gt;gt;<BLOCKQUOTE=3D3D3D3D20<B R>>style=3D3D3D3D=3D3D" PADDING-RIGHT:=3D3D3D20=3D3D
> =20
>
> =3D3D20
> > 0px; PADDING-LEFT: =5px;=20
MARGIN-LEFT: 5px; =3D3D
> =20
>=3D3D3D3D
>BORDER-LEFT:=3D3D 20
> => =20
=3D3D3D
>#000000 2px=3D3D3D20
> solid;=20
MARGIN-RIGHT:=3D3D20
> > =20
0px">j=3D3D3D3D20
> know this as dumb as =
=3D3D
> =20
>=3D3D3D
>it=3D3D20
> > =20
gets=3D3D3D20
> but the bnc is attached in =
=3D3D
> =20
>the=3D3D3D3D20
>=3D3D20
> > =20
=3D3D3D20
> =
right
order...right?
all the=20
=3D3D
> >cards show up=3D3D20
> > =
in paris=20
=3D3D3D
>with the=3D3D3D20
> =
=3D3D20
> =20
> =
=3D3D3D3D
>single=3D3D3D3D20< BR>> =20
mec?
how =3D3D
> >many =
i/o=3D3D20
> > =20
cards =3D3D3D
>in each=3D3D3D20
> =
=3D3D
> =20
>mec?

<BR&a mp;gt;On=3D3D20
> =
> Fri, 19=20
Oct=3D3D3D20
> =3D3D20
> > =20
2007
=3D3D3D3D
>&am p;lt;BR>> 00:22:39 =
-0400,=20
=3D3D
> >"Tom=3D3D20
> > =20
Bruhl"=3D3D3D20
> <<A=3D3D3D3D20
> =

=3D3D20
> > =20
=3D3D3D3D
>href=3D3D3D3D3D"<A=3D3D3D20
>=20
=3D3D20
> > =3D3D
> =20
=
=3D
 >>=3D3D3D
>href=3D3D3D 3D'mailto:arpegio@comcast.=
net">arpegio@comcast.net&l=3D3D=3D
>
> =20

=
>t;/A>>
wrote'> ma=3D3D3D
>ilto:arpegio@c=
omcast.net">=3D3D
> =20
=
>;arpegio@comcast.net >
w=3D3D3D< BR>>rot=
e:=3D3D3D=3D3D
> =20
=
>3D
>
&l t;BR>>l=3D3D3D3D20
>=3 D=
3D20
> =20
> =3D3D3D20
> thought I was groovin' but =
once the=20
second Mec=3D3D20
> > was=3D3D3D20
>=20
=3D3D20
> > =3D3D
> =20
=
>=3D3D3D3D
>introduced< ;BR>>the=3D3D3D3D20
g=
t;>=20
=3D3D
> > system=3D3D20
> > =20
=3D3D3D
>stopped. That was=3D3D3D20
> a =
few=20
weeks=3D3D20
> > =
ago.
>
>Toda y=20
l=3D3D3D20
> =3D3D20
> > =20
=3D3D3D3D
>tried=3D3D3D3D20<B R>> different =
cables,=20
=3D3D
> >eds cards,=3D3D20
> > =
mecs,=20
=3D3D3D
>eliminated=3D3D3D20< BR>> the=20
magma=3D3D20
> > =20
=3D3D3D3D
>and
& ;gt;still =3D3D
> =20
>no=3D3D3D3D20
> =3D3D20
> > =20
=3D3D3D
>clock lock or=3D3D3D20
> =
modules showing up=20
in the=3D3D20
> > paris=3D3D3D20
>=20
=3D3D20
> > =3D3D
> =20
=
>=3D3D3D
>=3D3D3D3D
>patchbay.
>&l=
t;BR>>This=3D3D3D=3D3D
> =20
>3D20
> =3D3D20
> > =
=3D3D3D
>means=20
to=3D3D3D20
> me software unless someone =
=3D3D
> =20
>tells=3D3D20
> > me=3D3D3D20
>=20
=3D3D20
> > =3D3D
> =20
=
>=3D3D3D
>=3D3D3D3D
>differently.
>=

>l=3D3D3D=3D3D
> =20
>3D20
> =3D3D20
> > =
=3D3D3D
>have=20

a new=3D3D3D20
> C drive which I will load XP=20
=3D3D
> >&and no pace.=3D3D20
> > > =
Any=20
other=3D3D3D3D20
> =
=3D3D3D
>
>= 20
=3D3D20
> > > =20

>suggestions?
& amp ;
>More=20
frustrated=3D3D20
> > > =20
=3D3D3D
>than=3D3D3D20<BR& amp ;>> =
my=3D3D3D3D20
>=20
=3D3D
> >&=3D3D3D20
> =3D3D20
> =
> > =20
=3D3D
> > =20
=
>=3D3D3D
>clients,<BR& amp ;>>Tom
><BR&g t=
>
=3D3D
> > =20
=
>;><BR=3D3D3D
> >>
>l=3D3D3D20< B=
R>>=20
=3D3D20
> > > choose=20
=3D3D3D3D
>Polesoft=3D3D3D3D20&l t;BR>> =
Lockspam=20
=3D3D
> >&to fight=3D3D20
> > > =20
spam,=3D3D3D20
> >&and=3D3D3D3D20
>=20
=3D3D20
> > > =3D3D
> > =20
=
>=3D3D3D
>you?<BR& g t;>http://www.polesoft.com/refer.=
html=3D3D3D20
& amp ;=3D3D
> > =20
>> =3D3D20
> > > =3D3D
> > =20
=
>=3D3D3D
>=3D3D3D3D20< BR>>
</BLOCKQUO=
TE></BODY>=3D3D
> > =20
=
></HTML>
& amp ;=3D 3D3D
>g t;
>& amp ;l=
t;BR></B=3D3D
> > =20
=
>LOCKQUOTE></BODY></HTML& amp ;>
>
>& amp ;l=
t;BR></BLOCKQUOTE><=3D3D
> > =20
>/BODY></HTML>
> >&
> > =20
>
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML =
4.0=20
Transitional//EN">
><HTML><HEAD>
><META=20
http-equiv=3D3DContent-Type content=3D3D"text/html;=20
=3D
> charset=3D3Diso-8859-1">
><META =
content=3D3D"MSHTML=20
6.00.2800.1400"=20
=
name=3D3DGENERATOR>
><STYLE></STYLE>
></HEA=

D>
><BODY=20
bgColor=3D3D#ffffff>
><DIV><FONT face=3D3DArial=20
=
size=3D3D2>Mike,</DIV><
><DIV><FONT=20
face=3D3DArial size=3D3D2>I used to use a Lucid but since all=20
of
=3D
>this mess=20
=
l=3D20
>stopped.</DIV>
><DIV><FON=
T=20
face=3D3DArial size=3D3D2>I'm trying to get stable from square =
=3D
>one=20
with the=3D20
>least amount=20
</DIV>
><DIV><FONT face=3D3DArial=20
size=3D3D2>of hardware. I am using the =3D
>default=20
project=3D20
>for sure. The only=20
</DIV>
><DIV><FONT face=3D3DArial=20
size=3D3D2>other thing that I still question is =
my
=3D
>move=20
of=3D20
>Paris to C:ParisPro=20
</DIV>
><DIV><FONT face=3D3DArial=20
size=3D3D2>I should think the default project =
will
=3D
>either=20
work=3D20
>or not. =20
Maybe</DIV>
><DIV><FONT =
face=3D3DArial=20
size=3D3D2>configs or something else is =3D
>fighting=20
during=3D20
>Paris=20
startup?</DIV>
><DIV><FONT =
face=3D3DArial=20
size=3D3D2> </DIV>
><DIV><FONT =
face=3D3DArial=20
size=3D3D2>Pats 42 - Miami 7 . . . Halftime and =3D
>the=20
=
games=3D20
>over.</DIV>
><DIV><FO=
NT=20
face=3D3DArial=20
size=3D3D2>Tom</DIV>
><DIV><FONT=20
face=3D3DArial size=3D3D2> =
</DIV>
><DIV><FONT=20
face=3D3DArial size=3D3D2> =
</DIV>
><DIV><FONT=20
face=3D3DArial size=3D3D2>=20
=
</DIV>
><BLOCKQUOTE=3D20
>style=3D3D"PADDING-RIGHT: =
0px;=20
PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
>BORDER-LEFT: #000000 =
2px solid;=20
MARGIN-RIGHT: 0px">
> <DIV>"Mike Audet" =

<mike@....>=20
wrote in message <A=3D20
> =3D
>href=3D3D"<A=20
=
href=3D'news:471b6eb0\$1 @linux">news:471b6eb0\$1 @linux...</DIV>
Hi=3D=
20'>news:471b6eb0\$1 @linux">news:471b6eb0\$1 @linux...</DIV&=
gt;
Hi=3D20
> =20
Tom,

Are you using a default project with =
PARIS? I'm=20
so =3D
>sorry of=3D20
> this has been
>asked =
and=20
answered already. If so, perhaps it =
=3D
>is=3D20
> telling=20
card zero to lock
to an external clock, which it can't=20
=3D
>because=3D20
> there isn't =
one.

It would=20
be interesting to attach an =
external
=3D
>clock=3D20
> source=20
to the MEC and
then start PARIS to see how it behaves. =20
=3D
>Or, if=3D20
> the clock generator is =
fried,
tell=20
paris to lock externally and see
=3D
>what=3D20
> =
happens=20
when an external clock
source is =
applied.

Isn't=20
there
=3D
>a=3D20
> master house synch switch in =
the cfg=20
file? I've never =3D
>used
it. =
=3D20
> Maybe DJ=20
could help with what that should/shouldn't be set=20
=3D
>to.

Wish I=3D20
> could do =
more than=20
think out loud...

Mike
&am p;gt;
 "Tom =
Bruhl"=20
=3D
><A=3D20
> href=3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net=>=3D20'>mailto=
:arpegio@comcast.net">arpegio@comcast.net>=3D20
>=
t; =20
wrote:
>
> Hi =
Mike,
>Well=20
I've been to .cfg =3D
>many a=3D20
> =
time.
>I've=20
seen that Mastercard setting as being 0
>but =
=3D
>maybe=20
it=3D20
> changed after removing the 4 =
other
>eds cards=20
for this round of=3D20
> =
testing.
>
> If it's=20

still 0 what else could this be? =
=3D
>Busted=3D20
> =20
mobo?
>I'm really in an idunno place right now. I'll =

be=3D20
> checking
>seriously today again =
because of a=20
session tomorrow=3D20
> =20
=
morning.
>Tom
& gt;
> =20
=20
"Mike Audet"=3D20
> <mike@....> wrote in message=20
<A=3D20
> =3D
>href=3D3D"<A=20
=
href=3D'news:471b2ec2\$1 @linux">news:471b2ec2\$1 @linux...
>
&=
g'>news:471b2ec2\$1 @linux">news:471b2ec2\$1 @linux...
=
>
&g=3D
>t;=20
=3D20
> Hi Tom,
>
> If =
you've only got=20
one card in, then the =3D
>
> Mastercard =3D3D3D 0 =
setting is=20
=3D3D
>right.
& gt; =3D
>The =
file=20
is=3D20
> Paris.cfg, and it lives in the =
c:\program=3D20
> =20
files\Emu\PARIS
=3D3D
& ;gt;PRO
> =20
=3D
 >folder.
>
& amp;gt; =3D20
> I'd =
still check=20
it out to see what it is set to.
>
> =
=3D
>lf=20
it=3D20
> is wrong, what you are describing will=20
happen.
>
> =
=3D
>Good=3D20
> =20
luck!
>
> =
Mike
>
> =20
"Tom Bruhl" =3D
><A=3D20
> href=3D3D"<A=20
=
href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net=>=3D20'>mailto=
:arpeggio@comcast.net">arpeggio@comcast.net>=3D20
&g=
t; =20
wrote:
> >
> =
>
> =20
>Thanks=3D20
> Dimitrios.
> =20
>
> >Mike said the same=3D20
> =
thing. =20
Is the ini in the Paris folde or system=3D20
> =20
=3D3D
>32?
> >Do I want the Master =
card to be=20
0=3D20
> absolutely? I only have one =

card

=20

in there =3D

right now=3D20

and it's all =
freaky just the=20
same.

Tom

 =
=3D

=20

 =

=20

 =3D20

 "Dimitrios"

A =3D

href=3D3D"
A =
=
href=3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr=
20'>mailto:m=
usurgio@otenet.gr">musurgio@otenet.gr

=
20

=20
wrote in message =3D3D3D

=20
=3D

news:471a0486\$1@linux...

 =
=3D20

=20

 Hi Tom
A=20
href=3D'mailto:!!
">!!

 Sorry =
=3D

to=20
hear=3D20

 you still having problems like this=20
~!!

 Must =3D

be =
very=3D20

=20
frustrating.

 Open the Paris ini file =
and=20
=3D

there change=3D20

 the mastercardoutput=20
with

=3D3D

=3D3D3D

=20

your=3D20

 other

 cards =
and see=20
what happens =3D

!!

 =3D20

=20

 Let me=20
know.

 =3D

Regards,

 =
=3D20

 Dimitrios

=20

 "Tom =
=3D

Bruhl"=3D20

=20

A href=3D3D"
A=20
=
href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.netmailto:arpeggi=
o@comcast.net">arpeggio@comcast.net

=20
=3D

 wrote:

=20

 =3D20

=20

=20

Rick,

1 =
=3D

mec,=20
no=3D20

 BNC involved.

 Paris boots up so the 1 mec=20
that

 =3D

=3D20

I'm =
using shows=20
up but never any A to Ds or any installed=3D20

=20

=3D
>up in=3D20
> paris with the single =
mec?
> =20
> > how =3D
>many i/o=3D20
> cards =
in each=20
mec?
> > >
> =
=3D
>>=20
=3D20
> >
> > > On =
Fri, 19=20
Oct 2007 00:22:39 =3D
>-0400,=3D20
> "Tom Bruhl"=20
=3D3D3D
> ><<A=3D20
> =
=3D
>href=3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n'>=
mailto:arpegio@comcast.net">arpegio@comcast.net>
=
>&n=3D
>bsp;=3D20
> =20
> > wrote:
> > =20
=3D
>>
> =3D20
> > =
> >I=20
thought I was groovin' but once the second =3D
>Mec =
was=3D20
> =20
introduced
> > > >the system=20
=3D
>stopped. =3D20
> That was a few weeks=20
ago.
> > > =3D20
> =20
>
> > > Today I tried =
different=20
=3D
>cables,=3D20
> eds cards, mecs, eliminated=20
the
=3D3D
>=3D3D3D& amp;lt;BR>> =
=3D20
> =20
>magm
> > =3D3D3D3D
> =
>=20
=3D20
> >and
> > > =
>still=20
no clock lock or =3D
>modules=3D20
> showing up in =
the paris=20
=3D3D
>patchbay.
& amp;gt; > =
=3D
>>=20
=3D20
> >
> > > =
>This=20
means to me software =3D
>unless=3D20
> someone =
tells me=20
differently.
> > > =3D20
> =20
>
> > > I have a new C =
drive=20
=3D
>which I will=3D20
> load XP and no pace. =20
Any=20
=3D3D3D
> =3D20
> =
>other=3D3D3D3D20
> =20
> > =3D20
> =

>suggestions?
> =20
> > =3D
>
> =
=3D20
> > =20
> >More frustrated than my =
=3D
>clients,
>=20
=3D20
> > > >Tom
> =
> =20
> =3D20
> >
> > =
> =20
>
> > =3D
>
> =
> =20
>
> > > =
>
> =20
=3D
>
> > > > >I choose Polesoft =
Lockspam=20
to fight spam, =3D
>and=3D20
> =
you?
> =20
> > =3D20
> =
>http://www.polesoft.com/refer.html =20
=3D3D3D3D20
> =3D
>> =3D20
> =20
>
> > >
> =
> =20
=3D
>><!DOCTYPE=3D20
> HTML PUBLIC =
"-//W3C//DTD HTML 4.0=20
Transitional//EN">
> =3D20
> > =20
><HTML><HEAD><BR&a mp;gt;> > =20
=3D
>><META=3D20
> =
http-equiv=3D3D3D3D3DContent-Type=20
content=3D3D3D3D3D"text/html;=3D20
> =20
=3D3D
>=3D3D3D3D
&a mp;gt; > =
=3D20
> =20
>charset=3D3D3D3D3Diso-8859-1">
> > =20
=3D
>><META=3D20
> content=3D3D3D3D3D"MSHTML =
6.00.2800.1400"=20
=3D
 >name=3D3D3D3D3DGENERATOR>
&a mp;gt; =
=3D20
> > =20
><STYLE></STYLE><B R>> > =
=3D20
> =20
></HEAD>
> > =
><BODY=3D20
> =20
bgColor=3D3D3D3D3D#ffffff>
> > =20
=3D
>><DIV><FONT=3D20
> =
face=3D3D3D3D3DArial=20
=
=3D
 >size=3D3D3D3D3D2>Rick,&a mp;lt;/DIV>
&g=
t;=20
=3D20
> > ><DIV><FONT =
face=3D3D3D3D3DArial=20

=3D
>size=3D3D3D3D3D2>1 mec, no=3D20
> BNC =
involved.=20
=3D3D
>Paris =3D3D3D
> =20
=3D
>>=3D3D3D3D
> =3D20
> > =
>boots up=20
so the=3D3D3D3D20
> > >1=20
=3D
>mec=3D20
> =20
that</DIV>
> > =20
=3D
>><DIV><FONT=3D20
> =
face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2>I'm using shows up but=20
=3D
>=3D3D
>never=3D20
> =
any
> =20
=3D3D3D
> >A to =3D3D3D3D
> =
=3D
>>=20
=3D20
> >Ds or any=3D3D3D3D20
> =
> =20
>installed=3D20
> =20
modules.</DIV><BR& amp;gt;> > =
=3D20
> =20
><DIV>This =
is=20
=3D
>the same=3D20
> =20
symptom
=3D3D
>befo re
> =20
=3D3D3D
> >I=3D20
> =
=3D3D3D3D
> =20
> >repaired one =3D
>of=3D3D3D3D20
>=20
=3D20
> > >my mecs with=20
a</DIV>
> =3D20
> =
> =20
><DIV><FONT face=3D3D3D3D3DArial =
=3D
>size=3D3D3D3D3D2>new=20
chip.=3D20
> The clock=20
light
=3D3D
>=3D3D3 D3D
> =
> =20
=3D
>>continues to=3D20
> =
flash=3D3D3D3D20
> =20
> >too. Never locks=3D20
> =20
in.</DIV><BR&g t> > =20
=3D
>><DIV><FONT=3D20
> =
face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2> =
=3D
></DIV>
>=20
=3D20
> > ><DIV><FONT =
face=3D3D3D3D3DArial=20
=3D
>size=3D3D3D3D3D2>I am using=3D20
> the =
simplest=20
=3D3D
>setup I
> =

=3D3D3D
> =20
=3D
>>can=3D20
> =3D3D3D3D
> =
> =20
>imagine =3D
>and=3D3D3D3D20
> > =
=3D20
> =20
>still it's not =
working.</DIV><BR& amp;gt;> =20
=3D
>> =3D20
> ><DIV><FONT =
face=3D3D3D3D3DArial=20
size=3D3D3D3D2>Mike A. =3D
>suggested =
the=3D20
> =20
=3D3D
>.ini file
> =
=3D3D3D
> =20
=3D
>>=3D3D3D3D
> =3D20
> > =
>to make=20
sure=3D3D3D3D20
> > >card =3D
>A =
is=20
0.=3D20
> I'll try=20
that.</DIV><BR& amp ;gt;> > =
=3D20
> =20
><DIV><FONT face=3D3D3D3D3DArial =
size=3D3D3D3D2>Pretty=20
=3D
>sure it's=3D20
> right =3D3D
>but =
who=20
=3D3D3D
> >=3D3D3D3D
> =
=3D
>>=20
=3D20
> =
>knows?</DIV>& lt;BR>> >=20
=3D20
> ><DIV><FONT =
face=3D3D3D3D3DArial=3D20
> =20
=
size=3D3D3D3D2>Thanks,< /DIV>
> =

=3D
>> =3D20
> ><DIV><FONT=20
face=3D3D3D3D3DArial=3D20
> =20
size=3D3D3D3D2>Tom</DIV >
> =20
=3D
>> =3D20
> ><DIV><FONT =
face=3D3D3D3D3DArial=20
=3D
>>size=3D3D3D3D2>=3D20
> =20
</DIV>
> > ><DIV><FONT=20
=3D
>>face=3D3D3D3D3DArial=3D20
> =
size=3D3D3D3D2>=20
</DIV>
> > =3D20
> =
><DIV>=20
</DIV>
> > =
><DIV>=3D20
> =20
</DIV>
> > =
><DIV>=3D20
> =20

&single=3D3D3D20
> ; =3D
> =
=3D20
> ;=20
> ; mec?
>how many i/o cards in each=3D20
> ; =

mec?

On Fri, 19 =3D3D
>Oct=20
=3D
>=3D3D3D
> ; =3D20
> ; =
>2007
> ;=20
> ; =3D3D3D
> ; > ; =3D20
> ;=20
>
> ; > ; > ; 00:22:39 -0400, "Tom=20
Bruhl"=3D20
> ; <<A=3D3D3D20
> ; =
> ;=20
> ; =3D
>=3D3D3D
> ; =3D20
> ; =
> ;=20
=3D3D3D
> ;=20
=3D3D
>>>>href=3D3D3D 3D "<A=3D20
> ;=20
=
=3D
>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net&l=
t;/A>>
wro'>mail=3D
>to:arpegio@comcast.net">a=
rpegio@comcast.net>
wro=3D
>=3D3D&l=
t;BR>>te=3D3D3D
>=20
=3D20
> ; >=3D3D3D
> ; > =
=3D20
> ;=20
>

>l=3D3D3D 3D20
> ; =
> ;=20
=3D
>> ; =3D20
> ; thought I was groovin' but once =
the second Mec=20
was =3D
>=3D3D3D
> ; =3D20
> ; > ;=20
>introduced
>the=3D3D3D20&a mp;lt;BR>> ; =
=3D
>>=20
=3D20
> ; > ; system stopped. That was a few=20
weeks=3D20
> ; ago.
>
>Toda y l=20
=3D3D3D
> ; =3D
>> ; =3D20
> ;=20
>tried=3D3D3D20
> ; > ; > ; =
different=20
=3D
> cables, eds=3D20
> ; cards, mecs, eliminated the =
magma=20
=3D3D3D
> ; > ; =3D20
> ; =
>and
>still=20
no=3D3D3D20
> ; > ; =3D
>> ;=20
clock=3D20
> ; lock or modules showing up in the paris=20
=3D3D3D
> ; =3D
>> ; =3D20
> ;=20
=
>patchbay.
>
 ;>This=3D3D3D20
> ;=20
=3D
>> ; =3D20
> ; > ; means to me software =
unless someone=20
tells me =3D
>=3D3D3D
> ; =3D20
> ; =
> ;=20

=
=3D
 >>differently.
>&l t;BR>>l=3D3D3D3D20<BR=
>>=20
=3D20
> > > have a new C drive which I =
will load=20
XP and no =3D
>pace. Any=3D20
> =20
=3D3D
>other=3D3D3D3D20<BR&am p;g;> > =
>=20
=3D20
> =

>suggestions?
& ;g;
>More=20
frustrated =3D
>than=3D20
> =
my=3D3D3D3D20
> =20
> > =3D20
> =20
=
=3D
 >clients,
>Tom<BR& g;>>
>
=
><BR=3D
>>
>l=3D20
> =20
choose =3D3D3D3D
> > =20
=3D
 >>Polesoft=3D3D3D3D20
> ; =3D20
> =
> =20
> Lockspam to fight spam, =
=3D
>and=3D3D3D3D20
>=20
=3D20
> > > =20
=
=3D
>you?
>http://www.polesoft.com/refer.html=3D20
&=
> =20
=3D3D3D3D20
> > =3D20
> =20
=
=3D
 >>
</BLOCKQUOTE> </BODY></HTML><=
>>=20
=3D
>=3D20
> > >
> =
> =20
>
> =3D
>>
> =
=3D20
> =20
>
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD =
HTML=20
4.0=3D20
> Transitional//EN">
> =20
=3D
 >><HTML><HEAD>& ;lt;BR>> =
=3D20
> =20
><META http-equiv=3D3D3D3DContent-Type=20
content=3D3D3D3D"text/html;=3D20
> =
=3D3D3D
> =20
>&charset=3D3D3D3Diso-8859-1">
> =20
=3D
>><META=3D20
> content=3D3D3D3D"MSHTML =
6.00.2800.1400"=20
=3D
 >&name=3D3D3D3DGENERATOR>
& ;g; =
=3D20
> =20
><STYLE></STYLE><B R>> =20
=3D
 >></HEAD>
& g; =3D20
> =

><BODY=20
bgColor=3D3D3D3D#ffffff>
>&am p;nbsp;=20
=3D
>><DIV><FONT=3D20
> =
face=3D3D3D3DArial=20
size=3D3D3D3D2>Thanks=3D20
> =20
Dimitrios.</DIV><B R>> =20
=3D
>><DIV><FONT=3D20
> =
face=3D3D3D3DArial=20
size=3D3D3D3D2> =3D
></DIV>
>=20
=3D20
> ><DIV><FONT face=3D3D3D3DArial=20
size=3D3D3D3D2>Mike said the =3D
>same=3D20
> =
thing. =20
=3D3D
>the =3D3D3D
> >ini =
in=3D20
> =20
the=3D3D3D20
> >Paris folde or =
system=3D20
> =20
32?</DIV><BR&g t;> =20
><DIV><FONT=3D20
> face=3D3D3D3DArial =
size=3D3D3D3D2>Do l=20
want the Master card to=3D20
> =20
be
=3D3D
>0=3D3D3D2 0
> =20
>absolutely? I only =3D
>have one=3D20
> =20
card</DIV><BR& g t;> =20
><DIV><FONT=3D20
> face=3D3D3D3DArial =
size=3D3D3D3D2>in=20
there right now and it's=3D20
> =20
all
=3D3D
>freaky&a mp;lt;BR>> =20
=3D3D3D
> >just=3D20
> =20
the=3D3D3D20
> =20
=3D
 >>same.</DIV&g t;
> =
=3D20
> =20
><DIV><FONT face=3D3D3D3DArial=3D20
> =20
size=3D3D3D3D2>Tom</DIV&a mp;gt;
> =
=3D20
> =20
><DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>=20
=3D
>
> </DIV>
> =20
><DIV><FONT face=3D3D3D3DArial=3D20
> =20
size=3D3D3D3D2> </DIV>
> =20
=3D
>><DIV><FONT=3D20
> =
face=3D3D3D3DArial=20
size=3D3D3D3D2> =3D
></DIV>
>=20
=3D20
> ><BLOCKQUOTE=3D3D3D20
> =20
=3D
>>style=3D3D3D3D"PADDING-RIGHT: 0px;=3D20
> =
PADDING-LEFT:=20
5px; MARGIN-LEFT: 5px; =3D3D
>=3D3D3D
>& ;gt; =
=3D20
> =20
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT:=20

=3D
>0px">
> =3D20
> > = 20
<DIV>"Dimitrios" <<A=3D3D3D20
> p; =
=3D
>>=20
=3D20
> href=3D3D3D3D"<A=3D20
> = 20
=
=3D
>href=3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr<=
/A'>mailto:musurgio=3D
>@otenet.gr">musurgio@otenet.gr</A&=
lt;/A>>>=3D20
> = 20
wrote
=3D3D
>in =3D3D3D
> = 20
=3D
>>message=3D3D3D20
> =3D20
> =
> = <A=20
=3D3D3D
> = 20
=3D3D
>>href=3D3D3D3D"<A=3D20
> = 20
=
=3D
>href=3D3D'news:471a0486\$1 @linux">news:471a0486\$1 @linux</=
A>...</DIV>
H'> n=3D
>ews:471a0486\$1 @linux">=
news:471a0486\$1 @linux...</DIV>&l=3D
>t;BR>H&=
lt;/A>=3D3D
>i
 >>=20
=3D20
> =3D3D3D
> =
>Tom=3D3D3D20
> = 20
> <A=3D20
> href=3D3D"<A=20
=
href=3D'mailto:!!@
Sorry">!!@
Sorry</A'>mailto:!!@
Sorry ">=
!!@
Sorry</A'>>=20
to hear you still =3D
>having=3D20
> problems like =
this=20
~!!
Must
=3D3D

> =
=3D20
> = 20
=3D3D3D
> >very=3D3D3D20
> > =

=3D20
> frustrating.
Open the Paris ini file and =
there=20
change the=3D20
> =3D3D3D
> = 20
>mastercardoutput=3D3D3D20
> > =
=3D
>> with=20
your=3D20
> other
cards and see what happens=20
!!
Let=3D20
> me=3D3D3D20
> =
>=20
=3D20
> = 20
know.
Regards,
Dimitrios&a mp;lt;BR>
 "Tom=20
=3D
>Bruhl"=3D20
> =
<<A=3D3D3D20
> p;=20
> href=3D3D3D3D"<A=3D20
> = 20
=
=3D
>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net&l=
t;/A>>=3D3D3D20'>mail=3D
>to:arpegio@comcast.net">arpeg=
io@comcast.net >=3D3D3D20< ;B=3D
>R>> =

om</A'>mailto:pa=3D
>rnell68@hotmail.com">parnell68@hotmail.com</A>>=3D20
> =20
=3D3D
>=3D3D3D
& ;gt; =20
>wrote=3D3D3D20
> =3D
> =
in=3D20
> =20
message=3D3D3D20
> > =3D3D3D
>=20
=3D20
> =20
=
=3D
 >=3D3D
>>=3D3D3D3D& ;lt;BR>>news:inqgh393an5=
s4m99qcaojn09vn112t4u=3D
>6r@4ax.com...
>&nbs=3D3D3D=
D=3D3D
>
>=2 0
=3D20
> >p; i=3D3D3D20
> > =
know this as=20
dumb as it gets =3D
>but the=3D20
> bnc is attached =
in=20
the=3D3D3D20
> > =
=3D
>right
>=20
=3D20
> order...right?
> all the cards =
show up=20
=3D
>=3D3D3D
> =3D20
> =20
>in=3D3D3D20
> > paris with the=20
single=3D20
> mec?
> how many i/o cards =
in=20
=3D
>each=3D3D3D20
> =3D20
> > =20
mec?
>
>& ;lt;BR>> On =
=3D
>Fri, 19=20
Oct=3D20
> 2007 00:22:39 -0400, =
=3D3D3D
> =20
>"Tom=3D3D3D20
> =3D
>> =
=3D20
> Bruhl"=20
<<A=3D3D3D20
>&nbs p; > =
=3D3D3D
>=20
=3D20
> =
=3D3D
>>href=3D3D3D3D"<A=3D20
> =20
=
=3D
>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net&l=
t;/A>>
>&n=3D3 D=3D
>3D'>mailto:arpegio@com=
cast.net">arpegio@comcast.net><B=3D
>>R>>&a=
mp;n=3D3D3D=3D3D
>
>=20
=3D20
> >bsp;=3D3D3D20
> > =
=3D20
> =20
wrote:
>
>&a mp;nbs; >I thought I was groovin'=20
=3D
>but once=3D20
> the =3D3D3D
> =

>second=3D3D3D20
> > Mec=20
=3D
>was=3D20
> introduced
> =
>the system=20
stopped. That=3D20
> =3D3D3D
> =

>was a=20
few=3D3D3D20
> > =
=3D
>weeks=3D20
> =20
ago.
> >
> >Today I=20
tried=3D20
> =3D3D3D
> =20
>different=3D3D3D20
> > =
=3D
>cables,=20
eds=3D20
> cards, mecs, eliminated the =
=3D3D3D
> =20
=3D20
> =
>magma
>=3D3D3D3D
> >and
> =20
=3D
>=3D3D3D20
> =3D20
> > =
>still no clock=20
lock or modules showing up in the=3D20
> =20
paris=3D3D3D20
> > patchbay.
> =20
=3D20
> >
> >This means to me=20
=3D3D3D
> =3D20
> =
>software=3D3D3D20
> ;=20
> unless someone tells me=3D20
> =20
differently.
> >
> =20
=3D
>=3D3D3D
> =3D20
> =20
>>I=3D3D3D20
> > have a new C drive =
which I=20
=3D
>will load=3D20
> XP and no pace. =20
Any=3D3D3D20
> > =3D20
> =20
other=3D3D3D3D20
> =
=3D
>>suggestions?
> =20
=3D20
> =3D3D3D
> >
> =

=3D3D3D20
> =3D
>> =3D20
> =
>More=20
frustrated than my clients,
> =
=3D
>=3D3D3D
> =20
=3D20
> >>Tom
> =
=3D3D3D20
> >=20
=3D20
> >
> >
> =20
=3D
>>
> =3D20
> =
=3D3D3D
> =20
>>
> =3D3D3D20
> =
=3D
>> =20
>I=3D20
> choose Polesoft Lockspam to fight spam, and=20
you?
> =3D20
> =3D3D3D20
> =
> =20
=
=3D
>>http://www.polesoft.com/refer.html=3D20</BLOCKQUOTE></BODY=
></HTML>

-----=_NextPart_000_0017_01C81412.A17511B0--

Subject: Re: Paris saga
Posted by [Tom Bruhl](#) on Mon, 22 Oct 2007 05:06:25 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0067_01C81447.C4E16B00
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Mike,

I removed the default project and .cfg from the folder as you suggested.
Now the computer won't even boot with either of three eds cards =
installed.
No Magma, no word clock, no word clock line in the existing config.

I'm going to check with a network card to see if the PCI slots are =
burn't.
I tried three different ones with the eds. The one time Windows worked
with an eds card, the eds card didn't show up in device manager. That's =
probably why.

There is some serious funk going on over here. Maybe mobo? If this is =
the
case I give up. It's not worth any more BS to me. There is no person
in my neighborhood to walk me through this. My tech helps me
but the problem seems to be from the ground up. I'm guessing 3-4
things still so wrong that nothing makes sense.

Cubase is looking more and more inviting, learning curve and all.
Tom

"Mike Audet" <mike@....> wrote in message news:471bcb77\$1@linux...

Hi Tom,

I have an idea.

Try removing UseHouseSync=3D1 from the paris.cfg file.

Next, remove your default project from the program files\emu\paris pro =
folder.
=20

Let me know if it makes a difference.

Good luck!

Mike

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>
>
>Mike,
>I used to use a Lucid but since all of this mess I stopped.
>I'm trying to get stable from square one with the least amount
>of hardware. I am using the default project for sure. The only
>other thing that I still question is my move of Paris to C:ParisPro .
>I should think the default project will either work or not. Maybe
>configs or something else is fighting during Paris startup?
>
>Pats 42 - Miami 7 . . . Halftime and the games over.
>Tom
>
>
>
> "Mike Audet" <mike@....> wrote in message news:471b6eb0\$1@linux...
>
> Hi Tom,
>
> Are you using a default project with PARIS? I'm so sorry of this =
has
=3D
>been
> asked and answered already. If so, perhaps it is telling card zero =
to
=3D
>lock
> to an external clock, which it can't because there isn't one.
>
> It would be interesting to attach an external clock source to the =
MEC
=3D
>and
> then start PARIS to see how it behaves. Or, if the clock generator =
is
=3D
>fried,
> tell paris to lock externally and see what happens when an external =
=3D
>clock
> source is applied.
>

> Isn't there a master house synch switch in the cfg file? I've =
never =3D
>used
> it. Maybe DJ could help with what that should/shouldn't be set to.
>
> Wish I could do more than think out loud...
>
> Mike
>
> "Tom Bruhl" <arpeggio@comcast.net> wrote:
> >
> >
> >Hi Mike,
> >Well I've been to .cfg many a time.
> >I've seen that Mastercard setting as being 0
> >but maybe it changed after removing the 4 other
> >eds cards for this round of testing.
> >
> >If it's still 0 what else could this be? Busted mobo?
> >I'm really in an idunno place right now. I'll be checking
> >seriously today again because of a session tomorrow morning.
> >Tom
> >
> >
> > "Mike Audet" <mike@....> wrote in message =
news:471b2ec2\$1@linux...
> >
> > Hi Tom,
> >
> > If you've only got one card in, then the Mastercard =3D3D3D 0 =
setting
=3D
>is =3D3D
> >right.
> > The file is Paris.cfg, and it lives in the c:\program =3D
>files\Emu\PARIS
> =3D3D
> >PRO
> > folder.
> >
> > I'd still check it out to see what it is set to.
> >
> > If it is wrong, what you are describing will happen.
> >
> > Good luck!
> >
> > Mike
> >

> > "Tom Bruhl" <arpegio@comcast.net> wrote:
> > >
> > >
> > >Thanks Dimitrios.
> > >
> > >Mike said the same thing. Is the ini in the Paris folde or =
system
=3D
>=3D3D
> >32?
> > >Do I want the Master card to be 0 absolutely? I only have one =
=3D
>card
> > >in there right now and it's all freaky just the same.
> > >Tom
> > >
> > >
> > >
> > > "Dimitrios" <musurgio@otenet.gr> wrote in message =3D3D3D
> > >news:471a0486\$1@linux...
> > >
> > > Hi Tom !@
> > > Sorry to hear you still having problems like this ~!!
> > > Must be very frustrating.
> > > Open the Paris ini file and there change the mastercardoutput =
=3D
>with
> =3D3D
> >=3D3D3D
> > >your other
> > > cards and see what happens !!
> > > Let me know.
> > > Regards,
> > > Dimitrios
> > >
> > > "Tom Bruhl" <arpegio@comcast.net> wrote:
> > > >
> > > >
> > > >Rick,
> > > >1 mec, no BNC involved. Paris boots up so the 1 mec that
> > > >I'm using shows up but never any A to Ds or any installed =
=3D
>modules.
> > > >This is the same symptom before I repaired one of my mecs =
with
=3D
>a
> > > >new chip. The clock light continues to flash too. Never =

locks
=3D
>=3D3D
> >in.
> > > >
> > > >I am using the simplest setup I can imagine and still it's =
not
=3D
>=3D3D3D
> > >working.
> > > >Mike A. suggested the .ini file to make sure card A is 0. =
=3D
>I'll =3D3D
> >try
> > =3D3D3D
> > >=3D3D3D3D
> > > >that.
> > > >Pretty sure it's right but who knows?
> > > >Thanks,
> > > >Tom
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >"rick" <parnell68@hotmail.com> wrote in message =3D3D3D3D
> > > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> > > > i know this as dumb as it gets but the bnc is attached in =
the
=3D
>=3D3D
> >right
> > > > order...right?
> > > > all the cards show up in paris with the single mec?
> > > > how many i/o cards in each mec?
> > > >
> > > >
> > > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D3D3D
> > ><arpeggio@comcast.net>
> > > > wrote:
> > > >
> > > > >I thought I was groovin' but once the second Mec was =3D
>introduced
> > > > >the system stopped. That was a few weeks ago.
> > > > >
> > > > >Today I tried different cables, eds cards, mecs, =
eliminated
=3D

>the
> =3D3D
> >=3D3D3D
> > >magma
> > > =3D3D3D3D
> > > >and
> > > > >still no clock lock or modules showing up in the paris =
=3D3D
> >patchbay.
> > > >
> > > > >This means to me software unless someone tells me =3D
> > > > >differently.
> > > > >
> > > > >I have a new C drive which I will load XP and no pace. =

Any

=3D
>=3D3D3D
> > >other=3D3D3D3D20
> > > > >suggestions?
> > > > >
> > > > >More frustrated than my clients,
> > > > >Tom
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >I choose Polesoft Lockspam to fight spam, and you?
> > > > ><http://www.polesoft.com/refer.html> =3D3D3D3D20
> > > >
> > > >
> > > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =

Transitional//EN">

> > > ><HTML><HEAD>
> > > ><META http-equiv=3D3D3D3D3DContent-Type =3D
> > > >>content=3D3D3D3D3D"text/html"; =3D3D
> > > >>=3D3D3D3D3D
> > > >>charset=3D3D3D3D3D3Diso-8859-1">
> > > >><META content=3D3D3D3D3D3D"MSHTML 6.00.2800.1400" =3D
> > > >>name=3D3D3D3D3D3DGENERATOR>
> > > >><STYLE></STYLE>
> > > >></HEAD>
> > > >><BODY bgColor=3D3D3D3D3D#ffffff>
> > > >><DIV><FONT face=3D3D3D3D3DArial =
size=3D3D3D3D3D2>Rick,</DIV>
> > > >><DIV>1 mec, no =
BNC =3D
> >involved. =3D3D
> >>Paris =3D3D3D

> > >=3D3D3D3D
> > > >boots up so the=3D3D3D3D20
> > > >1 mec that</DIV>
> > > ><DIV>I'm using =
shows up
=3D
>but =3D3D
> >never any
> > =3D3D3D
> > >A to =3D3D3D3D
> > > >Ds or any=3D3D3D3D20
> > > >installed modules.</DIV>
> > > ><DIV>This is the =
same =3D
>symptom
> =3D3D
> >before
> > =3D3D3D
> > >I =3D3D3D3D
> > > >repaired one of=3D3D3D3D20
> > > >my mecs with a</DIV>
> > > ><DIV>new chip. =
The =3D
>clock light
> =3D3D
> >=3D3D3D3D
> > > >continues to flash=3D3D3D3D20
> > > >too. Never locks in.</DIV>
> > > ><DIV> =
</DIV>
> > > ><DIV>I am using =
the =3D
>simplest =3D3D
> >setup I
> > =3D3D3D
> > >can =3D3D3D3D
> > > >imagine and=3D3D3D3D20
> > > >still it's not working.</DIV>
> > > ><DIV>Mike A. =
suggested
=3D
>the =3D3D
> >.ini file
> > =3D3D3D
> > >=3D3D3D3D
> > > >to make sure=3D3D3D3D20
> > > >card A is 0. I'll try that.</DIV>
> > > ><DIV>Pretty sure =

it's =3D
>right =3D3D
> >but who =3D3D3D
> > >=3D3D3D3D
> > > >knows?</DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial =3D
>size=3D3D3D3D3D2>Thanks,</DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial =
size=3D3D3D3D3D2>Tom</DIV>
> > > ><DIV> =
</DIV>
> > > ><DIV> =
</DIV>
> > > ><DIV> </DIV>
> > > ><DIV> </DIV>
> > > ><DIV> </DIV>
> > > ><DIV>"rick" <<A=3D3D3D3D20
> > > =3D3D
> =3D
=
>>>href=3D3D3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com</A=
>>
=3D
>=3D3D
> >=3D3D3D
> > >=3D3D3D3D
> > > >wrote in=3D3D3D3D20
> > > >message <A=3D3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>>href=3D3D3D3D3D"news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news=
:in=3D
>qgh=3D3D
> >393=3D3D3D
> > >an5=3D3D3D3D
> > > >s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> > > ><BLOCKQUOTE=3D3D3D3D20
> > > >style=3D3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =3D
>MARGIN-LEFT: =3D3D
> >5px; =3D3D3D
> > >=3D3D3D3D
> > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =
0px">i=3D3D3D3D20
> > > > know this as dumb as it gets but the bnc is attached in =
=3D3D
> >the=3D3D3D3D20

> > > > right
order...right?
all the cards show up in paris =
=3D
>with =3D3D
> >the
> > =3D3D3D
> > >=3D3D3D3D
> > > >single=3D3D3D3D20
> > > > mec?
how many i/o cards in each mec?

On Fri, =
19
=3D
>=3D3D
> >Oct =3D3D3D
> > >2007
> > > =3D3D3D3D
> > > >
> > > > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D3D20
> > > > =3D3D3D3D
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>>href=3D3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net><=
BR>=3D
>wro=3D3D
> >te:=3D3D3D
> > >=3D3D3D3D
> > > >

>I=3D3D3D3D20
> > > > thought I was groovin' but once the second Mec was =
=3D3D3D3D
> > > >introduced
>the=3D3D3D3D20
> > > > system stopped. That was a few weeks ago.
>
>Today I =
=3D
>=3D3D3D3D
> > > >tried=3D3D3D3D20
> > > > different cables, eds cards, mecs, eliminated the magma =
=3D
>=3D3D3D3D
> > > >and
>still no=3D3D3D3D20
> > > > clock lock or modules showing up in the paris =3D3D3D3D
> > > >patchbay.
>
>This=3D3D3D3D20
> > > > means to me software unless someone tells me =3D3D3D3D
> > > >differently.
>
>I=3D3D3D3D20
> > > > have a new C drive which I will load XP and no pace. Any =
=3D3D
> >other=3D3D3D3D20
> > > >
>suggestions?
>
>More frustrated than =
my=3D3D3D3D20
> > > > clients,
>Tom
>
>
>
>
>I choose =

```

=3D3D3D3D
> > > >Polesoft=3D3D3D3D20
> > > > Lockspam to fight spam, and=3D3D3D3D20
> > > > you?<BR>>http://www.polesoft.com/refer.html =3D3D3D3D20
> > > ><BR></BLOCKQUOTE></BODY></HTML>
> > > >
> > > >
> > >
> > >
> > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> > ><HTML><HEAD>
> > ><META http-equiv=3D3D3D3DContent-Type =
content=3D3D3D3D"text/html; =3D
>=3D3D3D3D
> > >charset=3D3D3D3Diso-8859-1">
> > ><META content=3D3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3D3DGENERATOR>
> > ><STYLE></STYLE>
> > ></HEAD>
> > ><BODY bgColor=3D3D3D3D#ffffff>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Thanks =3D
>Dimitrios.</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Mike said the same =
thing.
=3D
> Is =3D3D3D
> >the =3D3D3D
> > >ini in the=3D3D3D20
> > >Paris folde or system 32?</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Do I want the =
Master card
=3D
>to be
> =3D3D3D
> >0=3D3D3D20
> > >absolutely? I only have one card</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>in there right now =
and =3D
>it's all
> =3D3D3D
> >freaky
> > =3D3D3D
> > >just the=3D3D3D20
> > >same.</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Tom</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>

```



```

> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > ><BLOCKQUOTE=3D3D3D20
> > >style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
MARGIN-LEFT: =3D
>5px; =3D3D
> >=3D3D3D
> > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > > <DIV>"Dimitrios" <<A=3D3D3D20
> > > =
href=3D3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>> =3D
>wrote
> =3D3D
> >in =3D3D3D
> > >message=3D3D3D20
> > > <A =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D"news:471a0486$1 @linux">news:471a0486$1 @linux</A>...</DIV=
><B=3D
>R>H=3D3D
> >i
> > =3D3D3D
> > >Tom=3D3D3D20
> > > !@<BR>Sorry to hear you still having problems like this =3D
>~!!<BR>Must
> =3D3D
> >be
> > =3D3D3D
> > >very=3D3D3D20
> > > frustrating.<BR>Open the Paris ini file and there change the =
=3D
>=3D3D3D
> > >mastercardoutput=3D3D3D20
> > > with your other<BR>cards and see what happens !!<BR>Let =3D
>me=3D3D3D20
> > > know.<BR>Regards,<BR>Dimitrios<BR><BR>"Tom Bruhl" =
<<A=3D3D3D20
> > > =3D
=
>href=3D3D3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>>=3D3D3D=
D20
> > > wrote:<BR>><BR>><BR>>Rick,<BR>>1 mec, no BNC =3D3D3D
> > >involved. Paris=3D3D3D20
> > > boots up so the 1 mec that<BR>>>I'm using shows up but never =
any
=3D
>A =3D3D

```


> > > mec?
>
>
> On Fri, 19 Oct 2007 00:22:39 -0400, =
=3D3D3D
> > >"Tom=3D3D3D20
> > > Bruhl" <<A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
=
>&n=3D
>=3D3D3D=3D3D
> >
> > >bsp;=3D3D3D20
> > > wrote:
>
> >I thought I was groovin' but once the =
=3D3D3D
> > >second=3D3D3D20
> > > Mec was introduced
> >the system stopped. That =3D3D3D
> > >was a few=3D3D3D20
> > > weeks ago.
> >
> >Today I tried =3D3D3D
> > >different=3D3D3D20
> > > cables, eds cards, mecs, eliminated the =3D3D3D
> > >magma
=3D3D3D3D
>and
> =3D3D3D20
> > > >still no clock lock or modules showing up in the =
paris=3D3D3D20
> > > patchbay.
> >
> >This means to me =3D3D3D
> > >software=3D3D3D20
> > > unless someone tells me differently.
> >
> =3D3D3D
> > >>l=3D3D3D20
> > > have a new C drive which I will load XP and no pace. =
Any=3D3D3D20
> > > other=3D3D3D3D20
> >suggestions?
> =3D3D3D
> > >>
> =3D3D3D20
> > > >More frustrated than my clients,
> =3D3D3D
> > >>Tom
> =3D3D3D20
> > > >
> >
> >
> =3D3D3D
> > >>
> =3D3D3D20
> > > >I choose Polesoft Lockspam to fight spam, and you?
> =
=3D3D3D20
> > > >http://www.polesoft.com/refer.html =3D3D3D20
> > > =3D3D3D3D20
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD =
=3D3D3D
> > >HTML 4.0=3D3D3D20
> > > Transitional//EN">
><HTML><HEAD>
><META=3D3D3D20
> > > http-equiv=3D3D3D3D3DContent-Type =3D
> > >content=3D3D3D3D3D"text/html";=3D3D3D20
> > > =3D3D3D3D
>>charset=3D3D3D3D3Diso-8859-1">
>><META =
=3D3D3D
> > >content=3D3D3D3D3D"MSHTML=3D3D3D20

```

> > > 6.00.2800.1400"=3D3D3D20
> > > =3D3D3D
> > > name=3D3D3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D3D3D
> > > D><BR>><BODY=3D3D3D20
> > > bgColor=3D3D3D3D3D#ffffff><BR>><DIV><FONT =3D
> face=3D3D3D3D3DArial=3D3D3D20
> > > =3D3D3D
> > > size=3D3D3D3D3D2>Rick,</FONT></DIV>><BR>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>1 mec, no BNC involved. =
Paris
=3D
>=3D3D3D
> > >=3D3D3D3D<BR>>boots up so=3D3D3D20
> > > the=3D3D3D3D20<BR>>1 mec =3D3D3D
> > > that</FONT></DIV>><BR>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using shows up but =
never =3D
> any A to
> =3D3D
> >=3D3D3D
> > >=3D3D3D3D<BR>>Ds or=3D3D3D20
> > > any=3D3D3D3D20<BR>>installed=3D3D3D20
> > > modules.</FONT></DIV>><BR>><DIV><FONT =3D3D3D
> > > face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>This is the same symptom before I =3D
>=3D3D3D3D<BR>>repaired =3D3D
> >=3D3D3D
> > >one=3D3D3D20
> > > of=3D3D3D3D20<BR>>my mecs with=3D3D3D20
> > > a</FONT></DIV>><BR>><DIV><FONT face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>new chip. The clock light =
=3D3D3D3D<BR>>continues =3D
> to=3D3D3D20
> > > flash=3D3D3D3D20<BR>>too. Never locks=3D3D3D20
> > > in.</FONT></DIV>><BR>><DIV><FONT face=3D3D3D3D3DArial =3D3D3D
> > >
> > > size=3D3D3D3D3D2></FONT> </DIV>><BR>><DIV><FONT =3D3D3D
> > > face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>I am using the simplest setup I can =3D3D
> >=3D3D3D3D<BR>>imagine=3D3D3D20
> > > and=3D3D3D3D20<BR>>still it's not=3D3D3D20
> > > working.</FONT></DIV>><BR>><DIV><FONT =3D3D3D
> > > face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Mike A. suggested the .ini file =
=3D3D3D3D<BR>>to =3D
> make=3D3D3D20
> > > sure=3D3D3D3D20<BR>>card A is 0. I'll try=3D3D3D20
> > > that.</FONT></DIV>><BR>><DIV><FONT =3D3D3D

```

> > >face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Pretty sure it's right but who=3D3D3D20
> > > =3D3D3D3D3D
>knows?</DIV>
><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial=3D3D3D20
> > > =3D3D3D
> > >size=3D3D3D3D3D2>Thanks,</DIV>
><DIV><FONT=3D3D3D
> > >=3D3D3D20
> > > face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Tom</DIV>
><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2> =3D3D3D
> > ></DIV>
><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2> =3D3D3D
> > ></DIV>
><DIV>=3D3D3D20
> > > </DIV>
><DIV> </DIV>
><DIV>=3D3D3D20
> > > </DIV>
><DIV>"rick" =3D3D3D
> > ><<A=3D3D3D3D20
>href=3D3D3D3D3D"<A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>=
mai=3D
>lto=3D3D
> >:pa=3D3D3D
> > >rnell68@hotmail.com">parnell68@hotmail.com</A>>=3D3D3D20
> > > =3D3D3D3D
>wrote in=3D3D3D3D20
>message =3D
><A=3D3D3D3D20
>href=3D3D3D3D3D"<A
> =3D3D
> >=3D3D3D
> > >
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in=
qgh=3D
>393=3D3D
> >an5=3D3D3D
> > =3D3D
> =3D
=
>>>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393an5</A=
=3D3D=3D
>3D=3D3D
> >
> > =3D
=
>>>=3D3D3D3D
>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
&=3D3D3D=

```

> > =
>gt;<BLOCKQUOTE=3D3D3D3D20<BR>>style=3D3D3D3D3D"PADDING-RIGHT:=3D3D3D20
> > > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
>=3D3D3D3D<BR>>BORDER-LEFT: =3D3D
> >=3D3D3D
> > >#000000 2px=3D3D3D20
> > > solid; MARGIN-RIGHT: 0px">i=3D3D3D3D20<BR>> know this as =
dumb as
=3D
>=3D3D3D
> > >it gets=3D3D3D20
> > > but the bnc is attached in the=3D3D3D3D20<BR>> =3D3D3D20
> > > right<BR>order...right?<BR>all the cards show up in paris =
=3D3D3D
> > >with the=3D3D3D20
> > > =3D3D3D3D<BR>>single=3D3D3D3D20<BR>> mec?<BR>how many i/o =
cards =3D
>=3D3D3D
> > >in each=3D3D3D20
> > > mec?<BR><BR><BR>On Fri, 19 Oct=3D3D3D20
> > > 2007<BR>=3D3D3D3D<BR>><BR>> 00:22:39 -0400, "Tom =
Bruhl"=3D3D3D20
> > > <<A=3D3D3D3D20<BR>> =
=3D3D3D3D<BR>>href=3D3D3D3D3D"<A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net</A>><BR>=
wro=3D
>te'=3D3D
> >>ma=3D3D3D
> > >mailto:arpegio@comcast.net">arpegio@comcast.net</A>><BR>w=3D3D3D
> > >rote</A>:=3D3D3D3D<BR>><BR><BR>>I=3D3D3D3D20<BR>> =3D3D3D20
> > > thought I was groovin' but once the second Mec was=3D3D3D20
> > > =3D3D3D3D<BR>>introduced<BR>>the=3D3D3D3D20<BR>> system =
=3D3D3D
> > >stopped. That was=3D3D3D20
> > > a few weeks ago.<BR>><BR>>Today I=3D3D3D20
> > > =3D3D3D3D<BR>>tried=3D3D3D3D20<BR>> different cables, eds =
cards, =3D
>mecs, =3D3D3D
> > >eliminated=3D3D3D20
> > > the magma =3D3D3D3D<BR>>and<BR>>still no=3D3D3D3D20<BR>> =
=3D3D3D
> > >clock lock or=3D3D3D20
> > > modules showing up in the paris=3D3D3D20

```

```

> > > =3D3D3D
> > >=3D3D3D3D<BR>>patchbay.<BR>><BR>>This=3D3D3D3D20<BR>> =3D3D3D
> > >means to=3D3D3D20
> > > me software unless someone tells me=3D3D3D20
> > > =3D3D3D
> > >=3D3D3D3D<BR>>differently.<BR>><BR>>I=3D3D3D3D20<BR>> =3D3D3D
> > >have a new=3D3D3D20
> > > C drive which I will load XP and no pace. Any =3D
>other=3D3D3D3D20<BR>> =3D3D
> >=3D3D3D
> > >
> > > <BR>>suggestions?<BR>><BR>>More frustrated =3D3D3D
> > >than=3D3D3D20
> > > my=3D3D3D3D20<BR>> =3D3D3D20
> > > =3D3D3D
> > >clients,<BR>>Tom<BR>><BR>><BR>><BR>>=3D3D3D
> > >>><BR>>I=3D3D3D20
> > > choose =3D3D3D3D<BR>>Polesoft=3D3D3D3D20<BR>> Lockspam to =
fight =3D
>spam,=3D3D3D20
> > > and=3D3D3D3D20<BR>> =3D3D3D
> > >you?<BR>>http://www.polesoft.com/refer.html=3D3D3D20
> > > =3D3D3D
> > >=3D3D3D3D20<BR>><BR></BLOCKQUOTE></BODY></HTML><BR>&=3D3D3D
> > >gt;<BR>><BR></BLOCKQUOTE></BODY></HTML>
> > >
> > >
> >
> >>!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> ><HTML><HEAD>
> ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =
=3D3D
> >charset=3D3D3Diso-8859-1">
> ><META content=3D3D3D"MSHTML 6.00.2800.1400" name=3D3D3DGENERATOR>
> ><STYLE></STYLE>
> ></HEAD>
> ><BODY bgColor=3D3D3D#ffffff>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Hi Mike,</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Well I've been to .cfg =
many a =3D
>=3D3D
> >time.</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>I've seen that Mastercard =
=3D
>setting as =3D3D
> >being=3D3D20
> >0</FONT></DIV>

```



```

> ><DIV><FONT face=Arial size=2>but maybe it changed =
after =
> removing the
> =
> >4=20
> >other</FONT></DIV>
> ><DIV><FONT face=Arial size=2>eds cards for this round =
of =
> >testing.</FONT></DIV>
> ><DIV><FONT face=Arial size=2></FONT> </DIV>
> ><DIV><FONT face=Arial size=2>If it's still 0 what else =
could
=
> this =
> >be? =20
> >Busted mobo?</FONT></DIV>
> ><DIV><FONT face=Arial size=2>I'm really in an idunno =
place =
> right =
> >now. I'll=20
> >be checking</FONT></DIV>
> ><DIV><FONT face=Arial size=2>seriously today again =
because of
=
> a =
> >session tomorrow=20
> >morning.</FONT></DIV>
> ><DIV><FONT face=Arial size=2>Tom</FONT></DIV>
> ><DIV><FONT face=Arial size=2></FONT> </DIV>
> ><DIV><FONT face=Arial size=2></FONT> </DIV>
> ><BLOCKQUOTE=20
> >style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
5px; =
> =3D
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > <DIV>"Mike Audet" <mike@....> wrote in message <A=20
> > =3D
> =3D
=
>>href=3D"news:471b2ec2$1@linux">news:471b2ec2$1@linux</A>...</DIV><B=
R>H=3D
> i=20
> > Tom,<BR><BR>If you've only got one card in, then the Mastercard =
=3D
> =3D 0
> =3D
> >setting is=20
> > right.<BR> The file is Paris.cfg, and it lives in the =3D

```

>c:\program=3D3D20
> > files\Emu\PARIS PRO
folder.

I'd still check it out to =
see
=3D
>=3D3D
> >what it is=3D3D20
> > set to.

If it is wrong, what you are describing =
will=3D3D20
> > happen.

Good luck!

Mike

"Tom Bruhl" =
<<A=3D3D20
> > =
href=3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net=>=3D3D20
> > wrote:
>
>
>Thanks Dimitrios.
>
>Mike =3D3D
> >said the=3D3D20
> > same thing. Is the ini in the Paris folde or system =3D3D
> >32?
>Do I want=3D3D20
> > the Master card to be 0 absolutely? I only have one =3D3D
> >card
>in there=3D3D20
> > right now and it's all freaky just the=3D3D20
> > same.
>Tom
>
>
>
> "Dimitrios" =3D3D
> ><<A=3D3D20
> > href=3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr=> =
wrote
=3D
>in =3D3D
> >message=3D3D20
> > =3D3D3D
>news:471a0486\$1@linux...
>
> Hi Tom=3D3D20
> > !@
> Sorry to hear you still having problems like =
this=3D3D20
> > ~!!
> Must be very frustrating.
> Open the =3D3D
> >Paris ini=3D3D20
> > file and there change the mastercardoutput with =
=3D3D3D
>your=3D3D20
> > other
> cards and see what happens !!
> Let me =3D3D
> >
> > know.
> Regards,
> =3D3D
> >Dimitrios
>
> =3D3D20
> > "Tom Bruhl" <<A=3D3D20
> > =
href=3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net=>=3D3D20
> > wrote:
> >
> >
> =3D3D20
> > >Rick,
> >1 mec, no BNC involved. Paris boots =3D3D
> >up so=3D3D20
> > the 1 mec that
> >I'm using shows up but never any A to =
=3D3D
> >Ds or=3D3D20
> > any installed modules.
> >This is the same symptom =3D3D
> >before l=3D3D20

> > repaired one of my mecs with a
> >new chip. The =3D3D
 > >clock=3D3D20
 > > light continues to flash too. Never locks in.
> =3D3D20
 > > >
> >I am using the simplest setup I can imagine and =3D3D
 > >still=3D3D20
 > > it's not =3D3D3D
>working.
> >Mike A. suggested =3D3D
 > >the .ini=3D3D20
 > > file to make sure card A is 0. I'll =3D3D
 > >try
=3D3D3D
>=3D3D3D3D
> =3D3D20
 > > >that.
> >Pretty sure it's right but who=3D3D20
 > > knows?
> >Thanks,
> >Tom
> =3D3D20
 > > >
> >
> >
> =3D3D
 > >>
> =3D3D20
 > > >
> >"rick" <<A=3D3D20
 > > =
 href=3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com>
 =3D
 >=3D3D
 > >wrote in=3D3D20
 > > message =3D3D3D3D
> =3D3D20
 > > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =3D3D20
 > > > i know this as dumb as it gets but the bnc is attached in =
 =3D3D
 > >the=3D3D20
 > > right
> > order...right?
> > =3D3D
 > >all the=3D3D20
 > > cards show up in paris with the single mec?
> > =3D3D
 > >how many=3D3D20
 > > i/o cards in each mec?
> >
> =3D3D
 > >>
> =3D3D20
 > > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D3D
 > >=3D3D3D
><<A=3D3D20
 > > =3D3D
 > =3D
 =
 >>href=3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=
 =3D3D=3D
 >
 > >bsp;=3D3D20
 > > > wrote:
> >
> > >I =3D3D
 > >thought I=3D3D20
 > > was groovin' but once the second Mec was introduced
> =3D3D
 > >> =3D3D20
 > > >the system stopped. That was a few weeks ago.
> =3D3D20
 > > > >
> > >Today I tried different =3D3D
 > >cables,=3D3D20
 > > eds cards, mecs, eliminated the =3D3D3D
>magma
> =3D3D
 > >=3D3D3D3D
> =3D3D20

> > >and
> > >still no clock lock or modules =3D3D
 > >showing up=3D3D20
 > > in the paris patchbay.
> > >
> =3D3D
 > >> =3D3D20
 > > >This means to me software unless someone tells me=3D3D20
 > > differently.
> > >
> > =3D3D
 > >>I have=3D3D20
 > > a new C drive which I will load XP and no pace. Any=3D3D20
 > > =3D3D3D
>other=3D3D3D3D20
> > =3D3D
 > >>suggestions?
> =3D3D20
 > > > >
> > >More frustrated than my=3D3D20
 > > clients,
> > >Tom
> > =3D3D20
 > > >
> > >
> > =3D3D
 > >>
> =3D3D20
 > > > >
> > >I choose Polesoft =3D3D
 > >Lockspam to=3D3D20
 > > fight spam, and you?
> > =3D3D20
 > > >http://www.polesoft.com/refer.html =3D3D3D3D20
> =3D3D20
 > > >
> >
> ><!DOCTYPE HTML PUBLIC=3D3D20
 > > "-//W3C//DTD HTML 4.0 Transitional//EN">
> =3D3D20
 > > ><HTML><HEAD>
> ><META=3D3D20
 > > http-equiv=3D3D3D3D3DContent-Type content=3D3D3D3D3D"text/html; =
 =3D3D
 > >=3D3D3D3D
> =3D3D20
 > > >charset=3D3D3D3D3DDiso-8859-1">
> ><META =3D3D
 > >content=3D3D3D3D3D"MSHTML=3D3D20
 > > 6.00.2800.1400" name=3D3D3D3D3DGENERATOR>
> =3D3D20
 > > ><STYLE></STYLE>
> =3D3D
 > >></HEAD>
> =3D3D20
 > > ><BODY bgColor=3D3D3D3D3D#ffffff>
> =3D3D
 > >><DIV><FONT=3D3D20
 > > face=3D3D3D3D3DArial =3D3D
 > >size=3D3D3D3D3D2>Rick,</DIV>
> =3D3D20
 > > ><DIV>1 mec, no BNC =
 =3D3D
 > >involved.=3D3D20
 > > Paris =3D3D3D
>=3D3D3D3D
> >boots up so =3D3D
 > >the=3D3D3D3D20
> >1=3D3D20
 > > mec that</DIV>
> =3D3D
 > >><DIV><FONT=3D3D20
 > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using shows up but =
 never =3D3D
 > >any
=3D3D3D
>A to=3D3D20
 > > =3D3D3D3D
> >Ds or any=3D3D3D3D20
> >installed=3D3D20
 > > modules.</DIV>
> =3D3D
 > >><DIV><FONT=3D3D20
 > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>This is the same symptom =
 =3D3D

```

> >before<BR>=<BR>>I=<BR>
> > =<BR>> >repaired one of=<BR>> >my =<BR>
> >mecs with=<BR>
> > a</FONT></DIV><BR>> ><DIV><FONT=<BR>
> > face=<BR>>new chip. The clock light =
=<BR>
> >=<BR>> =<BR>
> > >continues to flash=<BR>> >too. Never locks=<BR>
> > in.</FONT></DIV><BR>> ><DIV><FONT=<BR>
> > face=<BR>></FONT>> =<BR>
> ></DIV><BR>> =<BR>
> > ><DIV><FONT face=<BR>>I am using =
=<BR>
> >the simplest=<BR>
> > setup I<BR>=<BR>>can =<BR>> >imagine =<BR>
> >and=<BR>> =<BR>
> > >still it's not working.</FONT></DIV><BR>> =<BR>
> > ><DIV><FONT face=<BR>>Mike A. =<BR>
> > suggested the=<BR>
> > .ini file<BR>=<BR>>=<BR>> >to make =<BR>
> >sure=<BR>> =<BR>
> > >card A is 0. I'll try that.</FONT></DIV><BR>> =<BR>
> >
> > ><DIV><FONT face=<BR>>Pretty sure =
=<BR>
> >it's right=<BR>
> > but who =<BR>>=<BR>> =<BR>
> > >knows?</FONT></DIV><BR>> =<BR>
> >><DIV><FONT=<BR>
> > face=<BR>
> >size=<BR>>Thanks,</FONT></DIV><BR>> =<BR>
> > ><DIV><FONT face=<BR>
> > size=<BR>>Tom</FONT></DIV><BR>> =<BR>
> > ><DIV><FONT face=<BR>></FONT>> =<BR>
> >
> > </DIV><BR>> ><DIV><FONT face=<BR>
> > size=<BR>></FONT>> </DIV><BR>> =<BR>
> >><DIV>=<BR>
> > </DIV><BR>> ><DIV> </DIV><BR>> =<BR>
> > ><DIV> </DIV><BR>> ><DIV>"rick"=<BR>
> > <<A=<BR>> >href=<BR>>"<BR>
> > =<BR>
> =<BR>
=
>>href=<BR>'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mai=
lto=<BR>
>:pa=<BR>
> >rnell68@hotmail.com">parnell68@hotmail.com</A/>>>=<BR>

```

> > =3D3D3D
>=3D3D3D3D
> >wrote in=3D3D3D3D20
> =3D3D
> >>message=3D3D20
> > <A=3D3D3D3D20
> =3D3D3D
>>href=3D3D3D3D3D3D"<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh=
393=3D
>'>n=3D3D
> =3D
=
>>ews:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393=3D3D3=
D<B=3D
>=3D3D
> >R>>an5=3D3D3D3D
> =3D3D20
> > =3D3D
> >>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> =3D3D
> >;=3D3D20
> > ><BLOCKQUOTE=3D3D3D3D20
> =3D3D
> >>style=3D3D3D3D3D"PADDING-RIGHT: 0px;=3D3D20
> > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D3D
>=3D3D3D3D
> =
=3D3D20
> > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =3D3D
> >0px">i=3D3D3D3D20
> =3D3D20
> > > know this as dumb as it gets but the bnc is attached =
in=3D3D20
> > the=3D3D3D3D20
> > =3D3D
> >right
order...right?
all=3D3D20
> > the cards show up in paris with =
the
=3D3D3D
>=3D3D3D3D
> =3D3D20
> > >single=3D3D3D3D20
> > mec?
how many i/o =3D3D
> >cards in=3D3D20
> > each mec?

On Fri, 19 Oct=3D3D20
> > =3D3D3D
>2007
> =3D3D3D3D
> >
> =3D3D
> >>=3D3D20
> > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D3D20
> > =3D3D20
> > =3D3D3D3D
> =3D3D3D
>>href=3D3D3D3D3D3D"<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
wro=
te'=3D
>>ma=3D3D
> >ilto:arpegio@comcast.net">arpegio@comcast.net>
w=3D3D
> >rote:=3D3D3D
>=3D3D3D3D
> =3D3D20
> > >

>I=3D3D3D3D20
> > thought =3D3D
> >I was=3D3D20
> > groovin' but once the second Mec was =3D3D3D3D
> =3D3D20

> > >introduced
>the=3D3D3D3D20
> > system =3D3D
 > >stopped.=3D3D20
 > > That was a few weeks ago.
>
>Today I =3D3D
 > >=3D3D3D3D
> =3D3D20
 > > >tried=3D3D3D3D20
> > different cables, eds cards, =3D3D
 > >mecs,=3D3D20
 > > eliminated the magma =3D3D3D3D
> >and
>still=3D3D20
 > > no=3D3D3D3D20
> > clock lock or modules showing up in =3D3D
 > >the paris=3D3D20
 > > =3D3D3D3D
> =3D3D20
 > > >patchbay.
>
>This=3D3D3D3D20
> =3D3D
 > >> =3D3D20
 > > means to me software unless someone tells me =3D3D3D3D
> =
 =3D3D20
 > > >differently.
>
>I=3D3D3D3D20
> =3D3D
 > >> =3D3D20
 > > have a new C drive which I will load XP and no pace. Any=3D3D20
 > > other=3D3D3D3D20
> > =3D3D20
 > >
>suggestions?
>
>More frustrated =3D3D
 > >than=3D3D20
 > > my=3D3D3D3D20
> > =3D3D20
 > > =3D3D
 > >clients,
>Tom
>
>
>
>
>
>=3D3D
 > >>>
>I=3D3D20
 > > choose =3D3D3D3D
> >Polesoft=3D3D3D3D20
> =3D3D
 > >> Lockspam=3D3D20
 > > to fight spam, and=3D3D3D3D20
> > =3D3D20
 > > you?
><http://www.polesoft.com/refer.html> =3D3D
 > >=3D3D3D3D20
> =3D3D20
 > > =3D3D
 > >>
</BLOCKQUOTE></BODY></HTML>
> =3D3D
 > >=3D3D20
 > > >
> >
>
>
><!DOCTYPE HTML =3D3D
 > >PUBLIC=3D3D20
 > > "-//W3C//DTD HTML 4.0=3D3D20
 > > Transitional//EN">
><HTML><HEAD>
><META=3D3D20
 > > http-equiv=3D3D3D3DContent-Type =
 content=3D3D3D3D"text/html;=3D3D20
 > > =3D3D3D
>charset=3D3D3D3Diso-8859-1">
><META =3D3D
 > >content=3D3D3D3D"MSHTML=3D3D20
 > > 6.00.2800.1400"=3D3D20
 > > =3D3D
 > >name=3D3D3D3DGENERATOR>
><STYLE></STYLE>
></HEA=3D3D
 > >D>
><BODY=3D3D20
 > > bgColor=3D3D3D3D#ffffff>
><DIV><FONT =
 face=3D3D3D3DArial=3D3D20
 > > size=3D3D3D3D2>Thanks=3D3D20
 > > Dimitrios.</DIV>
><DIV><FONT =3D3D


```

> >face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2></FONT> </DIV><BR>><DIV><FONT =3D3D
> >face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2>Mike said the same thing. Is the =3D3D3D<BR>>ini =
in =3D3D
> >
> > the=3D3D3D20<BR>>Paris folde or system=3D3D20
> > 32?</FONT></DIV><BR>><DIV><FONT face=3D3D3D3DArial =3D3D
> >
> > size=3D3D3D3D2>Do I want the Master card to be =3D3D
> >0=3D3D3D20<BR>>absolutely? I=3D3D20
> > only have one card</FONT></DIV><BR>><DIV><FONT =3D3D
> >
> > face=3D3D3D3DArial size=3D3D3D3D2>in there right now and it's =
all=3D3D20
> > freaky<BR>=3D3D3D<BR>>just=3D3D20
> > =3D3D
> >the=3D3D3D20<BR>>same.</FONT></DIV><BR>><DIV><FONT=3D3D
> >=3D3D20
> > face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D3D
> ></DIV><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D3D
> ></DIV><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3DArial size=3D3D3D3D2></FONT>=3D3D20
> > =3D3D
> ></DIV><BR>><BLOCKQUOTE=3D3D3D20<BR>>style=3D3D3D3D"PADDING-RIGHT: =
=3D3D
> >0px;=3D3D20
> > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D3D<BR>>BORDER-LEFT: =
#000000
=3D
>=3D3D
> >2px solid;=3D3D20
> > MARGIN-RIGHT: 0px"><BR>> <DIV>"Dimitrios"=3D3D20
> > <<A=3D3D3D20<BR>> href=3D3D3D3D"<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A'>mailto:mu=
sur=3D
>gio=3D3D
> >@otenet.gr">musurgio@otenet.gr</A/A>>=3D3D20
> > wrote in =3D3D3D<BR>>message=3D3D3D20<BR>> <A =3D3D
> >=3D3D3D<BR>>href=3D3D3D3D"<A=3D3D20
> > =3D3D
> =3D

```

=

>>href=3D3D3D'news:471a0486\$1@linux">news:471a0486\$1@linux...</DIV><B=

R>H=3D

>'>=3D3D

> >news:471a0486\$1@linux">news:471a0486\$1@linux...</DIV>&=3D3D

> >lt;BR>Hi
=3D3D3D
>Tom=3D3D3D20
> =3D3D20

> > <A href=3D3D3D"mailto:!!@
Sorry">!!@
Sorry to hear you =

still

=3D

>=3D3D

> >having=3D3D20

> > problems like this ~!!
Must =3D3D

> >be
=3D3D3D
>very=3D3D3D20
> =3D3D20

> > frustrating.
Open the Paris ini file and there change =

the=3D3D20

> > =3D3D3D
>mastercardoutput=3D3D3D20
> with your =3D3D

> >other
cards and=3D3D20

> > see what happens !!
Let me=3D3D3D20
> =3D3D20

> > know.
Regards,
Dimitrios

"Tom =3D3D

> >Bruhl"=3D3D20

> > <<A=3D3D3D20
> href=3D3D3D3D"<A=3D3D20

> > =3D3D

> =3D

=

>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D=

20'>m=3D

>ailto=3D3D

> =

>:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D20
&g=3D3D

> >t; =3D3D20

> > wrote:
>
>
>Rick,
>1 =3D3D

> >mec, no=3D3D20

> > BNC =3D3D3D
>involved. Paris=3D3D3D20
> boots up so =

=3D3D

> >the 1 mec=3D3D20

> > that
>I'm using shows up but never any A =3D3D3D
>to =

Ds=3D3D20

> > or=3D3D3D20
> any installed modules.
>This is the =3D3D

> >same=3D3D20

> > symptom before I =3D3D3D
>repaired one=3D3D3D20
> of my =

mecs =3D3D

> >with=3D3D20

> > a
>new chip. The clock light continues to=3D3D20

> > =3D3D3D
>flash=3D3D3D20
> too. Never locks=3D3D20

> > in.
>
>I am using the simplest =3D3D

> >=3D3D3D
>setup I=3D3D20

> > can=3D3D3D20
> imagine and still it's not =3D3D

> >working.
>Mike A.=3D3D20

> > suggested the =3D3D3D
>.ini=3D3D3D20
> file to make =
=3D3D
> > sure card A is=3D3D20
> > 0. I'll try=3D3D20
> > =3D3D
> >=3D3D3D
>=3D3D3D3D
>that.
>Pretty=3D3D3D20
> =3D3D
> >; sure it's=3D3D20
> > right but who=3D3D3D20
> =3D3D20
> > =3D3D
> >=3D3D3D
>knows?
>Thanks,
>Tom
><=3D3D
> >BR>>
>
>
><=3D3D3D
>BR>=3D3D
> >>"rick"=3D3D3D20
> =3D3D20
> > <<A =3D3D3D
>href=3D3D3D3D"<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mai=
lto=3D
>:pa=3D3D
> > rnell68@hotmail.com">parnell68@hotmail.com</A>=3D3D20
> > =3D3D3D
>wrote=3D3D3D20
> in message=3D3D3D20
> =
=3D3D20
> > =3D3D
> =
>=3D3D3D
>=3D3D3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax=3D=
3D
> >.com...
>&nbs=3D3D3D
>p;=3D3D20
> > i=3D3D3D20
> know this as dumb as it gets but the bnc is =
=3D3D
> > attached in=3D3D20
> > the=3D3D3D20
> right
> =3D3D20
> > order...right?
> all the cards show up=3D3D20
> > =3D3D3D
>in=3D3D3D20
> paris with the single =3D3D
> >mec?
> =3D3D20
> > how many i/o cards in each=3D3D3D20
> =3D3D20
> > mec?
>
>
> On Fri, 19 Oct =3D3D
> >2007=3D3D20
> > 00:22:39 -0400, =3D3D3D
>"Tom=3D3D3D20
> Bruhl"=3D3D20
> > <<A=3D3D3D20
> =3D3D3D
>href=3D3D3D3D"<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=
'>=3D3D=3D
>
> >mailto:arpegio@comcast.net">arpegio@comcast.net>
=3D3D
> >;>&n=3D3D3D
>bsp;=3D3D3D20
> =3D3D20
> > wrote:
>
> >I thought I was groovin' =3D3D

> >but once=3D3D20
 > > the =3D3D3D
>second=3D3D3D20
> Mec was =3D3D
 > >introduced
> =3D3D20
 > > >the system stopped. That =3D3D3D
>was a =3D3D
 > >few=3D3D3D20
> weeks=3D3D20
 > > ago.
> >
> >Today I tried=3D3D20
 > > =3D3D3D
>different=3D3D3D20
> cables, eds cards, mecs, =
 =3D3D
 > >eliminated the=3D3D20
 > > =3D3D3D
>magma
=3D3D3D3D
>and
> =3D3D
 > >=3D3D3D20
> =3D3D20
 > > >still no clock lock or modules showing up in the =3D3D
 > >paris=3D3D3D20
> =3D3D20
 > > patchbay.
> >
> >This means =3D3D
 > >to me=3D3D20
 > > =3D3D3D
>software=3D3D3D20
> unless someone tells =
 me=3D3D20
 > > differently.
> >
> =3D3D20
 > > =3D3D3D
>>I=3D3D3D20
> have a new C drive which I will =
 =3D3D
 > >load XP and no=3D3D20
 > > pace. Any=3D3D3D20
> other=3D3D3D3D20
> =3D3D20
 > > >suggestions?
> =3D3D3D
>>
>=3D3D20
 > > =3D3D3D20
> >More frustrated than my =3D3D
 > >clients,
> =3D3D20
 > > =3D3D3D
>>Tom
> =3D3D3D20
> =3D3D
 > >>
> =3D3D20
 > > >
> >
> =3D3D
 > >=3D3D3D
>>
>=3D3D20
 > > =3D3D3D20
> >I choose Polesoft Lockspam to fight spam, =
 and=3D3D20
 > > you?
> =3D3D3D20
> =3D3D
 > >>http://www.polesoft.com/refer.html=3D3D20
 > > =3D3D3D20
> =3D3D
 > >=3D3D3D3D20
>
>
><!DOCTYPE=3D3D20
 > > HTML PUBLIC "-//W3C//DTD =3D3D3D
>HTML 4.0=3D3D3D20
> =
 =3D3D20
 > > =3D3D
 > >>Transitional//EN">
><HTML><HEAD>
>=3D3D
 > ><META=3D3D3D20
> =3D3D20
 > > http-equiv=3D3D3D3D3DContent-Type =3D3D
 > >content=3D3D3D3D3D"text/html;=3D3D3D20
> =3D3D20
 > > =3D3D3D3D
>charset=3D3D3D3D3Diso-8859-1">
><META =3D3D
 > >
 > > =3D3D3D
>content=3D3D3D3D3D"MSHTML=3D3D3D20
> =3D3D
 > >6.00.2800.1400"=3D3D3D20
> =3D3D20
 > > =3D3D
 > >=3D3D3D
>name=3D3D3D3D3DGENERATOR>
><STYLE></STYLE&=3D3D

> >gt;
></HEA=3D3D3D
>D>
><BODY=3D3D3D20
&=3D3D
> >gt; =3D3D20
> > bgColor=3D3D3D3D3D#ffffff>
><DIV><FONT=3D3D20
> > face=3D3D3D3D3DArial=3D3D3D20
> =3D3D20
> > =3D3D
> >=3D3D3D
>size=3D3D3D3D3D2>Rick,</DIV>
>&l=3D3D
> >t;DIV><FONT=3D3D3D20
> =3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2>1 mec, no BNC involved. =
=3D
>Paris=3D3D20
> > =3D3D3D
>=3D3D3D3D
>boots up so=3D3D3D20
> =3D3D
> >the=3D3D3D3D20
>1=3D3D20
> > mec=3D3D20
> > =3D3D
> >=3D3D3D
>that</DIV>
><DIV><FONT=3D3D
> >=3D3D3D20
> =3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2>l'm using shows up but =
never any
=3D
>A to =3D3D
> >
> > =3D3D3D
>=3D3D3D3D
>Ds or=3D3D3D20
> =3D3D20
> > any=3D3D3D3D20
>installed=3D3D3D20
> =3D3D20
> > modules.</DIV>
><DIV><FONT=3D3D20
> > =3D3D3D
>face=3D3D3D3D3DArial=3D3D3D20
> =
size=3D3D3D3D3D2>This is =3D
>=3D3D
> >the same=3D3D20
> > symptom before I =3D3D3D3D
>repaired =3D3D
> >=3D3D3D
>one=3D3D3D20
> =3D3D20
> > of=3D3D3D3D20
>my mecs with=3D3D3D20
> =3D3D20
> > a</DIV>
><DIV><FONT=3D3D20
> > face=3D3D3D3D3DArial=3D3D3D20
> size=3D3D3D3D3D2>new chip. =
The =3D3D
> >clock light=3D3D20
> > =3D3D3D3D
>continues to=3D3D3D20
> =3D3D
> >flash=3D3D3D3D20
>too.=3D3D20
> > Never locks=3D3D3D20
> =3D3D20
> > in.</DIV>
><DIV><FONT =3D3D
> >face=3D3D3D3D3DArial=3D3D20
> > =3D3D3D
>
> size=3D3D3D3D3D2>=3D3D20
> > </DIV>
><DIV><FONT=3D3D20
> > =3D3D3D
>face=3D3D3D3D3DArial=3D3D3D20
> =
size=3D3D3D3D3D2>I am =3D3D
> >using the simplest=3D3D20
> > setup I can =3D3D3D3D
>imagine=3D3D3D20
> =3D3D20
> > and=3D3D3D3D20
>still it's not=3D3D3D20
> =3D3D20
> > working.</DIV>
><DIV><FONT=3D3D20

> > =3D3D3D
>face=3D3D3D3D3DArial=3D3D3D20
> =
 size=3D3D3D3D3D2>Mike A. =3D
 >=3D3D
 > >suggested the=3D3D20
 > > .ini file =3D3D3D3D
>to make=3D3D3D20
> =3D3D20
 > > sure=3D3D3D3D20
>card A is 0. I'll try=3D3D3D20
> =3D3D20
 > > that.</DIV>
><DIV><FONT=3D3D20
 > > =3D3D3D
>face=3D3D3D3D3DArial=3D3D3D20
> =
 size=3D3D3D3D3D2>Pretty =3D3D
 > >sure it's right=3D3D20
 > > but who=3D3D3D20
> =3D3D20
 > > =3D3D
 > >=3D3D3D3D
>knows?</DIV>
><DIV&g=3D3D
 > >t;<FONT=3D3D3D20
> =3D3D20
 > > face=3D3D3D3D3DArial=3D3D3D20
> =3D3D20
 > > =3D3D
 > >=3D3D3D
>size=3D3D3D3D3D2>Thanks,</DIV>
 >=3D3D
 > ><DIV><FONT=3D3D3D
>=3D3D3D20
> =3D3D20
 > > face=3D3D3D3D3DArial=3D3D3D20
> =3D3D20
 > > =3D3D
 > >size=3D3D3D3D3D2>Tom</DIV>
><DIV><=3D3D
 > >FONT=3D3D3D20
> =3D3D20
 > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>=3D3D20
 > > =3D3D
 > >=3D3D3D
></DIV>
><DIV><FONT=3D3D3D20
>&nbs=3D3D
 > >p;=3D3D20
 > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>=3D3D20
 > > =3D3D3D
></DIV>
><DIV>=3D3D3D20
> =3D3D20
 > > </DIV>
><DIV>=3D3D20
 > > </DIV>
><DIV>=3D3D3D20
> =3D3D20
 > > </DIV>
><DIV>"rick"=3D3D20
 > > =3D3D
 > =
 >=3D3D3D
><<A=3D3D3D3D20
>href=3D3D3D3D3D" <A=3D3D3D20

>&n=3D3D
 > >bsp;=3D3D20
 > > =3D3D
 > =3D
 =
 >>=3D3D3D
>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotma=
 il.c=3D3D=3D
 >
 > =
 >om</A'>mailto:pa=3D3D3D
>rnell68@hotmail.com">parnell68@hotmai=3D3D
 > >l.com</A>=3D3D3D20
> =3D3D20
 > > =3D3D3D3D
>wrote in=3D3D3D3D20
>message=3D3D20
 > > <A=3D3D3D3D20
>href=3D3D3D3D3D" <A =3D3D3D
>
> =3D3D20
 > > =3D3D

> =3D
 =
 >>=3D3D3D
>href=3D3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.c=om">=3D3D=3D
 >
 > =3D
 =
 >>news:inqgh393an5=3D3D3D
>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4=3D3D=3D
 =3D3D=3D
 >
 > >ax.com">news:inqgh393an5</A=3D3D3D
>>=3D3D3D3D
>s4m99q=3D3D
 > >caojn09vn112t4u6r@4ax.com...</DIV>
&=3D3D3D
&=3D3D
 > =3D
 =
 >>gt;gt;<BLOCKQUOTE=3D3D3D3D20
>style=3D3D3D3D3D"PADDING-RIGHT:=3D3D3D
 =
 20=3D3D
 > >
> =3D3D20
 > > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D
 > >=3D3D3D3D
>BORDER-LEFT:=3D3D20
 > > =3D3D3D
>#000000 2px=3D3D3D20
> solid; =
 MARGIN-RIGHT:=3D3D20
 > > 0px">i=3D3D3D3D20
> know this as dumb as =3D3D
 > >=3D3D3D
>it=3D3D20
 > > gets=3D3D3D20
> but the bnc is attached in =3D3D
 > >the=3D3D3D3D20
>=3D3D20
 > > =3D3D3D20
> right
order...right?
all the =3D3D
 > >cards show up=3D3D20
 > > in paris =3D3D3D
>with the=3D3D3D20
> =3D3D20
 > > =3D3D3D3D
>single=3D3D3D3D20
> mec?
how =3D3D
 > >many i/o=3D3D20
 > > cards =3D3D3D
>in each=3D3D3D20
> =3D3D
 > >mec?

On=3D3D20
 > > Fri, 19 Oct=3D3D3D20
> =3D3D20
 > > 2007
=3D3D3D3D
>
> 00:22:39 -0400, =3D3D
 > >"Tom=3D3D20
 > > Bruhl"=3D3D3D20
> <<A=3D3D3D3D20
> =3D3D20
 > > =3D3D3D3D
>href=3D3D3D3D3D"<A=3D3D3D20
> =3D3D20
 > > =3D3D
 > =3D
 =
 >>=3D3D3D
>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.n=
 et&l=3D3D=3D
 >
 > >t;/A>>
wrote'>ma=3D3D3D
>ilto:arpegio@comcast.net">=3D3D
 > >;arpegio@comcast.net>
w=3D3D3D
>rote:=3D3D3D=3D3D
 > >3D
>

>l=3D3D3D3D20
>=3D3D20
 > > =3D3D3D20
> thought I was groovin' but once the second =

Mec=3D3D20
> > was=3D3D3D20
> =3D3D20
> > =3D3D
> >=3D3D3D3D
>introduced
>the=3D3D3D3D20
> =3D3D
> > system=3D3D20
> > =3D3D3D
>stopped. That was=3D3D3D20
> a few weeks=3D3D20
> > ago.
>
>Today I=3D3D3D20
> =3D3D20
> > =3D3D3D3D
>tried=3D3D3D3D20
> different cables, =3D3D
> >eds cards,=3D3D20
> > mecs, =3D3D3D
>eliminated=3D3D3D20
> the magma=3D3D20
> > =3D3D3D3D
>and
>still =3D3D
> >no=3D3D3D3D20
> =3D3D20
> > =3D3D3D
>clock lock or=3D3D3D20
> modules showing up in =
the=3D3D20
> > paris=3D3D3D20
> =3D3D20
> > =3D3D
> >=3D3D3D
>=3D3D3D3D
>patchbay.
>
>This=3D3D3D=3D3D
> >3D20
> =3D3D20
> > =3D3D3D
>means to=3D3D3D20
> me software unless someone =
=3D3D
> >tells=3D3D20
> > me=3D3D3D20
> =3D3D20
> > =3D3D
> >=3D3D3D
>=3D3D3D3D
>differently.
>
>I=3D3D3D=3D3D
> >3D20
> =3D3D20
> > =3D3D3D
>have a new=3D3D3D20
> C drive which I will load =
XP =3D3D
> >and no pace.=3D3D20
> > Any other=3D3D3D3D20
> =3D3D3D
>
> =3D3D20
> >
>suggestions?
>
>More frustrated=3D3D20
> > =3D3D3D
>than=3D3D3D20
> my=3D3D3D3D20
> =3D3D
> >=3D3D3D20
> =3D3D20
> > =3D3D
> >=3D3D3D
>clients,
>Tom
>
>
>=3D3D
> >;
=3D3D3D
>>
>I=3D3D3D20
> =3D3D20
> > choose =3D3D3D3D
>Polesoft=3D3D3D3D20
> Lockspam =3D3D
> >to fight=3D3D20
> > spam,=3D3D3D20
> and=3D3D3D3D20
> =3D3D20
> > =3D3D
> =
>=3D3D3D
>you?
><http://www.polesoft.com/refer.html>=3D3D3D20
>&=3D=
3D
> >gt; =3D3D20
> > =3D3D
> >=3D3D3D
>=3D3D3D3D20
>
</BLOCKQUOTE></BODY>=3D3D
> >;</HTML>
&=3D3D3D
>gt;
>
</B=3D3D
> >LOCKQUOTE></BODY></HTML>
>
>
</BLOCKQUOTE><=3D3D
> >/BODY></HTML>

```

> >
> >
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
>charset=3D3Diso-8859-1">
><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D3D#ffffff>
><DIV><FONT face=3D3DArial size=3D3D2>Mike,</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>I used to use a Lucid but since =
all of
=3D
>this mess I=3D20
>stopped.</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>I'm trying to get stable from =
square =3D
>one with the=3D20
>least amount </FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>of hardware. I am using the =3D
>default project=3D20
>for sure. The only </FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>other thing that I still =
question is my
=3D
>move of=3D20
>Paris to C:ParisPro .</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>I should think the default =
project will
=3D
>either work=3D20
>or not. Maybe</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>configs or something else is =3D
>fighting during=3D20
>Paris startup?</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><DIV><FONT face=3D3DArial size=3D3D2>Pats 42 - Miami 7 . . . Halftime =
and =3D
>the games=3D20
>over.</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>Tom</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><BLOCKQUOTE=3D20

```

> style="padding-right: 0px; padding-left: 5px; margin-left: 5px; border-left: 2px solid #000000; margin-right: 0px">
> <div>"Mike Audet" <mike@....> wrote in message <A=3D20
> =3D
=
> href="news:471b6eb0\$1@linux">news:471b6eb0\$1@linux...</div>
Hi=
i=3D20
> Tom,

Are you using a default project with PARIS? I'm so =3D
> sorry of=3D20
> this has been
asked and answered already. If so, perhaps it =3D
> is=3D20
> telling card zero to lock
to an external clock, which it can't =
=3D
> because=3D20
> there isn't one.

It would be interesting to attach an =
external
=3D
> clock=3D20
> source to the MEC and
then start PARIS to see how it behaves. =
=3D
> Or, if=3D20
> the clock generator is fried,
tell paris to lock externally and =
see
=3D
> what=3D20
> happens when an external clock
source is applied.

Isn't =
there
=3D
> a=3D20
> master house synch switch in the cfg file? I've never =3D
> used
it. =3D20
> Maybe DJ could help with what that should/shouldn't be set =3D
> to.

Wish I=3D20
> could do more than think out loud...

Mike

"Tom Bruhl" =
=3D
><<A=3D20
> href="mailto:arpeggio@comcast.net">arpeggio@comcast.net>=3D20
> wrote:

>Hi Mike,
>Well I've been to .cfg =3D
> many a=3D20
> time.
>I've seen that Mastercard setting as being 0
>but =3D
> maybe it=3D20
> changed after removing the 4 other
>eds cards for this round =
of=3D20
> testing.
>
>If it's still 0 what else could this be? =3D
> Busted=3D20
> mobo?
>I'm really in an idunno place right now. I'll be=3D20
> checking
>seriously today again because of a session =

tomorrow=3D20
> morning.
>Tom
>
>
> "Mike Audet"=3D20
> <mike@....> wrote in message <A=3D20
> =3D
=
>href=3D3D"news:471b2ec2\$1@linux">news:471b2ec2\$1@linux...
>
>&g=
=3D
>t;=3D20
> Hi Tom,
>
> If you've only got one card in, then the =3D
>
> Mastercard =3D3D3D 0 setting is =3D3D
>right.
> =3D
>The file is=3D20
> Paris.cfg, and it lives in the c:\program=3D20
> files\Emu\PARIS
=3D3D
>PRO
> =3D
>folder.
>
> =3D20
> I'd still check it out to see what it is set to.
>
> =3D
>If it=3D20
> is wrong, what you are describing will happen.
>
> =3D
>Good=3D20
> luck!
>
> Mike
>
> "Tom Bruhl" =3D
><<A=3D20
> href=3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net=3D20
> wrote:
> >
> >
> >Thanks=3D20
> Dimitrios.
> >
> >Mike said the same=3D20
> thing. Is the ini in the Paris folde or system=3D20
> =3D3D
>32?
> >Do I want the Master card to be 0=3D20
> absolutely? I only have one card
> >in there =3D
>right now=3D20
> and it's all freaky just the same.
> >Tom
> =3D
>
> >
> >
> >
> > =3D20
> "Dimitrios" <<A =3D
>href=3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr=3D20
> wrote in message =3D3D3D
> =3D
>>news:471a0486\$1@linux...
> =3D20
> >
> > Hi Tom !@
> > Sorry =3D
>to hear=3D20
> you still having problems like this ~!!
> > Must =3D
>be very=3D20
> frustrating.
> > Open the Paris ini file and =3D
>there change=3D20
> the mastercardoutput with
=3D3D
>=3D3D3D
> >your=3D20
> other
> > cards and see what happens =3D
>!!
> =3D20
> > Let me know.
> > =3D
>Regards,
> =3D20
> > Dimitrios
> >
> > "Tom =3D
>Bruhl"=3D20

> <arpegio@comcast.net> =
=3D
>
> wrote:
> >
> > =3D20
>
> > >Rick,
> > >1 =3D
>mec, no=3D20
> BNC involved. Paris boots up so the 1 mec that
> =3D
>> =3D20
> >I'm using shows up but never any A to Ds or any installed=3D20
> modules.
> > >This is the same symptom before =3D
>I=3D20
> repaired one of my mecs with a
> > >new =3D
>chip. =3D20
> The clock light continues to flash too. Never locks=3D20
> =3D3D
>in.
> >
> > =3D
>>I am=3D20
> using the simplest setup I can imagine and still it's not =3D
>=3D3D3D
> =3D20
> >working.
> > >Mike A. suggested the =3D
>.ini=3D20
> file to make sure card A is 0. I'll =3D3D
>try
> =3D
>
> =3D3D3D
> >=3D3D3D3D
> > =3D
>>that.
> =3D20
> > >Pretty sure it's right but who knows?
> =3D
>> =3D20
> >Thanks,
> > >Tom
> > =3D20
>
> >
> > =3D
>>
> =3D20
> >
> >
> > =3D
>
> >"rick" <<A=3D20
> href="mailto:parnell68@hotmail.com">parnell68@hotmail.com> =
=3D
>wrote in=3D20
> message =3D3D3D3D
> > =3D20
> >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =3D20
> > > i know this as dumb as it gets but the bnc is =3D
>attached=3D20
> in the =3D3D
>right
> > > =3D20
> order...right?
> > > all the cards show =3D
>up in=3D20
> paris with the single mec?
> > > how =3D
>many i/o=3D20
> cards in each mec?
> >
> =3D
>> =3D20
>
> > > On Fri, 19 Oct 2007 00:22:39 =3D
>-0400,=3D20

> "Tom Bruhl" =3D3D3D
> ><<A=3D20
> =3D
=
>href=3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>
>&n=3D=

>bsp;=3D20
> > > wrote:
> > =3D
>>
> =3D20
> > > >I thought I was groovin' but once the second =3D
>Mec was=3D20
> introduced
> > > >the system =3D
>stopped. =3D20
> That was a few weeks ago.
> > > =3D20
> >
> > > >Today I tried different =3D
>cables,=3D20
> eds cards, mecs, eliminated the
=3D3D
>=3D3D3D
> =3D20
> >magma
> > =3D3D3D3D
> > =3D20
> >and
> > > >still no clock lock or =3D
>modules=3D20
> showing up in the paris =3D3D
>patchbay.
> > =3D
>> =3D20
> >
> > > >This means to me software =3D
>unless=3D20
> someone tells me differently.
> > > =3D20
> >
> > > >I have a new C drive =3D
>which I will=3D20
> load XP and no pace. Any =3D3D3D
> =3D20
> >other=3D3D3D3D20
> > > =3D20
> >suggestions?
> > > =3D
>>
> =3D20
> > > >More frustrated than my =3D
>clients,
> =3D20
> > > >Tom
> > > =3D20
> >
> > > >
> > =3D
>
> > >
> > > >
> =3D
>
> > > >I choose Polesoft Lockspam to fight spam, =3D
>and=3D20
> you?
> > > =3D20
> >http://www.polesoft.com/refer.html =3D3D3D3D20
> =3D
>> =3D20
> >
> > >
> > =3D
>><!DOCTYPE=3D20
> HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> =3D20
> > ><HTML><HEAD>
> > =3D
>><META=3D20
> http-equiv=3D3D3D3D3DContent-Type =

```
content=3D3D3D3D3D"text/html";=3D20
> =3D3D<BR>>=3D3D3D3D<BR>> > =3D20
> > charset=3D3D3D3D3D3Diso-8859-1"><BR>> > =3D
>><META=3D20
> content=3D3D3D3D3D3D"MSHTML 6.00.2800.1400" =3D
> name=3D3D3D3D3D3DGENERATOR><BR>> =3D20
> > ><STYLE></STYLE><BR>> > =3D20
> ></HEAD><BR>> > ><BODY=3D20
> bgcolor=3D3D3D3D3D3D#ffffff><BR>> > =3D
>><DIV><FONT=3D20
> face=3D3D3D3D3D3DArial =3D
> size=3D3D3D3D3D2>Rick,</FONT></DIV><BR>> =3D20
> > ><DIV><FONT face=3D3D3D3D3DArial =3D
> size=3D3D3D3D3D2>1 mec, no=3D20
> BNC involved. =3D3D<BR>>Paris =3D3D3D<BR>> =3D
>>=3D3D3D3D<BR>> =3D20
> > >boots up so the=3D3D3D3D20<BR>> > >1 =3D
>mec=3D20
> that</FONT></DIV><BR>> > =3D
>><DIV><FONT=3D20
> face=3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using shows up but =3D
>=3D3D<BR>>never=3D20
> any<BR>> =3D3D3D<BR>> >A to =3D3D3D3D<BR>> =3D
>> =3D20
> >Ds or any=3D3D3D3D20<BR>> > >installed=3D20
> modules.</FONT></DIV><BR>> > =3D20
> ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>This is =3D
>the same=3D20
> symptom<BR>=3D3D<BR>>before<BR>> =3D3D3D<BR>> >I=3D20
> =3D3D3D3D<BR>> > >repaired one =3D
>of=3D3D3D3D20<BR>> =3D20
> > >my mecs with a</FONT></DIV><BR>> =3D20
> > ><DIV><FONT face=3D3D3D3D3DArial =3D
> size=3D3D3D3D3D2>new chip.=3D20
> The clock light<BR>=3D3D<BR>>=3D3D3D3D<BR>> > =3D
>>continues to=3D20
> flash=3D3D3D3D20<BR>> > >too. Never locks=3D20
> in.</FONT></DIV><BR>> > =3D
>><DIV><FONT=3D20
> face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =3D
></DIV><BR>> =3D20
> > ><DIV><FONT face=3D3D3D3D3DArial =3D
> size=3D3D3D3D3D2>I am using=3D20
> the simplest =3D3D<BR>>setup I<BR>> =3D3D3D<BR>> =3D
>>can=3D20
> =3D3D3D3D<BR>> > >imagine =3D
>and=3D3D3D3D20<BR>> > =3D20
> >still it's not working.</FONT></DIV><BR>> =3D
```


>> =3D20
> ><DIV>Mike A. =3D
>suggested the=3D20
> =3D3D
>.ini file
> =3D3D3D
> =3D
>>=3D3D3D3D
> =3D20
> > >to make sure=3D3D3D3D20
> > >card =3D
>A is 0.=3D20
> I'll try that.</DIV>
> > =3D20
> ><DIV>Pretty =3D
>sure it's=3D20
> right =3D3D
>but who =3D3D3D
> >=3D3D3D3D
> =3D
>> =3D20
> >knows?</DIV>
> > =3D20
> ><DIV><FONT face=3D3D3D3D3DArial=3D20
> size=3D3D3D3D3D2>Thanks,</DIV>
> =3D
>> =3D20
> ><DIV><FONT face=3D3D3D3D3DArial=3D20
> size=3D3D3D3D3D2>Tom</DIV>
> =3D
>> =3D20
> ><DIV><FONT face=3D3D3D3D3DArial =3D
>size=3D3D3D3D3D2>=3D20
> </DIV>
> > ><DIV><FONT =3D
>face=3D3D3D3D3DArial=3D20
> size=3D3D3D3D3D2> </DIV>
> > =3D20
> ><DIV> </DIV>
> > ><DIV>=3D20
> </DIV>
> > ><DIV>=3D20
> </DIV>
> > ><DIV>"rick"=3D20
> <<A=3D3D3D3D20
> > =3D
>=3D3D
>>href=3D3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.commailto=
:pa=3D
>rnell68@hotmail.com">parnell68@hotmail.com</A>>=3D20
> =3D3D
>=3D3D3D
> >=3D3D3D3D
> > =3D
>>wrote=3D20
> in=3D3D3D3D20
> > >message =3D
><A=3D3D3D3D20
> =3D20
> > =3D3D3D
> =3D3D
>>>href=3D3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh'>n=
ews=3D
=
>:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh=3D3D
>=3D=

>393=3D3D3D
> =3D20
> >an5=3D3D3D3D
> > =3D20

> =3D
>>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> =3D
>:=3D20
> > <BLOCKQUOTE=3D3D3D3D20
> > =3D20
> >style=3D3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
MARGIN-LEFT: =3D
>
> =3D3D
>5px; =3D3D3D
> >=3D3D3D3D
> =3D
>> =3D20
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT:=3D20
> 0px">=3D3D3D3D20
> > > know this as =3D
>dumb as it=3D20
> gets but the bnc is attached in =3D3D
>the=3D3D3D3D20
> =3D
>> =3D20
> > right
order...right?
all the cards show =3D
>up in=3D20
> paris with =3D3D
>the
> =3D3D3D
> =3D20
> >=3D3D3D3D
> > >single=3D3D3D3D20
> =3D
>> =3D20
> > mec?
how many i/o cards in each=3D20
> mec?

On Fri, 19 =3D3D
>Oct =3D
>=3D3D3D
> =3D20
> >2007
> > =3D3D3D3D
> > =3D20
> >
> > > 00:22:39 -0400, "Tom Bruhl"=3D20
> <<A=3D3D3D3D20
> > > =3D
>=3D3D3D3D
> =3D20
> > =3D3D3D
> =3D3D
>>>href=3D3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net<
wro'>m=
ail=3D
>to:arpegio@comcast.net">arpegio@comcast.net<
wro=3D
>=3D3D
>te:=3D3D3D
> =3D20
> >=3D3D3D3D
> > =3D20
> >

|=3D3D3D3D20
> > =3D
>> =3D20
> thought I was groovin' but once the second Mec was =3D
>=3D3D3D3D
> =3D20
> > >introduced
>the=3D3D3D3D20
> =3D
>> =3D20
> > system stopped. That was a few weeks=3D20
> ago.
>
>Today I =3D3D3D3D
> =3D
>> =3D20
> >tried=3D3D3D3D20
> > > different =3D
>cables, eds=3D20
> cards, mecs, eliminated the magma =3D3D3D3D
> > =3D20
> >and
>still no=3D3D3D3D20
> > =3D
>> clock=3D20

> lock or modules showing up in the paris =3D3D3D3D
> =3D
>> =3D20
> >patchbay.
>
>This=3D3D3D3D20
> =3D
>> =3D20
> > means to me software unless someone tells me =3D
>=3D3D3D3D
> =3D20
> > =3D
>>differently.
>
>I=3D3D3D3D20
> =3D20
> > > have a new C drive which I will load XP and no =3D
>pace. Any=3D20
> =3D3D
>other=3D3D3D3D20
> > > =3D20
>
>suggestions?
>
>More frustrated =3D
>than=3D20
> my=3D3D3D3D20
> > > =3D20
> =3D
>clients,
>Tom
>
>
>
>
=3D
>>>
>I=3D20
> choose =3D3D3D3D
> > =3D
>>Polesoft=3D3D3D3D20
> =3D20
> > > Lockspam to fight spam, =3D
>and=3D3D3D3D20
> =3D20
> > > =3D
>you?
><http://www.polesoft.com/refer.html>=3D20
> =3D3D3D3D20
> > =3D20
> =3D
>>
</BLOCKQUOTE></BODY></HTML>
> =3D
>=3D20
> > >
> > >
> =3D
>>
> =3D20
> >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=3D20
> Transitional//EN">
> =3D
>><HTML><HEAD>
> =3D20
> ><META http-equiv=3D3D3D3DContent-Type =
content=3D3D3D3D"text/html;=3D20
> =3D3D3D
> >charset=3D3D3D3Diso-8859-1">
> =3D
>><META=3D20
> content=3D3D3D3D"MSHTML 6.00.2800.1400" =3D
>name=3D3D3D3DGENERATOR>
> =3D20
> ><STYLE></STYLE>
> =3D
>></HEAD>
> =3D20
> ><BODY bgColor=3D3D3D3D#ffffff>
> =3D
>><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2>Thanks=3D20
> Dimitrios.</DIV>
> =3D
>><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2> =3D
>></DIV>
> =3D20
> ><DIV>Mike said the =3D

```

>same=3D20
> thing. Is =3D3D<BR>>the =3D3D3D<BR>> >ini in=3D20
> the=3D3D3D20<BR>> >Paris folde or system=3D20
> 32?</FONT></DIV><BR>> ><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2>Do I want the Master card to=3D20
> be<BR>=3D3D<BR>>0=3D3D3D20<BR>> >absolutely? I only =3D
>have one=3D20
> card</FONT></DIV><BR>> ><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2>in there right now and it's=3D20
> all<BR>=3D3D<BR>>freaky<BR>> =3D3D3D<BR>> >just=3D20
> the=3D3D3D20<BR>> =3D
>>same.</FONT></DIV><BR>> =3D20
> ><DIV><FONT face=3D3D3D3DArial=3D20
> size=3D3D3D3D2>Tom</FONT></DIV><BR>> =3D20
> ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D
>
> </DIV><BR>> ><DIV><FONT face=3D3D3D3DArial=3D20
> size=3D3D3D3D2></FONT> </DIV><BR>> =3D
>><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D
></DIV><BR>> =3D20
> ><BLOCKQUOTE=3D3D3D20<BR>> =3D
>>style=3D3D3D3D"PADDING-RIGHT: 0px;=3D20
> PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D<BR>>=3D3D3D<BR>> =3D20
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =3D
>0px"><BR>> =3D20
> > <DIV>"Dimitrios" <<A=3D3D3D20<BR>> =3D
>> =3D20
> href=3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A'>mailto:musur=
gio=3D
>@otenet.gr">musurgio@otenet.gr</A</A>>>=3D20
> wrote<BR>=3D3D<BR>>in =3D3D3D<BR>> =3D
>>message=3D3D3D20<BR>> =3D20
> > <A =3D3D3D<BR>> =3D3D<BR>>>href=3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'news:471a0486$1@linux">news:471a0486$1@linux</A>...</DIV><BR>H=
'n=3D
>ews:471a0486$1@linux">news:471a0486$1@linux</A>...</DIV>&l=3D
>t;BR>H</A>=3D3D<BR>>i<BR>> =3D20
> =3D3D3D<BR>> >Tom=3D3D3D20<BR>> > <A=3D20
> href=3D3D'mailto:!!@<BR>Sorry">!!@<BR>Sorry</A> to hear you still =3D
>having=3D20
> problems like this ~!!<BR>Must<BR>=3D3D<BR>>be<BR>> =3D20
> =3D3D3D<BR>> >very=3D3D3D20<BR>> > =3D20

```

> frustrating.
Open the Paris ini file and there change the=3D20
 > =3D3D3D
> >mastercardoutput=3D3D3D20
> =3D
 >> with your=3D20
 > other
cards and see what happens !!
Let=3D20
 > me=3D3D3D20
> > =3D20
 > know.
Regards,
Dimitrios

"Tom =3D
 >Bruhl"=3D20
 > <<A=3D3D3D20
> > href=3D3D3D3D"<A=3D20
 > =3D
 =
 >href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net=>=3D3D3D20'=
 >mail=3D
 >to:arpegio@comcast.net">arpegio@comcast.net=>=3D3D3D20<B=3D
 >R>> =3D20
 > > =3D20
 > wrote:
>
>
>Rick,
>1 =3D
 >mec, no=3D20
 > BNC =3D3D3D
> >involved. Paris=3D3D3D20
> =3D
 >> =3D20
 > boots up so the 1 mec that
>I'm using shows up but never =3D
 >any A=3D20
 > =3D3D
>=3D3D3D
> >to Ds or=3D3D3D20
> =3D
 >> any=3D20
 > installed modules.
>This is the same symptom before I=3D20
 > =3D3D3D
> >repaired one=3D3D3D20
> > =3D
 >of my mecs=3D20
 > with a
>new chip. The clock light continues to=3D20
 > =3D3D3D
> >flash=3D3D3D20
> > =3D
 >too. Never=3D20
 > locks in.
>
>I am using the simplest =3D
 >=3D3D3D
> =3D20
 > >setup I can=3D3D3D20
> > imagine and still it's =3D
 >not=3D20
 > working.
>Mike A. suggested the =3D3D3D
> =3D20
 > >.ini=3D3D3D20
> > file to make sure card A is =3D
 >0. =3D20
 > I'll try =3D3D3D
> =3D20
 > =3D
 >>=3D3D3D3D
>that.
>Pretty=3D3D3D20
> =3D
 >> =3D20
 > sure it's right but who=3D3D3D20
> > =3D
 >=3D3D3D
> =3D20
 > =3D
 >>knows?
>Thanks,
>Tom
>
>&=3D
 >gt;
>
>
><=3D3D3D
> =3D20
 > >BR>>"rick"=3D3D3D20
> > <<A =3D
 >=3D3D3D
> =3D20
 > >href=3D3D3D3D"<A=3D20

> =3D
=
>href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto=
:pa=3D
>rnell68@hotmail.com">parnell68@hotmail.com</A>=3D20
> =3D3D
>=3D3D3D
> >wrote=3D3D3D20
> =3D
>> in=3D20
> message=3D3D3D20
> > =3D3D3D
> =3D20
> =3D
>=3D3D
>>=3D3D3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u=3D
>6r@4ax.com...
>&nbs=3D3D3D=3D3D
>
> =3D20
> >p; i=3D3D3D20
> > know this as dumb as it gets =3D
>but the=3D20
> bnc is attached in the=3D3D3D20
> > =3D
>right
> =3D20
> order...right?
> all the cards show up =3D
>=3D3D3D
> =3D20
> >in=3D3D3D20
> > paris with the single=3D20
> mec?
> how many i/o cards in =3D
>each=3D3D3D20
> =3D20
> > mec?
>
>
> On =3D
>Fri, 19 Oct=3D20
> 2007 00:22:39 -0400, =3D3D3D
> >"Tom=3D3D3D20
> =3D
>> =3D20
> Bruhl" <<A=3D3D3D20
> > =3D3D3D
> =3D20
> =3D3D
>>href=3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=3D=
3D=3D
>3D'>mailto:arpegio@comcast.net">arpegio@comcast.net><B=3D
>R>>&n=3D3D3D=3D3D
>
> =3D20
> >bsp;=3D3D3D20
> > =3D20
> wrote:
>
> >I thought I was groovin' =3D
>but once=3D20
> the =3D3D3D
> >second=3D3D3D20
> > Mec =3D
>was=3D20
> introduced
> >the system stopped. That=3D20
> =3D3D3D
> >was a few=3D3D3D20
> > =3D
>weeks=3D20
> ago.
> >
> >Today I tried=3D20
> =3D3D3D
> >different=3D3D3D20
> > =3D
>cables, eds=3D20
> cards, mecs, eliminated the =3D3D3D
> =3D20
> >magma
=3D3D3D3D
>and
> =3D
>=3D3D3D20
> =3D20
> > >still no clock lock or modules showing up in the=3D20
> paris=3D3D3D20
> > patchbay.
> =3D20

> >
> >This means to me =3D3D3D
> =3D20
> >software=3D3D3D20
> > unless someone tells me=3D20
> differently.
> >
> =3D
>=3D3D3D
> =3D20
> >>I=3D3D3D20
> > have a new C drive which I =3D
>will load=3D20
> XP and no pace. Any=3D3D3D20
> > =3D20
> other=3D3D3D3D20
> =3D
>>suggestions?
> =3D20
> =3D3D3D
> >>
> =3D3D3D20
> =3D
>> =3D20
> >More frustrated than my clients,
> =3D
>=3D3D3D
> =3D20
> >>Tom
> =3D3D3D20
> > =3D20
> >
> >
> =3D
>>
> =3D20
> =3D3D3D
> >>
> =3D3D3D20
> =3D
>> >I=3D20
> choose Polesoft Lockspam to fight spam, and you?
>=3D20
> =3D3D3D20
> > =3D
>>http://www.polesoft.com/refer.html=3D20

-----=_NextPart_000_0067_01C81447.C4E16B00

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV>Mike,</DIV>

<DIV>I removed the default project and .cfg =
from the=20

folder as you suggested.</DIV>

<DIV>Now the computer won't even boot with =
either of=20

three eds cards installed.</DIV>

<DIV>No Magma, no word clock, no word clock =
line in the=20

existing config.</DIV>

<DIV> </DIV>

<DIV>I'm going to check with a network card =
to see if=20

the PCI slots are burn't.</DIV>

<DIV>I tried three different ones with the =
eds. =20
The one time Windows worked</DIV>
<DIV>with an eds card, the eds card didn't =
show up in=20
device manager. =20; That's </DIV>
<DIV>probably why.</DIV>
<DIV> </DIV>
<DIV>There is some serious funk going on =
over=20
here. =20; Maybe mobo? =20; If this is the</DIV>
<DIV>case I give up. =20; It's not worth =
any more BS to=20
me. =20; There is no person</DIV>
<DIV>in my neighborhood to walk me through =
this. =20
My tech helps me</DIV>
<DIV>but the problem seems to be from the =
ground=20
up. =20; I'm guessing 3-4</DIV>
<DIV>things still so wrong that nothing =
makes=20
sense.</DIV>
<DIV> </DIV>
<DIV>Cubase is looking more and more =
inviting, learning=20
curve and all.</DIV>
<DIV>Tom</DIV>
<DIV> </DIV>
<DIV> </DIV>
<DIV> </DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Mike Audet" <mike@....> wrote in message <A=20
=
href=3D"news:471bcb77\$1 @linux">news:471bcb77\$1 @linux...</DIV>
Hi=20
Tom,

I have an idea.

Try removing UseHouseSync=3D1 from =
the=20
paris.cfg file.

Next, remove your default project from the =
program=20
files\emu\paris pro folder.

Let me know if it makes a =
difference.

Good luck!

Mike

"Tom Bruhl" <A=20
href=3D"mailto:arpegio @comcast.net">arpegio @comcast.net>=20
wrote:
>
>
>Mike,
>
>I used to use a Lucid but =
since all=20
of this mess I stopped.
>
>I'm trying to get stable from square =

one with=20
the least amount=3D20
>of hardware. I am using the default =
project=20
for sure. The only=3D20
>other thing that I still question =
is my=20
move of Paris to C:ParisPro .
>I should think the default =
project will=20
either work or not. Maybe
>configs or something else is =
fighting=20
during Paris startup?
>
>Pats 42 - Miami 7 . . . Halftime =
and the=20
games over.
>Tom
>>
>
>
>
> "Mike =
Audet"=20
<mike@....> wrote in message <A=20
=
href=3D"news:471b6eb0\$1 @linux">news:471b6eb0\$1 @linux...
>
>g=
t; =20
Hi Tom,
>
> Are you using a default project with=20
PARIS? I'm so sorry of this has
=3D
>been
> =
asked and=20
answered already. If so, perhaps it is telling card zero=20
to
=3D
>lock
> to an external clock, which it =
can't because=20
there isn't one.
>
> It would be interesting to =
attach an=20
external clock source to the MEC
=3D
>and
> then =
start=20
PARIS to see how it behaves. Or, if the clock generator=20
is
=3D
>fried,
> tell paris to lock externally =
and see what=20
happens when an external =3D
>clock
> source is=20
applied.
>
> Isn't there a master house synch switch =
in the=20
cfg file? I've never =3D
>used
> it. =
Maybe DJ=20
could help with what that should/shouldn't be set =
to.
>
> =20
Wish I could do more than think out loud...
>
> =20
Mike
>
> "Tom Bruhl" <<A=20
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=20
wrote:
> >
> >
> >
> >Hi=20
Mike,
> >Well I've been to .cfg many a =
time.
> =20
>I've seen that Mastercard setting as being 0
> >but =
maybe=20
it changed after removing the 4 other
> >eds cards for =
this=20
round of testing.
> >
> >If it's still 0 =

what=20
else could this be? Busted mobo?
> >I'm really in =
an=20
idunno place right now. I'll be checking
> =
>seriously=20
today again because of a session tomorrow morning.
> =20
>Tom
> >
> >
> > =
"Mike=20
Audet" <mike@....> wrote in message <A=20
=
href=3D"news:471b2ec2\$1 @linux">news:471b2ec2\$1 @linux...
> =
=20
>
> > Hi Tom,
> >
> =

> If you've only got one card in, then the Mastercard =3D3D3D =
0=20
setting
=3D
>is =3D3D
> >right.
> =20
> The file is Paris.cfg, and it lives in the c:\program =

=3D
>files\Emu\PARIS
> =3D3D
> =
>PRO
> =20
> folder.
> >
> > I'd =
still check=20
it out to see what it is set to.
> >
> =
> =20
If it is wrong, what you are describing will happen.
> =20
>
> > Good luck!
> =
>
> =20
> Mike
> >
> > "Tom =
Bruhl" <<A=20
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=20
wrote:
> > >
> > =20
>
> > >Thanks Dimitrios.
> =
> =20
>
> > >Mike said the same thing. Is =
the ini=20
in the Paris folde or system
=3D
>=3D3D
> =20
>32?
> > >Do I want the Master card to be 0 =

absolutely? I only have one =3D
>card
> =
> =20
>in there right now and it's all freaky just the =
same.
> =20
> >Tom
> > >
> =
> =20
>
> > >
> > =

"Dimitrios" <<A =

<mailto:musurgio@otenet.gr>>musurgio@otenet.gr>=20
wrote in message =3D3D3D
> > > =20
> news:471a0486\$1@linux...
> > > =
>
> =20
> > Hi Tom !@
> > > > =
Sorry to=20
hear you still having problems like this ~!!
> > > =20
> Must be very frustrating.
> > > =
> Open=20
the Paris ini file and there change the mastercardoutput=20
=3D
>with
> > =3D3D
> > =
> =3D3D3D
> =20
> > your other
> > > > cards =
and see=20
what happens !!
> > > > Let me =
know.
> =20
> > Regards,
> > > > =20
Dimitrios
> > > >
> > > =
> =20
"Tom Bruhl" <<A=20
<mailto:arpeggio@comcast.net>>arpeggio@comcast.net>=20
wrote:
> > > > >
> > =
> =20
> >
> > > > =
> Rick,
> =20
> > > 1 mec, no BNC involved. Paris boots up =
so the=20
1 mec that
> > > > > I'm using shows up =
but=20
never any A to Ds or any installed =3D
>modules.
> =
> =20
> > This is the same symptom before I repaired one of my =
mecs=20
with
=3D
>a
> > > > > new =
chip. The=20
clock light continues to flash too. Never=20
locks
=3D
>=3D3D
> > > in.
> =
> =20
> >
> > > > > > I am using the =

simplest setup I can imagine and still it's=20
not
=3D
>=3D3D3D
> > > =
> working.
> =20
> > > Mike A. suggested the .ini file to =
make sure=20
card A is 0. =3D
> I'll =3D3D
> =
> try
> =20
> =3D3D3D
> > > =

>=3D3D3D3D
> > =20
> >that.
> > > >Pretty =
sure it's=20
right but who knows?
> > > =20
>Thanks,
> > > >Tom
> =20
> > >
> > > =20
>
> > >
> > =

> > >"rick" <<A=20
href=3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com> =
wrote in=20
message =3D3D3D3D
> > > =20
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =20
> > > i know this as dumb as it gets but =
the bnc is=20
attached in the
=3D
>=3D3D
> =
>right
> =20
> > > order...right?
> =
> =20
> > all the cards show up in paris with the single=20
mec?
> > > > > how many i/o cards =
in each=20
mec?
> > > >
> > =

> >
> > > > On Fri, =
19 Oct=20
2007 00:22:39 -0400, "Tom Bruhl" =3D3D3D
> > =
><<A=20
=
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=
bsp;=20
> > > wrote:
> > =
> =20
>
> > > > >I thought I =
was=20
groovin' but once the second Mec was =
=3D
>introduced
> =20
> > > >the system stopped. That =
was a few=20
weeks ago.
> > > > =
>
> =20
> > > >Today I tried different cables, =
eds=20
cards, mecs, eliminated
=3D
>the
> =
=3D3D
> =20
>=3D3D3D
> > >magma
> =

> =20
> =3D3D3D3D
> > > > =
>&and
> =20
> > > > > still no clock lock or modules =
showing up=20
in the paris =3D3D
> >&patchbay.
> =
> =20
> > >
> > > > =
> =20
>&This means to me software unless someone tells me=20
=3D
>&differently.
> > > > > =

>&
> > > > > > > I have a new C =
drive=20
which I will load XP and no pace. =
Any
=3D
>=3D3D3D
> =20
> > other=3D3D3D3D20
> > > > =
> =20
>&suggestions?
> > > > > =20
>&
> > > > > > >&More =
frustrated than=20
my clients,
> > > > > =20
>&Tom
> > > > > =
>&
> =20
> > > > >&
> > > =
> =20
> >&
> > > > > > =20
>&
> > > > > > >&I choose =
Polesoft=20
Lockspam to fight spam, and you?
> > > > =20
> >&http://www.polesoft.com/refer.html =20
=3D3D3D3D20
> > > > >&
> =
> =20
> >&
> > > > >&&!DOCTYPE =
HTML=20
PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">&
> =
> =20
> >&<HTML><HEAD>&
> > > =
> =20
>&<META http-equiv=3D3D3D3D3DContent-Type=20
=3D
>&content=3D3D3D3D3D"text/html"; =3D3D
> =20
>&=3D3D3D3D
> > > > =20
>&charset=3D3D3D3D3D"iso-8859-1">&
> > > =
> =20
>&<META content=3D3D3D3D3D"MSHTML 6.00.2800.1400"=20
=3D
>&name=3D3D3D3D3DGENERATOR>&
> > > =
> =20
>&<STYLE></STYLE>&
> > > > =20

> > >imagine and=3D3D3D3D20
> =
> =20
> >still it's not =
working.</DIV>
> =20
> > ><DIV><FONT face=3D3D3D3D3DArial=20
size=3D3D3D3D2>Mike A. suggested
=3D
>the =
=3D3D
> >.ini=20
file
> > =3D3D3D
> > =20
>=3D3D3D3D
> > > >to make=20
sure=3D3D3D3D20
> > > >card A is 0. =
I'll try=20
that.</DIV>
> > > =20
><DIV><FONT face=3D3D3D3D3DArial =
size=3D3D3D3D2>Pretty sure it's=20
=3D
>right =3D3D
> >but who =3D3D3D
> =
> =20
>=3D3D3D3D
> > > =20
>knows?</DIV>
> > =
> =20
><DIV><FONT face=3D3D3D3D3DArial=20
=
=3D
 >size=3D3D3D3D2>Thanks, </DIV>
>&n=
bsp;=20
> > ><DIV><FONT face=3D3D3D3D3DArial=20
size=3D3D3D3D2>Tom</DIV >
> =
> =20
> ><DIV><FONT face=3D3D3D3D3DArial=20
size=3D3D3D3D2> </DIV>
> =
> =20
> ><DIV><FONT face=3D3D3D3D3DArial=20
size=3D3D3D3D2> </DIV>
> =
> =20
> ><DIV> </DIV>
> > =
> =20
><DIV> </DIV>
> > > =20
><DIV> </DIV>
> > > =20
><DIV>"rick" <<A=3D3D3D3D20
> > =
> =20
>=3D3D
> =3D
>>>href=3D3D3D3D3D"<A=20
=
href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto:pa=
rnell68@hotmail.com">parnell68@hotmail.com</A>>
=3D
=
>=3D3D
> =20
>=3D3D3D
> > >=3D3D3D3D
> =
> =20
> >wrote in=3D3D3D3D20
> > > =

>message <A=3D3D3D3D20
> > > =20

=3D3D3D
> > > =3D3D
> =20
=3D
>>>>href=3D3D3D3D3D3D"<A=20
=
href=3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in'>news:in=
qgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in=3D
>qgh=3D=
3D
> =20
>393=3D3D3D
> > > >an5=3D3D3D3D
> =
> =20
> =20
=
>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> =
;=20
> > ><BLOCKQUOTE=3D3D3D3D20
> =
> =20
> >style=3D3D3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
=3D
>MARGIN-LEFT: =3D3D
> >5px; =
=3D3D3D
> =20
> >=3D3D3D3D
> > > > =
>BORDER-LEFT: =20
#000000 2px solid; MARGIN-RIGHT: 0px">i=3D3D3D3D20
> =
> =20
> > know this as dumb as it gets but the bnc is =
attached in=20
=3D3D
> >the=3D3D3D3D20
> > =
> =20
> right
order...right?
all the cards show =
up in=20
paris =3D
>with =3D3D
> >the
> =
> =20
=3D3D3D
> > >=3D3D3D3D
> =
> > =20
>single=3D3D3D3D20
> > > > =20
mec?
how many i/o cards in each =
mec?

On =20
Fri, 19
=3D
>=3D3D
> >Oct =
=3D3D3D
> > =20
>2007
> > > =3D3D3D3D
> =
> =20
> >
> > > > =
00:22:39 -0400,=20
"Tom Bruhl" <<A=3D3D3D3D20
> > > =
> =20
=3D3D3D3D
> > > =3D3D3D
> =
> =20
=3D3D
> =3D
>>>href=3D3D3D3D3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net><BR'>mailto:a=

> > =20
=
>
</BLOCKQUOTE></BODY></HTML>
> =
=20
> > >
> > > =20
>
> > >
> > =
>
> =20
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=20
Transitional//EN">
> > =20
><HTML><HEAD>
> > ><META=20
http-equiv=3D3D3D3DContent-Type content=3D3D3D3D"text/html;=20
=3D
>=3D3D3D
> > =20
> charset=3D3D3D3DISO-8859-1">
> > =
><META=20
content=3D3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3D3DGENERATOR>
> =20
> ><STYLE></STYLE>
> > =20
></HEAD>
> > ><BODY=20
bgColor=3D3D3D3D#ffffff>
> > =
><DIV><FONT=20
face=3D3D3D3DArial size=3D3D3D3D2>Thanks=20
=3D
>Dimitrios.</DIV>
> =
> =20
><DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>=20
</DIV>
> > ><DIV><FONT =
face=3D3D3D3DArial=20
size=3D3D3D3D2>Mike said the same thing.
=3D
> Is =
=3D3D
> =20
>the =3D3D3D
> > >ini in =
the=3D3D3D20
> =20
> >Paris folde or system=20
32?</DIV>
> > =
><DIV><FONT=20
face=3D3D3D3DArial size=3D3D3D3D2>Do I want the Master =
card
=3D
>to=20
be
> =3D3D
> >0=3D3D3D20
> =
> =20
>absolutely? I only have one=20
card</DIV>
> > =
><DIV><FONT=20
face=3D3D3D3DArial size=3D3D3D3D2>in there right now and =
=3D
>it's=20
all
> =3D3D
> >freaky
> =
> =20
=3D3D3D
> > >just the=3D3D3D20
> =
> =20
>same.</DIV>
> > =20

><DIV><FONT face=3D3D3D3DArial=20
size=3D3D3D3D2></DIV&a mp;gt;
> =
> =20
><DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>=20
</DIV>
> > > ><DIV><FONT =
face=3D3D3D3DArial=20
size=3D3D3D3D2> </DIV>
> > > =20
><DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>=20
</DIV>
> > > =
><BLOCKQUOTE=3D3D3D20
> =20
> >&style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px;=20
MARGIN-LEFT: =3D
>5px; =3D3D
> =
>=3D3D3D
> =20
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT:=20
0px">
> > > > <DIV>"Dimitrios"=20
<<A=3D3D3D20
> > > > =
href=3D3D3D3D"<A=20
=
href=3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A'>mailto:musurgio=
@otenet.gr">musurgio@otenet.gr</A>>=20
=3D
>&wrote
> =3D3D
> > > in =
=3D3D3D
> =20
> >&message=3D3D3D20
> > > > > =
<A=20
=3D3D3D
> > > =3D3D
> =20
=3D
>>>href=3D3D3D3D"<A=20
=
href=3D'news:471a0486\$1 @linux">news:471a0486\$1 @linux...</DIV><B'>news=
:471a0486\$1 @linux">news:471a0486\$1 @linux...</DIV><B=
=3D
>&R>H=3D3D
> =20
>
> > > =3D3D3D
> > > =20
>&Tom=3D3D3D20
> > > > <A=20
href=3D"mailto:!!@
Sorry">!!@
Sorry to hear you still =
having=20
problems like this =3D
>&~!!
Must
> =
=3D3D
> =20
>&be
> > > =3D3D3D
> > > =20
>&very=3D3D3D20
> > > > =
frustrating.
Open=20
the Paris ini file and there change the =
=3D
>=3D3D3D
> =20
> >&mastercardoutput=3D3D3D20
> > > =
> =20
with your other
cards and see what happens !!
Let=20
=3D
>&me=3D3D3D20
> > > > =20
know.
Regards,
Dimitrios&a mp;lt;BR>
 "Tom =

rnell68@hotmail.com">parnell68@hotmail.com>=20
=3D
>=3D3D
> &=3D3D3D
> &=20
>wrote=3D3D3D20
> &=20
message=3D3D3D20
> &=20
=3D3D3D
> =20
> =3D3D
> =20
=
=3D
 >>>=3D3D3D3D
> n ews:inqgh393an5s4m99qcaojn09vn=
112t4u6r@4ax.com...
> &=3D3D3D=3D3D
> =
nbsp;=20
>
> &=20
> know this as dumb as it gets but the bnc is attached in=20
=3D
>the=3D3D3D20
> &=20
right
> order...right?
> all the =
cards=20
show up =3D3D3D
> &=20
> paris with the single mec?
> how many i/o =
cards=20
in =3D
>each=3D3D3D20
> &=20
mec?
> ;lt;BR>> On Fri, 19 Oct =
2007=20
00:22:39 -0400, =3D3D3D
> &=20
>"Tom=3D3D3D20
> =20
> Bruhl"
> =
> =20
> =3D3D3D
> &=20
=3D
> href=3D3D3D3D" <A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
> n'>=
mailto:arpegio@comcast.net">arpegio@comcast.net>
>=
> n=3D
> =3D3D3D=3D3D
> =20
>
> &=20
> wrote:
> &=20
was=20
groovin' but once the =3D3D3D
> &=20
>second=3D3D3D20
> &=20
introduced
> &the system stopped. That=20
=3D3D3D
> &=20
> weeks ago.
>
> =
>Today I=20
tried =3D3D3D
> &=20
>different=3D3D3D20
> =20
> cables, eds cards, mecs, eliminated the=20
=3D3D3D
> &=20

>magma
=3D3D3D3D
&a mp;gt;&and
>=20
=3D3D3D20
> > > > >still no clock lock =
or modules=20
showing up in the paris=3D3D3D20
> > > >=20
patchbay.
> >
> >This means =
to me=20
=3D3D3D
> > >software=3D3D3D20
> =
> =20
> unless someone tells me differently.
> =20
>
> =3D3D3D
> > =20
>>l=3D3D3D20
> > > > have a new C =
drive which=20
I will load XP and no pace. Any=3D3D3D20
> =
> =20
> other=3D3D3D3D20
> =20
>suggestions?
> =3D3D3D
> > =20
>>
> =3D3D3D20
> > > =
>More=20
frustrated than my clients,
> =3D3D3D
> =
> =20
>>Tom
> =3D3D3D20
> > =
> =20
>
> >
> =
>
> =20
=3D3D3D
> > >>
> =
=3D3D3D20
> =20
> > >I choose Polesoft Lockspam to fight spam, =
and=20
you?
> =3D3D3D20
> > > =20
>http://www.polesoft.com/refer.html =3D3D3D20
> =
> =20
> =
=3D3D3D3D20
>
> >
><!DOCTYPE=20
HTML PUBLIC "-//W3C//DTD =3D3D3D
> > >HTML=20
4.0=3D3D3D20
> > > =20
=
Transitional//EN" >
><HTML><HEAD>
>=
<META=3D3D3D20
> =20
> > http-equiv=3D3D3D3D3DContent-Type=20
=3D
>content=3D3D3D3D3D"text/html;=3D3D3D20
> =
> =20
> =20
=
=3D3D3D3D
> charset=3D3D3D3D3Diso-885 9-1 ">
><=
>META=20
=3D3D3D
> > =20
>content=3D3D3D3D3D"MSHTML=3D3D3D20
> > =
> =20

6.00.2800.1400"=3D3D3D20
> > > =
=3D3D3D
> =20
> =20
=
>name=3D3D3D3D3DGENERATOR>
&a mp;gt;<STYLE></STYLE>=

></HEA=3D3D3D
> =20
> >D>
><BODY=3D3D 3D20
> =
> =20
> =
bgColor=3D3D3D3D3D#ffffff>
>& amp;lt;DIV><FONT=20
=3D
>face=3D3D3D3D3DArial=3D3D3D20
> > =
> =20
=3D3D3D
> > =20
=
>size=3D3D3D3D3D2>Rick,&a mp;lt;/DIV>
><D=
IV><FONT=3D3D3D20
> =20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2>1 mec, =
no BNC=20
involved. Paris
=3D
>=3D3D3D
> > =20
>=3D3D3D3D
>boots up so=3D3D3D20
> =
> =20
> the=3D3D3D3D20
>1 mec =3D3D3D
> =
> =20
=
>that</DIV>< ;BR>><DIV><FONT=3D3D3D=
20
> =20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2>l'm =
using shows up=20
but never =3D
>any A to
> =3D3D
> =20
>=3D3D3D
> > >=3D3D3D3D
>Ds=20
or=3D3D3D20
> > > =20
any=3D3D3D3D20
>installed=3D3D3D20
> =
> > =20
modules.</DIV><BR& amp;gt;><DIV><FONT=20
=3D3D3D
> > =
>face=3D3D3D3D3DArial=3D3D3D20
> =20
> > size=3D3D3D3D3D2>This is the same symptom =
before l=20
=3D
>=3D3D3D3D
>repaired =3D3D
> =20
>=3D3D3D
> > >one=3D3D3D20
> =
> =20
> of=3D3D3D3D20
>my mecs =
with=3D3D3D20
> =20
> > =20
a</DIV>
 ><DIV><FONT=20
face=3D3D3D3D3DArial=3D3D3D20
> > > =20
size=3D3D3D3D3D2>new chip. The clock light =
=3D3D3D3D
>continues=20

=3D
>to=3D3D3D20
> > > > =20
flash=3D3D3D3D20
>too. Never locks=3D3D3D20
> > > =20
> > =
in.</DIV><BR&g t></DIV><FONT=20
face=3D3D3D3DArial =3D3D3D
> > > =
>
> =20
> > > size=3D3D3D3D2>=20
</DIV>
></DIV&am p;gt;</FONT =3D3D3D
> > > =
> =20
>&face=3D3D3D3DArial=3D3D3D20
> > > > =20
size=3D3D3D3D2>&I am using the simplest setup I can =
=3D3D
> =20
>=3D3D3D3D
>imagine=3D3D3D20
> > > =
> =20
and=3D3D3D3D20
>still it's not=3D3D3D20
> > > =
> =20
> > =
working.</DIV><BR& amp;gt;></DIV></FONT=20
=3D3D3D
> > > =
>&face=3D3D3D3DArial=3D3D3D20
> =20
> > > size=3D3D3D3D2>&Mike A. suggested the .ini =
file=20
=3D3D3D3D
>to =3D
>make=3D3D3D20
> > > =
> =20
> > sure=3D3D3D3D20
>card A is 0. I'll=20
try=3D3D3D20
> > > > > =20
that.</DIV><BR& amp ;gt;></DIV></FONT=20
=3D3D3D
> > > =
>&face=3D3D3D3DArial=3D3D3D20
> =20
> > > size=3D3D3D3D2>&Pretty sure it's right but=20
who=3D3D3D20
> > > > > =20
=
=3D3D3D3D
>knows?</FONT&g t;</DIV>
></D=
IV></FONT=3D3D3D20
> =20
> > > face=3D3D3D3DArial=3D3D3D20
> > > =
> =20
> > =3D3D3D
> > > > > =20
=
>&size=3D3D3D3D2>&Thanks, </DIV>
><lt=
></DIV></FONT=3D3D3D
> =20
> > > =3D3D3D20
> > > > > =20
face=3D3D3D3DArial=3D3D3D20
> > > > > =20
=
size=3D3D3D3D2>&Tom</DIV >
></DIV>=
</FONT=3D3D3D20
> =20
> > > face=3D3D3D3DArial =
size=3D3D3D3D2>=20

=3D3D3D
> > =20
=
></DIV>
>&l t;DIV><FONT=3D3D3D20
> =
> > face=3D3D3D3D3DArial =
size=3D3D3D3D2>=20
=3D3D3D
> > =20
></DIV>
>&l t;DIV>=3D3D3D20
> =
> =20
> </DIV>
><DIV&am p;gt;=20
</DIV>
><DIV&am p;gt;=3D3D3D20
> =
> =20
> </DIV>
><DIV&am p;gt; "rick" =
=3D3D3D
> =20
> =20
=
><<A=3D3D3D3D20
&g t;href=3D3D3D3D3D "<A=3D3D3D20
&=&
gt; =20
> > =3D3D3D
> > =
=3D3D
> =20
=
=3D
>>>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell=
68@hotmail.com</A'>mai=3D
><to=3D3D
> =20
>:pa=3D3D3D
> > =20
=
>rnell68@hotmail.com">parnell68@hotmail.com</A>>=
=3D3D3D20
> =20
> > =3D3D3D3D
>wrote=20
in=3D3D3D3D20
>message=20
=
=3D
 ><A=3D3D3D3D20
>href=3 D3D3D3D3D "<A
>&nb=
sp;=20
=3D3D
> >=3D3D3D
> > =
>
> =20
> > =3D3D3D
> > =
=3D3D
> =20
=
=3D
 >>>href=3D3D3D3D'news:inqgh393an5s4m99q caojn09vn112t4u6r@=
4ax.com">news:inqgh=3D
>393=3D3D
> =20
>an5=3D3D3D
> > =3D3D
> =20
=
=3D
>>>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com"&=
gt;news:inqgh393an5</A=3D3D=3D
>3D=3D3D
> =20
>
> > =20
=
=3D
>>>=3D3D3D3D
>s4m99qcaojn09vn112t4u6r@4ax.com=
...</DIV>
& amp;amp;=3D3D3D
> =20
> =20

=
> <BLOCKQUOTE=3D3D3D3D20
&a mp;gt;style=3D3D3D3D3D "PADDING-RI=
GHT:=3D3D3D20
> =20
> > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px;=20
=3D
>=3D3D3D3D
>BORDER-LEFT: =3D3D
> =20
>=3D3D3D
> > > #000000 =
2px=3D3D3D20
> =20
> > solid; MARGIN-RIGHT:=20
0px">i=3D3D3D3D20
> know this as dumb=20
as
=3D
>=3D3D3D
> > > >it =
gets=3D3D3D20
> =20
> > but the bnc is attached in =
the=3D3D3D3D20
>=20
=3D3D3D20
> > > > =20
right
order...right?
all the cards show up in paris=20
=3D3D3D
> > >with the=3D3D3D20
> =
> =20
> =
=3D3D3D3D
>single=3D3D3D3D20< BR>> =20
mec?
how many i/o cards =3D
>=3D3D3D
> =
> =20
>in each=3D3D3D20
> > > =20
mec?

On Fri, 19 =
Oct=3D3D3D20
> =20
> > =
2007
=3D3D3D3D
>& am p;lt;BR>> =20
00:22:39 -0400, "Tom Bruhl"=3D3D3D20
> > =
> =20
<<A=3D3D3D3D20
> =20
=3D3D3D3D
>href=3D3D3D3D3D"<A=3D3D3D20
> =
> =20
> =3D3D3D
> > =3D3D
> =20
=
=3D
>>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@c=
omcast.net>
wro=3D
>te'=3D3D
> =20
>>ma=3D3D3D
> > =20
=
>mailto:arpegio@comcast.net">arpegio@comcast.net><BR&=
gt;w=3D3D3D
> =20
> =20
=
>rote:=3D3D3D3D
&a mp;gt;

>I=3D3D3D=
D3D20
>=20
=3D3D3D20
> > > thought I was groovin' =
but once=20
the second Mec was=3D3D3D20
> > > =20
=
=3D3D3D3D
>introduced<BR& gt;>the=3D3D3D3D20
>=

<<DIV>If it's still =
0 what else=20
could
=3D
>this =3D3D
> >be? =
=3D3D20
> =20
>Busted mobo?</DIV>
> =20
><DIV>I'm really in =
an idunno=20
place =3D
>right =3D3D
> >now. =20
I'll=3D3D20
> =20
>be checking</DIV>
> =
><DIV><FONT=20
face=3D3D3DArial size=3D3D3D2>seriously today again because =
of
=3D
>a=20
=3D3D
> >session tomorrow=3D3D20
> =20
>morning.</DIV>
> =
><DIV><FONT=20
face=3D3D3DArial =
size=3D3D3D2>Tom</DIV> >
> =20
><DIV> =
</DIV>
> ><DIV><FONT face=3D3D3DArial=20
size=3D3D3D2> </DIV>
> =20
><BLOCKQUOTE=3D3D20
> =
>style=3D3D3D"PADDING-RIGHT: 0px;=20
PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
>=3D3D
> =20
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =
0px">
> =20
> <DIV>"Mike Audet" <mike@....> wrote in message=20
<A=3D3D20
> > =3D3D
> =20
=3D
>>href=3D3D3D"<A=20
=
href=3D'news:471b2ec2\$1 @linux">news:471b2ec2\$1 @linux...</DIV>
H'>n=
ews:471b2ec2\$1 @linux">news:471b2ec2\$1 @linux...</DIV>&l=
t;BR>H=3D
>i=3D3D20
> =20
> Tom,

If you've only got one card in, =
then the=20
Mastercard =3D
>=3D3D3D 0
> =3D3D
> =
>setting=20
is=3D3D20
> > right.
 The file is =
Paris.cfg, and=20
it lives in the =3D
>c:\program=3D3D20
> > =20
files\Emu\PARIS PRO
folder.

>I'd still =
check it out=20
to see
=3D
>=3D3D
> >what it =
is=3D3D20
> =20
> set to.

If it is wrong, what you are =
describing=20
will=3D3D20
> > happen.

Good=20

>Dimitrios
>
 ;> =3D3D20
> =
> "Tom=20
Bruhl" <<A=3D3D20
> > href=3D3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net=>=3D3D20'>mail=
to:arpegio@comcast.net">arpegio@comcast.net>=3D3D20<B=
R>> =20
> wrote:
> >
> =20
>
> =3D3D20
> > =20
>Rick,
> >1 mec, no BNC involved. Paris =
boots=20
=3D3D
> >up so=3D3D20
> > the 1 =
mec=20
that
> >I'm using shows up but never any A to=20
=3D3D
> >Ds or=3D3D20
> > any =
installed=20
modules.
> >This is the same symptom =
=3D3D
> =20
>before I=3D3D20
> > repaired one of my mecs =
with=20
a
> >new chip. The =3D3D
> =20
>clock=3D3D20
> > light continues to flash =
too. =20
Never locks in.
> =3D3D20
> > =20
>
> >I am using the simplest setup I can =
imagine and=20
=3D3D
> >still=3D3D20
> > it's not =

=3D3D3D
>working.
> &gt; >Mike A. =
suggested =20
=3D3D
> >the .ini=3D3D20
> > file =
to make sure=20
card A is 0. I'll =3D3D
> =20
>try
=3D3D3D
> t;=3D3D3D3D
> =
=3D3D20
> =20
> >that.
> >Pretty sure it's right =
but=20
who=3D3D20
> > knows?
> =20
>Thanks,
> >Tom
> =
=3D3D20
> =20
> >
> >
> =20
>
> =3D3D
> >>
>=20
=3D3D20
> > >
> >"rick"=20
<<A=3D3D20
> > href=3D3D3D"<A=20
=
href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto:pa=
rnell68@hotmail.com">parnell68@hotmail.com</A>>
=3D<BR=
>>=3D3D
> =20

>wrote in=3D3D20
> > message =
=3D3D3D3D
>=20
=3D3D20
> > > =20
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
>=20
=3D3D20
> > > > i know this as dumb as it =
gets but=20
the bnc is attached in =3D3D
> =
>the=3D3D20
> > > =20
right
> > > =
order...right?
> > =20
> =3D3D
> > all the=3D3D20
> =
> cards=20
show up in paris with the single mec?
> > =20
=3D3D
> > how many=3D3D20
> > > i/o =
cards in each=20
mec?
> >
> =3D3D
> =20
>>
> =3D3D20
> > > On =
Fri, 19=20
Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D3D
> =20
>=3D3D3D
><A=3 D3D20
> > =20
=3D3D
> =3D
>>href=3D3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=3D=
3D'>mailto:arpegio@comcast.net">arpegio@comcast.net><B=
R>>&n=3D3D=3D
>
> =20
>bsp;=3D3D20
> > > =
wrote:
> =20
>
> > >I =3D3D
> =
>thought=20
I=3D3D20
> > was groovin' but once the second Mec =
was=20
introduced
> =3D3D
> >> =
=3D3D20
> =20
> >the system stopped. That was a few weeks=20
ago.
> =3D3D20
> > > =20
>
> > >Today I tried different=20
=3D3D
> > cables,=3D3D20
> > eds =
cards, mecs,=20
eliminated the =3D3D3D
>magma
> > =
=3D3D
> =20
>=3D3D3D3D
> =3D3D20
> > =20
>and
> > >still no clock lock or =
modules=20
=3D3D
> > showing up=3D3D20
> > in =
the paris=20
patchbay.
> > >
> =20
=3D3D
> >> =3D3D20
> > >This =
means to me=20

> =20
face=3D3D3D3D3DArial =3D3D
> =20
>size=3D3D3D3D2>Rick,&a mp;lt;/DIV>
>=20
=3D3D20
> > ></DIV><FONT =
face=3D3D3D3D3DArial=20
size=3D3D3D3D2>1 mec, no BNC =3D3D
> =20
>involved.=3D3D20
> > Paris=20
=3D3D3D
>=3D3D3D
 > >boots up so=20
=3D3D
> >the=3D3D3D20
> =2 0
>1=3D3D20
> > mec=20
that</DIV><BR& gt;> =3D3D
> =20
>></DIV><FONT=3D3D20
> > =
face=3D3D3D3D3DArial=20
size=3D3D3D3D2>I'm using shows up but never =3D3D
> =20
>any
=3D3D3D
&g t;A to=3D3D20
> =
> =20
=3D3D3D3D
> >Ds or =
any=3D3D3D3D20
> =20
>installed=3D3D20
> > =20
modules.</DIV><BR& amp;gt;> =
=3D3D
> =20
>></DIV><FONT=3D3D20
> > =
face=3D3D3D3D3DArial=20
size=3D3D3D3D2>This is the same symptom =3D3D
> =20
>before
=3D3D3D
&am p;gt;I=3D3D20
> =
> =20
=3D3D3D3D
> >repaired one =
of=3D3D3D3D20
> =20
>my =3D3D
> >mecs with=3D3D20
> =
> =20
a</DIV>
 > =20
></DIV><FONT=3D3D20
> > =
face=3D3D3D3D3DArial=20
size=3D3D3D3D2>new chip. The clock light =3D3D
> =20
>=3D3D3D3D
> =3D3D20
> > =
>continues to=20
flash=3D3D3D3D20
> >too. Never =
locks=3D3D20
> =20
> in.</DIV><BR&g t;> =20
></DIV><FONT=3D3D20
> > =
face=3D3D3D3D3DArial=20
size=3D3D3D3D2> =3D3D
> =20
></DIV>
> =3D3D20
> > =20
></DIV>I am =
using=20
=3D3D
> >the simplest=3D3D20
> > =
setup=20
I
=3D3D3D
> can =3D3D3D3D
> =

=3D3D
> =20
=
=3D
>>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto=3D
>;pa=3D3D
> =20
=
>rnell68@hotmail.com">parnell68@hotmail.com</A>>=
=3D3D20
> =20
> =3D3D3D
>=3D3D3D3D
 > =
>wrote=20
in=3D3D3D3D20
> =3D3D
> =20
>>message=3D3D20
> > =20
<A=3D3D3D3D20
> =20
=3D3D3D
>>href=3D3D3D3D3D"<A=3D3D20
> =
> =20
=3D3D
> =20
=
=3D
>>href=3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.co=m">news:inqgh393=3D
>>n=3D3D
> =20
=
=3D
>>ews:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in=qgh393=3D3D3D<B=3D
>=3D3D
> =20
>R>>an5=3D3D3D3D
> >=3D3D20
> =
> =20
=3D3D
> =20
=
>>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
=>=20
=3D3D
> >;=3D3D20
> > =20
><BLOCKQUOTE=3D3D3D3D20
> > =3D3D
> =20
>>style=3D3D3D3D3D"PADDING-RIGHT: 0px;=3D3D20
> =
> =20
PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3D3D3D
>=3D3D3D3D
 >=20
=3D3D20
> > >BORDER-LEFT: #000000 2px solid;=20
MARGIN-RIGHT: =3D3D
> =
>0px">i=3D3D3D3D20
>=20
=3D3D20
> > > know this as dumb as it =
gets but the=20
bnc is attached in=3D3D20
> > =20
the=3D3D3D3D20
> > =3D3D
> =20
>right
order...right?
all=3D3D20
> =
> =20
the cards show up in paris with=20
the
=3D3D3D
>=3D3D3 D3D
> =
=3D3D20
> =20
> >single=3D3D3D3D20
> > =20
mec?
how many i/o =3D3D
> >cards =
in=3D3D20
> =20

6.00.2800.1400"=3D3D20
> > > =3D3D
> =20
=
>&name=3D3D3D3DGENERATOR>
& ><STYLE></STYLE><=
t;BR>& </HEA=3D3D
> =20
>&D>
& <BODY=3D3D 20
> > =20
bgColor=3D3D3D3D#ffffff>
& <DIV><FONT=20
face=3D3D3D3DArial=3D3D20
> > =20
size=3D3D3D3D2>&Thanks=3D3D20
> > =20
Dimitrios.</DIV><B R>& <DIV><FONT=20
=3D3D
> >&face=3D3D3D3DArial=3D3D20
> =
> =20
size=3D3D3D3D2> =
</DIV>
& <DIV& <FONT=20
=3D3D
> >&face=3D3D3D3DArial=3D3D20
> =
> =20
size=3D3D3D3D2>&Mike said the same thing. Is the =
=3D3D3D
& <ini=20
in =3D3D
> >&
> > =20
the=3D3D3D20
& <Paris folde or system=3D3D20
> =
> =20
32?</DIV><BR&g t;& <DIV><FONT =
face=3D3D3D3DArial=20
=3D3D
> >&
> > size=3D3D3D3D2>&Do =
I want the=20
Master card to be =3D3D
> =20
>&0=3D3D3D20
& <absolutely? l=3D3D20
> =
> =20
only have one =
card</DIV><BR& g t;& <DIV><FONT=20
=3D3D
> >&
> > face=3D3D3D3DArial=20
size=3D3D3D3D2>&in there right now and it's all=3D3D20
> =
> =20
freaky
=3D3D3D
& <jus t=3D3D20
> =
> =20
=3D3D
> =20
=
>&the=3D3D3D20
& <same.</ FONT></DIV>
& <=
<DIV><FONT=3D3D
> =20
>&=3D3D20
> > =
face=3D3D3D3DArial=3D3D20
> =20
> =20
=
size=3D3D3D3D2>&Tom</DIV&a mp;&
& <DIV><=
t;FONT=3D3D20
> =20
> face=3D3D3D3DArial size=3D3D3D3D2> =
=3D3D
> =20
>& </DIV>
& <l t;DIV><FONT=3D3D20
> =

> face=3D3D3D3DArial size=3D3D3D3D2> =
=3D3D
> =20
></DIV>
><DIV><FONT=3D3D20
> =
> face=3D3D3D3DArial =
size=3D3D3D3D2>=3D3D20
> =20
> =3D3D
> =20
=
></DIV>
><BLOCKQUOTE=3D3D3D20
>style=3D=
3D3D3D"PADDING-RIGHT:=20
=3D3D
> > =3D3D20
> > =
PADDING-LEFT: 5px;=20
MARGIN-LEFT: 5px; =3D3D3D
>BORDER-LEFT:=20
#000000
=3D
>=3D3D
> >2px =
solid;=3D3D20
> =20
> MARGIN-RIGHT: 0px">
> =20
<DIV>"Dimitrios"=3D3D20
> > =20
<<A=3D3D3D20
> =
href=3D3D3D3D"<A=3D3D20
> =20
> =3D3D
> =20
=
=3D
>>href=3D3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.=
gr</A'>mailto:musur=3D
>gio=3D3D
> =20
=
>@otenet.gr">musurgio@otenet.gr</A>>=3D3D20
&=
gt; =20
> wrote in =
=3D3D3D
>message=3D3D3D20<BR& amp;gt;> =20
<A =3D3D
> =20
>=3D3D3D
>href=3D3D3D3D"<A=3D3D20
> =
> =20
=3D3D
> =20
=
=3D
>>href=3D3D3D'news:471a0486\$1 @linux">news:471a0486\$1 @linu=
x...</DIV>
 H=3D
>'>=3D3D
> =
=20
=
>news:471a0486\$1 @linux">news:471a0486\$1 @linux...</DIV&=
gt;&=3D3D
> =20
=
>lt;BR>Hi
= 3D3D3D
>Tom=3D3D3D20<B=
R>>=20
=3D3D20
> > <A href=3D3D3D"<A=20
=
href=3D'mailto:!!@
Sorry">!!@
Sorry</A'>mailto:!!@
Sorry ">=
!
Sorry</A/>=20
to hear you still
=3D
>=3D3D
> =
>having=3D3D20
> =20

> problems like this ~!!
Must =3D3D
> =20
>
=3D3D3D
> ,very=3D3D3D20
>=20
=3D3D20
> > frustrating.
Open the Paris =
ini file=20
and there change the=3D3D20
> > =20
=3D3D3D
>mastercardoutput=3D3D3D20&a mp;lt;BR>> =
with your=20
=3D3D
> >
cards and=3D3D20
> =
> =20
see what happens !!
Let me=3D3D3D20
> =
=3D3D20
> =20
> =
know.
Regards,
Dimitrios&a mp;lt;BR>
 "Tom=20
=3D3D
> >Bruhl"=3D3D20
> > =20
<<A=3D3D3D20
> p; =
href=3D3D3D3D"<A=3D3D20
> =20
> =3D3D
> =20
=
=3D
>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast=
..net>=3D3D3D20'>m=3D
>ailto=3D3D
> =20
=
>:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D20&l=
t;/A>
&g=3D3D
> =20
>t; =3D3D20
> > =20
wrote:
>
>&a mp;lt;BR>>Rick,
>1=20
=3D3D
> >mec, no=3D3D20
> > BNC=20
=3D3D3D
>involved. =
Paris=3D3D3D20
> boots up=20
so =3D3D
> >the 1 mec=3D3D20
> > =20
that
>I'm using shows up but never any A =
=3D3D3D
>to=20
Ds=3D3D20
> > or=3D3D3D20
> any =
installed=20
modules.
>This is the =3D3D
> =20
>same=3D3D20
> > symptom before l=20
=3D3D3D
>repaired one=3D3D3D20
> of my =
mecs=20
=3D3D
> >with=3D3D20
> > =
a
>new=20
chip. The clock light continues to=3D3D20
> =
> =20
=3D3D3D
>flash=3D3D3D20<BR&a mp;gt;> too. =
Never=20
locks=3D3D20
> > in.
>
>l =
am using=20
the simplest =3D3D
> >=3D3D3D
>setup=20
l=3D3D20
> > can=3D3D3D20
> =
imagine and=20

single=20
=3D3D
> >mec?
> =3D3D20
> =
> how=20
many i/o cards in each=3D3D3D20
> =3D3D20
> =
> =20
mec?
>
>& amp ;lt;BR>> On Fri, 19 Oct=20
=3D3D
> >2007=3D3D20
> > 00:22:39 =
-0400,=20
=3D3D3D
>"Tom=3D3D3D20
> =
Bruhl"=3D3D20
> =20
> <<A=3D3D3D20
> p;=20
=3D3D3D
>href=3D3D3D3D"<A=3D3D20
> =
> =20
=3D3D
> =20
=
=3D
>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast=
..net>
>& am p; amp;n'>=3D3D=3D
>
> =
=20
=
>mailto:arpegio@comcast.net">arpegio@comcast.net><B=
R>=3D3D
> =20
=
>;>& amp;n=3D3D3D< BR>>bsp;=3D3D3D20
>=
=20
=3D3D20
> > =
wrote:
>
>& a mp; >l=20
thought I was groovin' =3D3D
> >but =
once=3D3D20
> =20
> the =
=3D3D3D
>second=3D3D3D20<BR&a mp;gt;> Mec was=20
=3D3D
> >introduced
> =3D3D20
> =
> =20
>the system stopped. That =3D3D3D
>was a =
=3D3D
> =20
>few=3D3D3D20
> weeks=3D3D20
> =
> =20
ago.
> >
> >Today I=20
tried=3D3D20
> > =20
=3D3D3D
>different=3D3D3D20<B R>> cables, =
eds cards,=20
mecs, =3D3D
> >eliminated the=3D3D20
> =
> =20
=
=3D3D3D
>magma
=3D3 D3D3D
>and
&=
gt;=20
=3D3D
> >=3D3D3D20
> =3D3D20
> =
> =20
>still no clock lock or modules showing up in the =

=3D3D
> =20
>paris=3D3D3D20
>> =3D3D20
> > > =20
patchbay.
>> >
>> >This means=20
=3D3D
> >to me=3D3D20
> > =20
=3D3D3D
>>software=3D3D3D20
> unless =
someone tells=20
me=3D3D20
> > differently.
>> =20
>
>> =3D3D20
> > =20
=3D3D3D
>>
>>I=3D3D3D20<B R>> have a new C =
drive which I=20
will =3D3D
> >load XP and no=3D3D20
> =
> =20
pace. Any=3D3D3D20
>> =
other=3D3D3D3D20
>>=20
=3D3D20
> > >suggestions?
>> =20
=3D3D3D
>>
>& >=3D3D20
> =
> =20
=3D3D3D20
>> >More frustrated than my =
=3D3D
> =20
>clients,
>> =3D3D20
> > =20
=3D3D3D
>>
> Tom
> > =
=3D3D3D20
>> =20
=3D3D
> >>
>> =3D3D20
> =
> =20
>
>> >
>> =3D3D
> =20
>=3D3D3D
>>
& >>=3D3D20
> =
> =20
=3D3D3D20
>> >I choose Polesoft Lockspam to fight =
spam,=20
and=3D3D20
> > you?
>>=20
=3D3D3D20
>> =3D3D
> =20
>>http://www.polesoft.com/refer.html=3D3D20
> =
> =20
=3D3D3D20
>> =3D3D
> =20
=
>=3D3D3D3D20
>>
 >>
>><!DOCTYPE=3D3=
D20
> =20
> HTML PUBLIC "-//W3C//DTD =3D3D3D
>>HTML=20
4.0=3D3D3D20
>> =3D3D20
> > =
=3D3D
> =20
=
>Transitional//EN" >
>><HTML><HEAD>
>=
>=3D3D
> =20
><META=3D3D3D20
>> =3D3D20
> > =20
http-equiv=3D3D3D3DContent-Type =3D3D
> =20
>content=3D3D3D3D"text/html;=3D3D3D20
>> =
=3D3D20
> =20
> =20

> =20
=
modules.</DIV><BR& amp;gt;></DIV><FONT=3D3D20=

> =20
> =
=3D3D3D
>face=3D3D3D3D3DArial=3D3D3D 20
> =20
size=3D3D3D3D2>This is =3D
>=3D3D
> >the=20
same=3D3D20
> > symptom before l=20
=3D3D3D3D
>repaired =3D3D
> =20
>=3D3D3D
>one=3D3D3D20< ;BR>> =
=3D3D20
> > =20
of=3D3D3D3D20
>my mecs with=3D3D3D20
> =
=3D3D20
> =20
> =20
=
a</DIV>
 ></DIV><FONT=3D3D20
>=
 =20
> face=3D3D3D3D3DArial=3D3D3D20
> =
size=3D3D3D3D2>new=20
chip. The =3D3D
> >clock light=3D3D20
> =
> =20
=3D3D3D3D
>continues to=3D3D3D20
> =
=3D3D
> =20
>flash=3D3D3D3D20
>too.=3D3D2 0
> > =
Never=20
locks=3D3D3D20
> =3D3D20
> > =20
in.</DIV><BR&g t></DIV><FONT=20
=3D3D
> >face=3D3D3D3D3DArial=3D3D20
> =
> =20
=3D3D3D
>
>& amp;nbsp;=20
size=3D3D3D3D2>=3D3D20
> > =20
</DIV>
></DIV& am p;gt;<FONT=3D3D20
> =
> =20
=3D3D3D
>face=3D3D3D3D3DArial=3D3D3D 20
> =

size=3D3D3D3D2>I am =3D3D
> >using the=20
simplest=3D3D20
> > setup I can=20
=3D3D3D3D
>imagine=3D3D3D20<B R>> =
=3D3D20
> =20
> and=3D3D3D3D20
>still it's =
not=3D3D3D20
>=20
=3D3D20
> > =20
=
working.</DIV><BR& amp;gt;></DIV><FONT=3D3D20=

> =20
> =
=3D3D3D
>face=3D3D3D3D3DArial=3D3D3D 20
> =20
size=3D3D3D3D2>Mike A. =3D
>=3D3D
> =

>suggested=20
the=3D3D20
> > .ini file =
=3D3D3D3D
>to=20
make=3D3D3D20
> =3D3D20
> > =20
sure=3D3D3D3D20
>card A is 0. I'll =
try=3D3D3D20
>=20
=3D3D20
> > =20
=
that.</DIV><BR& ;gt;></DIV><FONT=3D3D20 <BR=
>> =20
> =
=3D3D3D
>face=3D3D3D3DArial=3D3D3D 20
> =20
size=3D3D3D3D2>Pretty =3D3D
> >sure it's=20
right=3D3D20
> > but who=3D3D3D20
>=20
=3D3D20
> > =3D3D
> =20
=
>=3D3D3D3D
>knows?</FO NT></DIV>
>& ;=
lt;DIV&g=3D3D
> =20
>t;</FONT=3D3D3D20
> =3D3D20
> > =

face=3D3D3D3DArial=3D3D3D20
> =3D3D20
> =
> =20
=3D3D
> =20
=
>=3D3D3D
>size=3D3D3D3D2&am p;gt;Thanks,</DIV=
>
>=3D3D
> =20
></DIV></FONT=3D3D3D<BR& ;gt;>=3D3D3D20
>=20
=3D3D20
> > =
face=3D3D3D3DArial=3D3D3D20
>=20
=3D3D20
> > =3D3D
> =20
=
>size=3D3D3D3D2>Tom& ;lt;/DIV>
></DIV=
>
> =20
>FONT=3D3D3D20
> =3D3D20
> > =20
face=3D3D3D3DArial =
size=3D3D3D3D2>=3D3D20
> =20
> =3D3D
> =20
=
>=3D3D3D
></DIV>
></DIV></FONT=3 D=
3D3D20
>&nbs=3D3D
> =20
>p;=3D3D20
> > face=3D3D3D3DArial=20
size=3D3D3D3D2>=3D3D20
> > =20
=
=3D3D3D
></DIV>< ;BR>></DIV>=3D3D3D20<BR=
>>=20
=3D3D20
> > =20
</DIV>
></DIV&am p;gt;=3D3D20
> > =20
</DIV>
></DIV&am p;gt;=3D3D3D20
> =

=3D3D20
> =20
> =20
</DIV>
></DIV> ="rick"=3D3D20
> =20
> =3D3D
> =20
=
>=3D3D3D
><<A=3 D3D3D3D20
>href=3D3D3D3D3=3D3D3D3D3="<A=3D3D3D20
>&n=3D3D
> =20
>bsp;=3D3D20
> > =3D3D
> =20
=
=3D
 >>=3D3D3D
>href=3D3D3D 3D'mailto:parnell68@hotmai=l.com">parnell68@hotmail.c=3D3D=3D
>
> =20
=
>om</A'>mailto:pa=3D3D3D
>rnell68@hotmail.com">pa=rnell68@hotmai=3D3D
> =20
>l.com</A>>=3D 3D3D20
> =
=3D3D20
> =20
> =3D3D3D3D
>wrote=20
in=3D3D3D3D20
>message=3D3D20
> > =20
<A=3D3D3D3D20
>href=3D3D3D3D3 D "<A=20
=3D3D3D
>
> =3D3D20
> > =20
=3D3D
> =20
=
=3D
 >>=3D3D3D
>href=3D3D3D 3D'news:inqgh393an5s4m99qc=aojn09vn112t4u6r@4ax.com">=3D3D=3D
>
> =20
=
=3D
 >>news:inqgh393an5=3D3D3D
>am p;gt;'>news:inqgh393an5=s4m99qcaojn09vn112t4u6r@4=3D3D=3D
>
> =20
=
>ax.com" >news:inqgh393an5</A=3D3D3D
> & amp;gt;>=3D3D3D3D&l=t;BR>>s4m99q=3D3D
> =20
=
>caojn09vn112t4u6r@4ax.com ...</DIV>
& amp;amp;=3D3D=3D3D
>=3D3D
> =20
=
=3D
 >>gt;gt;<BLOCKQUOTE=3D3D3D3D20<B R>>style=3D3D3D3D=3D3D3D3D3D"PADDING-RIGHT:=3D3D3D20=3D3D
> =20
>
> =3D3D20
> > 0px; PADDING-LEFT: =5px;=20
MARGIN-LEFT: 5px; =3D3D
> =20
>=3D3D3D3D
>BORDER-LEFT:=3D3D 20
> => =20
=3D3D3D
>#000000 2px=3D3D3D20
> solid;=20
MARGIN-RIGHT:=3D3D20
> > =20
0px">i=3D3D3D3D20
> know this as dumb as =
=3D3D
> =20
>=3D3D3D
>it=3D3D20
> > =20
gets=3D3D3D20
> but the bnc is attached in =
=3D3D
> =20

I=3D3D3D20
> =3D3D20
> > > =20
 =3D3D3D3D
>>tried=3D3D3D3D20
> R >> different =
 cables,=20
 =3D3D
> >eds cards,=3D3D20
> > > =
 mecs,=20
 =3D3D3D
>>eliminated=3D3D3D20
> BR >> the=20
 magma=3D3D20
> > > =20
 =3D3D3D3D
>>and
> > > still =3D3D
> > =20
 >&no=3D3D3D3D20
>> =3D3D20
> > > =20
 =3D3D3D
>>clock lock or=3D3D3D20
>> =
 modules showing up=20
 in the=3D3D20
> > > paris=3D3D3D20
>>=20
 =3D3D20
> > > =3D3D
> > =20
 =
 >=3D3D3D
>>=3D3D3D3D
>>patchbay.
>>
>>=20
 t;
>>This=3D3D3D=3D3D
> > =20
 >&3D20
>> =3D3D20
> > > =
 =3D3D3D
>>means=20
 to=3D3D3D20
>> me software unless someone =
 =3D3D
> > =20
 >&tells=3D3D20
> > > me=3D3D3D20
>>=20
 =3D3D20
> > > =3D3D
> > =20
 =
 >=3D3D3D
>>=3D3D3D3D
>>differently.
>>=20
 ;
>>I=3D3D3D=3D3D
> > =20
 >&3D20
>> =3D3D20
> > > =
 =3D3D3D
>>have=20
 a new=3D3D3D20
>> C drive which I will load XP=20
 =3D3D
> > > and no pace.=3D3D20
> > > =
 Any=20
 other=3D3D3D3D20
>> =
 =3D3D3D
>>
>>= 20
 =3D3D20
> > > =20

>>suggestions?
>> >
>>More=20
 frustrated=3D3D20
> > > =20
 =3D3D3D
>>than=3D3D3D20
>> > > =
 my=3D3D3D3D20
>>=20
 =3D3D
> > > =3D3D3D20
>> =3D3D20
> > > =
 >& =20
 =3D3D
> > =20
 =
 >=3D3D3D
>>clients,
>> >>Tom
>>
>>=20
 ;
>>=3D3D
> > =20
 =
 >&;
>>=3D3D3D
>> >>
>>I=3D3D3D20
>> B=
 R>>=20
 =3D3D20
> > > choose=20
 =3D3D3D3D
>>Polesoft=3D3D3D3D20
>> > > =

Lockspam=20
=3D3D
> >to fight=3D3D20
> > > =20
spam,=3D3D3D20
> > and=3D3D3D3D20
>=20
=3D3D20
> > =3D3D
> =20
=
>=3D3D3D
>you?<BR& gt;>http://www.polesoft.com/refer.=
html=3D3D3D20
& &=3D3D
> =20
>gt; =3D3D20
> > =3D3D
> =20
=
>=3D3D3D
>=3D3D3D3D20< BR>>
</BLOCKQUO=
TE></BODY>=3D3D
> =20
=
>,</HTML>
& &=3D 3D3D
>gt;
>& amp;|=
t;BR></B=3D3D
> =20
=
>LOCKQUOTE></BODY></HTML& amp;gt;
>
>& amp;|=
t;BR></BLOCKQUOTE><=3D3D
> =20
>/BODY></HTML>
> >
> =20
>
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML =
4.0=20
Transitional//EN">
><HTML><HEAD>
><META=20
http-equiv=3D3DContent-Type content=3D3D"text/html";=20
=3D
> charset=3D3Diso-8859-1">
><META =
content=3D3D"MSHTML=20
6.00.2800.1400"=20
=
name=3D3DGENERATOR>
><STYLE></STYLE>
></HEA=
D>
><BODY=20
bgColor=3D3D#ffffff>
><DIV><FONT face=3D3DArial=20
=
size=3D3D2>Mike.</DIV& amp ;gt;
><DIV><FONT=20
face=3D3DArial size=3D3D2>I used to use a Lucid but since all=20
of
=3D
>this mess=20
=
l=3D20
>stopped.</DIV>
><DIV><FON=
T=20
face=3D3DArial size=3D3D2>I'm trying to get stable from square =
=3D
>one=20
with the=3D20
>least amount=20
</DIV>
><DIV><FONT face=3D3DArial=20
size=3D3D2>of hardware. I am using the =3D
>default=20
project=3D20
>for sure. The only=20
</DIV>
><DIV><FONT face=3D3DArial=20
size=3D3D2>other thing that I still question is =
my
=3D
>move=20
of=3D20
>Paris to C:ParisPro=20
</DIV>
><DIV><FONT face=3D3DArial=20
size=3D3D2>I should think the default project =

happens=20
when an external clock
source is =
applied.

Isn't=20
there
=3D
>a=3D20
> master house synch switch in =
the cfg=20
file? I've never =3D
>used
it. =
=3D20
> Maybe DJ=20
could help with what that should/shouldn't be set=20
=3D
>to.

Wish I=3D20
> could do =
more than=20
think out loud...

Mike<BR&am p;gt;
 "Tom =
Bruhl"=20
=3D
><A=3D20
> href=3D3D"<A=20
=
href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net>=3D20'>mailto=
:arpeggio@comcast.net">arpeggio@comcast.net>=3D20
&g=
t; =20
wrote:
>
>&a mp;lt;BR>>Hi =
Mike,
>Well=20
I've been to .cfg =3D
>many a=3D20
> =
time.
>I've=20
seen that Mastercard setting as being 0
>but =
=3D
>maybe=20
it=3D20
> changed after removing the 4 =
other
>eds cards=20
for this round of=3D20
> =
testing.
>
> If it's=20
still 0 what else could this be? =
=3D
>Busted=3D20
> =20
mobo?
>I'm really in an idunno place right now. I'll =

be=3D20
> checking
>seriously today again =
because of a=20
session tomorrow=3D20
> =20
=
morning.
>Tom
& gt;
> =20
="Mike Audet"=3D20
> <mike@....> wrote in message=20
<A=3D20
> =3D
>href=3D3D"<A=20
=
href=3D'news:471b2ec2\$1@linux">news:471b2ec2\$1@linux...
>
&=
g'>news:471b2ec2\$1@linux">news:471b2ec2\$1@linux...
=
>
&g=3D
>t;=20
=3D20
> Hi Tom,
>
> If =
you've only got=20
one card in, then the =3D
>
> Mastercard =3D3D3D 0 =
setting is=20
=3D3D
>right.
& gt; =3D
>The =

file=20
is=3D20
> Paris.cfg, and it lives in the =
c:\program=3D20
> ;=20
files\Emu\PARIS
=3D3D
& & ;gt;PRO
> ;=20
=3D
 >folder.
>
& & ;gt; ;=3D20
> ; I'd =
still check=20
it out to see what it is set to.
>
> ; =
=3D
><lf=20
it=3D20
> ; is wrong, what you are describing will=20
happen.
>
>& & ; ; =
=3D
>Good=3D20
> ;=20
luck!
>
>& & ; ; =
Mike
>
>& & ; ;=20
"Tom Bruhl" =3D
><A=3D20
> ; href=3D3D"<A=20
=
href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net>=3D20'>mailto=
:arpeggio@comcast.net">arpeggio@comcast.net>=3D20
> ;
t; ;=20
wrote:
> ; >
> ; =
>
> ;=20
>Thanks=3D20
> ; Dimitrios.
> ;=20
>
> ; >Mike said the same=3D20
> ; =
thing. ;=20
Is the ini in the Paris folde or system=3D20
> ;=20
=3D3D
>&32?
>& ; >Do I want the Master =
card to be=20
0=3D20
> ; absolutely? ; I only have one =
card
> ;=20
>in there =3D
>right now=3D20
> ; and it's all =
freaky just the=20
same.
> ; >Tom
> ; =
=3D
>
> ;=20
>
> ; >
> ; =
>
> ;=20
> ;=3D20
> ; "Dimitrios" <A =3D
>href=3D3D"<A =
=
href=3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr>=3D20'>mailto:m=
usurgio@otenet.gr">musurgio@otenet.gr>=3D20
> ; ;=20
wrote in message =3D3D3D
> ;=20
=3D
>>news:471a0486\$1@linux...
>& ; =
=3D20
> ;=20
>
> ; > ; Hi Tom <A=20
href=3D'mailto:!!
>!@
>>> ; > ; Sorry =
=3D
>>to=20
hear=3D20
> ; you still having problems like this=20
~!!
> ; > ; Must =3D
>>be =

>Pretty sure=20
it's right but who knows?
> =3D
> =
=3D20
> =20
>Thanks,
> > >Tom
> =
>=20
=3D20
> >
> > =
>
> =20
> =3D
>
> =3D20
> =
> =20
>
> > >
> =
> =20
=3D
>
> >"rick" <<A=3D20
> =
href=3D3D"<A=20
=
href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.commailto:pa=
rnell68@hotmail.com">parnell68@hotmail.com</A>=20
=3D
>wrote in=3D20
> message =
=3D3D3D3D
> >=20
=3D20
> =20
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
>>=20
=3D20
> > > i know this as dumb as it =
gets but the=20
bnc is =3D
>attached=3D20
> in the=20
=3D3D
>>right
>&g t; > > =
=3D20
> =20
order...right?
>> > > all the cards =
show=20
=3D
>up in=3D20
> paris with the single =
mec?
>> =20
> > how =3D
>many i/o=3D20
> cards =
in each=20
mec?
>> > >
>> =
=3D
>>=20
=3D20
> >
>> > > On =
Fri, 19=20
Oct 2007 00:22:39 =3D
>-0400,=3D20
> "Tom Bruhl"=20
=3D3D3D
>> ><<A=3D20
> =
=3D
>>href=3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n'>=
mailto:arpegio@comcast.net">arpegio@comcast.net>
>=
>&n=3D
>bsp;=3D20
> =20
> > wrote:
>> > =20
=3D
>>
>> =3D20
> > =
> >l=20
thought I was groovin' but once the second =3D
>Mec =
was=3D20
> =20
introduced
>> > > >the system=20

=3D
>stopped. =3D20
> That was a few weeks=20
ago.
> > > =3D20
> =20
>
> > > >Today I tried =
different=20
=3D
>cables,=3D20
> eds cards, mecs, eliminated=20
the
>=3D3D
>=3D3D3D& amp;lt;BR>> =
=3D20
> =20
>magma
> > =3D3D3D3D
> =
>=20
=3D20
> >and
> > > =
>still=20
no clock lock or =3D
>modules=3D20
> showing up in =
the paris=20
=3D3D
>patchbay.
>& a mp;gt; > =
=3D
>>=20
=3D20
> >
> > > =
>This=20
means to me software =3D
>unless=3D20
> someone =
tells me=20
differently.
> > > =3D20
> =20
>
> > > >I have a new C =
drive=20
=3D
>which I will=3D20
> load XP and no pace. =
Any=20
=3D3D3D
>> =3D20
> =
>other=3D3D3D3D20
> =20
> > =3D20
> =
>suggestions?
> =20
> > =3D
>>
>> =
=3D20
> > =20
> >More frustrated than my =
=3D
>clients,
>>=20
=3D20
> > > >Tom
> =
> =20
> =3D20
> >
> > =
> =20
>
> > =3D
>
> =
> =20
>
> > > =
>
> =20
=3D
>
> > > >I choose Polesoft =
Lockspam=20
to fight spam, =3D
>and=3D20
> =
you?
> =20
> > =3D20
> =
>http://www.polesoft.com/refer.html =20
=3D3D3D3D20
> =3D
>> =3D20
> =20
>
> > >
> =

> =20
=3D
>><!DOCTYPE=3D20
> HTML PUBLIC =
"-//W3C//DTD HTML 4.0=20
Transitional//EN">
> =3D20
> > =20
><HTML><HEAD><BR&a mp;gt;> > =20
=3D
>><META=3D20
> =
http-equiv=3D3D3D3D3DContent-Type=20
content=3D3D3D3D3D"text/html;=3D20
> =20
=3D3D
>=3D3D3D3D
&a mp;gt; > =
=3D20
> =20
> charset=3D3D3D3D3Diso-8859-1">
> > =20
=3D
>><META=3D20
> content=3D3D3D3D3D"MSHTML =
6.00.2800.1400"=20
=3D
 >name=3D3D3D3D3DGENERATOR>
&a mp;gt; =
=3D20
> > =20
><STYLE></STYLE><B R>> > =
=3D20
> =20
></HEAD>
> > =
><BODY=3D20
> =20
bgColor=3D3D3D3D3D#ffffff>
> > =20
=3D
>><DIV><FONT=3D20
> =
face=3D3D3D3D3DArial=20
=
=3D
 >size=3D3D3D3D3D2>Rick,&a mp;lt;/DIV>
&g=
t;=20
=3D20
> > ><DIV><FONT =
face=3D3D3D3D3DArial=20
=3D
>size=3D3D3D3D3D2>1 mec, no=3D20
> BNC =
involved.=20
=3D3D
>Paris =3D3D3D
> =20
=3D
>>=3D3D3D3D
> =3D20
> > =
>boots up=20
so the=3D3D3D3D20
> > >1=20
=3D
>mec=3D20
> =20
that</DIV><BR& gt;> > =20
=3D
>><DIV><FONT=3D20
> =
face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2>I'm using shows up but=20
=3D
>=3D3D
>never=3D20
> =
any
> =20
=3D3D3D
> >A to =3D3D3D3D
> =
=3D
>>=20
=3D20
> >Ds or any=3D3D3D3D20
> =
> =20
>installed=3D20
> =20
modules.</DIV><BR& amp;gt;> > =
=3D20
> =20
><DIV>This =

is=20
=3D
>the same=3D20
> =20
symptom
=3D3D
>befo re
> =20
=3D3D3D
> >=3D20
> =
=3D3D3D3D
> =20
> >repaired one =3D
>of=3D3D3D3D20
>=20
=3D20
> > >my mecs with=20
a</DIV>
 > =3D20
> =
> =20
><DIV><FONT face=3D3D3D3D3DArial =
=3D
>size=3D3D3D3D2>new=20
chip.=3D20
> The clock=20
light
=3D3D
>=3D3D3 D3D
> =
> =20
=3D
>>continues to=3D20
> =
flash=3D3D3D3D20
> =20
> >too. Never locks=3D20
> =20
in.</DIV><BR&g t> > =20
=3D
>><DIV><FONT=3D20
> =
face=3D3D3D3D3DArial=20
size=3D3D3D3D2> =
=3D
></DIV>
>=20
=3D20
> > ><DIV><FONT =
face=3D3D3D3D3DArial=20
=3D
>size=3D3D3D3D2>I am using=3D20
> the =
simplest=20
=3D3D
>setup l
> =
=3D3D3D
> =20
=3D
>>can=3D20
> =3D3D3D3D
> =
> =20
>imagine =3D
>and=3D3D3D3D20
> > =
=3D20
> =20
>still it's not =
working.</DIV><BR& amp;gt;> =20
=3D
>> =3D20
> ><DIV><FONT =
face=3D3D3D3D3DArial=20
size=3D3D3D3D2>Mike A. =3D
>suggested =
the=3D20
> =20
=3D3D
>.ini file
> =
=3D3D3D
> =20
=3D
>>=3D3D3D3D
> =3D20
> > =
>to make=20
sure=3D3D3D3D20
> > >card =3D
>A =
is=20
0.=3D20
> I'll try=20
that.</DIV><BR& amp ;gt;> > =
=3D20
> =20
><DIV><FONT face=3D3D3D3D3DArial =

size=3D3D3D3D2>Pretty=20
=3D
>sure it's=3D20
> right =3D3D
>but =
who=20
=3D3D3D
> >=3D3D3D3D
> =
=3D
>=20
=3D20
> =
>knows?</DIV>& lt;BR>> >=20
=3D20
> ><DIV><FONT =
face=3D3D3D3D3DArial=3D20
> =20
=
size=3D3D3D3D2>Thanks,< /DIV>
> =

=3D
>=3D20
> ><DIV><FONT=20
face=3D3D3D3D3DArial=3D20
> =20
size=3D3D3D3D2>Tom</DIV >
> =20
=3D
>=3D20
> ><DIV><FONT =
face=3D3D3D3D3DArial=20
=3D
>size=3D3D3D3D2>=3D20
> =20
</DIV>
> > ><DIV><FONT=20
=3D
>face=3D3D3D3D3DArial=3D20
> =
size=3D3D3D3D2>=20
</DIV>
> >=3D20
> =
><DIV>=20
</DIV>
> > =
><DIV>=3D20
> =20
</DIV>
> > =
><DIV>"rick"=3D20
> =
<<A=3D3D3D3D20
>&n bsp;=20
> =
=3D
 >=3D3D
>>href=3D3D3D3D 3D "<A=3D20
> =
;=20
=
=3D
>href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.c=
om</A'>mailto:pa=3D
>rnell68@hotmail.com">parnell68@hotmai=
l.com</A>>=3D20
> =20
=3D3D
>=3D3D3D
>& ;> =
>=3D3D3D3D
> =20
> =3D
>>wrote=3D20
> =
in=3D3D3D3D20
> =20
> >message =3D
><A=3D3D3D3D20
> =
=3D20
> =20
> =3D3D3D
> =20
=3D3D
>>>href=3D3D3D3D 3D "<A=3D20
> =20
=
=3D
>href=3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">=
news:inqgh'>news=3D
>:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com=

" >news:inqgh=3D3D
& amp;gt;=3D
>393=3D3D3D
=
>=20
=3D20
> >an5=3D3D3D3D
> > =
=3D20
> =20
=
=3D
>>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>&l=
t;BR>>=20
=3D
>=3D20
> > =20
><BLOCKQUOTE=3D3D3D3D20
& gt; > =
=3D20
> =20
>style=3D3D3D3D"padding-right: 0px; padding-left: 5px; =
margin-left:=20
=3D
>
> =3D3D
>5px; =
=3D3D3D
> =20
>=3D3D3D3D
> =3D
>> =3D20
> =20
>border-left: #000000 2px solid; margin-right:=3D20
> =20
0px">j=3D3D3D3D20
> > > know =
this as=20
=3D
>dumb as it=3D20
> gets but the bnc is attached =
in=20
=3D3D
>the=3D3D3D3D20<BR& gt;> =3D
>>=20
=3D20
> > =
right
order...right?
all the=20
cards show =3D
>up in=3D20
> paris with=20
=3D3D
>the
> =3D3D3D
> =
=3D20
> =20
>=3D3D3D3D
> > =20
>single=3D3D3D3D20
> ; =3D
>> =
=3D20
> =20
> mec?
how many i/o cards in each=3D20
> =

mec?

On Fri, 19 =3D3D
>Oct=20
=3D
>=3D3D3D
> =3D20
> =
>2007
> =20
> =3D3D3D3D
> > =3D20
> =20
>
> > > 00:22:39 -0400, "Tom=20
Bruhl"=3D20
> <<A=3D3D3D3D20
>&n bsp; =
> =20
> =3D
>=3D3D3D3D
> =3D20
> =
> =20
=3D3D3D
> =20
=3D3D
>>>href=3D3D3D3D 3D "<A=3D20
> =20
=
=3D
>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net&l=
t;/A>>
wro'>mail=3D
>to:arpegio@comcast.net">a=
rpegio@comcast.net>
wro=3D
>=3D3D&l=
t;BR>>te=3D3D3D
>=20
=3D20
> >=3D3D3D3D
> > =

=3D20
> =20
>

>I=3D3D3D 3D20
> =
> =20
=3D
>> =3D20
> thought I was groovin' but once =
the second Mec=20
was =3D
>=3D3D3D3D
> =3D20
> > =20
>introduced
>the=3D3D3D3D20&a mp;lt;BR>> =
=3D
>>=20
=3D20
> > system stopped. That was a few=20
weeks=3D20
> ago.
>
>Toda y I=20
=3D3D3D3D
> =3D
>> =3D20
> =20
>tried=3D3D3D3D20
> > > =
different=20
=3D
>cables, eds=3D20
> cards, mecs, eliminated the =
magma=20
=3D3D3D3D
> > =3D20
> =
>and
>still=20
no=3D3D3D3D20
> > =3D
>>=20
clock=3D20
> lock or modules showing up in the paris=20
=3D3D3D3D
> =3D
>> =3D20
> =20
=
>patchbay.
>
 ;>This=3D3D3D3D20
>&nb=
sp;=20
=3D
>> =3D20
> > means to me software =
unless someone=20
tells me =3D
>=3D3D3D3D
> =3D20
> =
> =20
=
=3D
> >>differently.
>&l t;BR>>I=3D3D3D3D20
=
>>=20
=3D20
> > > have a new C drive which I =
will load=20
XP and no =3D
>pace. Any=3D20
> =20
=3D3D
>other=3D3D3D3D20<BR&am p;gt;> > =
>=20
=3D20
> =

>suggestions?
&am ;gt;
>More=20
frustrated =3D
>than=3D20
> =
my=3D3D3D3D20
> =20
> > =3D20
> =20
=
=3D
> >clients,
>Tom<BR& gt;>
>
=
>
=3D
>>
>I=3D20
> =20
choose =3D3D3D3D
> > =20
=3D
> >>Polesoft=3D3D3D3D20
> ; =3D20
> =
> =20
> Lockspam to fight spam, =
=3D
>and=3D3D3D3D20
>=20

=3D20
> > > > =20
=
=3D
>you?
>http://www.polesoft.com/refer.html=3D20
&=
gt; =20
=3D3D3D3D20
> > =3D20
> =20
=
=3D
 >>
</BLOCKQUOTE> ;</BODY></HTML><=
;BR>>=20
=3D
>=3D20
> > > >
> =
> =20
>
> =3D
>>
> =
=3D20
> =20
>
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD =
HTML=20
4.0=3D20
> Transitional//EN">
> =20
=3D
 >><HTML><HEAD>& ;
> =
=3D20
> =20
><META http-equiv=3D3D3D3DContent-Type=20
content=3D3D3D3D"text/html";=3D20
> =
=3D3D3D
> =20
>&charset=3D3D3D3DISO-8859-1">
> =20
=3D
>><META=3D20
> content=3D3D3D3D"MSHTML =
6.00.2800.1400"=20
=3D
 >&name=3D3D3D3DGENERATOR>
& ;> =
=3D20
> =20
><STYLE></STYLE><B R>> =20
=3D
 >></HEAD>
& > =3D20
> =
><BODY=20
bgColor=3D3D3D3D#ffffff>
>& p; =20
=3D
>><DIV><FONT=3D20
> =
face=3D3D3D3DArial=20
size=3D3D3D3D2>&Thanks=3D20
> =20
Dimitrios.</DIV><B R>> =20
=3D
>><DIV><FONT=3D20
> =
face=3D3D3D3DArial=20
size=3D3D3D3D2> =3D
></DIV>
>=20
=3D20
> ><DIV><FONT face=3D3D3D3DArial=20
size=3D3D3D3D2>&Mike said the =3D
>same=3D20
> =
thing. =20
=3D3D
>the =3D3D3D
> >&ini =
in=3D20
> =20
the=3D3D3D20
> >Paris folde or =
system=3D20
> =20
32?</DIV>
& > =20
><DIV><FONT=3D20
> face=3D3D3D3DArial =
size=3D3D3D3D2>&Do I=20
want the Master card to=3D20
> =20
be
=3D3D
>0=3D3D3D2 0
> =20

=
href="mailto:!"
Sorry">!"
Sorry</A'>mailto:!"
Sorry ">=
!"
Sorry</A/>>=20
to hear you still =3D
>having=3D20
> problems like =
this=20
~!!
Must
=3D3D<BR&a mp;gt;>be
> =
=3D20
> =20
=3D3D3D
> >very=3D3D3D20
> > =

=3D20
> frustrating.
Open the Paris ini file and =
there=20
change the=3D20
> =3D3D3D
> =20
>mastercardoutput=3D3D3D20
>& amp;nbsp; =
=3D
>> with=20
your=3D20
> other
cards and see what happens=20
!!
Let=3D20
> me=3D3D3D20
> =
>=20
=3D20
> =20
know.
Regards,
Dimitrios&a mp;lt;BR>
 "Tom=20
=3D
>Bruhl"=3D20
> =
<<A=3D3D3D20
> p;=20
> href=3D3D3D3D"<A=3D20
> =20
=
=3D
>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net&l=
t;/A>>=3D3D3D20'>mail=3D
>to:arpegio@comcast.net">arpeg=
io@comcast.net >=3D3D3D20< ;B=3D
>R>> =

=3D20
> > =3D20
> =20
wrote:
>
>&a mp;lt;BR>>Rick,
>1=20
=3D
>mec, no=3D20
> BNC =3D3D3D
> =20
>involved. Paris=3D3D3D20
> =3D
>> =

=3D20
> boots up so the 1 mec that
>I'm using =
shows up=20
but never =3D
>any A=3D20
> =20
=3D3D
>=3D3D3D
>& amp; > >to Ds=20
or=3D3D3D20
> =3D
>> =
any=3D20
> =20
installed modules.
>This is the same symptom before=20
l=3D20
> =3D3D3D
> >repaired=20
one=3D3D3D20
> > =3D
>of my =
mecs=3D20
> =20
with a
>new chip. The clock light continues=20
to=3D20
> =3D3D3D
> =20
>flash=3D3D3D20
> > =
=3D
>too. =20
Never=3D20
> locks in.
>
>I am =
using the=20

simplest =3D
>=3D3D3D
> =3D20
> =
>setup l=20
can=3D3D3D20
> > > imagine and still it's=20
=3D
>not=3D20
> working.
>Mike A. =
suggested =20
the =3D3D3D
> =3D20
> =
>.ini=3D3D3D20
> =20
> file to make sure card A is =3D
>0. =
=3D20
> I'll try=20
=3D3D3D
> =3D20
> =20
=
=3D
 >>=3D3D3D3D
>that.& ;lt;BR>>Pretty=3D3D3D20&=
lt;BR>> =20
=3D
>> =3D20
> sure it's right but=20
who=3D3D3D20
> > =
=3D
>=3D3D3D
>=20
=3D20
> =20
=
=3D
 >>knows?
>Thanks,& lt;BR>>Tom
>=

>&=3D
 >>
>
& >
>
>=3D3D3D
>=20
=3D20
> >&BR>>"rick"=3D3D3D20
> =
> =20
<<A =3D
>=3D3D3D
> =3D20
> =20
>&href=3D3D3D3D"<A=3D20
> =20
=
=3D
>href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.c=
om</A'>mailto:pa=3D
>rnell68@hotmail.com">parnell68@hotmai=
l.com</A>>=3D20
> =20
=3D3D
>=3D3D3D
>& ;gt; =20
>wrote=3D3D3D20
> =3D
>> =
in=3D20
> =20
message=3D3D3D20
> > =3D3D3D
>=20
=3D20
> =20
=
=3D
 >=3D3D
>>=3D3D3D3D& ;lt;BR>>news:inqgh393an5=
s4m99qcaojn09vn112t4u=3D
>6r@4ax.com...
>&nbs=3D3D3D=
D=3D3D
>
>=2 0
=3D20
> >p; i=3D3D3D20
> > =
know this as=20
dumb as it gets =3D
>but the=3D20
> bnc is attached =
in=20
the=3D3D3D20
> > =
=3D
>right
>=20
=3D20
> order...right?
> all the cards =
show up=20
=3D
>=3D3D3D
> =3D20
> =20
>in=3D3D3D20
> > paris with the=20

single=3D20
> mec?
> how many i/o cards =
in=20
=3D
>each=3D3D3D20
> =3D20
> > =20
mec?
>
>& ;lt;BR>> On =
=3D
>Fri, 19=20
Oct=3D20
> 2007 00:22:39 -0400, =
=3D3D3D
> =20
>"Tom=3D3D3D20
> =3D
>> =
=3D20
> Bruhl"=20
<<A=3D3D3D20
> p; > =
=3D3D3D
>=20
=3D20
> =
=3D3D
>>href=3D3D3D3D"<A=3D20
> =20
=
=3D
>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net&l=
t;/A>>
>&n=3D3 D=3D
>3D'>mailto:arpegio@com=
cast.net">arpegio@comcast.net><B=3D
>R>>&a=
mp;n=3D3D3D=3D3D
>
>=20
=3D20
> >bsp;=3D3D3D20
> > =
=3D20
> =20
wrote:
>
>&a mp; >I thought I was groovin'=20
=3D
>but once=3D20
> the =3D3D3D
> =

>second=3D3D3D20
> > Mec=20
=3D
>was=3D20
> introduced
> =
>the system=20
stopped. That=3D20
> =3D3D3D
> =
>was a=20
few=3D3D3D20
> > =
=3D
>weeks=3D20
> =20
ago.
> >
> >Today I=20
tried=3D20
> =3D3D3D
> =20
>different=3D3D3D20
> p; > =
=3D
>cables,=20
eds=3D20
> cards, mecs, eliminated the =
=3D3D3D
>=20
=3D20
> =
>magma
=3D3D3D3D
&a mp;gt;and
>=20
=3D
>=3D3D3D20
> =3D20
> > =
>still no clock=20
lock or modules showing up in the=3D20
> =20
paris=3D3D3D20
> > patchbay.
>=20
=3D20
> >
> >This means to me=20
=3D3D3D
>=3D20
> =
>software=3D3D3D20
> ;=20
> unless someone tells me=3D20
> =20
differently.
> >
> =20
=3D
>=3D3D3D
> =3D20
> =20

>>l=3D3D3D20
> p; > have a new C drive =
which l=20
=3D
>will load=3D20
> XP and no pace. =>=20
Any=3D3D3D20
> > =3D20
> =>=20
other=3D3D3D3D20
> =
=3D
>>suggestions?
>=>=20
=3D20
> =3D3D3D
> >>
> =

=3D3D3D20
> =3D
>> =3D20
> =
>More=20
frustrated than my clients,
> =
=3D
>=3D3D3D
>=>=20
=3D20
> >>Tom
> =
=3D3D3D20
> >=>=20
=3D20
> >
> >
> =>=20
=3D
>>
> =3D20
> =
=3D3D3D
> =>=20
>>
> =3D3D3D20
> =
=3D
>> =>=20
>l=3D20
> choose Polesoft Lockspam to fight spam, and=20
you?
>=3D20
> =3D3D3D20
> =
> =>=20
=
=3D
>>http://www.polesoft.com/refer.html=3D20</BLOCKQUOTE></BODY=
></HTML>

-----=_NextPart_000_0067_01C81447.C4E16B00--

Subject: Re: Paris saga
Posted by [Tom Bruhl](#) on Mon, 22 Oct 2007 05:35:58 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0092_01C8144B.E5D05E80

Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Mastercard=3D0 was correct also.

I am going to try a clean OS with Paris on it too
if the PCI slots are still working.

Don't bother wishing me luck. There's none to be found.
Tom

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:471c3137@linux...

Mike,

I removed the default project and .cfg from the folder as you =
suggested.

Now the computer won't even boot with either of three eds cards =
installed.

No Magma, no word clock, no word clock line in the existing config.

I'm going to check with a network card to see if the PCI slots are =
burn't.

I tried three different ones with the eds. The one time Windows =
worked

with an eds card, the eds card didn't show up in device manager. =
That's=20
probably why.

There is some serious funk going on over here. Maybe mobo? If this =
is the

case I give up. It's not worth any more BS to me. There is no person
in my neighborhood to walk me through this. My tech helps me
but the problem seems to be from the ground up. I'm guessing 3-4
things still so wrong that nothing makes sense.

Cubase is looking more and more inviting, learning curve and all.
Tom

"Mike Audet" <mike@....> wrote in message news:471bcb77\$1@linux...

Hi Tom,

I have an idea.

Try removing UseHouseSync=3D1 from the paris.cfg file.

Next, remove your default project from the program files\emu\paris =
pro folder.
=20

Let me know if it makes a difference.

Good luck!

Mike

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>
>
>Mike,
>I used to use a Lucid but since all of this mess I stopped.
>I'm trying to get stable from square one with the least amount
>of hardware. I am using the default project for sure. The =
only=3D20
>other thing that I still question is my move of Paris to C:ParisPro =
..
>I should think the default project will either work or not. Maybe
>configs or something else is fighting during Paris startup?
>
>Pats 42 - Miami 7 . . . Halftime and the games over.
>Tom
>
>
>
> "Mike Audet" <mike@....> wrote in message =
news:471b6eb0\$1@linux...
>
> Hi Tom,
>
> Are you using a default project with PARIS? I'm so sorry of this =
has
=3D
>been
> asked and answered already. If so, perhaps it is telling card =
zero to
=3D
>lock
> to an external clock, which it can't because there isn't one.
>
> It would be interesting to attach an external clock source to the =
MEC
=3D
>and
> then start PARIS to see how it behaves. Or, if the clock =
generator is
=3D
>fried,
> tell paris to lock externally and see what happens when an =
external =3D
>clock
> source is applied.
>
> Isn't there a master house synch switch in the cfg file? I've =
never =3D
>used

> it. Maybe DJ could help with what that should/shouldn't be set =
to.
>
> Wish I could do more than think out loud...
>
> Mike
>
> "Tom Bruhl" <arpegio@comcast.net> wrote:
> >
> >
> >Hi Mike,
> >Well I've been to .cfg many a time.
> >I've seen that Mastercard setting as being 0
> >but maybe it changed after removing the 4 other
> >eds cards for this round of testing.
> >
> >If it's still 0 what else could this be? Busted mobo?
> >I'm really in an idunno place right now. I'll be checking
> >seriously today again because of a session tomorrow morning.
> >Tom
> >
> >
> > "Mike Audet" <mike@....> wrote in message =
news:471b2ec2\$1@linux...
> >
> > Hi Tom,
> >
> > If you've only got one card in, then the Mastercard =3D3D3D 0 =
setting
=3D
>is =3D3D
> >right.
> > The file is Paris.cfg, and it lives in the c:\program =3D
>files\Emu\PARIS
> =3D3D
> >PRO
> > folder.
> >
> > I'd still check it out to see what it is set to.
> >
> > If it is wrong, what you are describing will happen.
> >
> > Good luck!
> >
> > Mike
> >
> > "Tom Bruhl" <arpegio@comcast.net> wrote:
> > >

> > >
 > > >Thanks Dimitrios.
 > > >
 > > >Mike said the same thing. Is the ini in the Paris folde or =
 system
 =3D
 >=3D3D
 > >32?
 > > >Do I want the Master card to be 0 absolutely? I only have =
 one =3D
 >card
 > > >in there right now and it's all freaky just the same.
 > > >Tom
 > > >
 > > >
 > > >
 > > > "Dimitrios" <musurgio@otenet.gr> wrote in message =3D3D3D
 > > >news:471a0486\$1 @linux...
 > > >
 > > > Hi Tom !@
 > > > Sorry to hear you still having problems like this ~!!
 > > > Must be very frustrating.
 > > > Open the Paris ini file and there change the =
 mastercardoutput =3D
 >with
 > =3D3D
 > >=3D3D3D
 > > >your other
 > > > cards and see what happens !!
 > > > Let me know.
 > > > Regards,
 > > > Dimitrios
 > > >
 > > > "Tom Bruhl" <arpeggio@comcast.net> wrote:
 > > > >
 > > > >
 > > > >Rick,
 > > > >1 mec, no BNC involved. Paris boots up so the 1 mec that
 > > > >I'm using shows up but never any A to Ds or any installed =
 =3D
 >modules.
 > > > >This is the same symptom before I repaired one of my mecs =
 with
 =3D
 >a
 > > > >new chip. The clock light continues to flash too. Never =
 locks
 =3D

>=3D3D
> >in.
> > > >
> > > >I am using the simplest setup I can imagine and still it's =
not
=3D
>=3D3D3D
> > >working.
> > > >Mike A. suggested the .ini file to make sure card A is 0. =
=3D
>I'll =3D3D
> >try
> > =3D3D3D
> > >=3D3D3D3D
> > > >that.
> > > >Pretty sure it's right but who knows?
> > > >Thanks,
> > > >Tom
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >"rick" <parnell68@hotmail.com> wrote in message =3D3D3D3D
> > > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> > > > i know this as dumb as it gets but the bnc is attached =
in the
=3D
>=3D3D
> >right
> > > > order...right?
> > > > all the cards show up in paris with the single mec?
> > > > how many i/o cards in each mec?
> > > >
> > > >
> > > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D3D3D
> > ><arpeggio@comcast.net>
> > > > wrote:
> > > >
> > > > >I thought I was groovin' but once the second Mec was =
=3D
>introduced
> > > > >the system stopped. That was a few weeks ago.
> > > > >
> > > > >Today I tried different cables, eds cards, mecs, =
eliminated
=3D
>the

> =3D3D
> >=3D3D3D
> > >magma
> > > =3D3D3D3D
> > > >and
> > > >still no clock lock or modules showing up in the paris =
=3D3D
> >patchbay.
> > > >
> > > >>This means to me software unless someone tells me =3D
> > > > >differently.
> > > > >
> > > > >I have a new C drive which I will load XP and no pace. =

Any

=3D
>=3D3D3D3D
> > >other=3D3D3D3D20
> > > > >suggestions?
> > > > >
> > > > >More frustrated than my clients,
> > > > >Tom
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >I choose Polesoft Lockspam to fight spam, and you?
> > > > ><http://www.polesoft.com/refer.html> =3D3D3D3D20
> > > >
> > > >
> > > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =

Transitional//EN">

> > > ><HTML><HEAD>
> > > ><META http-equiv=3D3D3D3D3DContent-Type =3D
> > > >>content=3D3D3D3D3D"text/html; =3D3D
> > > >=3D3D3D3D3D
> > > >>charset=3D3D3D3D3D3Diso-8859-1">
> > > ><META content=3D3D3D3D3D3D"MSHTML 6.00.2800.1400" =3D
> > > >>name=3D3D3D3D3D3DGENERATOR>
> > > ><STYLE></STYLE>
> > > ></HEAD>
> > > ><BODY bgColor=3D3D3D3D3D#ffffff>
> > > ><DIV><FONT face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D2>Rick,</DIV>
> > > ><DIV>1 mec, no =
BNC =3D
> > >involved. =3D3D
> > >Paris =3D3D3D
> > >=3D3D3D3D3D

> > > >boots up so the=3D3D3D3D20
> > > >1 mec that</DIV>
> > > ><DIV>I'm using =
shows up
=3D
>but =3D3D
> >never any
> > =3D3D3D
> > >A to =3D3D3D3D
> > > >Ds or any=3D3D3D3D20
> > > >installed modules.</DIV>
> > > ><DIV>This is =
the same =3D
>symptom
> =3D3D
> >before
> > =3D3D3D
> > >I =3D3D3D3D
> > > >repaired one of=3D3D3D3D20
> > > >my mecs with a</DIV>
> > > ><DIV>new chip. =
The =3D
>clock light
> =3D3D
> >=3D3D3D3D
> > > >continues to flash=3D3D3D3D20
> > > >too. Never locks in.</DIV>
> > > ><DIV> =
</DIV>
> > > ><DIV>I am =
using the =3D
>simplest =3D3D
> >setup I
> > =3D3D3D
> > >can =3D3D3D3D
> > > >imagine and=3D3D3D3D20
> > > >still it's not working.</DIV>
> > > ><DIV>Mike A. =
suggested
=3D
>the =3D3D
> >.ini file
> > =3D3D3D
> > >=3D3D3D3D
> > > >to make sure=3D3D3D3D20
> > > >card A is 0. I'll try that.</DIV>
> > > ><DIV>Pretty =
sure it's =3D

```

>right =3D3D
> >but who =3D3D3D
> > >=3D3D3D3D
> > > >knows?</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial =3D
>size=3D3D3D3D3D2>Thanks,</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial =
size=3D3D3D3D3D2>Tom</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =
</DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =
</DIV>
> > > ><DIV> </DIV>
> > > ><DIV> </DIV>
> > > ><DIV> </DIV>
> > > ><DIV>"rick" <<A=3D3D3D3D20
> > > =3D3D
> =3D
=
>>>href=3D3D3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com</A=
>>
=3D
>=3D3D
> >=3D3D3D
> > >=3D3D3D3D
> > > >wrote in=3D3D3D3D20
> > > >message <A=3D3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>>href=3D3D3D3D3D"news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news=
:in=3D
>qgh=3D3D
> >393=3D3D3D
> > >an5=3D3D3D3D
> > > >s4m99qcaojn09vn112t4u6r@4ax.com</A>...</DIV>
> > > ><BLOCKQUOTE=3D3D3D3D20
> > > >style=3D3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
=3D
>MARGIN-LEFT: =3D3D
> >5px; =3D3D3D
> > >=3D3D3D3D
> > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =
0px">i=3D3D3D3D20
> > > > know this as dumb as it gets but the bnc is attached in =
=3D3D
> >the=3D3D3D3D20

```

> > > > right
order...right?
all the cards show up in =
 paris =3D
 >with =3D3D
 > >the
 > > =3D3D3D
 > > >=3D3D3D3D
 > > > >single=3D3D3D3D20
 > > > > mec?
how many i/o cards in each mec?

On =
 Fri, 19
 =3D
 >=3D3D
 > >Oct =3D3D3D
 > > >2007
 > > > =3D3D3D3D
 > > > >
 > > > > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D3D20
 > > > > =3D3D3D3D
 > > > =3D3D3D
 > > =3D3D
 > =3D
 =
 >>>>href=3D3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net><=
 BR>=3D
 >wro=3D3D
 > >te:=3D3D3D
 > > >=3D3D3D3D
 > > > >

>I=3D3D3D3D20
 > > > > thought I was groovin' but once the second Mec was =
 =3D3D3D3D
 > > > >introduced
>the=3D3D3D3D20
 > > > > system stopped. That was a few weeks ago.
>
>Today =
 I =3D
 >=3D3D3D3D
 > > > >tried=3D3D3D3D20
 > > > > different cables, eds cards, mecs, eliminated the magma =
 =3D
 >=3D3D3D3D
 > > > >and
>still no=3D3D3D3D20
 > > > > clock lock or modules showing up in the paris =3D3D3D3D
 > > > > patchbay.
>
>This=3D3D3D3D20
 > > > > means to me software unless someone tells me =3D3D3D3D
 > > > > differently.
>
>I=3D3D3D3D20
 > > > > have a new C drive which I will load XP and no pace. Any =
 =3D3D
 > >other=3D3D3D3D20
 > > > >
>suggestions?
>
>More frustrated than =
 my=3D3D3D3D20
 > > > > clients,
>Tom
>
>
>
>
>I choose =

=3D3D3D3D

> > > >Polesoft=3D3D3D3D20
> > > > Lockspam to fight spam, and=3D3D3D3D20
> > > > you?
>http://www.polesoft.com/refer.html =3D3D3D3D20
> > > >
</BLOCKQUOTE></BODY></HTML>
> > > >
> > > >
> > >
> > >

> > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =
Transitional//EN">

> > ><HTML><HEAD>
> > ><META http-equiv=3D3D3D3DContent-Type =
content=3D3D3D3D"text/html; =3D
>=3D3D3D3D

> > > charset=3D3D3D3Diso-8859-1">
> > ><META content=3D3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3D3DGENERATOR>

> > ><STYLE></STYLE>
> > ></HEAD>
> > ><BODY bgColor=3D3D3D3D#ffffff>
> > ><DIV>Thanks =3D
>Dimitrios.</DIV>
> > ><DIV> </DIV>
> > ><DIV>Mike said the =
same thing.

=3D
> ls =3D3D
> >the =3D3D3D
> > >ini in the=3D3D3D20
> > >Paris folde or system 32?</DIV>
> > ><DIV>Do I want the =

Master card
=3D

>to be
> =3D3D
> >0=3D3D3D20
> > >absolutely? I only have one card</DIV>
> > ><DIV>in there right =

now and =3D

>it's all
> =3D3D
> >freaky
> > =3D3D3D
> > >just the=3D3D3D20
> > >same.</DIV>
> > ><DIV>Tom</DIV>
> > ><DIV> </DIV>

> > ><DIV> </DIV>
> > ><DIV> </DIV>
> > ><BLOCKQUOTE=3D3D3D20
> > >style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
MARGIN-LEFT: =3D
>5px; =3D3D
> >=3D3D3D
> > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > > <DIV>"Dimitrios" <<A=3D3D3D20
> > > =
href=3D3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr> =3D
>wrote
> =3D3D
> >in =3D3D3D
> > >message=3D3D3D20
> > > <A =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D"news:471a0486\$1@linux">news:471a0486\$1@linux...</DIV=
><B=3D
>R>H=3D3D
> >i
> > =3D3D3D
> > >Tom=3D3D3D20
> > > !@
Sorry to hear you still having problems like this =3D
>~!!
Must
> =3D3D
> >be
> > =3D3D3D
> > >very=3D3D3D20
> > > frustrating.
Open the Paris ini file and there change =
the =3D
>=3D3D3D
> > >mastercardoutput=3D3D3D20
> > > with your other
cards and see what happens !!
Let =3D
>me=3D3D3D20
> > > know.
Regards,
Dimitrios

"Tom Bruhl" =
<<A=3D3D3D20
> > > =3D
=
>href=3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D=
D20
> > > wrote:
>
>
>Rick,
>>1 mec, no BNC =3D3D3D
> > >involved. Paris=3D3D3D20
> > > boots up so the 1 mec that
>>I'm using shows up but never =
any
=3D

>each=3D3D3D20
> > > mec?
>
>
> On Fri, 19 Oct 2007 00:22:39 -0400, =
=3D3D3D
> > > "Tom=3D3D3D20
> > > Bruhl" <<A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
=
>&n=3D
>=3D3D3D=3D3D
> >
> > >bsp;=3D3D3D20
> > > wrote:
>
> >I thought I was groovin' but once the =
=3D3D3D
> > >second=3D3D3D20
> > > Mec was introduced
> >the system stopped. That =3D3D3D
> > >was a few=3D3D3D20
> > > weeks ago.
> >
> >Today I tried =3D3D3D
> > >different=3D3D3D20
> > > cables, eds cards, mecs, eliminated the =3D3D3D
> > >magma
=3D3D3D3D
>and
> =3D3D3D20
> > > >still no clock lock or modules showing up in the =
paris=3D3D3D20
> > > patchbay.
> >
> >This means to me =3D3D3D
> > >software=3D3D3D20
> > > unless someone tells me differently.
> >
> =3D3D3D
> > >>I=3D3D3D20
> > > have a new C drive which I will load XP and no pace. =
Any=3D3D3D20
> > > other=3D3D3D3D20
> >suggestions?
> =3D3D3D
> > >>
> =3D3D3D20
> > > >More frustrated than my clients,
> =3D3D3D
> > >>Tom
> =3D3D3D20
> > > >
> >
> >
> =3D3D3D
> > >>
> =3D3D3D20
> > > >I choose Polesoft Lockspam to fight spam, and you?
> =
=3D3D3D20
> > > >http://www.polesoft.com/refer.html =3D3D3D20
> > > =3D3D3D3D20
>
>
><!DOCTYPE HTML PUBLIC =
"-//W3C//DTD =3D3D3D
> > >HTML 4.0=3D3D3D20
> > > Transitional//EN">
><HTML><HEAD>
><META=3D3D3D20
> > > http-equiv=3D3D3D3D3DContent-Type =3D
>content=3D3D3D3D3D"text/html;=3D3D3D20
> > > =3D3D3D3D
>charset=3D3D3D3D3Diso-8859-1">
><META =
=3D3D3D

```

> > >content=3D3D3D3D3D"MSHTML=3D3D3D20
> > > 6.00.2800.1400"=3D3D3D20
> > > =3D3D3D
> > =
>name=3D3D3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D3D3D
> > >D><BR>><BODY=3D3D3D20
> > > bgColor=3D3D3D3D3D#ffffff><BR>><DIV><FONT =3D
>face=3D3D3D3D3DArial=3D3D3D20
> > > =3D3D3D
> > >size=3D3D3D3D3D2>Rick,</FONT></DIV>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>1 mec, no BNC =
involved. Paris
=3D
>=3D3D3D
> > >=3D3D3D3D<BR>>boots up so=3D3D3D20
> > > the=3D3D3D3D20<BR>>1 mec =3D3D3D
> > >that</FONT></DIV>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using shows up =
but never =3D
>any A to
> =3D3D
> >=3D3D3D
> > >=3D3D3D3D<BR>>Ds or=3D3D3D20
> > > any=3D3D3D3D20<BR>>installed=3D3D3D20
> > > modules.</FONT></DIV>><DIV><FONT =3D3D3D
> > >face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>This is the same symptom before I =3D
>=3D3D3D3D<BR>>repaired =3D3D
> >=3D3D3D
> > >one=3D3D3D20
> > > of=3D3D3D3D20<BR>>my mecs with=3D3D3D20
> > > a</FONT></DIV>><DIV><FONT face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>new chip. The clock light =
=3D3D3D3D<BR>>continues =3D
>to=3D3D3D20
> > > flash=3D3D3D3D20<BR>>too. Never locks=3D3D3D20
> > > in.</FONT></DIV>><DIV><FONT face=3D3D3D3D3DArial =
=3D3D3D
> > >
> > > size=3D3D3D3D3D2></FONT> </DIV>><DIV><FONT =3D3D3D
> > >face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>I am using the simplest setup I can =3D3D
> >=3D3D3D3D<BR>>imagine=3D3D3D20
> > > and=3D3D3D3D20<BR>>still it's not=3D3D3D20
> > > working.</FONT></DIV>><DIV><FONT =3D3D3D
> > >face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Mike A. suggested the .ini file =
=3D3D3D3D<BR>>to =3D

```

```

>make=3D3D3D20
> > > sure=3D3D3D3D20<BR>>card A is 0. I'll try=3D3D3D20
> > > that.</FONT></DIV><BR>><DIV><FONT =3D3D3D
> > >face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Pretty sure it's right but who=3D3D3D20
> > > =3D3D3D3D<BR>>knows?</FONT></DIV><BR>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial=3D3D3D20
> > > =3D3D3D
> > >size=3D3D3D3D3D2>Thanks,</FONT></DIV><BR>><DIV><FONT=3D3D3D
> > >=3D3D3D20
> > > face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =3D3D3D
> > ></DIV><BR>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =3D3D3D
> > ></DIV><BR>><DIV>=3D3D3D20
> > > </DIV><BR>><DIV> </DIV><BR>><DIV>=3D3D3D20
> > > </DIV><BR>><DIV>"rick" =3D3D3D
> > ><<A=3D3D3D3D20<BR>>href=3D3D3D3D3D"<A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>=
mai=3D
>lto=3D3D
> >:pa=3D3D3D
> > >rnell68@hotmail.com">parnell68@hotmail.com</A</A>>>=3D3D3D20
> > > =3D3D3D3D<BR>>wrote in=3D3D3D3D20<BR>>message =3D
><A=3D3D3D3D20<BR>>href=3D3D3D3D3D"<A
> =3D3D
> >=3D3D3D
> > >
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in=
qgh=3D
>393=3D3D
> >an5=3D3D3D
> > =3D3D
> =3D
=
>>>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393an5</A=
=3D3D=3D
>3D=3D3D
> >

```

> > =3D
=
>>>=3D3D3D3D
>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
&=3D3D3D=

> > =
>gt;<BLOCKQUOTE=3D3D3D3D20
>style=3D3D3D3D3D"PADDING-RIGHT:=3D3D3D20
> > > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
>=3D3D3D3D
>BORDER-LEFT: =3D3D3D
> >=3D3D3D3D
> > >#000000 2px=3D3D3D20
> > > solid; MARGIN-RIGHT: 0px">i=3D3D3D3D20
> know this as =
dumb as
=3D
>=3D3D3D3D
> > >it gets=3D3D3D20
> > > but the bnc is attached in the=3D3D3D3D20
> =3D3D3D20
> > > right
order...right?
all the cards show up in paris =
=3D3D3D3D
> > >with the=3D3D3D20
> > > =3D3D3D3D
>single=3D3D3D3D20
> mec?
how many i/o =
cards =3D
>=3D3D3D3D
> > >in each=3D3D3D20
> > > mec?

On Fri, 19 Oct=3D3D3D20
> > > 2007
=3D3D3D3D
>
> 00:22:39 -0400, "Tom =
Bruhl"=3D3D3D20
> > > <<A=3D3D3D3D20
> =
=3D3D3D3D
>href=3D3D3D3D3D"<A=3D3D3D20
> > > =3D3D3D3D
> > =3D3D3D
> =3D
=
>>>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
=
wro=3D
>te'=3D3D3D
> >>ma=3D3D3D3D
> > =
>ilto:arpegio@comcast.net">arpegio@comcast.net>
w=3D3D3D3D
> > >rote:=3D3D3D3D
>

>I=3D3D3D3D20
> =3D3D3D20
> > > thought I was groovin' but once the second Mec was=3D3D3D20
> > > =3D3D3D3D
>introduced
>the=3D3D3D3D20
> system =
=3D3D3D3D
> > >stopped. That was=3D3D3D20
> > > a few weeks ago.
>
>Today I=3D3D3D20
> > > =3D3D3D3D
>tried=3D3D3D3D20
> different cables, eds =
cards, =3D
>mecs, =3D3D3D3D
> > >eliminated=3D3D3D20


```

> > > the magma =3D3D3D3D<BR>>and<BR>>still no=3D3D3D3D20<BR>> =
=3D3D3D3D
> > >clock lock or=3D3D3D3D20
> > > modules showing up in the paris=3D3D3D3D20
> > > =3D3D3D3D
> > >=3D3D3D3D3D<BR>>patchbay.<BR>><BR>>This=3D3D3D3D20<BR>> =
=3D3D3D3D
> > >means to=3D3D3D3D20
> > > me software unless someone tells me=3D3D3D3D20
> > > =3D3D3D3D
> > >=3D3D3D3D3D<BR>>differently.<BR>><BR>>I=3D3D3D3D20<BR>> =
=3D3D3D3D
> > >have a new=3D3D3D3D20
> > > C drive which I will load XP and no pace. Any =3D
>other=3D3D3D3D20<BR>> =3D3D3D
> >=3D3D3D3D
> > >
> > > <BR>>suggestions?<BR>><BR>>More frustrated =3D3D3D3D
> > >than=3D3D3D3D20
> > > my=3D3D3D3D20<BR>> =3D3D3D3D20
> > > =3D3D3D3D
> > >clients,<BR>>Tom<BR>><BR>><BR>><BR>><BR>=3D3D3D3D
> > >>><BR>>I=3D3D3D3D20
> > > choose =3D3D3D3D3D<BR>>Polesoft=3D3D3D3D20<BR>> Lockspam to =
fight =3D
>spam,=3D3D3D3D20
> > > and=3D3D3D3D20<BR>> =3D3D3D3D
> > >you?<BR>>http://www.polesoft.com/refer.html=3D3D3D3D20
> > > =3D3D3D3D
> > >=3D3D3D3D20<BR>><BR></BLOCKQUOTE></BODY></HTML><BR>&=3D3D3D3D
> > >gt;<BR>><BR></BLOCKQUOTE></BODY></HTML>
> > >
> > >
> > >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> ><HTML><HEAD>
> ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =
=3D3D3D
> >charset=3D3D3Diso-8859-1">
> ><META content=3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3DGENERATOR>
> ><STYLE></STYLE>
> ></HEAD>
> ><BODY bgColor=3D3D3D#ffffff>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Hi Mike,</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Well I've been to .cfg =
many a =3D

```

```

>=3D3D
> >time.</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>I've seen that =
Mastercard =3D
>setting as =3D3D
> >being=3D3D20
> >0</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>but maybe it changed =
after =3D
>removing the
> =3D3D
> >4=3D3D20
> >other</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>eds cards for this =
round of =3D3D
> >testing.</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>If it's still 0 what =
else could
=3D
>this =3D3D
> >be? =3D3D20
> >Busted mobo?</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>I'm really in an idunno =
place =3D
>right =3D3D
> >now. !ll=3D3D20
> >be checking</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>seriously today again =
because of
=3D
>a =3D3D
> >session tomorrow=3D3D20
> >morning.</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Tom</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> ><BLOCKQUOTE=3D3D20
> >style=3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
5px; =3D
>=3D3D
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > <DIV>"Mike Audet" <mike@....> wrote in message <A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D"news:471b2ec2$1@linux">news:471b2ec2$1@linux</A>...</DIV><B=
R>H=3D

```

>=3D3D20
 > > Tom,

If you've only got one card in, then the =
 Mastercard =3D
 >=3D3D3D 0
 > =3D3D
 > >setting is=3D3D20
 > > right.
 The file is Paris.cfg, and it lives in the =3D
 >c:\program=3D3D20
 > > files\Emu\PARIS PRO
folder.

'I'd still check it out =
 to see
 =3D
 >=3D3D
 > >what it is=3D3D20
 > > set to.

If it is wrong, what you are describing =
 will=3D3D20
 > > happen.

Good luck!

Mike

"Tom Bruhl" =
 <<A=3D3D20
 > > =
 href=3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net=3D3D20
 > > wrote:
>
>
>Thanks Dimitrios.
>
>Mike =3D3D
 > >said the=3D3D20
 > > same thing. Is the ini in the Paris folde or system =3D3D
 > >32?
>Do I want=3D3D20
 > > the Master card to be 0 absolutely? I only have one =3D3D
 > >card
>in there=3D3D20
 > > right now and it's all freaky just the=3D3D20
 > > same.
>Tom
>
>
>
> "Dimitrios" =3D3D
 > ><<A=3D3D20
 > > href=3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr =
 wrote
 =3D
 >in =3D3D
 > >message=3D3D20
 > > =3D3D3D
>news:471a0486\$1@linux...
>
> Hi Tom=3D3D20
 > > !@
> Sorry to hear you still having problems like =
 this=3D3D20
 > > ~!!
> Must be very frustrating.
> Open the =3D3D
 > >Paris ini=3D3D20
 > > file and there change the mastercardoutput with =
 =3D3D3D
>your=3D3D20
 > > other
> cards and see what happens !!
> Let me =3D3D
 > >
 > > know.
> Regards,
> =3D3D
 > >Dimitrios
>
> =3D3D20
 > > "Tom Bruhl" <<A=3D3D20
 > > =
 href=3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net=3D3D20
 > > wrote:
> >
> >
> =3D3D20

> > >Rick,
> >1 mec, no BNC involved. Paris boots =3D3D
> >up so=3D3D20
> > the 1 mec that
> >I'm using shows up but never any A to =
=3D3D
> >Ds or=3D3D20
> > any installed modules.
> >This is the same symptom =3D3D
> >before l=3D3D20
> > repaired one of my mecs with a
> >new chip. The =3D3D
> >clock=3D3D20
> > light continues to flash too. Never locks in.
> =3D3D20
> >
> >I am using the simplest setup I can imagine and =3D3D
> >still=3D3D20
> > it's not =3D3D3D
>working.
> >Mike A. suggested =3D3D
> >the .ini=3D3D20
> > file to make sure card A is 0. I'll =3D3D
> >try
=3D3D3D
>=3D3D3D3D
> =3D3D20
> > >that.
> >Pretty sure it's right but who=3D3D20
> > knows?
> >Thanks,
> >Tom
> =3D3D20
> >
>
>
> =3D3D
> >
> =3D3D20
> >
> >"rick" <<A=3D3D20
> > =

[href=3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com>](mailto:parnell68@hotmail.com)

=3D
>=3D3D
> >wrote in=3D3D20
> > message =3D3D3D3D
> =3D3D20
> > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =
=3D3D20

> > > i know this as dumb as it gets but the bnc is attached in =
=3D3D

> >the=3D3D20
> > right
> > order...right?
> > =3D3D
> >all the=3D3D20
> > cards show up in paris with the single mec?
> > =3D3D
> >how many=3D3D20
> > i/o cards in each mec?
> >
> =3D3D
> >
> =3D3D20
> > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D3D
> >=3D3D3D
><<A=3D3D20
> > =3D3D
> =3D
=

>>[href=3D3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>
>&n=
=3D3D=3D](mailto:arpeggio@comcast.net)

>
> >bsp;=3D3D20
> > > wrote:
> >
> > >I =3D3D

> >thought I=3D3D20
 > > was groovin' but once the second Mec was introduced
> =
 =3D3D
 > >> =3D3D20
 > > >the system stopped. That was a few weeks ago.
> =3D3D20
 > > >
> > >Today I tried different =3D3D
 > >cables,=3D3D20
 > > eds cards, mecs, eliminated the =3D3D3D
>magma
> =3D3D
 > >=3D3D3D3D
> =3D3D20
 > > >and
> > >still no clock lock or modules =3D3D
 > >showing up=3D3D20
 > > in the paris patchbay.
> > >
> =3D3D
 > >> =3D3D20
 > > >This means to me software unless someone tells me=3D3D20
 > > differently.
> > >
> > =3D3D
 > >>I have=3D3D20
 > > a new C drive which I will load XP and no pace. Any=3D3D20
 > > =3D3D3D
>other=3D3D3D3D20
> > =3D3D
 > >>suggestions?
> =3D3D20
 > > >
> > >More frustrated than my=3D3D20
 > > clients,
> > >Tom
> > =3D3D20
 > > >
> > >
> > =3D3D
 > >>
> =3D3D20
 > > >
> > >I choose Polesoft =3D3D
 > >Lockspam to=3D3D20
 > > fight spam, and you?
> > =3D3D20
 > > >http://www.polesoft.com/refer.html =3D3D3D3D20
> =3D3D20
 > > >
> >
> ><!DOCTYPE HTML PUBLIC=3D3D20
 > > "-//W3C//DTD HTML 4.0 Transitional//EN">
> =3D3D20
 > > ><HTML><HEAD>
> ><META=3D3D20
 > > http-equiv=3D3D3D3D3DContent-Type =
 content=3D3D3D3D3D"text/html; =3D3D
 > >=3D3D3D3D
> =3D3D20
 > > >charset=3D3D3D3D3DDiso-8859-1">
> ><META =3D3D
 > >content=3D3D3D3D3D"MSHTML=3D3D20
 > > 6.00.2800.1400" name=3D3D3D3D3DGENERATOR>
> =3D3D20
 > > ><STYLE></STYLE>
> =3D3D
 > >></HEAD>
> =3D3D20
 > > ><BODY bgColor=3D3D3D3D3D#ffffff>
> =3D3D
 > >><DIV><FONT=3D3D20
 > > face=3D3D3D3D3DArial =3D3D
 > >size=3D3D3D3D3D2>Rick,</DIV>
> =3D3D20
 > > ><DIV>1 mec, no =
 BNC =3D3D
 > >involved.=3D3D20
 > > Paris =3D3D3D
>=3D3D3D3D
> >boots up so =3D3D
 > >the=3D3D3D3D20
> >1=3D3D20
 > > mec that</DIV>
> =3D3D

```

> >><DIV><FONT=3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using shows up but =
never =3D3D
> >any<BR>=3D3D3D<BR>>A to=3D3D20
> > =3D3D3D3D3D<BR>> >Ds or any=3D3D3D3D20<BR>> >installed=3D3D20
> > modules.</FONT></DIV><BR>> =3D3D
> >><DIV><FONT=3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2>This is the same symptom =
=3D3D
> >before<BR>=3D3D3D<BR>>I=3D3D20
> > =3D3D3D3D3D<BR>> >repaired one of=3D3D3D3D20<BR>> >my =3D3D
> >mecs with=3D3D20
> > a</FONT></DIV><BR>> ><DIV><FONT=3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2>new chip. The clock =
light =3D3D
> >=3D3D3D3D3D<BR>> =3D3D20
> > >continues to flash=3D3D3D3D20<BR>> >too. Never locks=3D3D20
> > in.</FONT></DIV><BR>> ><DIV><FONT=3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =3D3D
> ></DIV><BR>> =3D3D20
> > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>I am using =
=3D3D
> >the simplest=3D3D20
> > setup I<BR>=3D3D3D<BR>>can =3D3D3D3D<BR>> >imagine =3D3D
> >and=3D3D3D3D20<BR>> =3D3D20
> > >still it's not working.</FONT></DIV><BR>> =3D3D20
> > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>Mike A. =
=3D3D
> >suggested the=3D3D20
> > .ini file<BR>=3D3D3D<BR>>=3D3D3D3D<BR>> >to make =3D3D
> >sure=3D3D3D3D20<BR>> =3D3D20
> > >card A is 0. I'll try that.</FONT></DIV><BR>> =3D3D
> >
> > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>Pretty sure =
=3D3D
> >it's right=3D3D20
> > but who =3D3D3D<BR>>=3D3D3D3D<BR>> =3D3D20
> > >knows?</FONT></DIV><BR>> =3D3D
> >><DIV><FONT=3D3D20
> > face=3D3D3D3D3DArial =3D3D
> >size=3D3D3D3D3D2>Thanks,</FONT></DIV><BR>> =3D3D20
> > ><DIV><FONT face=3D3D3D3D3DArial=3D3D20
> > size=3D3D3D3D3D2>Tom</FONT></DIV><BR>> =3D3D20
> > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =
=3D3D
> >
> > </DIV><BR>> ><DIV><FONT face=3D3D3D3D3DArial=3D3D20
> > size=3D3D3D3D3D2></FONT> </DIV><BR>> =3D3D

```

> ><DIV>=3D3D20
> > </DIV>
> ><DIV> </DIV>
> =3D3D20
> > ><DIV> </DIV>
> ><DIV>"rick"=3D3D20
> > <<A=3D3D3D3D20
> >href=3D3D3D3D3D" <A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mai=
lto=3D
>:pa=3D3D
> >rnell68@hotmail.com">parnell68@hotmail.com</A>=3D3D20
> > =3D3D3D
>=3D3D3D3D
> >wrote in=3D3D3D3D20
> =3D3D
> >>message=3D3D20
> > <A=3D3D3D3D20
> =3D3D3D
>>href=3D3D3D3D3D" <A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh=
393=3D
>'>n=3D3D
> =3D
=
>>ews:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393=3D3D3=
D<B=3D
>=3D3D
> >R>>an5=3D3D3D3D
> =3D3D20
> > =3D3D
> >>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> =3D3D
> >;=3D3D20
> > ><BLOCKQUOTE=3D3D3D3D20
> =3D3D
> >>style=3D3D3D3D3D"PADDING-RIGHT: 0px;=3D3D20
> > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3D3D3D
>=3D3D3D3D
> =3D3D20
> > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =3D3D
> >0px">i=3D3D3D3D20
> =3D3D20
> > > know this as dumb as it gets but the bnc is attached =
in=3D3D20
> > the=3D3D3D3D20
> > =3D3D
> >right
order...right?
all=3D3D20
> > the cards show up in paris with =
the
=3D3D3D
>=3D3D3D3D
> =3D3D20
> > >single=3D3D3D3D20
> > mec?
how many i/o =3D3D
> >cards in=3D3D20
> > each mec?

On Fri, 19 Oct=3D3D20
> > =3D3D3D
>2007
> =3D3D3D3D
> >
> =3D3D
> >> =3D3D20
> > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D3D20
> > =3D3D20
> > =3D3D3D3D
> =3D3D3D
>>href=3D3D3D3D3D" <A=3D3D20

> > =3D3D
> =3D
=
>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
wro=te'=3D
>>ma=3D3D
> >mailto:arpegio@comcast.net">arpegio@comcast.net>
w=3D3D
> >rote:=3D3D3D3D
>=3D3D3D3D3D
> =3D3D20
> >

>I=3D3D3D3D20
> > thought =3D3D
> >I was=3D3D20
> > groovin' but once the second Mec was =3D3D3D3D
> =3D3D20
> > >introduced
>the=3D3D3D3D20
> > system =3D3D
> >stopped.=3D3D20
> > That was a few weeks ago.
>
>Today I =3D3D
> >=3D3D3D3D
> =3D3D20
> > >tried=3D3D3D3D20
> > different cables, eds cards, =3D3D
> >mecs,=3D3D20
> > eliminated the magma =3D3D3D3D
> >and
>still=3D3D20
> > no=3D3D3D3D20
> > clock lock or modules showing up in =
=3D3D
> >the paris=3D3D20
> > =3D3D3D3D
> =3D3D20
> > >patchbay.
>
>This=3D3D3D3D20
> =3D3D
> >> =3D3D20
> > means to me software unless someone tells me =3D3D3D3D
> =
=3D3D20
> > >differently.
>
>I=3D3D3D3D20
> =3D3D
> >> =3D3D20
> > have a new C drive which I will load XP and no pace. =
Any=3D3D20
> > other=3D3D3D3D20
> > =3D3D20
> >
>suggestions?
>
>More frustrated =3D3D
> >than=3D3D20
> > my=3D3D3D3D20
> > =3D3D20
> > =3D3D
> >clients,
>Tom
>
>
>
>
=3D3D
> >>>
>I=3D3D20
> > choose =3D3D3D3D
> >Polesoft=3D3D3D3D20
> =3D3D
> >> Lockspam=3D3D20
> > to fight spam, and=3D3D3D3D20
> > =3D3D20
> > you?
>http://www.polesoft.com/refer.html =3D3D
> >=3D3D3D3D20
> =3D3D20
> > =3D3D
> >>
</BLOCKQUOTE></BODY></HTML>
> =3D3D
> >=3D3D20
> > >
> >
>
>
><!DOCTYPE HTML =3D3D
> >PUBLIC=3D3D20
> > "-//W3C//DTD HTML 4.0=3D3D20

```

> > Transitional//EN"><BR>><HTML><HEAD><BR>><META=3D3D20
> > http-equiv=3D3D3D3DContent-Type =
content=3D3D3D3D"text/html;=3D3D20
> > =3D3D3D<BR>>charset=3D3D3D3Diso-8859-1"><BR>><META =3D3D
> >content=3D3D3D3D"MSHTML=3D3D20
> > 6.00.2800.1400"=3D3D20
> > =3D3D
> >name=3D3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D3D
> >D><BR>><BODY=3D3D20
> > bgcolor=3D3D3D3D#ffffff><BR>><DIV><FONT =
face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2>Thanks=3D3D20
> > Dimitrios.</FONT></DIV><BR>><DIV><FONT =3D3D
> >face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2></FONT> </DIV><BR>><DIV><FONT =3D3D
> >face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2>Mike said the same thing. Is the =
=3D3D3D<BR>>ini in =3D3D
> >
> > the=3D3D3D20<BR>>Paris folde or system=3D3D20
> > 32?</FONT></DIV><BR>><DIV><FONT face=3D3D3D3DArial =3D3D
> >
> > size=3D3D3D3D2>Do I want the Master card to be =3D3D
> >0=3D3D3D20<BR>>absolutely? I=3D3D20
> > only have one card</FONT></DIV><BR>><DIV><FONT =3D3D
> >
> > face=3D3D3D3DArial size=3D3D3D3D2>in there right now and it's =
all=3D3D20
> > freaky<BR>=3D3D3D<BR>>just=3D3D20
> > =3D3D
> >the=3D3D3D20<BR>>same.</FONT></DIV><BR>><DIV><FONT=3D3D
> >=3D3D20
> > face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D3D
> ></DIV><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D3D
> ></DIV><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3DArial size=3D3D3D3D2></FONT>=3D3D20
> > =3D3D
> >
></DIV><BR>><BLOCKQUOTE=3D3D3D20<BR>>style=3D3D3D3D"PADDING-RIGHT: =3D3D
> >0px;=3D3D20
> > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D3D<BR>>BORDER-LEFT: =
#000000
=3D
>=3D3D
> >2px solid;=3D3D20

```

```

> > MARGIN-RIGHT: 0px"><BR>> <DIV>"Dimitrios"=3D3D20
> > <<A=3D3D3D20<BR>> href=3D3D3D3D"<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>'mailto:mu=
sur=3D
>gio=3D3D
> >@otenet.gr">musurgio@otenet.gr</A</A>>=3D3D20
> > wrote in =3D3D3D<BR>>message=3D3D3D20<BR>> <A =3D3D
> >=3D3D3D<BR>>href=3D3D3D3D"<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D'news:471a0486$1@linux">news:471a0486$1@linux</A>...</DIV><B=
R>H=3D
>i'>=3D3D
> >news:471a0486$1@linux">news:471a0486$1@linux</A>...</DIV>&=3D3D
> >lt;BR>Hi</A><BR>=3D3D3D<BR>>Tom=3D3D3D20<BR>> =3D3D20
> > <A href=3D3D3D"mailto:!!@<BR>Sorry">!!@<BR>Sorry</A> to hear you =
still
=3D
>=3D3D
> >having=3D3D20
> > problems like this ~!!<BR>Must =3D3D
> >be<BR>=3D3D3D<BR>>very=3D3D3D20<BR>> =3D3D20
> > frustrating.<BR>Open the Paris ini file and there change =
the=3D3D20
> > =3D3D3D<BR>>mastercardoutput=3D3D3D20<BR>> with your =3D3D
> >other<BR>cards and=3D3D20
> > see what happens !!<BR>Let me=3D3D3D20<BR>> =3D3D20
> > know.<BR>Regards,<BR>Dimitrios<BR><BR>"Tom =3D3D
> >Bruhl"=3D3D20
> > <<A=3D3D3D20<BR>> href=3D3D3D3D"<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net</A>>=3D3D3D=
20'm=3D
>ailto=3D3D
> =
>:arpegio@comcast.net">arpegio@comcast.net</A>>=3D3D3D20</A><BR>&g=3D3D
> >t; =3D3D20
> > wrote:<BR>><BR>><BR>>Rick,<BR>>1 =3D3D
> >mec, no=3D3D20
> > BNC =3D3D3D<BR>>involved. Paris=3D3D3D20<BR>> boots up so =
=3D3D
> >the 1 mec=3D3D20

```

> > that
>I'm using shows up but never any A =3D3D3D
>to =
Ds=3D3D20

> > or=3D3D3D20
> any installed modules.
>This is the =3D3D
> >same=3D3D20

> > symptom before I =3D3D3D
>repaired one=3D3D3D20
> of my =
mecs =3D3D

> >with=3D3D20

> > a
>new chip. The clock light continues to=3D3D20

> > =3D3D3D
>flash=3D3D3D20
> too. Never locks=3D3D20

> > in.
>
>I am using the simplest =3D3D

> >=3D3D3D
>setup I=3D3D20

> > can=3D3D3D20
> imagine and still it's not =3D3D

> >working.
>Mike A.=3D3D20

> > suggested the =3D3D3D
>.ini=3D3D3D20
> file to make =
=3D3D

> >sure card A is=3D3D20

> > 0. I'll try=3D3D20

> > =3D3D

> >=3D3D3D
>=3D3D3D3D
>that.
>Pretty=3D3D3D20
> =3D3D

> >; sure it's=3D3D20

> > right but who=3D3D3D20
> =3D3D20

> > =3D3D

> >=3D3D3D
>knows?
>Thanks,
>Tom
><=3D3D

> >BR>>
>
>
><=3D3D3D
>BR>=3D3D

> >"rick"=3D3D3D20
> =3D3D20

> > <<A =3D3D3D
>href=3D3D3D3D"<A=3D3D20

> > =3D3D

> =3D

=

>>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mai=
lto=3D

>:pa=3D3D

> >rnell68@hotmail.com">parnell68@hotmail.com</A>=3D3D20

> > =3D3D3D
>wrote=3D3D3D20
> in message=3D3D3D20
> =
=3D3D20

> > =3D3D

> =

>=3D3D3D
>=3D3D3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax=3D=
3D

> >.com...
>&nbs=3D3D3D
>p;=3D3D20

> > i=3D3D3D20
> know this as dumb as it gets but the bnc is =
=3D3D

> >attached in=3D3D20

> > the=3D3D3D20
> right
> =3D3D20

> > order...right?
> all the cards show up=3D3D20

> > =3D3D3D
>in=3D3D3D20
> paris with the single =3D3D

> >mec?
> =3D3D20

> > how many i/o cards in each=3D3D3D20
> =3D3D20

> > mec?
>
>
> On Fri, 19 Oct =3D3D
> >2007=3D3D20
> > 00:22:39 -0400, =3D3D3D
>"Tom=3D3D3D20
> Bruhl"=3D3D20
> > <<A=3D3D3D20
> =3D3D3D
>href=3D3D3D3D"<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=
'>=3D3D=3D
>
> >mailto:arpegio@comcast.net">arpegio@comcast.net>
=3D3D
> >,>&n=3D3D3D
>bsp;=3D3D3D20
> =3D3D20
> > wrote:
>
> >I thought I was groovin' =3D3D
> >but once=3D3D20
> > the =3D3D3D
>second=3D3D3D20
> Mec was =3D3D
> >introduced
> =3D3D20
> > >the system stopped. That =3D3D3D
>was a =3D3D
> >few=3D3D3D20
> weeks=3D3D20
> > ago.
> >
> >Today I tried=3D3D20
> > =3D3D3D
>different=3D3D3D20
> cables, eds cards, mecs, =
=3D3D
> >eliminated the=3D3D20
> > =3D3D3D
>magma
=3D3D3D3D
>and
> =3D3D
> >=3D3D3D20
> =3D3D20
> > >still no clock lock or modules showing up in the =3D3D
> >paris=3D3D3D20
> =3D3D20
> > patchbay.
> >
> >This means =3D3D
> >to me=3D3D20
> > =3D3D3D
>software=3D3D3D20
> unless someone tells =
me=3D3D20
> > differently.
> >
> =3D3D20
> > =3D3D3D
>>I=3D3D3D20
> have a new C drive which I will =
=3D3D
> >load XP and no=3D3D20
> > pace. Any=3D3D3D20
> other=3D3D3D3D20
> =3D3D20
> > >suggestions?
> =3D3D3D
>>
>=3D3D20
> > =3D3D3D20
> >More frustrated than my =3D3D
> >clients,
> =3D3D20
> > =3D3D3D
>>Tom
> =3D3D3D20
> =3D3D
> >>
> =3D3D20
> > >
> >
> =3D3D
> >=3D3D3D
>>
>=3D3D20
> > =3D3D3D20
> >I choose Polesoft Lockspam to fight spam, =
and=3D3D20
> > you?
> =3D3D3D20
> =3D3D
> >>http://www.polesoft.com/refer.html=3D3D20
> > =3D3D3D20
> =3D3D
> >=3D3D3D3D20
>
>
><!DOCTYPE=3D3D20

```

> > HTML PUBLIC "-//W3C//DTD =3D3D3D<BR>>HTML 4.0=3D3D3D20<BR>> =
=3D3D20
> > =3D3D
> >Transitional//EN"><BR>><HTML><HEAD><BR>>=3D3D
> ><META=3D3D3D20<BR>> =3D3D20
> > http-equiv=3D3D3D3D3DContent-Type =3D3D
> >content=3D3D3D3D3D"text/html;=3D3D3D20<BR>> =3D3D20
> > =3D3D3D3D<BR>>charset=3D3D3D3D3DDiso-8859-1"><BR>><META =3D3D
> >
> > =3D3D3D<BR>>content=3D3D3D3D3D"MSHTML=3D3D3D20<BR>> =3D3D
> >6.00.2800.1400"=3D3D3D20<BR>> =3D3D20
> > =3D3D
> >=3D3D3D<BR>>name=3D3D3D3D3DGENERATOR><BR>><STYLE></STYLE&=3D3D
> >gt;<BR>></HEA=3D3D3D<BR>>D><BR>><BODY=3D3D3D20<BR>&=3D3D
> >gt; =3D3D20
> > bgColor=3D3D3D3D3D#ffffff><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3D3DArial=3D3D3D20<BR>> =3D3D20
> > =3D3D
> >=3D3D3D<BR>>size=3D3D3D3D3D2>Rick,</FONT></DIV><BR>>&l=3D3D
> >t;DIV><FONT=3D3D3D20<BR>> =3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2>1 mec, no BNC involved. =
=3D
>Paris=3D3D20
> > =3D3D3D<BR>>=3D3D3D3D<BR>>boots up so=3D3D3D20<BR>> =3D3D
> >the=3D3D3D3D20<BR>>1=3D3D20
> > mec=3D3D20
> > =3D3D
> >=3D3D3D<BR>>that</FONT></DIV><BR>><DIV><FONT=3D3D
> >=3D3D3D20<BR>> =3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using shows up but =
never any
=3D
>A to =3D3D
> >
> > =3D3D3D<BR>>=3D3D3D3D<BR>>Ds or=3D3D3D20<BR>> =3D3D20
> > any=3D3D3D3D20<BR>>installed=3D3D3D20<BR>> =3D3D20
> > modules.</FONT></DIV><BR>><DIV><FONT=3D3D20
> > =3D3D3D<BR>>face=3D3D3D3D3DArial=3D3D3D20<BR>> =
size=3D3D3D3D3D2>This is =3D
>=3D3D
> >the same=3D3D20
> > symptom before I =3D3D3D3D<BR>>repaired =3D3D
> >=3D3D3D<BR>>one=3D3D3D20<BR>> =3D3D20
> > of=3D3D3D3D20<BR>>my mecs with=3D3D3D20<BR>> =3D3D20
> > a</FONT></DIV><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3D3DArial=3D3D3D20<BR>> size=3D3D3D3D3D2>new chip. =
The =3D3D
> >clock light=3D3D20

```

```

> > =3D3D3D3D<BR>>continues to=3D3D3D20<BR>> =3D3D
> >flash=3D3D3D3D20<BR>>too.=3D3D20
> > Never locks=3D3D3D20<BR>> =3D3D20
> > in.</FONT></DIV><BR>><DIV><FONT =3D3D
> >face=3D3D3D3D3DArial=3D3D20
> > =3D3D3D<BR>><BR>> size=3D3D3D3D3D2></FONT>=3D3D20
> > </DIV><BR>><DIV><FONT=3D3D20
> > =3D3D3D<BR>>face=3D3D3D3D3DArial=3D3D3D20<BR>> =
size=3D3D3D3D3D2>I am =3D3D
> >using the simplest=3D3D20
> > setup I can =3D3D3D3D<BR>>imagine=3D3D3D20<BR>> =3D3D20
> > and=3D3D3D3D20<BR>>still it's not=3D3D3D20<BR>> =3D3D20
> > working.</FONT></DIV><BR>><DIV><FONT=3D3D20
> > =3D3D3D<BR>>face=3D3D3D3D3DArial=3D3D3D20<BR>> =
size=3D3D3D3D3D2>Mike A. =3D
>=3D3D
> >suggested the=3D3D20
> > .ini file =3D3D3D3D<BR>>to make=3D3D3D20<BR>> =3D3D20
> > sure=3D3D3D3D20<BR>>card A is 0. I'll try=3D3D3D20<BR>> =
=3D3D20
> > that.</FONT></DIV><BR>><DIV><FONT=3D3D20
> > =3D3D3D<BR>>face=3D3D3D3D3DArial=3D3D3D20<BR>> =
size=3D3D3D3D3D2>Pretty =3D3D
> >sure it's right=3D3D20
> > but who=3D3D3D20<BR>> =3D3D20
> > =3D3D
> >=3D3D3D3D<BR>>knows?</FONT></DIV><BR>><DIV&g=3D3D
> >t;<FONT=3D3D3D20<BR>> =3D3D20
> > face=3D3D3D3D3DArial=3D3D3D20<BR>> =3D3D20
> > =3D3D
> >=3D3D3D<BR>>size=3D3D3D3D3D2>Thanks,</FONT></DIV><BR>> =3D3D
> ><DIV><FONT=3D3D3D<BR>>=3D3D3D20<BR>> =3D3D20
> > face=3D3D3D3D3DArial=3D3D3D20<BR>> =3D3D20
> > =3D3D
> >size=3D3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><=3D3D
> >FONT=3D3D3D20<BR>> =3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT>=3D3D20
> > =3D3D
> >=3D3D3D<BR>></DIV><BR>><DIV><FONT=3D3D3D20<BR>>&nbs=3D3D
> >p;=3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT>=3D3D20
> > =3D3D3D<BR>></DIV><BR>><DIV>=3D3D3D20<BR>> =3D3D20
> > </DIV><BR>><DIV>=3D3D20
> > </DIV><BR>><DIV>=3D3D3D20<BR>> =3D3D20
> > </DIV><BR>><DIV>"rick"=3D3D20
> > =3D3D
> =
>=3D3D3D<BR>><<A=3D3D3D3D20<BR>>href=3D3D3D3D3D"<A=3D3D3D20

```


>&n=3D3D
> >bsp;=3D3D20
> > =3D3D
> =3D
=
>>=3D3D3D
>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotma=
il.c=3D3D=3D
>
> =
>om</A'>mailto:pa=3D3D3D
>rnell68@hotmail.com">parnell68@hotmai=3D3D
> >l.com</A>=3D3D3D20
> =3D3D20
> > =3D3D3D3D
>wrote in=3D3D3D3D20
>message=3D3D20
> > <A=3D3D3D3D20
>href=3D3D3D3D3D"<A =3D3D3D
>
> =3D3D20
> > =3D3D
> =3D
=
>>=3D3D3D
>href=3D3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.c=
om">=3D3D=3D
>
> =3D
=
>>news:inqgh393an5=3D3D3D
>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4=
=3D3D=3D
>
> =
>ax.com">news:inqgh393an5</A=3D3D3D
>=3D3D3D3D
>s4m99q=3D3D
> >caojn09vn112t4u6r@4ax.com...</DIV>
&=3D3D3D
&=3D3D
> =3D
=
>>gt;gt;<BLOCKQUOTE=3D3D3D3D20
>style=3D3D3D3D3D"PADDING-RIGHT:=3D3D3D
=
20=3D3D3D
> >
> =3D3D20
> > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D
> >=3D3D3D3D
>BORDER-LEFT:=3D3D20
> > =3D3D3D
>#000000 2px=3D3D3D20
> solid; =
MARGIN-RIGHT:=3D3D20
> > 0px">i=3D3D3D3D20
> know this as dumb as =3D3D
> >=3D3D3D
>it=3D3D20
> > gets=3D3D3D20
> but the bnc is attached in =3D3D
> >the=3D3D3D3D20
>=3D3D20
> > =3D3D3D20
> right
order...right?
all the =3D3D
> >cards show up=3D3D20
> > in paris =3D3D3D
>with the=3D3D3D20
> =3D3D20
> > =3D3D3D3D
>single=3D3D3D3D20
> mec?
how =3D3D
> >many i/o=3D3D20
> > cards =3D3D3D
>in each=3D3D3D20
> =3D3D
> >mec?

On=3D3D20

> > Fri, 19 Oct=3D3D3D20
> =3D3D20
 > > 2007
=3D3D3D3D
>
> 00:22:39 -0400, =3D3D
 > > "Tom=3D3D20
 > > Bruhl"=3D3D3D20
> <<A=3D3D3D3D20
> =3D3D20
 > > =3D3D3D3D
>href=3D3D3D3D3D"<A=3D3D3D20
> =3D3D20
 > > =3D3D
 > =3D
 =
 >>=3D3D3D
>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.n=
 et&l=3D3D=3D
 >
 > >t;/A>>
wrote'>ma=3D3D3D
>mailto:arpegio@comcast.net">=3D3D
 > >;arpegio@comcast.net>
w=3D3D3D
>rote:=3D3D3D=3D3D
 > >3D
>

>l=3D3D3D3D20
>=3D3D20
 > > =3D3D3D20
> thought I was groovin' but once the second =
 Mec=3D3D20
 > > was=3D3D3D20
> =3D3D20
 > > =3D3D
 > >=3D3D3D3D
>introduced
>the=3D3D3D3D20
> =3D3D
 > > system=3D3D20
 > > =3D3D3D
>stopped. That was=3D3D3D20
> a few =
 weeks=3D3D20
 > > ago.
>
>Today l=3D3D3D20
> =3D3D20
 > > =3D3D3D3D
>tried=3D3D3D3D20
> different cables, =3D3D
 > >eds cards,=3D3D20
 > > mecs, =3D3D3D
>eliminated=3D3D3D20
> the magma=3D3D20
 > > =3D3D3D3D
>and
>still =3D3D
 > >no=3D3D3D3D20
> =3D3D20
 > > =3D3D3D
>clock lock or=3D3D3D20
> modules showing up in =
 the=3D3D20
 > > paris=3D3D3D20
> =3D3D20
 > > =3D3D
 > >=3D3D3D
>=3D3D3D3D
>patchbay.
>
>This=3D3D3D=3D3D
 > >3D20
> =3D3D20
 > > =3D3D3D
>means to=3D3D3D20
> me software unless someone =
 =3D3D
 > >tells=3D3D20
 > > me=3D3D3D20
> =3D3D20
 > > =3D3D
 > >=3D3D3D
>=3D3D3D3D
>differently.
>
>l=3D3D3D=3D3D
 > >3D20
> =3D3D20
 > > =3D3D3D
>have a new=3D3D3D20
> C drive which I will =
 load XP =3D3D
 > >and no pace.=3D3D20
 > > Any other=3D3D3D3D20
> =3D3D3D
>
> =3D3D20
 > >
>suggestions?
>
>More frustrated=3D3D20
 > > =3D3D3D
>than=3D3D3D20
> my=3D3D3D3D20
> =3D3D
 > >=3D3D3D20
> =3D3D20

```

> > =3D3D
> >=3D3D3D3D<BR>>clients,<BR>>Tom<BR>><BR>><BR>=3D3D
> >;<BR=3D3D3D3D<BR>>><BR>>I=3D3D3D20<BR>> =3D3D20
> > choose =3D3D3D3D3D<BR>>Polesoft=3D3D3D3D20<BR>> Lockspam =3D3D
> >to fight=3D3D20
> > spam,=3D3D3D20<BR>> and=3D3D3D3D20<BR>> =3D3D20
> > =3D3D
> =
>=3D3D3D3D<BR>>you?<BR>>http://www.polesoft.com/refer.html=3D3D3D20<BR>&=3D=
3D
> >gt; =3D3D20
> > =3D3D
> >=3D3D3D3D<BR>>=3D3D3D3D20<BR>><BR></BLOCKQUOTE></BODY>=3D3D
> ></HTML><BR>&=3D3D3D3D<BR>>gt;<BR>><BR></B=3D3D
> >LOCKQUOTE></BODY></HTML><BR>><BR>><BR></BLOCKQUOTE><=3D3D
> >/BODY></HTML>
> >
> >
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
>charset=3D3Diso-8859-1">
><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D3D#ffffff>
><DIV><FONT face=3D3DArial size=3D3D2>Mike,</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>I used to use a Lucid but =
since all of
=3D
>this mess I=3D20
>stopped.</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>I'm trying to get stable from =
square =3D
>one with the=3D20
>least amount </FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>of hardware. I am using the =
=3D
>default project=3D20
>for sure. The only </FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>other thing that I still =
question is my
=3D
>move of=3D20
>Paris to C:ParisPro .</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>I should think the default =

```

project will

- =3D
- >either work=3D20
- >or not. Maybe</DIV>
- ><DIV>configs or something else is =
- =3D
- >fighting during=3D20
- >Paris startup?</DIV>
- ><DIV> </DIV>
- ><DIV>Pats 42 - Miami 7 . . . =

Halftime and =3D

- >the games=3D20
- >over.</DIV>
- ><DIV>Tom</DIV>
- ><DIV> </DIV>
- ><DIV> </DIV>
- ><DIV> </DIV>
- ><BLOCKQUOTE=3D20
- >style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
- =3D
- >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
- > <DIV>"Mike Audet" <mike@....> wrote in message <A=3D20
- > =3D
- =
- >href=3D3D"news:471b6eb0\$1 @linux">news:471b6eb0\$1 @linux...</DIV>
H=
- i=3D20
- > Tom,

Are you using a default project with PARIS? I'm so =
- =3D
- >sorry of=3D20
- > this has been
asked and answered already. If so, perhaps it =
- =3D
- >is=3D20
- > telling card zero to lock
to an external clock, which it can't =
- =3D
- >because=3D20
- > there isn't one.

It would be interesting to attach an =
- external
- =3D
- >clock=3D20
- > source to the MEC and
then start PARIS to see how it behaves. =
- =3D
- >Or, if=3D20
- > the clock generator is fried,
tell paris to lock externally =
- and see
- =3D
- >what=3D20
- > happens when an external clock
source is applied.

Isn't =
- there

=3D
>a=3D20
> master house synch switch in the cfg file? I've never =3D
>used
it. =3D20
> Maybe DJ could help with what that should/shouldn't be set =3D
>to.

Wish I=3D20
> could do more than think out loud...

Mike

"Tom =
Bruhl" =3D
><<A=3D20
> =
[href=3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=3D20
> wrote:
>
>
>Hi Mike,
>Well I've been to .cfg =3D
>many a=3D20
> time.
>I've seen that Mastercard setting as being 0
>but =
=3D
>maybe it=3D20
> changed after removing the 4 other
>eds cards for this round =
of=3D20
> testing.
>
>If it's still 0 what else could this be? =3D
>Busted=3D20
> mobo?
>I'm really in an idunno place right now. I'll be=3D20
> checking
>seriously today again because of a session =
tomorrow=3D20
> morning.
>Tom
>
>
> "Mike Audet"=3D20
> <mike@....> wrote in message <A=3D20
> =3D
=
>\[href=3D3D"news:471b2ec2\\\$1@linux">news:471b2ec2\\\$1@linux...
>
>&g=
=3D
>t; =3D20
> Hi Tom,
>
> If you've only got one card in, then the =3D
>
> Mastercard =3D3D3D 0 setting is =3D3D
>right.
> =3D
>The file is=3D20
> Paris.cfg, and it lives in the c:\program=3D20
> files\Emu\PARIS
=3D3D
>PRO
> =3D
>folder.
>
> =3D20
> I'd still check it out to see what it is set to.
>
> =3D
>If it=3D20
> is wrong, what you are describing will happen.
>
> =3D
>Good=3D20
> luck!
>
> Mike
>
> "Tom Bruhl" =3D
><<A=3D20
> =
\\[href=3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=3D20
> wrote:
> >
> >
> >Thanks=3D20
> Dimitrios.
> >
> >Mike said the same=3D20
> thing. Is the ini in the Paris folde or system=3D20\\]\\(mailto:arpeggio@comcast.net\\)\]\(news:471b2ec2\$1@linux\)](mailto:arpeggio@comcast.net)

> =3D3D
>32?
> >Do I want the Master card to be 0=3D20
 > absolutely? I only have one card
> >in there =3D
 >right now=3D20
 > and it's all freaky just the same.
> >Tom
> =3D
 >
 > >
> >
> >
> > =3D20
 > "Dimitrios" <<A =3D
 >href=3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr=3D20
 > wrote in message =3D3D3D
> =3D
 >>news:471a0486\$1@linux...
> =3D20
 > >
> > Hi Tom !@
> > Sorry =3D
 >to hear=3D20
 > you still having problems like this ~!!
> > Must =3D
 >be very=3D20
 > frustrating.
> > Open the Paris ini file and =3D
 >there change=3D20
 > the mastercardoutput with
=3D3D
>=3D3D3D
> >your=3D20
 > other
> > cards and see what happens =3D
 >!!
> =3D20
 > > Let me know.
> > =3D
 >Regards,
> =3D20
 > > Dimitrios
> >
> > "Tom =3D
 >Bruhl"=3D20
 > <<A =
 href=3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net=3D
 >
 > wrote:
> > >
> > =3D20
 > >
> > >Rick,
> > >1 =3D
 >mec, no=3D20
 > BNC involved. Paris boots up so the 1 mec that
> =3D
 >> =3D20
 > >I'm using shows up but never any A to Ds or any installed=3D20
 > modules.
> > >This is the same symptom before =3D
 >I=3D20
 > repaired one of my mecs with a
> > >new =3D
 >chip. =3D20
 > The clock light continues to flash too. Never locks=3D20
 > =3D3D
>in.
> > >
> > =3D
 >>I am=3D20
 > using the simplest setup I can imagine and still it's not =3D
 >=3D3D3D
> =3D20
 > >working.
> > >Mike A. suggested the =3D
 >.ini=3D20
 > file to make sure card A is 0. I'll =3D3D
>>try
> =3D
 >
 > =3D3D3D
> >=3D3D3D3D
> > =3D
 >>that.
> =3D20
 > > >Pretty sure it's right but who knows?
> =3D

>> =3D20
> >Thanks,
> > >Tom
> > =3D20
> >
> > >
> > =3D
>>
> =3D20
> > >
> > >
> > =3D
>
> >"rick" <<A=3D20
> =
href=3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com> =3D
>wrote in=3D20
> message =3D3D3D3D
> > =3D20
> >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =3D20
> > > i know this as dumb as it gets but the bnc is =3D
>attached=3D20
> in the =3D3D
>right
> > > =3D20
> order...right?
> > > all the cards show =3D
>up in=3D20
> paris with the single mec?
> > > how =3D
>many i/o=3D20
> cards in each mec?
> > >
> =3D
>> =3D20
> >
> > > On Fri, 19 Oct 2007 00:22:39 =3D
>-0400,=3D20
> "Tom Bruhl" =3D3D3D
> ><<A=3D20
> =3D
=
>href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=3D=

>bsp;=3D20
> > > wrote:
> > =3D
>>
> =3D20
> > > >I thought I was groovin' but once the second =3D
>Mec was=3D20
> introduced
> > > >the system =3D
>stopped. =3D20
> That was a few weeks ago.
> > > =3D20
> >
> > > >Today I tried different =3D
>cables,=3D20
> eds cards, mecs, eliminated the
=3D3D
>=3D3D3D
> =3D20
> >magma
> > =3D3D3D3D
> > =3D20
> >and
> > > >still no clock lock or =3D
>modules=3D20
> showing up in the paris =3D3D
>patchbay.
> > =3D
>> =3D20
> >
> > > >This means to me software =3D
>unless=3D20
> someone tells me differently.
> > > =3D20
> >
> > > >I have a new C drive =3D


```

>which I will=3D20
> load XP and no pace. Any =3D3D3D<BR>> =3D20
> >other=3D3D3D3D20<BR>> > > =3D20
> >suggestions?<BR>> > > =3D
>><BR>> =3D20
> > > >More frustrated than my =3D
>clients,<BR>> =3D20
> > > >Tom<BR>> > > =3D20
> ><BR>> > > ><BR>> > =3D
>
> > ><BR>> > > ><BR>> =3D
>
> > > >I choose Polesoft Lockspam to fight spam, =3D
>and=3D20
> you?<BR>> > > =3D20
> >http://www.polesoft.com/refer.html =3D3D3D3D20<BR>> =3D
>> =3D20
> ><BR>> > ><BR>> > =3D
>><!DOCTYPE=3D20
> HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN"><BR>> =3D20
> > ><HTML><HEAD><BR>> > =3D
>><META=3D20
> http-equiv=3D3D3D3D3DContent-Type =
content=3D3D3D3D3D"text/html";=3D20
> =3D3D<BR>>=3D3D3D3D<BR>> > =3D20
> >charset=3D3D3D3D3Diso-8859-1"><BR>> > =3D
>><META=3D20
> content=3D3D3D3D3D"MSHTML 6.00.2800.1400" =3D
>name=3D3D3D3D3DGENERATOR><BR>> =3D20
> > ><STYLE></STYLE><BR>> > =3D20
> ></HEAD><BR>> > ><BODY=3D20
> bgColor=3D3D3D3D3D#ffffff><BR>> > =3D
>><DIV><FONT=3D20
> face=3D3D3D3D3DArial =3D
>size=3D3D3D3D3D2>Rick,</FONT></DIV><BR>> =3D20
> > ><DIV><FONT face=3D3D3D3D3DArial =3D
>size=3D3D3D3D3D2>1 mec, no=3D20
> BNC involved. =3D3D<BR>>Paris =3D3D3D<BR>> =3D
>>=3D3D3D3D<BR>> =3D20
> > >boots up so the=3D3D3D3D20<BR>> > >1 =3D
>mec=3D20
> that</FONT></DIV><BR>> > =3D
>><DIV><FONT=3D20
> face=3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using shows up but =3D
>=3D3D<BR>>never=3D20
> any<BR>> =3D3D3D<BR>> >A to =3D3D3D3D<BR>> =3D
>> =3D20
> >Ds or any=3D3D3D3D20<BR>> > >installed=3D20

```

> modules.</DIV>
> > =3D20
> ><DIV>This is =3D
>the same=3D20
> symptom
=3D3D
>before
> =3D3D3D
> >I=3D20
> =3D3D3D3D
> > >repaired one =3D
>of=3D3D3D3D20
> =3D20
> > >my mecs with a</DIV>
> =3D20
> > ><DIV><FONT face=3D3D3D3D3DArial =3D
>size=3D3D3D3D3D2>new chip.=3D20
> The clock light
=3D3D
>=3D3D3D3D
> > =3D
>>continues to=3D20
> flash=3D3D3D3D20
> > >too. Never locks=3D20
> in.</DIV>
> > =3D
>><DIV><FONT=3D20
> face=3D3D3D3D3DArial size=3D3D3D3D3D2> =3D
></DIV>
> =3D20
> > ><DIV><FONT face=3D3D3D3D3DArial =3D
>size=3D3D3D3D3D2>I am using=3D20
> the simplest =3D3D
>setup I
> =3D3D3D
> =3D
>>can=3D20
> =3D3D3D3D
> > >imagine =3D
>and=3D3D3D3D20
> > =3D20
> >still it's not working.</DIV>
> =3D
>> =3D20
> ><DIV>Mike A. =3D
>suggested the=3D20
> =3D3D
>.ini file
> =3D3D3D
> =3D
>>=3D3D3D3D
> =3D20
> > >to make sure=3D3D3D3D20
> > >card =3D
>A is 0.=3D20
> I'll try that.</DIV>
> > =3D20
> ><DIV>Pretty =3D
>sure it's=3D20
> right =3D3D
>but who =3D3D3D
> >=3D3D3D3D
> =3D
>> =3D20
> >knows?</DIV>
> > =3D20
> ><DIV><FONT face=3D3D3D3D3DArial=3D20
> size=3D3D3D3D3D2>Thanks,</DIV>
> =3D
>> =3D20
> ><DIV><FONT face=3D3D3D3D3DArial=3D20
> size=3D3D3D3D3D2>Tom</DIV>
> =3D
>> =3D20
> ><DIV><FONT face=3D3D3D3D3DArial =3D
>size=3D3D3D3D3D2>=3D20
> </DIV>
> > ><DIV><FONT =3D
>face=3D3D3D3D3DArial=3D20
> size=3D3D3D3D3D2> </DIV>
> > =3D20
> ><DIV> </DIV>
> > ><DIV>=3D20

> </DIV>
> > ><DIV>=3D20
> </DIV>
> > ><DIV>"rick"=3D20
> <<A=3D3D3D3D20
> > =3D
>=3D3D
>>href=3D3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.commailto=
:pa=3D
>rnell68@hotmail.com">parnell68@hotmail.com</A>=3D20
> =3D3D
>=3D3D3D
> >=3D3D3D3D
> > =3D
>>wrote=3D20
> in=3D3D3D3D20
> > >message =3D
><A=3D3D3D3D20
> =3D20
> > =3D3D3D
> =3D3D
>>>href=3D3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh'>n=
ews=3D
=
>:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh=3D3D
>=3D=

>393=3D3D3D
> =3D20
> >an5=3D3D3D3D
> > =3D20
> =3D
>>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> =3D
>;=3D20
> > ><BLOCKQUOTE=3D3D3D3D20
> > =3D20
> >style=3D3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
MARGIN-LEFT: =3D
>
> =3D3D
>5px; =3D3D3D
> >=3D3D3D3D
> =3D
>> =3D20
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT:=3D20
> 0px">i=3D3D3D3D20
> > > know this as =3D
>dumb as it=3D20
> gets but the bnc is attached in =3D3D
>the=3D3D3D3D20
> =
=3D
>> =3D20
> > right
order...right?
all the cards show =3D
>up in=3D20
> paris with =3D3D
>the
> =3D3D3D
> =3D20
> >=3D3D3D3D
> > >single=3D3D3D3D20
> =3D
>> =3D20
> > mec?
how many i/o cards in each=3D20
> mec?

On Fri, 19 =3D3D
>Oct =3D
>=3D3D3D
> =3D20
> >2007
> > =3D3D3D3D
> > =3D20
> >
> > > 00:22:39 -0400, "Tom Bruhl"=3D20

> <<A=3D3D3D3D20
> > > =3D
 >=3D3D3D3D
> =3D20
 > > =3D3D3D
> =3D3D
>>>href=3D3D3D3D3D" <A=3D20
 > =3D
 =
 >href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
wro'>m=
 ail=3D
 >to:arpegio@comcast.net">arpegio@comcast.net>
wro=3D
 >=3D3D
>te:=3D3D3D
> =3D20
 > >=3D3D3D3D
> > =3D20
 > >

>I=3D3D3D3D20
> > =3D
 >> =3D20
 > thought I was groovin' but once the second Mec was =3D
 >=3D3D3D3D
> =3D20
 > > >introduced
>the=3D3D3D3D20
> =3D
 >> =3D20
 > > system stopped. That was a few weeks=3D20
 > ago.
>
>Today I =3D3D3D3D
> =3D
 >> =3D20
 > >tried=3D3D3D3D20
> > > different =3D
 >cables, eds=3D20
 > cards, mecs, eliminated the magma =3D3D3D3D
> > =3D20
 > >and
>still no=3D3D3D3D20
> > =3D
 >> clock=3D20
 > lock or modules showing up in the paris =3D3D3D3D
> =3D
 >> =3D20
 > >patchbay.
>
>This=3D3D3D3D20
> =3D
 >> =3D20
 > > means to me software unless someone tells me =3D
 >=3D3D3D3D
> =3D20
 > > =3D
 >>differently.
>
>I=3D3D3D3D20
> =3D20
 > > > have a new C drive which I will load XP and no =3D
 >pace. Any=3D20
 > =3D3D
>other=3D3D3D3D20
> > > =3D20
 >
>suggestions?
>
>More frustrated =3D
 >than=3D20
 > my=3D3D3D3D20
> > > =3D20
 > =3D
 >>clients,
>Tom
>
>
>
>
=3D
 >>>
>I=3D20
 > choose =3D3D3D3D
> > =3D
 >>Polesoft=3D3D3D3D20
> =3D20
 > > > Lockspam to fight spam, =3D
 >and=3D3D3D3D20
> =3D20
 > > > =3D
 >you?
>http://www.polesoft.com/refer.html=3D20
 > =3D3D3D3D20
> > =3D20

```

> =3D
>><BR></BLOCKQUOTE></BODY></HTML><BR>> =3D
>=3D20
> > ><BR>> > ><BR>> =3D
>><BR>> =3D20
> ><BR>> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=3D20
> Transitional//EN"><BR>> =3D
>><HTML><HEAD><BR>> =3D20
> ><META http-equiv=3D3D3D3DContent-Type =
content=3D3D3D3D"text/html;=3D20
> =3D3D3D3D<BR>> > charset=3D3D3D3DISO-8859-1"><BR>> =3D
>><META=3D20
> content=3D3D3D3D"MSHTML 6.00.2800.1400" =3D
> name=3D3D3D3DGENERATOR><BR>> =3D20
> ><STYLE></STYLE><BR>> =3D
>></HEAD><BR>> =3D20
> ><BODY bgcolor=3D3D3D3D#ffffff><BR>> =3D
>><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2>Thanks=3D20
> Dimitrios.</FONT></DIV><BR>> =3D
>><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D
></DIV><BR>> =3D20
> ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Mike said the =3D
> same=3D20
> thing. Is =3D3D<BR>>the =3D3D3D<BR>> >ini in=3D20
> the=3D3D3D20<BR>> >Paris folde or system=3D20
> 32?</FONT></DIV><BR>> ><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2>Do I want the Master card =
to=3D20
> be<BR>=3D3D<BR>>0=3D3D3D20<BR>> >absolutely? I only =3D
> have one=3D20
> card</FONT></DIV><BR>> ><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2>in there right now and =
it's=3D20
> all<BR>=3D3D<BR>>freaky<BR>> =3D3D3D<BR>> >just=3D20
> the=3D3D3D20<BR>> =3D
>>same.</FONT></DIV><BR>> =3D20
> ><DIV><FONT face=3D3D3D3DArial=3D20
> size=3D3D3D3D2>Tom</FONT></DIV><BR>> =3D20
> ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D
>
> </DIV><BR>> ><DIV><FONT face=3D3D3D3DArial=3D20
> size=3D3D3D3D2></FONT> </DIV><BR>> =3D
>><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D
></DIV><BR>> =3D20
> ><BLOCKQUOTE=3D3D3D20<BR>> =3D

```

>>style="padding-right: 0px; padding-left: 5px; margin-left: 5px; border-left: 2px solid black; margin-right: 0px;">

> <div>"Dimitrios" musurgio@otenet.gr

>> musurgio@otenet.gr

> wrote
in
message
news:471a0486\$1@linux...</div>
H=
>ews:471a0486\$1@linux">news:471a0486\$1@linux...</div>&l=3D
>t;BR>H

> Tom
> Sorry to hear you still =
>having
> problems like this ~!!
Must
be
=3D3D3D
> very
> frustrating.
Open the Paris ini file and there change the
=3D3D3D
> mastercardoutput
=3D3D3D
> with your
> other
cards and see what happens !!
Let
me
> know.
Regards,
Dimitrios

"Tom =3D
Bruhl"=3D3D3D
> arpeggio@comcast.net=
=3D3D3D20'=
>mail=3D
>to:arpeggio@comcast.net">arpeggio@comcast.net=
=3D3D3D20

> wrote:

Rick,
>1 =3D
>mec, no=3D3D3D
> BNC =3D3D3D
> involved. Paris=3D3D3D20
> =3D3D3D
> boots up so the 1 mec that
>I'm using shows up but never =3D
>any A=3D3D3D20

> =3D3D
>=3D3D3D
> >to Ds or=3D3D3D20
> =3D
 >> any=3D20
 > installed modules.
>This is the same symptom before l=3D20
 > =3D3D3D
> >repaired one=3D3D3D20
> > =3D
 >of my mecs=3D20
 > with a
>new chip. The clock light continues to=3D20
 > =3D3D3D
> >flash=3D3D3D20
> > =3D
 >too. Never=3D20
 > locks in.
>
>I am using the simplest =3D
 >=3D3D3D
> =3D20
 > >setup I can=3D3D3D20
> > imagine and still it's =3D
 >not=3D20
 > working.
>Mike A. suggested the =3D3D3D
> =3D20
 > >.ini=3D3D3D20
> > file to make sure card A is =3D
 >0. =3D20
 > I'll try =3D3D3D
> =3D20
 > =3D
 >>=3D3D3D3D
>that.
>Pretty=3D3D3D20
> =3D
 >> =3D20
 > sure it's right but who=3D3D3D20
> > =3D
 >=3D3D3D
> =3D20
 > =3D
 >>knows?
>Thanks,
>Tom
>
&=3D
 >gt;
>
>
><=3D3D3D
> =3D20
 > >BR>>"rick"=3D3D3D20
> > <<A =3D
 >=3D3D3D
> =3D20
 > >href=3D3D3D3D"<A=3D20
 > =3D
 =
 >href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto=
 :pa=3D
 >rnell68@hotmail.com">parnell68@hotmail.com</A>=3D20
 > =3D3D
>=3D3D3D
> >wrote=3D3D3D20
> =3D
 >> in=3D20
 > message=3D3D3D20
> > =3D3D3D
> =3D20
 > =3D
 >=3D3D
>>=3D3D3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u=3D
 >6r@4ax.com...
>&nbs=3D3D3D=3D3D
>
> =3D20
 > >p; i=3D3D3D20
> > know this as dumb as it gets =3D
 >but the=3D20
 > bnc is attached in the=3D3D3D20
> > =3D
 >right
> =3D20
 > order...right?
> all the cards show up =3D
 >=3D3D3D
> =3D20
 > >in=3D3D3D20
> > paris with the single=3D20
 > mec?
> how many i/o cards in =3D
 >each=3D3D3D20
> =3D20
 > > mec?
>
>
> On =3D

>Fri, 19 Oct=3D20
> 2007 00:22:39 -0400, =3D3D3D
> >"Tom=3D3D3D20
> =3D
>> =3D20
> Bruhl" <<A=3D3D3D20
> > =3D3D3D
> =3D20
> =3D3D
>>href=3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=3D=
3D=3D
>3D'>mailto:arpegio@comcast.net">arpegio@comcast.net><B=3D
>R>>&n=3D3D3D=3D3D
>
> =3D20
> >bsp;=3D3D3D20
> > =3D20
> wrote:
>
> >I thought I was groovin' =3D
>but once=3D20
> the =3D3D3D
> >second=3D3D3D20
> > Mec =3D
>was=3D20
> introduced
> >the system stopped. That=3D20
> =3D3D3D
> >was a few=3D3D3D20
> > =3D
>weeks=3D20
> ago.
> >
> >Today I tried=3D20
> =3D3D3D
> >different=3D3D3D20
> > =3D
>cables, eds=3D20
> cards, mecs, eliminated the =3D3D3D
> =3D20
> >magma
=3D3D3D3D
>and
> =3D
>=3D3D3D20
> =3D20
> > >still no clock lock or modules showing up in the=3D20
> paris=3D3D3D20
> > patchbay.
> =3D20
> >
> >This means to me =3D3D3D
> =3D20
> >software=3D3D3D20
> > unless someone tells me=3D20
> differently.
> >
> =3D
>=3D3D3D
> =3D20
> >>I=3D3D3D20
> > have a new C drive which I =3D
>will load=3D20
> XP and no pace. Any=3D3D3D20
> > =3D20
> other=3D3D3D3D20
> =3D
>>suggestions?
> =3D20
> =3D3D3D
> >>
> =3D3D3D20
> =3D
>> =3D20
> >More frustrated than my clients,
> =3D
>=3D3D3D
> =3D20
> >>Tom
> =3D3D3D20
> > =3D20
> >
> >
> =3D
>>
> =3D20
> =3D3D3D
> >>
> =3D3D3D20
> =3D
>> >I=3D20
> choose Polesoft Lockspam to fight spam, and you?
>=3D20
> =3D3D3D20
> > =3D
>>http://www.polesoft.com/refer.html=3D20

-----=_NextPart_000_0092_01C8144B.E5D05E80

Content-Type: text/html;
charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Mastercard=3D0 was correct =
also.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>I am going to try a clean OS with Paris =
on it=20
too</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>if the PCI slots are still =
working.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>Don't bother wishing me luck.&nbsp; =
There's none to=20
be found.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"Tom Bruhl" &lt;<A=20
  href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>&gt; wrote =
in message=20
  <A href=3D"news:471c3137@linux">news:471c3137@linux</A>...</DIV>
  <DIV><FONT face=3DArial size=3D2>Mike,</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2>I removed the default project and =
..cfg from the=20
  folder as you suggested.</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2>Now the computer won't even boot with =
either of=20
  three eds cards installed.</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2>No Magma, no word clock, no word =
clock line in=20
  the existing config.</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
  <DIV><FONT face=3DArial size=3D2>I'm going to check with a network =
card to see if=20
  the PCI slots are burn't.</FONT></DIV>
```

<DIV>I tried three different ones with the =
eds. =20
The one time Windows worked</DIV>
<DIV>with an eds card, the eds card didn't =
show up in=20
device manager. That's </DIV>
<DIV>probably why.</DIV>
<DIV> </DIV>
<DIV>There is some serious funk going on =
over=20
here. Maybe mobo? If this is the</DIV>
<DIV>case I give up. It's not worth =
any more BS=20
to me. There is no person</DIV>
<DIV>in my neighborhood to walk me through =
this. =20
My tech helps me</DIV>
<DIV>but the problem seems to be from the =
ground=20
up. I'm guessing 3-4</DIV>
<DIV>things still so wrong that nothing =
makes=20
sense.</DIV>
<DIV> </DIV>
<DIV>Cubase is looking more and more =
inviting,=20
learning curve and all.</DIV>
<DIV>Tom</DIV>
<DIV> </DIV>
<DIV> </DIV>
<DIV> </DIV>
<DIV> </DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Mike Audet" <mike@...> wrote in message <A=20
=
href=3D"news:471bcb77\$1 @linux">news:471bcb77\$1 @linux...</DIV>
Hi=20
Tom,

I have an idea.

Try removing UseHouseSync=3D1 =
from the=20
paris.cfg file.

Next, remove your default project from the =
program=20
files\emu\paris pro folder.

Let me know if it makes =
a=20
difference.

Good luck!

Mike

"Tom Bruhl" <<A=20
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=20
wrote:
>
>
>Mike,
>I used to use a Lucid but =
since=20
all of this mess I stopped.
>I'm trying to get stable from =

square one=20
with the least amount=3D20
>of hardware. I am using the =
default=20
project for sure. The only=3D20
>other thing that I =
still question=20
is my move of Paris to C:ParisPro .
>I should think the =
default=20
project will either work or not. Maybe
>configs or =
something=20
else is fighting during Paris startup?
>
>Pats 42 - =
Miami 7 . . =20
. Halftime and the games=20
over.
>Tom
>
>
>
>
> "Mike Audet"=20
<mike@....> wrote in message <A=20
=
href=3D"news:471b6eb0\$1 @linux">news:471b6eb0\$1 @linux...
>
>g=
t; =20
Hi Tom,
>
> Are you using a default project with=20
PARIS? I'm so sorry of this =
has
=3D
>been
> asked=20
and answered already. If so, perhaps it is telling card zero=20
to
=3D
>lock
> to an external clock, which it =
can't=20
because there isn't one.
>
> It would be =
interesting to=20
attach an external clock source to the =
MEC
=3D
>and
> =20
then start PARIS to see how it behaves. Or, if the clock =
generator=20
is
=3D
>fried,
> tell paris to lock externally =
and see=20
what happens when an external =3D
>clock
> source =
is=20
applied.
>
> Isn't there a master house synch =
switch in=20
the cfg file? I've never =3D
>used
> =
it. Maybe=20
DJ could help with what that should/shouldn't be set=20
to.
>
> Wish I could do more than think out=20
loud...
>
> Mike
>
> "Tom Bruhl" =
<<A=20
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=20
wrote:
> >
> >
> >Hi=20
Mike,
> >Well I've been to .cfg many a =
time.
> =20
>I've seen that Mastercard setting as being 0
> =
>but maybe=20
it changed after removing the 4 other
> >eds cards =

>
> > >
> > =
> =20
"Dimitrios" <<A=20
href=3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr> wrote =
in message=20
=3D3D3D
> > =
>&news:471a0486\$1@linux...
> =20
> >
> > > > Hi Tom =
!@
> =20
> > Sorry to hear you still having problems like =
this=20
~!!
> > > Must be very=20
frustrating.
> > > Open the Paris ini =
file and=20
there change the mastercardoutput =3D
>&with
> =20
=3D3D
> >&=3D3D3D
> > >&your=20
other
> > > cards and see what happens =

!!
> > > Let me know.
> =
> =20
> Regards,
> > > =20
Dimitrios
> > >
> > =
> =20
"Tom Bruhl" <<A=20
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=20
wrote:
> > > >
> =
> =20
> >
> > > =
>&Rick,
> =20
> > >&1 mec, no BNC involved. Paris boots =
up so=20
the 1 mec that
> > > >&I'm using =
shows up=20
but never any A to Ds or any installed =
=3D
>&modules.
> =20
> > >&This is the same symptom before I repaired =
one of=20
my mecs with
=3D
>&a
> > > =
>&new=20
chip. The clock light continues to flash too. Never=20
locks
=3D
>&=3D3D3D
> >&in.
> =
> =20
> >
> > > >&I am using =
the=20
simplest setup I can imagine and still it's=20
not
=3D
>&=3D3D3D
> > =
>&working.
> =20
> > >&Mike A. suggested the .ini file to =

make sure=20
card A is 0. =3D
>'ll =3D3D
> =
>try
> =20
> =3D3D3D
> > =
>=3D3D3D3D
> =20
> > >that.
> > > =20
>Pretty sure it's right but who knows?
> > =20
> >Thanks,
> > > =20
>Tom
> > > >
> =
> =20
> >
> > > =
>
> =20
> > >
> > > =20
>
> > > >"rick" <<A=20
href=3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com> =
wrote in=20
message =3D3D3D3D
> > > =20
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =

> > > i know this as dumb as it gets but =
the bnc=20
is attached in the
=3D
>=3D3D
> =
>right
> =20
> > > order...right?
> =
> =20
> > all the cards show up in paris with the single =

mec?
> > > > how many i/o =
cards in=20
each mec?
> > > >
> =
> =20
> >
> > > > On =
Fri, 19=20
Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D3D3D
> =
> =20
><<A=20
=
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>
>&n=
bsp;=20
> > > wrote:
> > =
> =20
>
> > > > >I thought I =
was=20
groovin' but once the second Mec was =
=3D
>introduced
> =20
> > > >the system stopped. That =
was a=20
few weeks ago.
> > > > =20

>
> > > > > > Today I =
tried=20
different cables, eds cards, mecs, =
eliminated
=3D
> the
> =20
=3D3D
> >=3D3D3D
> > =
>magma
> =20
> > > =3D3D3D3D
> > > > =20
>&and
> > > > > > > still no =
clock=20
lock or modules showing up in the paris =3D3D
> =20
>patchbay.
> > > > > =20
>
> > > > > > This means =
to me=20
software unless someone tells me =
=3D
>differently.
> =20
> > > > >
> > =
> =20
> > I have a new C drive which I will load XP and no =
pace. =20
Any
=3D
>=3D3D3D
> > =20
>other=3D3D3D3D20
> > > > =20
>suggestions?
> > > > =20
>
> > > > > More =
frustrated than=20
my clients,
> > > > =20
>Tom
> > > > =
>
> =20
> > > >
> > =
> =20
> >
> > > > =20
>
> > > > > I choose =
Polesoft=20
Lockspam to fight spam, and you?
> > > =

> >&http://www.polesoft.com/refer.html =20
=3D3D3D3D20
> > > >
> =
> =20
> >
> > > > ><!DOCTYPE =
HTML=20
PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> =
> =20
> ><HTML><HEAD>
> > =
> =20
><META http-equiv=3D3D3D3D3DContent-Type=20
=3D
>content=3D3D3D3D3D"text/html; =3D3D
> =20
>=3D3D3D3D
> > > =20
>charset=3D3D3D3D3DISO-8859-1">
> > =
> =20

=3D
>simplest=20
=3D3D
> >setup l
> > > =
=3D3D3D
> ;=20
> >can =3D3D3D3D
> > > > =
>imagine=20
and=3D3D3D3D20
> > > > >still it's =
not=20
working.</DIV>
> > > =
> ;=20
><DIV><FONT face=3D3D3D3D3DArial =
size=3D3D3D3D2>Mike A.=20
suggested
=3D
>the =3D3D
> >.ini =
file
> ;=20
> ; =3D3D3D
> > > =
>=3D3D3D3D
> ;=20
> > > >to make sure=3D3D3D3D20
> =
> ;=20
> > >card A is 0. I'll try=20
that.</DIV>
> > > > ;=20
><DIV><FONT face=3D3D3D3D3DArial =
size=3D3D3D3D2>Pretty sure=20
it's =3D
>right =3D3D
> > >but who =
=3D3D3D
> ;=20
> > ;=3D3D3D3D
> > > > ;=20
> >knows?</DIV>
> > > =
> ;=20
><DIV><FONT face=3D3D3D3D3DArial=20
=
=3D
> >size=3D3D3D3D3D2>Thanks, </DIV>
>&n=
bsp;=20
> > > ><DIV><FONT face=3D3D3D3D3DArial=20
size=3D3D3D3D2>Tom</DIV >
> > =
> ;=20
> ><DIV><FONT face=3D3D3D3D3DArial=20
size=3D3D3D3D2> </DIV>
> > =
> ;=20
> ><DIV><FONT face=3D3D3D3D3DArial=20
size=3D3D3D3D2> </DIV>
> > =
> ;=20
> ><DIV> </DIV>
> > > > ;=20
><DIV> </DIV>
> > > > ;=20
><DIV>"rick" <<A=3D3D3D3D20
> > > =
> ;=20
=3D3D
> > ; =3D
>>>href=3D3D3D3D3D"<A=20
=
href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto:pa=

>Polesoft=3D3D3D3D20
> > > > =
> =20
Lockspam to fight spam, and=3D3D3D3D20
> > > =
> =20
> you?
>http://www.polesoft.com/refer.html=20
=3D3D3D3D20
> > > > =20
=
>
</BLOCKQUOTE>< /BODY></HTML>
> =
=20
> > >
> > > > =20
>
> > >
> > > =20
>
> > > <!DOCTYPE HTML PUBLIC =
"-//W3C//DTD HTML=20
4.0 Transitional//EN">
> > =20
><HTML><HEAD>
> > ><META=20
http-equiv=3D3D3D3DContent-Type content=3D3D3D3D"text/html;=20
=3D
>=3D3D3D
> > > =20
> charset=3D3D3D3Diso-8859-1">
> > =
><META=20
content=3D3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3D3DGENERATOR>
> =20
> ><STYLE></STYLE>
> > =20
></HEAD>
> > ><BODY=20
bgColor=3D3D3D3D#ffffff>
> > =
><DIV><FONT=20
face=3D3D3D3DArial size=3D3D3D3D2>Thanks=20
=3D
>Dimitrios.</DIV>
> =
> =20
><DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>=20
</DIV>
> > ><DIV><FONT=20
face=3D3D3D3DArial size=3D3D3D3D2>Mike said the same =
thing.
=3D
> ls=20
=3D3D
> >the =3D3D3D
> > >ini =
in=20
the=3D3D3D20
> > >Paris folde or system=20
32?</DIV>
> > =20
><DIV>Do I =
want the=20
Master card
=3D
>to be
> =3D3D
> =20
>0=3D3D3D20
> > >absolutely? I only =
have one=20
card</DIV>
> > =20
><DIV>in =
there right now=20
and =3D
>it's all
> =3D3D
> =20
>freaky
> > =3D3D3D
> > =
>just=20

the=3D3D3D20
> > =20
>&same.</DIV>
> > =20
></DIV></FONT face=3D3D3D3DArial=20
size=3D3D3D3D2>Tom</DIV&a mp;gt;
> =
> =20
></DIV></FONT face=3D3D3D3DArial =
size=3D3D3D3D2>=20
</DIV>
> > ></DIV></FONT=20
face=3D3D3D3DArial size=3D3D3D3D2> =
</DIV>
> =20
> ></DIV></FONT face=3D3D3D3DArial=20
size=3D3D3D3D2> </DIV>
> =
> =20
></BLOCKQUOTE=3D3D3D20
> > =20
>&style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
MARGIN-LEFT:=20
=3D
>5px; =3D3D
> >=3D3D3D
> =
> =20
>&BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =
0px">
> =20
> > </DIV>"Dimitrios" =
<</A=3D3D3D20
> =20
> > href=3D3D3D3D"<A=20
=
href=3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A'>mailto:musurgio=
@otenet.gr">musurgio@otenet.gr</A>>=20
=3D
>wrote
> =3D3D
> >in =
=3D3D3D
> =20
> >message=3D3D3D20
> > > =
</A=20
=3D3D3D
> > =3D3D
> =20
=3D
>>>href=3D3D3D3D"<A=20
=
href=3D'news:471a0486\$1@linux">news:471a0486\$1@linux...</DIV><B'>news=
:471a0486\$1@linux">news:471a0486\$1@linux...</DIV></B=
=3D
>R>H=3D3D
> =20
>&i
> > =3D3D3D
> > =20
>&Tom=3D3D3D20
> > > <A=20
href=3D"mailto:!!@
Sorry">!!@</BR>Sorry to hear you still =
having=20
problems like this =3D
>~!!</BR>Must
> =20
=3D3D
> >be
> > =
=3D3D3D
> =20
> >very=3D3D3D20
> > > =20
frustrating.</BR>Open the Paris ini file and there change the=20
=3D
>=3D3D3D
> > =20
>&mastercardoutput=3D3D3D20
> > > =
with your=20

=3D
>>href=3D3D3D3D"<A=20
=
href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto:pa=
rnell68@hotmail.com">parnell68@hotmail.com</A>>=20
=3D
>=3D3D
>> >>=3D3D3D
>> >>=20
>>wrote=3D3D3D20
>> >> >> >> in=20
message=3D3D3D20
>> >> >> >> =
=3D3D3D
>>=20
>> >>=3D3D
>>=20
=
=3D
 >>>=3D3D3D3D
>>n ews:inqgh393an5s4m99qcaojn09vn=
112t4u6r@4ax.com...
>>&nbs=3D
>=3D3D3D=3D3D
>>&=
nbsp;=20
>
>> >> >> >>p; i=3D3D3D20
>> >>=
>>=20
>> >> know this as dumb as it gets but the bnc is attached in=20
=3D
>>the=3D3D3D20
>> >> >>=20
right
>> >> order...right?
>> >> all the =
cards=20
show up =3D3D3D
>> >> >>=
>>in=3D3D3D20
>>=20
>> >> >> paris with the single mec?
>> >>=
how=20
many i/o cards in =3D
>>each=3D3D3D20
>> >> >>=
>>=20
mec?
>>
>>& ;
>>> >> On Fri, 19 Oct =
2007=20
00:22:39 -0400, =3D3D3D
>> >> >>=
>>"Tom=3D3D3D20
>>=20
>> >> >> Bruhl" <A=3D3D3D20
>> >>=
>>=20
>> >>=3D3D3D
>> >> >>=3D3D
>>=20
=3D
>>>>href=3D3D3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
>>>>=>>=
mailto:arpegio@comcast.net">arpegio@comcast.net>>
>=
>>>>>n=3D
>>=3D3D3D=3D3D
>> >>=20
>>
>> >> >> >>=3D3D3D20
>> >>=
>>=20
>> >> wrote:
>>
>>& >> >> >>I thought I =
was=20
groovin' but once the =3D3D3D
>> >> >>=20
>>second=3D3D3D20
>> >> >> >> Mec was=20
introduced
>> >> >> the system stopped. That=20
=3D3D3D
>> >> >> >> was a =
few=3D3D3D20
>> >> >>=20
>> >> weeks ago.
>> >> >> >>
>> >>=
>>Today=20

> > =20
a</DIV>
> ><DIV><FONT=20
face=3D3D3D3DArial=3D3D3D20
> > > =20
size=3D3D3D3D2>new chip. The clock light =
=3D3D3D3D
>>continues=20
=3D
>to=3D3D3D20
> > > =20
flash=3D3D3D3D20
>>too. Never =
locks=3D3D3D20
> > > =20
> =
in.</DIV>
 t;><DIV><FONT=20
face=3D3D3D3DArial =3D3D3D
> > =
>
> =20
> > size=3D3D3D3D2>>=20
</DIV>
><DIV&am p;><FONT =3D3D3D
> =
> =20
>face=3D3D3D3DArial=3D3D3D20
> > =
> =20
size=3D3D3D3D2>I am using the simplest setup I can =
=3D3D
> =20
>=3D3D3D3D
>>imagine=3D3D3D20
> > =
> =20
and=3D3D3D3D20
>>still it's not=3D3D3D20
> =
> =20
> =20
working.</DIV><BR& amp;>><DIV><FONT=20
=3D3D3D
> > =
>face=3D3D3D3DArial=3D3D3D20
> =20
> > size=3D3D3D3D2>Mike A. suggested the .ini =
file=20
=3D3D3D3D
>>to =3D
>make=3D3D3D20
> =
> =20
> sure=3D3D3D3D20
>>card A is 0. I'll=20
try=3D3D3D20
> > > =20
that.</DIV><BR& amp ;>><DIV><FONT=20
=3D3D3D
> > =
>face=3D3D3D3DArial=3D3D3D20
> =20
> > size=3D3D3D3D2>Pretty sure it's right but =

who=3D3D3D20
> > > =20
=
=3D3D3D3D
>>knows?&g t;</DIV>
>><D=
IV><FONT=3D3D3D20
> =20
> > face=3D3D3D3DArial=3D3D3D20
> =
> =20
> =3D3D3D
> > =20
=
>size=3D3D3D3D2>Thanks,& </DIV>
>><=
>DIV><FONT=3D3D3D
> =20

=3D
>>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com"&=
gt;news:inqgh393an5</A=3D3D=3D
>3D=3D3D
> =20
>
> > =20
=
=3D
>>=3D3D3D3D
>s4m99qcaojn09vn112t4u6r@4ax.com=
...</DIV>
& amp;amp;=3D3D3D
> =20
> =20
=
>gt;<BLOCKQUOTE=3D3D3D3D20
&a mp;gt;style=3D3D3D3D3D "PADDING-RI=
GHT:=3D3D3D20
> =20
> > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px;=20
=3D
>=3D3D3D3D
>BORDER-LEFT: =3D3D
> =20
>=3D3D3D
> > >#000000 =
2px=3D3D3D20
> =20
> > solid; MARGIN-RIGHT:=20
0px">i=3D3D3D3D20
> know this as dumb=20
as
=3D
>=3D3D3D
> > >it=20
gets=3D3D3D20
> > > but the bnc is =
attached in=20
the=3D3D3D3D20
> =3D3D3D20
> > =
> =20
right
order...right?
all the cards show up in =
paris=20
=3D3D3D
> > >with the=3D3D3D20
> =
> =20
> =
=3D3D3D3D
>single=3D3D3D3D20< BR>> =20
mec?
how many i/o cards =3D
>=3D3D3D
> =
> =20
>in each=3D3D3D20
> > > =20
mec?

On Fri, 19 =
Oct=3D3D3D20
> =20
> > =20
2007
=3D3D3D3D
>&am p;lt;BR>> 00:22:39 =
-0400, "Tom=20
Bruhl"=3D3D3D20
> > > =20
<<A=3D3D3D3D20
>&n bsp;=20
=3D3D3D3D
>href=3D3D3D3D3D"<A=3D3D3D20
> =
> =20
> =3D3D3D
> > =3D3D
> =20
=
=3D
>>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@c=
omcast.net>
wro=3D
>te'=3D3D
> =20
>>ma=3D3D3D
> > =20
=
>ilto:arpegio@comcast.net">arpegio@comcast.net><BR&=
gt;w=3D3D3D
> =20
> =20

=
>rote:=3D3D3D3D
&a mp;g

>l=3D3D3D=3D3D20
>=20
=3D3D3D20
> > > thought I was groovin' =
but once=20
the second Mec was=3D3D3D20
> > > =20
=
=3D3D3D3D
>introduced
>the=3D3D3D3D20
&g=t; =20
system =3D3D3D
> > >stopped. That=20
was=3D3D3D20
> > > a few weeks=20
ago.
>
>Toda y l=3D3D3D20
> =
> =20
> =
=3D3D3D3D
>tried=3D3D3D3D20<B R>> different=20
cables, eds cards, =3D
>mecs, =3D3D3D
> =

>eliminated=3D3D3D20
> > > the =
magma=20
=3D3D3D3D
>and
& ;g
>still =
no=3D3D3D3D20
> =20
=3D3D3D
> > >clock lock =
or=3D3D3D20
> =20
> > modules showing up in the =
paris=3D3D3D20
> =20
> > =3D3D3D
> > =20
=
>=3D3D3D3D
>patchbay.< BR>>
>This=3D3D=3D3D20
> =20
=3D3D3D
> > >means to=3D3D3D20
> =
> =20
> me software unless someone tells =
me=3D3D3D20
> =20
> > =3D3D3D
> > =20
=
>=3D3D3D3D
>differently.< BR>>
>l=3D3D=3D3D20
> =20
=3D3D3D
> > >have a =
new=3D3D3D20
> =20
> > C drive which I will load XP and no pace. Any=20
=3D
> >other=3D3D3D3D20
> =3D3D
> =20
>=3D3D3D
> > >
> > =
> =20

>suggestions?
& ;g
>More =
frustrated=20
=3D3D3D
> > >than=3D3D3D20
> =
> =20
> my=3D3D3D3D20
> =3D3D3D20
> =

> =20
> =3D3D3D
> > =20
=
>clients,
>Tom
 >>
>
& >
& >
=3D3D3D
> =20
> >>>
>>=3D3D3D20
> =
> =20
> choose =
=3D3D3D3D
>Polesoft=3D3D3D3D20
> =20
Lockspam to fight =3D
>spam,=3D3D3D20
> > =
> =20
> and=3D3D3D3D20
> =3D3D3D
> > =20
=
>you?
>http://www.polesoft.com/refer.html=3D3D3D20
>=
 =20
> > =3D3D3D
> > =20
=
>=3D3D3D3D20
>
 ></BLOCKQUOTE></BODY>
></HTML>
>&=3D3D3D
> =20
> =20
=
>>
>
& </BLOCKQUOTE></BODY></HTML& > =
>
> =20
> >
> > >
> =20
>
> >
> ><!DOCTYPE HTML PUBLIC=20
"-//W3C//DTD HTML 4.0 Transitional//EN">
> =20
><HTML><HEAD>
> ><META=20
http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =
=3D3D
> =20
>&char=3D3D3Diso-8859-1">
> ><META=20
content=3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3DGENERATOR>
> =20
><STYLE></STYLE>
> =20
></HEAD>
> ><BODY=20
bgColor=3D3D3D#ffffff>
> ><DIV><FONT =
face=3D3D3DArial=20
size=3D3D3D2>Hi Mike,</DIV>
> =20
><DIV>Well I've =
been to .cfg=20
many a =3D
>=3D3D
> =20
>&time.</DIV>
> =
><DIV><FONT=20
face=3D3D3DArial size=3D3D3D2>I've seen that Mastercard =
=3D
>setting as=20
=3D3D
> >being=3D3D20
> =20
>&0</DIV>
> ><DIV><FONT =

face=3D3D3DArial size=3D3D3D2>but maybe it changed after =

>Pretty sure=20
it's right but who=3D3D20
> > =
knows?
> =20
>Thanks,
> >Tom
> =
=3D3D20
> =20
> >
> >
> =20
>
> =3D3D
> >>
>=20
=3D3D20
> > >
> >"rick" =

<<A=3D3D20
> > href=3D3D3D"<A=20
=
href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.commailto:pa=
rnell68@hotmail.com">parnell68@hotmail.com>
=3D<BR=
>>=3D3D
> =20
>wrote in=3D3D20
> > message =
=3D3D3D3D
>=20
=3D3D20
> > =20
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =

=3D3D20
> > > i know this as dumb as =
it gets but=20
the bnc is attached in =3D3D
> =
>the=3D3D20
> =20
> right
> > =20
order...right?
> > =3D3D
> =
>all=20
the=3D3D20
> > cards show up in paris with the =
single=20
mec?
> > =3D3D
> >how=20
many=3D3D20
> > i/o cards in each=20
mec?
> >
> =
=3D3D
> =20
>>
> =3D3D20
> > > =
On Fri, 19=20
Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D3D
> =20
>=3D3D3D
><<A=3 D3D20
> > =20
=3D3D
> =3D
>>href=3D3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=3D=
3D'>mailto:arpegio@comcast.net">arpegio@comcast.net><B=
R>>&n=3D3D=3D
>
> =20
>bsp;=3D3D20
> > > =
wrote:
> =20
>
> > >l =3D3D
> =
>thought=20
l=3D3D20
> > was groovin' but once the second =
Mec was=20
introduced
> =3D3D
> >>=20

=3D3D20
> > > the system stopped. That =
was a few=20
weeks ago.
> =3D3D20
> > > > =
>
> > > Today I tried different=20
=3D3D
> > cables,=3D3D20
> > eds =
cards, mecs,=20
eliminated the =3D3D3D
>>magma
>& amp ;> =20
=3D3D
> > =3D3D3D3D
>> =
=3D3D20
> > =20
>&and
>> > > still no clock lock or =
modules=20
=3D3D
> > showing up=3D3D20
> > =
in the paris=20
patchbay.
>> > >
>> =20
=3D3D
> > =3D3D20
> > =
>&This means to=20
me software unless someone tells me=3D3D20
> > =20
differently.
>> > >
>> =
> =3D3D
> >>I have=3D3D20
> > =
> a=20
new C drive which I will load XP and no pace. =
Any=3D3D20
> =20
> =3D3D3D
>>other=3D3D3D3D20
& amp ;>> =
> =20
=3D3D
> >>suggestions?
>> =
=3D3D20
> =20
> > >
>> > >&More=20
frustrated than my=3D3D20
> > =20
clients,
>> > >&Tom
>> =
>&=20
=3D3D20
> > >
>> > =
>
>> > =3D3D
> > =
>>
>>=20
=3D3D20
> > > >
>> =
> >&I choose Polesoft =3D3D
> >&Lockspam=20
to=3D3D20
> > fight spam, and =
you?
>> =20
> =3D3D20
> > =20
>&http://www.polesoft.com/refer.html =
=3D3D3D3D20
>>=20
=3D3D20
> > >
>> =20
>
>> ><!DOCTYPE HTML =
PUBLIC=3D3D20
> =20
> "-//W3C//DTD HTML 4.0 Transitional//EN">
>> =

=3D3D20
> > > =20
><HTML><HEAD><BR&a mp;gt;> =20
><META=3D3D20
> > =
http-equiv=3D3D3D3D3DContent-Type=20
content=3D3D3D3D3D"text/html"; =3D3D
> =
>=3D3D3D3D
>=20
=3D3D20
> > =20
> charset=3D3D3D3D3DDiso-8859-1">
> =
><META=20
=3D3D
> =
> content=3D3D3D3D3D"MSHTML=3D3D20
> > =20
6.00.2800.1400" name=3D3D3D3D3DGENERATOR>
> =
=3D3D20
> =20
> ><STYLE></STYLE><B R>> =20
=3D3D
> >></HEAD>
& gt; =
=3D3D20
> =20
> ><BODY =
bgColor=3D3D3D3D3D#ffffff>
>& amp;nbsp;=20
=3D3D
> >><DIV><FONT=3D3D20
> =
> =20
face=3D3D3D3D3DArial =3D3D
> =20
> size=3D3D3D3D3D2> Rick,
> =

=3D3D20
> > ><DIV><FONT =
face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2>1 mec, no BNC =3D3D
> =20
> involved.=3D3D20
> > Paris=20
=3D3D3D
>=3D3D3D3D
 > > boots up so=20
=3D3D
> > the=3D3D3D3D20
> =2 0
> 1=3D3D20
> > mec=20
that</DIV><BR& gt;> =
=3D3D
> =20
>><DIV><FONT=3D3D20
> > =
face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2>I'm using shows up but never =3D3D
> =

> any
=3D3D3D
& g t; A to=3D3D20
> =
> =20
=3D3D3D3D
> >Ds or =
any=3D3D3D3D20
> =20
> installed=3D3D20
> > =20
modules.</DIV><BR& amp;gt;> =
=3D3D
> =20
>><DIV><FONT=3D3D20
> > =
face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2>This is the same symptom =3D3D
> =20
> before
=3D3D3D
& am p; l=3D3D20
> =

> =20
=3D3D3D3D
 >repaired one =
of=3D3D3D3D20
 =20
>my =3D3D
> >mecs with=3D3D20
> =
> =20
a</DIV>
 > =20
><DIV><FONT=3D3D20
> > =
face=3D3D3D3D3DArial=20
size=3D3D3D3D2>new chip. The clock light =3D3D
> =20
>=3D3D3D3D
> =3D3D20
> > =
>continues to=20
flash=3D3D3D3D20
> >too. Never =
locks=3D3D20
> =20
> in.</DIV>
 t;> =20
><DIV><FONT=3D3D20
> > =
face=3D3D3D3D3DArial=20
size=3D3D3D3D2> =3D3D
> =20
></DIV>
> =3D3D20
> > =20
><DIV>l =
am using=20
=3D3D
> >the simplest=3D3D20
> > =
setup=20
l
=3D3D3D
> can =3D3D3D3D
> =
>imagine=20
=3D3D
> >and=3D3D3D3D20
> =
=3D3D20
> =20
> >still it's not=20
working.</DIV>
 >> =
=3D3D20
> =20
> ><DIV><FONT face=3D3D3D3D3DArial =
size=3D3D3D3D2>Mike=20
A. =3D3D
> >suggested the=3D3D20
> =
> .ini=20
file
=3D3D3D
>=3D3D 3D3D
> =
>to make=20
=3D3D
> >sure=3D3D3D3D20
> =
=3D3D20
> =20
> >card A is 0. I'll try=20
that.</DIV>
 >> =
=3D3D
> =20
>
> > ><DIV><FONT =
face=3D3D3D3D3DArial=20
size=3D3D3D3D2>Pretty sure =3D3D
> >it's=20
right=3D3D20
> > but who=20
=3D3D3D
>=3D3D3D3D
> > =3D3D20
> =
> =20
>knows?</DIV>
> =
=3D3D
> =20

>></DIV></FONT=3D3D20
> > =
face=3D3D3D3D3DArial=20
=3D3D
> =20
=
>&size=3D3D3D3D3D2>Thanks, </DIV>
>=20
=3D3D20
> > ></DIV></FONT=20
face=3D3D3D3D3DArial=3D3D20
> > =20
size=3D3D3D3D3D2>Tom</DIV >
>=20
=3D3D20
> > ></DIV></FONT =
face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2> =3D3D
> =
>
> =20
> </DIV>
> ></DIV></FONT=20
face=3D3D3D3D3DArial=3D3D20
> > =20
size=3D3D3D3D3D2> </DIV>
> =20
=3D3D
> >></DIV>=3D3D20
> =
> =20
</DIV>
> ></DIV> =
</DIV>
>=20
=3D3D20
> > ></DIV>=20
</DIV>
> =
></DIV>"rick"=3D3D20
> =20
> <<A=3D3D3D3D20</BR>> =20
>&href=3D3D3D3D3D"<A=3D3D20
> > =
=3D3D
> =20
=
=3D
>&href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hot=
mail.com</A'>mailto=3D
>>pa=3D3D
> =20
=
>&rnell68@hotmail.com">parnell68@hotmail.com</A>>=
=3D3D20
> =20
> =3D3D3D</BR>>=3D3D3D3D</BR> > =
>&wrote=20
in=3D3D3D3D20</BR>> =3D3D
> =20
>&message=3D3D20
> > =20
<A=3D3D3D3D20</BR>> =20
=3D3D3D</BR>>&href=3D3D3D3D3D"<A=3D3D20
> =
> =20
=3D3D
> =20
=
=3D
>&href=3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.co=
m">news:inqgh393=3D
>>'>n=3D3D
> =20
=
=3D
>&ews:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in=
qgh393=3D3D3D</B=3D
>=3D3D
> =20
>&R>>an5=3D3D3D3D</BR>& > =3D3D20
> =
> =20
=3D3D
> =20

=
>>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>

;>=20
=3D3D
> >;=3D3D20
> > >=20
><BLOCKQUOTE=3D3D3D3D20
& > =
=3D3D
> =20
>>style=3D3D3D3D3D"PADDING-RIGHT: 0px;=3D3D20
> =
> =20
PADDING-LEFT: 5px; MARGIN-LEFT: 5px;=20
=3D3D3D
>=3D3D3D3D
 > =3D3D20
> =
> =20
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =
=3D3D
> =20
>0px">i=3D3D3D3D20
> =3D3D20
> =
> =20
> know this as dumb as it gets but the bnc is attached=20
in=3D3D20
> > =
the=3D3D3D3D20
> > =20
=3D3D
> =20
>right
order...right?<BR& >all=3D3D20
> =
> =20
the cards show up in paris with=20
the
=3D3D3D
>=3D3D3 D3D
> =
=3D3D20
> =20
> >single=3D3D3D3D20
> > =20
mec?
how many i/o =3D3D
> >cards =
in=3D3D20
> =20
> each mec?

On Fri, 19=20
Oct=3D3D20
> > =20
=3D3D3D
>2007
& > =
=3D3D3D3D
> =20
>
> =3D3D
> >> =
=3D3D20
> =20
> 00:22:39 -0400, "Tom Bruhl"=20
<<A=3D3D3D3D20
> > =3D3D20
> =
> =20
=3D3D3D3D
> =20
=3D3D3D
>>href=3D3D3D3D3D"<A=3D3D20
> =
> =20
=3D3D
> =20
=
=3D
>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast=
..net>
wrote'=3D
>>ma=3D3D
> =20
=
>ilto:arpegio@comcast.net">arpegio@comcast.net><BR&=
>w=3D3D
> =20
>rote:=3D3D3D
& >=3D3D3D3D
>=20
=3D3D20
> > =20

<

>I=3D3D3D 3D20
> =
> =20
thought =3D3D
> >I was=3D3D20
> =
> groovin'=20
but once the second Mec was =3D3D3D3D
> =
=3D3D20
> =20
> =
>introduced
>the=3D3D3D3D20&a mp;lt;BR>> =20
> system =3D3D
> =
>stopped.=3D3D20
> =20
> That was a few weeks =
ago.
>
>Toda y I=20
=3D3D
> >=3D3D3D3D
> =
=3D3D20
> > =20
>tried=3D3D3D3D20
> > different =
cables, eds=20
cards, =3D3D
> >mecs,=3D3D20
> > =
eliminated=20
the magma =3D3D3D3D
> =20
>and
>still=3D3D20
> > =20
no=3D3D3D3D20
> > clock lock or modules =
showing up=20
in =3D3D
> >the paris=3D3D20
> > =

=3D3D3D3D
> =3D3D20
> > =20
=
>patchbay.
>
 ;>This=3D3D3D3D20
>&nb=
sp;=20
=3D3D
> >> =3D3D20
> > means =
to me=20
software unless someone tells me =3D3D3D3D
> =
=3D3D20
> =20
> =20
=
>differently.
>
& ;>>I=3D3D3D3D20
>&nb=
sp;=20
=3D3D
> >> =3D3D20
> > have a =
new C drive=20
which I will load XP and no pace. Any=3D3D20
> =
> =20
other=3D3D3D3D20
> > =3D3D20
> =
> =20

>suggestions?
& & ;
>More =
frustrated=20
=3D3D
> >than=3D3D20
> > =20
my=3D3D3D3D20
> > =3D3D20
> =
> =20
=3D3D
> =20

> =20
size=3D3D3D2>Mike said the same thing. Is the=20
=3D3D3D
>ini in =3D3D
> >
> =
> =20
the=3D3D3D20
>Paris folde or system=3D3D20
> =
> =20
32?</DIV>
>t;></DIV><FONT=20
face=3D3D3D3DArial =3D3D
> >
> > =

size=3D3D3D2>Do I want the Master card to be =
=3D3D
> =20
>0=3D3D3D20
>absolutely? l=3D3D20
> =
> =20
only have one =
card</DIV>
>></DIV><FONT=20
=3D3D
> >
> > face=3D3D3D3DArial =

size=3D3D3D2>in there right now and it's =
all=3D3D20
> =20
> =
freaky
=3D3D3D
>jus t=3D3D20
> =20
> =3D3D
> =20
=
>the=3D3D3D20
>same.</ FONT></DIV>
>=
</DIV><FONT=3D3D
> =20
>=3D3D20
> > =
face=3D3D3D3DArial=3D3D20
> =20
> =20
=
size=3D3D3D2>Tom</DIV&a mp;gt;
></DIV><=
t;FONT=3D3D20
> =20
> face=3D3D3D3DArial size=3D3D3D2> =
=3D3D
> =20
=
></DIV>
><l t;DIV><FONT=3D3D20
> =20
> face=3D3D3D3DArial size=3D3D3D2> =
=3D3D
> =20
=
></DIV>
><l t;DIV><FONT=3D3D20
> =20
> face=3D3D3D3DArial =
size=3D3D3D2>=3D3D20
> =20
> =3D3D
> =20
=
></DIV>
><l t;BLOCKQUOTE=3D3D3D20
>style=3D=
3D3D3D"PADDING-RIGHT:=20
=3D3D
> >0px;=3D3D20
> > =
PADDING-LEFT: 5px;=20
MARGIN-LEFT: 5px; =3D3D3D
>BORDER-LEFT:=20

=3D3D
> >Bruhl"=3D3D20
> > =20
<<A=3D3D3D20
> p; =
href=3D3D3D3D"<A=3D3D20
> =20
> =3D3D
> =20
=
=3D
>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast=
..net>=3D3D3D20'>m=3D
>ailto=3D3D
> =20
=
>:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D20&l=
t;/A>
&g=3D3D
> =20
>t; =3D3D20
> > =20
wrote:
>
>&a mp;lt;BR>>Rick,
>1 =

=3D3D
> >mec, no=3D3D20
> > BNC=20
=3D3D3D
>involved. =
Paris=3D3D3D20
> boots up=20
so =3D3D
> >the 1 mec=3D3D20
> > =

that
>I'm using shows up but never any A =
=3D3D3D
>to=20
Ds=3D3D20
> > or=3D3D3D20
> =
any installed=20
modules.
>This is the =3D3D
> =20
>same=3D3D20
> > symptom before I=20
=3D3D3D
>repaired one=3D3D3D20
> of my =
mecs=20
=3D3D
> >with=3D3D20
> > =
a
>new=20
chip. The clock light continues to=3D3D20
> =
> =20
=3D3D3D
>flash=3D3D3D20<BR&am p;gt;> too. =
Never=20
locks=3D3D20
> > =
in.
>
>I am=20
using the simplest =3D3D
> =
>=3D3D3D
>setup=20
I=3D3D20
> > can=3D3D3D20
> =
imagine and=20
still it's not =3D3D
> >working.
>Mike=20
A.=3D3D20
> > suggested the=20
=3D3D3D
>.ini=3D3D3D20<BR&am p;gt;> file to make=20
=3D3D
> >sure card A is=3D3D20
> =
> 0. =20
I'll try=3D3D20
> > =3D3D
> =20
=
>=3D3D3D
>=3D3D3D3D
>that.
>Pretty=
=3D3D3D20
>=20
=3D3D
> >; sure it's=3D3D20
> > =

right but=20
who=3D3D3D20
> =3D3D20
> > =
=3D3D
> =20
=
>=3D3D3D
>>knows?<BR&am p;gt;>Thanks,
>Tom<=
BR>><=3D3D
> =20
=
>BR>>
>< BR>>
><=3D3D3D& amp;lt;BR=
>>BR>=3D3D
> =20
>>"rick"=3D3D3D20
> =3D3D20
> =
> <<A=20
=3D3D3D
>href=3D3D3D3D"<A=3D3D20
> =
> =20
=3D3D
> =20
=
=3D
>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hot=
mail.com</A'>mailto=3D
>;pa=3D3D
> =20
=
>rnell68@hotmail.com">parnell68@hotmail.com</A>=>=
=3D3D20
> =20
> =3D3D3D
>wrote=3D3D3D20<BR&am p;gt;> =
in=20
message=3D3D3D20
> =3D3D20
> > =20
=3D3D
> =20
=
>=3D3D3D
>=3D3D3D3D
>news:inqgh393an5s4m99qcao=
jn09vn112t4u6r@4ax=3D3D
> =20
=
>.com...
>&nbs=3D3D3D
>p;=3D3D20
>&n=
bsp;=20
> i=3D3D3D20
> know this as dumb as it =
gets but the=20
bnc is =3D3D
> >attached in=3D3D20
> =
> =20
the=3D3D3D20
> right
> =
=3D3D20
> =20
> order...right?
> all the cards show=20
up=3D3D20
> > =20
=3D3D3D
>in=3D3D3D20<BR&g t;> paris with the =
single=20
=3D3D
> >mec?
> =3D3D20
> =
> how=20
many i/o cards in each=3D3D3D20
> =3D3D20
> =
> =20
mec?
>
>& ;lt;BR>> On Fri, 19 Oct=20
=3D3D
> >2007=3D3D20
> > =
00:22:39 -0400,=20
=3D3D3D
>"Tom=3D3D3D20
> =

Bruhl"=3D3D20
> = 20
> = 20
= 3D3D3D
> href=3D3D3D3D"<A=3D3D20
> = 20
> = 20
= 3D3D
> = 20
=
=3D
> href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast=
..net>
> am p;am p;n'>=3D3D=3D
>
> = 20
= 20
=
>mailto:arpegio@comcast.net">arpegio@comcast.net><B=
R>=3D3D
> = 20
=
>> am p;n=3D3D3D< BR>>bsp;=3D3D3D20
>=
= 20
= 3D3D20
> > = 20
wrote:
>
> a mp;nbsp;= 20
><I thought I was groovin' =3D3D
> ><but=20
once=3D3D20
> > the=20
= 3D3D3D
>second=3D3D3D20<BR&a mp;gt;> Mec was=20
= 3D3D
> ><introduced
> =
=3D3D20
> = 20
> ><the system stopped. That =
=3D3D3D
>was a=20
= 3D3D
> ><few=3D3D3D20
> = 20
weeks=3D3D20
> > ago.
> = 20
>
> ><Today I tried=3D3D20
> =
> = 20
= 3D3D3D
>different=3D3D3D20<B R>> cables, =
eds cards,=20
mecs, =3D3D
> ><eliminated the=3D3D20
> =
> = 20
=
=3D3D3D
>magma
=3D3 D3D3D
>and
&= 20
gt;=20
= 3D3D
> >=3D3D3D20
> =
=3D3D20
> > = 20
><still no clock lock or modules showing up in the =
=3D3D
> = 20
><paris=3D3D3D20
> =3D3D20
> > = 20
patchbay.
> >
> ><This =
means=20
= 3D3D
> ><to me=3D3D20
> > = 20
= 3D3D3D
>software=3D3D3D20
> unless =
someone tells=20
me=3D3D20
> > differently.
> = 20
>
> =3D3D20
> > = 20
= 3D3D3D
><I=3D3D3D20<B R>> have a new C =

drive which=20

I will =3D3D
> >load XP and no=3D3D20
> =
> =20

pace. Any=3D3D3D20
> =
other=3D3D3D3D20
>=20

=3D3D20
> > =
>suggestions?
> =20

=3D3D3D
>>
& & amp;gt;=3D3D20
> =
> =20

=3D3D3D20
> >More frustrated than my =
=3D3D
> =20

>clients,
> =3D3D20
> > =20
=3D3D3D
>>Tom
 t;> =

=3D3D3D20
> =20
=3D3D
> >>
> =3D3D20
> =

> =20

>
> >
> =
=3D3D
> =20

>=3D3D3D
>><BR& amp;gt;>=3D3D20
> =
> =20

=3D3D3D20
> >I choose Polesoft Lockspam to =
fight spam,=20

and=3D3D20
> > you?
>=20
=3D3D3D20
> =3D3D
> =20

>>http://www.polesoft.com/refer.html=3D3D20
> =
> =20

=3D3D3D20
> =3D3D
> =20
=

>=3D3D3D3D20
><BR& gt;>
><!DOCTYPE=3D3D=
D20
> =20

> HTML PUBLIC "-//W3C//DTD =3D3D3D
>HTML=20
4.0=3D3D3D20
> =3D3D20
> > =

=3D3D
> =20
=

>Transitional//EN" >
><HTML>& l t;HEAD>
=
>=3D3D
> =20

><META=3D3D3D20
> =3D3D20
> > =

http-equiv=3D3D3D3D3DContent-Type =3D3D
> =20
>content=3D3D3D3D3D"text/html;=3D3D3D20
> =

=3D3D20
> =20
> =20

=

=3D3D3D3D
> charset=3D3D3D3D3Diso-885 9-1 ">
><=

;META=20
=3D3D
> >
> > =20
=

=3D3D3D
> content=3D3D3D3D3D"MSHTML=3D3D3D20
> =

p;=20
=3D3D
> >6.00.2800.1400"=3D3D3D20
>=20
=3D3D20
> > >=3D3D
> =20
=
>=3D3D3D
>name=3D3D3D3D3DGENE RATOR>
><ST=
YLE></STYLE&=3D3D
> =20
=
>>
></HEA=3D3D3D& ;lt;BR>>D>
>&am p;lt;=
BODY=3D3D3D20
&=3D3D
> =20
>> =3D3D20
> > =20
=
bgColor=3D3D3D3D3D#ffffff>
>& amp;lt;DIV><FONT=3D3D20
=
> =20
> face=3D3D3D3D3DArial=3D3D3D20
> =
=3D3D20
> =20
> =3D3D
> =20
=
>=3D3D3D
>size=3D3D3D3D3D2&am p;gt;Rick,</DIV&g=
t;
>&l=3D3D
> =20
>t;DIV><FONT=3D3D3D20
 > =3D3D20
> =
> =20
face=3D3D3D3D3DArial size=3D3D3D3D3D2>1 mec, no BNC involved.=20
=3D
>Paris=3D3D20
> > =20
=3D3D3D
>=3D3D3D3D
 >boots up=20
so=3D3D3D20
> =3D3D
> =20
>the=3D3D3D3D20
>1=3D3D20
> > =20
mec=3D3D20
> > =3D3D
> =20
=
>=3D3D3D
>that</FONT&a mp;gt;</DIV>
>< D=
IV><FONT=3D3D
> =20
>=3D3D3D20
> =3D3D20
> > =
face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2>I'm using shows up but never any
=3D
>A =
to=20
=3D3D
> >
> > =20
=3D3D3D
>=3D3D3D3D
 >Ds =
or=3D3D3D20
>=20
=3D3D20
> > =20
any=3D3D3D3D20
>installed=3D3D3D20&a mp;lt;BR>> =
=3D3D20
> =20
> =20
=
modules.</DIV><BR& amp;gt;><DIV><FONT=3D3D20=

> =20
> =
=3D3D3D
>face=3D3D3D3D3DArial=3D3D3D 20
> =20
size=3D3D3D3D3D2>This is =3D
>=3D3D
> >the=20
same=3D3D20
> > symptom before l=20

=3D3D3D3D
>repaired =3D3D
> =20
>=3D3D3D
>one=3D3D3D20< ;BR>> =
=3D3D20
> =20
> of=3D3D3D3D20
>my mecs =
with=3D3D3D20
>=20
=3D3D20
> > =20
=
a</DIV>
 ><DIV><FONT=3D3D20
>=
 =20
> face=3D3D3D3D3DArial=3D3D3D20
> =20
size=3D3D3D3D2>new chip. The =3D3D
> >clock=20
light=3D3D20
> > =
=3D3D3D3D
>continues=20
to=3D3D3D20
> =3D3D
> =20
>flash=3D3D3D3D20
>too.=3D3D2 0
> =
> Never=20
locks=3D3D3D20
> =3D3D20
> > =20
in.</DIV><BR&g t;><DIV><FONT=20
=3D3D
> >face=3D3D3D3D3DArial=3D3D20
> =
> =20
=3D3D3D
>
> =20
size=3D3D3D3D2>=3D3D20
> > =20
</DIV>
><DIV&am p;gt;<FONT=3D3D20
> =
> =20
=
=3D3D3D
>face=3D3D3D3D3DArial=3D3D3D 20
> =20
size=3D3D3D3D2>I am =3D3D
> >using the=20
simplest=3D3D20
> > setup I can=20
=3D3D3D3D
>imagine=3D3D3D20<B R>> =
=3D3D20
> =20
> and=3D3D3D3D20
>still it's =
not=3D3D3D20
>=20
=3D3D20
> > =20
=
working.</DIV><BR& amp;gt;><DIV><FONT=3D3D20=

> =20
> =
=3D3D3D
>face=3D3D3D3D3DArial=3D3D3D 20
> =20
size=3D3D3D3D2>Mike A. =3D
>=3D3D
> =
> suggested=20
the=3D3D20
> > .ini file =
=3D3D3D3D
>to=20
make=3D3D3D20
> =3D3D20
> > =20
sure=3D3D3D3D20
>card A is 0. I'll =
try=3D3D3D20
>=20
=3D3D20
> > =20
=
that.</DIV><BR& ;gt;><DIV><FONT=3D3D20 <BR=

>> =20
> =
=3D3D3D
>face=3D3D3D3D3DArial=3D3D3D 20
> =20
size=3D3D3D3D3D2>Pretty =3D3D
> >sure it's=20
right=3D3D20
> > but who=3D3D3D20
> =

=3D3D20
> > =3D3D
> =20
=
>=3D3D3D3D
>knows?</FO NT></DIV>
>& =
lt;DIV&g=3D3D
> =20
>t;<FONT=3D3D3D20
> =3D3D20
> =
> =20
face=3D3D3D3D3DArial=3D3D3D20
> =3D3D20
> =
> =20
=3D3D
> =20
=
>=3D3D3D
>size=3D3D3D3D3D2&am p;gt;Thanks,</DIV=
>
>=3D3D
> =20
><DIV><FONT=3D3D3D<BR& ;gt;>=3D3D3D20
>=20
=3D3D20
> > =
face=3D3D3D3D3DArial=3D3D3D20
>=20
=3D3D20
> > =3D3D
> =20
=
>size=3D3D3D3D3D2>Tom& ;lt;/DIV>
><DIV=
><=3D3D
> =20
>FONT=3D3D3D20
> =3D3D20
> > =20
face=3D3D3D3D3DArial =
size=3D3D3D3D3D2>=3D3D20
> =20
> =3D3D
> =20
=
>=3D3D3D
></DIV> ;
><DIV><FONT=3 D=
3D3D20
>&nbs=3D3D
> =20
>p;=3D3D20
> > face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2>=3D3D20
> > =20
=
=3D3D3D
></DIV>< ;BR>><DIV>=3D3D3D20<BR=
>>=20
=3D3D20
> > =20
</DIV>
><DIV&am p;gt;=3D3D20
> =
> =20
</DIV>
><DIV&am p;gt;=3D3D3D20
>=20
=3D3D20
> > =20
</DIV>
><DIV&am p;gt; "rick"=3D3D20
> =
> =20
=3D3D
> =20
=
>=3D3D3D
><<A=3 D3D3D3D20
>href=3D3D3D3D3=
D"<A=3D3D3D20
>&n=3D3D
> =20

>=3D3D20
> > =3D3D
> =20
=
=3D
 >>=3D3D3D
>href=3D3D3D 3D'mailto:parnell68@hotmail.com">parnell68@hotmail.c=3D3D=3D
>
> =20
=
>om</A'>mailto:pa=3D3D3D<BR& gt;>rnell68@hotmail.com">pa=rnell68@hotmail=3D3D
> =20
>l.com</A>>=3D 3D3D20
> =
=3D3D20
> =20
> =3D3D3D3D
>wrote=20
in=3D3D3D3D20
>message=3D3D20
> > =20
<A=3D3D3D3D20
>href=3D3D3D3D3 D "<A=20
=3D3D3D
>
> =3D3D20
> > =

=3D3D
> =20
=
=3D
 >>=3D3D3D
>href=3D3D3D 3D'news:inqgh393an5s4m99qc=aojn09vn112t4u6r@4ax.com">=3D3D=3D
>
> =20
=
=3D
 >>news:inqgh393an5=3D3D3D
> &am p;gt;'>news:inqgh393an5=s4m99qcaojn09vn112t4u6r@4=3D3D=3D
>
> =20
=
>ax.com" >news:inqgh393an5</A=3D3D3D
& & amp;gt;>=3D3D3D3D&l=t;BR>>s4m99q=3D3D
> =20
=
>caojn09vn112t4u6r@4ax.com ...</DIV>
& & amp;=3D3D=3D3D
& & amp;=3D3D
> =20
=
=3D
 >>gt;gt;<BLOCKQUOTE=3D3D3D3D20<B R>>style=3D3D3D3D=3D3D"PADDING-RIGHT:=3D3D3D20=3D3D
> =20
>
> =3D3D20
> > 0px; =
PADDING-LEFT: 5px;=20
MARGIN-LEFT: 5px; =3D3D
> =20
>=3D3D3D3D
>BORDER-LEFT:=3D3D 20
> =
> =20
=3D3D3D
>#000000 2px=3D3D3D20
> solid; =

MARGIN-RIGHT:=3D3D20
> > =20
0px">i=3D3D3D3D20
> know this as dumb as=20
=3D3D
> >=3D3D3D
>it=3D3D20
>> =
> =20
gets=3D3D3D20
> but the bnc is attached in =
=3D3D
> =20
>the=3D3D3D3D20
>=3D3D20
> > =20
=3D3D3D20
> =
right
order...right?
all the=20
=3D3D
> >cards show up=3D3D20
> =
> in paris=20

=3D3D
> >to fight=3D3D20
> > > =20
spam,=3D3D3D20
> > and=3D3D3D3D20
> =20
=3D3D20
> > > =3D3D
> > =20
=
>=3D3D3D
>>you?
 >>http://www.polesoft.com/refer.=
html=3D3D3D20
&=3D3D
> > =20
>> =3D3D20
> > > =3D3D
> > =20
=
>=3D3D3D
>=3D3D3D3D20< BR>>
</BLOCKQUO=
TE></BODY>=3D3D
> > =20
=
></HTML>
&=3D 3D3D
>>
>& &|=
t;BR></B=3D3D
> > =20
=
>LOCKQUOTE></BODY></HTML& >
>
>& &|=
t;BR></BLOCKQUOTE><=3D3D
> > =20
></BODY></HTML>
> >
> > =20
>
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD =
HTML 4.0=20
=
Transitional//EN">
><HTML><HEAD>
><META=20
http-equiv=3D3DContent-Type content=3D3D"text/html;=20
=3D
> charset=3D3Diso-8859-1">
><META =
content=3D3D"MSHTML=20
6.00.2800.1400"=20
=
name=3D3DGENERATOR>
><STYLE></STYLE>
></HEA=
D>
><BODY=20
bgColor=3D3D#ffffff>
><DIV><FONT face=3D3DArial=20
=
size=3D3D2>Mike.</DIV& >&
><DIV><FONT=20
face=3D3DArial size=3D3D2>I used to use a Lucid but since all=20
of
=3D
>this mess=20
=
l=3D20
>stopped.</DIV>
><DIV><FON=
T=20
face=3D3DArial size=3D3D2>I'm trying to get stable from square =
=3D
>one=20
with the=3D20
>least amount=20
</DIV>
><DIV><FONT face=3D3DArial=20
size=3D3D2>of hardware. I am using the =3D
>default=20
project=3D20
>for sure. The only=20
</DIV>
><DIV><FONT face=3D3DArial=20
size=3D3D2>other thing that I still question is =
my
=3D
>move=20
of=3D20
>Paris to C:ParisPro=20
</DIV>
><DIV><FONT face=3D3DArial =

size=3D3D2>I should think the default project =
will
=3D
>either=20
work=3D20
>or not. =20
Maybe</DIV>
></DIV></FONT =
face=3D3DArial=20
size=3D3D2>configs or something else is =3D
>fighting=20
during=3D20
>Paris=20
startup?</DIV>
></DIV></FONT =
face=3D3DArial=20
size=3D3D2> </DIV>
></DIV></FONT=20
face=3D3DArial size=3D3D2>Pats 42 - Miami 7 . . . Halftime and =
=3D
>the=20
=
games=3D20
>over.</DIV>
></DIV></FO=
NT=20
face=3D3DArial=20
=
size=3D3D2>Tom</DIV> t;
></DIV></FONT=20
face=3D3DArial size=3D3D2>=20
</DIV>
></DIV></FONT face=3D3DArial=20
size=3D3D2> </DIV>
></DIV></FONT=20
face=3D3DArial size=3D3D2>=20
=
</DIV>
></BLOCKQUOTE=3D20
>style=3D3D"PADDING-RIGHT: =
0px;=20
PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
>BORDER-LEFT: #000000 =
2px=20
solid; MARGIN-RIGHT: 0px">
> </DIV>"Mike Audet"=20
</mike@...> wrote in message <A=3D20
> =20
=3D
>href=3D3D"<A=20
=
href=3D'news:471b6eb0\$1 @linux">news:471b6eb0\$1 @linux...</DIV>
Hi=3D=
20">news:471b6eb0\$1 @linux">news:471b6eb0\$1 @linux...</DIV&=
gt;</BR>Hi=3D20
> =20
Tom,</BR></BR>Are you using a default project with =
PARIS? =20
I'm so =3D
>sorry of=3D20
> this has =
been</BR>asked and=20
answered already. If so, perhaps it =
=3D
>is=3D20
> =20
telling card zero to lock</BR>to an external clock, which it =
can't=20
=3D
>because=3D20
> there isn't =
one.</BR></BR>It=20
would be interesting to attach an=20
external
=3D
>clock=3D20
> source to the MEC=20
and</BR>then start PARIS to see how it behaves. =
=3D
>Or,=20

is =3D3D
>right.
> > =
=3D
>The file=20
is=3D20
> Paris.cfg, and it lives in the=20
c:\program=3D20
> =20
files\Emu\PARIS
>=3D3D
>& ;gt;PRO
>> =20
=3D
> >folder.
>>
>& >gt; =3D20
>> =
I'd still=20
check it out to see what it is set =
to.
>>
>> =20
=3D
>>If it=3D20
>> is wrong, what you are =
describing will=20
happen.
>>
>> =
=3D
>>Good=3D20
>> =20
luck!
>>
>> =20
Mike
>>
>> "Tom Bruhl"=20
=3D
>>
>> href=3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>=3D20'>mailto=
:arpegio@comcast.net">arpegio@comcast.net>=3D20
>>=20
 =20
wrote:
>> >
>> =
>
>> =20
>
>> Dimitrios.
>> =20
>
>> >Mike said the same=3D20
>> =20
thing. Is the ini in the Paris folde or =
system=3D20
>> =20
=3D3D
>>32?
>> >
>> Do I want the Master =
card to be=20
0=3D20
>> absolutely? I only have one=20
card
>> >
>> in there =3D
>>right =
now=3D20
>> =20
and it's all freaky just the same.
>> =20
>
>> Tom
>> =3D
>>
>> =
>
>> =20
>
>> >
>> > =
=3D20
>> =20
"Dimitrios"
>> href=3D3D"<A=20
=
href=3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr>=3D20'>mailto:m=
usurgio@otenet.gr">musurgio@otenet.gr>=3D20
>> =20
wrote in message =3D3D3D
>> =20
=3D
>>>news:471a0486\$1@linux...
>> =
=3D20
>> =20
>
>> > Hi Tom <A=20
href=3D"mailto:!!@
>>!!
>> > Sorry =
=3D
>>>to=20
hear=3D20
>> you still having problems like this=20

~!!
> > Must =3D
>be =
very=3D20
> =20
frustrating.
> > Open the Paris ini file =
and=20
=3D
>there change=3D20
> the mastercardoutput=20
with
>=3D3D
>=3D3D3D
> =20
>your=3D20
> other
> > =
cards and see=20
what happens =3D
>!!
> =3D20
> =
> Let me=20
know.
> > =
=3D
>Regards,
>=20
=3D20
> > Dimitrios
> =20
>
> > "Tom =
=3D
>Bruhl"=3D20
> =20
<<A href=3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.netmailto:arpegi=
o@comcast.net">arpegio@comcast.net>=20
=3D
>
> wrote:
> > =20
>
> > =3D20
> =
>
> =20
> >Rick,
> > >1 =
=3D
>mec,=20
no=3D20
> BNC involved. Paris boots up so the 1 =
mec=20
that
> =3D
>> =3D20
> >I'm =
using shows=20
up but never any A to Ds or any installed=3D20
> =20
modules.
> > >This is the same symptom =
before=20
=3D
>I=3D20
> repaired one of my mecs with=20
a
> > >new =3D
>chip. =
=3D20
> =20
The clock light continues to flash too. Never =
locks=3D20
> =20
=3D3D
>in.
> > =
>
> =20
> =3D
>>I am=3D20
> using the simplest =
setup I can=20
imagine and still it's not =3D
>=3D3D3D
>> =
=3D20
> =20
>working.
> > >Mike A. =
suggested the=20
=3D
>.ini=3D20
> file to make sure card A is =
0. I'll=20
=3D3D
>try
> =3D
>
> =

=3D3D3D
> >=3D3D3D3D
> =
> =20
=3D
>>that.
> =3D20
> > =
>Pretty=20
sure it's right but who knows?
> =3D
>>=20
=3D20
> >Thanks,
> > =20
>Tom
> > =3D20
> =
>
> =20
> >
> > =
=3D
>
>=20
=3D20
> > >
> > =20
>
> > =3D
>
> =
>"rick"=20
<<A=3D20
> href=3D3D"<A=20
=
href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto:pa=
rnell68@hotmail.com">parnell68@hotmail.com</A>>=20
=3D
>wrote in=3D20
> message =
=3D3D3D3D
> >=20
=3D20
> =20
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =

=3D20
> > > i know this as dumb as it =
gets but=20
the bnc is =3D
>attached=3D20
> in the=20
=3D3D
>right
> t; > > =
=3D20
> =20
order...right?
> > > all the =
cards show=20
=3D
>up in=3D20
> paris with the single=20
mec?
> > > how =3D
>many=20
i/o=3D20
> cards in each mec?
> =
> =20
>
> =3D
>> =3D20
> =20
>
> > > On Fri, 19 Oct 2007 =
00:22:39=20
=3D
>-0400,=3D20
> "Tom Bruhl" =
=3D3D3D
> =20
><<A=3D20
> href=3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n'>=
mailto:arpegio@comcast.net">arpegio@comcast.net>
=
>&n=3D
>bsp;=3D20
> =20
> > wrote:
> > =20
=3D
>>
> =3D20
> > =
> >l=20
thought I was groovin' but once the second =3D
>Mec =
was=3D20
> =20

>
> > =20
=3D
><!DOCTYPE=3D20
> HTML PUBLIC =
"-//W3C//DTD HTML 4.0=20
Transitional//EN">
> =3D20
> > =20
><HTML><HEAD><BR&a mp;gt;> > =20
=3D
><META=3D20
> =
http-equiv=3D3D3D3D3DContent-Type=20
content=3D3D3D3D3D"text/html;=3D20
> =20
=3D3D
>=3D3D3D3D
&a mp;gt;> > =
=3D20
> =20
>< charset=3D3D3D3D3Diso-8859-1">
> > =

=3D
><META=3D20
> content=3D3D3D3D3D"MSHTML =

6.00.2800.1400" =
=3D
 >name=3D3D3D3D3DGENERATOR>
&a mp;gt;=20
=3D20
> > =20
><STYLE></STYLE><B R>> > =
=3D20
> =20
></HEAD>
> > =20
><BODY=3D20
> =20
bgColor=3D3D3D3D3D#ffffff>
>& amp;nbsp; > =20
=3D
><DIV><FONT=3D20
> =
face=3D3D3D3D3DArial=20
=
=3D
 >size=3D3D3D3D3D2>Rick,&a mp;lt;/DIV>
&g=
t;=20
=3D20
> > ><DIV><FONT =
face=3D3D3D3D3DArial=20
=3D
>size=3D3D3D3D3D2>1 mec, no=3D20
> BNC =
involved.=20
=3D3D
>Paris =3D3D3D
> =20
=3D
>>=3D3D3D3D
> =3D20
> =
> >boots up=20
so the=3D3D3D3D20
> > >1=20
=3D
>mec=3D20
> =20
that</DIV><BR& gt;> > =20
=3D
><DIV><FONT=3D20
> =
face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2>I'm using shows up but=20
=3D
>=3D3D
>never=3D20
> =
any
> =20
=3D3D3D
> >A to =3D3D3D3D
> =
=3D
>>=20
=3D20
> >Ds or any=3D3D3D3D20
> =
> =20
>installed=3D20
> =20
modules.</DIV><BR& amp;gt;> > =

size=3D3D3D3D2>Pretty=20
=3D
>sure it's=3D20
> right =3D3D
>but =
who=20
=3D3D3D
> >=3D3D3D3D
> =
=3D
>=20
=3D20
> =
>knows?</DIV>& lt;BR>> =20
> =3D20
> ><DIV><FONT=20
face=3D3D3D3D3DArial=3D20
> =20
=
size=3D3D3D3D2>Thanks,< /DIV>
> =

=3D
>=3D20
> ><DIV><FONT=20
face=3D3D3D3D3DArial=3D20
> =20
size=3D3D3D3D2>Tom</DIV >
> =

=3D
>=3D20
> ><DIV><FONT =
face=3D3D3D3D3DArial=20
=3D
>size=3D3D3D3D2>=3D20
> =20
</DIV>
> > ><DIV><FONT=20
=3D
>face=3D3D3D3D3DArial=3D20
> =
size=3D3D3D3D2>=20
</DIV>
> > =3D20
> =
><DIV>=20
</DIV>
> > =
><DIV>=3D20
> =20
</DIV>
> > =
><DIV>=3D20
> =20
</DIV>
> > =20
><DIV>"rick"=3D20
> =20
<<A=3D3D3D3D20
>&n bsp; > =20
=
=3D
 >=3D3D
>>href=3D3D3D3D 3D "<A=3D20
> =
;=20
=
=3D
>href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.c=
om</A'>mailto:pa=3D
>rnell68@hotmail.com">parnell68@hotmai=
l.com</A>=3D20
> =20
=3D3D
>=3D3D3D
>& amp ;> =
>=3D3D3D3D
> =20
> =3D
>>wrote=3D20
> =20
in=3D3D3D3D20
> > >message=20
=3D
><A=3D3D3D3D20
> =3D20
> =
> =20
=3D3D3D
> =20
=3D3D
>>href=3D3D3D3D 3D "<A=3D20
> =20
=
=3D
>href=3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">=

news:inqgh'>news=3D
>:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com=
" >news:inqgh=3D3D
& amp;gt;=3D
>393=3D3D3D
=
>=20
=3D20
> >an5=3D3D3D3D
> > =
=3D20
> =20
=
=3D
>>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>&I=
t;BR>>=20
=3D
>=3D20
> > =20
><BLOCKQUOTE=3D3D3D3D20
& gt; > =
=3D20
> =20
>style=3D3D3D3D3D" PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
MARGIN-LEFT:=20
=3D
>
> =3D3D
>5px; =
=3D3D3D
> =20
>=3D3D3D3D
> =3D
>> =
=3D20
> =20
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT:=3D20
> =

0px">i=3D3D3D3D20
> > > know =
this as=20
=3D
>dumb as it=3D20
> gets but the bnc is =
attached in=20
=3D3D
>the=3D3D3D3D20
 >> =
=3D
>>=20
=3D20
> > =
right
order...right?
all the=20
cards show =3D
>up in=3D20
> paris with=20
=3D3D
>the
> =3D3D3D
>=20
=3D20
> >=3D3D3D3D
> > =20
>single=3D3D3D3D20
> ; =3D
>> =
=3D20
> =20
> mec?
how many i/o cards in =
each=3D20
> =20
mec?

On Fri, 19 =3D3D
>Oct=20
=3D
>=3D3D3D
> =3D20
> =
>2007
> =20
> =3D3D3D3D
> > =3D20
> =20
>
> > > 00:22:39 -0400, "Tom=20
Bruhl"=3D20
> <<A=3D3D3D3D20
> =
> =20
> =3D
>=3D3D3D3D
> =3D20
> =
> =20
=3D3D3D
> =20
=3D3D
>>href=3D3D3D3D 3D "<A=3D20
> =20
=
=3D
>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net</
t;/A>>
wro'>mail=3D
>to:arpegio@comcast.net">a=

;<<BR=3D
>>
>l=3D20
> =20
choose =3D3D3D3D
> > =20
=3D
 >>Polesoft=3D3D3D3D20
> ; =3D20
> =
> =20
> Lockspam to fight spam, =
=3D
>&and=3D3D3D3D20
>=20
=3D20
> > > > =20
=
=3D
>you?
>http://www.polesoft.com/refer.html=3D20
&=
> =20
=3D3D3D3D20
> > =3D20
> =20
=
=3D
 >>
</BLOCKQUOTE> ;</BODY></HTML><=
;BR>>=20
=3D
>=3D20
> > >
> =
> =20
>
> =3D
>>
> =
=3D20
> =20
>
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD =
HTML=20
4.0=3D20
> Transitional//EN">
> =20
=3D
 >><HTML><HEAD>& ;
> =
=3D20
> =20
><META http-equiv=3D3D3D3DContent-Type=20
content=3D3D3D3D"text/html;=3D20
> =
=3D3D3D
> =20
>&charset=3D3D3D3Diso-8859-1">
> =20
=3D
>><META=3D20
> content=3D3D3D3D"MSHTML =
6.00.2800.1400"=20
=3D
 >&name=3D3D3D3DGENERATOR>
& ;> =
=3D20
> =20
><STYLE></STYLE><B R>> =20
=3D
 >></HEAD>
& > =3D20
> =
><BODY=20
bgColor=3D3D3D3D#ffffff>
>&nbsp;=20
=3D
>><DIV><FONT=3D20
> =
face=3D3D3D3DArial=20
size=3D3D3D3D2>Thanks=3D20
> =20
Dimitrios.</DIV><B R>> =20
=3D
>><DIV><FONT=3D20
> =
face=3D3D3D3DArial=20
size=3D3D3D3D2> =
=3D
></DIV>
>=20
=3D20
> ><DIV><FONT face=3D3D3D3DArial=20
size=3D3D3D3D2>Mike said the =3D
>&same=3D20
> =
thing. =20
=3D3D
>the =3D3D3D
> >&ini =
in=3D20
> =20

the=3D3D3D20
> >Paris folde or =
system=3D20
> =20
32?</DIV><BR& g t;> =20
><DIV><FONT=3D20
> face=3D3D3D3DArial =
size=3D3D3D3D2>&Do=20
I want the Master card to=3D20
> =20
be
=3D3D
>0=3D3D3D2 0
> =20
>&absolutely? I only =3D
>have one=3D20
> =20
card</DIV><BR& g t;> =20
><DIV><FONT=3D20
> face=3D3D3D3DArial =
size=3D3D3D3D2>&in=20
there right now and it's=3D20
> =20
all
=3D3D
>freaky&a mp;lt;BR>> =20
=3D3D3D
> >&just=3D20
> =20
the=3D3D3D20
> =20
=3D
 >>same.</DIV&g t;
> =
=3D20
> =20
><DIV><FONT face=3D3D3D3DArial=3D20
> =20
size=3D3D3D3D2>&Tom</DIV&a mp;gt;
> =
=3D20
> =20
><DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>=20
=3D
>
> </DIV>
> =20
><DIV><FONT face=3D3D3D3DArial=3D20
> =20
size=3D3D3D3D2> </DIV>
> =20
=3D
>><DIV><FONT=3D20
> =
face=3D3D3D3DArial=20
size=3D3D3D3D2> =
=3D
></DIV>
>=20
=3D20
> ><BLOCKQUOTE=3D3D3D20
> =20
=3D
>>style=3D3D3D3D"PADDING-RIGHT: 0px;=3D20
> =
PADDING-LEFT:=20
5px; MARGIN-LEFT: 5px; =3D3D
>=3D3D3D
& >=20
=3D20
> >&BORDER-LEFT: #000000 2px solid; =
MARGIN-RIGHT:=20
=3D
>0px">
> =3D20
> > =20
<DIV>"Dimitrios" <<A=3D3D3D20
> p; =
=3D
>>=20
=3D20
> href=3D3D3D3D"<A=3D20
> =20
=
=3D
>href=3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr<=
'A'>mailto:musurgio=3D
>@otenet.gr">musurgio@otenet.gr</A&=
lt;/A>>>=3D20
> =20
wrote
=3D3D
>in =3D3D3D
> =20
=3D
>>message=3D3D3D20
> =3D20
> =
> <A=20
=3D3D3D
> =20
=3D3D
>>href=3D3D3D3D"<A=3D20
> =20

=3D20
> >p; i=3D3D3D20
> > =
know this=20
as dumb as it gets =3D
>but the=3D20
> bnc is =
attached in=20
the=3D3D3D20
> > =
=3D
>right
>=20
=3D20
> order...right?
> all the cards =
show up=20
=3D
>=3D3D3D
> =3D20
> =20
>in=3D3D3D20
> > paris with the=20
single=3D20
> mec?
> how many i/o =
cards in=20
=3D
>each=3D3D3D20
> =3D20
> =
> =20
mec?
>
>& ;
> On =
=3D
>Fri, 19=20
Oct=3D20
> 2007 00:22:39 -0400, =
=3D3D3D
> =20
>"Tom=3D3D3D20
> =3D
>> =
=3D20
> Bruhl"=20
<<A=3D3D3D20
> p; > =
=3D3D3D
>=20
=3D20
> =
=3D3D
>>href=3D3D3D3D" <A=3D20
> =20
=
=3D
>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net&l=
t;/A>>
>&n=3D3 D=3D
>3D'>mailto:arpegio@com=
cast.net">arpegio@comcast.net><B=3D
>R>>&a=
mp;n=3D3D3D=3D3D
>
>=20
=3D20
> >bsp;=3D3D3D20
> > =
=3D20
> =20
wrote:
>
>&a mp; >I thought I was =
groovin'=20
=3D
>but once=3D20
> the =
=3D3D3D
> =20
>second=3D3D3D20
> > Mec=20
=3D
>was=3D20
> introduced
> =
>the system=20
stopped. That=3D20
> =3D3D3D
> =
>was a=20
few=3D3D3D20
> > =
=3D
>weeks=3D20
> =20
ago.
> >
> >Today I=20
tried=3D20
> =3D3D3D
> =20
>different=3D3D3D20
> p; > =
=3D
>cables,=20
eds=3D20
> cards, mecs, eliminated the =
=3D3D3D
>=20

=3D20
> =
> magma
=3D3D3D3D
 > and
>=20
=3D
>=3D3D3D20
> =3D20
> > > =
> still no=20
clock lock or modules showing up in the=3D20
> =20
paris=3D3D3D20
> > > =
patchbay.
>=20
=3D20
> >
> > > This means to me=20
=3D3D3D
> =3D20
> =20
> software=3D3D3D20
> > > unless someone =
tells=20
me=3D20
> differently.
> =20
>
> =3D
>=3D3D3D
> =
=3D20
> =20
>>I=3D3D3D20
> > > have a new C drive =
which I=20
=3D
>will load=3D20
> XP and no pace. =20
Any=3D3D3D20
> > =3D20
> =20
other=3D3D3D3D20
> =
=3D
>>suggestions?
>=20
=3D20
> =3D3D3D
> =
>>
>=20
=3D3D3D20
> =3D
>> =3D20
> =
> More=20
frustrated than my clients,
> =
=3D
>=3D3D3D
>=20
=3D20
> >>Tom
> =
=3D3D3D20
> > =20
=3D20
> >
> =
>
> =20
=3D
>>
> =3D20
> =
=3D3D3D
> =20
>>
> =3D3D3D20
> =
=3D
>> =20
>>I=3D20
> choose Polesoft Lockspam to fight spam, and =

you?
>=3D20
> =3D3D3D20
> =
> =20
=
=3D
>>http://www.polesoft.com/refer.html=3D20</BLOCKQUOTE></BLOC=
KQUOTE></BODY></HTML>

-----=_NextPart_000_0092_01C8144B.E5D05E80--

Subject: Re: Paris saga
Posted by [Tom Bruhl](#) on Mon, 22 Oct 2007 07:40:38 GMT

This is a multi-part message in MIME format.

-----=_NextPart_000_000A_01C8145D.50528B00

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

After installing a network card it showed up.

Repeating the process using the same PCI slot
with an eds card made Windows hang.

Are all my EDS cards toast? They weren't a few weeks
ago? Even when the Mecs weren't showing up the 442 allowed
5 EDS cards to work in the Magma.

What the heck?

Tom

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:471c381e@linux...

Mastercard=3D0 was correct also.

I am going to try a clean OS with Paris on it too
if the PCI slots are still working.

Don't bother wishing me luck. There's none to be found.

Tom

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:471c3137@linux...

Mike,

I removed the default project and .cfg from the folder as you =
suggested.

Now the computer won't even boot with either of three eds cards =
installed.

No Magma, no word clock, no word clock line in the existing config.

I'm going to check with a network card to see if the PCI slots are =
burn't.

I tried three different ones with the eds. The one time Windows =
worked

with an eds card, the eds card didn't show up in device manager. =
That's=20

probably why.

There is some serious funk going on over here. Maybe mobo? If this =
is the
case I give up. It's not worth any more BS to me. There is no =
person
in my neighborhood to walk me through this. My tech helps me
but the problem seems to be from the ground up. I'm guessing 3-4
things still so wrong that nothing makes sense.

Cubase is looking more and more inviting, learning curve and all.
Tom

"Mike Audet" <mike@....> wrote in message news:471bcb77\$1@linux...

Hi Tom,

I have an idea.

Try removing UseHouseSync=3D1 from the paris.cfg file.

Next, remove your default project from the program files\emu\paris =
pro folder.
=20

Let me know if it makes a difference.

Good luck!

Mike

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>Mike,

>I used to use a Lucid but since all of this mess I stopped.

>I'm trying to get stable from square one with the least =
amount=3D20

>of hardware. I am using the default project for sure. The =
only=3D20

>other thing that I still question is my move of Paris to =
C:ParisPro .

>I should think the default project will either work or not. =
Maybe

>configs or something else is fighting during Paris startup?

>

>Pats 42 - Miami 7 . . . Halftime and the games over.

>Tom

>
>
>
> "Mike Audet" <mike@....> wrote in message =
news:471b6eb0\$1@linux...
>
> Hi Tom,
>
> Are you using a default project with PARIS? I'm so sorry of =
this has
=3D
>been
> asked and answered already. If so, perhaps it is telling card =
zero to
=3D
>lock
> to an external clock, which it can't because there isn't one.
>
> It would be interesting to attach an external clock source to =
the MEC
=3D
>and
> then start PARIS to see how it behaves. Or, if the clock =
generator is
=3D
>fried,
> tell paris to lock externally and see what happens when an =
external =3D
>clock
> source is applied.
>
> Isn't there a master house synch switch in the cfg file? I've =
never =3D
>used
> it. Maybe DJ could help with what that should/shouldn't be set =
to.
>
> Wish I could do more than think out loud...
>
> Mike
>
> "Tom Bruhl" <arpeggio@comcast.net> wrote:
> >
> >
> >Hi Mike,
> >Well I've been to .cfg many a time.
> >I've seen that Mastercard setting as being 0
> >but maybe it changed after removing the 4 other

> >eds cards for this round of testing.
> >
> >If it's still 0 what else could this be? Busted mobo?
> >I'm really in an idunno place right now. I'll be checking
> >seriously today again because of a session tomorrow morning.
> >Tom
> >
> >
> > "Mike Audet" <mike@....> wrote in message =
news:471b2ec2\$1@linux...
> >
> > Hi Tom,
> >
> > If you've only got one card in, then the Mastercard =3D3D3D =
0 setting
=3D
>is =3D3D
> >right.
> > The file is Paris.cfg, and it lives in the c:\program =3D
>files\Emu\PARIS
> =3D3D
> >PRO
> > folder.
> >
> > I'd still check it out to see what it is set to.
> >
> > If it is wrong, what you are describing will happen.
> >
> > Good luck!
> >
> > Mike
> >
> > "Tom Bruhl" <arpeggio@comcast.net> wrote:
> > >
> > >
> > >Thanks Dimitrios.
> > >
> > >Mike said the same thing. Is the ini in the Paris folde or =
system
=3D
>=3D3D
> >32?
> > >Do I want the Master card to be 0 absolutely? I only have =
one =3D
>card
> > >in there right now and it's all freaky just the same.
> > >Tom
> > >

> > >
> > >
> > > "Dimitrios" <musurgio@otenet.gr> wrote in message =3D3D3D
> > >news:471a0486\$1@linux...
> > >
> > > Hi Tom !@
> > > Sorry to hear you still having problems like this ~!!
> > > Must be very frustrating.
> > > Open the Paris ini file and there change the =
mastercardoutput =3D
>with
> =3D3D
> >=3D3D3D
> > >your other
> > > cards and see what happens !!
> > > Let me know.
> > > Regards,
> > > Dimitrios
> > >
> > > "Tom Bruhl" <arpeggio@comcast.net> wrote:
> > > >
> > > >
> > > >Rick,
> > > >1 mec, no BNC involved. Paris boots up so the 1 mec =
that
> > > >I'm using shows up but never any A to Ds or any =
installed =3D
>modules.
> > > >This is the same symptom before I repaired one of my =
mecs with
=3D
>a
> > > >new chip. The clock light continues to flash too. =
Never locks
=3D
>=3D3D3D
> >in.
> > > >
> > > >I am using the simplest setup I can imagine and still =
it's not
=3D
>=3D3D3D
> > >working.
> > > >Mike A. suggested the .ini file to make sure card A is =
0. =3D
>I'll =3D3D
> >try
> > =3D3D3D

> > >=3D3D3D3D
 > > > >that.
 > > > >Pretty sure it's right but who knows?
 > > > >Thanks,
 > > > >Tom
 > > > >
 > > > >
 > > > >
 > > > >
 > > > >
 > > > >
 > > > >"rick" <parnell68@hotmail.com> wrote in message =
 =3D3D3D3D
 > > > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
 > > > > i know this as dumb as it gets but the bnc is attached =
 in the
 =3D
 >=3D3D
 > >right
 > > > > order...right?
 > > > > all the cards show up in paris with the single mec?
 > > > > how many i/o cards in each mec?
 > > > >
 > > > >
 > > > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =
 =3D3D3D3D
 > > ><arpeggio@comcast.net>
 > > > > wrote:
 > > > >
 > > > > >I thought I was groovin' but once the second Mec was =
 =3D
 >introduced
 > > > > >the system stopped. That was a few weeks ago.
 > > > > >
 > > > > >Today I tried different cables, eds cards, mecs, =
 eliminated
 =3D
 >the
 > =3D3D
 > >=3D3D3D
 > > >magma
 > > > =3D3D3D3D
 > > > >and
 > > > > >still no clock lock or modules showing up in the =
 paris =3D3D
 > >patchbay.
 > > > > >
 > > > > >This means to me software unless someone tells me =3D
 > > > > >differently.


```

> > > >
> > > > >I have a new C drive which I will load XP and no =
pace. Any
=3D
>=3D3D3D
> > >other=3D3D3D3D20
> > > > >suggestions?
> > > >
> > > > >More frustrated than my clients,
> > > > >Tom
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >I choose Polesoft Lockspam to fight spam, and you?
> > > > >http://www.polesoft.com/refer.html =3D3D3D3D20
> > > >
> > > >
> > > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =
Transitional//EN">
> > > ><HTML><HEAD>
> > > ><META http-equiv=3D3D3D3D3DContent-Type =3D
>content=3D3D3D3D3D"text/html; =3D3D
> =3D3D3D3D3D
> > > > charset=3D3D3D3D3Diso-8859-1">
> > > ><META content=3D3D3D3D3D"MSHTML 6.00.2800.1400" =3D
>name=3D3D3D3D3DGENERATOR>
> > > ><STYLE></STYLE>
> > > ></HEAD>
> > > ><BODY bgColor=3D3D3D3D3D#ffffff>
> > > ><DIV><FONT face=3D3D3D3D3DArial =
size=3D3D3D3D3D2>Rick,</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>1 mec, =
no BNC =3D
>involved. =3D3D
> >Paris =3D3D3D
> > >=3D3D3D3D3D
> > > >boots up so the=3D3D3D3D20
> > > >1 mec that</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>I'm =
using shows up
=3D
>but =3D3D3D
> >never any
> > =3D3D3D3D
> > >A to =3D3D3D3D3D
> > > >Ds or any=3D3D3D3D20
> > > >installed modules.</FONT></DIV>

```

```

> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>This is =
the same =3D
>symptom
> =3D3D
> >before
> > =3D3D3D
> > >| =3D3D3D3D
> > > >repaired one of=3D3D3D3D20
> > > >my mecs with a</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>new =
chip. The =3D
>clock light
> =3D3D
> >=3D3D3D3D
> > > >continues to flash=3D3D3D3D20
> > > >too. Never locks in.</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =
</DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>I am =
using the =3D
>simplest =3D3D
> >setup I
> > =3D3D3D
> > >can =3D3D3D3D
> > > >imagine and=3D3D3D3D20
> > > >still it's not working.</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>Mike A. =
suggested
=3D
>the =3D3D
> >.ini file
> > =3D3D3D
> > >=3D3D3D3D
> > > >to make sure=3D3D3D3D20
> > > >>card A is 0. I'll try that.</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>Pretty =
sure it's =3D
>right =3D3D
> >but who =3D3D3D
> > >=3D3D3D3D
> > > >knows?</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial =3D
>size=3D3D3D3D3D2>Thanks,</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial =
size=3D3D3D3D3D2>Tom</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =
</DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =

```

```
</DIV>
  > > > ><DIV> </DIV>
  > > > ><DIV> </DIV>
  > > > ><DIV> </DIV>
  > > > ><DIV>"rick" <<A=3D3D3D3D20
  > > > =3D3D
  > =3D
  =
>>>href=3D3D3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com</A=
>>
  =3D
  >=3D3D
  > >=3D3D3D
  > > >=3D3D3D3D
  > > > >wrote in=3D3D3D3D20
  > > > >message <A=3D3D3D3D20
  > > > =3D3D3D
  > > =3D3D
  > =3D
  =
>>>>href=3D3D3D3D3D"news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news=
:in=3D
  >qgh=3D3D
  > >393=3D3D3D
  > > >an5=3D3D3D3D
  > > > >s4m99qcaojn09vn112t4u6r@4ax.com</A>...</DIV>
  > > > ><BLOCKQUOTE=3D3D3D3D20
  > > > >style=3D3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
=3D
  >MARGIN-LEFT: =3D3D
  > >5px; =3D3D3D
  > > >=3D3D3D3D
  > > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =
0px">i=3D3D3D3D20
  > > > > know this as dumb as it gets but the bnc is attached =
in =3D3D
  > >the=3D3D3D3D20
  > > > > right<BR>order...right?<BR>all the cards show up in =
paris =3D
  >with =3D3D
  > >the
  > > =3D3D3D
  > > >=3D3D3D3D
  > > > >single=3D3D3D3D20
  > > > > mec?<BR>how many i/o cards in each mec?<BR><BR><BR>On =
Fri, 19
  =3D
  >=3D3D
```

> >Oct =3D3D3D
 > > >2007
 > > > =3D3D3D3D
 > > > >
 > > > > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D3D20
 > > > > =3D3D3D3D
 > > > =3D3D3D
 > > =3D3D
 > =3D
 =
 >>>>href=3D3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net><=
 BR>=3D
 >wro=3D3D
 > >te:=3D3D3D
 > > >=3D3D3D3D
 > > > >

>I=3D3D3D3D20
 > > > > thought I was groovin' but once the second Mec was =
 =3D3D3D3D
 > > > >introduced
>the=3D3D3D3D20
 > > > > system stopped. That was a few weeks =
 ago.
>
>Today I =3D
 >=3D3D3D3D
 > > > >tried=3D3D3D3D20
 > > > > different cables, eds cards, mecs, eliminated the =
 magma =3D
 >=3D3D3D3D
 > > > >and
>still no=3D3D3D3D20
 > > > > clock lock or modules showing up in the paris =
 =3D3D3D3D
 > > > >patchbay.
>
>This=3D3D3D3D20
 > > > > means to me software unless someone tells me =3D3D3D3D
 > > > > differently.
>
>I=3D3D3D3D20
 > > > > have a new C drive which I will load XP and no pace. =
 Any =3D3D
 > >other=3D3D3D3D20
 > > > >
>suggestions?
>
>More frustrated than =
 my=3D3D3D3D20
 > > > > clients,
>Tom
>
>
>
>
>I choose =
 =3D3D3D3D
 > > > >Polesoft=3D3D3D3D20
 > > > > Lockspam to fight spam, and=3D3D3D3D20
 > > > > you?
>http://www.polesoft.com/refer.html =
 =3D3D3D3D20
 > > > >
</BLOCKQUOTE></BODY></HTML>
 > > > >
 > > > >
 > > >
 > > >
 > > >

```

> > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =
Transitional//EN">
> > ><HTML><HEAD>
> > ><META http-equiv=3D3D3D3DContent-Type =
content=3D3D3D3D"text/html; =3D
>=3D3D3D
> > >charset=3D3D3D3Diso-8859-1">
> > ><META content=3D3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3D3DGENERATOR>
> > ><STYLE></STYLE>
> > ></HEAD>
> > ><BODY bgColor=3D3D3D3D#ffffff>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Thanks =3D
>Dimitrios.</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Mike said the =
same thing.
=3D
> ls =3D3D
> >the =3D3D3D
> > >ini in the=3D3D3D20
> > >Paris folde or system 32?</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Do I want the =
Master card
=3D
>to be
> =3D3D
> >0=3D3D3D20
> > >absolutely? I only have one card</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>in there right =
now and =3D
>it's all
> =3D3D
> >freaky
> > =3D3D3D
> > >just the=3D3D3D20
> > >same.</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>Tom</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > ><BLOCKQUOTE=3D3D3D20
> > >style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
MARGIN-LEFT: =3D
>5px; =3D3D
> >=3D3D3D
> > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

```

> > > <DIV>"Dimitrios" <<A=3D3D3D20
 > > > =
 href=3D3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr> =3D
 >wrote
 > =3D3D
 > >in =3D3D3D
 > > >message=3D3D3D20
 > > > <A =3D3D3D3D
 > > =3D3D
 > =3D
 =
 >>>href=3D3D3D3D"news:471a0486\$1@linux">news:471a0486\$1@linux...</DIV=
 ><B=3D
 >R>H=3D3D
 > >i
 > > =3D3D3D
 > > >Tom=3D3D3D20
 > > > !@
Sorry to hear you still having problems like this =
 =3D
 >~!!
Must
 > =3D3D
 > >be
 > > =3D3D3D
 > > >very=3D3D3D20
 > > > frustrating.
Open the Paris ini file and there change =
 the =3D
 >=3D3D3D
 > > >mastercardoutput=3D3D3D20
 > > > with your other
cards and see what happens !!
Let =
 =3D
 >me=3D3D3D20
 > > > know.
Regards,
Dimitrios

"Tom Bruhl" =
 <<A=3D3D3D20
 > > > =3D
 =
 >href=3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D=
 D20
 > > > wrote:
>
>
>Rick,
>1 mec, no BNC =3D3D3D
 > > >involved. Paris=3D3D3D20
 > > > boots up so the 1 mec that
>>I'm using shows up but =
 never any
 =3D
 >A =3D3D
 > >=3D3D3D
 > > >to Ds or=3D3D3D20
 > > > any installed modules.
>>This is the same symptom =
 before I =3D
 >=3D3D3D

> > > repaired one
> > > of my mecs with a new chip. The clock light =
continues to
> > > flash
> > > too. Never locks in. I am using the simplest =
setup I can
> > > imagine and still it's not working. Mike A. suggested =
the
> > > .ini
> > > file to make sure card A is 0. I'll try
> > > that. Pretty
> > > sure it's right but who
> > > knows? Thanks, Tom
> > > "rick"
> > > <<A
> > =
=>parnell68@hotmail.com =
=
> > > wrote
> > > in message
> > > =
> > =
> =
=>>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...&=
nbs
> > > >
> > > >p; i
> > > know this as dumb as it gets but the bnc is attached in =
the
> > > right order...right? all the cards show up =
in
> > > paris with the single mec? how many i/o cards in =
each
> > > mec? On Fri, 19 Oct 2007 00:22:39 -0400, =
"Tom

> > > Bruhl" <<A=3D3D3D20
 > > > =3D3D3D
 > > =3D3D
 > =3D
 =
 >>>href=3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
=
 >&n=3D
 >=3D3D3D=3D3D
 > >
 > > >bsp;=3D3D3D20
 > > > wrote:
>
> >I thought I was groovin' but once the =
 =3D3D3D
 > > >second=3D3D3D20
 > > > Mec was introduced
> >the system stopped. That =
 =3D3D3D
 > > >was a few=3D3D3D20
 > > > weeks ago.
> >
> >Today I tried =3D3D3D
 > > >different=3D3D3D20
 > > > cables, eds cards, mecs, eliminated the =3D3D3D
 > > >magma
=3D3D3D3D
>and
> =3D3D3D20
 > > > >still no clock lock or modules showing up in the =
 paris=3D3D3D20
 > > > patchbay.
> >
> >This means to me =3D3D3D
 > > >software=3D3D3D20
 > > > unless someone tells me differently.
> >
> =
 =3D3D3D
 > > >>I=3D3D3D20
 > > > have a new C drive which I will load XP and no pace. =
 Any=3D3D3D20
 > > > other=3D3D3D3D20
> >suggestions?
> =3D3D3D
 > > >>
> =3D3D3D20
 > > > >More frustrated than my clients,
> =3D3D3D
 > > >>Tom
> =3D3D3D20
 > > > >
> >
> >
> =3D3D3D
 > > >>
> =3D3D3D20
 > > > >I choose Polesoft Lockspam to fight spam, and you?
> =
 =3D3D3D20
 > > > >http://www.polesoft.com/refer.html =3D3D3D20
 > > > =3D3D3D3D20
>
>
><!DOCTYPE HTML PUBLIC =
 "-//W3C//DTD =3D3D3D
 > > >HTML 4.0=3D3D3D20
 > > > Transitional//EN">
><HTML><HEAD>
><META=3D3D3D20
 > > > http-equiv=3D3D3D3D3DContent-Type =3D
 >content=3D3D3D3D3D"text/html;=3D3D3D20
 > > > =3D3D3D3D
>charset=3D3D3D3D3Diso-8859-1">
><META =
 =3D3D3D
 > > >content=3D3D3D3D3D"MSHTML=3D3D3D20
 > > > 6.00.2800.1400"=3D3D3D20

```

> > > =3D3D3D
> > =
>name=3D3D3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D3D3D
> > >D><BR>><BODY=3D3D3D20
> > > bgColor=3D3D3D3D3D#ffffff><BR>><DIV><FONT =3D
>face=3D3D3D3D3DArial=3D3D3D20
> > > =3D3D3D
> > >size=3D3D3D3D3D2>Rick,</FONT></DIV>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>1 mec, no BNC =
involved. Paris
=3D
>=3D3D3D
> > >=3D3D3D3D<BR>>boots up so=3D3D3D20
> > > the=3D3D3D3D20<BR>>1 mec =3D3D3D
> > >that</FONT></DIV>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using shows up =
but never =3D
>any A to
> =3D3D
> >=3D3D3D
> > >=3D3D3D3D<BR>>Ds or=3D3D3D20
> > > any=3D3D3D3D20<BR>>installed=3D3D3D20
> > > modules.</FONT></DIV>><DIV><FONT =3D3D3D
> > >face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>This is the same symptom before I =3D
>=3D3D3D3D<BR>>repaired =3D3D
> >=3D3D3D
> > >one=3D3D3D20
> > > of=3D3D3D3D20<BR>>my mecs with=3D3D3D20
> > > a</FONT></DIV>><DIV><FONT =
face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>new chip. The clock light =
=3D3D3D3D<BR>>continues =3D
>to=3D3D3D20
> > > flash=3D3D3D3D20<BR>>too. Never locks=3D3D3D20
> > > in.</FONT></DIV>><DIV><FONT face=3D3D3D3D3DArial =
=3D3D3D
> > >
> > > size=3D3D3D3D3D2></FONT> </DIV>><DIV><FONT =3D3D3D
> > >face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>I am using the simplest setup I can =
=3D3D
> >=3D3D3D3D<BR>>imagine=3D3D3D20
> > > and=3D3D3D3D20<BR>>still it's not=3D3D3D20
> > > working.</FONT></DIV>><DIV><FONT =3D3D3D
> > >face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Mike A. suggested the .ini file =
=3D3D3D3D<BR>>to =3D

```

```
>make=3D3D3D20
> > > sure=3D3D3D3D20<BR>>card A is 0. I'll try=3D3D3D20
> > > that.</FONT></DIV><BR>><DIV><FONT =3D3D3D
> > >face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Pretty sure it's right but who=3D3D3D20
> > > =3D3D3D3D<BR>>knows?</FONT></DIV><BR>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial=3D3D3D20
> > > =3D3D3D
> > >size=3D3D3D3D3D2>Thanks,</FONT></DIV><BR>><DIV><FONT=3D3D3D
> > >=3D3D3D20
> > > face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =3D3D3D
> > ></DIV><BR>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =3D3D3D
> > ></DIV><BR>><DIV>=3D3D3D20
> > > </DIV><BR>><DIV> </DIV><BR>><DIV>=3D3D3D20
> > > </DIV><BR>><DIV>"rick" =3D3D3D
> > ><<A=3D3D3D3D20<BR>>href=3D3D3D3D3D"<A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>=
mai=3D
>lto=3D3D
> >:pa=3D3D3D
> > =
>rnell68@hotmail.com">parnell68@hotmail.com</A</A>>>=3D3D3D20
> > > =3D3D3D3D<BR>>wrote in=3D3D3D3D20<BR>>message =3D
><A=3D3D3D3D20<BR>>href=3D3D3D3D3D"<A
> =3D3D
> >=3D3D3D
> > >
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in=
qgh=3D
>393=3D3D
> >an5=3D3D3D
> > =3D3D
> =3D
=
>>>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393an5</A=
=3D3D=3D
>3D=3D3D
```

> >
> > =3D
=
>>>=3D3D3D3D
>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
&=3D3D3D=

> > =
>gt;<BLOCKQUOTE=3D3D3D3D20
>style=3D3D3D3D3D"PADDING-RIGHT:=3D3D3D20
> > > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
>=3D3D3D3D
>BORDER-LEFT: =3D3D
> >=3D3D3D
> > >#000000 2px=3D3D3D20
> > > solid; MARGIN-RIGHT: 0px">i=3D3D3D3D20
> know this as =
dumb as
=3D
>=3D3D3D
> > >it gets=3D3D3D20
> > > but the bnc is attached in the=3D3D3D3D20
> =3D3D3D20
> > > right
order...right?
all the cards show up in paris =
=3D3D3D
> > >with the=3D3D3D20
> > > =3D3D3D3D
>single=3D3D3D3D20
> mec?
how many =
i/o cards =3D
>=3D3D3D
> > >in each=3D3D3D20
> > > mec?

On Fri, 19 Oct=3D3D3D20
> > > 2007
=3D3D3D3D
>
> 00:22:39 -0400, "Tom =
Bruhl"=3D3D3D20
> > > <<A=3D3D3D3D20
> =
=3D3D3D3D
>href=3D3D3D3D3D"<A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
=
wro=3D
>te'=3D3D
> >>ma=3D3D3D
> > =
>ilto:arpegio@comcast.net">arpegio@comcast.net>
w=3D3D3D
> > >rote:=3D3D3D3D
>

>I=3D3D3D3D20
> =3D3D3D20
> > > thought I was groovin' but once the second Mec =
was=3D3D3D20
> > > =3D3D3D3D
>introduced
>the=3D3D3D3D20
> system =
=3D3D3D
> > >stopped. That was=3D3D3D20
> > > a few weeks ago.
>
>Today I=3D3D3D20
> > > =3D3D3D3D
>tried=3D3D3D3D20
> different cables, =
eds cards, =3D

```

>mecs, =3D3D3D
> > >eliminated=3D3D3D20
> > > the magma =3D3D3D3D<BR>>and<BR>>still no=3D3D3D3D20<BR>> =
=3D3D3D
> > >clock lock or=3D3D3D20
> > > modules showing up in the paris=3D3D3D20
> > > =3D3D3D
> > >=3D3D3D3D<BR>>patchbay.<BR>><BR>>This=3D3D3D3D20<BR>> =
=3D3D3D
> > >means to=3D3D3D20
> > > me software unless someone tells me=3D3D3D20
> > > =3D3D3D
> > >=3D3D3D3D<BR>>differently.<BR>><BR>>I=3D3D3D3D20<BR>> =
=3D3D3D
> > >have a new=3D3D3D20
> > > C drive which I will load XP and no pace. Any =3D
>other=3D3D3D3D20<BR>> =3D3D
> >=3D3D3D
> > >
> > > <BR>>suggestions?<BR>><BR>>More frustrated =3D3D3D
> > >than=3D3D3D20
> > > my=3D3D3D3D20<BR>> =3D3D3D20
> > > =3D3D3D
> > >clients,<BR>>Tom<BR>><BR>><BR>><BR>><BR>=3D3D3D
> > >>><BR>>I=3D3D3D20
> > > choose =3D3D3D3D<BR>>Polesoft=3D3D3D3D20<BR>> Lockspam =
to fight =3D
>spam,=3D3D3D20
> > > and=3D3D3D3D20<BR>> =3D3D3D
> > >you?<BR>>http://www.polesoft.com/refer.html=3D3D3D20
> > > =3D3D3D
> > >=3D3D3D3D20<BR>><BR></BLOCKQUOTE></BODY></HTML><BR>&=3D3D3D
> > >gt;<BR>><BR></BLOCKQUOTE></BODY></HTML>
> > >
> > >
> >
> >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> ><HTML><HEAD>
> ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =
=3D3D
> > charset=3D3D3Diso-8859-1">
> ><META content=3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3DGENERATOR>
> ><STYLE></STYLE>
> ></HEAD>
> ><BODY bgColor=3D3D3D#ffffff>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Hi Mike,</FONT></DIV>

```

```

> <<DIV><FONT face=3D3D3DArial size=3D3D3D2>Well I've been to =
..cfg many a =3D
>=3D3D
> >time.</FONT></DIV>
> <<DIV><FONT face=3D3D3DArial size=3D3D3D2>I've seen that =
Mastercard =3D
>setting as =3D3D
> >being=3D3D20
> >0</FONT></DIV>
> <<DIV><FONT face=3D3D3DArial size=3D3D3D2>but maybe it changed =
after =3D
>removing the
> =3D3D
> >4=3D3D20
> >other</FONT></DIV>
> <<DIV><FONT face=3D3D3DArial size=3D3D3D2>eds cards for this =
round of =3D3D
> >testing.</FONT></DIV>
> <<DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> <<DIV><FONT face=3D3D3DArial size=3D3D3D2>If it's still 0 what =
else could
=3D
>this =3D3D
> >be? =3D3D20
> >Busted mobo?</FONT></DIV>
> <<DIV><FONT face=3D3D3DArial size=3D3D3D2>I'm really in an =
idunno place =3D
>right =3D3D
> >now. I'll=3D3D20
> >be checking</FONT></DIV>
> <<DIV><FONT face=3D3D3DArial size=3D3D3D2>seriously today again =
because of
=3D
>a =3D3D
> >session tomorrow=3D3D20
> >morning.</FONT></DIV>
> <<DIV><FONT face=3D3D3DArial size=3D3D3D2>Tom</FONT></DIV>
> <<DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> <<DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> <<BLOCKQUOTE=3D3D20
> >style=3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
MARGIN-LEFT: 5px; =3D
>=3D3D
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > <DIV>"Mike Audet" <mike@....> wrote in message <A=3D3D20
> > =3D3D
> =3D
=

```

>>[news:471b2ec2\\$1@linux](#)>news:471b2ec2\$1@linux...</DIV><B=R>H=3D
>i=3D3D20
> > Tom,

If you've only got one card in, then the =
Mastercard =3D
>=3D3D3D 0
> =3D3D
> >setting is=3D3D20
> > right.
 The file is Paris.cfg, and it lives in the =3D
>c:\program=3D3D20
> > files\Emu\PARIS PRO
folder.

'd still check it out =
to see
=3D
>=3D3D
> >what it is=3D3D20
> > set to.

If it is wrong, what you are describing =
will=3D3D20
> > happen.

Good luck!

Mike

"Tom Bruhl" =
<<A=3D3D20
> > =
[mailto:arpegio@comcast.net](#)>arpegio@comcast.net>=3D3D20
> > wrote:
>
>
>Thanks Dimitrios.
>
>Mike =3D3D
> >said the=3D3D20
> > same thing. Is the ini in the Paris folde or system =3D3D
> >32?
>Do I want=3D3D20
> > the Master card to be 0 absolutely? I only have one =3D3D
> >card
>in there=3D3D20
> > right now and it's all freaky just the=3D3D20
> > same.
>Tom
>
>
>
> "Dimitrios" =3D3D
> ><<A=3D3D20
> > =
[mailto:musurgio@otenet.gr](#)>musurgio@otenet.gr> wrote
=3D
>in =3D3D
> >message=3D3D20
> > =3D3D3D
>news:471a0486\$1@linux...
>
> Hi =
Tom=3D3D20
> > !@
> Sorry to hear you still having problems like =
this=3D3D20
> > ~!!
> Must be very frustrating.
> Open the =3D3D
> >Paris ini=3D3D20
> > file and there change the mastercardoutput with =
=3D3D3D
>your=3D3D20
> > other
> cards and see what happens !!
> Let me =3D3D
> >
> > know.
> Regards,
> =3D3D
> >Dimitrios
>
> =3D3D20
> > "Tom Bruhl" <<A=3D3D20

> > =
href="mailto:arpeggio@comcast.net">arpeggio@comcast.net=
> > wrote:
> >
> >
> =
> > >Rick,
> >1 mec, no BNC involved. Paris boots =
> >up so=
> > the 1 mec that
> >I'm using shows up but never any A to =
=
> >Ds or=
> > any installed modules.
> >This is the same symptom =
> >before I=
> > repaired one of my mecs with a
> >new chip. The =
> >clock=
> > light continues to flash too. Never locks in.
> =
> > >
> >I am using the simplest setup I can imagine and =
=
> >still=
> > it's not =
>working.
> >Mike A. suggested =
=
> >the .ini=
> > file to make sure card A is 0. I'll =
> >try
=
=
=
> =
> > >that.
> >Pretty sure it's right but who=
> > knows?
> >Thanks,
> >Tom
> =
> > >
> >
> >
> =
> > >
> =
> > >
> >"rick" <<A=
> > =
href="mailto:parnell68@hotmail.com">parnell68@hotmail.com=
=
> >=
> >wrote in=
> > message =
> =
> > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =
=
> > > i know this as dumb as it gets but the bnc is attached in =
=
> >the=
> > right
> > order...right?
> > =
> >all the=
> > cards show up in paris with the single mec?
> > =
> >how many=
> > i/o cards in each mec?
> >
> =
> > >
> =
> > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =
> >=
><<A=
> > =
> > =
=
=

>><mailto:arpeggio@comcast.net>
>&n=
 =3D3D=3D
 >
 > > bsp;=3D3D20
 > > > wrote:
> >
> > >I =3D3D
 > >thought I=3D3D20
 > > was groovin' but once the second Mec was introduced
> =
 =3D3D
 > >> =3D3D20
 > > >the system stopped. That was a few weeks ago.
> =3D3D20
 > > > >
> > >Today I tried different =3D3D
 > > cables,=3D3D20
 > > eds cards, mecs, eliminated the =3D3D3D
> magma
> =
 =3D3D
 > >=3D3D3D3D
> =3D3D20
 > > >and
> > >still no clock lock or modules =3D3D
 > > showing up=3D3D20
 > > in the paris patchbay.
> > >
> =3D3D
 > >> =3D3D20
 > > >This means to me software unless someone tells me=3D3D20
 > > differently.
> > >
> > =3D3D
 > >>I have=3D3D20
 > > a new C drive which I will load XP and no pace. Any=3D3D20
 > > =3D3D3D
> other=3D3D3D3D20
> > =3D3D
 > >>suggestions?
> =3D3D20
 > > > >
> > >More frustrated than my=3D3D20
 > > clients,
> > >Tom
> > =3D3D20
 > > >
> > >
> > =3D3D
 > >>
> =3D3D20
 > > > >
> > >I choose Polesoft =3D3D
 > > Lockspam to=3D3D20
 > > fight spam, and you?
> > =3D3D20
 > > ><http://www.polesoft.com/refer.html> =3D3D3D3D20
> =
 =3D3D20
 > > >
> >
> ><!DOCTYPE HTML PUBLIC=3D3D20
 > > "-//W3C//DTD HTML 4.0 Transitional//EN">
> =3D3D20
 > > ><HTML><HEAD>
> ><META=3D3D20
 > > http-equiv=3D3D3D3D3DContent-Type =
 content=3D3D3D3D3D"text/html"; =3D3D
 > >=3D3D3D3D
> =3D3D20
 > > > charset=3D3D3D3D3DDiso-8859-1">
> ><META =3D3D
 > > content=3D3D3D3D3D"MSHTML=3D3D20
 > > 6.00.2800.1400" name=3D3D3D3D3DGENERATOR>
> =3D3D20
 > > ><STYLE></STYLE>
> =3D3D
 > >></HEAD>
> =3D3D20
 > > ><BODY bgColor=3D3D3D3D3D#ffffff>
> =3D3D
 > >><DIV><FONT=3D3D20
 > > face=3D3D3D3D3DArial =3D3D

> >size=3D3D3D3D2>Rick,</DIV>
> =3D3D20
 > > ><DIV>1 mec, no =
 BNC =3D3D
 > >involved.=3D3D20
 > > Paris =3D3D3D
>=3D3D3D3D
> >boots up so =3D3D
 > >the=3D3D3D3D20
> >1=3D3D20
 > > mec that</DIV>
> =3D3D
 > >><DIV><FONT=3D3D20
 > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using shows up but =
 never =3D3D
 > >any
=3D3D3D
>A to=3D3D20
 > > =3D3D3D3D
> >Ds or any=3D3D3D3D20
> =
 >installed=3D3D20
 > > modules.</DIV>
> =3D3D
 > >><DIV><FONT=3D3D20
 > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>This is the same =
 symptom =3D3D
 > >before
=3D3D3D
>I=3D3D20
 > > =3D3D3D3D
> >repaired one of=3D3D3D3D20
> >my =3D3D
 > >mecs with=3D3D20
 > > a</DIV>
> ><DIV><FONT=3D3D20
 > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>new chip. The clock =
 light =3D3D
 > >=3D3D3D3D
> =3D3D20
 > > >continues to flash=3D3D3D3D20
> >too. Never =
 locks=3D3D20
 > > in.</DIV>
> ><DIV><FONT=3D3D20
 > > face=3D3D3D3D3DArial size=3D3D3D3D3D2> =3D3D
 > ></DIV>
> =3D3D20
 > > ><DIV>I am using =
 =3D3D
 > >the simplest=3D3D20
 > > setup I
=3D3D3D
>can =3D3D3D3D
> >imagine =3D3D
 > >and=3D3D3D3D20
> =3D3D20
 > > >still it's not working.</DIV>
> =3D3D20
 > > ><DIV>Mike A. =
 =3D3D
 > >suggested the=3D3D20
 > > .ini file
=3D3D3D
>=3D3D3D3D
> >to make =3D3D
 > >sure=3D3D3D3D20
> =3D3D20
 > > >card A is 0. I'll try that.</DIV>
> =3D3D
 > >
 > > ><DIV>Pretty =
 sure =3D3D
 > >it's right=3D3D20
 > > but who =3D3D3D
>=3D3D3D3D
> =3D3D20
 > > >knows?</DIV>
> =3D3D
 > >><DIV><FONT=3D3D20

> > face=3D3D3D3D3DArial =3D3D
> >size=3D3D3D3D3D2>Thanks,</DIV>
> =3D3D20
> > ><DIV><FONT face=3D3D3D3D3DArial=3D3D20
> > size=3D3D3D3D3D2>Tom</DIV>
> =3D3D20
> > ><DIV> =
=3D3D
> >
> > </DIV>
> ><DIV><FONT face=3D3D3D3D3DArial=3D3D20
> > size=3D3D3D3D3D2> </DIV>
> =3D3D
> >><DIV>=3D3D20
> > </DIV>
> ><DIV> </DIV>
> =3D3D20
> > ><DIV> </DIV>
> ><DIV>"rick"=3D3D20
> > <<A=3D3D3D3D20
> >href=3D3D3D3D3D"<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mai=
lto=3D
>:pa=3D3D
> >rnell68@hotmail.com">parnell68@hotmail.com</A>>=3D3D20
> > =3D3D3D
>=3D3D3D3D
> >wrote in=3D3D3D3D20
> =3D3D
> >>message=3D3D20
> > <A=3D3D3D3D20
> =3D3D3D
>>href=3D3D3D3D3D"<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh=
393=3D
>'>n=3D3D
> =3D
=
>>ews:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393=3D3D3=
D<B=3D
>=3D3D
> >R>>an5=3D3D3D3D3D
> =3D3D20
> > =3D3D
> >>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> =3D3D
> >;=3D3D20
> > ><BLOCKQUOTE=3D3D3D3D20
> =3D3D
> >>style=3D3D3D3D3D"PADDING-RIGHT: 0px;=3D3D20
> > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3D3D3D
>=3D3D3D3D
> =3D3D20
> > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =3D3D
> >0px">i=3D3D3D3D20
> =3D3D20
> > > know this as dumb as it gets but the bnc is attached =
in=3D3D20
> > the=3D3D3D3D20
> > =3D3D
> >right
order...right?
all=3D3D20

> > the cards show up in paris with =
 the
=3D3D3D
>=3D3D3D3D
> =3D3D20
 > > >single=3D3D3D3D20
> > mec?
how many i/o =3D3D
 > >cards in=3D3D20
 > > each mec?

On Fri, 19 Oct=3D3D20
 > > =3D3D3D
>2007
> =3D3D3D3D
> >
> =3D3D
 > >> =3D3D20
 > > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D3D20
> > =3D3D20
 > > =3D3D3D3D
> =3D3D3D
>>href=3D3D3D3D3D"<A=3D3D20
 > > =3D3D
 > =3D
 =
 >>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
wro=
 te'=3D
 >>ma=3D3D
 > >mailto:arpegio@comcast.net">arpegio@comcast.net>
w=3D3D
 > >rote:=3D3D3D
>=3D3D3D3D
> =3D3D20
 > > >

>I=3D3D3D3D20
> > thought =3D3D
 > >I was=3D3D20
 > > groovin' but once the second Mec was =3D3D3D3D
> =3D3D20
 > > >introduced
>the=3D3D3D3D20
> > system =3D3D
 > >stopped.=3D3D20
 > > That was a few weeks ago.
>
>Today I =3D3D
 > >=3D3D3D3D
> =3D3D20
 > > >tried=3D3D3D3D20
> > different cables, eds cards, =
 =3D3D
 > >mecs,=3D3D20
 > > eliminated the magma =3D3D3D3D
> >and
>still=3D3D20
 > > no=3D3D3D3D20
> > clock lock or modules showing up in =
 =3D3D
 > >the paris=3D3D20
 > > =3D3D3D3D
> =3D3D20
 > > >patchbay.
>
>This=3D3D3D3D20
> =3D3D
 > >> =3D3D20
 > > means to me software unless someone tells me =3D3D3D3D
> =
 =3D3D20
 > > >differently.
>
>I=3D3D3D3D20
> =3D3D
 > >> =3D3D20
 > > have a new C drive which I will load XP and no pace. =
 Any=3D3D20
 > > other=3D3D3D3D20
> > =3D3D20
 > >
>suggestions?
>
>More frustrated =3D3D
 > >than=3D3D20
 > > my=3D3D3D3D20
> > =3D3D20
 > > =3D3D
 > >clients,
>Tom
>
>
>
>
=3D3D
 > >>>
>I=3D3D20
 > > choose =3D3D3D3D
> >Polesoft=3D3D3D3D20
> =3D3D

```

> >> Lockspam=3D3D20
> > to fight spam, and=3D3D3D3D20<BR>> > =3D3D20
> > you?<BR>>http://www.polesoft.com/refer.html =3D3D
> >=3D3D3D3D20<BR>> =3D3D20
> > =3D3D
> >><BR></BLOCKQUOTE></BODY></HTML><BR>> =3D3D
> >=3D3D20
> > ><BR>> ><BR>><BR>><BR>><!DOCTYPE HTML =3D3D
> >PUBLIC=3D3D20
> > "-//W3C//DTD HTML 4.0=3D3D20
> > Transitional//EN"><BR>><HTML><HEAD><BR>><META=3D3D20
> > http-equiv=3D3D3D3DContent-Type =
content=3D3D3D3D"text/html;=3D3D20
> > =3D3D3D<BR>>charset=3D3D3D3Diso-8859-1"><BR>><META =3D3D
> >content=3D3D3D3D"MSHTML=3D3D20
> > 6.00.2800.1400"=3D3D20
> > =3D3D
> >name=3D3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D3D
> >D><BR>><BODY=3D3D20
> > bgColor=3D3D3D3D#ffffff><BR>><DIV><FONT =
face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2>Thanks=3D3D20
> > Dimitrios.</FONT></DIV><BR>><DIV><FONT =3D3D
> >face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2></FONT> </DIV><BR>><DIV><FONT =3D3D
> >face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2>Mike said the same thing. Is the =
=3D3D3D<BR>>ini in =3D3D
> >
> > the=3D3D3D20<BR>>Paris folde or system=3D3D20
> > 32?</FONT></DIV><BR>><DIV><FONT face=3D3D3D3DArial =3D3D
> >
> > size=3D3D3D3D2>Do I want the Master card to be =3D3D
> >0=3D3D3D20<BR>>absolutely? I=3D3D20
> > only have one card</FONT></DIV><BR>><DIV><FONT =3D3D
> >
> > face=3D3D3D3DArial size=3D3D3D3D2>in there right now and =
it's all=3D3D20
> > freaky<BR>=3D3D3D<BR>>just=3D3D20
> > =3D3D
> >the=3D3D3D20<BR>>same.</FONT></DIV><BR>><DIV><FONT=3D3D
> >=3D3D20
> > face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D3D
> ></DIV><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D3D
> ></DIV><BR>><DIV><FONT=3D3D20

```

```

> > face=3D3D3D3DArial size=3D3D3D3D2></FONT>=3D3D20
> > =3D3D
> =
></DIV><BR>><BLOCKQUOTE=3D3D3D20<BR>>style=3D3D3D3D"PADDING-RIGHT: =3D3D
> >0px;=3D3D20
> > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3D3D3D<BR>>BORDER-LEFT: #000000
=3D
>=3D3D
> >2px solid;=3D3D20
> > MARGIN-RIGHT: 0px"><BR>> <DIV>"Dimitrios"=3D3D20
> > <<A=3D3D3D20<BR>> href=3D3D3D3D"<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A'>mailto:mu=
sur=3D
>gio=3D3D
> >@otenet.gr">musurgio@otenet.gr</A</A>>=3D3D20
> > wrote in =3D3D3D<BR>>message=3D3D3D20<BR>> <A =3D3D
> >=3D3D3D<BR>>href=3D3D3D3D"<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D'news:471a0486$1 @linux">news:471a0486$1 @linux</A>...</DIV><B=
R>H=3D
>i'>=3D3D
> =
>news:471a0486$1 @linux">news:471a0486$1 @linux</A>...</DIV>&=3D3D
> >lt;BR>Hi</A><BR>=3D3D3D<BR>>Tom=3D3D3D20<BR>> =3D3D20
> > <A href=3D3D3D"mailto:!!@<BR>Sorry">!!@<BR>Sorry</A> to hear =
you still
=3D
>=3D3D
> >having=3D3D20
> > problems like this ~!!<BR>Must =3D3D
> >be<BR>=3D3D3D<BR>>very=3D3D3D20<BR>> =3D3D20
> > frustrating.<BR>Open the Paris ini file and there change =
the=3D3D20
> > =3D3D3D<BR>>mastercardoutput=3D3D3D20<BR>> with your =3D3D
> >other<BR>cards and=3D3D20
> > see what happens !!<BR>Let me=3D3D3D20<BR>> =3D3D20
> > know.<BR>Regards,<BR>Dimitrios<BR><BR>"Tom =3D3D
> >Bruhl"=3D3D20
> > <<A=3D3D3D20<BR>> href=3D3D3D3D"<A=3D3D20
> > =3D3D
> =3D
=

```


>><mailto:arpegio@comcast.net>=>=3D3D3D=20'>m=3D
 >ailto=3D3D
 > =
 >:arpegio@comcast.net">arpegio@comcast.net=>=3D3D3D20
&g=3D3D
 > >t; =3D3D20
 > > wrote:
>
>
>Rick,
>1 =3D3D
 > >mec, no=3D3D20
 > > BNC =3D3D3D
>involved. Paris=3D3D3D20
> boots up so =
 =3D3D
 > >the 1 mec=3D3D20
 > > that
>I'm using shows up but never any A =3D3D3D
>to =
 Ds=3D3D20
 > > or=3D3D3D20
> any installed modules.
>This is the =
 =3D3D
 > >same=3D3D20
 > > symptom before I =3D3D3D
>repaired one=3D3D3D20
> of =
 my mecs =3D3D
 > >with=3D3D20
 > > a
>new chip. The clock light continues to=3D3D20
 > > =3D3D3D
>flash=3D3D3D20
> too. Never locks=3D3D20
 > > in.
>
>I am using the simplest =3D3D
 > >=3D3D3D
>setup I=3D3D20
 > > can=3D3D3D20
> imagine and still it's not =3D3D
 > >working.
>Mike A.=3D3D20
 > > suggested the =3D3D3D
>.ini=3D3D3D20
> file to make =
 =3D3D
 > >sure card A is=3D3D20
 > > 0. I'll try=3D3D20
 > > =3D3D
 > >=3D3D3D
>=3D3D3D3D
>that.
>Pretty=3D3D3D20
> =3D3D
 > >; sure it's=3D3D20
 > > right but who=3D3D3D20
> =3D3D20
 > > =3D3D
 > >=3D3D3D
>knows?
>Thanks,
>Tom
><=3D3D
 > >
>
>
>
><=3D3D3D
>
=3D3D
 > >>"rick"=3D3D3D20
> =3D3D20
 > > <<A =3D3D3D
>href=3D3D3D3D"<A=3D3D20
 > > =3D3D
 > =3D
 =
 >><mailto:parnell68@hotmail.com></A'>mai=
 lto=3D
 >:pa=3D3D
 > >rnell68@hotmail.com">parnell68@hotmail.com</A/>=>=3D3D20
 > > =3D3D3D
>wrote=3D3D3D20
> in message=3D3D3D20
> =
 =3D3D20
 > > =3D3D

> =
>=3D3D3D
>=3D3D3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax=3D=3D
> >.com...
>&nbs=3D3D3D
>p;=3D3D20
> > i=3D3D3D20
> know this as dumb as it gets but the bnc is =
=3D3D
> >attached in=3D3D20
> > the=3D3D3D20
> right
> =3D3D20
> > order...right?
> all the cards show up=3D3D20
> > =3D3D3D
>in=3D3D3D20
> paris with the single =3D3D
> >mec?
> =3D3D20
> > how many i/o cards in each=3D3D3D20
> =3D3D20
> > mec?
>
>
> On Fri, 19 Oct =3D3D
> >2007=3D3D20
> > 00:22:39 -0400, =3D3D3D
>"Tom=3D3D3D20
> =
Bruhl"=3D3D20
> > <<A=3D3D3D20
> =3D3D3D
>href=3D3D3D3D"<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=
'>=3D3D=3D
>
> >mailto:arpegio@comcast.net">arpegio@comcast.net>
=3D3D
> >,>&n=3D3D3D
>bsp;=3D3D3D20
> =3D3D20
> > wrote:
>
> >I thought I was groovin' =3D3D
> >but once=3D3D20
> > the =3D3D3D
>second=3D3D3D20
> Mec was =3D3D
> >introduced
> =3D3D20
> > >the system stopped. That =3D3D3D
>was a =3D3D
> >few=3D3D3D20
> weeks=3D3D20
> > ago.
> >
> >Today I tried=3D3D20
> > =3D3D3D
>different=3D3D3D20
> cables, eds cards, =
mecs, =3D3D
> >eliminated the=3D3D20
> > =3D3D3D
>magma
=3D3D3D3D
>and
> =3D3D
> >=3D3D3D20
> =3D3D20
> > >still no clock lock or modules showing up in the =3D3D
> >paris=3D3D3D20
> =3D3D20
> > patchbay.
> >
> >This means =3D3D
> >to me=3D3D20
> > =3D3D3D
>software=3D3D3D20
> unless someone tells =
me=3D3D20
> > differently.
> >
> =3D3D20
> > =3D3D3D
>>I=3D3D3D20
> have a new C drive which I =
will =3D3D
> >load XP and no=3D3D20
> > pace. Any=3D3D3D20
> other=3D3D3D3D20
> =3D3D20

```

> > >suggestions?<BR>> =3D3D3D<BR>>><BR>>=3D3D20
> > =3D3D3D20<BR>> >More frustrated than my =3D3D
> >clients,<BR>> =3D3D20
> > =3D3D3D<BR>>>Tom<BR>> =3D3D3D20<BR>> =3D3D
> >><BR>> =3D3D20
> > ><BR>> ><BR>> =3D3D
> >=3D3D3D<BR>>><BR>>=3D3D20
> > =3D3D3D20<BR>> >I choose Polesoft Lockspam to fight spam, =
and=3D3D20
> > you?<BR>> =3D3D3D20<BR>> =3D3D
> >>http://www.polesoft.com/refer.html=3D3D20
> > =3D3D3D20<BR>> =3D3D
> >=3D3D3D3D20<BR>><BR>><BR>><!DOCTYPE=3D3D20
> > HTML PUBLIC "-//W3C//DTD =3D3D3D<BR>>>HTML 4.0=3D3D3D20<BR>> =
=3D3D20
> > =3D3D
> >>Transitional//EN"><BR>><HTML><HEAD><BR>>=3D3D
> ><META=3D3D3D20<BR>> =3D3D20
> > http-equiv=3D3D3D3D3DContent-Type =3D3D
> >content=3D3D3D3D3D"text/html;=3D3D3D20<BR>> =3D3D20
> > =3D3D3D3D<BR>>charset=3D3D3D3D3Diso-8859-1"><BR>><META =3D3D
> >
> > =3D3D3D<BR>>content=3D3D3D3D3D"MSHTML=3D3D3D20<BR>> =3D3D
> >6.00.2800.1400"=3D3D3D20<BR>> =3D3D20
> > =3D3D
> >=3D3D3D<BR>>name=3D3D3D3D3DGENERATOR><BR>><STYLE></STYLE&=3D3D
> >gt;<BR>></HEA=3D3D3D<BR>>D><BR>><BODY=3D3D3D20<BR>>&=3D3D
> >gt; =3D3D20
> > bgColor=3D3D3D3D3D#ffffff><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3D3DArial=3D3D3D20<BR>> =3D3D20
> > =3D3D
> >=3D3D3D<BR>>size=3D3D3D3D3D2>Rick,</FONT></DIV><BR>>&l=3D3D
> >t;DIV><FONT=3D3D3D20<BR>> =3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2>1 mec, no BNC =
involved. =3D
>Paris=3D3D20
> > =3D3D3D<BR>>=3D3D3D3D<BR>>boots up so=3D3D3D20<BR>> =3D3D
> >the=3D3D3D3D20<BR>>1=3D3D20
> > mec=3D3D20
> > =3D3D
> >=3D3D3D<BR>>that</FONT></DIV><BR>><DIV><FONT=3D3D
> >=3D3D3D20<BR>> =3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using shows up but =
never any
=3D
>A to =3D3D
> >
> > =3D3D3D<BR>>=3D3D3D3D<BR>>Ds or=3D3D3D20<BR>> =3D3D20

```

> > any=3D3D3D3D20
>installed=3D3D3D20
> =3D3D20
 > > modules.</DIV>
><DIV><FONT=3D3D20
 > > =3D3D3D
>face=3D3D3D3D3DArial=3D3D3D20
> =
 size=3D3D3D3D3D2>This is =3D
 >=3D3D
 > >the same=3D3D20
 > > symptom before I =3D3D3D3D
>repaired =3D3D
 > >=3D3D3D
>one=3D3D3D20
> =3D3D20
 > > of=3D3D3D3D20
>my mecs with=3D3D3D20
> =3D3D20
 > > a</DIV>
><DIV><FONT=3D3D20
 > > face=3D3D3D3D3DArial=3D3D3D20
> size=3D3D3D3D3D2>new =
 chip. The =3D3D
 > >clock light=3D3D20
 > > =3D3D3D3D
>continues to=3D3D3D20
> =3D3D
 > >flash=3D3D3D3D20
>too.=3D3D20
 > > Never locks=3D3D3D20
> =3D3D20
 > > in.</DIV>
><DIV><FONT =3D3D
 > >face=3D3D3D3D3DArial=3D3D20
 > > =3D3D3D
>
> size=3D3D3D3D3D2>=3D3D20
 > > </DIV>
><DIV><FONT=3D3D20
 > > =3D3D3D
>face=3D3D3D3D3DArial=3D3D3D20
> =
 size=3D3D3D3D3D2>I am =3D3D
 > >using the simplest=3D3D20
 > > setup I can =3D3D3D3D
>imagine=3D3D3D20
> =3D3D20
 > > and=3D3D3D3D20
>still it's not=3D3D3D20
> =3D3D20
 > > working.</DIV>
><DIV><FONT=3D3D20
 > > =3D3D3D
>face=3D3D3D3D3DArial=3D3D3D20
> =
 size=3D3D3D3D3D2>Mike A. =3D
 >=3D3D
 > >suggested the=3D3D20
 > > .ini file =3D3D3D3D
>to make=3D3D3D20
> =3D3D20
 > > sure=3D3D3D3D20
>card A is 0. I'll try=3D3D3D20
> =
 =3D3D20
 > > that.</DIV>
><DIV><FONT=3D3D20
 > > =3D3D3D
>face=3D3D3D3D3DArial=3D3D3D20
> =
 size=3D3D3D3D3D2>Pretty =3D3D
 > >sure it's right=3D3D20
 > > but who=3D3D3D20
> =3D3D20
 > > =3D3D
 > >=3D3D3D3D
>knows?</DIV>
><DIV&g=3D3D
 > >t;<FONT=3D3D3D20
> =3D3D20
 > > face=3D3D3D3D3DArial=3D3D3D20
> =3D3D20
 > > =3D3D
 > >=3D3D3D
>size=3D3D3D3D3D2>Thanks,</DIV>
> =3D3D
 > ><DIV><FONT=3D3D3D
>=3D3D3D20
> =3D3D20
 > > face=3D3D3D3D3DArial=3D3D3D20
> =3D3D20
 > > =3D3D
 > >size=3D3D3D3D3D2>Tom</DIV>
><DIV><=3D3D

> >FONT=3D3D3D20
> =3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2>=3D3D20
> > =3D3D
> >=3D3D3D
></DIV>
><DIV><FONT=3D3D3D20
>&nbs=3D3D
> >p;=3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2>=3D3D20
> > =3D3D3D
></DIV>
><DIV>=3D3D3D20
> =3D3D20
> > </DIV>
><DIV>=3D3D20
> > </DIV>
><DIV>=3D3D3D20
> =3D3D20
> > </DIV>
><DIV>"rick"=3D3D20
> > =3D3D
> =
>=3D3D3D
><<A=3D3D3D3D20
>href=3D3D3D3D3D"<A=3D3D3D20

>&n=3D3D
> >bsp;=3D3D20
> > =3D3D
> =3D
=
>>=3D3D3D
>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotma=
il.c=3D3D=3D
>
> =
>om</A'>mailto:pa=3D3D3D
>rnell68@hotmail.com">parnell68@hotmai=3D3D
> >l.com</A>=3D3D3D20
> =3D3D20
> > =3D3D3D3D
>wrote in=3D3D3D3D20
>message=3D3D20
> > <A=3D3D3D3D20
>href=3D3D3D3D3D"<A =3D3D3D
>
> =
=3D3D20
> > =3D3D
> =3D
=
>>=3D3D3D
>href=3D3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.c=
om">=3D3D=3D
>
> =3D
=
>>news:inqgh393an5=3D3D3D
>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4=
=3D3D=3D
>
> =
>ax.com">news:inqgh393an5</A=3D3D3D
>>=3D3D3D3D
>s4m99q=3D3D
> >caojn09vn112t4u6r@4ax.com...</DIV>
&=3D3D3D
&=3D3D
> =3D
=
>>gt;gt;<BLOCKQUOTE=3D3D3D3D20
>style=3D3D3D3D3D"PADDING-RIGHT:=3D3D3D
=
20=3D3D3D
> >
> =3D3D20
> > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D

> >=3D3D3D3D
>BORDER-LEFT:=3D3D20
 > > =3D3D3D3D
>#000000 2px=3D3D3D20
> solid; =
 MARGIN-RIGHT:=3D3D20
 > > 0px">i=3D3D3D3D20
> know this as dumb as =3D3D
 > >=3D3D3D3D
>it=3D3D20
 > > gets=3D3D3D20
> but the bnc is attached in =3D3D
 > >the=3D3D3D3D20
>=3D3D20
 > > =3D3D3D20
> right
order...right?
all the =3D3D
 > >cards show up=3D3D20
 > > in paris =3D3D3D
>with the=3D3D3D20
> =3D3D20
 > > =3D3D3D3D
>single=3D3D3D3D20
> mec?
how =3D3D
 > >many i/o=3D3D20
 > > cards =3D3D3D
>in each=3D3D3D20
> =3D3D
 > >mec?

On=3D3D20
 > > Fri, 19 Oct=3D3D3D20
> =3D3D20
 > > 2007
=3D3D3D3D
>
> 00:22:39 -0400, =3D3D
 > >"Tom=3D3D20
 > > Bruhl"=3D3D3D20
> <<A=3D3D3D3D20
> =3D3D20
 > > =3D3D3D3D
>href=3D3D3D3D3D"<A=3D3D3D20
> =3D3D20
 > > =3D3D
 > =3D
 =
 >>=3D3D3D
>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.n=
 et&l=3D3D=3D
 >
 > >t;/A>>
wrote'>ma=3D3D3D
>ilto:arpegio@comcast.net">=3D3D
 > =
 >;arpegio@comcast.net>
w=3D3D3D
>rote:=3D3D3D=3D3D
 > >3D
>

>l=3D3D3D3D20
>=3D3D20
 > > =3D3D3D20
> thought I was groovin' but once the second =
 Mec=3D3D20
 > > was=3D3D3D20
> =3D3D20
 > > =3D3D
 > >=3D3D3D3D
>introduced
>the=3D3D3D3D20
> =3D3D
 > > system=3D3D20
 > > =3D3D3D
>stopped. That was=3D3D3D20
> a few =
 weeks=3D3D20
 > > ago.
>
>Today l=3D3D3D20
> =3D3D20
 > > =3D3D3D3D
>tried=3D3D3D3D20
> different cables, =3D3D
 > >eds cards,=3D3D20
 > > mecs, =3D3D3D
>eliminated=3D3D3D20
> the magma=3D3D20
 > > =3D3D3D3D
>and
>still =3D3D
 > >no=3D3D3D3D20
> =3D3D20
 > > =3D3D3D
>clock lock or=3D3D3D20
> modules showing up =
 in the=3D3D20
 > > paris=3D3D3D20
> =3D3D20
 > > =3D3D
 > >=3D3D3D
>=3D3D3D3D
>patchbay.
>
>This=3D3D3D=3D3D

> >3D20
> =3D3D20
 > > =3D3D3D
>means to=3D3D3D20
> me software unless =
 someone =3D3D
 > >tells=3D3D20
 > > me=3D3D3D20
> =3D3D20
 > > =3D3D
 > >=3D3D3D
>=3D3D3D3D
>differently.
>
>I=3D3D3D=3D3D
 > >3D20
> =3D3D20
 > > =3D3D3D
>have a new=3D3D3D20
> C drive which I will =
 load XP =3D3D
 > >and no pace.=3D3D20
 > > Any other=3D3D3D3D20
> =3D3D3D
>
> =3D3D20
 > >
>suggestions?
>
>More frustrated=3D3D20
 > > =3D3D3D
>than=3D3D3D20
> my=3D3D3D3D20
> =3D3D
 > >=3D3D3D20
> =3D3D20
 > > =3D3D
 > >=3D3D3D
>clients,
>Tom
>
>
=3D3D
 > >;
=3D3D3D
>>
>I=3D3D3D20
> =3D3D20
 > > choose =3D3D3D3D
>Polesoft=3D3D3D3D20
> Lockspam =
 =3D3D
 > >to fight=3D3D20
 > > spam,=3D3D3D20
> and=3D3D3D3D20
> =3D3D20
 > > =3D3D
 > =
 >=3D3D3D
>you?
><http://www.polesoft.com/refer.html>=3D3D3D20
>&=3D=
 3D
 > >gt; =3D3D20
 > > =3D3D
 > >=3D3D3D
>=3D3D3D3D20
>
</BLOCKQUOTE></BODY>=3D3D
 > >;</HTML>
&=3D3D3D
>gt;
>
</B=3D3D
 > >LOCKQUOTE></BODY></HTML>
>
>
</BLOCKQUOTE><=3D3D
 > >/BODY></HTML>
 > >
 > >
 >
 >
 ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
 ><HTML><HEAD>
 ><META http-equiv=3D3DContent-Type content=3D3D"text/html"; =3D
 >charset=3D3Diso-8859-1">
 ><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
 ><STYLE></STYLE>
 ></HEAD>
 ><BODY bgColor=3D3D#ffffff>
 ><DIV>Mike,</DIV>
 ><DIV>I used to use a Lucid but =
 since all of
 =3D

>this mess I=3D20
>stopped.</DIV>
><DIV>I'm trying to get stable =
from square =3D
>one with the=3D20
>least amount </DIV>
><DIV>of hardware. I am using the =
=3D
>default project=3D20
>for sure. The only </DIV>
><DIV>other thing that I still =
question is my
=3D
>move of=3D20
>Paris to C:ParisPro .</DIV>
><DIV>I should think the default =
project will
=3D
>either work=3D20
>or not. Maybe</DIV>
><DIV>configs or something else is =
=3D
>fighting during=3D20
>Paris startup?</DIV>
><DIV> </DIV>
><DIV>Pats 42 - Miami 7 . . . =
Halftime and =3D
>the games=3D20
>over.</DIV>
><DIV>Tom</DIV>
><DIV> </DIV>
><DIV> </DIV>
><DIV> </DIV>
><BLOCKQUOTE=3D20
>style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
5px; =3D
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Mike Audet" <mike@....> wrote in message <A=3D20
> =3D
=

>href=3D3D"news:471b6eb0\$1@linux">news:471b6eb0\$1@linux...</DIV>
H=
i=3D20
> Tom,

Are you using a default project with PARIS? I'm so =
=3D
>sorry of=3D20
> this has been
asked and answered already. If so, perhaps it =
=3D
>is=3D20

> telling card zero to lock
to an external clock, which it =
 can't =3D
 >because=3D20
 > there isn't one.

It would be interesting to attach an =
 external
 =3D
 >clock=3D20
 > source to the MEC and
then start PARIS to see how it =
 behaves. =3D
 >Or, if=3D20
 > the clock generator is fried,
tell paris to lock externally =
 and see
 =3D
 >what=3D20
 > happens when an external clock
source is =
 applied.

Isn't there
 =3D
 >a=3D20
 > master house synch switch in the cfg file? I've never =3D
 >used
it. =3D20
 > Maybe DJ could help with what that should/shouldn't be set =3D
 >to.

Wish I=3D20
 > could do more than think out loud...

Mike

"Tom =
 Bruhl" =3D
 ><<A=3D20
 > =
 href=3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net=3D20
 > wrote:
>
>
>Hi Mike,
>Well I've been to .cfg =3D
 >many a=3D20
 > time.
>I've seen that Mastercard setting as being 0
>but =
 =3D
 >maybe it=3D20
 > changed after removing the 4 other
>eds cards for this round =
 of=3D20
 > testing.
>
>If it's still 0 what else could this be? =3D
 >Busted=3D20
 > mobo?
>I'm really in an idunno place right now. I'll =
 be=3D20
 > checking
>seriously today again because of a session =
 tomorrow=3D20
 > morning.
>Tom
>
>
> "Mike Audet"=3D20
 > <mike@....> wrote in message <A=3D20
 > =3D
 =
 >href=3D3D"news:471b2ec2\$1@linux">news:471b2ec2\$1@linux...
>
>&g=
 =3D
 >t; =3D20
 > Hi Tom,
>
> If you've only got one card in, then the =3D

>
> Mastercard 0 setting is right.
> =3D
>The file is=3D20
> Paris.cfg, and it lives in the c:\program=3D20
> files\Emu\PARIS
=3D3D
>PRO
> =3D
>folder.
>
> =3D20
> I'd still check it out to see what it is set to.
>
> =3D
>If it=3D20
> is wrong, what you are describing will happen.
>
> =3D
>Good=3D20
> luck!
>
> Mike
>
> "Tom Bruhl" =3D
><<A=3D20
> =
href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net=3D20
> wrote:
> >
> >
> >Thanks=3D20
> Dimitrios.
> >
> >Mike said the same=3D20
> thing. Is the ini in the Paris folde or system=3D20
> =3D3D
>32?
> >Do I want the Master card to be 0=3D20
> absolutely? I only have one card
> >in there =3D
>right now=3D20
> and it's all freaky just the same.
> >Tom
> =3D
>
> >
> >
> >
> > =3D20
> "Dimitrios" <<A =3D
>href=3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr=3D20
> wrote in message =3D3D3D
> =3D
>>news:471a0486\$1@linux...
> =3D20
> >
> > Hi Tom !@
> > Sorry =3D
>to hear=3D20
> you still having problems like this ~!!
> > Must =3D
>be very=3D20
> frustrating.
> > Open the Paris ini file and =3D
>there change=3D20
> the mastercardoutput with
=3D3D
>=3D3D3D
> >your=3D20
> other
> > cards and see what happens =3D
>!!
> =3D20
> > Let me know.
> > =3D
>Regards,
> =3D20
> > Dimitrios
> >
> > "Tom =3D
>Bruhl"=3D20
> <<A =
href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net =3D
>
> wrote:
> > >
> > =3D20
> >
> > >Rick,
> > >1 =3D
>mec, no=3D20
> BNC involved. Paris boots up so the 1 mec that
> =3D
>> =3D20

> >I'm using shows up but never any A to Ds or any installed=3D20
 > modules.
> > >This is the same symptom before =3D
 >I=3D20
 > repaired one of my mecs with a
> > >new =3D
 >chip. =3D20
 > The clock light continues to flash too. Never locks=3D20
 > =3D3D
>in.
> > >
> > =3D
 >>I am=3D20
 > using the simplest setup I can imagine and still it's not =3D
 >=3D3D3D
> =3D20
 > >working.
> > >Mike A. suggested the =3D
 >.ini=3D20
 > file to make sure card A is 0. I'll =3D3D
>try
> =3D
 >
 > =3D3D3D
> >=3D3D3D3D
> > =3D
 >>that.
> =3D20
 > > >Pretty sure it's right but who knows?
> =3D
 >> =3D20
 > >Thanks,
> > >Tom
> > =3D20
 > >
> > >
> > =3D
 >>
> =3D20
 > > >
> > >
> > =3D
 >
 > >"rick" <<A=3D20
 > =
[href=3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com> =3D](mailto:parnell68@hotmail.com)
 >wrote in=3D20
 > message =3D3D3D3D
> > =3D20
 > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =3D20
 > > > i know this as dumb as it gets but the bnc is =3D
 >attached=3D20
 > in the =3D3D
>right
> > > =3D20
 > order...right?
> > > all the cards show =3D
 >up in=3D20
 > paris with the single mec?
> > > how =3D
 >many i/o=3D20
 > cards in each mec?
> > >
> =3D
 >> =3D20
 > >
> > > On Fri, 19 Oct 2007 00:22:39 =3D
 >-0400,=3D20
 > "Tom Bruhl" =3D3D3D
> ><<A=3D20
 > =3D
 =
[>href=3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>
>&n=3D=](mailto:arpeggio@comcast.net)

 >bsp;=3D20
 > > > wrote:
> > =3D
 >>
> =3D20

> > > >I thought I was groovin' but once the second =3D
 >Mec was=3D20
 > introduced
> > > >the system =3D
 >stopped. =3D20
 > That was a few weeks ago.
> > > =3D20
 > >
> > > >Today I tried different =3D
 >cables,=3D20
 > eds cards, mecs, eliminated the
=3D3D
>=3D3D3D
> =3D20
 > >magma
> > =3D3D3D3D
> > =3D20
 > >and
> > > >still no clock lock or =3D
 >modules=3D20
 > showing up in the paris =3D3D
>patchbay.
> > =3D
 >> =3D20
 > >
> > > >This means to me software =3D
 >unless=3D20
 > someone tells me differently.
> > > =3D20
 > >
> > > >I have a new C drive =3D
 >which I will=3D20
 > load XP and no pace. Any =3D3D3D
> =3D20
 > >other=3D3D3D3D20
> > > =3D20
 > >suggestions?
> > > =3D
 >>
> =3D20
 > > > >More frustrated than my =3D
 >clients,
> =3D20
 > > > >Tom
> > > =3D20
 > >
> > > >
> > =3D
 >
 > > >
> > > >
> =3D
 >
 > > > >I choose Polesoft Lockspam to fight spam, =3D
 >and=3D20
 > you?
> > > =3D20
 > ><http://www.polesoft.com/refer.html> =3D3D3D3D20
> =3D
 >> =3D20
 > >
> > >
> > =3D
 >><!DOCTYPE=3D20
 > HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> =3D20
 > > ><HTML><HEAD>
> > =3D
 >><META=3D20
 > http-equiv=3D3D3D3D3DContent-Type =
 content=3D3D3D3D3D"text/html;=3D20
 > =3D3D
>=3D3D3D3D
> > =3D20
 > >charset=3D3D3D3D3DDiso-8859-1">
> > =3D
 >><META=3D20
 > content=3D3D3D3D3D"MSHTML 6.00.2800.1400" =3D
 >name=3D3D3D3D3DGENERATOR>
> =3D20
 > > ><STYLE></STYLE>
> > =3D20
 > ></HEAD>
> > ><BODY=3D20

```

> bgColor=#ffffff><BR>> > =3D
>><DIV><FONT=3D20
> face=3D3D3D3D3DArial =3D
>size=3D3D3D3D3D2>Rick,</FONT></DIV><BR>> =3D20
> > ><DIV><FONT face=3D3D3D3D3DArial =3D
>size=3D3D3D3D3D2>1 mec, no=3D20
> BNC involved. =3D3D<BR>>Paris =3D3D3D<BR>> =3D
>>=3D3D3D3D<BR>> =3D20
> > >boots up so the=3D3D3D3D20<BR>> > >1 =3D
>mec=3D20
> that</FONT></DIV><BR>> > =3D
>><DIV><FONT=3D20
> face=3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using shows up but =
=3D
>=3D3D<BR>>never=3D20
> any<BR>> =3D3D3D<BR>> >A to =3D3D3D3D<BR>> =3D
>> =3D20
> >Ds or any=3D3D3D3D20<BR>> > >installed=3D20
> modules.</FONT></DIV><BR>> > =3D20
> ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>This is =3D
>the same=3D20
> symptom<BR>=3D3D<BR>>before<BR>> =3D3D3D<BR>> >I=3D20
> =3D3D3D3D<BR>> > >repaired one =3D
>of=3D3D3D3D20<BR>> =3D20
> > >my mecs with a</FONT></DIV><BR>> =3D20
> > ><DIV><FONT face=3D3D3D3D3DArial =3D
>size=3D3D3D3D3D2>new chip.=3D20
> The clock light<BR>=3D3D<BR>>=3D3D3D3D<BR>> > =3D
>>continues to=3D20
> flash=3D3D3D3D20<BR>> > >too. Never locks=3D20
> in.</FONT></DIV><BR>> > =3D
>><DIV><FONT=3D20
> face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =3D
></DIV><BR>> =3D20
> > ><DIV><FONT face=3D3D3D3D3DArial =3D
>size=3D3D3D3D3D2>I am using=3D20
> the simplest =3D3D<BR>>setup I<BR>> =3D3D3D<BR>> =3D
>>can=3D20
> =3D3D3D3D<BR>> > >imagine =3D
>and=3D3D3D3D20<BR>> > =3D20
> >still it's not working.</FONT></DIV><BR>> =3D
>> =3D20
> ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>Mike A. =3D
>suggested the=3D20
> =3D3D<BR>>.ini file<BR>> =3D3D3D<BR>> =3D
>>=3D3D3D3D<BR>> =3D20
> > >to make sure=3D3D3D3D20<BR>> > >card =3D
>A is 0.=3D20

```

> I'll try that.</DIV>
> > =3D20
 > ><DIV>Pretty =3D
 > sure it's=3D20
 > right =3D3D
>but who =3D3D3D
> >=3D3D3D3D
> =3D
 >> =3D20
 > >knows?</DIV>
> > =3D20
 > ><DIV><FONT face=3D3D3D3D3DArial=3D20
 > size=3D3D3D3D3D2>Thanks,</DIV>
> =3D
 >> =3D20
 > ><DIV><FONT face=3D3D3D3D3DArial=3D20
 > size=3D3D3D3D3D2>Tom</DIV>
> =3D
 >> =3D20
 > ><DIV><FONT face=3D3D3D3D3DArial =3D
 > size=3D3D3D3D3D2>=3D20
 > </DIV>
> > ><DIV><FONT =3D
 > face=3D3D3D3D3DArial=3D20
 > size=3D3D3D3D3D2> </DIV>
> > =3D20
 > ><DIV> </DIV>
> > ><DIV>=3D20
 > </DIV>
> > ><DIV>=3D20
 > </DIV>
> > ><DIV>"rick"=3D20
 > <<A=3D3D3D3D20
> > =3D
 > =3D3D
>>href=3D3D3D3D3D"<A=3D20
 > =3D
 =
 >href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto=
 :pa=3D
 > rnell68@hotmail.com">parnell68@hotmail.com</A/A>>=3D20
 > =3D3D
>=3D3D3D
> >=3D3D3D3D
> > =3D
 >>wrote=3D20
 > in=3D3D3D3D20
> > >message =3D
 ><A=3D3D3D3D20
> =3D20
 > > =3D3D3D
> =3D3D
>>>href=3D3D3D3D3D"<A=3D20
 > =3D
 =
 >href=3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh'>n=
 ews=3D
 =
 >:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh=3D3D
>=3D=

 >393=3D3D3D
> =3D20
 > >an5=3D3D3D3D3D
> > =3D20
 > =3D
 >>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> =3D
 >;=3D20
 > > ><BLOCKQUOTE=3D3D3D3D20
> > =3D20
 > > style=3D3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
 MARGIN-LEFT: =3D
 >


```

> > =3D
>>differently.<BR>><BR>>I=3D3D3D3D20<BR>> =3D20
> > > have a new C drive which I will load XP and no =3D
>pace. Any=3D20
> =3D3D<BR>>other=3D3D3D3D20<BR>> > > =3D20
> <BR>>suggestions?<BR>><BR>>More frustrated =3D
>than=3D20
> my=3D3D3D3D20<BR>> > > =3D20
> =3D
>clients,<BR>>Tom<BR>><BR>><BR>><BR>><BR>=3D
>>><BR>>I=3D20
> choose =3D3D3D3D<BR>> > =3D
>>Polesoft=3D3D3D3D20<BR>> =3D20
> > > Lockspam to fight spam, =3D
>and=3D3D3D3D20<BR>> =3D20
> > > =3D
>you?<BR>>http://www.polesoft.com/refer.html=3D20
> =3D3D3D3D20<BR>> > =3D20
> =3D
>><BR></BLOCKQUOTE></BODY></HTML><BR>> =3D
>=3D20
> > ><BR>> > ><BR>> =3D
>><BR>> =3D20
> ><BR>> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=3D20
> Transitional//EN"><BR>> =3D
>><HTML><HEAD><BR>> =3D20
> ><META http-equiv=3D3D3D3DContent-Type =
content=3D3D3D3D"text/html;=3D20
> =3D3D3D<BR>> > charset=3D3D3D3Diso-8859-1"><BR>> =3D
>><META=3D20
> content=3D3D3D3D"MSHTML 6.00.2800.1400" =3D
>name=3D3D3D3DGENERATOR><BR>> =3D20
> ><STYLE></STYLE><BR>> =3D
>></HEAD><BR>> =3D20
> ><BODY bgcolor=3D3D3D3D#ffffff><BR>> =3D
>><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2>Thanks=3D20
> Dimitrios.</FONT></DIV><BR>> =3D
>><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D
></DIV><BR>> =3D20
> ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Mike said the =3D
>same=3D20
> thing. Is =3D3D<BR>>the =3D3D3D<BR>> >ini in=3D20
> the=3D3D3D20<BR>> >Paris folde or system=3D20
> 32?</FONT></DIV><BR>> ><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2>Do I want the Master card =
to=3D20

```

```

> be<BR>=3D3D<BR>>0=3D3D3D20<BR>> >absolutely? I only =3D
>have one=3D20
> card</FONT></DIV><BR>> ><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2>in there right now and =
it's=3D20
> all<BR>=3D3D<BR>>freaky<BR>> =3D3D3D<BR>> >just=3D20
> the=3D3D3D20<BR>> =3D
>>same.</FONT></DIV><BR>> =3D20
> ><DIV><FONT face=3D3D3D3DArial=3D20
> size=3D3D3D3D2>Tom</FONT></DIV><BR>> =3D20
> ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D
>
> </DIV><BR>> ><DIV><FONT face=3D3D3D3DArial=3D20
> size=3D3D3D3D2></FONT> </DIV><BR>> =3D
>><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D
></DIV><BR>> =3D20
> ><BLOCKQUOTE=3D3D3D20<BR>> =3D
>>style=3D3D3D3D"PADDING-RIGHT: 0px;=3D20
> PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D<BR>>=3D3D3D<BR>> =
=3D20
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =3D
>0px"><BR>> =3D20
> > <DIV>"Dimitrios" <<A=3D3D3D20<BR>> =3D
>> =3D20
> href=3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A'>mailto:musur=
gio=3D
>@otenet.gr">musurgio@otenet.gr</A</A>>>=3D20
> wrote<BR>=3D3D<BR>>in =3D3D3D<BR>> =3D
>>message=3D3D3D20<BR>> =3D20
> > <A =3D3D3D<BR>> =3D3D<BR>>>href=3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'news:471a0486$1@linux">news:471a0486$1@linux</A>...</DIV><BR>H=
'>n=3D
>ews:471a0486$1@linux">news:471a0486$1@linux</A>...</DIV>&l=3D
>t;BR>H</A>=3D3D<BR>>i<BR>> =3D20
> =3D3D3D<BR>> >Tom=3D3D3D20<BR>> > <A=3D20
> href=3D3D"mailto:!!@<BR>Sorry">!!@<BR>Sorry</A> to hear you still =
=3D
>having=3D20
> problems like this ~!!<BR>Must<BR>=3D3D<BR>>be<BR>> =3D20
> =3D3D3D<BR>> >very=3D3D3D20<BR>> > =3D20
> frustrating.<BR>Open the Paris ini file and there change =
the=3D20

```

> =3D3D3D
> >mastercardoutput=3D3D3D20
> =3D
 >> with your=3D20
 > other
cards and see what happens !!
Let=3D20
 > me=3D3D3D20
> > =3D20
 > know.
Regards,
Dimitrios

"Tom =3D
 >Bruhl"=3D20
 > <<A=3D3D3D20
> > href=3D3D3D3D"<A=3D20
 > =3D
 =
 >href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D20'=
 >mail=3D
 =
 >to:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D20<B=3D
 >R>> =3D20
 > > =3D20
 > wrote:
>
>
>Rick,
>1 =3D
 >mec, no=3D20
 > BNC =3D3D3D
> >involved. Paris=3D3D3D20
> =3D
 >> =3D20
 > boots up so the 1 mec that
>I'm using shows up but never =3D
 >any A=3D20
 > =3D3D
>=3D3D3D
> >to Ds or=3D3D3D20
> =3D
 >> any=3D20
 > installed modules.
>This is the same symptom before I=3D20
 > =3D3D3D
> >repaired one=3D3D3D20
> > =3D
 >of my mecs=3D20
 > with a
>new chip. The clock light continues to=3D20
 > =3D3D3D
> >flash=3D3D3D20
> > =3D
 >too. Never=3D20
 > locks in.
>
>I am using the simplest =3D
 >=3D3D3D
> =3D20
 > >setup I can=3D3D3D20
> > imagine and still it's =3D
 >not=3D20
 > working.
>Mike A. suggested the =3D3D3D
> =3D20
 > >.ini=3D3D3D20
> > file to make sure card A is =3D
 >0. =3D20
 > I'll try =3D3D3D
> =3D20
 > =3D
 >>=3D3D3D3D
>that.
>Pretty=3D3D3D20
> =3D
 >> =3D20
 > sure it's right but who=3D3D3D20
> > =3D
 >=3D3D3D
> =3D20
 > =3D
 >>knows?
>Thanks,
>Tom
>
>&=3D
 >gt;
>
>
><=3D3D3D
> =3D20
 > >BR>>"rick"=3D3D3D20
> > <<A =3D
 >=3D3D3D
> =3D20
 > >href=3D3D3D3D"<A=3D20

> =3D
 =
 >href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto=
 :pa=3D
 >rnell68@hotmail.com">parnell68@hotmail.com</A/A>>=3D20
 > =3D3D
>=3D3D3D
> >wrote=3D3D3D20
> =3D
 >> in=3D20
 > message=3D3D3D20
> > =3D3D3D
> =3D20
 > =3D
 >=3D3D
>=3D3D3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u=3D
 >6r@4ax.com...
>&nbs=3D3D3D=3D3D
>
> =3D20
 > >p; i=3D3D3D20
> > know this as dumb as it gets =3D
 >but the=3D20
 > bnc is attached in the=3D3D3D20
> > =3D
 >right
> =3D20
 > order...right?
> all the cards show up =3D
 >=3D3D3D
> =3D20
 > >in=3D3D3D20
> > paris with the single=3D20
 > mec?
> how many i/o cards in =3D
 >each=3D3D3D20
> =3D20
 > > mec?
>
>
> On =3D
 >Fri, 19 Oct=3D20
 > 2007 00:22:39 -0400, =3D3D3D
> >"Tom=3D3D3D20
> =3D
 >> =3D20
 > Bruhl" <<A=3D3D3D20
> > =3D3D3D
> =3D20
 > =3D3D
>>href=3D3D3D3D"<A=3D20
 > =3D
 =
 >href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=3D=
 3D=3D
 >3D'>mailto:arpegio@comcast.net">arpegio@comcast.net><B=3D
 >R>>&n=3D3D3D=3D3D
>
> =3D20
 > >bsp;=3D3D3D20
> > =3D20
 > wrote:
>
> >I thought I was groovin' =3D
 >but once=3D20
 > the =3D3D3D
> >second=3D3D3D20
> > Mec =3D
 >was=3D20
 > introduced
> >the system stopped. That=3D20
 > =3D3D3D
> >was a few=3D3D3D20
> > =3D
 >weeks=3D20
 > ago.
> >
> >Today I tried=3D20
 > =3D3D3D
> >different=3D3D3D20
> > =3D
 >cables, eds=3D20
 > cards, mecs, eliminated the =3D3D3D
> =3D20
 > >magma
=3D3D3D3D
>and
> =3D
 >=3D3D3D20
> =3D20
 > > >still no clock lock or modules showing up in the=3D20
 > paris=3D3D3D20
> > patchbay.
> =3D20

> >
> >This means to me =3D3D3D
> =3D20
> >software=3D3D3D20
> > unless someone tells me=3D20
> differently.
> >
> =3D
>=3D3D3D
> =3D20
> >>I=3D3D3D20
> > have a new C drive which I =3D
>will load=3D20
> XP and no pace. Any=3D3D3D20
> > =3D20
> other=3D3D3D3D20
> =3D
>>suggestions?
> =3D20
> =3D3D3D
> >>
> =3D3D3D20
> =3D
>> =3D20
> >More frustrated than my clients,
> =3D
>=3D3D3D
> =3D20
> >>Tom
> =3D3D3D20
> > =3D20
> >
> >
> =3D
>>
> =3D20
> =3D3D3D
> >>
> =3D3D3D20
> =3D
>> >I=3D20
> choose Polesoft Lockspam to fight spam, and you?
>=3D20
> =3D3D3D20
> > =3D
>>http://www.polesoft.com/refer.html=3D20

-----=_NextPart_000_000A_01C8145D.50528B00

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>After installing a network card it =
showed=20
up.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>Repeating the process using the same =
PCI=20
slot</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>with an eds card made Windows =
hang.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>Are all my EDS cards toast?&nbsp;</DIV> They =
weren't a=20
few weeks</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>ago?&nbsp;</DIV> Even when the Mecs weren't =
```

showing up=20
the 442 allowed</DIV>
<DIV>5 EDS cards to work in the =
Magma.</DIV>
<DIV> </DIV>
<DIV>What the heck?</DIV>
<DIV>Tom</DIV>
<DIV> </DIV>
<DIV> </DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Tom Bruhl" <<A=20
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net> wrote =
in message=20
news:471c381e@linux...</DIV>
<DIV>Mastercard=3D0 was correct =
also.</DIV>
<DIV> </DIV>
<DIV>I am going to try a clean OS with =
Paris on it=20
too</DIV>
<DIV>if the PCI slots are still =
working.</DIV>
<DIV> </DIV>
<DIV>Don't bother wishing me luck. </DIV> =
There's none=20
to be found.</DIV>
<DIV>Tom</DIV>
<DIV> </DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Tom Bruhl" <<A=20
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net> =
wrote in=20
message <A =
href=3D"news:471c3137@linux">news:471c3137@linux...</DIV>
<DIV>Mike,</DIV>
<DIV>I removed the default project and =
..cfg from the=20
folder as you suggested.</DIV>
<DIV>Now the computer won't even boot =
with either of=20
three eds cards installed.</DIV>
<DIV>No Magma, no word clock, no word =
clock line in=20
the existing config.</DIV>

<DIV> </DIV>
<DIV>I'm going to check with a network =
card to see=20
if the PCI slots are burn't.</DIV>
<DIV>I tried three different ones with =
the=20
eds. </DIV>
<DIV>with an eds card, the eds card =
didn't show up=20
in device manager. </DIV>
<DIV>probably why.</DIV>
<DIV> </DIV>
<DIV>There is some serious funk going on =
over=20
here. </DIV>
<DIV>case I give up. </DIV>
worth any more=20
BS to me. </DIV>
<DIV>in my neighborhood to walk me =
through=20
this. </DIV>
<DIV>but the problem seems to be from =
the ground=20
up. </DIV>
<DIV>things still so wrong that nothing =
makes=20
sense.</DIV>
<DIV> </DIV>
<DIV>Cubase is looking more and more =
inviting,=20
learning curve and all.</DIV>
<DIV>Tom</DIV>
<DIV> </DIV>
<DIV> </DIV>
<DIV> </DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Mike Audet" <mike@....> wrote in message <A=20
=
href=3D"news:471bcb77\$1 @linux">news:471bcb77\$1 @linux...</DIV>
Hi=20
Tom,

I have an idea.

Try removing UseHouseSync=3D1 =
from the=20
paris.cfg file.

Next, remove your default project from the =
program=20
files\emu\paris pro folder.

Let me know if it =
makes a=20
difference.

Good luck!

Mike

"Tom Bruhl" =

<A=20
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=20
wrote:
>
>
>Mike,
>I used to use a Lucid =
but since=20
all of this mess I stopped.
>I'm trying to get stable from =
square=20
one with the least amount=3D20
>of hardware. I am =
using the=20
default project for sure. The only=3D20
>other thing =
that I=20
still question is my move of Paris to C:ParisPro .
>I should =
think=20
the default project will either work or not. =
Maybe
>configs or=20
something else is fighting during Paris =
startup?
>
>Pats 42 -=20
Miami 7 . . . Halftime and the games=20
over.
>Tom
>
>
>
>
> "Mike =
Audet"=20
<mike@....> wrote in message <A=20
=
href=3D"news:471b6eb0\$1 @linux">news:471b6eb0\$1 @linux...
>
>g=
t; =20
Hi Tom,
>
> Are you using a default project with =

PARIS? I'm so sorry of this =
has
=3D
>been
> asked=20
and answered already. If so, perhaps it is telling card zero =

to
=3D
>lock
> to an external clock, which it =
can't=20
because there isn't one.
>
> It would be =
interesting to=20
attach an external clock source to the =
MEC
=3D
>and
> =20
then start PARIS to see how it behaves. Or, if the clock =
generator=20
is
=3D
>fried,
> tell paris to lock =
externally and see=20
what happens when an external =3D
>clock
> source =
is=20
applied.
>
> Isn't there a master house synch =
switch in=20
the cfg file? I've never =3D
>used
> =
it. Maybe=20
DJ could help with what that should/shouldn't be set=20
to.
>
> Wish I could do more than think out=20
loud...
>
> Mike
>
> "Tom =

system
=3D
>=3D3D
> >32?
> =
> =20
>Do I want the Master card to be 0 absolutely? I only =
have one=20
=3D
>card
> > > >in there right now =
and it's all=20
freaky just the same.
> > > =
>Tom
> =20
> >
> > >
> =
> =20
>
> > > "Dimitrios" <<A=20
href=3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr> =
wrote in=20
message =3D3D3D
> > =20
>news:471a0486\$1@linux...
> > =
>
> =20
> > Hi Tom !@
> > =
> Sorry=20
to hear you still having problems like this ~!!
> =
> =20
> Must be very frustrating.
> > =
> =20
Open the Paris ini file and there change the mastercardoutput=20
=3D
>with
> =3D3D
> =
>=3D3D3D
> =20
> >your other
> > > =
cards and=20
see what happens !!
> > > Let me=20
know.
> > > Regards,
> =20
> > Dimitrios
> > =20
>
> > > "Tom Bruhl" <<A=20
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=20
wrote:
> > > >
> =
> =20
> >
> > > =20
>Rick,
> > > >1 mec, no BNC=20
involved. Paris boots up so the 1 mec that
> =
> =20
> >I'm using shows up but never any A to Ds or any =
installed=20
=3D
>modules.
> > > >This =
is the same=20
symptom before I repaired one of my mecs =
with
=3D
>a
> =20
> > >new chip. The clock light =
continues to=20
flash too. Never locks
=3D
>=3D3D
> =20
>in.
> > > >
> =

<div style="font-family: Arial, sans-serif; font-size: 20px; padding: 10px 0 0 40px;">
<div style="font-size: 20px; padding: 10px 0 0 40px;">
I am using the simplest setup I can imagine and still it's not working.</div></div>
<div style="font-family: Arial, sans-serif; font-size: 20px; padding: 10px 0 0 40px;">
Mike A. suggested the file is 0. I'll try that.</div></div>
<div style="font-family: Arial, sans-serif; font-size: 20px; padding: 10px 0 0 40px;">
Pretty sure it's right but who knows?</div></div>
<div style="font-family: Arial, sans-serif; font-size: 20px; padding: 10px 0 0 40px;">
Thanks,</div></div>
<div style="font-family: Arial, sans-serif; font-size: 20px; padding: 10px 0 0 40px;">
Tom</div></div>
<div style="font-family: Arial, sans-serif; font-size: 20px; padding: 10px 0 0 40px;">
</div></div>

> ><DIV> </DIV>
> > =20
> ><DIV>"rick" =
<<A=3D3D3D3D20
> =20
> > =3D3D
> =
=3D
>>>href=3D3D3D3D3D"<A=20
=
href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto:pa=
rnell68@hotmail.com">parnell68@hotmail.com</A>>
=3D
=
>>=3D3D
> =20
>=3D3D3D
> > >=3D3D3D3D
> =
> =20
> >wrote in=3D3D3D3D20
> > =
> =20
>message <A=3D3D3D3D20
> > > =20
=3D3D3D
> > =3D3D
> =20
=3D
>>>href=3D3D3D3D3D"<A=20
=
href=3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in'>news:in=
qgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in=3D
>qgh=3D=
3D
> =20
>393=3D3D3D
> > =
>an5=3D3D3D3D
> =20
> > =20
=
>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> =
;=20
> > ><BLOCKQUOTE=3D3D3D3D20
> =
> =20
> >style=3D3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: =
5px;=20
=3D
>MARGIN-LEFT: =3D3D
> >5px; =
=3D3D3D
> =20
> >=3D3D3D3D
> > > =20
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT:=20
0px">i=3D3D3D3D20
> > > =
> know=20
this as dumb as it gets but the bnc is attached in =
=3D3D
> =20
>the=3D3D3D3D20
> > > > =20
right
order...right?
all the cards show up in =
paris=20
=3D
>with =3D3D
> >the
> =
> =20
=3D3D3D
> > >=3D3D3D3D
> =
> =20
> >single=3D3D3D3D20
> > =
> =20
> mec?
how many i/o cards in each=20

Master card
>to be
> =20
>0
> > > absolutely? I =
only have
one card
</DIV>
> > > =20
></DIV>in =
there right
now and =3D
>it's all
> =3D3D
> =20
>freaky
> > > =3D3D3D
> =
> =20
>just the=3D3D3D20
> > > =20
>same.</DIV>
> > > =20
></DIV></FONT face=Arial=20
size=2>Tom</DIV>& mp;gt;
> =
> =20
></DIV></FONT face=Arial =
size=2>=20
</DIV>
> > > </DIV></FONT=20
face=Arial size=2> =
</DIV>
> =20
> > </DIV></FONT face=Arial=20
size=2> </DIV>
> =
> =20
></BLOCKQUOTE=3D3D3D20
> > > =20
>style=3D3D3D3D" PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
MARGIN-LEFT:=20
=3D
>5px; =3D3D
> > =3D3D3D
> =
> =20
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =
0px">
> =20
> > </DIV>>"Dimitrios"=20
</>A=3D3D3D20
> > > =
href=3D3D3D3D"<A=20
=
href=3D'mailto:musurgio@otenet.gr">musurgio@otenet.grmailto:musurgio=
@otenet.gr">musurgio@otenet.gr> =20
=3D
>wrote
> =3D3D
> > in =
=3D3D3D
> =20
> > message=3D3D3D20
> > > =
> </A=20
=3D3D3D
> > > =3D3D
> =20
=3D
> > href=3D3D3D3D"<A=20
=
href=3D'news:471a0486\$1 @linux">news:471a0486\$1 @linux...</DIV><B'>news=
:471a0486\$1 @linux">news:471a0486\$1 @linux ...</DIV></B=
=3D
>R<H=3D3D
> =20
>
> > > =3D3D3D
> > > =20
>Tom=3D3D3D20
> > > > <A=20
href=3D"mailto:!!@
Sorry">!!@</BR>>Sorry to hear you =

still having=20
problems like this =3D
>~!!
>Must
> =20
=3D3D
> >be
> > =
=3D3D3D
> =20
> >very=3D3D3D20
> > > =20
frustrating.
>Open the Paris ini file and there change the =

=3D
>=3D3D3D
> > =20
>mastercardoutput=3D3D3D20
> > > =
with your=20
other
>cards and see what happens !!
>Let=20
=3D
>me=3D3D3D20
> > > =20
know.
>Regards,
>Dimitrios&a mp;lt;BR>>
> "Tom =
Bruhl"=20
<<A=3D3D3D20
> > > =20
=3D
>href=3D3D3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D20'>ma=
mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D20</=
A>
> =20
> > =20
=
wrote:
>>
>>&a mp;lt;BR>>>Rick,
>>1 =
mec,=20
no BNC =3D3D3D
> > >involved. =20
Paris=3D3D3D20
> > > boots up so the =
1 mec=20
that
>>I'm using shows up but never any
=3D
>A =

=3D3D
> >=3D3D3D
> > >to Ds =

or=3D3D3D20
> > > any installed=20
modules.
>>This is the same symptom before I=20
=3D
>=3D3D3D
> > >repaired=20
one=3D3D3D20
> > > of my mecs with=20
a
>>new chip. The clock light continues to=20
=3D
>=3D3D3D
> > =
>flash=3D3D3D20
> =20
> > too. Never locks=20
in.
>>
>>I am using the simplest =
=3D3D3D
> =20
> >setup I can=3D3D3D20
> > =
> =20
imagine and still it's not working.
>>Mike A. =
suggested =20
the =3D
>=3D3D3D
> > =
>.ini=3D3D3D20
> =20
> > file to make sure card A is 0. I'll =

try=20
=3D3D3D
> > > =20
=
>=3D3D3D3D
>that.<BR&a mp;gt;>Pretty=3D3D3D20
> =20
> > > sure it's right but =
who=3D3D3D20
> =20
> > > =3D3D3D
> > > =20
=
>knows?
>Thanks,<BR&a mp;gt;>Tom
>
 &=
>
>
>& lt;BR>><=3D3D3D
> =20
> >&BR>>"rick"=3D3D3D20
> > > =
> =20
<<A =3D3D3D
> > > =
=3D
>>href=3D3D3D3D"<A=20
=
href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto:pa=
rnell68@hotmail.com">parnell68@hotmail.com</A>>=20
=3D
>=3D3D
> >=3D3D3D
> >=
> =20
>wrote=3D3D3D20
> > > > in=20
message=3D3D3D20
> > > > =
=3D3D3D
> =20
> > =3D3D
> =20
=
=3D
 >>>=3D3D3D3D
>n ews:inqgh393an5s4m99qcaojn09vn=
112t4u6r@4ax.com...
>& amp;nbs=3D
>=3D3D3D=3D3D
>&=
nbs;=20
>
> > > >p; i=3D3D3D20
> >=
> =20
> know this as dumb as it gets but the bnc is attached in =

=3D
>the=3D3D3D20
> > > > =20
right
> > order...right?
> > all =
the cards=20
show up =3D3D3D
> > > =
>in=3D3D3D20
> =20
> > > paris with the single =
mec?
> > how=20
many i/o cards in =3D
>each=3D3D3D20
> >=
> > =20
mec?
>
>& amp ;lt;BR>> > On Fri, 19 =
Oct 2007=20
00:22:39 -0400, =3D3D3D
> > > =20
>"Tom=3D3D3D20
> > > Bruhl"=20
<<A=3D3D3D20
> > > > =
=3D3D3D
> =20
> > =3D3D
> > =3D
>>href=3D3D3D3D"<A =

=
=3D
>>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell=68@hotmail.com</A'>mai=3D
>mailto=3D3D
> =20
>;pa=3D3D3D
> > =20
=
>rnell68@hotmail.com">parnell68@hotmail.com</A>>=
=3D3D3D20
> =20
> > > =3D3D3D3D
>wrote=20
in=3D3D3D3D20
>message=20
=
=3D
 ><A=3D3D3D3D20
>href=3 D3D3D3D3D "<A
>&nb=sp;=20
=3D3D
> >=3D3D3D
> > =
>
> =20
> > =3D3D3D
> > =
=3D3D
> =20
=
=3D
 >>>href=3D3D3D3D'news:inqgh393an5s4m99q caojn09vn112t4u6r@=4ax.com">news:inqgh=3D
>393=3D3D
> =20
>an5=3D3D3D
> > =3D3D
> =20
=
=3D
>>>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393an5</A=3D3D=3D
>3D=3D3D
> =20
>
> > =20
=
=3D
>>>=3D3D3D3D
>s4m99qcaojn09vn112t4u6r@4ax.com=...</DIV>
& & amp;=3D3D3D
> =20
> =20
=
>gt;<BLOCKQUOTE=3D3D3D3D20
& & mp;gt;style=3D3D3D3D3D "PADDING-RI=GHT:=3D3D3D20
> =20
> > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px;=20
=3D
>=3D3D3D3D
>BORDER-LEFT: =3D3D
> =
>=3D3D3D
> > > #000000 =
2px=3D3D3D20
> =20
> > solid; MARGIN-RIGHT:=20
0px">i=3D3D3D3D20
> know this as dumb=20
as
=3D
>=3D3D3D
> > > it=20
gets=3D3D3D20
> > > but the bnc is =
attached in=20
the=3D3D3D3D20
> =3D3D3D20
> > =
> =20
right
order...right?
all the cards show up in =
paris=20
=3D3D3D
> > > with =
the=3D3D3D20
> =20
> > =20

=3D3D3D3D
>single=3D3D3D3D20< BR>> =
mec?
>how=20
many i/o cards =3D
>=3D3D3D
> > > > > in=20
each=3D3D3D20
> > > > =20
mec?

On Fri, 19 =
Oct=3D3D3D20
> =20
> > > =20
2007
=3D3D3D3D
>&am p;
> 00:22:39 =
-0400,=20
"Tom Bruhl"=3D3D3D20
> > > =20
<<A=3D3D3D3D20
> =20
=
=3D3D3D3D
>href=3D3D3D3D3D" <A=3D3D3D20
> =
> =20
> =3D3D3D
> > =3D3D
> =20
=
=3D
>>>href=3D3D3D3D'mailto:arpegio@comcast.net'>arpegio@c=
omcast.net>
wro=3D
>>te'=3D3D
> =20
>>ma=3D3D3D
> > =20
=
>ilto:arpegio@comcast.net">arpegio@comcast.net><BR&=
gt;w=3D3D3D
> =20
> =20
=
>rote:=3D3D3D3D
&a mp;>

>l=3D3D3=
D3D20
>=20
=3D3D3D20
> > > thought I was =
groovin' but=20
once the second Mec was=3D3D3D20
> > =
> =20
=
=3D3D3D3D
>introduced
 >>the=3D3D3D3D20
>=
t; =20
system =3D3D3D
> > > stopped. That=20
was=3D3D3D20
> > > a few weeks=20
ago.
>
>Toda y l=3D3D3D20
> =
> =20
> =
=3D3D3D3D
>tried=3D3D3D3D20<B R>> =20
different cables, eds cards, =3D
>mecs, =
=3D3D3D
> > =20
>
>eliminated=3D3D3D20
> > > the =
magma=20
=3D3D3D3D
>and
& >>still=20
no=3D3D3D3D20
> =3D3D3D
> > =
>&clock=20
lock or=3D3D3D20
> > > modules =
showing up in=20

t;/HTML>
&=3D3D3D
> =20
> =20
=
>>
>
& lt;/BLOCKQUOTE></BODY></HTML& ;=

> =20
> >
> > >
> =20
>
> >
> ><!DOCTYPE HTML PUBLIC =

"-//W3C//DTD HTML 4.0 Transitional//EN">
> =20
><HTML><HEAD>
> ><META=20
http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =
=3D3D
> =20
> charset=3D3D3Diso-8859-1">
> ><META=20
content=3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3DGENERATOR>
> =20
><STYLE></STYLE>
> =20
></HEAD>
> ><BODY=20
bgColor=3D3D3D#ffffff>
> ><DIV><FONT=20
face=3D3D3DArial size=3D3D3D2>Hi=20
Mike,</DIV>
> =
><DIV><FONT=20
face=3D3D3DArial size=3D3D3D2>Well I've been to .cfg many a=20
=3D
>=3D3D
> =20
>time.</DIV>
> =
><DIV><FONT=20
face=3D3D3DArial size=3D3D3D2>I've seen that Mastercard =
=3D
>setting as=20
=3D3D
> >being=3D3D20
> =20
>0</DIV>
> =
><DIV><FONT=20
face=3D3D3DArial size=3D3D3D2>but maybe it changed after =
=3D
>removing=20
the
> =3D3D
> >4=3D3D20
> =20
>other</DIV>
> =
><DIV><FONT=20
face=3D3D3DArial size=3D3D3D2>eds cards for this round of =
=3D3D
> =20
>testing.</DIV>
> =20
><DIV><FONT face=3D3D3DArial =
size=3D3D3D2>=20
</DIV>
> ><DIV><FONT =
face=3D3D3DArial=20
size=3D3D3D2>If it's still 0 what else could
=3D
>this =

=3D3D
> >be? =3D3D20
> >Busted=20
mobo?</DIV>
> =
><DIV><FONT=20
face=3D3D3DArial size=3D3D3D2>I'm really in an idunno place =

<<A=3D3D20
> > href=3D3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net=>3D3D20'>mail=
to:arpegio@comcast.net">arpegio@comcast.net>=3D3D20<B=
R>> =20
> wrote:
>
> &a mp;
>Thanks=20
Dimitrios.
>
> Mike =3D3D
> =
>said=20
the=3D3D20
> > same thing. Is the ini =
in the=20
Paris folde or system =3D3D
> >32?
>Do =
l=20
want=3D3D20
> > the Master card to be 0=20
absolutely? I only have one =3D3D
> =20
>card
>in there=3D3D20
> > =
right now and=20
it's all freaky just the=3D3D20
> > =20
=
same.
>Tom
>
>
>
>
>
>=
> =20
"Dimitrios" =3D3D
> ><<A=3D3D20
> =
> =20
href=3D3D3D"<A=20
=
href=3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A'>mailto:musurgio=
@otenet.gr">musurgio@otenet.gr</A>=20
wrote
=3D
>in =3D3D
> =
>message=3D3D20
> =20
> =20
=
=3D3D3D
>news:471a0486\$1 @linux...
>
>=
 =20
Hi Tom=3D3D20
> > <A=20
href=3D"mailto:!!@<BR">!@<BR>> Sorry to hear you =
still=20
having problems like this=3D3D20
> > =20
~!!
> Must be very =
frustrating.
> Open=20
the =3D3D
> >Paris ini=3D3D20
> =
> file and=20
there change the mastercardoutput with=20
=3D3D3D
>your=3D3D20
> > =20
other
> cards and see what happens=20
!!
> Let me =3D3D
> =
>
> =20
> know.
> Regards,
> =20
=3D3D
> >Dimitrios
>
> >=20
=3D3D20
> > "Tom Bruhl" =

<<A=3D3D20
> =20
> href=3D3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net=>=3D3D20'>mail=
to:arpegio@comcast.net">arpegio@comcast.net>=3D3D20<B=
R>> =20
> wrote:
> >
> =20
>
> =3D3D20
> > =20
>Rick,
> >1 mec, no BNC involved. =
Paris=20
boots =3D3D
> >up so=3D3D20
> =
> the 1 mec=20
that
> >I'm using shows up but never any A to =

=3D3D
> >Ds or=3D3D20
> > any =
installed=20
modules.
> >This is the same symptom=20
=3D3D
> >before l=3D3D20
> > =
repaired one=20
of my mecs with a
> >new chip. The=20
=3D3D
> >clock=3D3D20
> > =
light continues=20
to flash too. Never locks in.
> =
=3D3D20
> =20
> >
> >I am using the simplest =
setup l=20
can imagine and =3D3D
> >still=3D3D20
> =
> =20
it's not =3D3D3D
>working.
& > =
>Mike A.=20
suggested =3D3D
> >the =
..ini=3D3D20
> =20
> file to make sure card A is 0. I'll =
=3D3D
> =20
>try
=3D3D3D
& g t;=3D3D3D3D
>=20
=3D3D20
> > >that.
> =
>Pretty=20
sure it's right but who=3D3D20
> > =20
knows?
> >Thanks,
> =20
>Tom
> =3D3D20
> > =20
>
> >
> =
>
> =20
=3D3D
> >>
> =3D3D20
> =
> =20
>
> >"rick" <<A=3D3D20
> =

> href=3D3D3D"<A=20
=

>=3D3D3D3D
> =3D3D20
> > >=20
>&and
> > >still no clock lock or =
modules=20
=3D3D
> >showing up=3D3D20
> > > =
in the=20
paris patchbay.
> > > =
>
> >=20
=3D3D
> >> =3D3D20
> > > =
>This means=20
to me software unless someone tells me=3D3D20
> > =
> >=20
differently.
> > > =
>
> >=20
> >=3D3D
> >>I have=3D3D20
> > =
> >=20
a new C drive which I will load XP and no pace. >=20
Any=3D3D20
> > >=20
=3D3D3D
>other=3D3D3D3D20<BR& amp;gt;> > =
> >=20
=3D3D
> >>suggestions?
> =
=3D3D20
> >=20
> > >
> > >More =

frustrated than my=3D3D20
> > >=20
clients,
> > > =
>Tom
> >=20
=3D3D20
> > >
> > =
> >=20
>
> > >=3D3D
> >=20
>>
> =3D3D20
> > > > =

>
> > >I choose Polesoft=20
=3D3D
> >>Lockspam to=3D3D20
> > =
> >fight=20
spam, and you?
> > =3D3D20
> > =
> >=20
>http://www.polesoft.com/refer.html > =
=3D3D3D3D20
>=20
=3D3D20
> > >
> >=20
>
> ><!DOCTYPE HTML =
PUBLIC=3D3D20
> >=20
> >"-//W3C//DTD HTML 4.0 =
Transitional//EN">
>=20
=3D3D20
> > >=20
><HTML><HEAD><BR& amp;gt;> >=20
><META=3D3D20
> > > =
http-equiv=3D3D3D3D3DContent-Type=20
content=3D3D3D3D3D"text/html; =3D3D
> > =

>=3D3D3D3D
>=20
=3D3D20
> > =20
> charset=3D3D3D3D3Diso-8859-1">
> =
><META=20
=3D3D
> =
> content=3D3D3D3D3D"MSHTML=3D3D20
> =20
> 6.00.2800.1400" =
name=3D3D3D3D3DGENERATOR>
>=2 0
=3D3D20
> > =20
><STYLE></STYLE><B R>> =
=3D3D
> =20
>></HEAD>
> > =3D3D20
> =
> =20
><BODY bgColor=3D3D3D3D3D#ffffff>
>& amp; =20
=3D3D
> =
>><DIV><FONT=3D3D20
> =20
> face=3D3D3D3D3DArial =3D3D
> =20
=
> size=3D3D3D3D3D2>Rick,& amp;lt;/DIV>
>=20
=3D3D20
> > ><DIV><FONT =
face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2>1 mec, no BNC =3D3D
> =20
> involved.=3D3D20
> > Paris=20
=3D3D3D
>>=3D3D3D3D
> > >boots up so =

=3D3D
> >the=3D3D3D3D20
> =2 0
> 1=3D3D20
> > mec=20
that</DIV><BR& gt;> =
=3D3D
> =20
>><DIV><FONT=3D3D20
> > =20
face=3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using shows up but =
never=20
=3D3D
> >any
>=3D3D3D
>& g t;A=20
to=3D3D20
> > =3D3D3D3D
>> =
>Ds or=20
any=3D3D3D3D20
>> =
> installed=3D3D20
> =20
> modules.</DIV><BR& amp;gt;> =20
=3D3D
> =
>><DIV><FONT=3D3D20
> =20
> face=3D3D3D3D3DArial size=3D3D3D3D3D2>This is the =
same symptom=20
=3D3D
> =20
> before
>=3D3D3D
>& am p;gt;l=3D3D20
> =
> =20
=3D3D3D3D
>> >repaired one=20
of=3D3D3D3D20
>> >my =3D3D
> =
> mecs=20

face=3D3D3D3D3DArial=3D3D20
> > > =20
size=3D3D3D3D3D2>&Tom</DIV >
>=20
=3D3D20
> > ></DIV><FONT =
face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2> =3D3D
> >=
>
> >=20
> </DIV>
> >=
></DIV><FONT=20
face=3D3D3D3D3DArial=3D3D20
> > > =20
size=3D3D3D3D3D2> </DIV>
> >=

=3D3D
> >></DIV>=3D3D20
> >=
> </DIV>
> ></DIV>=20
</DIV>
> =3D3D20
> > >=
></DIV>=20
</DIV>
> >=
></DIV>"rick"=3D3D20
> >=20
> <<A=3D3D3D3D20
> >=20
>&href=3D3D3D3D3D"<A=3D3D20
> > >=
=3D3D
> >=20
=
=3D
>&href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hot=
mail.com</A'>mailto=3D
>:pa=3D3D
> >=20
=
>rnell68@hotmail.com">parnell68@hotmail.com</A>>=
=3D3D20
> >=20
> >=3D3D3D
>=3D3D3D3D
 > >=
>wrote=20
in=3D3D3D3D20
> >=3D3D
> >=20
>&message=3D3D20
> > >=20
<A=3D3D3D3D20
> >=20
=
=3D3D3D
>>&href=3D3D3D3D3D"<A=3D3D20
> >=
> >=20
=3D3D
> >=20
=
=3D
>&href=3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.co=
m">news:inqgh393=3D
>>'>n=3D3D
> >=20
=
=3D
>&ews:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in=
qgh393=3D3D3D<B=3D
>=3D3D
> >=20
>&R>&an5=3D3D3D3D
& >=3D3D20
> >=
> >=20
=3D3D
> >=20
=
>>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
=
>=20

thought =3D3D
> >I was=3D3D20
> =
> groovin'=20
but once the second Mec was =3D3D3D3D
> =
=3D3D20
> =20
> =
>introduced
>the=3D3D3D3D20&a mp;lt;BR>> =20
> system =3D3D
> =
>stopped.=3D3D20
> =20
> That was a few weeks =
ago.
>
>Toda y I=20
=3D3D
> >=3D3D3D3D
> =
=3D3D20
> > =20
>tried=3D3D3D3D20
> > different =
cables, eds=20
cards, =3D3D
> >meccs,=3D3D20
> =
> =20
eliminated the magma =3D3D3D3D
> =20
>and
>still=3D3D20
> > =20
no=3D3D3D3D20
> > clock lock or modules =
showing=20
up in =3D3D
> >the paris=3D3D20
> =
> =20
=3D3D3D3D
> =3D3D20
> > =20
=
>patchbay.
>
 ;>This=3D3D3D3D20
>&nb
sp;=20
=3D3D
> >> =3D3D20
> > =
means to me=20
software unless someone tells me =3D3D3D3D
> =
=3D3D20
> =20
> =20
=
>differently.
><BR& amp ;>>I=3D3D3D3D20
>&nb
sp;=20
=3D3D
> >> =3D3D20
> > have =
a new C=20
drive which I will load XP and no pace. Any=3D3D20
> =
> =20
other=3D3D3D3D20
> > =3D3D20
> =
> =20

>suggestions?
& amp ;>
>More =
frustrated=20
=3D3D
> >than=3D3D20
> > =20
my=3D3D3D3D20
> > =3D3D20
> =
> =20
=3D3D
> =20
=
>clients,
>Tom<BR& gt;>
>
& gt;&l=

t;BR=3D3D
> =20
>>>
><=3D3D20
> > choose =

=3D3D3D3D
> =
>Polesoft=3D3D3D3D20
> sp;=20
=3D3D
> >> Lockspam=3D3D20
> =
> to=20
fight spam, and=3D3D3D3D20
> > =
=3D3D20
> =20
> you?
>http://www.polesoft.com/refer.html=20
=3D3D
> >=3D3D3D3D20
> =
=3D3D20
> =20
> =3D3D
> =20
=
>>
</BLOCKQUOTE> ;</BODY></HTML>
 ;=
>=20
=3D3D
> >=3D3D20
> > =20
>
> =20
>
>
>
><!DOCTYPE HTML=20
=3D3D
> >PUBLIC=3D3D20
> > =
"-//W3C//DTD=20
HTML 4.0=3D3D20
> > =20
=
Transitional//EN" >
><HTML><HEAD>
>=
<META=3D3D20
> =20
> http-equiv=3D3D3D3DContent-Type=20
content=3D3D3D3D"text/html;=3D3D20
> > =20
=
=3D3D3D
> charset=3D3D3D3Diso-8859-1">
><MET=
A=20
=3D3D
> =
>content=3D3D3D3D"MSHTML=3D3D20
> > =20
6.00.2800.1400">
> > =
=3D3D
> =20
=
>name=3D3D3D3DGENERATOR>
& ><STYLE></STYLE><=
></HEA=3D3D
> =20
>D>
><BODY=3D3D 20
> > =20
bgColor=3D3D3D3D#ffffff>
>& amp;lt;DIV><FONT=20
face=3D3D3D3DArial=3D3D20
> > =20
size=3D3D3D3D2>Thanks=3D3D20
> > =20
=
Dimitrios.</DIV><B R>><DIV><FONT=20
=3D3D
> >face=3D3D3D3DArial=3D3D20
> =
> =20
size=3D3D3D3D2>=20
</DIV>
><DIV& amp; ><FONT =3D3D
> =20
>face=3D3D3D3DArial=3D3D20
> > =

size=3D3D3D2>Mike=20
said the same thing. Is the =3D3D3D
>ini in=20
=3D3D
> >
> > =20
the=3D3D3D20
>Paris folde or =
system=3D3D20
> =20
> =
32?</DIV>
><DIV><FONT=20
face=3D3D3D3DArial =3D3D
> >
> =
> =20
size=3D3D3D2>Do I want the Master card to be =
=3D3D
> =20
>0=3D3D3D20
>absolutely? =
l=3D3D20
> =20
> only have one=20
card</DIV>
><DIV><FONT=20
=3D3D
> >
> > =
face=3D3D3D3DArial=20
size=3D3D3D2>in there right now and it's =
all=3D3D20
> =20
> =
freaky
=3D3D3D
>jus t=3D3D20
> =20
> =3D3D
> =20
=
>the=3D3D3D20
>same.</ FONT></DIV>
>=
<DIV><FONT=3D3D
> =20
>=3D3D20
> > =
face=3D3D3D3DArial=3D3D20
> =20
> =20
=
size=3D3D3D2>Tom</DIV&a mp;gt;
><DIV><=
t;FONT=3D3D20
> =20
> face=3D3D3D3DArial size=3D3D3D2>=20
=3D3D
> =20
=
></DIV>
><l t;DIV><FONT=3D3D20
> =20
> face=3D3D3D3DArial size=3D3D3D2>=20
=3D3D
> =20
=
></DIV>
><l t;DIV><FONT=3D3D20
> =20
> face=3D3D3D3DArial=20
size=3D3D3D2>=3D3D20
> > =20
=3D3D
> =20
=
></DIV>
><l t;BLOCKQUOTE=3D3D3D20
>style=3D=
3D3D3D"PADDING-RIGHT:=20
=3D3D
> >0px;=3D3D20
> > =
PADDING-LEFT:=20
5px; MARGIN-LEFT: 5px; =3D3D3D
>BORDER-LEFT:=20

#000000
=3D
>=3D3D
> >2px =
solid;=3D3D20
> =20
> MARGIN-RIGHT: 0px">
> =20
<DIV>"Dimitrios"=3D3D20
> > =20
<<A=3D3D3D20
> p; =
href=3D3D3D3D"<A=3D3D20
> =20
> =3D3D
> =20
=
=3D
>>href=3D3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.=
gr</A'>mailto:musur=3D
>gio=3D3D
> =20
=
>@otenet.gr">musurgio@otenet.gr</A>>=3D3D20
&=
gt; =20
> wrote in =
=3D3D3D
>message=3D3D3D20<BR& amp;gt;> =20
<A =3D3D
> =20
>=3D3D3D
>href=3D3D3D3D"<A=3D3D20
> =
> =20
=3D3D
> =20
=
=3D
>>href=3D3D3D'news:471a0486\$1 @linux">news:471a0486\$1 @linu=
x...</DIV>
 H=3D
>'>=3D3D
> =20
=20
=
>news:471a0486\$1 @linux">news:471a0486\$1 @linux...</DIV&=
gt;&=3D3D
> =20
=
>
Hi
= 3D3D3D
>Tom=3D3D3D20<B=
R>>=20
=3D3D20
> > <A href=3D3D3D"<A=20
=
href=3D'mailto:!!@
Sorry">!!@
Sorry</A'>mailto:!!@
Sorry ">=
!@
Sorry</A>=20
to hear you still
=3D
>=3D3D
> =20
>having=3D3D20
> > problems like this=20
~!!
Must =3D3D
> =20
>be
=3D3D3D
> ;very=3D3D3D20
>=20
=3D3D20
> > frustrating.
Open the =
Paris ini=20
file and there change the=3D3D20
> > =20
=3D3D3D
>mastercardoutput=3D3D3D20&a mp;lt;BR>> =
with your=20
=3D3D
> >other
cards =
and=3D3D20
> =20
> see what happens !!
Let =
me=3D3D3D20
>=20
=3D3D20
> > =20
know.
Regards,
Dimitrios&a mp;lt;BR>
 "Tom =

=3D3D
> >Bruhl"=3D3D20
> > >=20
<<A=3D3D3D20
> p; =
href=3D3D3D3D"<A=3D3D20
> =20
> =3D3D
> =20
=
=3D
>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast=
..net>=3D3D3D20'>m=3D
>ailto=3D3D
> =20
=
>:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D20&l=
t;/A>
&g=3D3D
> =20
>t; =3D3D20
> > =20
=
wrote:
>
>&a mp;
>Rick,
>1=20
=3D3D
> >mec, no=3D3D20
> > =
BNC=20
=3D3D3D
>involved. =
Paris=3D3D3D20
> boots=20
up so =3D3D
> >the 1 mec=3D3D20
> =
> =20
that
>I'm using shows up but never any A =
=3D3D3D
>to=20
Ds=3D3D20
> > or=3D3D3D20
> =
any=20
installed modules.
>This is the =3D3D
> =20
>same=3D3D20
> > symptom before l=20
=3D3D3D
>repaired one=3D3D3D20
> of =
my mecs=20
=3D3D
> >with=3D3D20
> > =20
a
>new chip. The clock light continues=20
to=3D3D20
> > =20
=3D3D3D
>flash=3D3D3D20<BR&am p;>> too. =
Never=20
locks=3D3D20
> > =
in.
>
>I am=20
using the simplest =3D3D
> =
>=3D3D3D
>setup=20
l=3D3D20
> > can=3D3D3D20
> =
imagine and=20
still it's not =3D3D
> >working.
>Mike=20
A.=3D3D20
> > suggested the=20
=3D3D3D
>.ini=3D3D3D20<BR& ;>> file to =
make=20
=3D3D
> >sure card A is=3D3D20
> =
> =20
0. I'll try=3D3D20
> > =
=3D3D
> =20
=
=

>=3D3D3D
>=3D3D3D3D
>that.
>Pretty=
=3D3D3D20
>=20
=3D3D
> >; sure it's=3D3D20
> =
> right but=20
who=3D3D3D20
> =3D3D20
> > =
=3D3D
> =20
=
>=3D3D3D
>knows?<BR&am p;g;>Thanks,
>Tom<=
BR>><=3D3D
> =20
=
>BR>>
>< BR>>
><=3D3D3D& amp;lt;BR=
>>BR>=3D3D
> =20
>>"rick"=3D3D3D20
> =3D3D20
> =
> =20
<<A =
=3D3D3D
>href=3D3D3D3D"<A=3D3D20
> =20
> =3D3D
> =20
=
=3D
>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hot=
mail.com</A'>mailto=3D
>;pa=3D3D
> =20
=
>rnell68@hotmail.com">parnell68@hotmail.com</A>=
=3D3D20
> =20
> =3D3D3D
>wrote=3D3D3D20<BR&am p;g;> =
in=20
message=3D3D3D20
> =3D3D20
> > =20
=3D3D
> =20
=
>=3D3D3D
>=3D3D3D3D
>news:inqgh393an5s4m99qcao=
jn09vn112t4u6r@4ax=3D3D
> =20
=
>.com...
>&nbs=3D3D3D
>p;=3D3D20
>&n=
bsp;=20
> i=3D3D3D20
> know this as dumb as it =
gets but=20
the bnc is =3D3D
> >attached =
in=3D3D20
> > =20
the=3D3D3D20
> right
> =
=3D3D20
> =20
> order...right?
> all the cards show=20
up=3D3D20
> > =20
=3D3D3D
>in=3D3D3D20<BR&g t;g;> paris with =
the single=20
=3D3D
> >mec?
> =3D3D20
> =
> =20
how many i/o cards in each=3D3D3D20
> =
=3D3D20
> =20
> mec?
>
>& ;lt;BR>> On =

=
=3D3D3D
>face=3D3D3D3D3DArial=3D3D3D 20
> =20
size=3D3D3D3D3D2>This is =3D
>=3D3D
> >the =

same=3D3D20
> > symptom before l=20
=3D3D3D3D
>>repaired =3D3D
> =20
>=3D3D3D
>>one=3D3D3D20
>> =
=3D3D20
> =20
> of=3D3D3D3D20
>>my mecs =
with=3D3D3D20
>>=20
=3D3D20
> > =20
=
a></DIV>>
> ></DIV>>=3D3D20
>=
 =20
> face=3D3D3D3D3DArial=3D3D3D20
>> =20
size=3D3D3D3D3D2>new chip. The =3D3D
> >clock=20
light=3D3D20
> > =
=3D3D3D3D
>>continues=20
to=3D3D3D20
>> =3D3D
> =20
>flash=3D3D3D3D20
>>too.=3D3D20 0
> =
> Never=20
locks=3D3D3D20
>> =3D3D20
> > =20
in.></DIV>>
> t;></DIV>>=20
=3D3D
> >face=3D3D3D3D3DArial=3D3D20
> =
> =20
=3D3D3D
>></BR>>> =20
size=3D3D3D3D3D2>>=3D3D20
> > =20
</DIV>></BR>>></DIV>>=3D3D20
> =

> =20
=
=3D3D3D
>>face=3D3D3D3D3DArial=3D3D3D 20
>> =20
size=3D3D3D3D3D2>I am =3D3D
> >using the=20
simplest=3D3D20
> > setup I can=20
=3D3D3D3D
>>imagine=3D3D3D20
>> =
=3D3D20
> =20
> and=3D3D3D3D20
>>still it's =
not=3D3D3D20
>>=20
=3D3D20
> > =20
=
working.></DIV>>
> ></DIV>>=3D3D20=

> =20
> =20
=
=3D3D3D
>>face=3D3D3D3D3DArial=3D3D3D 20
>> =20
size=3D3D3D3D3D2>Mike A. =3D
> =3D3D
> =
> suggested=20
the=3D3D20
> > .ini file =

=3D3D3D3D
>to=20
make=3D3D3D20
> =3D3D20
> > > =20
sure=3D3D3D3D20
>card A is 0. I'll =
try=3D3D3D20
>=20
=3D3D20
> > > =20
=
that.</DIV><BR& ;>></DIV><FONT=3D3D20 <BR=
>> > =20
> > =20
=
=3D3D3D
>face=3D3D3D3D3DArial=3D3D3D 20
> > =20
size=3D3D3D3D3D2>Pretty =3D3D
> > > sure it's=20
right=3D3D20
> > > but =
who=3D3D3D20
>=20
=3D3D20
> > > =3D3D
> > =20
=
>=3D3D3D3D
>knows?</FO NT></DIV>
>& ;=
lt;DIV&g=3D3D
> > =20
>t;<FONT=3D3D3D20
> =3D3D20
> > =
> > =20
face=3D3D3D3D3DArial=3D3D3D20
> =3D3D20
> > =
> > =20
=3D3D
> > =20
=
>=3D3D3D
>size=3D3D3D3D3D2&am p;>Thanks,</DIV=
>
>=3D3D
> > =20
=
></DIV><FONT=3D3D3D<BR& ;>>=3D3D3D20
>=20
=3D3D20
> > > =
face=3D3D3D3D3DArial=3D3D3D20
>=20
=3D3D20
> > > =3D3D
> > =20
=
>size=3D3D3D3D3D2>Tom& ;lt;/DIV>
></DIV=
>
> > =20
>FONT=3D3D3D20
> =3D3D20
> > > =20
face=3D3D3D3D3DArial =
size=3D3D3D3D3D2>=3D3D20
> > =20
> > =3D3D
> > =20
=
>=3D3D3D
></DIV> ;
></DIV><FONT=3 D=
3D3D20
>&nbs=3D3D
> > =20
>p;=3D3D20
> > > face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2>=3D3D20
> > > =20
=
=3D3D3D
></DIV>< ;BR>></DIV>=3D3D3D20<BR=
>>=20
=3D3D20
> > > =20
</DIV>
></DIV&am p;>=3D3D20
> > =

> =20
</DIV>
><DIV&am p;gt;=3D3D3D20
>=20
=3D3D20
> > =20
</DIV>
><DIV&am p;gt; "rick"=3D3D20
> =
> =20
=3D3D
> =20
=
>=3D3D3D
><<A=3 D3D3D3D20
>href=3D3D3D3D3= D"<A=3D3D3D20
>&n=3D3D
> =20
>bsp;=3D3D20
> > =3D3D
> =20
=
=3D
 >>=3D3D3D
>href=3D3D3D 3D'mailto:parnell68@hotmail.com">parnell68@hotmail.c=3D3D=3D
>
> =20
=
>om</A'>mailto:pa=3D3D3D<BR& gt;>rnell68@hotmail.com">pa= rnell68@hotmail=3D3D
> =20
>l.com</A>>=3D 3D3D20
> =
=3D3D20
> =20
> =3D3D3D3D
>wrote=20
in=3D3D3D3D20
>message=3D3D20
> > =

<A=3D3D3D3D20
>href=3D3D3D3D3 D "<A=20
=3D3D3D
>
> =3D3D20
> =
> =20
=3D3D
> =20
=
=3D
 >>=3D3D3D
>href=3D3D3D 3D'news:inqgh393an5s4m99qc= aojn09vn112t4u6r@4ax.com">=3D3D=3D
>
> =20
=
=3D
 >>news:inqgh393an5=3D3D3D
&am p;gt;'>news:inqgh393an5= s4m99qcaojn09vn112t4u6r@4=3D3D=3D
>
> =20
=
>ax.com" >news:inqgh393an5</A=3D3D3D
& amp;gt;>=3D3D3D3D&l= t;BR>>s4m99q=3D3D
> =20
=
>caojn09vn112t4u6r@4ax.com ...</DIV>
& amp;amp;=3D3= D3D
&=3D3D
> =20
=
=3D
 >>gt;gt;<BLOCKQUOTE=3D3D3D3D20<B R>>style=3D3D3D3= D3D"PADDING-RIGHT:=3D3D3D20=3D3D
> =20
>
> =3D3D20
> > 0px; = PADDING-LEFT: 5px;=20
MARGIN-LEFT: 5px; =3D3D
> =20
>=3D3D3D3D
>BORDER-LEFT:=3D3D 20
> =
> =20
=3D3D3D
>#000000 2px=3D3D3D20
> = solid;=20
MARGIN-RIGHT:=3D3D20
> > =20

=
>=3D3D3D3D
>introduced< ;BR>>the=3D3D3D3D20<BR&g=
t;>=20
=3D3D
> > system=3D3D20
> > =20
=3D3D3D
>stopped. That =
was=3D3D3D20
> a few=20
weeks=3D3D20
> > =
ago.
>
>Toda y=20
l=3D3D3D20
> =3D3D20
> > =20
=3D3D3D3D
>tried=3D3D3D3D20<B R>> =
different cables,=20
=3D3D
> >eds cards,=3D3D20
> > =
meccs,=20
=3D3D3D
>eliminated=3D3D3D20< BR>> the=20
magma=3D3D20
> > =20
=3D3D3D3D
>and
& ;gt;still =3D3D
> =20
>no=3D3D3D3D20
> =3D3D20
> > =20
=3D3D3D
>clock lock or=3D3D3D20
> =
modules=20
showing up in the=3D3D20
> > =
paris=3D3D3D20
>=20
=3D3D20
> > =3D3D
> =20
=
>=3D3D3D
>=3D3D3D3D
>patchbay.
>&l=
t;BR>>This=3D3D3D=3D3D
> =20
>3D20
> =3D3D20
> > =20
=3D3D3D
>means to=3D3D3D20
> me =
software unless=20
someone =3D3D
> >tells=3D3D20
> =
> =20
me=3D3D3D20
> =3D3D20
> > =
=3D3D
> =20
=
>=3D3D3D
>=3D3D3D3D
>differently.
>=

>l=3D3D3D=3D3D
> =20
>3D20
> =3D3D20
> > =20
=3D3D3D
>have a new=3D3D3D20
> C =
drive which l=20
will load XP =3D3D
> >and no =
pace.=3D3D20
> =20
> Any other=3D3D3D3D20
> =20
=3D3D3D
>
> =3D3D20
> =
> =20

>suggestions?
& ;gt;
>More=20
frustrated=3D3D20
> > =20
=3D3D3D
>than=3D3D3D20<BR& ;gt;> =20
my=3D3D3D3D20
> =3D3D
> =
>=3D3D3D20
>=20

=3D3D20
> > > =3D3D
> =20
=
>=3D3D3D
>clients,<BR& amp;gt;>Tom
><BR&g t=
>
=3D3D
> =20
=
>,><BR=3D3D3D
> >>
>l=3D3D3D20< B=
R>>=20
=3D3D20
> > > choose=20
=3D3D3D3D
>Polesoft=3D3D3D3D20&l t;BR>> =
Lockspam=20
=3D3D
> >to fight=3D3D20
> > =20
spam,=3D3D3D20
> > and=3D3D3D3D20
>=20
=3D3D20
> > > =3D3D
> =20
=
>=3D3D3D
>you?<BR& gt; >>http://www.polesoft.com/refer.=
html=3D3D3D20
>&=3D3D
> =20
>gt; =3D3D20
> > > =3D3D
> =20
=
>=3D3D3D
>=3D3D3D3D20< BR>>
</BLOCKQUO=
TE></BODY>=3D3D
> =20
=
>,</HTML>
>=3D 3D3D
>gt;
>& amp;|=
t;BR></B=3D3D
> =20
=
>LOCKQUOTE></BODY></HTML& amp;gt;
>
>& amp;|=
t;BR></BLOCKQUOTE><=3D3D
> =20
>/BODY></HTML>
> >
> =20
>
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD =
HTML 4.0=20
=
Transitional//EN">
><HTML><HEAD>
><META=20
http-equiv=3D3DContent-Type content=3D3D"text/html;=20
=3D
> charset=3D3Diso-8859-1">
><META =
content=3D3D"MSHTML=20
6.00.2800.1400"=20
=
name=3D3DGENERATOR>
><STYLE></STYLE>
></HEA=
D>
><BODY=20
bgColor=3D3D#ffffff>
><DIV><FONT face=3D3DArial=20
=
size=3D3D2>Mike,</DIV& amp ;gt;
><DIV><FONT=20
face=3D3DArial size=3D3D2>I used to use a Lucid but since all=20
of
=3D
>this mess=20
=
l=3D20
>stopped.</DIV>
><DIV><FON=
T=20
face=3D3DArial size=3D3D2>I'm trying to get stable from square =
=3D
>one=20

with the=3D20
>least amount=20
</DIV>
></DIV></FONT =
face=3D3DArial=20
size=3D3D2>of hardware. I am using the =3D
>default =

project=3D20
>for sure. The only=20
</DIV>
></DIV></FONT =
face=3D3DArial=20
size=3D3D2>other thing that I still question is =
my
=3D
>move=20
of=3D20
>Paris to C:ParisPro=20
.</DIV>
></DIV></FONT =
face=3D3DArial=20
size=3D3D2>I should think the default project =
will
=3D
>either=20
work=3D20
>or not. =20
Maybe</DIV>
></DIV></FONT =
face=3D3DArial=20
size=3D3D2>configs or something else is =3D
>fighting=20
during=3D20
>Paris=20
startup?</DIV>
></DIV></FONT =
face=3D3DArial=20
size=3D3D2> =
</DIV>
></DIV></FONT=20
face=3D3DArial size=3D3D2>Pats 42 - Miami 7 . . . Halftime and =
=3D
>the=20
=
games=3D20
>over.</DIV>
></DIV></FO=
NT=20
face=3D3DArial=20
=
size=3D3D2>Tom</DIV>
></DIV></FONT=20
face=3D3DArial size=3D3D2>=20
</DIV>
></DIV></FONT face=3D3DArial=20
size=3D3D2> =
</DIV>
></DIV></FONT=20
face=3D3DArial size=3D3D2>=20
=
</DIV>
></BLOCKQUOTE=3D20
>style=3D3D"PADDING-RIGHT: =
0px;=20
PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
>BORDER-LEFT: =
#000000 2px=20
solid; MARGIN-RIGHT: 0px">
> </DIV>"Mike =
Audet"=20
</mike@....> wrote in message <A=3D20
> =20
=3D
>href=3D3D"<A=20
=
href=3D'news:471b6eb0\$1 @linux">news:471b6eb0\$1 @linux...</DIV>
Hi=3D=

20'>news:471b6eb0\$1 @linux">news:471b6eb0\$1 @linux...</DIV&=
gt;
Hi=3D20
> =20
Tom,

Are you using a default project with =
PARIS? =20
I'm so =3D
>sorry of=3D20
> this has =
been
>asked and=20
answered already. If so, perhaps it =
=3D
>is=3D20
> =20
telling card zero to lock
to an external clock, which it =
can't=20
=3D
>because=3D20
> there isn't =
one.

It=20
would be interesting to attach an=20
external
=3D
>clock=3D20
> source to the MEC=20
and
then start PARIS to see how it behaves. =
=3D
>Or,=20
if=3D20
> the clock generator is fried,
tell =
paris to=20
lock externally and see
=3D
>what=3D20
> =
happens when an=20
external clock
source is applied.

Isn't =

there
=3D
>a=3D20
> master house synch switch =
in the cfg=20
file? I've never =3D
>used
it. =
=3D20
> Maybe=20
DJ could help with what that should/shouldn't be set=20
=3D
>to.

Wish I=3D20
> could =
do more than=20
think out loud...

Mike
&am p;gt;
 "Tom =
Bruhl"=20
=3D
><A=3D20
> href=3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>=3D20'>mailto=
:arpegio@comcast.net">arpegio@comcast.net>=3D20
>
 =20
wrote:
>
> &lt;BR>>Hi =
Mike,
>Well=20
I've been to .cfg =3D
>many a=3D20
> =
time.
>I've=20
seen that Mastercard setting as being 0
>but =
=3D
>maybe=20
it=3D20
> changed after removing the 4 =
other
>eds=20
cards for this round of=3D20
> =20
testing.
>
> If it's still 0 what else =
could this=20
be? =3D
>Busted=3D20
> =

I only=20

have one card
> >in there =3D
>right=20
now=3D20
> and it's all freaky just the=20
same.
> >Tom
> =20
=3D
>
> >
> =

>
> =20

>
> > =3D20
> "Dimitrios" =
<<A=20

=3D
>href=3D3D"<A=20

=

href=3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr>=3D20'>mailto:m=
usurgio@otenet.gr">musurgio@otenet.gr>=3D20
>&n=
bsp;=20

wrote in message =3D3D3D
> =20

=3D
>>news:471a0486\$1@linux...
> =

=3D20
> =20

>
> > Hi Tom <A=20

href=3D"mailto:!!@
"!@
> > Sorry=20

=3D
>to hear=3D20
> you still having problems =

like this=20

~!!
> > Must =3D
>be =

very=3D20
> =20

frustrating.
> > Open the Paris ini =

file and=20

=3D
>there change=3D20
> the mastercardoutput=20

with
=3D3D
> =3D3D3D
> =20

>your=3D20
> other
> > =

cards and=20

see what happens =3D
>!!
> =3D20
> =

> =20

Let me know.
> > =20

=3D
>Regards,
> =3D20
> > =20

Dimitrios
> >
> > =

"Tom=20

=3D
>Bruhl"=3D20
> <<A href=3D3D"<A=20

=

href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net</A'>mailto:arpegi=
o@comcast.net">arpeggio@comcast.net</A>=20

=3D
>
> wrote:
> > =20

>
> > =3D20
> =

>
> =20

> >Rick,
> > >1 =

=3D
>mec,=20

no=3D20
> BNC involved. Paris boots up so the 1 =

mec=20

that
> =3D
> =3D20
> =

>I'm using=20

shows up but never any A to Ds or any installed=3D20
> =

> =20
all the cards show =3D
>up in=3D20
> paris with =
the single=20
mec?
> > > how =3D
>many =

i/o=3D20
> cards in each mec?
> =
> =20
>
> =3D
>> =3D20
> =20
>
> > > On Fri, 19 Oct 2007 =

00:22:39 =3D
>-0400,=3D20
> "Tom Bruhl"=20
=3D3D3D
> ><<A=3D20
> =20
=3D
>href=3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n'>=
mailto:arpegio@comcast.net">arpegio@comcast.net>
=
>&n=3D
>bsp;=3D20
> =20
> > wrote:
> > =20
=3D
>
> =3D20
> > =
> >l=20
thought I was groovin' but once the second =3D
>Mec=20
was=3D20
> introduced
> > =
> =20
>the system =3D
>stopped. =3D20
> That was a =
few weeks=20
ago.
> > > =3D20
> =20
>
> > >Today I tried =
different=20
=3D
>cables,=3D20
> eds cards, mecs, eliminated=20
the
=3D3D
>=3D3D3D& amp;lt;BR>> =
=3D20
> =20
>magma
> > =
=3D3D3D3D
> >=20
=3D20
> >and
> > =
> =20
>still no clock lock or =3D
>modules=3D20
> =
showing up in=20
the paris =3D3D
>patchbay.
&a mp; > =
> =20
=3D
>> =3D20
> >
> =
> =20
> >This means to me software =
=3D
>unless=3D20
> =20
someone tells me differently.
> > >=20
=3D20
> >
> > >=
>l=20
have a new C drive =3D
>which I will=3D20
> load =
XP and no=20

=
=3D
 >size=3D3D3D3D3D2>Rick,&a mp;lt;/DIV>
&g
t;=20
=3D20
> > ><DIV><FONT =
face=3D3D3D3D3DArial=20
=3D
>size=3D3D3D3D3D2>1 mec, no=3D20
> BNC =
involved.=20
=3D3D
>Paris =3D3D3D
> =20
=3D
>>=3D3D3D3D
> =3D20
> =
> >boots=20
up so the=3D3D3D3D20
> > >1=20
=3D
>mec=3D20
> =20
that</DIV><BR& g t;> > =20
=3D
>><DIV><FONT=3D20
> =
face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2>'m using shows up but=20
=3D
>=3D3D
>never=3D20
> =
any
> =20
=3D3D3D
> >A to =3D3D3D3D
> =

=3D
>> =3D20
> >Ds or =
any=3D3D3D3D20
> =20
> >installed=3D20
> =20
modules.</DIV><BR& amp;gt;> >=20
=3D20
> ><DIV><FONT face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2>This is =3D
>the same=3D20
> =

symptom
=3D3D
>befo re
> =20
=3D3D3D
> >I=3D20
> =20
=3D3D3D3D
> > >repaired one=20
=3D
>of=3D3D3D3D20
> =3D20
> =
> >my=20
mecs with a</DIV>
 > =
=3D20
> =20
> ><DIV><FONT face=3D3D3D3D3DArial=20
=3D
>size=3D3D3D3D3D2>new chip.=3D20
> The =
clock=20
light
=3D3D
>=3D3D3 D3D
> =
> =20
=3D
>>continues to=3D20
> =20
flash=3D3D3D3D20
> > >too. Never=20
locks=3D20
> =
in.</DIV><BR&g t;> =20
> =3D
>><DIV><FONT=3D20
> =20
face=3D3D3D3D3DArial size=3D3D3D3D3D2>=20
=3D
></DIV>
> =3D20
> =
> =20
><DIV><FONT face=3D3D3D3D3DArial =

>size=3D3D3D3D2>I am=20
using=3D20
> the simplest =3D3D
>setup=20

> =3D3D3D
> =20
=3D
>>can=3D20
> =
=3D3D3D3D
> > =20
>imagine =3D
>and=3D3D3D3D20
> >=20
=3D20
> >still it's not=20
working.</DIV><BR& >> =
=3D
>>=20
=3D20
> ><DIV><FONT face=3D3D3D3DArial=20
size=3D3D3D3D2>Mike A. =3D
>suggested =
the=3D20
> =20
=3D3D
>.ini file
> =
=3D3D3D
> =20
=3D
>>=3D3D3D
> =3D20
> =
> >to=20
make sure=3D3D3D3D20
> > >card =
=3D
>A is=20
0.=3D20
> I'll try=20
that.</DIV><BR& >> > =
=3D20
> =20
><DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>Pretty=20
=3D
>sure it's=3D20
> right =
=3D3D
>but who=20
=3D3D3D
> >=3D3D3D
> =
=3D
>>=20
=3D20
> =
>knows?</DIV>&
> =20
> =3D20
> ><DIV><FONT=20
face=3D3D3D3DArial=3D20
> =20
=
size=3D3D3D3D2>Thanks,< /DIV>
> =

=3D
>> =3D20
> ><DIV><FONT=20
face=3D3D3D3DArial=3D20
> =20
=
size=3D3D3D3D2>Tom</DIV >
> =20
=3D
>> =3D20
> ><DIV><FONT =
face=3D3D3D3DArial=20
=3D
>size=3D3D3D3D2>=3D20
> =20
</DIV>
> > =
><DIV><FONT=20
=3D
>face=3D3D3D3DArial=3D20
> =20
size=3D3D3D3D2> </DIV>
> =
>=20
=3D20
> ><DIV> =
</DIV>
> =20

> ><DIV>=3D20
> =20
</DIV>
> > =20
><DIV>=3D20
> =
</DIV>
> =20
> ><DIV>"rick"=3D20
> =20
<<A=3D3D3D3D20
> > =20
=
=3D
 >=3D3D
>>>href=3D3D3D3D 3D "<A=3D20
> =
;=20
=
=3D
>href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.c=
om</A'>mailto:pa=3D
>rnell68@hotmail.com">parnell68@hotmail=
l.com</A>>=3D20
> =20
 =3D3D
>=3D3D3D
& > =
>=3D3D3D3D
> =20
> =3D
>>wrote=3D20
> =20
in=3D3D3D3D20
> > >message=20
=3D
><A=3D3D3D3D20
> =3D20
> =
> =20
 =3D3D3D
> =20
=
=3D3D
>>>href=3D3D3D3D 3D "<A=3D20
> =20
=
=3D
>href=3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">=
news:inqgh'>news=3D
>:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com=
" >news:inqgh=3D3D
& >=3D
>393=3D3D3D
&g=
t;>=20
 =3D20
> >an5=3D3D3D3D
> >=20
 =3D20
> =20
=
=3D
>>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV><=
t;BR>>=20
 =3D
>>=3D20
> > =20
><BLOCKQUOTE=3D3D3D3D20
& > > =
=3D20
> =20
>style=3D3D3D3D3D"padding-right: 0px; padding-left: 5px; =
margin-left:20
 =3D
>
> =3D3D
>5px; =
=3D3D3D
> =20
>=3D3D3D3D
> =3D
>> =
=3D20
> =20
>border-left: #000000 2px solid; =
margin-right:=3D20
> =20
0px">i=3D3D3D3D20
> > > =
know this as=20
 =3D
>dumb as it=3D20
> gets but the bnc is =
attached in=20
 =3D3D
>the=3D3D3D3D20<BR& >> =

> =20
=3D
> clock=3D20
> lock or modules =
showing up in=20
the paris =3D3D3D3D
> =3D
> =
=3D20
> =20
=
>patchbay.
>
 ;>This=3D3D3D3D20
>&nb=
sp;=20
=3D
> =3D20
> > means to me =
software unless=20
someone tells me =3D
>=3D3D3D3D
> =
=3D20
> =20
> =20
=
=3D
 >>differently.
>&l t;BR>>l=3D3D3D3D20<BR=
>>=20
=3D20
> > > have a new C drive which =
I will=20
load XP and no =3D
>pace. Any=3D20
> =20
=3D3D
>other=3D3D3D3D20<BR&am p;gt;> > =
>=20
=3D20
> =20

>suggestions?
& ;gt;
>More =
frustrated=20
=3D
>than=3D20
> =
my=3D3D3D3D20
> > =20
> =3D20
> =20
=
=3D
 >clients,
>Tom<BR& gt;>
>
=
><BR=3D
>>
>l=3D20
> =20
choose =3D3D3D3D
> > =20
=3D
 >>Polesoft=3D3D3D3D20
> ; =
=3D20
> > =20
> Lockspam to fight spam, =
=3D
>and=3D3D3D3D20
>=20
=3D20
> > > =20
=
=3D
>you?
>http://www.polesoft.com/refer.html=3D20
&=
> =20
=3D3D3D3D20
> > =3D20
> =20
=
=3D
 >>
</BLOCKQUOTE> ;</BODY></HTML><=
>>=20
=3D
>=3D20
> > >
> =
> =20
>
> =3D
>>
> =
=3D20
> =20
>
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD =

HTML=20

4.0=3D20
> ; Transitional//EN">
> ;=20
=3D
 >>< ;HTML>< ;HEAD>& & ;lt;BR>> ; =
=3D20
> ;=20
>< ;META http-equiv=3D3D3D3DContent-Type=20
content=3D3D3D3D"text/html";=3D20
> ; =
=3D3D3D< ;BR>> ;=20
>& ;charset=3D3D3D3DISO-8859-1">< ;BR>> ;=20
=3D
>>< ;META=3D20
> ; content=3D3D3D3D"MSHTML =

6.00.2800.1400" =
=3D
 >&name=3D3D3D3DGENERATOR>< ;BR>& & ;gt; ;=20
=3D20
> ; =
>< ;STYLE>< ;/STYLE>< ;B R>> ;=20
=3D
 >>< ;/HEAD>< ;BR>& & ;gt; ; =3D20
> ; =
>< ;BODY=20
bgColor=3D3D3D3D#ffffff>< ;BR>>& & ;amp ;nbsp; ;=20
=3D
>>< ;DIV>< ;FONT=3D20
> ; =
face=3D3D3D3DArial=20
size=3D3D3D3D2> ;Thanks=3D20
> ;=20
Dimitrios.< ;/FONT>< ;/DIV>< ;B R>> ;=20
=3D
>>< ;DIV>< ;FONT=3D20
> ; =
face=3D3D3D3DArial=20
size=3D3D3D3D2> ;< ;/FONT> ; =
=3D
>< ;/DIV>< ;BR>> ;=20
=3D20
> ; >< ;DIV>< ;FONT face=3D3D3D3DArial=20
size=3D3D3D3D2> ;Mike said the =3D
>& ;same=3D20
> ; =
thing. ;=20
Is =3D3D< ;BR>>& ;the =3D3D3D< ;BR>> ; >& ;ini=20
in=3D20
> ; the=3D3D3D20< ;BR>> ; >& ;Paris =
folde or=20
system=3D20
> ; =
32?< ;/FONT>< ;/DIV>< ;BR>& ;> ;=20
>< ;DIV>< ;FONT=3D20
> ; face=3D3D3D3DArial=20
size=3D3D3D3D2> ;Do I want the Master card to=3D20
> ;=20
be< ;BR>& ;=3D3D< ;BR>>& ;0=3D3D3D2 0< ;BR>> ;=20
>& ;absolutely? ; I only =3D
>& ;have =
one=3D20
> ;=20
card< ;/FONT>< ;/DIV>< ;BR>& ;> ;=20
>< ;DIV>< ;FONT=3D20
> ; face=3D3D3D3DArial=20
size=3D3D3D3D2> ;in there right now and it's=3D20
> ;=20
all< ;BR>& ;=3D3D< ;BR>>& ;freaky&a mp;lt; ;BR>> ;=20
=3D3D3D< ;BR>> ; >& ;just=3D20
> ;=20
the=3D3D3D20< ;BR>> ;=20
=3D
 >>& ;same.< ;/FONT>< ;/DIV>& ;< ;BR>> ;=20
=3D20
> ; >< ;DIV>< ;FONT=20
face=3D3D3D3DArial=3D20
> ;=20
size=3D3D3D3D2> ;Tom< ;/FONT>< ;/DIV&a mp;gt;< ;BR>> ;=20

><DIV><FONT face=Arial=20
size=2>
> =20
</DIV>
> ><DIV><FONT=20
face=Arial=20
> =
size=2>=20
</DIV>
> =20

><DIV><FONT=20
> =
face=Arial=20
size=2> =

></DIV>
>=20

> =
><BLOCKQUOTE=20
> =20

>>style="PADDING-RIGHT: =
0px;=20
> =20
PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=20
>=20
> & >=20

> >BORDER-LEFT: #000000 2px solid; =
MARGIN-RIGHT:=20

>0px">
> =20
> > =20
<DIV>"Dimitrios" <<A=20
> p; =

>>=20

> href=20"<A=20
> =20
=

>href=20'mailto:musurgio@otenet.gr">musurgio@otenet.gr<=
/A'>mailto:musurgio=20
>@otenet.gr">musurgio@otenet.gr</A&=
lt;/A>>>=20
> =20
wrote
=20
>in =20
> =20

>>message=20
> =20
> =
> =20
<A =20
> =20

>>href=20"<A=20
> =20
=

>href=20'news:471a0486\$1@linux">news:471a0486\$1@linux</=
A>...</DIV>
H'> n=20
>ews:471a0486\$1@linux">=
news:471a0486\$1@linux...</DIV>& &l=20
>>BR>H&=
lt;/A>=20
>i
 >>=20

> =20
> =20
>Tom=20
> > =
<A=20
> =20
href=20"<A=20
=
href=20'mailto:!!@
Sorry">!!@
Sorry</A'>mailto:!!@
Sorry ">=
!@
Sorry</A>=20
to hear you still =20
>having=20
> problems =
like this=20
~!!
Must
=20
& & mp; >>be
>=20

> =20
> =20
>very=20
> > =20
> =20

frustrating.
Open the Paris ini file and there change=20
the=3D20
> =3D3D3D
> =20
>mastercardoutput=3D3D3D20
> =
=3D
> with=20
your=3D20
> other
cards and see what happens=20
!!
Let=3D20
> me=3D3D3D20
> =
>=20
=3D20
> =20
know.
Regards,
Dimitrios lt;BR>
 "Tom =

=3D
>Bruhl"=3D20
> =
<<A=3D3D3D20
> p;=20
> href=3D3D3D3D"<A=3D20
> =20
=
=3D
>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net&l=
t;/A>>=3D3D3D20'>mail=3D
>to:arpegio@comcast.net">arpeg=
io@comcast.net >=3D3D3D20
><A>< ;B=3D
>R>> =

=3D20
> > =3D20
> =20
=
wrote:
>
> lt;BR>> Rick,
>>1=20
=3D
>mec, no=3D20
> BNC =
=3D3D3D
> =20
>involved. Paris=3D3D3D20
> =
=3D
>>=20
=3D20
> boots up so the 1 mec that
>>I'm =
using shows=20
up but never =3D
>any A=3D20
> =20
=3D3D
>>=3D3D3D
> >to Ds=20
or=3D3D3D20
> =3D
>> =
any=3D20
> =20
installed modules.
>This is the same symptom before=20
l=3D20
> =3D3D3D
> >repaired=20
one=3D3D3D20
> > =3D
>of my=20
mecs=3D20
> with a
>>new chip. The =
clock light=20
continues to=3D20
> =3D3D3D
> =20
>flash=3D3D3D20
> > =
=3D
>too. =20
Never=3D20
> locks in.
>
>>I am =
using the=20
simplest =3D
>=3D3D3D
> =3D20
> =
>setup l=20
can=3D3D3D20
> > imagine and still it's =

=3D
>not=3D20
> working.
>Mike A.=20
suggested the =3D3D3D
> =3D20
> =20
>.ini=3D3D3D20
> > file to make sure =

Oct=3D20
> 2007 00:22:39 -0400, =
=3D3D3D
> =20
>,"Tom=3D3D3D20
> =3D
>> =
=3D20
> Bruhl"=20
<<A=3D3D3D20
> p; > =
=3D3D3D
>=20
=3D20
> =
=3D3D
>>href=3D3D3D3D"<A=3D20
> =20
=
=3D
>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net&l=
t;/A>>
>&n=3D3 D=3D
>3D'>mailto:arpegio@com=
cast.net">arpegio@comcast.net><B=3D
>R>>&a=
mp;n=3D3D3D=3D3D
>
>=20
=3D20
> >bsp;=3D3D3D20
> >=20
=3D20
> wrote:
>
>&a mp;nbsp; >l =
thought l=20
was groovin' =3D
>but once=3D20
> the=20
=3D3D3D
> =
>second=3D3D3D20
> > =20
Mec =3D
>was=3D20
> =
introduced
> >the=20
system stopped. That=3D20
> =
=3D3D3D
> =20
>was a few=3D3D3D20
> > =20
=3D
>weeks=3D20
> ago.
> =20
>
> >Today I tried=3D20
> =20
=3D3D3D
> =
>different=3D3D3D20
> p;=20
> =3D
>cables, eds=3D20
> cards, mecs, =
eliminated=20
the =3D3D3D
> =3D20
> =20
>magma
=3D3D3D3D
&a mp;gt;and
>=20
=3D
>=3D3D3D20
> =3D20
> > =
>still no=20
clock lock or modules showing up in the=3D20
> =20
paris=3D3D3D20
> > =
patchbay.
>=20
=3D20
> >
> >This means to me=20
=3D3D3D
> =3D20
> =20
>software=3D3D3D20
> ; > unless =
someone tells=20
me=3D20
> differently.
> =20
>
> =3D
>=3D3D3D
> =
=3D20
> =20
>>l=3D3D3D20
> p; > have a new C =
drive which l=20
=3D
>will load=3D20
> XP and no pace. =20
Any=3D3D3D20
> > =3D20
> =20

system in there. If it works, just get a new PC.

I look forward to reading your post when you get this sorted out!

Good luck,

Mike

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>
>
>Mike,
>I removed the default project and .cfg from the folder as you suggested.
>Now the computer won't even boot with either of three eds cards =
>installed.
>No Magma, no word clock, no word clock line in the existing config.
>
>I'm going to check with a network card to see if the PCI slots are =
>burn't.
>I tried three different ones with the eds. The one time Windows worked
>with an eds card, the eds card didn't show up in device manager. That's
=
>
>probably why.
>
>There is some serious funk going on over here. Maybe mobo? If this is
=
>the
>case I give up. It's not worth any more BS to me. There is no person
>in my neighborhood to walk me through this. My tech helps me
>but the problem seems to be from the ground up. I'm guessing 3-4
>things still so wrong that nothing makes sense.
>
>Cubase is looking more and more inviting, learning curve and all.
>Tom
>
>
>
> "Mike Audet" <mike@....> wrote in message news:471bcb77\$1@linux...
>
> Hi Tom,
>
> I have an idea.
>
> Try removing UseHouseSync=3D1 from the paris.cfg file.
>
> Next, remove your default project from the program files\emu\paris pro

=
>folder.
> =20
>
> Let me know if it makes a difference.
>
> Good luck!
>
> Mike
>
> "Tom Bruhl" <arpeggio@comcast.net> wrote:
> >
> >
> >Mike,
> >I used to use a Lucid but since all of this mess I stopped.
> >I'm trying to get stable from square one with the least amount=3D20
> >of hardware. I am using the default project for sure. The only=3D20
> >other thing that I still question is my move of Paris to C:ParisPro .
> >I should think the default project will either work or not. Maybe
> >configs or something else is fighting during Paris startup?
> >
> >Pats 42 - Miami 7 . . . Halftime and the games over.
> >Tom
> >
> >
> >
> > "Mike Audet" <mike@...> wrote in message news:471b6eb0\$1@linux...
> >
> > Hi Tom,
> >
> > Are you using a default project with PARIS? I'm so sorry of this =
>has
> =3D
> >been
> > asked and answered already. If so, perhaps it is telling card zero
=
>to
> =3D
> >lock
> > to an external clock, which it can't because there isn't one.
> >
> > It would be interesting to attach an external clock source to the =
>MEC
> =3D
> >and
> > then start PARIS to see how it behaves. Or, if the clock generator
=
>is

> =3D
 > >fried,
 > > tell paris to lock externally and see what happens when an external
 =
 >=3D
 > >clock
 > > source is applied.
 > >
 > > Isn't there a master house synch switch in the cfg file? I've =
 >never =3D
 > >used
 > > it. Maybe DJ could help with what that should/shouldn't be set to.
 > >
 > > Wish I could do more than think out loud...
 > >
 > > Mike
 > >
 > > "Tom Bruhl" <arpeggio@comcast.net> wrote:
 > > >
 > > >
 > > >Hi Mike,
 > > >Well I've been to .cfg many a time.
 > > >I've seen that Mastercard setting as being 0
 > > >but maybe it changed after removing the 4 other
 > > >eds cards for this round of testing.
 > > >
 > > >If it's still 0 what else could this be? Busted mobo?
 > > >I'm really in an idunno place right now. I'll be checking
 > > >seriously today again because of a session tomorrow morning.
 > > >Tom
 > > >
 > > >
 > > > "Mike Audet" <mike@....> wrote in message =
 >news:471b2ec2\$1@linux...
 > > >
 > > > Hi Tom,
 > > >
 > > > If you've only got one card in, then the Mastercard =3D3D3D 0 =
 >setting
 > =3D
 > >is =3D3D
 > > >right.
 > > > The file is Paris.cfg, and it lives in the c:\program =3D
 > >files\Emu\PARIS
 > > =3D3D
 > > >PRO
 > > > folder.
 > > >

> > > I'd still check it out to see what it is set to.
> > >
> > > If it is wrong, what you are describing will happen.
> > >
> > > Good luck!
> > >
> > > Mike
> > >
> > > "Tom Bruhl" <arpeggio@comcast.net> wrote:
> > > >
> > > >
> > > >Thanks Dimitrios.
> > > >
> > > >Mike said the same thing. Is the ini in the Paris folde or =
>system
> =3D
> >=3D3D
> > >32?
> > > >Do I want the Master card to be 0 absolutely? I only have one
=
>=3D
> >card
> > > >in there right now and it's all freaky just the same.
> > > >Tom
> > > >
> > > >
> > > >
> > > > "Dimitrios" <musurgio@otenet.gr> wrote in message =3D3D3D
> > > >news:471a0486\$1 @linux...
> > > >
> > > > Hi Tom !@
> > > > Sorry to hear you still having problems like this ~!!
> > > > Must be very frustrating.
> > > > Open the Paris ini file and there change the mastercardoutput
=
>=3D
> >with
> > =3D3D
> > >=3D3D3D
> > > >your other
> > > > cards and see what happens !!
> > > > Let me know.
> > > > Regards,
> > > > Dimitrios
> > > >
> > > > "Tom Bruhl" <arpeggio@comcast.net> wrote:
> > > > >
> > > > >

> > > > >Rick,
> > > > >1 mec, no BNC involved. Paris boots up so the 1 mec that
> > > > >I'm using shows up but never any A to Ds or any installed =
>=3D
> >modules.
> > > > >This is the same symptom before I repaired one of my mecs =
>with
> =3D
> >a
> > > > >new chip. The clock light continues to flash too. Never =
>locks
> =3D
> >=3D3D
> > >in.
> > > > >
> > > > >I am using the simplest setup I can imagine and still it's =
>not
> =3D
> >=3D3D3D
> > > >working.
> > > > >Mike A. suggested the .ini file to make sure card A is 0.
=
>=3D
> >I'll =3D3D
> > >try
> > > =3D3D3D
> > > >=3D3D3D3D
> > > > >that.
> > > > >Pretty sure it's right but who knows?
> > > > >Thanks,
> > > > >Tom
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > > "rick" <parnell68@hotmail.com> wrote in message =3D3D3D3D
> > > > > news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> > > > > i know this as dumb as it gets but the bnc is attached in
=
>the
> =3D
> >=3D3D
> > >right
> > > > > order...right?
> > > > > all the cards show up in paris with the single mec?
> > > > > how many i/o cards in each mec?
> > > > >

> > > > >
> > > > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D3D3D
> > > > > <arpegio@comcast.net>
> > > > > wrote:
> > > > >
> > > > > >I thought I was groovin' but once the second Mec was =3D
> >introduced
> > > > > >the system stopped. That was a few weeks ago.
> > > > > >
> > > > > >Today I tried different cables, eds cards, mecs, =
> >eliminated
> >=3D
> >the
> >=3D3D
> > >=3D3D3D
> > > > >magma
> > > > >=3D3D3D3D
> > > > > >and
> > > > > >still no clock lock or modules showing up in the paris =
> >=3D3D
> > >patchbay.
> > > > > >
> > > > > >This means to me software unless someone tells me =3D
> > > > > >differently.
> > > > > >
> > > > > >I have a new C drive which I will load XP and no pace. =
> > >Any
> > >=3D
> > > >=3D3D3D
> > > > > >other=3D3D3D3D20
> > > > > > >suggestions?
> > > > > >
> > > > > > >More frustrated than my clients,
> > > > > > >Tom
> > > > > >
> > > > > >
> > > > > >
> > > > > >
> > > > > > >I choose Polesoft Lockspam to fight spam, and you?
> > > > > > >http://www.polesoft.com/refer.html =3D3D3D3D20
> > > > > >
> > > > > >
> > > > > > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =
> > > > > > >Transitional//EN">
> > > > > > ><HTML><HEAD>
> > > > > > ><META http-equiv=3D3D3D3D3DContent-Type =3D
> > > > > > >content=3D3D3D3D3D"text/html; =3D3D
> > > > > > >=3D3D3D3D3D


```
> > > > > charset="iso-8859-1">
> > > > > <META content="MSHTML 6.00.2800.1400" =
> > name="GENERATOR">
> > > > > <STYLE></STYLE>
> > > > > </HEAD>
> > > > > <BODY bgcolor="#ffffff">
> > > > > <DIV><FONT face="Arial" =
> > size="2">Rick,</FONT></DIV>
> > > > > <DIV><FONT face="Arial" size="2">1 mec, no =
> > BNC =
> > > involved. =
> > > Paris =
> > > > =
> > > > > boots up so the =
> > > > > 1 mec that</FONT></DIV>
> > > > > <DIV><FONT face="Arial" size="2">I'm using =
> > > shows up
> > > =
> > > > but =
> > > > never any
> > > > =
> > > > > A to =
> > > > > Ds or any =
> > > > > installed modules.</FONT></DIV>
> > > > > <DIV><FONT face="Arial" size="2">This is the
=
> > > same =
> > > > symptom
> > > > =
> > > > > before
> > > > > =
> > > > > > I =
> > > > > > repaired one of =
> > > > > > my mecs with a</FONT></DIV>
> > > > > <DIV><FONT face="Arial" size="2">new chip. =
> > > > The =
> > > > > clock light
> > > > > =
> > > > > > =
> > > > > > > continues to flash =
> > > > > > too. Never locks in.</FONT></DIV>
> > > > > <DIV><FONT face="Arial" size="2"></FONT> =
> > > > > </DIV>
> > > > > <DIV><FONT face="Arial" size="2">I am using
=
> > > > the =
> > > > > simplest =
> > > > > > setup I
```

> > > =3D3D3D
> > > >can =3D3D3D3D
> > > > >imagine and=3D3D3D3D20
> > > > >still it's not working.</DIV>
> > > > ><DIV>Mike A. =
>suggested
> =3D
> >the =3D3D
> > >.ini file
> > > =3D3D3D
> > > >=3D3D3D3D
> > > > >to make sure=3D3D3D3D20
> > > > >card A is 0. I'll try that.</DIV>
> > > > ><DIV>Pretty sure
=
>it's =3D
> >right =3D3D
> > >but who =3D3D3D
> > > >=3D3D3D3D
> > > > >knows?</DIV>
> > > > ><DIV><FONT face=3D3D3D3D3DArial =3D
> >size=3D3D3D3D3D2>Thanks,</DIV>
> > > > ><DIV><FONT face=3D3D3D3D3DArial =
> >size=3D3D3D3D3D2>Tom</DIV>
> > > > ><DIV> =
></DIV>
> > > > ><DIV> =
></DIV>
> > > > ><DIV> </DIV>
> > > > ><DIV> </DIV>
> > > > ><DIV> </DIV>
> > > > ><DIV>"rick" <<A=3D3D3D3D20
> > > > =3D3D
> > =3D
> =
>>>>href=3D3D3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com</A=
>>>
> =3D
> >=3D3D
> > >=3D3D3D
> > > >=3D3D3D3D
> > > > >wrote in=3D3D3D3D20
> > > > >message <A=3D3D3D3D20
> > > > =3D3D3D
> > > =3D3D
> > =3D
> =
>>>>>href=3D3D3D3D3D"news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news=

>.in=3D
> >qgh=3D3D
> > >393=3D3D3D
> > > >an5=3D3D3D3D
> > > > >s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> > > > ><BLOCKQUOTE=3D3D3D3D20
> > > > >style=3D3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =3D
> >MARGIN-LEFT: =3D3D
> > >5px; =3D3D3D
> > > >=3D3D3D3D
> > > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =
> >0px">i=3D3D3D3D20
> > > > > know this as dumb as it gets but the bnc is attached in =
> >=3D3D
> > >the=3D3D3D3D20
> > > > > right
order...right?
all the cards show up in paris
=
> >=3D
> >with =3D3D
> > >the
> > > >=3D3D3D
> > > > >=3D3D3D3D
> > > > >single=3D3D3D3D20
> > > > > mec?
how many i/o cards in each mec?

On Fri,
=
> >19
> >=3D
> > >=3D3D
> > > >Oct =3D3D3D
> > > > >2007
> > > > >=3D3D3D3D
> > > > >
> > > > > > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D3D20
> > > > > >=3D3D3D3D
> > > > > >=3D3D3D
> > > > >=3D3D
> > >=3D3D
> > >=3D
> > =
>>>>>href=3D3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net><=
> >BR>=3D
> >wro=3D3D
> > >te:=3D3D3D
> > > >=3D3D3D3D
> > > > >

>I=3D3D3D3D20
> > > > > thought I was groovin' but once the second Mec was =
> > >=3D3D3D3D
> > > > >introduced
>the=3D3D3D3D20
> > > > > system stopped. That was a few weeks ago.
>
>Today I

```

=
>=3D
> >=3D3D3D3D
> > > > >tried=3D3D3D3D20
> > > > > different cables, eds cards, mecs, eliminated the magma =
>=3D
> >=3D3D3D3D
> > > > >and<BR>>still no=3D3D3D3D20
> > > > > clock lock or modules showing up in the paris =3D3D3D3D
> > > > >patchbay.<BR>><BR>>This=3D3D3D3D20
> > > > > means to me software unless someone tells me =3D3D3D3D
> > > > > differently.<BR>><BR>>I=3D3D3D3D20
> > > > > have a new C drive which I will load XP and no pace. Any =
>=3D3D
> > >other=3D3D3D3D20
> > > > > <BR>>suggestions?<BR>><BR>>More frustrated than =
>my=3D3D3D3D20
> > > > > clients,<BR>>Tom<BR>><BR>><BR>><BR>><BR>>I choose =
>=3D3D3D3D
> > > > >Polesoft=3D3D3D3D20
> > > > > Lockspam to fight spam, and=3D3D3D3D20
> > > > > you?<BR>>http://www.polesoft.com/refer.html =3D3D3D3D20
> > > > ><BR></BLOCKQUOTE></BODY></HTML>
> > > > >
> > > > >
> > > > >
> > > > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> > > ><HTML><HEAD>
> > > ><META http-equiv=3D3D3D3DContent-Type =
>content=3D3D3D3D"text/html; =3D
> >=3D3D3D
> > > >charset=3D3D3D3Diso-8859-1">
> > > ><META content=3D3D3D3D"MSHTML 6.00.2800.1400" =
>name=3D3D3D3DGENERATOR>
> > > ><STYLE></STYLE>
> > > ></HEAD>
> > > ><BODY bgColor=3D3D3D3D#ffffff>
> > > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Thanks =3D
> >Dimitrios.</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Mike said the same
=
>thing.
> =3D
> > ls =3D3D
> > >the =3D3D3D
> > > >ini in the=3D3D3D20

```

> > > >Paris folde or system 32?</DIV>
> > > ><DIV>Do I want the =
>Master card
> =3D
> >to be
> > =3D3D
> > >0=3D3D3D20
> > > >absolutely? I only have one card</DIV>
> > > ><DIV>in there right now
=
>and =3D
> >it's all
> > =3D3D
> > >freaky
> > > =3D3D3D
> > > >just the=3D3D3D20
> > > >same.</DIV>
> > > ><DIV>Tom</DIV>
> > > ><DIV> </DIV>
> > > ><DIV> </DIV>
> > > ><DIV> </DIV>
> > > ><BLOCKQUOTE=3D3D3D20
> > > >style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
>MARGIN-LEFT: =3D
> >5px; =3D3D
> > >=3D3D3D
> > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > > > <DIV>"Dimitrios" <<A=3D3D3D20
> > > > =
>href=3D3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr> =3D
> >wrote
> > =3D3D
> > >in =3D3D3D
> > > >message=3D3D3D20
> > > > <A =3D3D3D
> > > =3D3D
> > =3D
> =
>>>>href=3D3D3D3D"news:471a0486\$1 @linux">news:471a0486\$1 @linux...</DIV=
>><B=3D
> >R>H=3D3D
> > >i
> > > =3D3D3D
> > > >Tom=3D3D3D20
> > > > !@
Sorry to hear you still having problems like this =3D
> >~!!
Must
> > =3D3D
> > >be

> =
>>>href="mailto:parnell68@hotmail.com">parnell68@hotmail.com>
=
>=3D
> >=3D3D
> > >=3D3D3D
> > > >wrote=3D3D3D20
> > > > in message=3D3D3D20
> > > > =3D3D3D
> > > =3D3D
> > =3D
> =
>>>=3D3D3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
>&=
>nbs=3D
> >=3D3D3D=3D3D
> > >
> > > >p; i=3D3D3D20
> > > > know this as dumb as it gets but the bnc is attached in =3D
> >the=3D3D3D20
> > > > right
> order...right?
> all the cards show up =
>=3D3D3D
> > > >in=3D3D3D20
> > > > paris with the single mec?
> how many i/o cards in =3D
> >each=3D3D3D20
> > > > mec?
>
>
> On Fri, 19 Oct 2007 00:22:39 -0400, =
>=3D3D3D
> > > >"Tom=3D3D3D20
> > > > Bruhl" <<A=3D3D3D20
> > > > =3D3D3D
> > > =3D3D
> > =3D
> =
>>>>href="mailto:arpegio@comcast.net">arpegio@comcast.net>
=
>>&n=3D
> >=3D3D3D=3D3D
> > >
> > > >bsp;=3D3D3D20
> > > > wrote:
>
> >I thought I was groovin' but once the =
>=3D3D3D
> > > >second=3D3D3D20
> > > > Mec was introduced
> >the system stopped. That =3D3D3D
> > > >was a few=3D3D3D20
> > > > weeks ago.
> >
> >Today I tried =3D3D3D
> > > >different=3D3D3D20
> > > > cables, eds cards, mecs, eliminated the =3D3D3D
> > > > magma
=3D3D3D3D
>and
> =3D3D3D20
> > > > >still no clock lock or modules showing up in the =
> >paris=3D3D3D20


```

> > > > patchbay.<BR>> ><BR>> >This means to me =3D3D3D
> > > >software=3D3D3D20
> > > > unless someone tells me differently.<BR>> ><BR>> =3D3D3D
> > > >>I=3D3D3D20
> > > > have a new C drive which I will load XP and no pace. =
>Any=3D3D3D20
> > > > other=3D3D3D3D20<BR>> >suggestions?<BR>> =3D3D3D
> > > >><BR>> =3D3D3D20
> > > > >More frustrated than my clients,<BR>> =3D3D3D
> > > >>Tom<BR>> =3D3D3D20
> > > > ><BR>> ><BR>> ><BR>> =3D3D3D
> > > >><BR>> =3D3D3D20
> > > > >I choose Polesoft Lockspam to fight spam, and you?<BR>> =
>=3D3D3D20
> > > > >http://www.polesoft.com/refer.html =3D3D3D20
> > > > =3D3D3D3D20<BR>><BR>><BR>><!DOCTYPE HTML PUBLIC "-//W3C//DTD
=
>=3D3D3D
> > > >HTML 4.0=3D3D3D20
> > > > Transitional//EN"><BR>><HTML><HEAD><BR>><META=3D3D3D20
> > > > http-equiv=3D3D3D3D3DContent-Type =3D
> >content=3D3D3D3D3D"text/html;=3D3D3D20
> > > > =3D3D3D3D<BR>> charset=3D3D3D3D3DDiso-8859-1"><BR>><META =
>=3D3D3D
> > > >content=3D3D3D3D3D"MSHTML=3D3D3D20
> > > > 6.00.2800.1400"=3D3D3D20
> > > > =3D3D3D
> > > >name=3D3D3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D3D3D
> > > >D><BR>><BODY=3D3D3D20
> > > > bgColor=3D3D3D3D3D#ffffff><BR>><DIV><FONT =3D
> >face=3D3D3D3D3DArial=3D3D3D20
> > > > =3D3D3D
> > > >size=3D3D3D3D3D2>Rick,</FONT></DIV><BR>><DIV><FONT=3D3D3D20
> > > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>1 mec, no BNC involved.
=
>Paris
> =3D
> >=3D3D3D
> > > >=3D3D3D3D<BR>>boots up so=3D3D3D20
> > > > the=3D3D3D3D20<BR>>1 mec =3D3D3D
> > > >that</FONT></DIV><BR>><DIV><FONT=3D3D3D20
> > > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using shows up but
=
>never =3D
> >any A to
> > =3D3D
> > >=3D3D3D
> > > >=3D3D3D3D<BR>>Ds or=3D3D3D20

```

```

> > > > any=3D3D3D3D20<BR>>installed=3D3D3D20
> > > > modules.</FONT></DIV><BR>><DIV><FONT =3D3D3D
> > > > face=3D3D3D3D3DArial=3D3D3D20
> > > > size=3D3D3D3D3D2>This is the same symptom before I =3D
> >=3D3D3D3D<BR>>repaired =3D3D
> > >=3D3D3D
> > > >one=3D3D3D20
> > > > of=3D3D3D3D20<BR>>my mecs with=3D3D3D20
> > > > a</FONT></DIV><BR>><DIV><FONT face=3D3D3D3D3DArial=3D3D3D20
> > > > size=3D3D3D3D3D2>new chip. The clock light =
> >=3D3D3D3D<BR>>continues =3D
> >to=3D3D3D20
> > > > flash=3D3D3D3D20<BR>>too. Never locks=3D3D3D20
> > > > in.</FONT></DIV><BR>><DIV><FONT face=3D3D3D3D3DArial =3D3D3D
> > > >
> > > > size=3D3D3D3D3D2></FONT> </DIV><BR>><DIV><FONT =3D3D3D
> > > > face=3D3D3D3D3DArial=3D3D3D20
> > > > size=3D3D3D3D3D2>I am using the simplest setup I can =3D3D
> > >=3D3D3D3D<BR>>imagine=3D3D3D20
> > > > and=3D3D3D3D20<BR>>still it's not=3D3D3D20
> > > > working.</FONT></DIV><BR>><DIV><FONT =3D3D3D
> > > > face=3D3D3D3D3DArial=3D3D3D20
> > > > size=3D3D3D3D3D2>Mike A. suggested the .ini file =
> > >=3D3D3D3D<BR>>to =3D
> >make=3D3D3D20
> > > > sure=3D3D3D3D20<BR>>card A is 0. I'll try=3D3D3D20
> > > > that.</FONT></DIV><BR>><DIV><FONT =3D3D3D
> > > > face=3D3D3D3D3DArial=3D3D3D20
> > > > size=3D3D3D3D3D2>Pretty sure it's right but who=3D3D3D20
> > > > =3D3D3D3D<BR>>knows?</FONT></DIV><BR>><DIV><FONT=3D3D3D20
> > > > face=3D3D3D3D3DArial=3D3D3D20
> > > > =3D3D3D
> > > > size=3D3D3D3D3D2>Thanks,</FONT></DIV><BR>><DIV><FONT=3D3D3D
> > > >=3D3D3D20
> > > > face=3D3D3D3D3DArial=3D3D3D20
> > > > size=3D3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D3D3D20
> > > > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =3D3D3D
> > > ></DIV><BR>><DIV><FONT=3D3D3D20
> > > > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =3D3D3D
> > > ></DIV><BR>><DIV>=3D3D3D20
> > > > </DIV><BR>><DIV> </DIV><BR>><DIV>=3D3D3D20
> > > > </DIV><BR>><DIV>"rick" =3D3D3D
> > > ><<A=3D3D3D3D20<BR>>href=3D3D3D3D3D"<A=3D3D3D20
> > > > =3D3D3D
> > > =3D3D
> > =3D
> =
>>>>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>=

```

>mai=3D
> >lto=3D3D
> > >:pa=3D3D3D
> > > >rnell68@hotmail.com">parnell68@hotmail.com</A>=3D3D3D20
> > > > =3D3D3D3D
>wrote in=3D3D3D3D20
>message =3D
> ><A=3D3D3D3D20
>href=3D3D3D3D3D"<A
> > =3D3D
> > >=3D3D3D
> > > >
> > > > =3D3D3D
> > > =3D3D
> > =3D
> =
>>>>href=3D3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in=
>qgh=3D
> >393=3D3D
> > >an5=3D3D3D
> > > =3D3D
> > =3D
> =
>>>>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393an5</A=
>=3D3D=3D
> >3D=3D3D
> > >
> > > =3D
> =
>>>>=3D3D3D3D
>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
&=3D3D3D=
>
> > > =
>>gt;<BLOCKQUOTE=3D3D3D3D20
>style=3D3D3D3D3D"PADDING-RIGHT:=3D3D3D20
> > > > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
> >=3D3D3D3D
>BORDER-LEFT: =3D3D
> > >=3D3D3D
> > > >#000000 2px=3D3D3D20
> > > > solid; MARGIN-RIGHT: 0px">i=3D3D3D3D20
> know this as =
>dumb as
> =3D
> >=3D3D3D
> > > >it gets=3D3D3D20
> > > > but the bnc is attached in the=3D3D3D3D20
> =3D3D3D20
> > > > right
order...right?
all the cards show up in paris =
>=3D3D3D
> > > >with the=3D3D3D20
> > > > =3D3D3D3D
>single=3D3D3D3D20
> mec?
how many i/o =
>cards =3D
> >=3D3D3D
> > > >in each=3D3D3D20
> > > > mec?

On Fri, 19 Oct=3D3D3D20


```
> > > >you?<BR>>http://www.polesoft.com/refer.html=3D3D3D20
> > > > =3D3D3D
> > > >=3D3D3D3D20<BR>><BR></BLOCKQUOTE></BODY></HTML><BR>&=3D3D3D
> > > >gt;<BR>><BR></BLOCKQUOTE></BODY></HTML>
> > > >
> > > >
> > >
> > >
> > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> > ><HTML><HEAD>
> > ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =
>=3D3D
> > >charset=3D3D3Diso-8859-1">
> > ><META content=3D3D3D"MSHTML 6.00.2800.1400" name=3D3D3DGENERATOR>
> > ><STYLE></STYLE>
> > ></HEAD>
> > ><BODY bgColor=3D3D3D#ffffff>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Hi Mike,</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Well I've been to .cfg =
>many a =3D
> =3D3D
> > >time.</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>I've seen that Mastercard
=
>=3D
> > >setting as =3D3D
> > >being=3D3D20
> > >0</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>but maybe it changed =
>after =3D
> >removing the
> > =3D3D
> > >4=3D3D20
> > >other</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>eds cards for this round
=
>of =3D3D
> > >testing.</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>If it's still 0 what else
=
>could
> =3D
> >this =3D3D
> > >be? =3D3D20
> > >Busted mobo?</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>I'm really in an idunno =
>place =3D
```

```

> >right =3D3D
> > >now. !ll=3D3D20
> > >be checking</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>seriously today again =
>because of
> =3D
> >a =3D3D
> > >session tomorrow=3D3D20
> > >morning.</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Tom</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> > ><BLOCKQUOTE=3D3D20
> > >style=3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
>5px; =3D
> >=3D3D
> > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > > <DIV>"Mike Audet" <mike@....> wrote in message <A=3D3D20
> > > =3D3D
> > >=3D
> > =
>>>href=3D3D3D"news:471b2ec2$1 @linux">news:471b2ec2$1 @linux</A>...</DIV><B=
>R>H=3D
> >i=3D3D20
> > > Tom,<BR><BR>If you've only got one card in, then the Mastercard
=
>=3D
> >=3D3D3D 0
> > =3D3D
> > >setting is=3D3D20
> > > right.<BR> The file is Paris.cfg, and it lives in the =3D
> >c:\program=3D3D20
> > > files\Emu\PARIS PRO<BR>folder.<BR><BR>I'd still check it out to
=
>see
> =3D
> >=3D3D
> > >what it is=3D3D20
> > > set to.<BR><BR>If it is wrong, what you are describing =
>will=3D3D20
> > > happen.<BR><BR>Good luck!<BR><BR>Mike<BR><BR>"Tom Bruhl" =
>><A=3D3D20
> > > =
>href=3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>>=3D3D20
> > > wrote:<BR>><BR>><BR>>Thanks Dimitrios.<BR>><BR>>Mike =3D3D
> > >said the=3D3D20
> > > same thing. Is the ini in the Paris folde or system =3D3D
> > >32?<BR>>>Do I want=3D3D20

```

> > > the Master card to be 0 absolutely? I only have one =3D3D
 > > > card
>in there=3D3D20
 > > > right now and it's all freaky just the=3D3D20
 > > > same.
>Tom
>
>
>
> "Dimitrios" =3D3D
 > > ><<A=3D3D20
 > > > href=3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr> =
 > wrote
 > =3D
 > > in =3D3D
 > > > message=3D3D20
 > > > =3D3D3D
>news:471a0486\$1@linux...
>
> Hi Tom=3D3D20
 > > > !@
> Sorry to hear you still having problems like =
 > > this=3D3D20
 > > > ~!!
> Must be very frustrating.
> Open the =3D3D
 > > > Paris ini=3D3D20
 > > > file and there change the mastercardoutput with =
 > > =3D3D3D
>your=3D3D20
 > > > other
> cards and see what happens !!
> Let me =3D3D
 > > >
 > > > know.
> Regards,
> =3D3D
 > > > Dimitrios
>
> =3D3D20
 > > > "Tom Bruhl" <<A=3D3D20
 > > > =
 > > > href=3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3D20
 > > > wrote:
> >
> >
> =3D3D20
 > > > >Rick,
> >1 mec, no BNC involved. Paris boots =3D3D
 > > > up so=3D3D20
 > > > the 1 mec that
> >I'm using shows up but never any A to =
 > > =3D3D
 > > >Ds or=3D3D20
 > > > any installed modules.
> >This is the same symptom =3D3D
 > > > before I=3D3D20
 > > > repaired one of my mecs with a
> >new chip. The =3D3D
 > > > clock=3D3D20
 > > > light continues to flash too. Never locks in.
> =3D3D20
 > > > >
> >I am using the simplest setup I can imagine and =3D3D
 > > > still=3D3D20
 > > > it's not =3D3D3D
>working.
> >Mike A. suggested =3D3D
 > > > the .ini=3D3D20
 > > > file to make sure card A is 0. I'll =3D3D
 > > > try
=3D3D3D
>=3D3D3D3D
> =3D3D20
 > > > >that.
> >Pretty sure it's right but who=3D3D20
 > > > knows?
> >Thanks,
> >Tom
> =3D3D20
 > > > >
> >
> >
> =3D3D
 > > > >
> =3D3D20
 > > > >
> >"rick" <<A=3D3D20
 > > > =
 > > > href=3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com>

> =3D
 > >=3D3D
 > > >wrote in=3D3D20
 > > > message =3D3D3D3D
> =3D3D20
 > > > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =3D3D20
 > > > > i know this as dumb as it gets but the bnc is attached in =
 >=3D3D
 > > >the=3D3D20
 > > > right
> > order...right?
> > =3D3D
 > > >all the=3D3D20
 > > > cards show up in paris with the single mec?
> > =3D3D
 > > >how many=3D3D20
 > > > i/o cards in each mec?
> >
> =3D3D
 > > >>
> =3D3D20
 > > > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D3D
 > > >=3D3D3D3D
><<A=3D3D20
 > > > =3D3D
 > > =3D
 > =
 >>>href=3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=
 >=3D3D=3D
 > >
 > > >bsp;=3D3D20
 > > > > wrote:
> >
> > >I =3D3D
 > > >thought I=3D3D20
 > > > was groovin' but once the second Mec was introduced
> =3D3D
 > > >> =3D3D20
 > > > >the system stopped. That was a few weeks ago.
> =3D3D20
 > > > > >
> > >Today I tried different =3D3D
 > > >cables,=3D3D20
 > > > eds cards, mecs, eliminated the =3D3D3D3D
>magma
> =3D3D
 > > >=3D3D3D3D3D
> =3D3D20
 > > > >and
> > >still no clock lock or modules =3D3D
 > > >showing up=3D3D20
 > > > in the paris patchbay.
> > >
> =3D3D
 > > >> =3D3D20
 > > > >This means to me software unless someone tells me=3D3D20
 > > > differently.
> > >
> > =3D3D
 > > >>I have=3D3D20
 > > > a new C drive which I will load XP and no pace. Any=3D3D20
 > > > =3D3D3D3D
>other=3D3D3D3D20
> > =3D3D
 > > >>suggestions?
> =3D3D20
 > > > > >
> > >More frustrated than my=3D3D20
 > > > clients,
> > >Tom
> > =3D3D20
 > > > >
> > >
> > =3D3D
 > > >>
> =3D3D20
 > > > > >
> > >I choose Polesoft =3D3D
 > > >Lockspam to=3D3D20

```

> > > fight spam, and you?<BR>> > =3D3D20
> > > >http://www.polesoft.com/refer.html =3D3D3D3D20<BR>> =3D3D20
> > > ><BR>> ><BR>> ><!DOCTYPE HTML PUBLIC=3D3D20
> > > "-//W3C//DTD HTML 4.0 Transitional//EN"><BR>> =3D3D20
> > > ><HTML><HEAD><BR>> ><META=3D3D20
> > > http-equiv=3D3D3D3D3DContent-Type content=3D3D3D3D3D"text/html;
=
>=3D3D
> > >=3D3D3D3D<BR>> =3D3D20
> > > >charset=3D3D3D3D3DDiso-8859-1"><BR>> ><META =3D3D
> > > >content=3D3D3D3D3D"MSHTML=3D3D20
> > > >6.00.2800.1400" name=3D3D3D3D3DGENERATOR><BR>> =3D3D20
> > > ><STYLE></STYLE><BR>> =3D3D
> > > ></HEAD><BR>> =3D3D20
> > > ><BODY bgColor=3D3D3D3D3D#ffffff><BR>> =3D3D
> > > >><DIV><FONT=3D3D20
> > > >face=3D3D3D3D3D3DArial =3D3D
> > > >size=3D3D3D3D3D2>Rick,</FONT></DIV><BR>> =3D3D20
> > > ><DIV><FONT face=3D3D3D3D3D3DArial size=3D3D3D3D3D2>1 mec, no BNC
=
>=3D3D
> > >involved.=3D3D20
> > > >Paris =3D3D3D<BR>>=3D3D3D3D<BR>> >boots up so =3D3D
> > > >the=3D3D3D3D20<BR>> >1=3D3D20
> > > >mec that</FONT></DIV><BR>> =3D3D
> > > >><DIV><FONT=3D3D20
> > > >face=3D3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using shows up but =
> > > >never =3D3D
> > > >any<BR>=3D3D3D<BR>>A to=3D3D20
> > > >=3D3D3D3D<BR>> >Ds or any=3D3D3D3D20<BR>> >installed=3D3D20
> > > >modules.</FONT></DIV><BR>> =3D3D
> > > >><DIV><FONT=3D3D20
> > > >face=3D3D3D3D3D3DArial size=3D3D3D3D3D2>This is the same symptom =
> > > >=3D3D
> > > >>before<BR>=3D3D3D<BR>>I=3D3D20
> > > >=3D3D3D3D<BR>> >repaired one of=3D3D3D3D20<BR>> >my =3D3D
> > > >>mecs with=3D3D20
> > > >a</FONT></DIV><BR>> ><DIV><FONT=3D3D20
> > > >face=3D3D3D3D3D3DArial size=3D3D3D3D3D2>new chip. The clock light
=
>=3D3D
> > >=3D3D3D3D<BR>> =3D3D20
> > > >>continues to flash=3D3D3D3D20<BR>> >too. Never locks=3D3D20
> > > >in.</FONT></DIV><BR>> ><DIV><FONT=3D3D20
> > > >face=3D3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =3D3D
> > > ></DIV><BR>> =3D3D20
> > > >><DIV><FONT face=3D3D3D3D3D3DArial size=3D3D3D3D3D2>I am using =
> > > >=3D3D

```

```

> > >the simplest=3D3D20
> > > setup |<BR>=3D3D3D<BR>>can =3D3D3D3D<BR>> >imagine =3D3D
> > >and=3D3D3D3D20<BR>> =3D3D20
> > > >still it's not working.</FONT></DIV><BR>> =3D3D20
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>Mike A. =3D3D
> > > suggested the=3D3D20
> > > .ini file<BR>=3D3D3D<BR>>=3D3D3D3D<BR>> >to make =3D3D
> > > sure=3D3D3D3D20<BR>> =3D3D20
> > > >card A is 0. I'll try that.</FONT></DIV><BR>> =3D3D
> > >
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>Pretty sure =
>=3D3D
> > > it's right=3D3D20
> > > but who =3D3D3D<BR>>=3D3D3D3D<BR>> =3D3D20
> > > >knows?</FONT></DIV><BR>> =3D3D
> > >><DIV><FONT=3D3D20
> > > face=3D3D3D3D3DArial =3D3D
> > > size=3D3D3D3D3D2>Thanks,</FONT></DIV><BR>> =3D3D20
> > > ><DIV><FONT face=3D3D3D3D3DArial=3D3D20
> > > size=3D3D3D3D3D2>Tom</FONT></DIV><BR>> =3D3D20
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =3D3D
> > >
> > > </DIV><BR>> ><DIV><FONT face=3D3D3D3D3DArial=3D3D20
> > > size=3D3D3D3D3D2></FONT> </DIV><BR>> =3D3D
> > >><DIV>=3D3D20
> > > </DIV><BR>> ><DIV> </DIV><BR>> =3D3D20
> > > ><DIV> </DIV><BR>> ><DIV>"rick"=3D3D20
> > > <<A=3D3D3D3D20<BR>> >href=3D3D3D3D3D"<A=3D3D20
> > > =3D3D
> > >=3D
> > =
>>>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mai=
>ito=3D
> >:pa=3D3D
> > > rnell68@hotmail.com">parnell68@hotmail.com</A</A>>=3D3D20
> > > =3D3D3D<BR>>=3D3D3D3D<BR>> >wrote in=3D3D3D3D20<BR>> =3D3D
> > >>message=3D3D20
> > > <A=3D3D3D3D20<BR>> =3D3D3D<BR>>>href=3D3D3D3D3D"<A=3D3D20
> > > =3D3D
> > >=3D
> > =
>>>href=3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh=
>393=3D
> >'>n=3D3D
> > =3D
> > =
>>>ews:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393</A>=3D3D3=
>D<B=3D

```

> > >R>>an5=3D3D3D3D
> =3D3D20
> > > =3D3D
> > >>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> =3D3D
> > >;=3D3D20
> > > <BLOCKQUOTE=3D3D3D3D20
> =3D3D
> > >>style=3D3D3D3D3D" PADDING-RIGHT: 0px;=3D3D20
> > > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D3D
>=3D3D3D3D
>
=
>=3D3D20
> > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =3D3D
> > >0px">i=3D3D3D3D20
> =3D3D20
> > > > know this as dumb as it gets but the bnc is attached =
>in=3D3D20
> > > the=3D3D3D3D20
> > =3D3D
> > >right
order...right?
all=3D3D20
> > > the cards show up in paris with =
>the
=3D3D3D
>=3D3D3D3D
> =3D3D20
> > > >single=3D3D3D3D20
> > mec?
how many i/o =3D3D
> > >cards in=3D3D20
> > > each mec?

On Fri, 19 Oct=3D3D20
> > > =3D3D3D
>2007
> =3D3D3D3D
> >
> =3D3D
> > >> =3D3D20
> > > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D3D20
> > =3D3D20
> > > =3D3D3D3D
> =3D3D3D
>>href=3D3D3D3D3D" <A=3D3D20
> > > =3D3D
> > =3D
> =
>>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
wro=
>te'=3D
> >>ma=3D3D
> > >ilto:arpegio@comcast.net">arpegio@comcast.net>
w=3D3D
> > >rote:=3D3D3D
>=3D3D3D3D
> =3D3D20
> > > >

>l=3D3D3D3D20
> > thought =3D3D
> > >l was=3D3D20
> > > groovin' but once the second Mec was =3D3D3D3D
> =3D3D20
> > > >introduced
>the=3D3D3D3D20
> > system =3D3D
> > >stopped.=3D3D20
> > > That was a few weeks ago.
>
>Today I =3D3D
> > >=3D3D3D3D
> =3D3D20
> > > >tried=3D3D3D3D20
> > different cables, eds cards, =3D3D
> > >mecs,=3D3D20
> > > eliminated the magma =3D3D3D3D
> >and
>still=3D3D20
> > > no=3D3D3D3D20
> > clock lock or modules showing up in =3D3D
> > >the paris=3D3D20
> > > =3D3D3D3D
> =3D3D20
> > > >patchbay.
>
>This=3D3D3D3D20
> =3D3D
> > >> =3D3D20

> > > means to me software unless someone tells me =3D3D3D3D
> =
>=3D3D20
> > > > differently.
>
>I=3D3D3D3D20
> =3D3D
> > >> =3D3D20
> > > have a new C drive which I will load XP and no pace. Any=3D3D20
> > > other=3D3D3D3D20
> > =3D3D20
> > >
>suggestions?
>
>More frustrated =3D3D
> > >than=3D3D20
> > > my=3D3D3D3D20
> > =3D3D20
> > > =3D3D
> > >clients,
>Tom
>
>
>
>
=3D3D
> > >>>
>I=3D3D20
> > > choose =3D3D3D3D
> >Polesoft=3D3D3D3D20
> =3D3D
> > >> Lockspam=3D3D20
> > > to fight spam, and=3D3D3D3D20
> > =3D3D20
> > > you?
>http://www.polesoft.com/refer.html =3D3D
> > >=3D3D3D3D20
> =3D3D20
> > > =3D3D
> > >>
</BLOCKQUOTE></BODY></HTML>
> =3D3D
> > >=3D3D20
> > > >
> >
>
>
><!DOCTYPE HTML =3D3D
> > >PUBLIC=3D3D20
> > > "-//W3C//DTD HTML 4.0=3D3D20
> > > Transitional//EN">
><HTML><HEAD>
><META=3D3D20
> > > http-equiv=3D3D3D3DContent-Type =
> > >content=3D3D3D3D"text/html;=3D3D20
> > > =3D3D3D
>charset=3D3D3D3Diso-8859-1">
><META =3D3D
> > >content=3D3D3D3D"MSHTML=3D3D20
> > > 6.00.2800.1400"=3D3D20
> > > =3D3D
> > >name=3D3D3D3DGENERATOR>
><STYLE></STYLE>
></HEA=3D3D
> > >D>
><BODY=3D3D20
> > > bgColor=3D3D3D3D#ffffff>
><DIV><FONT =
> > >face=3D3D3D3DArial=3D3D20
> > > size=3D3D3D3D2>Thanks=3D3D20
> > > Dimitrios.</DIV>
><DIV><FONT =3D3D
> > >face=3D3D3D3DArial=3D3D20
> > > size=3D3D3D3D2> </DIV>
><DIV><FONT =3D3D
> > >face=3D3D3D3DArial=3D3D20
> > > size=3D3D3D3D2>Mike said the same thing. Is the =3D3D3D
>ini
=
>in =3D3D
> > >
> > > the=3D3D3D20
>Paris folde or system=3D3D20
> > > 32?</DIV>
><DIV><FONT face=3D3D3D3DArial =3D3D
> > >
> > > size=3D3D3D3D2>Do I want the Master card to be =3D3D
> > >0=3D3D3D20
>absolutely? I=3D3D20

```

> > > only have one card</FONT></DIV><BR>><DIV><FONT =3D3D
> > >
> > > face=3D3D3D3DArial size=3D3D3D3D2>in there right now and it's =
>all=3D3D20
> > > freaky<BR>=3D3D3D<BR>>just=3D3D20
> > > =3D3D
> > >the=3D3D3D20<BR>>same.</FONT></DIV><BR>><DIV><FONT=3D3D
> > >=3D3D20
> > > face=3D3D3D3DArial=3D3D20
> > > size=3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D3D20
> > > face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D3D
> > ></DIV><BR>><DIV><FONT=3D3D20
> > > face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D3D
> > ></DIV><BR>><DIV><FONT=3D3D20
> > > face=3D3D3D3DArial size=3D3D3D3D2></FONT>=3D3D20
> > > =3D3D
> > ></DIV><BR>><BLOCKQUOTE=3D3D3D20<BR>>style=3D3D3D3D"PADDING-RIGHT:
=
>=3D3D
> > >0px;=3D3D20
> > > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D3D<BR>>BORDER-LEFT: =
>#000000
> =3D
> >=3D3D
> > >2px solid;=3D3D20
> > > MARGIN-RIGHT: 0px"><BR>> <DIV>"Dimitrios"=3D3D20
> > > <<A=3D3D3D20<BR>> href=3D3D3D3D"<A=3D3D20
> > > =3D3D
> > =3D
> =
>>>href=3D3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A'>mailto:mu=
>sur=3D
> >gio=3D3D
> > >@otenet.gr">musurgio@otenet.gr</A</A>>=3D3D20
> > > wrote in =3D3D3D<BR>>message=3D3D3D20<BR>> <A =3D3D
> > >=3D3D3D<BR>>href=3D3D3D3D"<A=3D3D20
> > > =3D3D
> > =3D
> =
>>>href=3D3D3D'news:471a0486$1 @linux">news:471a0486$1 @linux</A>...</DIV><B=
>R>H=3D
> >'i'>=3D3D
> > >news:471a0486$1 @linux">news:471a0486$1 @linux</A>...</DIV>&=3D3D
> > >lt;BR>Hi</A><BR>=3D3D3D<BR>>Tom=3D3D3D20<BR>> =3D3D20
> > > <A href=3D3D3D'mailto:!!@<BR>Sorry">!!@<BR>Sorry</A> to hear you =
>still
> =3D
> >=3D3D

```

> > >having=3D3D20
 > > > problems like this ~!!
Must =3D3D
 > > >be
=3D3D3D
>very=3D3D3D20
> =3D3D20
 > > > frustrating.
Open the Paris ini file and there change =
 >the=3D3D20
 > > > =3D3D3D
>mastercardoutput=3D3D3D20
> with your =3D3D
 > > >other
cards and=3D3D20
 > > > see what happens !!
Let me=3D3D3D20
> =3D3D20
 > > > know.
Regards,
Dimitrios

"Tom =3D3D
 > > >Bruhl"=3D3D20
 > > > <<A=3D3D3D20
> href=3D3D3D3D"<A=3D3D20
 > > > =3D3D
 > > =3D
 > =
 >>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D=
 >20'm=3D
 > >ailto=3D3D
 > > =
 >>:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D20
&g=3D3D
 > > >t; =3D3D20
 > > > wrote:
>
>
>Rick,
>1 =3D3D
 > > >mec, no=3D3D20
 > > > BNC =3D3D3D
>involved. Paris=3D3D3D20
> boots up so =
 >=3D3D
 > > >the 1 mec=3D3D20
 > > > that
>I'm using shows up but never any A =3D3D3D
>to =
 >Ds=3D3D20
 > > > or=3D3D3D20
> any installed modules.
>This is the =3D3D
 > > >same=3D3D20
 > > > symptom before I =3D3D3D
>repaired one=3D3D3D20
> of my =
 >mecs =3D3D
 > > >with=3D3D20
 > > > a
>new chip. The clock light continues to=3D3D20
 > > > =3D3D3D
>flash=3D3D3D20
> too. Never locks=3D3D20
 > > > in.
>
>I am using the simplest =3D3D
 > > >=3D3D3D
>setup l=3D3D20
 > > > can=3D3D3D20
> imagine and still it's not =3D3D
 > > >working.
>Mike A.=3D3D20
 > > > suggested the =3D3D3D
>.ini=3D3D3D20
> file to make =
 >=3D3D
 > > >sure card A is=3D3D20
 > > > 0. I'll try=3D3D20
 > > > =3D3D
 > > >=3D3D3D
>=3D3D3D3D
>that.
>Pretty=3D3D3D20
> =3D3D
 > > >; sure it's=3D3D20
 > > > right but who=3D3D3D20
> =3D3D20
 > > > =3D3D
 > > >=3D3D3D
>knows?
>Thanks,
>Tom
><=3D3D

> > >BR>>
>
>
><=3D3D3D
>BR>=3D3D
> > >>"rick"=3D3D3D20
> =3D3D20
> > > <<A =3D3D3D
>href=3D3D3D3D"<A=3D3D20
> > > =3D3D
> > =3D
> =
>>>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mai=
>Ito=3D
> >:pa=3D3D
> > >rnell68@hotmail.com">parnell68@hotmail.com</A>=3D3D20
> > > =3D3D3D
>wrote=3D3D3D20
> in message=3D3D3D20
> =
>=3D3D20
> > > =3D3D
> > =
>>=3D3D3D
>=3D3D3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax=3D=
>3D
> > >.com...
>&nbs=3D3D3D
>p;=3D3D20
> > > i=3D3D3D20
> know this as dumb as it gets but the bnc is =
>=3D3D
> > >attached in=3D3D20
> > > the=3D3D3D20
> right
> =3D3D20
> > > order...right?
> all the cards show up=3D3D20
> > > =3D3D3D
>in=3D3D3D20
> paris with the single =3D3D
> > >mec?
> =3D3D20
> > > how many i/o cards in each=3D3D3D20
> =3D3D20
> > > mec?
>
>
> On Fri, 19 Oct =3D3D
> > >2007=3D3D20
> > > 00:22:39 -0400, =3D3D3D
>"Tom=3D3D3D20
> Bruhl"=3D3D20
> > > <<A=3D3D3D20
> =3D3D3D
>href=3D3D3D3D"<A=3D3D20
> > > =3D3D
> > =3D
> =
>>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=
>'>=3D3D=3D
> >
> > >mailto:arpegio@comcast.net">arpegio@comcast.net>
=3D3D
> > >,>&n=3D3D3D
>bsp;=3D3D3D20
> =3D3D20
> > > wrote:
>
> >I thought I was groovin' =3D3D
> > >but once=3D3D20
> > > the =3D3D3D
>second=3D3D3D20
> Mec was =3D3D
> > >introduced
> =3D3D20
> > > >the system stopped. That =3D3D3D
>was a =3D3D
> > >few=3D3D3D20
> weeks=3D3D20
> > > ago.
> >
> >Today I tried=3D3D20
> > > =3D3D3D
>different=3D3D3D20
> cables, eds cards, mecs, =
>=3D3D
> > >eliminated the=3D3D20
> > > =3D3D3D
>magma
=3D3D3D3D
>and
> =3D3D

```

> > >=3D3D3D20<BR>> =3D3D20
> > > >still no clock lock or modules showing up in the =3D3D
> > > paris=3D3D3D20<BR>> =3D3D20
> > > patchbay.<BR>> ><BR>> >This means =3D3D
> > >to me=3D3D20
> > > =3D3D3D<BR>>software=3D3D3D20<BR>> unless someone tells =
>me=3D3D20
> > > differently.<BR>> ><BR>> =3D3D20
> > > =3D3D3D<BR>>>I=3D3D3D20<BR>> have a new C drive which I will =
>=3D3D
> > >load XP and no=3D3D20
> > > pace. Any=3D3D3D20<BR>> other=3D3D3D3D20<BR>> =3D3D20
> > > >suggestions?<BR>> =3D3D3D<BR>>><BR>>=3D3D20
> > > =3D3D3D20<BR>> >More frustrated than my =3D3D
> > >clients,<BR>> =3D3D20
> > > =3D3D3D<BR>>>Tom<BR>> =3D3D3D20<BR>> =3D3D
> > >><BR>> =3D3D20
> > > ><BR>> ><BR>> =3D3D
> > >=3D3D3D<BR>>><BR>>=3D3D20
> > > =3D3D3D20<BR>> >I choose Polesoft Lockspam to fight spam, =
>and=3D3D20
> > > you?<BR>> =3D3D3D20<BR>> =3D3D
> > >>http://www.polesoft.com/refer.html=3D3D20
> > > =3D3D3D20<BR>> =3D3D
> > >=3D3D3D3D20<BR>><BR>><BR>><!DOCTYPE=3D3D20
> > > HTML PUBLIC "-//W3C//DTD =3D3D3D<BR>>HTML 4.0=3D3D3D20<BR>> =
>=3D3D20
> > > =3D3D
> > >Transitional//EN"><BR>><HTML><HEAD><BR>>=3D3D
> > ><META=3D3D3D20<BR>> =3D3D20
> > > http-equiv=3D3D3D3D3DContent-Type =3D3D
> > >content=3D3D3D3D3D"text/html;=3D3D3D20<BR>> =3D3D20
> > > =3D3D3D3D<BR>>charset=3D3D3D3D3Diso-8859-1"><BR>><META =3D3D
> > >
> > > =3D3D3D<BR>>content=3D3D3D3D3D"MSHTML=3D3D3D20<BR>> =3D3D
> > >6.00.2800.1400"=3D3D3D20<BR>> =3D3D20
> > > =3D3D
> > >=3D3D3D<BR>>name=3D3D3D3D3DGENERATOR><BR>><STYLE></STYLE&=3D3D
> > >gt;<BR>></HEA=3D3D3D<BR>>D><BR>><BODY=3D3D3D20<BR>&=3D3D
> > >gt; =3D3D20
> > > bgColor=3D3D3D3D3D#ffffff><BR>><DIV><FONT=3D3D20
> > > face=3D3D3D3D3DArial=3D3D3D20<BR>> =3D3D20
> > > =3D3D
> > >=3D3D3D<BR>>size=3D3D3D3D3D2>Rick,</FONT></DIV><BR>>&l=3D3D
> > >t;DIV><FONT=3D3D3D20<BR>> =3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>1 mec, no BNC involved. =
>=3D
> >Paris=3D3D20

```

> > > =3D3D3D
>=3D3D3D3D
>boots up so=3D3D3D20
> =3D3D
> > >the=3D3D3D3D20
>1=3D3D20
> > > mec=3D3D20
> > > =3D3D
> > >=3D3D3D
>that</DIV>
><DIV><FONT=3D3D
> > >=3D3D3D20
> =3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using shows up but =
>never any
> =3D
> >A to =3D3D
> > >
> > > =3D3D3D
>=3D3D3D3D
>Ds or=3D3D3D20
> =3D3D20
> > > any=3D3D3D3D20
>installed=3D3D3D20
> =3D3D20
> > > modules.</DIV>
><DIV><FONT=3D3D20
> > > =3D3D3D
>face=3D3D3D3D3DArial=3D3D3D20
> =
>size=3D3D3D3D3D2>This is =3D
> >=3D3D
> > >the same=3D3D20
> > > symptom before I =3D3D3D3D
>repaired =3D3D
> > >=3D3D3D
>one=3D3D3D20
> =3D3D20
> > > of=3D3D3D3D20
>my mecs with=3D3D3D20
> =3D3D20
> > > a</DIV>
><DIV><FONT=3D3D20
> > > face=3D3D3D3D3DArial=3D3D3D20
> size=3D3D3D3D3D2>new chip. =
>The =3D3D
> > >clock light=3D3D20
> > > =3D3D3D3D
>continues to=3D3D3D20
> =3D3D
> > >flash=3D3D3D3D20
>too.=3D3D20
> > > Never locks=3D3D3D20
> =3D3D20
> > > in.</DIV>
><DIV><FONT =3D3D
> > >face=3D3D3D3D3DArial=3D3D20
> > > =3D3D3D
>
> size=3D3D3D3D3D2>=3D3D20
> > > </DIV>
><DIV><FONT=3D3D20
> > > =3D3D3D
>face=3D3D3D3D3DArial=3D3D3D20
> =
>size=3D3D3D3D3D2>I am =3D3D
> > >using the simplest=3D3D20
> > > setup I can =3D3D3D3D
>imagine=3D3D3D20
> =3D3D20
> > > and=3D3D3D3D20
>still it's not=3D3D3D20
> =3D3D20
> > > working.</DIV>
><DIV><FONT=3D3D20
> > > =3D3D3D
>face=3D3D3D3D3DArial=3D3D3D20
> =
>size=3D3D3D3D3D2>Mike A. =3D
> >=3D3D
> > >suggested the=3D3D20
> > > .ini file =3D3D3D3D
>to make=3D3D3D20
> =3D3D20
> > > sure=3D3D3D3D20
>card A is 0. I'll try=3D3D3D20
> =3D3D20
> > > that.</DIV>
><DIV><FONT=3D3D20
> > > =3D3D3D
>face=3D3D3D3D3DArial=3D3D3D20
> =
>size=3D3D3D3D3D2>Pretty =3D3D
> > >sure it's right=3D3D20

> > > but who=3D3D3D20
> =3D3D20
> > > =3D3D
> > >=3D3D3D3D
>knows?</DIV>
><DIV&g=3D3D
> > >t;<FONT=3D3D3D20
> =3D3D20
> > > face=3D3D3D3D3DArial=3D3D3D20
> =3D3D20
> > > =3D3D
> > >=3D3D3D
>size=3D3D3D3D3D2>Thanks,</DIV>
 >=3D3D
> > ><DIV><FONT=3D3D3D
>=3D3D3D20
> =3D3D20
> > > face=3D3D3D3D3DArial=3D3D3D20
> =3D3D20
> > > =3D3D
> > >size=3D3D3D3D3D2>Tom</DIV>
><DIV><=3D3D
> > >FONT=3D3D3D20
> =3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>=3D3D20
> > > =3D3D
> > >=3D3D3D
></DIV>
><DIV><FONT=3D3D3D20
>&nbs=3D3D
> > >p;=3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>=3D3D20
> > > =3D3D3D
></DIV>
><DIV>=3D3D3D20
> =3D3D20
> > > </DIV>
><DIV>=3D3D20
> > > </DIV>
><DIV>=3D3D3D20
> =3D3D20
> > > </DIV>
><DIV>"rick"=3D3D20
> > > =3D3D
> > =
>>=3D3D3D
><<A=3D3D3D3D20
>href=3D3D3D3D3D"<A=3D3D3D20

>&n=3D3D
> > >bsp;=3D3D20
> > > =3D3D
> > =3D
> =
>>=3D3D3D
>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotma=
>il.c=3D3D=3D
> >
> > =
>>om</A'>mailto:pa=3D3D3D
>rnell68@hotmail.com">parnell68@hotmai=3D3D
> > >l.com</A>>=3D3D3D20
> =3D3D20
> > > =3D3D3D3D
>wrote in=3D3D3D3D20
>message=3D3D20
> > > <A=3D3D3D3D20
>href=3D3D3D3D3D"<A =3D3D3D
>
> =3D3D20
> > > =3D3D
> > =3D
> =
>>=3D3D3D
>href=3D3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.c=
>om">=3D3D=3D
> >
> > =3D
> =
>>>news:inqgh393an5=3D3D3D
>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4=
>=3D3D=3D
> >

> > >ax.com">news:inqgh393an5</A=3D3D3D
>>=3D3D3D3D
>s4m99q=3D3D
> > >caojn09vn112t4u6r@4ax.com...</DIV>
&=3D3D3D
&=3D3D
> > =3D
> =
>>>gt;gt;<BLOCKQUOTE=3D3D3D3D20
>style=3D3D3D3D3D"PADDING-RIGHT:=3D3D3
D=
>20=3D3D
> > >
> =3D3D20
> > > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D
> > >=3D3D3D3D
>BORDER-LEFT:=3D3D20
> > > =3D3D3D
>#000000 2px=3D3D3D20
> solid; =
>MARGIN-RIGHT:=3D3D20
> > > 0px">i=3D3D3D3D20
> know this as dumb as =3D3D
> > >=3D3D3D
>it=3D3D20
> > > gets=3D3D3D20
> but the bnc is attached in =3D3D
> > >the=3D3D3D3D20
>=3D3D20
> > > =3D3D3D20
> right
order...right?
all the =3D3D
> > >cards show up=3D3D20
> > > in paris =3D3D3D
>with the=3D3D3D20
> =3D3D20
> > > =3D3D3D3D
>single=3D3D3D3D20
> mec?
how =3D3D
> > >many i/o=3D3D20
> > > cards =3D3D3D
>in each=3D3D3D20
> =3D3D
> > >mec?

On=3D3D20
> > > Fri, 19 Oct=3D3D3D20
> =3D3D20
> > > 2007
=3D3D3D3D
>
> 00:22:39 -0400, =3D3D
> > >"Tom=3D3D20
> > > Bruhl"=3D3D3D20
> <<A=3D3D3D3D20
> =3D3D20
> > > =3D3D3D3D
>href=3D3D3D3D3D"<A=3D3D3D20
> =3D3D20
> > > =3D3D
> > =3D
> =
>>>=3D3D3D
>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.n=
>et&l=3D3D=3D
> >
> > >t;/A>>
wrote'>ma=3D3D3D
>ilto:arpegio@comcast.net">=3D3D
> > >;arpegio@comcast.net>
w=3D3D3D
>rote:=3D3D3D=3D3D
> > >3D
>

>l=3D3D3D3D20
>=3D3D20
> > > =3D3D3D20
> thought I was groovin' but once the second =
>Mec=3D3D20
> > > was=3D3D3D20
> =3D3D20
> > > =3D3D
> > >=3D3D3D3D
>introduced
>the=3D3D3D3D20
> =3D3D
> > > system=3D3D20
> > > =3D3D3D
>stopped. That was=3D3D3D20
> a few weeks=3D3D20
> > > ago.
>
>Today l=3D3D3D20
> =3D3D20
> > > =3D3D3D3D
>tried=3D3D3D3D20
> different cables, =3D3D
> > >eds cards,=3D3D20
> > > mecs, =3D3D3D
>eliminated=3D3D3D20
> the magma=3D3D20

```

> > > =3D3D3D3D<BR>>and<BR>>still =3D3D
> > >no=3D3D3D3D20<BR>> =3D3D20
> > > =3D3D3D3D<BR>>clock lock or=3D3D3D20<BR>> modules showing up in =
>the=3D3D20
> > > paris=3D3D3D20<BR>> =3D3D20
> > > =3D3D
> > >=3D3D3D<BR>>=3D3D3D3D<BR>>patchbay.<BR>><BR>>This=3D3D3D=3D3D
> > >3D20<BR>> =3D3D20
> > > =3D3D3D3D<BR>>means to=3D3D3D20<BR>> me software unless someone =
>=3D3D
> > >tells=3D3D20
> > > me=3D3D3D20<BR>> =3D3D20
> > > =3D3D
> > >=3D3D3D<BR>>=3D3D3D3D<BR>>differently.<BR>><BR>>I=3D3D3D=3D3D
> > >3D20<BR>> =3D3D20
> > > =3D3D3D3D<BR>>have a new=3D3D3D20<BR>> C drive which I will load
=
>XP =3D3D
> > >and no pace.=3D3D20
> > > Any other=3D3D3D3D20<BR>> =3D3D3D<BR>><BR>> =3D3D20
> > > <BR>>suggestions?<BR>><BR>>More frustrated=3D3D20
> > > =3D3D3D3D<BR>>than=3D3D3D20<BR>> my=3D3D3D3D20<BR>> =3D3D
> > >=3D3D3D20<BR>> =3D3D20
> > > =3D3D
> > >=3D3D3D<BR>>clients,<BR>>Tom<BR>><BR>><BR>>=3D3D
> > >;><BR>=3D3D3D<BR>>>><BR>>I=3D3D3D20<BR>> =3D3D20
> > > choose =3D3D3D3D<BR>>Polesoft=3D3D3D3D20<BR>> Lockspam =3D3D
> > >to fight=3D3D20
> > > spam,=3D3D3D20<BR>> and=3D3D3D3D20<BR>> =3D3D20
> > > =3D3D
> > > =
>>=3D3D3D<BR>>you?<BR>>http://www.polesoft.com/refer.html=3D3D3D20<BR>>&=3D=
>3D
> > >gt; =3D3D20
> > > =3D3D
> > >=3D3D3D<BR>>=3D3D3D3D20<BR>><BR></BLOCKQUOTE></BODY>=3D3D
> > >;</HTML><BR>&=3D3D3D<BR>>gt;<BR>><BR></B=3D3D
> > >LOCKQUOTE></BODY></HTML><BR>><BR>><BR></BLOCKQUOTE><=3D3D
> > >>/BODY></HTML>
> > >
> > >
> > >
> > >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> ><HTML><HEAD>
> ><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
> > charset=3D3Diso-8859-1">
> ><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>

```

```

> <<STYLE></STYLE>
> <</HEAD>
> <<BODY bgColor=#ffffff>
> <<DIV><FONT face=Arial size=2>Mike,</FONT></DIV>
> <<DIV><FONT face=Arial size=2>I used to use a Lucid but since
=
>all of
> =
> >this mess I=
> >stopped.</FONT></DIV>
> <<DIV><FONT face=Arial size=2>I'm trying to get stable from =
>square =
> >one with the=
> >least amount </FONT></DIV>
> <<DIV><FONT face=Arial size=2>of hardware. I am using the =
> >default project=
> >for sure. The only </FONT></DIV>
> <<DIV><FONT face=Arial size=2>other thing that I still =
>question is my
> =
> >move of=
> >Paris to C:ParisPro .</FONT></DIV>
> <<DIV><FONT face=Arial size=2>I should think the default =
>project will
> =
> >either work=
> >or not. Maybe</FONT></DIV>
> <<DIV><FONT face=Arial size=2>configs or something else is =
> >fighting during=
> >Paris startup?</FONT></DIV>
> <<DIV><FONT face=Arial size=2></FONT> </DIV>
> <<DIV><FONT face=Arial size=2>Pats 42 - Miami 7 . . . Halftime
=
>and =
> >the games=
> >over.</FONT></DIV>
> <<DIV><FONT face=Arial size=2>Tom</FONT></DIV>
> <<DIV><FONT face=Arial size=2></FONT> </DIV>
> <<DIV><FONT face=Arial size=2></FONT> </DIV>
> <<DIV><FONT face=Arial size=2></FONT> </DIV>
> <<BLOCKQUOTE=
> >style="PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>=
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > <DIV>"Mike Audet" <mike@....> wrote in message <A=
> > =
> =
>>href="news:471b6eb0$1@linux">news:471b6eb0$1@linux</A>...</DIV><BR>H=

```


>i=3D20
> > Tom,

Are you using a default project with PARIS? I'm so =3D
> >sorry of=3D20
> > this has been
asked and answered already. If so, perhaps it =3D
> >is=3D20
> > telling card zero to lock
to an external clock, which it can't =
>=3D
> >because=3D20
> > there isn't one.

It would be interesting to attach an =
>external
> =3D
> >clock=3D20
> > source to the MEC and
then start PARIS to see how it behaves. =
>=3D
> >Or, if=3D20
> > the clock generator is fried,
tell paris to lock externally and
=
>see
> =3D
> >what=3D20
> > happens when an external clock
source is applied.

Isn't =
>there
> =3D
> >a=3D20
> > master house synch switch in the cfg file? I've never =3D
> >used
it. =3D20
> > Maybe DJ could help with what that should/shouldn't be set =3D
> >to.

Wish I=3D20
> > could do more than think out loud...

Mike

"Tom Bruhl"
=
>=3D
> ><<A=3D20
> > href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net=3D20
> > wrote:
>
>
>Hi Mike,
>Well I've been to .cfg =3D
> >many a=3D20
> > time.
>I've seen that Mastercard setting as being 0
>but =3D
> >maybe it=3D20
> > changed after removing the 4 other
>eds cards for this round =
>of=3D20
> > testing.
>
>If it's still 0 what else could this be? =3D
> >Busted=3D20
> > mobo?
>I'm really in an idunno place right now. I'll be=3D20
> > checking
>seriously today again because of a session =
>tomorrow=3D20
> > morning.
>Tom
>
>
> "Mike Audet"=3D20
> > <mike@....> wrote in message <A=3D20
> > =3D
> =

>>[news:471b2ec2\\$1@linux](news:471b2ec2$1@linux)...

&g=
>=3D
> >t; =3D20
> > Hi Tom,

> If you've only got one card in, then the =3D
> >
> > Mastercard =3D3D3D 0 setting is =3D3D
>right.
> =3D
> >The file is=3D20
> > Paris.cfg, and it lives in the c:\program=3D20
> > files\Emu\PARIS
=3D3D
>PRO
> =3D
> >folder.
>
> =3D20
> > I'd still check it out to see what it is set to.
>
> =3D
> >If it=3D20
> > is wrong, what you are describing will happen.
>
> =3D
> >Good=3D20
> > luck!
>
> Mike
>
> "Tom Bruhl" =3D
> ><<A=3D20
> > [href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=3D20
> > wrote:
> >
> >
> >Thanks=3D20
> > Dimitrios.
> >
> >Mike said the same=3D20
> > thing. Is the ini in the Paris folde or system=3D20
> > =3D3D
>32?
> >Do I want the Master card to be 0=3D20
> > absolutely? I only have one card
> >in there =3D
> >right now=3D20
> > and it's all freaky just the same.
> >Tom
> =3D
> >
> > >
> >
> >
> > =3D20
> > "Dimitrios" <<A =3D
> >\[href=3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr>=3D20
> > wrote in message =3D3D3D
> =3D
> >>news:471a0486\\\$1@linux...
> =3D20
> > >
> > Hi Tom !@
> > Sorry =3D
> >to hear=3D20
> > you still having problems like this ~!!
> > Must =3D
> >be very=3D20
> > frustrating.
> > Open the Paris ini file and =3D
> >there change=3D20
> > the mastercardoutput with
=3D3D
>=3D3D3D
> >your=3D20
> > other
> > cards and see what happens =3D
> >!!
> =3D20
> > > Let me know.
> > =3D
> >Regards,
> =3D20
> > > Dimitrios
> >
> > "Tom =3D
> >Bruhl"=3D20
> > <arpegio@comcast.net>
=
>=3D
> >
> > wrote:
> > >
> > =3D20\]\(mailto:musurgio@otenet.gr\)](mailto:arpegio@comcast.net)

> > >
> > >Rick,
> > >1 =3D
 > >mec, no=3D20
 > > BNC involved. Paris boots up so the 1 mec that
> =3D
 > >> =3D20
 > > >I'm using shows up but never any A to Ds or any installed=3D20
 > > modules.
> > >This is the same symptom before =3D
 > >I=3D20
 > > repaired one of my mecs with a
> > >new =3D
 > >chip. =3D20
 > > The clock light continues to flash too. Never locks=3D20
 > > =3D3D
>in.
> > >
> > =3D
 > >>I am=3D20
 > > using the simplest setup I can imagine and still it's not =3D
 > >=3D3D3D
> =3D20
 > > >working.
> > >Mike A. suggested the =3D
 > >.ini=3D20
 > > file to make sure card A is 0. I'll =3D3D
>try
> =3D
 > >
 > > =3D3D3D
> >=3D3D3D3D
> > =3D
 > >>that.
> =3D20
 > > > >Pretty sure it's right but who knows?
> =3D
 > >> =3D20
 > > >Thanks,
> > >Tom
> > =3D20
 > > >
> > >
> > =3D
 > >>
> =3D20
 > > > >
> > >
> > =3D
 > >
 > > >"rick" <<A=3D20
 > > href=3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com>
 =
 >=3D
 > >wrote in=3D20
 > > message =3D3D3D3D
> > =3D20
 > > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =3D20
 > > > > i know this as dumb as it gets but the bnc is =3D
 > >attached=3D20
 > > in the =3D3D
>right
> > > =3D20
 > > order...right?
> > > all the cards show =3D
 > >up in=3D20
 > > paris with the single mec?
> > > how =3D
 > >many i/o=3D20
 > > cards in each mec?
> > >
> =3D
 > >> =3D20
 > > >
> > > On Fri, 19 Oct 2007 00:22:39 =3D
 > >>-0400,=3D20
 > > "Tom Bruhl" =3D3D3D
> ><<A=3D20
 > > =3D
 > =

>>[href="mailto:arpegio@comcast.net"](mailto:arpegio@comcast.net)>arpegio@comcast.net>
>&n=3D=
>
> >bsp;=3D20
> > > > wrote:
> > =3D
> >>
> =3D20
> > > > >I thought I was groovin' but once the second =3D
> >Mec was=3D20
> > introduced
> > > >the system =3D
> >stopped. =3D20
> > That was a few weeks ago.
> > > =3D20
> > >
> > > >Today I tried different =3D
> >cables,=3D20
> > eds cards, mecs, eliminated the
=3D3D
=3D3D3D
=3D20
> > >magma
> > =3D3D3D3D3D
> > =3D20
> > >and
> > > >still no clock lock or =3D
> >modules=3D20
> > showing up in the paris =3D3D
>patchbay.
> > =3D
> >> =3D20
> > >
> > > >This means to me software =3D
> >unless=3D20
> > someone tells me differently.
> > > =3D20
> > >
> > > >I have a new C drive =3D
> >which I will=3D20
> > load XP and no pace. Any =3D3D3D
> =3D20
> > >other=3D3D3D3D20
> > > =3D20
> > >suggestions?
> > > =3D
> >>
> =3D20
> > > > >More frustrated than my =3D
> >clients,
> =3D20
> > > > >Tom
> > > =3D20
> > >
> > > >
> > =3D
> >
> > >
> > > >
> =3D
> >
> > > > >I choose Polesoft Lockspam to fight spam, =3D
> >and=3D20
> > you?
> > > =3D20
> > ><http://www.polesoft.com/refer.html> =3D3D3D3D20
> =3D
> >> =3D20
> > >
> > >
> > =3D
> >><!DOCTYPE=3D20
> > HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> =3D20
> > >><HTML><HEAD>
> > =3D
> >><META=3D20
> > http-equiv=3D3D3D3D3DContent-Type =
> >content=3D3D3D3D3D"text/html";=3D20
> > =3D3D
=3D3D3D3D
> > =3D20
> > >charset=3D3D3D3D3Diso-8859-1">
> > =3D

> >><META=3D20
> > content=3D3D3D3D3D3D"MSHTML 6.00.2800.1400" =3D
> >name=3D3D3D3D3D3DGENERATOR>
> =3D20
> > > ><STYLE></STYLE>
> > =3D20
> > ></HEAD>
> > ><BODY=3D20
> > bgColor=3D3D3D3D3D3D#ffffff>
> > =3D
> >><DIV><FONT=3D20

Subject: Re: Paris saga
Posted by [Tom Bruhl](#) on Mon, 22 Oct 2007 07:54:23 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0024_01C8145F.3BDB1000
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Mike,
I have a new computer with paris installed on it already.
I will take it back from my tech tomorrow and try it.

If I have 5 bad EDS cards then I'm outta here.
They worked last week. I had one and maybe three burn't mecs.
Even then Paris worked with all 5 cards and one Mec.

There is no rhyme or reason here. What is causing the hardware to go?
I'm still not totally convinced it is gone. Tomorrow will tell.

Thanks for chiming in at such a late hour. This is my twice/week event
with Paris.
Tom

"Mike Audet" <mike@...> wrote in message news:471c5655\$1@linux...

Hi Tom,

Yikes! Well, removing the house synch line from the cfg file and =
removing
the default project would not affect whether Windows boots or not. =
Both
are not looked at by anything until the PARIS application loads.

This is sounding more like either damaged EDS card(s) or a bad =

motherboard.

I'm not sure this will make you feel any better, but we had basically =
the
same experience at work with an EMU 1820M. The external breakout box =
died,
and Adobe Audition became useless. It was the same kind of nightmare. =
Two
employees stayed up all night trying to sort it out to get a tape out =
to
a TV station the next day.

I wouldn't give up on PARIS over this. Hardware failures happen no =
matter
what platform you use - even tape - and they can be hell to sort out. =

I'd ask your tech to lend you a PC, and just try installing a simple =
PARIS
system in there. If it works, just get a new PC. =20

I look forward to reading your post when you get this sorted out!

Good luck,

Mike

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>Mike,

>I removed the default project and .cfg from the folder as you =
suggested.

>Now the computer won't even boot with either of three eds cards =3D
>installed.

>No Magma, no word clock, no word clock line in the existing config.

>

>I'm going to check with a network card to see if the PCI slots are =
=3D

>burn't.

>I tried three different ones with the eds. The one time Windows =
worked

>with an eds card, the eds card didn't show up in device manager. =

That's

=3D

>

>probably why.

>
>There is some serious funk going on over here. Maybe mobo? If this =
is
=3D
>the
>case I give up. It's not worth any more BS to me. There is no =
person
>in my neighborhood to walk me through this. My tech helps me
>but the problem seems to be from the ground up. I'm guessing 3-4
>things still so wrong that nothing makes sense.
>
>Cubase is looking more and more inviting, learning curve and all.
>Tom
>
>
>
> "Mike Audet" <mike@....> wrote in message news:471bcb77\$1@linux...
>
> Hi Tom,
>
> I have an idea.
>
> Try removing UseHouseSync=3D3D1 from the paris.cfg file.
>
> Next, remove your default project from the program files\emu\paris =
pro
=3D
>folder.
> =3D20
>
> Let me know if it makes a difference.
>
> Good luck!
>
> Mike
>
> "Tom Bruhl" <arpeggio@comcast.net> wrote:
> >
> >
> >Mike,
> >I used to use a Lucid but since all of this mess I stopped.
> >I'm trying to get stable from square one with the least =
amount=3D3D20
> >of hardware. I am using the default project for sure. The =
only=3D3D20
> >other thing that I still question is my move of Paris to =
C:ParisPro .
> >I should think the default project will either work or not. Maybe

> >configs or something else is fighting during Paris startup?
> >
> >Pats 42 - Miami 7 . . . Halftime and the games over.
> >Tom
> >
> >
> >
> > "Mike Audet" <mike@....> wrote in message =
news:471b6eb0\$1@linux...
> >
> > Hi Tom,
> >
> > Are you using a default project with PARIS? I'm so sorry of =
this =3D
>has
> =3D3D
> >been
> > asked and answered already. If so, perhaps it is telling card =
zero
=3D
>to
> =3D3D
> >lock
> > to an external clock, which it can't because there isn't one.
> >
> > It would be interesting to attach an external clock source to =
the =3D
>MEC
> =3D3D
> >and
> > then start PARIS to see how it behaves. Or, if the clock =
generator
=3D
>is
> =3D3D
> >fried,
> > tell paris to lock externally and see what happens when an =
external
=3D
>=3D3D
> >clock
> > source is applied.
> >
> > Isn't there a master house synch switch in the cfg file? I've =
=3D
>never =3D3D
> >used
> > it. Maybe DJ could help with what that should/shouldn't be set =

to.

> >
> > Wish I could do more than think out loud...
> >
> > Mike
> >
> > "Tom Bruhl" <arpegio@comcast.net> wrote:
> > >
> > >
> > >Hi Mike,
> > >Well I've been to .cfg many a time.
> > >I've seen that Mastercard setting as being 0
> > >but maybe it changed after removing the 4 other
> > >eds cards for this round of testing.
> > >
> > >If it's still 0 what else could this be? Busted mobo?
> > >I'm really in an idunno place right now. I'll be checking
> > >seriously today again because of a session tomorrow morning.
> > >Tom
> > >
> > >
> > > "Mike Audet" <mike@....> wrote in message =3D
>news:471b2ec2\$1@linux...
> > >
> > > Hi Tom,
> > >
> > > If you've only got one card in, then the Mastercard =3D3D3D3D =
0 =3D
>setting
> =3D3D3D
> >is =3D3D3D3D
> > >right.
> > > The file is Paris.cfg, and it lives in the c:\program =3D3D3D
> >files\Emu\PARIS
> > =3D3D3D3D
> > >PRO
> > > folder.
> > >
> > > I'd still check it out to see what it is set to.
> > >
> > > If it is wrong, what you are describing will happen.
> > >
> > > Good luck!
> > >
> > > Mike
> > >
> > > "Tom Bruhl" <arpegio@comcast.net> wrote:
> > > >

> > > >
> > > >Thanks Dimitrios.
> > > >
> > > >Mike said the same thing. Is the ini in the Paris folde or =
=3D
>system
> =3D3D
> >=3D3D3D
> > >32?
> > > >Do I want the Master card to be 0 absolutely? I only have =
one
=3D
>=3D3D
> >card
> > > >in there right now and it's all freaky just the same.
> > > >Tom
> > > >
> > > >
> > > >
> > > > "Dimitrios" <musurgio@otenet.gr> wrote in message =
=3D3D3D3D
> > > >news:471a0486\$1 @linux...
> > > >
> > > > Hi Tom !@
> > > > Sorry to hear you still having problems like this ~!!
> > > > Must be very frustrating.
> > > > Open the Paris ini file and there change the =
mastercardoutput
=3D
>=3D3D
> >with
> > =3D3D3D
> > >=3D3D3D3D
> > > >your other
> > > > cards and see what happens !!
> > > > Let me know.
> > > > Regards,
> > > > Dimitrios
> > > >
> > > > "Tom Bruhl" <arpeggio@comcast.net> wrote:
> > > > >
> > > > >
> > > > >Rick,
> > > > >1 mec, no BNC involved. Paris boots up so the 1 mec that
> > > > >I'm using shows up but never any A to Ds or any installed =
=3D
>=3D3D
> >modules.

> > > > >
> > > > >
> > > > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =
=3D3D3D3D
> > > ><arpeggio@comcast.net>
> > > > > wrote:
> > > > >
> > > > > >I thought I was groovin' but once the second Mec was =
=3D3D
> >introduced
> > > > > >the system stopped. That was a few weeks ago.
> > > > > >
> > > > > >Today I tried different cables, eds cards, mecs, =3D
>eliminated
> =3D3D
> >the
> > =3D3D3D
> > >=3D3D3D3D3D
> > > >magma
> > > > >=3D3D3D3D3D3D
> > > > >and
> > > > > >still no clock lock or modules showing up in the paris =
=3D
>=3D3D3D
> > >patchbay.
> > > > > >
> > > > > >This means to me software unless someone tells me =
=3D3D
> > > > > >differently.
> > > > > >
> > > > > > >I have a new C drive which I will load XP and no pace. =
=3D
>Any
> =3D3D
> >=3D3D3D3D3D
> > > >other=3D3D3D3D3D3D20
> > > > > >suggestions?
> > > > > >
> > > > > > >More frustrated than my clients,
> > > > > > >Tom
> > > > > >
> > > > > >
> > > > > >
> > > > > >
> > > > > > >I choose Polesoft Lockspam to fight spam, and you?
> > > > > > ><http://www.polesoft.com/refer.html> =3D3D3D3D3D3D20
> > > > > >
> > > > > >

```

> > > > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =3D
>Transitional//EN">
> > > > ><HTML><HEAD>
> > > > ><META http-equiv=3D3D3D3D3DContent-Type =3D3D
> >content=3D3D3D3D3D3D"text/html; =3D3D3D
> > >=3D3D3D3D3D
> > > > >charset=3D3D3D3D3D3D3Diso-8859-1">
> > > > ><META content=3D3D3D3D3D3D3D"MSHTML 6.00.2800.1400" =3D3D
> >name=3D3D3D3D3D3D3DGENERATOR>
> > > > ><STYLE></STYLE>
> > > > ></HEAD>
> > > > ><BODY bgColor=3D3D3D3D3D3D3D#ffffff>
> > > > ><DIV><FONT face=3D3D3D3D3D3D3DArial =3D
>size=3D3D3D3D3D3D2>Rick,</FONT></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>1 =
mec, no =3D
>BNC =3D3D
> >involved. =3D3D3D
> > >Paris =3D3D3D3D
> > > >=3D3D3D3D3D
> > > > >boots up so the=3D3D3D3D3D20
> > > > >1 mec that</FONT></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>'I'm =
using =3D
>shows up
> =3D3D
> >but =3D3D3D
> > >never any
> > > =3D3D3D3D
> > > >A to =3D3D3D3D3D
> > > > >Ds or any=3D3D3D3D3D20
> > > > >installed modules.</FONT></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>This =
is the
=3D
>same =3D3D
> >symptom
> > =3D3D3D3D
> > >before
> > > =3D3D3D3D3D
> > > >I =3D3D3D3D3D3D
> > > > >repaired one of=3D3D3D3D3D20
> > > > >my mecs with a</FONT></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>new =
chip. =3D
>The =3D3D
> >clock light
> > =3D3D3D

```

```

> > >=3D3D3D3D3D
> > > > >continues to flash=3D3D3D3D3D20
> > > > >too. Never locks in.</FONT></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D3D2></FONT> =3D
></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>I am =
using
=3D
>the =3D3D
> >simplest =3D3D3D
> > >setup I
> > > =3D3D3D3D
> > > >can =3D3D3D3D3D
> > > > >imagine and=3D3D3D3D3D20
> > > > >still it's not working.</FONT></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>Mike =
A. =3D
>suggested
> =3D3D
> >the =3D3D3D
> > >.ini file
> > > =3D3D3D3D
> > > >=3D3D3D3D3D
> > > > >to make sure=3D3D3D3D3D20
> > > > >>card A is 0. I'll try that.</FONT></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D3D2>Pretty sure
=3D
>it's =3D3D
> >right =3D3D3D
> > >but who =3D3D3D3D
> > > >=3D3D3D3D3D
> > > > >knows?</FONT></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3DArial =3D3D
> >size=3D3D3D3D3D3D2>Thanks,</FONT></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3DArial =3D
>size=3D3D3D3D3D3D2>Tom</FONT></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D3D2></FONT> =3D
></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D3D2></FONT> =3D
></DIV>
> > > > ><DIV> </DIV>
> > > > ><DIV> </DIV>
> > > > ><DIV> </DIV>
> > > > ><DIV>"rick" <<A=3D3D3D3D3D20

```


> > > > =3D3D3D
> > =3D3D
> =3D
=
>>>>href=3D3D3D3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com=
</A=3D
>>>
> =3D3D
> >=3D3D3D
> > >=3D3D3D3D
> > > >=3D3D3D3D3D
> > > > >wrote in=3D3D3D3D3D20
> > > > >message <A=3D3D3D3D3D20
> > > > =3D3D3D3D
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>>>href=3D3D3D3D3D3D"news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">n=
ews=3D
>:in=3D3D
> >qgh=3D3D3D
> > >393=3D3D3D3D
> > > >an5=3D3D3D3D3D
> > > > >s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> > > > ><BLOCKQUOTE=3D3D3D3D3D20
> > > > >style=3D3D3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
=3D3D
> >MARGIN-LEFT: =3D3D3D
> > >5px; =3D3D3D3D
> > > >=3D3D3D3D3D
> > > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =3D
>0px">i=3D3D3D3D3D20
> > > > > know this as dumb as it gets but the bnc is attached in =
=3D
>=3D3D3D
> > >the=3D3D3D3D3D20
> > > > >right
order...right?
all the cards show up in =
paris
=3D
>=3D3D
> >with =3D3D3D
> > >the
> > > >=3D3D3D3D
> > > > >=3D3D3D3D3D
> > > > >single=3D3D3D3D3D20
> > > > > mec?
how many i/o cards in each mec?

On =
Fri,

=3D
>19
> =3D3D
> >=3D3D3D
> > >Oct =3D3D3D3D
> > > >2007
> > > > =3D3D3D3D3D
> > > > >
> > > > > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D3D3D20
> > > > > =3D3D3D3D3D
> > > > =3D3D3D3D
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>>href=3D3D3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A=
>><=3D
>BR>=3D3D
> >wro=3D3D3D
> > >te:=3D3D3D3D
> > > >=3D3D3D3D3D
> > > > >

>I=3D3D3D3D3D20
> > > > > thought I was groovin' but once the second Mec was =3D
>=3D3D3D3D3D
> > > > >introduced
>the=3D3D3D3D3D20
> > > > > system stopped. That was a few weeks =
ago.
>
>Today I
=3D
>=3D3D
> >=3D3D3D3D3D
> > > > >tried=3D3D3D3D3D20
> > > > > different cables, eds cards, mecs, eliminated the magma =
=3D
>=3D3D
> >=3D3D3D3D3D
> > > > >and
>still no=3D3D3D3D3D20
> > > > > clock lock or modules showing up in the paris =
=3D3D3D3D3D
> > > > >patchbay.
>
>This=3D3D3D3D3D20
> > > > > means to me software unless someone tells me =
=3D3D3D3D3D
> > > > >differently.
>
>I=3D3D3D3D3D20
> > > > > have a new C drive which I will load XP and no pace. =
Any =3D
>=3D3D3D
> > >other=3D3D3D3D3D20
> > > > >
>suggestions?
>
>More frustrated than =3D
>my=3D3D3D3D3D20


```

>and =3D3D
> >it's all
> > =3D3D3D
> > >freaky
> > > =3D3D3D3D
> > > >just the=3D3D3D3D20
> > > >same.</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial =
size=3D3D3D3D3D2>Tom</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =
</DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =
</DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =
</DIV>
> > > ><BLOCKQUOTE=3D3D3D3D20
> > > >style=3D3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =3D
>MARGIN-LEFT: =3D3D
> >5px; =3D3D3D
> > >=3D3D3D3D
> > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > > > <DIV>"Dimitrios" <<A=3D3D3D3D20
> > > > > =3D
> > > > >href=3D3D3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>> =
=3D3D
> >wrote
> > =3D3D3D
> > >in =3D3D3D3D
> > > >message=3D3D3D3D20
> > > > <A =3D3D3D3D
> > > > =3D3D3D
> > =3D3D
> =3D
=
>>>>href=3D3D3D3D3D"news:471a0486$1@linux">news:471a0486$1@linux</A>...</=
DIV=3D
>>><B=3D3D
> >R>H=3D3D3D
> > >i
> > > =3D3D3D3D
> > > >Tom=3D3D3D3D20
> > > > !@<BR>Sorry to hear you still having problems like this =
=3D3D
> >~!!<BR>Must
> > =3D3D3D
> > >be
> > > =3D3D3D3D
> > > >very=3D3D3D3D20

```

> > > > frustrating.
Open the Paris ini file and there change =
the
=3D
>=3D3D
> >=3D3D3D3D
> > > >mastercardoutput=3D3D3D3D20
> > > > with your other
cards and see what happens !!
Let =
=3D3D
> >me=3D3D3D3D20
> > > > know.
Regards,
Dimitrios

"Tom Bruhl" =3D
><<A=3D3D3D3D20
> > > > =3D3D
> =3D
=
>>href=3D3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=3D=
3D3D3=3D
>D20
> > > > wrote:
>
>
>Rick,
>1 mec, no BNC =3D3D3D3D
> > > >involved. Paris=3D3D3D3D20
> > > > boots up so the 1 mec that
>I'm using shows up but =
never =3D
>any
> =3D3D
> >A =3D3D3D
> > >=3D3D3D3D
> > > >to Ds or=3D3D3D3D20
> > > > any installed modules.
>This is the same symptom before =
|
=3D
>=3D3D
> >=3D3D3D3D
> > > >repaired one=3D3D3D3D20
> > > > of my mecs with a
>new chip. The clock light continues =
to
=3D
>=3D3D
> >=3D3D3D3D
> > > >flash=3D3D3D3D20
> > > > too. Never locks in.
>
>I am using the simplest =3D
>=3D3D3D3D
> > > >setup I can=3D3D3D3D20
> > > > imagine and still it's not working.
>Mike A. suggested =
=3D
>the =3D3D
> >=3D3D3D3D
> > > >.ini=3D3D3D3D20
> > > > file to make sure card A is 0. I'll try =3D3D3D3D
> > > >=3D3D3D3D3D
>that.
>Pretty=3D3D3D3D20


```

BR>=3D
>>&n=3D3D
> >=3D3D3D3D=3D3D3D
> > >
> > > >bsp;=3D3D3D3D20
> > > > wrote:<BR>><BR>> >I thought I was groovin' but once the =
=3D
>=3D3D3D3D
> > > >second=3D3D3D3D20
> > > > Mec was introduced<BR>> >the system stopped. That =
=3D3D3D3D
> > > >was a few=3D3D3D3D20
> > > > weeks ago.<BR>> ><BR>> >Today I tried =3D3D3D3D
> > > >different=3D3D3D3D20
> > > > cables, eds cards, mecs, eliminated the =3D3D3D3D
> > > > magma<BR>=3D3D3D3D3D<BR>>and<BR>> =3D3D3D3D20
> > > > >still no clock lock or modules showing up in the =3D
>paris=3D3D3D3D20
> > > > patchbay.<BR>> ><BR>> >This means to me =3D3D3D3D
> > > >software=3D3D3D3D20
> > > > unless someone tells me differently.<BR>> ><BR>> =
=3D3D3D3D
> > > >>I=3D3D3D3D20
> > > > have a new C drive which I will load XP and no pace. =3D
>Any=3D3D3D3D20
> > > > other=3D3D3D3D3D20<BR>> >suggestions?<BR>> =3D3D3D3D
> > > >><BR>> =3D3D3D3D20
> > > > >More frustrated than my clients,<BR>> =3D3D3D3D
> > > >>Tom<BR>> =3D3D3D3D20
> > > > ><BR>> ><BR>> ><BR>> =3D3D3D3D
> > > >><BR>> =3D3D3D3D20
> > > > >I choose Polesoft Lockspam to fight spam, and you?<BR>> =
=3D
>=3D3D3D3D20
> > > > >http://www.polesoft.com/refer.html =3D3D3D3D20
> > > > =3D3D3D3D3D20<BR>><BR>><BR>><!DOCTYPE HTML PUBLIC =
"/W3C//DTD
=3D
>=3D3D3D3D
> > > >HTML 4.0=3D3D3D3D20
> > > > Transitional//EN"><BR>><HTML><HEAD><BR>><META=3D3D3D3D20
> > > > http-equiv=3D3D3D3D3D3DContent-Type =3D3D
> >content=3D3D3D3D3D3D"text/html;=3D3D3D3D20
> > > > =3D3D3D3D3D<BR>>charset=3D3D3D3D3D3Diso-8859-1"><BR>><META =
=3D
>=3D3D3D3D
> > > >content=3D3D3D3D3D3D"MSHTML=3D3D3D3D20
> > > > 6.00.2800.1400"=3D3D3D3D20

```


> > > > =3D3D3D3D
> > > =
>name=3D3D3D3D3D3D3DGENERATOR>
><STYLE></STYLE>
></HEA=3D3D3D3D
> > > >D>
><BODY=3D3D3D3D20
> > > > bgColor=3D3D3D3D3D3D3D#ffffff>
><DIV><FONT =3D3D
> >face=3D3D3D3D3D3D3DArial=3D3D3D3D20
> > > > =3D3D3D3D
> > > =
>size=3D3D3D3D3D3D2>Rick,</DIV>
><DIV><FONT=3D3D3D3D20
> > > > face=3D3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>1 mec, no BNC =
involved.
=3D
>Paris
> =3D3D
> >=3D3D3D3D
> > > >=3D3D3D3D3D
>boots up so=3D3D3D3D20
> > > > the=3D3D3D3D3D3D20
>1 mec =3D3D3D3D
> > > >that</DIV>
><DIV><FONT=3D3D3D3D20
> > > > face=3D3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>I'm using shows =
up but
=3D
>never =3D3D
> >any A to
> > =3D3D3D
> > >=3D3D3D3D
> > > >=3D3D3D3D3D
>Ds or=3D3D3D3D20
> > > > any=3D3D3D3D3D3D20
>installed=3D3D3D3D20
> > > > modules.</DIV>
><DIV><FONT =3D3D3D3D
> > > >face=3D3D3D3D3D3D3DArial=3D3D3D3D20
> > > > size=3D3D3D3D3D3D2>This is the same symptom before I =3D3D
> >=3D3D3D3D3D
>repaired =3D3D3D
> > >=3D3D3D3D
> > > >one=3D3D3D3D20
> > > > of=3D3D3D3D3D3D20
>my mecs with=3D3D3D3D20
> > > > a</DIV>
><DIV><FONT =
face=3D3D3D3D3D3D3DArial=3D3D3D3D20
> > > > size=3D3D3D3D3D3D2>new chip. The clock light =3D
>=3D3D3D3D3D
>continues =3D3D
> >to=3D3D3D3D20
> > > > flash=3D3D3D3D3D3D20
>too. Never locks=3D3D3D3D20
> > > > in.</DIV>
><DIV><FONT face=3D3D3D3D3D3D3DArial =
=3D3D3D3D
> > > >
> > > > size=3D3D3D3D3D3D2> </DIV>
><DIV><FONT =3D3D3D3D
> > > >face=3D3D3D3D3D3D3DArial=3D3D3D3D20
> > > > size=3D3D3D3D3D3D2>I am using the simplest setup I can =
=3D3D3D
> > >=3D3D3D3D3D
>imagine=3D3D3D3D20

```

> > > > and=3D3D3D3D3D20<BR>>still it's not=3D3D3D3D20
> > > > working.</FONT></DIV><BR>><DIV><FONT =3D3D3D3D
> > > > face=3D3D3D3D3D3DArial=3D3D3D3D20
> > > > size=3D3D3D3D3D3D2>Mike A. suggested the .ini file =3D
>=3D3D3D3D3D<BR>>to =3D3D
> >make=3D3D3D3D20
> > > > sure=3D3D3D3D3D20<BR>>card A is 0. I'll try=3D3D3D3D20
> > > > that.</FONT></DIV><BR>><DIV><FONT =3D3D3D3D
> > > > face=3D3D3D3D3D3DArial=3D3D3D3D20
> > > > size=3D3D3D3D3D3D2>Pretty sure it's right but =
who=3D3D3D3D20
> > > > =
=3D3D3D3D3D<BR>>knows?</FONT></DIV><BR>><DIV><FONT=3D3D3D3D20
> > > > face=3D3D3D3D3D3DArial=3D3D3D3D20
> > > > =3D3D3D3D
> > > =
>size=3D3D3D3D3D3D2>Thanks,</FONT></DIV><BR>><DIV><FONT=3D3D3D3D
> > > >=3D3D3D3D20
> > > > face=3D3D3D3D3D3DArial=3D3D3D3D20
> > > > =
size=3D3D3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D3D3D3D20
> > > > face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2></FONT> =
=3D3D3D3D
> > > ></DIV><BR>><DIV><FONT=3D3D3D3D20
> > > > face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2></FONT> =
=3D3D3D3D
> > > ></DIV><BR>><DIV>=3D3D3D3D20
> > > > </DIV><BR>><DIV> </DIV><BR>><DIV>=3D3D3D3D20
> > > > </DIV><BR>><DIV>"rick" =3D3D3D3D
> > > ><<A=3D3D3D3D3D20<BR>>href=3D3D3D3D3D3D"<A=3D3D3D3D20
> > > > =3D3D3D3D
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>>href=3D3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</=
A'>=3D
>mai=3D3D
> >lto=3D3D3D
> > >:pa=3D3D3D3D
> > > =
>rnell68@hotmail.com">parnell68@hotmail.com</A</A>>=3D3D3D3D20
> > > > =3D3D3D3D3D<BR>>wrote in=3D3D3D3D3D20<BR>>message =3D3D
> ><A=3D3D3D3D3D20<BR>>href=3D3D3D3D3D3D"<A
> > =3D3D3D
> > >=3D3D3D3D
> > > >
> > > > =3D3D3D3D

```

> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news=
:in=3D
>qgh=3D3D
> >393=3D3D3D
> > >an5=3D3D3D3D
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393an5</=
A=3D
>=3D3D3D=3D3D
> >3D=3D3D3D
> > >
> > > =3D3D
> =3D
=
>>>=3D3D3D3D3D
>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
&=3D3D=
D3D3D=3D
>
> > > =3D
=
>>gt;<BLOCKQUOTE=3D3D3D3D3D20
>style=3D3D3D3D3D3D"PADDING-RIGHT:=3D3D
3=
D3D20
> > > > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D
> >=3D3D3D3D3D3D
>BORDER-LEFT: =3D3D3D
> > >=3D3D3D3D3D
> > > >#000000 2px=3D3D3D3D20
> > > > solid; MARGIN-RIGHT: 0px">i=3D3D3D3D3D20
> know this =
as=3D
>dumb as
> =3D3D
> >=3D3D3D3D
> > > >it gets=3D3D3D3D20
> > > > but the bnc is attached in the=3D3D3D3D3D20
> =
=3D3D3D3D20
> > > > right
order...right?
all the cards show up in paris =
=3D
>=3D3D3D3D
> > > >with the=3D3D3D3D20
> > > > =3D3D3D3D3D3D
>single=3D3D3D3D3D20
> mec?
how many =
i/o =3D
>cards =3D3D

> >=3D3D3D3D
> > > >in each=3D3D3D3D20
> > > > mec?

On Fri, 19 Oct=3D3D3D3D20
> > > > 2007
=3D3D3D3D3D
>
> 00:22:39 -0400, "Tom =3D
>Bruhl"=3D3D3D3D20
> > > > <<A=3D3D3D3D3D20
> =3D
>=3D3D3D3D3D
>href=3D3D3D3D3D3D" <A=3D3D3D3D20
> > > > =3D3D3D3D3D
> > > =3D3D3D3D
> > =3D3D3D
> =3D
=
>>>>href=3D3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net><=
BR>=3D
>wro=3D3D3D
> >te'=3D3D3D3D
> > >>ma=3D3D3D3D3D
> > > =
>mailto:arpegio@comcast.net">arpegio@comcast.net>
w=3D3D3D3D3D
> > > >rote:=3D3D3D3D3D3D
>

>l=3D3D3D3D3D20
 > =
=3D3D3D3D20
> > > > thought I was groovin' but once the second Mec =
was=3D3D3D3D20
> > > > =3D3D3D3D3D
>introduced
>the=3D3D3D3D3D20
> =
system =3D
>=3D3D3D3D3D
> > > >stopped. That was=3D3D3D3D20
> > > > a few weeks ago.
>
>Today l=3D3D3D3D20
> > > > =3D3D3D3D3D
>tried=3D3D3D3D3D20
> different cables, =
eds =3D
>cards, =3D3D3D
> >mecs, =3D3D3D3D3D
> > > >eliminated=3D3D3D3D20
> > > > the magma =3D3D3D3D3D
>and
>still =
no=3D3D3D3D3D20
> =3D
>=3D3D3D3D3D
> > > >clock lock or=3D3D3D3D20
> > > > modules showing up in the paris=3D3D3D3D20
> > > > =3D3D3D3D3D
> > > >=3D3D3D3D3D
>patchbay.
>
>This=3D3D3D3D3D20
> =
=3D3D3D3D3D
> > > >means to=3D3D3D3D20
> > > > me software unless someone tells me=3D3D3D3D20
> > > > =3D3D3D3D3D
> > > >=3D3D3D3D3D
>differently.
>
>l=3D3D3D3D3D20
> =
=3D3D3D3D3D
> > > >have a new=3D3D3D3D20
> > > > C drive which I will load XP and no pace. Any =3D3D

```

> >other=3D3D3D3D3D20<BR>> =3D3D3D
> > >=3D3D3D3D
> > > >
> > > > <BR>>suggestions?<BR>><BR>>More frustrated =3D3D3D3D
> > > >than=3D3D3D3D20
> > > > my=3D3D3D3D3D20<BR>> =3D3D3D3D20
> > > > =3D3D3D3D
> > > >clients,<BR>>Tom<BR>><BR>><BR>><BR>><BR>=3D3D3D3D
> > > >>><BR>>I=3D3D3D3D20
> > > > choose =3D3D3D3D3D<BR>>Polesoft=3D3D3D3D3D20<BR>> =
Lockspam to =3D
>fight =3D3D
> >spam,=3D3D3D3D20
> > > > and=3D3D3D3D3D20<BR>> =3D3D3D3D
> > > >you?<BR>>http://www.polesoft.com/refer.html=3D3D3D3D20
> > > > =3D3D3D3D
> > > > =
>=3D3D3D3D3D20<BR>><BR></BLOCKQUOTE></BODY></HTML><BR>&=3D3D3D3D
> > > >gt;<BR>><BR></BLOCKQUOTE></BODY></HTML>
> > > >
> > > >
> > > >
> > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> > ><HTML><HEAD>
> > ><META http-equiv=3D3D3D3DContent-Type =
content=3D3D3D3D"text/html"; =3D
>=3D3D3D
> > >charset=3D3D3D3Diso-8859-1">
> > ><META content=3D3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3D3DGENERATOR>
> > ><STYLE></STYLE>
> > ></HEAD>
> > ><BODY bgColor=3D3D3D3D#ffffff>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Hi =
Mike,</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Well I've been to =
..cfg =3D
>many a =3D3D
> >=3D3D3D
> > >time.</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>I've seen that =
Mastercard
=3D
>=3D3D
> >setting as =3D3D3D
> > >being=3D3D3D20
> > >0</FONT></DIV>

```

```

> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>but maybe it =
changed =3D
>after =3D3D
> >removing the
> > =3D3D3D
> > >4=3D3D3D20
> > >other</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>eds cards for this =
round
=3D
>of =3D3D3D
> > >testing.</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>If it's still 0 =
what else
=3D
>could
> =3D3D
> >this =3D3D3D
> > >be? =3D3D3D20
> > >Busted mobo?</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>I'm really in an =
idunno =3D
>place =3D3D
> >right =3D3D3D
> > >now. I'll=3D3D3D20
> > >be checking</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>seriously today =
again =3D
>because of
> =3D3D
> >a =3D3D3D
> > >session tomorrow=3D3D3D20
> > >morning.</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Tom</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > ><BLOCKQUOTE=3D3D3D20
> > >style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
MARGIN-LEFT: =3D
>5px; =3D3D
> >=3D3D3D
> > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > > <DIV>"Mike Audet" <mike@....> wrote in message <A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=

```

>>>[news:471b2ec2\\$1@linux](news:471b2ec2$1@linux)...</DIV=>
 ><B=3D
 >R>H=3D3D
 > >i=3D3D3D20
 > > > Tom,

If you've only got one card in, then the =
 Mastercard
 =3D
 >=3D3D
 > >=3D3D3D3D 0
 > > =3D3D3D
 > > >setting is=3D3D3D20
 > > > right.
 The file is Paris.cfg, and it lives in the =3D3D
 > >c:\program=3D3D3D20
 > > > files\Emu\PARIS PRO
folder.

I'd still check it out =
 to
 =3D
 >see
 > =3D3D
 > >=3D3D3D
 > > >what it is=3D3D3D20
 > > > set to.

If it is wrong, what you are describing =3D
 >will=3D3D3D20
 > > > happen.

Good luck!

Mike

"Tom Bruhl" =3D
 ><<A=3D3D3D20
 > > > =3D
 =
 ><mailto:arpegio@comcast.net>>=3D3D3D=
 D20
 > > > wrote:
>
>
>Thanks Dimitrios.
>
>Mike =3D3D3D
 > > >said the=3D3D3D20
 > > > same thing. Is the ini in the Paris folde or system =3D3D3D
 > > >32?
>Do I want=3D3D3D20
 > > > the Master card to be 0 absolutely? I only have one =3D3D3D
 > > >card
>in there=3D3D3D20
 > > > right now and it's all freaky just the=3D3D3D20
 > > > same.
>Tom
>
>
>
> "Dimitrios" =3D3D3D
 > > ><<A=3D3D3D20
 > > > =
<mailto:musurgio@otenet.gr>> =3D
 >wrote
 > =3D3D
 > >in =3D3D3D
 > > >message=3D3D3D20
 > > > =3D3D3D3D
>news:471a0486\$1@linux...
>
> Hi =
 Tom=3D3D3D20
 > > > !@
> Sorry to hear you still having problems like =3D
 >this=3D3D3D20
 > > > ~!!
> Must be very frustrating.
> Open the =3D3D3D

> > >Paris ini=3D3D3D20
> > > file and there change the mastercardoutput with =3D
>=3D3D3D3D
>your=3D3D3D20
> > > other
> cards and see what happens !!
> Let me =
=3D3D3D
> > >
> > > know.
> Regards,
> =3D3D3D
> > >Dimitrios
>
> =3D3D3D20
> > > "Tom Bruhl" <<A=3D3D3D20
> > > =3D
=
>href=3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D=
D20
> > > wrote:
> >
> >
> =3D3D3D20
> > > >Rick,
> >1 mec, no BNC involved. Paris boots =3D3D3D
> > >up so=3D3D3D20
> > > the 1 mec that
> >I'm using shows up but never any A to =
=3D
>=3D3D3D
> > >Ds or=3D3D3D20
> > > any installed modules.
> >This is the same symptom =
=3D3D3D
> > >before I=3D3D3D20
> > > repaired one of my mecs with a
> >new chip. The =3D3D3D
> > >clock=3D3D3D20
> > > light continues to flash too. Never locks in.
> =3D3D3D20
> > > >
> >I am using the simplest setup I can imagine and =
=3D3D3D
> > >still=3D3D3D20
> > > it's not =3D3D3D3D
>working.
> >Mike A. suggested =
=3D3D3D
> > >the .ini=3D3D3D20
> > > file to make sure card A is 0. I'll =3D3D3D
> > >try
=3D3D3D3D
>=3D3D3D3D3D
> =3D3D3D20
> > > >that.
> >Pretty sure it's right but who=3D3D3D20
> > > knows?
> >Thanks,
> >Tom
> =3D3D3D20
> > > >
> >
> >
> =3D3D3D
> > >>
> =3D3D3D20
> > > >
> >"rick" <<A=3D3D3D20
> > > =3D
=
>href=3D3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com>
> =3D3D
> >=3D3D3D
> > >wrote in=3D3D3D20
> > > message =3D3D3D3D3D3D
> =3D3D3D20
> > > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =
=3D3D3D20

> > > > i know this as dumb as it gets but the bnc is attached in =
 =3D
 >=3D3D3D
 > > >the=3D3D3D20
 > > > right
> > order...right?
> > =3D3D3D
 > > >all the=3D3D3D20
 > > > cards show up in paris with the single mec?
> > =3D3D3D
 > > >how many=3D3D3D20
 > > > i/o cards in each mec?
> >
> =3D3D3D
 > > >>
> =3D3D3D20
 > > > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D3D3D
 > > >=3D3D3D3D
><<A=3D3D3D20
 > > > =3D3D3D
 > > =3D3D
 > =3D
 =
 >>>href=3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
=
 >&n=3D
 >=3D3D3D=3D3D
 > >
 > > >bsp;=3D3D3D20
 > > > > wrote:
> >
> > >I =3D3D3D
 > > >thought I=3D3D3D20
 > > > was groovin' but once the second Mec was introduced
> =
 =3D3D3D
 > > >> =3D3D3D20
 > > > >the system stopped. That was a few weeks ago.
> =
 =3D3D3D20
 > > > > >
> > >Today I tried different =3D3D3D
 > > >cables,=3D3D3D20
 > > > eds cards, mecs, eliminated the =3D3D3D3D
>magma
> =
 =3D3D3D
 > > >=3D3D3D3D3D3D
> =3D3D3D20
 > > > >and
> > >still no clock lock or modules =3D3D3D
 > > >showing up=3D3D3D20
 > > > in the paris patchbay.
> > >
> =3D3D3D
 > > >> =3D3D3D20
 > > > >This means to me software unless someone tells me=3D3D3D20
 > > > differently.
> > >
> > =3D3D3D
 > > >>I have=3D3D3D20
 > > > a new C drive which I will load XP and no pace. Any=3D3D3D20
 > > > =3D3D3D3D
>other=3D3D3D3D3D20
> > =3D3D3D
 > > >>suggestions?
> =3D3D3D20
 > > > > >
> > >More frustrated than my=3D3D3D20
 > > > clients,
> > >Tom
> > =3D3D3D20
 > > > >
> > >
> > =3D3D3D
 > > >>
> =3D3D3D20
 > > > > >
> > >I choose Polesoft =3D3D3D

> > >Lockspam to=3D3D3D20
> > > fight spam, and you?
> > =3D3D3D20
> > > >http://www.polesoft.com/refer.html =3D3D3D3D3D20
> =
=3D3D3D20
> > > >
> >
> ><!DOCTYPE HTML PUBLIC=3D3D3D20
> > > "-//W3C//DTD HTML 4.0 Transitional//EN">
> =3D3D3D20
> > > ><HTML><HEAD>
> ><META=3D3D3D20
> > > http-equiv=3D3D3D3D3D3DContent-Type =
content=3D3D3D3D3D3D"text/html;
=3D
>=3D3D3D
> > >=3D3D3D3D3D
> =3D3D3D20
> > > >charset=3D3D3D3D3D3D3Diso-8859-1">
> ><META =3D3D3D
> > >content=3D3D3D3D3D3D3D"MSHTML=3D3D3D20
> > > 6.00.2800.1400" name=3D3D3D3D3D3DGENERATOR>
> =3D3D3D20
> > > ><STYLE></STYLE>
> =3D3D3D
> > >></HEAD>
> =3D3D3D20
> > > ><BODY bgColor=3D3D3D3D3D3D3D#ffffff>
> =3D3D3D
> > >><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3D3D3DArial =3D3D3D
> > >size=3D3D3D3D3D3D2>Rick,</DIV>
> =3D3D3D20
> > > ><DIV>1 mec, =
no BNC
=3D
>=3D3D3D
> > >involved.=3D3D3D20
> > > Paris =3D3D3D3D3D
>=3D3D3D3D3D3D
> >boots up so =3D3D3D
> > >the=3D3D3D3D3D3D20
> >1=3D3D3D20
> > > mec that</DIV>
> =3D3D3D
> > >><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>I'm using shows up =
but =3D
>never =3D3D3D
> > >any
=3D3D3D3D3D
>A to=3D3D3D20
> > > =3D3D3D3D3D3D
> >Ds or any=3D3D3D3D3D3D20
> =
>installed=3D3D3D20
> > > modules.</DIV>
> =3D3D3D
> > >><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>This is the same =
symptom =3D
>=3D3D3D
> > >before
=3D3D3D3D3D
>I=3D3D3D20
> > > =3D3D3D3D3D3D
> >repaired one of=3D3D3D3D3D3D20
> >my =
=3D3D3D
> > >mecs with=3D3D3D20
> > > a</DIV>
> ><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>new chip. The clock =
light

```

=3D
>=3D3D3D
> > >=3D3D3D3D3D3D<BR>> =3D3D3D20
> > > >continues to flash=3D3D3D3D3D20<BR>> >too. Never =
locks=3D3D3D20
> > > in.</FONT></DIV><BR>> ><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3D3D3DArial size=3D3D3D3D3D3D2></FONT> =3D3D3D
> > ></DIV><BR>> =3D3D3D20
> > > ><DIV><FONT face=3D3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>I am =
using =3D
>=3D3D3D
> > >the simplest=3D3D3D20
> > > setup I<BR>=3D3D3D3D<BR>>can =3D3D3D3D3D<BR>> >imagine =
=3D3D3D
> > >and=3D3D3D3D3D20<BR>> =3D3D3D20
> > > >still it's not working.</FONT></DIV><BR>> =3D3D3D20
> > > ><DIV><FONT face=3D3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>Mike A. =
=3D3D3D
> > >suggested the=3D3D3D20
> > > .ini file<BR>=3D3D3D3D<BR>>=3D3D3D3D3D<BR>> >to make =3D3D3D
> > >sure=3D3D3D3D3D20<BR>> =3D3D3D20
> > > >card A is 0. I'll try that.</FONT></DIV><BR>> =3D3D3D
> > >
> > > ><DIV><FONT face=3D3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>Pretty =
sure =3D
>=3D3D3D
> > >it's right=3D3D3D20
> > > but who =3D3D3D3D<BR>>=3D3D3D3D3D<BR>> =3D3D3D20
> > > >knows?</FONT></DIV><BR>> =3D3D3D
> > >><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3D3D3DArial =3D3D3D
> > >size=3D3D3D3D3D3D2>Thanks,</FONT></DIV><BR>> =3D3D3D20
> > > ><DIV><FONT face=3D3D3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D3D2>Tom</FONT></DIV><BR>> =3D3D3D20
> > > ><DIV><FONT face=3D3D3D3D3D3D3DArial size=3D3D3D3D3D3D2></FONT> =
=3D3D3D
> > >
> > > </DIV><BR>> ><DIV><FONT face=3D3D3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D3D2></FONT> </DIV><BR>> =3D3D3D
> > >><DIV>=3D3D3D20
> > > </DIV><BR>> ><DIV> </DIV><BR>> =3D3D3D20
> > > ><DIV> </DIV><BR>> ><DIV>"rick"=3D3D3D20
> > > <<A=3D3D3D3D3D3D20<BR>> >href=3D3D3D3D3D3D"<A=3D3D3D20
> > > =3D3D3D
> > >=3D3D
> =3D
=
>>>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>=

```

mai=3D
>lto=3D3D
> >:pa=3D3D3D
> > >rnell68@hotmail.com">parnell68@hotmail.com</A>=3D3D3D20
> > > =3D3D3D3D
>=3D3D3D3D3D
> >wrote in=3D3D3D3D3D20
> =
=3D3D3D
> > >>message=3D3D3D20
> > > <A=3D3D3D3D3D20
> =
=3D3D3D3D
>>href=3D3D3D3D3D3D" <A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in=
qgh=3D
>393=3D3D
> >'>n=3D3D3D
> > =3D3D
> =3D
=
>>>ews:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393=3D3D=
3D3=3D
>D<B=3D3D
> >=3D3D3D
> > >R>>an5=3D3D3D3D3D
> =3D3D3D20
> > > =3D3D3D
> > >>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> =3D3D3D
> > >;=3D3D3D20
> > > ><BLOCKQUOTE=3D3D3D3D3D20
> =3D3D3D
> > >>style=3D3D3D3D3D3D"PADDING-RIGHT: 0px;=3D3D3D20
> > > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3D3D3D3D
>=3D3D3D3D3D
>
=3D
>=3D3D3D20
> > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =3D3D3D
> > >0px">i=3D3D3D3D3D20
> =3D3D3D20
> > > > know this as dumb as it gets but the bnc is attached =3D
>in=3D3D3D20
> > > the=3D3D3D3D3D20
> > =3D3D3D
> > >right
order...right?
all=3D3D3D20
> > > the cards show up in paris with =3D
>the
=3D3D3D3D
>=3D3D3D3D3D
> =3D3D3D20
> > > >single=3D3D3D3D3D20
> > mec?
how many i/o =3D3D3D
> > >cards in=3D3D3D20
> > > each mec?

On Fri, 19 Oct=3D3D3D20
> > > =3D3D3D3D
>2007
> =3D3D3D3D3D
> >
> =3D3D3D
> > >> =3D3D3D20
> > > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D3D3D20
> > =

=3D3D3D20
> > > =3D3D3D3D3D
> =
=3D3D3D3D3D
>>href=3D3D3D3D3D3D" <A=3D3D3D20
> > > =3D3D3D3D
> > =3D3D3D
> =3D
=
>>>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
=
wro=3D
>te'=3D3D3D
> >>ma=3D3D3D3D
> > >ilto:arpegio@comcast.net">arpegio@comcast.net>
w=3D3D3D3D
> > >rote:=3D3D3D3D3D
>=3D3D3D3D3D3D
> =3D3D3D20
> > > >

>I=3D3D3D3D3D3D20
> > thought =3D3D3D3D
> > >I was=3D3D3D20
> > > groovin' but once the second Mec was =3D3D3D3D3D
> =
=3D3D3D20
> > > >introduced
>the=3D3D3D3D3D3D20
> > system =3D3D3D3D
> > >stopped.=3D3D3D20
> > > That was a few weeks ago.
>
>Today I =3D3D3D3D
> > >=3D3D3D3D3D3D
> =3D3D3D20
> > > >tried=3D3D3D3D3D3D20
> > different cables, eds cards, =
=3D3D3D3D
> > >mecs,=3D3D3D20
> > > eliminated the magma =3D3D3D3D3D3D
> =
>and
>still=3D3D3D20
> > > no=3D3D3D3D3D3D20
> > clock lock or modules showing up in =
=3D3D3D3D
> > >the paris=3D3D3D20
> > > =3D3D3D3D3D3D
> =3D3D3D20
> > > >patchbay.
>
>This=3D3D3D3D3D3D20
> =3D3D3D3D
> > >>=3D3D3D20
> > > means to me software unless someone tells me =3D3D3D3D3D3D
> =
=3D
>=3D3D3D20
> > > >differently.
>
>I=3D3D3D3D3D3D20
> =3D3D3D3D
> > >>=3D3D3D20
> > > have a new C drive which I will load XP and no pace. =
Any=3D3D3D20
> > > other=3D3D3D3D3D3D20
> > =3D3D3D20
> > >
>suggestions?
>
>More frustrated =3D3D3D3D
> > >than=3D3D3D20
> > > my=3D3D3D3D3D3D20
> > =3D3D3D20
> > > =3D3D3D3D
> > >clients,
>Tom
>
>
>
>
=3D3D3D3D
> > >>>
>I=3D3D3D20
> > > choose =3D3D3D3D3D3D
> >Polesoft=3D3D3D3D3D3D20
> =3D3D3D3D
> > >> Lockspam=3D3D3D20

```

> > > to fight spam, and=3D3D3D3D20<BR>> > =3D3D3D20
> > > you?<BR>>http://www.polesoft.com/refer.html =3D3D3D
> > >=3D3D3D3D3D20<BR>> =3D3D3D20
> > > =3D3D3D
> > >><BR></BLOCKQUOTE></BODY></HTML><BR>> =3D3D3D
> > >=3D3D3D20
> > > ><BR>> ><BR>><BR>><BR>><!DOCTYPE HTML =3D3D3D
> > >PUBLIC=3D3D3D20
> > > "-//W3C//DTD HTML 4.0=3D3D3D20
> > > Transitional//EN"><BR>><HTML><HEAD><BR>><META=3D3D3D20
> > > http-equiv=3D3D3D3D3DContent-Type =3D
> > >=3D3D3D3D3D"text/html";=3D3D3D20
> > > =3D3D3D3D<BR>> charset=3D3D3D3D3Diso-8859-1"><BR>><META =
=3D3D3D
> > > content=3D3D3D3D3D"MSHTML=3D3D3D20
> > > 6.00.2800.1400"=3D3D3D20
> > > =3D3D3D
> > > name=3D3D3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D3D3D
> > > D><BR>><BODY=3D3D3D20
> > > bgColor=3D3D3D3D3D#ffffff><BR>><DIV><FONT =3D
> > > face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Thanks=3D3D3D20
> > > Dimitrios.</FONT></DIV><BR>><DIV><FONT =3D3D3D
> > > face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2></FONT> </DIV><BR>><DIV><FONT =3D3D3D
> > > face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Mike said the same thing. Is the =
=3D3D3D3D<BR>>ini
=3D
>in =3D3D3D
> > >
> > > the=3D3D3D3D20<BR>>Paris folde or system=3D3D3D20
> > > 32?</FONT></DIV><BR>><DIV><FONT face=3D3D3D3D3DArial =3D3D3D
> > >
> > > size=3D3D3D3D3D2>Do I want the Master card to be =3D3D3D
> > > 0=3D3D3D3D20<BR>>absolutely? I=3D3D3D20
> > > only have one card</FONT></DIV><BR>><DIV><FONT =3D3D3D
> > >
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>in there right now and =
it's =3D
>all=3D3D3D20
> > > freaky<BR>=3D3D3D3D<BR>>just=3D3D3D20
> > > =3D3D3D
> > > the=3D3D3D3D20<BR>>same.</FONT></DIV><BR>><DIV><FONT=3D3D3D
> > >=3D3D3D20
> > > face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =3D3D3D

```



```

> > ></DIV><BR>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =3D3D3D
> > ></DIV><BR>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT>=3D3D3D20
> > > =3D3D3D
> > =
></DIV><BR>><BLOCKQUOTE=3D3D3D3D20<BR>>style=3D3D3D3D3D"PADDING-RIGHT:
=3D
>=3D3D3D
> > >0px;=3D3D3D20
> > > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3D3D3D3D<BR>>BORDER-LEFT: =3D
>#000000
> =3D3D
> >=3D3D3D
> > >2px solid;=3D3D3D20
> > > MARGIN-RIGHT: 0px"><BR>> <DIV>"Dimitrios"=3D3D3D20
> > > <<A=3D3D3D3D20<BR>> href=3D3D3D3D3D"<A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A'>mailto=
:mu=3D
>sur=3D3D
> >gio=3D3D3D
> > >@otenet.gr">musurgio@otenet.gr</A</A>>>=3D3D3D20
> > > wrote in =3D3D3D3D<BR>>message=3D3D3D3D20<BR>> <A =3D3D3D
> > >=3D3D3D3D<BR>>href=3D3D3D3D3D"<A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D'news:471a0486$1@linux">news:471a0486$1@linux</A>...</DIV=
><B=3D
>R>H=3D3D
> >i'>=3D3D3D
> > =
>news:471a0486$1@linux">news:471a0486$1@linux</A>...</DIV>&=3D3D3D
> > >lt;BR>Hi</A><BR>=3D3D3D3D<BR>>Tom=3D3D3D3D20<BR>> =3D3D3D20
> > > <A href=3D3D3D3D"mailto:!!<BR>Sorry">!!<BR>Sorry</A> to hear =
you =3D
>still
> =3D3D
> >=3D3D3D
> > >having=3D3D3D20
> > > problems like this ~!!<BR>Must =3D3D3D
> > >be<BR>=3D3D3D3D<BR>>very=3D3D3D3D20<BR>> =3D3D3D20

```

> > > frustrating.
Open the Paris ini file and there change =3D
>the=3D3D3D20
> > > =3D3D3D3D
>mastercardoutput=3D3D3D3D20
> with your =
=3D3D3D
> > > other
cards and=3D3D3D20
> > > see what happens !!
Let me=3D3D3D3D20
> =3D3D3D20
> > > know.
Regards,
Dimitrios

"Tom =3D3D3D
> > > Bruhl"=3D3D3D20
> > > <<A=3D3D3D3D20
> href=3D3D3D3D3D"<A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3=
D3D3D=3D
>20'>m=3D3D
> >ailto=3D3D3D
> > =3D
=
>>:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D3D20
&g=3D3=
D3D
> > >t; =3D3D3D20
> > > wrote:
>
>
>Rick,
>1 =3D3D3D
> > >mec, no=3D3D3D20
> > > BNC =3D3D3D3D
>involved. Paris=3D3D3D3D20
> boots up =
so =3D
>=3D3D3D
> > >the 1 mec=3D3D3D20
> > > that
>I'm using shows up but never any A =3D3D3D3D
>to =
=3D
>Ds=3D3D3D20
> > > or=3D3D3D3D20
> any installed modules.
>This is the =
=3D3D3D
> > >same=3D3D3D20
> > > symptom before I =3D3D3D3D
>repaired one=3D3D3D3D20
> =
of my =3D
>mecs =3D3D3D
> > >with=3D3D3D20
> > > a
>new chip. The clock light continues to=3D3D3D20
> > > =3D3D3D3D
>flash=3D3D3D3D20
> too. Never =
locks=3D3D3D20
> > > in.
>
>I am using the simplest =3D3D3D
> > >=3D3D3D3D
>setup I=3D3D3D20
> > > can=3D3D3D3D20
> imagine and still it's not =3D3D3D
> > >working.
>Mike A.=3D3D3D20
> > > suggested the =3D3D3D3D
>.ini=3D3D3D3D20
> file to =
make =3D
>=3D3D3D

> > > sure card A is=3D3D3D20
 > > > 0. I'll try=3D3D3D20
 > > > =3D3D3D
 > > >=3D3D3D3D
>=3D3D3D3D3D
>that.
>Pretty=3D3D3D3D20
> =
 =3D3D3D
 > > >; sure it's=3D3D3D20
 > > > right but who=3D3D3D3D20
> =3D3D3D20
 > > > =3D3D3D
 > > >=3D3D3D3D
>knows?
>Thanks,
>Tom
><=3D3D3D
 > > >BR>>
>
>
><=3D3D3D3D
>BR>=3D3D3D
 > > >>"rick"=3D3D3D3D20
> =3D3D3D20
 > > > <<A =3D3D3D3D
>href=3D3D3D3D3D"<A=3D3D3D20
 > > > =3D3D3D
 > > =3D3D
 > =3D
 =
 >>>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>=
 mai=3D
 >lto=3D3D
 > >:pa=3D3D3D
 > > >rnell68@hotmail.com">parnell68@hotmail.com</A/A>>=3D3D3D20
 > > > =3D3D3D3D
>wrote=3D3D3D3D20
> in =
 message=3D3D3D3D20
> =3D
 >=3D3D3D20
 > > > =3D3D3D
 > > =3D
 =
 >>=3D3D3D3D
>=3D3D3D3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4=
 ax=3D3D=3D
 >3D
 > > >.com...
>&nbs=3D3D3D3D
>p;=3D3D3D20
 > > > i=3D3D3D3D20
> know this as dumb as it gets but the bnc =
 is =3D
 >=3D3D3D
 > > >attached in=3D3D3D20
 > > > the=3D3D3D3D20
> right
> =3D3D3D20
 > > > order...right?
> all the cards show up=3D3D3D20
 > > > =3D3D3D3D
>in=3D3D3D3D20
> paris with the single =
 =3D3D3D
 > > >mec?
> =3D3D3D20
 > > > how many i/o cards in each=3D3D3D3D20
> =3D3D3D20
 > > > mec?
>
>
> On Fri, 19 Oct =3D3D3D
 > > >2007=3D3D3D20
 > > > 00:22:39 -0400, =3D3D3D3D
>"Tom=3D3D3D3D20
> =
 Bruhl"=3D3D3D20
 > > > <<A=3D3D3D3D20
> =
 =3D3D3D3D
>href=3D3D3D3D3D"<A=3D3D3D20
 > > > =3D3D3D

> > =3D3D
 > =3D
 =
 >>>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
=
 >&n=3D
 >'>=3D3D3D=3D3D
 > >
 > > >mailto:arpegio@comcast.net">arpegio@comcast.net>
=3D3D3D
 > > >;&n=3D3D3D3D
>bsp;=3D3D3D3D20
> =3D3D3D20
 > > > wrote:
>
> >I thought I was groovin' =3D3D3D
 > > >but once=3D3D3D20
 > > > the =3D3D3D3D
>second=3D3D3D3D20
> Mec was =3D3D3D
 > > >introduced
> =3D3D3D20
 > > > >the system stopped. That =3D3D3D3D
>was a =3D3D3D
 > > >few=3D3D3D3D20
> weeks=3D3D3D20
 > > > ago.
> >
> >Today I tried=3D3D3D20
 > > > =3D3D3D3D
>different=3D3D3D3D20
> cables, eds cards, =
 mecs, =3D
 >=3D3D3D
 > > >eliminated the=3D3D3D20
 > > > =3D3D3D3D
>magma
=3D3D3D3D3D
>and
> =3D3D3D
 > > >=3D3D3D3D20
> =3D3D3D20
 > > > >still no clock lock or modules showing up in the =3D3D3D
 > > >paris=3D3D3D3D20
> =3D3D3D20
 > > > patchbay.
> >
> >This means =3D3D3D
 > > >to me=3D3D3D20
 > > > =3D3D3D3D
>software=3D3D3D3D20
> unless someone tells =
 =3D
 >me=3D3D3D20
 > > > differently.
> >
> =3D3D3D20
 > > > =3D3D3D3D
>>I=3D3D3D3D20
> have a new C drive which I =
 will =3D
 >=3D3D3D
 > > >load XP and no=3D3D3D20
 > > > pace. Any=3D3D3D3D20
> other=3D3D3D3D3D20
> =3D3D3D20
 > > > >suggestions?
> =3D3D3D3D
>>
>=3D3D3D20
 > > > =3D3D3D3D20
> >More frustrated than my =3D3D3D
 > > >clients,
> =3D3D3D20
 > > > =3D3D3D3D
>>Tom
> =3D3D3D3D20
> =3D3D3D
 > > >>
> =3D3D3D20
 > > > >
> >
> =3D3D3D
 > > >=3D3D3D3D
>>
>=3D3D3D20
 > > > =3D3D3D3D20
> >I choose Polesoft Lockspam to fight spam, =
 =3D
 >and=3D3D3D20
 > > > you?
> =3D3D3D3D20
> =3D3D3D
 > > >>http://www.polesoft.com/refer.html=3D3D3D20
 > > > =3D3D3D3D20
> =3D3D3D

> > >=3D3D3D3D3D20
>
>
><!DOCTYPE=3D3D3D20
> > > HTML PUBLIC "-//W3C//DTD =3D3D3D3D3D
>HTML =
4.0=3D3D3D3D3D20
> =3D
>=3D3D3D20
> > > =3D3D3D
> > >Transitional//EN">
><HTML><HEAD>
>=3D3D3D
> > ><META=3D3D3D3D3D20
> =3D3D3D20
> > > http-equiv=3D3D3D3D3D3D3DContent-Type =3D3D3D
> > >content=3D3D3D3D3D3D"text/html;=3D3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D3D3D3D
>charset=3D3D3D3D3D3DDiso-8859-1">
><META =
=3D3D3D
> > >
> > > =3D3D3D3D3D
>content=3D3D3D3D3D3D3D"MSHTML=3D3D3D3D20
 > =
=3D3D3D
> > >6.00.2800.1400"=3D3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D
> > =
>=3D3D3D3D3D
>name=3D3D3D3D3D3D3DGENERATOR>
><STYLE></STYLE&=3D3D3
D
> > >gt;
></HEA=3D3D3D3D3D
>D>
><BODY=3D3D3D3D3D20
&=3D3D3D
> > >gt; =3D3D3D20
> > > bgcolor=3D3D3D3D3D3D3D#ffffff>
><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3D3D3DArial=3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D
> > =
>=3D3D3D3D3D
>size=3D3D3D3D3D3D2>Rick,</DIV>
>&l=3D3D3D
> > >t;DIV><FONT=3D3D3D3D3D20
> =3D3D3D20
> > > face=3D3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>1 mec, no BNC =
involved. =3D
>=3D3D
> >Paris=3D3D3D20
> > > =3D3D3D3D3D
>=3D3D3D3D3D3D
>boots up so=3D3D3D3D3D20
> =
=3D3D3D
> > >the=3D3D3D3D3D3D20
>1=3D3D3D20
> > > mec=3D3D3D20
> > > =3D3D3D
> > >=3D3D3D3D3D
>that</DIV>
><DIV><FONT=3D3D3D
> > >=3D3D3D3D3D20
> =3D3D3D20
> > > face=3D3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>'m using shows up =
but =3D
>never any
> =3D3D
> >A to =3D3D3D
> > >
> > > =3D3D3D3D3D
>=3D3D3D3D3D3D
>Ds or=3D3D3D3D3D20
> =3D3D3D20
> > > any=3D3D3D3D3D3D20
>installed=3D3D3D3D3D20
> =3D3D3D20
> > > modules.</DIV>
><DIV><FONT=3D3D3D20
> > > =3D3D3D3D3D
>face=3D3D3D3D3D3D3DArial=3D3D3D3D20
> =3D

>size=3D3D3D3D3D2>This is =3D3D
 > >=3D3D3D
 > > >the same=3D3D3D20
 > > > symptom before I =3D3D3D3D3D
>repaired =3D3D3D
 > > >=3D3D3D3D3D
>one=3D3D3D3D20
> =3D3D3D20
 > > > of=3D3D3D3D3D20
>my mecs with=3D3D3D3D20
> =3D3D3D20
 > > > a</DIV>
><DIV><FONT=3D3D3D20
 > > > face=3D3D3D3D3D3DArial=3D3D3D3D20
> =
 size=3D3D3D3D3D3D2>new chip. =3D
 >The =3D3D3D
 > > >clock light=3D3D3D20
 > > > =3D3D3D3D3D
>continues to=3D3D3D3D20
> =3D3D3D
 > > >flash=3D3D3D3D3D20
>too.=3D3D3D20
 > > > Never locks=3D3D3D3D20
> =3D3D3D20
 > > > in.</DIV>
><DIV><FONT =3D3D3D
 > > >face=3D3D3D3D3D3DArial=3D3D3D20
 > > > =3D3D3D3D
>
> size=3D3D3D3D3D3D2>=3D3D3D20
 > > > </DIV>
><DIV><FONT=3D3D3D20
 > > > =3D3D3D3D
>face=3D3D3D3D3D3DArial=3D3D3D3D20
> =3D
 >size=3D3D3D3D3D3D2>I am =3D3D3D
 > > >using the simplest=3D3D3D20
 > > > setup I can =3D3D3D3D3D
>imagine=3D3D3D3D20
> =3D3D3D20
 > > > and=3D3D3D3D3D20
>still it's not=3D3D3D3D20
> =3D3D3D20
 > > > working.</DIV>
><DIV><FONT=3D3D3D20
 > > > =3D3D3D3D
>face=3D3D3D3D3D3DArial=3D3D3D3D20
> =3D
 >size=3D3D3D3D3D3D2>Mike A. =3D3D
 > >=3D3D3D
 > > >suggested the=3D3D3D20
 > > > .ini file =3D3D3D3D3D
>to make=3D3D3D3D20
> =3D3D3D20
 > > > sure=3D3D3D3D3D20
>card A is 0. I'll try=3D3D3D3D20
> =
 =3D3D3D20
 > > > that.</DIV>
><DIV><FONT=3D3D3D20
 > > > =3D3D3D3D
>face=3D3D3D3D3D3DArial=3D3D3D3D20
> =3D
 >size=3D3D3D3D3D3D2>Pretty =3D3D3D
 > > >sure it's right=3D3D3D20
 > > > but who=3D3D3D3D20
> =3D3D3D20
 > > > =3D3D3D
 > > >=3D3D3D3D3D3D
>knows?</DIV>
><DIV&g=3D3D3D
 > > >t;<FONT=3D3D3D3D20
> =3D3D3D20
 > > > face=3D3D3D3D3D3DArial=3D3D3D3D20
> =3D3D3D20
 > > > =3D3D3D
 > > =
 >=3D3D3D3D3D
>size=3D3D3D3D3D3D2>Thanks,</DIV>
>=3D3D3D
 > > ><DIV><FONT=3D3D3D3D
>=3D3D3D3D20
> =3D3D3D20
 > > > face=3D3D3D3D3D3DArial=3D3D3D3D20
> =3D3D3D20
 > > > =3D3D3D
 > > >size=3D3D3D3D3D3D2>Tom</DIV>
><DIV><=3D3D3D
 > > >FONT=3D3D3D3D20
> =3D3D3D20

> > > face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>=3D3D3D20
> > > =3D3D3D3D
> > >=3D3D3D3D3D
></DIV>
><DIV><FONT=3D3D3D3D3D20
>&nbs=3D3D3D3D
> > >p;=3D3D3D3D20
> > > face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>=3D3D3D20
> > > =3D3D3D3D3D
></DIV>
><DIV>=3D3D3D3D3D20
> =3D3D3D20
> > > </DIV>
><DIV>=3D3D3D3D20
> > > </DIV>
><DIV>=3D3D3D3D3D20
> =3D3D3D20
> > > </DIV>
><DIV>"rick"=3D3D3D3D20
> > > =3D3D3D3D
> > =3D
=
>>=3D3D3D3D3D
><<A=3D3D3D3D3D3D20
>href=3D3D3D3D3D3D3D"<A=3D3D3D3D3D20

>=
&n=3D3D3D3D
> > >bsp;=3D3D3D3D20
> > > =3D3D3D3D
> > =3D3D3D
> =3D
=
>>=3D3D3D3D3D
>href=3D3D3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@=
hotma=3D
>il.c=3D3D3D3D=3D3D
> >
> > =3D
=
>>om</A'>mailto:pa=3D3D3D3D3D
>rnell68@hotmail.com">parnell68@hotmail=3D3=
D3D
> > >l.com</A>=3D3D3D3D3D20
> =3D3D3D3D20
> > > =3D3D3D3D3D3D3D
>wrote in=3D3D3D3D3D3D20
>message=3D3D3D3D20
> > > <A=3D3D3D3D3D3D20
>href=3D3D3D3D3D3D3D"<A =3D3D3D3D3D3D
>
> =
=3D3D3D3D20
> > > =3D3D3D3D
> > =3D3D3D
> =3D
=
>>=3D3D3D3D3D
>href=3D3D3D3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@=
4ax.c=3D
>om">=3D3D3D3D=3D3D
> >
> > =3D3D3D
> =3D
=
>>>news:inqgh393an5=3D3D3D3D3D
>'>news:inqgh393an5s4m99qcaojn09vn112t4u6=
r@4=3D
>=3D3D3D3D=3D3D
> >
> > =

>ax.com">news:inqgh393an5</A=3D3D3D3D
>>=3D3D3D3D3D
>s4m99q=3D3D3D
> > =
>caojn09vn112t4u6r@4ax.com...</DIV>
&=3D3D3D3D
&=3D3D3D
> > =3D3D
> =3D
=
>>>gt;gt;gt;<BLOCKQUOTE=3D3D3D3D3D20
>style=3D3D3D3D3D3D"PADDING-RIGHT:=3
D=
3D3D3D=3D
>20=3D3D3D
> > >
> =3D3D3D20
> > > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D3D
> > >=3D3D3D3D3D
>BORDER-LEFT:=3D3D3D20
> > > =3D3D3D3D3D
>#000000 2px=3D3D3D3D20
> solid; =3D
>MARGIN-RIGHT:=3D3D3D20
> > > 0px">i=3D3D3D3D3D20
> know this as dumb as =3D3D3D
> > >=3D3D3D3D
>it=3D3D3D20
> > > gets=3D3D3D3D20
> but the bnc is attached in =3D3D3D
> > >the=3D3D3D3D3D20
>=3D3D3D20
> > > =3D3D3D3D20
> right
order...right?
all the =3D3D3D
> > >cards show up=3D3D3D20
> > > in paris =3D3D3D3D
>with the=3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D3D3D
>single=3D3D3D3D3D20
> mec?
how =3D3D3D
> > >many i/o=3D3D3D20
> > > cards =3D3D3D3D
>in each=3D3D3D3D20
> =3D3D3D
> > >mec?

On=3D3D3D20
> > > Fri, 19 Oct=3D3D3D3D20
> =3D3D3D20
> > > 2007
=3D3D3D3D3D
>
> 00:22:39 -0400, =3D3D3D
> > >"Tom=3D3D3D20
> > > Bruhl"=3D3D3D3D20
> <<A=3D3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D3D3D
>href=3D3D3D3D3D3D"<A=3D3D3D3D20
> =
=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>=3D3D3D3D
>href=3D3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comc=
ast.n=3D
>et&l=3D3D3D=3D3D
> >
> > =
>t;/A>>
wrote'>ma=3D3D3D3D
>ilto:arpegio@comcast.net">=3D3D3D
> > =
>;arpegio@comcast.net>
w=3D3D3D3D
>rote:=3D3D3D3D=3D3D3D
> > >3D
>

>l=3D3D3D3D3D20
>=3D3D3D20
> > > =3D3D3D3D20
> thought I was groovin' but once the second =
=3D
>Mec=3D3D3D20

> > > was=3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D
> > >=3D3D3D3D3D
>introduced
>the=3D3D3D3D3D20
> =3D3D3D
> > > system=3D3D3D20
> > > =3D3D3D3D
>stopped. That was=3D3D3D3D20
> a few =
weeks=3D3D3D20
> > > ago.
>
>Today I=3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D3D3D
>tried=3D3D3D3D3D20
> different cables, =
=3D3D3D
> > >eds cards,=3D3D3D20
> > > mecs, =3D3D3D3D
>eliminated=3D3D3D3D20
> the =
magma=3D3D3D20
> > > =3D3D3D3D3D
>and
>still =3D3D3D
> > >no=3D3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D3D
>clock lock or=3D3D3D3D20
> modules showing =
up in =3D
>the=3D3D3D20
> > > paris=3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D
> > =
>=3D3D3D3D
>=3D3D3D3D3D
>patchbay.
>
>This=3D3D3D3D=3D3D3D
> > >3D20
> =3D3D3D20
> > > =3D3D3D3D
>means to=3D3D3D3D20
> me software unless =
someone =3D
>=3D3D3D
> > >tells=3D3D3D20
> > > me=3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D
> > =
>=3D3D3D3D
>=3D3D3D3D3D
>differently.
>
>I=3D3D3D3D=3D3D3D
> > >3D20
> =3D3D3D20
> > > =3D3D3D3D
>have a new=3D3D3D3D20
> C drive which I =
will load
=3D
>XP =3D3D3D
> > >and no pace.=3D3D3D20
> > > Any other=3D3D3D3D3D20
> =3D3D3D3D
>
> =3D3D3D20
> > >
>suggestions?
>
>More frustrated=3D3D3D20
> > > =3D3D3D3D
>than=3D3D3D3D20
> my=3D3D3D3D3D20
> =
=3D3D3D
> > >=3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D
> > >=3D3D3D3D
>clients,
>Tom
>
>
=3D3D3D
> > >;
=3D3D3D3D
>>
>I=3D3D3D3D20
> =3D3D3D20
> > > choose =3D3D3D3D3D
>Polesoft=3D3D3D3D3D20
> Lockspam =
=3D3D3D
> > >to fight=3D3D3D20
> > > spam,=3D3D3D3D20
> and=3D3D3D3D3D20
> =3D3D3D20

```

> > > =3D3D3D
> > =3D
=
>>=3D3D3D3D<BR>>you?<BR>>http://www.polesoft.com/refer.html=3D3D3D3D20<BR=
>&=3D3D=3D
>3D
> > >gt; =3D3D3D20
> > > =3D3D3D
> > >=3D3D3D3D<BR>>=3D3D3D3D3D20<BR>><BR></BLOCKQUOTE></BODY >=3D3D3D
> > >;</HTML><BR>&=3D3D3D3D<BR>>gt;<BR>><BR></B=3D3D3D
> > >LOCKQUOTE></BODY></HTML><BR>><BR>><BR></BLOCKQUOTE><=3D3D3D
> > >/BODY></HTML>
> > >
> > >
> >
> >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> ><HTML><HEAD>
> ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =
=3D3D
> > charset=3D3D3Diso-8859-1">
> ><META content=3D3D3D"MSHTML 6.00.2800.1400" name=3D3D3DGENERATOR>
> ><STYLE></STYLE>
> ></HEAD>
> ><BODY bgColor=3D3D3D#ffffff>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Mike,</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>I used to use a Lucid but =
since
=3D
>all of
> =3D3D
> >this mess I=3D3D20
> >stopped.</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>I'm trying to get stable =
from =3D
>square =3D3D
> >one with the=3D3D20
> >least amount </FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>of hardware. I am using =
the =3D3D
> >default project=3D3D20
> >for sure. The only </FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>other thing that I still =
=3D
>question is my
> =3D3D
> >move of=3D3D20
> >Paris to C:ParisPro .</FONT></DIV>

```

> ><DIV>I should think the =
 default =3D
 >project will
 > =3D3D
 > >either work=3D3D20
 > >or not. Maybe</DIV>
 > ><DIV>configs or something else =
 is =3D3D
 > >fighting during=3D3D20
 > >Paris startup?</DIV>
 > ><DIV> </DIV>
 > ><DIV>Pats 42 - Miami 7 . . . =
 Halftime
 =3D
 >and =3D3D
 > >the games=3D3D20
 > >over.</DIV>
 > ><DIV>Tom</DIV>
 > ><DIV> </DIV>
 > ><DIV> </DIV>
 > ><DIV> </DIV>
 > ><BLOCKQUOTE=3D3D20
 > >style=3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
 5px; =3D
 >=3D3D
 > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 > > <DIV>"Mike Audet" <mike@....> wrote in message <A=3D3D20
 > > =3D3D
 > =3D
 =
 >>href=3D3D3D"news:471b6eb0\$1@linux">news:471b6eb0\$1@linux...</DIV><B=
 R>H=3D
 >i=3D3D20
 > > Tom,

Are you using a default project with PARIS? I'm so =
 =3D3D
 > >sorry of=3D3D20
 > > this has been
asked and answered already. If so, perhaps it =
 =3D3D
 > >is=3D3D20
 > > telling card zero to lock
to an external clock, which it =
 can't =3D
 >=3D3D
 > >because=3D3D20
 > > there isn't one.

It would be interesting to attach an =3D
 >external
 > =3D3D
 > >clock=3D3D20
 > > source to the MEC and
then start PARIS to see how it behaves. =

=3D
 >=3D3D
 > >Or, if=3D3D20
 > > the clock generator is fried,
tell paris to lock externally =
 and
 =3D
 >see
 > =3D3D
 > >what=3D3D20
 > > happens when an external clock
source is applied.

Isn't =
 =3D
 >there
 > =3D3D
 > >a=3D3D20
 > > master house synch switch in the cfg file? I've never =3D3D
 > >used
it. =3D3D20
 > > Maybe DJ could help with what that should/shouldn't be set =3D3D
 > >to.

Wish I=3D3D20
 > > could do more than think out loud...

Mike

"Tom =
 Bruhl"
 =3D
 >=3D3D
 > ><<A=3D3D20
 > > =
 href=3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net=3D3D20
 > > wrote:
>
>
>Hi Mike,
>Well I've been to .cfg =3D3D
 > >many a=3D3D20
 > > time.
>I've seen that Mastercard setting as being 0
>but =
 =3D3D
 > >maybe it=3D3D20
 > > changed after removing the 4 other
>eds cards for this round =
 =3D
 >of=3D3D20
 > > testing.
>
>If it's still 0 what else could this be? =
 =3D3D
 > >Busted=3D3D20
 > > mobo?
>I'm really in an idunno place right now. I'll =
 be=3D3D20
 > > checking
>seriously today again because of a session =3D
 >tomorrow=3D3D20
 > > morning.
>Tom
>
>
> "Mike Audet"=3D3D20
 > > <mike@....> wrote in message <A=3D3D20
 > > =3D3D
 > =3D
 =
 >>href=3D3D3D"news:471b2ec2\$1@linux">news:471b2ec2\$1@linux...
>
=
 >&g=3D
 >=3D3D

> >t; =3D3D20
> > Hi Tom,
>
> If you've only got one card in, then the =
=3D3D
> >
> > Mastercard =3D3D3D3D 0 setting is =3D3D3D
>right.
> =
=3D3D
> >The file is=3D3D20
> > Paris.cfg, and it lives in the c:\program=3D3D20
> > files\Emu\PARIS
=3D3D3D
>PRO
> =3D3D
> >folder.
>
> =3D3D20
> > I'd still check it out to see what it is set to.
>
> =
=3D3D
> >If it=3D3D20
> > is wrong, what you are describing will happen.
>
> =3D3D
> >Good=3D3D20
> > luck!
>
> Mike
>
> "Tom Bruhl" =3D3D
> ><<A=3D3D20
> > =
href=3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net=3D3D20
> > wrote:
> >
> >
> >Thanks=3D3D20
> > Dimitrios.
> >
> >Mike said the same=3D3D20
> > thing. Is the ini in the Paris folde or system=3D3D20
> > =3D3D3D
>32?
> >Do I want the Master card to be 0=3D3D20
> > absolutely? I only have one card
> >in there =3D3D
> >right now=3D3D20
> > and it's all freaky just the same.
> >Tom
> =3D3D
> >
> > >
> >
> >
> > =3D3D20
> > "Dimitrios" <<A =3D3D
> > =
>href=3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr=3D3D20
> > wrote in message =3D3D3D3D
> =3D3D
> >>news:471a0486\$1@linux...
> =3D3D20
> > >
> > Hi Tom !@
> > Sorry =3D3D
> >to hear=3D3D20
> > you still having problems like this ~!!
> > Must =3D3D
> >be very=3D3D20
> > frustrating.
> > Open the Paris ini file and =3D3D
> >there change=3D3D20
> > the mastercardoutput with
=3D3D3D
>=3D3D3D3D
> =
>your=3D3D20
> > other
> > cards and see what happens =3D3D
> >!!
> =3D3D20
> > > Let me know.
> > =3D3D
> >Regards,
> =3D3D20
> > > Dimitrios
> >
> > "Tom =3D3D
> >Bruhl"=3D3D20
> > <<A =

> > cards in each mec?
> > >
> =3D3D
> >> =3D3D20
> > >
> > > On Fri, 19 Oct 2007 00:22:39 =3D3D
> > -0400,=3D3D20
> > "Tom Bruhl" =3D3D3D3D
> ><<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=
=3D3D=3D
>
> >bsp;=3D3D20
> > > > wrote:
> > =3D3D
> >>
> =3D3D20
> > > > >I thought I was groovin' but once the second =3D3D
> >Mec was=3D3D20
> > introduced
> > > >the system =3D3D
> >stopped. =3D3D20
> > That was a few weeks ago.
> > > =3D3D20
> > >
> > > >Today I tried different =3D3D
> >cables,=3D3D20
> > eds cards, mecs, eliminated the
=3D3D3D
>=3D3D3D3D
> =
=3D3D20
> > >magma
> > =3D3D3D3D3D3D
> > =3D3D20
> > >and
> > > >still no clock lock or =3D3D
> >modules=3D3D20
> > showing up in the paris =3D3D3D
>patchbay.
> > =3D3D
> >> =3D3D20
> > >
> > > >This means to me software =3D3D
> >unless=3D3D20
> > someone tells me differently.
> > > =3D3D20
> > >
> > > >I have a new C drive =3D3D
> >which I will=3D3D20
> > load XP and no pace. Any =3D3D3D3D3D
> =3D3D20
> > >other=3D3D3D3D3D20
> > > =3D3D20
> > >suggestions?
> > > =3D3D
> >>
> =3D3D20
> > > > >More frustrated than my =3D3D
> >clients,
> =3D3D20
> > > > >Tom
> > > =3D3D20
> > >
> > > >
> > =3D3D
> >
> > > >
> > > >
> =3D3D
> >
> > > > >I choose Polesoft Lockspam to fight spam, =3D3D
> >and=3D3D20
> > you?
> > > =3D3D20
> > >http://www.polesoft.com/refer.html =3D3D3D3D3D20
> =3D3D

```
> >> =3D3D20
> > ><BR>> > ><BR>> > =3D3D
> >><!DOCTYPE=3D3D20
> > HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN"><BR>> =
=3D3D20
> > > ><HTML><HEAD><BR>> > =3D3D
> >><META=3D3D20
> > http-equiv=3D3D3D3D3D3DContent-Type =3D
> content=3D3D3D3D3D3D"text/html";=3D3D20
> > =3D3D3D<BR>>=3D3D3D3D3D<BR>> > =3D3D20
> > > charset=3D3D3D3D3D3Diso-8859-1"><BR>> > =3D3D
> >><META=3D3D20
> > content=3D3D3D3D3D3D"MSHTML 6.00.2800.1400" =3D3D
> > name=3D3D3D3D3D3DGENERATOR><BR>> =3D3D20
> > > ><STYLE></STYLE><BR>> > =3D3D20
> > ></HEAD><BR>> > ><BODY=3D3D20
> > bgColor=3D3D3D3D3D3D#ffffff><BR>> > =3D3D
> >><DIV><FONT=3D3D20
```

-----=_NextPart_000_0024_01C8145F.3BDB1000

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html"; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Mike,</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>I have a new computer with paris =
installed on it=20
already.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>I will take it back from my tech =
tomorrow and try=20
it.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>If I have 5 bad EDS cards then I'm =
outta=20
here.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>They worked last week.&nbsp;&nbsp;&nbsp;I =
had&nbsp;&nbsp;&nbsp;one=20
and maybe three&nbsp;&nbsp;&nbsp;burn't mecs.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Even then Paris worked with all 5 cards =
and one=20
Mec.</FONT></DIV>
```

<DIV> </DIV>
<DIV>There is no rhyme or reason here. =
What is=20
causing the hardware to go?</DIV>
<DIV>I'm still not totally convinced it is =
gone. =20
Tomorrow will tell.</DIV>
<DIV> </DIV>
<DIV>Thanks for chiming in at such =
a late=20
hour. This is my twice/week event</DIV>
<DIV>with Paris.</DIV>
<DIV>Tom</DIV>
<DIV> </DIV>
<DIV> </DIV>
<DIV> </DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Mike Audet" <mike@...> wrote in message <A=20
=
href=3D"news:471c5655\$1 @linux">news:471c5655\$1 @linux...</DIV>
Hi=20
Tom,

Yikes! Well, removing the house synch line from the =
cfg file=20
and removing
the default project would not affect whether Windows =
boots or=20
not. Both
are not looked at by anything until the PARIS =
application=20
loads.

This is sounding more like either dammaged EDS card(s) =
or a bad=20
motherboard.

I'm not sure this will make you feel any better, =
but we=20
had basically the
same experience at work with am EMU 1820M. =
The=20
external breakout box died,
and Adobe Audition became =
useless. It was=20
the same kind of nightmare. Two
employees stayed up all night =
trying to=20
sort it out to get a tape out to
a TV station the next =
day.

I=20
wouldn't give up on PARIS over this. Hardware failures happen no =

matter
what platform you use - even tape - and they can be hell to =
sort=20
out.

I'd ask your tech to lend you a PC, and just try =
installing=20
a simple PARIS
system in there. If it works, just get a new =
PC. =20

this mess I=20
stopped.
> >I'm trying to get stable from square one =
with the=20
least amount=3D3D20
> >of hardware. I am using =
the default=20
project for sure. The only=3D3D20
> >other thing =
that I=20
still question is my move of Paris to C:ParisPro .
> >I =
should=20
think the default project will either work or not. =
Maybe
> =20
>configs or something else is fighting during Paris =
startup?
> =20
>
> >Pats 42 - Miami 7 . . . Halftime and the games=20
over.
> >Tom
> >
> =20
>
> >
> > "Mike Audet"=20
<mike@....> wrote in message <A=20
=
href=3D"news:471b6eb0\$1 @linux">news:471b6eb0\$1 @linux...
> =20
=20
>
> > Hi Tom,
> >
> =

> Are you using a default project with PARIS? I'm so =
sorry of=20
this =3D
>has
> =3D3D
> =
>been
> =20
> asked and answered already. If so, perhaps it is =
telling card=20
zero
=3D
>to
> =3D3D
> =
>lock
> =20
> to an external clock, which it can't because there isn't=20
one.
> >
> > It would be =
interesting to=20
attach an external clock source to the =3D
>MEC
> =20
=3D3D
> >and
> > then start PARIS =
to see how=20
it behaves. Or, if the clock =
generator
=3D
>is
> =20
=3D3D
> >fried,
> > tell paris to =
lock=20
externally and see what happens when an =
external
=3D
>=3D3D
> =20
>clock
> > source is applied.
> =20
>
> > Isn't there a master house synch switch =
in the=20
cfg file? I've =3D
>never =3D3D
> =
>used
> =20
> it. Maybe DJ could help with what that =

> =20
> Mike
> > > >
> > =

> "Tom Bruhl" <<A=20
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=20
wrote:
> > > >
> =

> =20
> >
> > > > >Thanks=20
Dimitrios.
> > > >
> =

> =20
> > Mike said the same thing. Is the ini in the Paris =
folde=20
or =3D
>system
> =3D3D
> =
>=3D3D3D
> =20
> >32?
> > > > >Do I want =
the=20
Master card to be 0 absolutely? I only have=20
one
=3D
>=3D3D
> >card
> =
> > =20
> in there right now and it's all freaky just the =
same.
> =20
> > > Tom
> > > =20
>
> > > >
> > =

> >
> > > > =
"Dimitrios"=20
<musurgio@otenet.gr> =
wrote in=20
message =3D3D3D3D
> > > =20
>news:471a0486\$1@linux...
> > > =20
>
> > > > Hi Tom =
!@
> =20
> > > Sorry to hear you still having =
problems like=20
this ~!!
> > > > Must be very=20
frustrating.
> > > > Open the =
Paris ini=20
file and there change the =
mastercardoutput
=3D
>=3D3D
> =20
>with
> > =3D3D3D
> > =20
>=3D3D3D3D
> > > >your =
other
> =20
> > > cards and see what happens =
!!
> =20
> > > Let me know.
> > =

> > > Regards,
> > > =
> =20

> =20
> >
> > > > > =20
>
> > > > > >
> =

> > > > "rick" <<A=20
href=3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com> =
wrote in=20
message =3D3D3D3D3D
> > > > =20
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =20
> > > > > i know this as dumb as it =
gets but=20
the bnc is attached in
=3D
>the
> =
=3D3D
> =20
>=3D3D3D
> > > >right
> =
> =20
> > > > order...right?
> =
> =20
> > > > all the cards show up in paris with =
the=20
single mec?
> > > > > > =
how many=20
i/o cards in each mec?
> > > > =20
>
> > > > >
> =

> > > > > On Fri, 19 Oct 2007 =
00:22:39=20
-0400, "Tom Bruhl" =3D3D3D3D
> > > =
><<A=20
=
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>
>&n=
bsp;=20
> > > > > wrote:
> =
> =20
> > >
> > > =
> =20
> > I thought I was groovin' but once the second Mec was=20
=3D3D
> > introduced
> > > =

> > > the system stopped. That was a few =
weeks=20
ago.
> > > > > =20
>
> > > > > =
>Today I=20
tried different cables, eds cards, mecs, =
=3D
>eliminated
> =20
=3D3D
> > the
> > =
=3D3D3D
> =20
> >=3D3D3D3D
> > > > =20

> charset="iso-8859-1" >
 > > =
> > < META content="MSHTML 6.00.2800.1400" =20
=
 > > name="GENERATOR" >
 > =
> > > < /STYLE > < /STYLE >
 > =
> > > < /HEAD >
 > > =
> > < BODY bgcolor="#ffffff" >
 > =
> > > < DIV > < FONT face="Arial" =20
=
=
 > size="2" > Rick, < /FONT > < /DIV >
 > =
> > > > < DIV > < FONT =
face="Arial" =20
size="2" > 1 mec, no =
 > BNC =
 > =
> involved. =20
=
 > > > Paris =
 > =
> > > =
 > > > =
> > > boots up so the =
 > > > =
> > > 1 mec that < /FONT > < /DIV >
 > > =
> > < DIV > < FONT face="Arial" =20
size="2" > I'm using =
 > shows up
 > =20
=
 > > but =
 > > > =

any
 > > > =
 > =
> > > A to =
 > > > =
> > > Ds or any =
 > > > =
> > > installed modules. < /FONT > < /DIV >
 > =
> > > > < DIV > < FONT face="Arial" =20
size="2" > This is the =
 > =
 > =
=
 > =20
> > > symptom
 > > > =
 > > =20
> > > before
 > > > =
 > =

> > > I =
 > > =
> > > repaired one of =
 > > =

> =20
> >my mecs with a</DIV>
> =20
> > > > ></DIV></FONT =
face=3D3D3D3D3D3DArial=20
size=3D3D3D3D3D2>new chip. =3D
>The =3D3D
> =
>clock=20
light
> > =3D3D3D
> > =20
>=3D3D3D3D3D
> > > > =
>continues to=20
flash=3D3D3D3D3D20
> > > > =
>too. Never=20
locks in.</DIV>
> > > =

> ></DIV></FONT face=3D3D3D3D3D3DArial=20
size=3D3D3D3D3D2> =
=3D
></DIV>
> =20
> > > ></DIV></FONT =
face=3D3D3D3D3D3DArial=20
size=3D3D3D3D3D2>I am using
=3D
>the =3D3D
> =
>simplest=20
=3D3D3D
> > >setup I
> > =
> =20
=3D3D3D3D
> > > >can =
=3D3D3D3D3D
> =20
> > > >imagine =
and=3D3D3D3D3D20
> =20
> > > >still it's not=20
working.</DIV>
> > > =20
> ></DIV></FONT face=3D3D3D3D3D3DArial=20
size=3D3D3D3D3D2>Mike A. =3D
>suggested
> =
=3D3D
> =20
>the =3D3D3D
> > >.ini file
> =
> =20
> =3D3D3D3D
> > > =20
>=3D3D3D3D3D
> > > >to =
make=20
sure=3D3D3D3D3D20
> > > > =
>card A is=20
0. I'll try that.</DIV>
> > =
> =20
> ></DIV></FONT face=3D3D3D3D3D3DArial=20
size=3D3D3D3D3D2>Pretty sure
=3D
>it's =
=3D3D
> >right=20
=3D3D3D
> > >but who =3D3D3D3D
> =
> =20
> >=3D3D3D3D3D
> > > =
> =20
> >knows?</DIV>
> > =

> =20
>qgh=3D3D3D
> > > >393=3D3D3D3D
> =
> =20
> >an5=3D3D3D3D3D
> > > > =
> =20
=
>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> =
;=20
> > > > =
><BLOCKQUOTE=3D3D3D3D3D20
> =20
> > > > >style=3D3D3D3D3D3D"Padding-Right: =
0px;=20
padding-left: 5px; =3D3D
> >Margin-left: =
=3D3D3D
> =20
> >5px; =3D3D3D3D
> > > > =20
>=3D3D3D3D3D
> > > > > =
>BORDER-left:=20
#000000 2px solid; Margin-right: =
=3D
>0px">i=3D3D3D3D3D20
> =20
> > > > > know this as dumb as it =
gets but=20
the bnc is attached in =3D
>=3D3D3D
> > =20
>the=3D3D3D3D3D20
> > > > > =
> =20
right
order...right?
all the cards show up in=20
paris
=3D
>=3D3D
> >with =3D3D3D
> > =
> =20
>the
> > > > =3D3D3D3D
> > =
> =20
> >=3D3D3D3D3D
> > > > =
> =20
>single=3D3D3D3D3D20
> > > > > =
> =20
> mec?
how many i/o cards in each=20
mec?

On =
Fri,
=3D
>19
> =20
=3D3D
> >=3D3D3D
> > > >Oct=20
=3D3D3D3D
> > > > > >2007
> =
> =20
> > > =3D3D3D3D3D
> > > > =
> =20
>
> > > > > > > =
00:22:39 -0400,=20
"Tom Bruhl" <<A=3D3D3D3D3D20
> > > > =
> > > =3D3D3D3D3D
> > > > =
> =20
=3D3D3D3D
> > > > =3D3D3D
> > =

=3D
>my=3D3D3D3D3D20
> > > =
> =20
> =20
=
clients,
>Tom
& >
>
>&
=
>>
>l=20
choose =3D
>=3D3D3D3D3D
> > > =
> =20
>Polesoft=3D3D3D3D3D20
> > > =
> =20
> Lockspam to fight spam, and=3D3D3D3D3D20
> =
> =20
> > > =20
you?
>http://www.polesoft.com/refer.html =
=3D3D3D3D3D20
> =20
> > > =20
=
>
</BLOCKQUOTE>< /BODY></HTML>
> =
=20
> > > >
> > =
> =20
> >
> > > >
> =

> > >
> > > =20
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=20
Transitional//EN">
> > > =20
><HTML><HEAD>
> > > =
><META=20
http-equiv=3D3D3D3D3DContent-Type =
=3D
>content=3D3D3D3D3D"text/html";=20
=3D3D
> >=3D3D3D3D
> > > =20
>charset=3D3D3D3D3Diso-8859-1">
> > =
> =20
><META content=3D3D3D3D3D"MSHTML 6.00.2800.1400"=20
=3D
>name=3D3D3D3D3DGENERATOR>
> > =
> =20
><STYLE></STYLE>
> > > =20
></HEAD>
> > > ><BODY=20
bgColor=3D3D3D3D3D#ffffff>
> > > =20
><DIV><FONT face=3D3D3D3D3DArial =
size=3D3D3D3D3D2>Thanks=20
=3D3D
> =
>Dimitrios.</DIV>
> =20
> > ><DIV><FONT face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2> </DIV>
> =
> =20
> ><DIV><FONT face=3D3D3D3D3DArial =
size=3D3D3D3D3D2>Mike=20

said the same
=3D
>thing.
> =3D3D
> =
> ls=20
=3D3D3D
> > > >the =3D3D3D3D
> =
> =20
> >ini in the=3D3D3D3D20
> > =
> =20
>Paris folde or system 32?</DIV>
> =20
> > ><DIV><FONT face=3D3D3D3DArial=20
size=3D3D3D3D2>Do I want the =3D
>Master card
> =

=3D3D
> >to be
> > =
=3D3D3D
> =20
> >0=3D3D3D3D20
> > > =20
>absolutely? I only have one=20
card</DIV>
> > > =20
><DIV>in =
there right=20
now
=3D
>and =3D3D
> >it's all
> =
> =20
=3D3D3D
> > >freaky
> > =
> =20
=3D3D3D3D
> > > >just=20
the=3D3D3D3D20
> > > =20
>same.</DIV>
> > > =

><DIV><FONT face=3D3D3D3DArial=20
size=3D3D3D3D2>Tom</DIV >
> =
> =20
> ><DIV><FONT face=3D3D3D3DArial=20
size=3D3D3D3D2> </DIV>
> =
> =20
> ><DIV><FONT face=3D3D3D3DArial=20
size=3D3D3D3D2> </DIV>
> =
> =20
> ><DIV><FONT face=3D3D3D3DArial=20
size=3D3D3D3D2> </DIV>
> =
> =20
> ><BLOCKQUOTE=3D3D3D3D20
> > =
> =20
>style=3D3D3D3D"padding-right: 0px; padding-left: 5px;=20
=3D
>MARGIN-LEFT: =3D3D
> >5px; =
=3D3D3D
> =20
> >=3D3D3D3D
> > > =
>BORDER-LEFT: =20
#000000 2px solid; MARGIN-RIGHT: 0px">
> > =
> =20
> <DIV>"Dimitrios" <<A=3D3D3D3D20
> =
> =20

> > =3D
>href=3D3D3D3D3D" <A=20
=
href=3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A'>mailto:musurgio=
@otenet.gr">musurgio@otenet.gr</A>>=20
=3D3D
> >wrote
> > =
=3D3D3D
> =20
> >in =3D3D3D3D
> > > =20
>message=3D3D3D3D20
> > > > =
<A=20
=3D3D3D3D
> > > =3D3D3D
> =
> =20
=3D3D
> =3D
>>>href=3D3D3D3D3D" <A=20
=
href=3D'news:471a0486\$1 @linux">news:471a0486\$1 @linux...</DIV'>news:47=
1a0486\$1 @linux">news:471a0486\$1 @linux...</DIV=3D
&=
>><B=3D3D
> =20
>R>H=3D3D3D
> > >i
> =
> =20
> =3D3D3D3D
> > > =20
>Tom=3D3D3D3D20
> > > > <A=20
href=3D"mailto:!!@
Sorry">!!@
Sorry to hear you still =
having=20
problems like this =3D3D
> =
>~!!
Must
> =20
> =3D3D3D
> > >be
> =
> =20
> =3D3D3D3D
> > > =20
>very=3D3D3D3D20
> > > > =20
frustrating.
Open the Paris ini file and there change=20
the
=3D
>=3D3D
> >=3D3D3D3D
> =
> =20
> >mastercardoutput=3D3D3D3D20
> > =
> =20
> with your other
cards and see what happens =
!!
Let=20
=3D3D
> >me=3D3D3D3D20
> > =
> =20
> =
know.
Regards,
Dimitrios&a mp;lt;BR>
 "Tom=20
Bruhl" =3D
><<A=3D3D3D3D20
> > =
> =20
> =3D3D
> =3D
>>href=3D3D3D3D3D" <A=20
=
href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net=>=3D3D3D3D'>mai=
lto:arpeggio@comcast.net">arpeggio@comcast.net>=3D3D3D3D=
=3D
>D20
> =20
> > > =20
wrote:
>
>&a mp;lt;BR>>Rick,
>1 =

=3D3D
> =3D
>>>href=3D3D3D3D3D" <A=20
=
href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto:pa=
rnell68@hotmail.com">parnell68@hotmail.com>>
=3D
=
>=3D3D
> =20
>=3D3D3D
> > >=3D3D3D3D
> =
> =20
> >wrote=3D3D3D3D20
> > > =
> =20
in message=3D3D3D3D20
> > > > =20
=3D3D3D3D
> > > =3D3D3D
> =
> =20
=3D3D
> =20
=
=3D
 >>>=3D3D3D3D3D
 ;>news:inqgh393an5s4m99qcao=
jn09vn112t4u6r@4ax.com...
>&=3D
>nbs=3D3D
>&n=
bsp;=20
>=3D3D3D3D=3D3D3D
> > >
> =
> =20
> >p; i=3D3D3D3D20
> > > =
> =20
know this as dumb as it gets but the bnc is attached in =
=3D3D
> =20
>the=3D3D3D3D20
> > > > =20
right
> order...right?
> all the =
cards=20
show up =3D
>=3D3D3D3D
> > > =20
>in=3D3D3D3D20
> > > > =20
with the=20
single mec?
> how many i/o cards in =
=3D3D
> =20
>each=3D3D3D3D20
> > > > =20
mec?
>
>& ;lt;BR>> On Fri, 19 Oct =
2007=20
00:22:39 -0400, =3D
>=3D3D3D3D
> > =
> =20
>"Tom=3D3D3D3D20
> > > > =
Bruhl"=20
<<A=3D3D3D3D20
> > > > =20
=3D3D3D3D
> > > =3D3D3D
> =
> =20
=3D3D
> =3D
>>>href=3D3D3D3D3D" <A=20
=
href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net><BR'>mailto:a=
rpeggio@comcast.net">arpeggio@comcast.net><BR>=3D=

>>&n=3D3D
> =20
>=3D3D3D3D=3D3D3D
> > >
> =
> =20

> >I choose Polesoft Lockspam to fight spam, and=20
you?
> =3D
>=3D3D3D3D20
> > > =
> =20
> >http://www.polesoft.com/refer.html =
=3D3D3D3D20
> =20
> > > > =20
=3D3D3D3D3D20
>
&am p;gt;
><!DOCTYPE =
HTML PUBLIC=20
"-//W3C//DTD
=3D
>=3D3D3D3D
> > > =
> >HTML=20
4.0=3D3D3D3D20
> > > > > =20
=
Transitional//EN" >
><HTML>&l t;HEAD>
>=
<META=3D3D3D3D20
> =20
> > > http-equiv=3D3D3D3D3D3DContent-Type=20
=3D3D
> =
>content=3D3D3D3D3D3D"text/html;=3D3D3D3D20
> =20
> > > =20
=
=3D3D3D3D3D
>charset=3D3D3D3D3D3Diso -8859-1 ">
>=
<META=20
=3D
>=3D3D3D3D
> > > =20
>content=3D3D3D3D3D3D"MSHTML=3D3D3D3D20
> > > =
> =20
> 6.00.2800.1400"=3D3D3D3D20
> > > =
> =20
> =3D3D3D3D
> > > =20
=
>name=3D3D3D3D3D3DGENERATOR>
 ><STYLE></STYLE>=

></HEA=3D3D3D3D
> =20
> > =
>D>
><BODY=3D3D 3D3D20
> =20
> > > =20
bgColor=3D3D3D3D3D3D#ffffff>
> <DIV><FONT=20
=3D3D
> =
>face=3D3D3D3D3D3DArial=3D3D3D3D20
> > =20
> > =3D3D3D3D
> > > =20
=
>size=3D3D3D3D3D3D2>Rick, </DIV>
><=
<DIV><FONT=3D3D3D3D20
> =20
> > > face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D3D2>1=20
mec, no BNC involved.
=3D
>Paris
> =
=3D3D
> =20
>=3D3D3D3D
> > > =20
>=3D3D3D3D3D
>boots up so=3D3D3D3D20
> =
> =20

> =20
> > </DIV>
><DIV&am p;gt;=20
</DIV>
><DIV&am p;gt;=3D3D3D20
> =
> =20
> > </DIV>
><DIV&am p;gt; "rick"=20
=3D3D3D3D
> > > =20
=
><<A=3D3D3D3D20
&am p;gt;href=3D3D3D3D3D "A=3D3D3D3D2=0
> =20
> > > =3D3D3D3D
> > =
> =20
=3D3D3D
> > =3D3D
> =20
=
=3D
>>>href=3D3D3D3D'mailto:parnell68@hotmail.com">p=arnell68@hotmail.com</A'>=3D
>>mai=3D3D
> =20
><=3D3D3D
> > > :pa=3D3D3D3D
> =
> =20
> =20
=
>rnell68@hotmail.com">parnell68@hotmail.com</A>>=
=3D3D3D3D20
> =20
> > > =3D3D3D3D
>wrote=20
in=3D3D3D3D20
>message =3D3D
> =20
=
><A=3D3D3D3D20
>href =3D3D3D3D3D "A
> =
=20
> =3D3D3D
> > =
>=3D3D3D3D
> > =20
> >
> > > > =20
=3D3D3D3D
> > > =3D3D3D
> =
> =20
=3D3D
> =20
=
=3D
 >>>href=3D3D3D3D'news:inqgh39 3an5s4m99qcaojn09vn112=t4u6r@4ax.com">news:in=3D
>>qgh=3D3D
> =20
>>393=3D3D3D
> > > an5=3D3D3D3D
> =
> =20
> =3D3D3D
> > =3D3D
> =20
=
=3D
>>>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.c=om">news:inqgh393an5</A=3D
>>=3D3D3D=3D3D
> =20
>>3D=3D3D3D
> > >
> > =
> =20
=3D3D
> =20
=
=3D
 >>>=3D3D3D3D
 >>s4m99qcaojn09vn112t4u6r@4=ax.com...</DIV><BR&am p;gt;&am p;=3D3D3D3D=3D
>
>= =20

> > =20
=
=3D
 >>g;<BLOCKQUOTE=3D3D3D3D20
>style=3D3D3D3D=3D3D" PADDING-RIGHT:=3D3D3D3D20
> =20
> > > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =5px;=20
=3D3D
> >=3D3D3D3D
>BORDER-LEFT: =3D3D3D
> =20
> >=3D3D3D3D
> > > =>#000000=20
2px=3D3D3D3D20
> > > > solid;=20
MARGIN-RIGHT: 0px">i=3D3D3D3D20
> know this as=20
=3D
>dumb as
> =3D3D
> =>=3D3D3D3D
> =20
> > >it gets=3D3D3D3D20
> > => =20
> but the bnc is attached in the=3D3D3D3D20
>=20
=3D3D3D3D20
> > > > =20
right
order...right?
all the cards show up in paris=20
=3D
>=3D3D3D3D
> > > > >with=20
the=3D3D3D3D20
> > > > =20
=3D3D3D3D
>single=3D3D3D3D20& amp ;lt;BR>> =mec?
how=20
many i/o =3D
>cards =3D3D
> =>=3D3D3D3D
> > =20
> >in each=3D3D3D3D20
> > > => =20
mec?

On Fri, 19 =
Oct=3D3D3D3D20
> =20
> > > =20
2007
=3D3D3D3D
> & amp ;lt;BR>> 00:22:39 =
-0400, "Tom=20
=3D
>Bruhl"=3D3D3D3D20
> > > => =20
<<A=3D3D3D3D20
>& amp ;nbsp;=20
=
=3D
 >=3D3D3D3D
>href=3D3D3D3D 3D "<A=3D3D3D3D20<BR=>> =20
> > > =3D3D3D3D
> > => =20
=3D3D3D
> > =3D3D
> =20
=
=3D
>>>href=3D3D3D3D'mailto:arpeggio@comcast.net">arp=egio@comcast.net>
=3D
>wro=3D3D
> =20
>te'=3D3D3D
> > =>>ma=3D3D3D3D
> =20
> > =20

http-equiv=3D3D3D3DContent-Type content=3D3D3D3D"text/html";=20
=3D
>=3D3D3D
> > =20
>;charset=3D3D3D3DDiso-8859-1">
> > =
><META=20
content=3D3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3D3DGENERATOR>
> =20
> ><STYLE></STYLE>
> > =20
></HEAD>
> > ><BODY=20
bgColor=3D3D3D3D#ffffff>
> > =
><DIV><FONT=20
face=3D3D3D3DArial size=3D3D3D3D2>Hi=20
Mike,</DIV>
> > =20
><DIV>Well I've =
been to=20
.cfg =3D
>many a =3D3D
> >=3D3D3D
> =
> =20
>time.</DIV>
> > =20
><DIV>I've seen =
that=20
Mastercard
=3D
>=3D3D
> >setting as =
=3D3D3D
> =20
> >being=3D3D3D20
> > =20
>0</DIV>
> > =20
><DIV>but maybe =
it changed=20
=3D
>after =3D3D
> >removing the
> =
> =20
=3D3D3D
> > >4=3D3D3D20
> =
> =20
>other</DIV>
> > =20
><DIV>eds cards =
for this=20
round
=3D
>of =3D3D3D
> > =20
>testing.</DIV>
> > =20
><DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>=20
</DIV>
> > ><DIV><FONT =
face=3D3D3D3DArial=20
size=3D3D3D3D2>If it's still 0 what =
else
=3D
>could
> =20
=3D3D
> >this =3D3D3D
> > >be?=20
=3D3D3D20
> > >Busted=20
mobo?</DIV>
> > =20
><DIV>I'm =
really in an=20
idunno =3D
>place =3D3D
> >right =
=3D3D3D
> =20
> >now. >I'll=3D3D3D20
> > =

>be=20
checking</DIV>
> > > =20
></DIV>seriously =
today again=20
=3D
>because of
> =3D3D
> >a =
=3D3D3D
> =20
> >session tomorrow=3D3D3D20
> > =20
>morning.</DIV>
> > =20
></DIV></FONT face=3D3D3D3DArial=20
size=3D3D3D3D2>Tom</DIV&a mp;gt;
> =
> =20
></DIV></FONT face=3D3D3D3DArial =
size=3D3D3D3D2>=20
</DIV>
> > ></DIV></FONT =
face=3D3D3D3DArial=20
size=3D3D3D3D2> </DIV>
> > =20
></BLOCKQUOTE=3D3D3D20
> > =20
>style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =

=3D
>5px; =3D3D
> >=3D3D3D
> =
> =20
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =
0px">
> =20
> > </DIV>"Mike Audet" <mike@...> wrote =
in=20
message <A=3D3D3D20
> > > =
=3D3D3D
> =20
> =3D3D
> =3D
>>>href=3D3D3D3D"<A=20
=
href=3D'news:471b2ec2\$1 @linux">news:471b2ec2\$1 @linux...</DIV><B'>news=
:471b2ec2\$1 @linux">news:471b2ec2\$1 @linux...</DIV></B=
=3D
>R>H=3D3D
> =20
>i=3D3D3D20
> > > =
Tom,

lf=20
you've only got one card in, then the =
Mastercard
=3D
>=3D3D
> =20
>=3D3D3D3D 0
> > =3D3D3D
> =
> =20
>setting is=3D3D3D20
> > > =
right.
The=20
file is Paris.cfg, and it lives in the =3D3D
> =20
>c:\program=3D3D3D20
> > > =
files\Emu\PARIS=20
PRO
folder.
<BR& ;gt;l'd still check it out=20
to
=3D
>see
> =3D3D
> =
>=3D3D3D
> =20
> >what it is=3D3D3D20
> > > =
set=20

=3D3D3D
> > >Paris ini=3D3D3D20
> =
> =20
> file and there change the mastercardoutput with=20
=3D
>=3D3D3D3D
>your=3D3D3D20
> =
> > =20
other
> cards and see what happens =
!!
> =20
Let me =3D3D3D
> > >
> > =
> =20
know.
> Regards,
> =
=3D3D3D
> =20
> >Dimitrios
>
 > =
=3D3D3D20
> =20
> > "Tom Bruhl" <<A=3D3D3D20
> =
> =20
> =3D
>href=3D3D3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net=3D3D3D20'>ma=
mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D20</=
A>
> =20
> > wrote:
> =
>
> =20
>
> =3D3D3D20
> > > =20
>Rick,
> >1 mec, no BNC involved. Paris =
boots=20
=3D3D3D
> > >up so=3D3D3D20
> =
> =20
> the 1 mec that
> >I'm using shows up =
but never=20
any A to =3D
>=3D3D3D
> > >Ds=20
or=3D3D3D20
> > > any installed=20
modules.
> >This is the same symptom =
=3D3D3D
> =20
> >before I=3D3D3D20
> > > =
repaired=20
one of my mecs with a
> >new chip. The=20
=3D3D3D
> > >clock=3D3D3D20
> =
> =20
> light continues to flash too. Never locks =
in.
> =20
=3D3D3D20
> > > >
> =
>
> =20
using the simplest setup I can imagine and =3D3D3D
> =
> =20
> still=3D3D3D20
> > > it's not=20
=3D3D3D3D
>>working.
> > >Mike A. =
suggested =20
=3D3D3D
> > >the .ini=3D3D3D20
> =

> =20
> file to make sure card A is 0. I'll =
=3D3D3D
> =20
> =
>try
=3D3D3D3D
& ;>=3D3D3D3D3D
>=20
=3D3D3D20
> > > > > =
>that.
> =20
>Pretty sure it's right but who=3D3D3D20
> > > =
> =20
knows?
> >Thanks,
> =20
>Tom
> =3D3D3D20
> > > > =20
>
> >
> =
>
> =20
=3D3D3D
> > >>
> =
=3D3D3D20
> =20
> > >
> >"rick"=20
<<A=3D3D3D20
> > > > =
=3D
>href=3D3D3D3D"<A=20
=
href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto:pa=
rnell68@hotmail.com">parnell68@hotmail.com</A>>
>&n=
bsp;=20
=3D3D
> >=3D3D3D
> > > >wrote=20
in=3D3D3D20
> > > > message =
=3D3D3D3D3D
>=20
=3D3D3D20
> > > > =20
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
>=20
=3D3D3D20
> > > > > i know this =
as dumb as=20
it gets but the bnc is attached in =3D
>=3D3D3D
> =
> =20
>the=3D3D3D20
> > > > =
right
> =20
> order...right?
> > > =
=3D3D3D
> =20
> >all the=3D3D3D20
> > > > =
cards show=20
up in paris= with the single mec?
> > > =20
=3D3D3D
> > >how many=3D3D3D20
> =
> =20
> i/o cards in each mec?
> =
>
> =20
=3D3D3D
> > >>
> =
=3D3D3D20
> =20
> > > > On Fri, 19 Oct 2007 00:22:39 -0400, =
"Tom=20
Bruhl" =3D3D3D
> > > =20
>=3D3D3D3D
><<A =3D3D3D20
> > > =

> =20
=3D3D3D
> > > =3D3D
> =20
=3D
>>>href=3D3D3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n'>=
mailto:arpegio@comcast.net">arpegio@comcast.net>
>=
>&n=3D
>=3D3D3D=3D3D
> =20
>
> > > >=3D3D3D20
> =
> =20
> > wrote:
> =
>
> =20
> >I =3D3D3D
> > >thought=20
I=3D3D3D20
> > > was groovin' but once =
the second=20
Mec was introduced
> =3D3D3D
> =
> >>=20
=3D3D3D20
> > > >the system =
stopped. That=20
was a few weeks ago.
> =3D3D3D20
> > =
> =20
> >
> > >Today I tried =
different=20
=3D3D3D
> > >cables,=3D3D3D20
> =
> =20
> eds cards, mecs, eliminated the=20
=3D3D3D3D
>>magma
>& a mp;gt; =3D3D3D
> =
> =20
>=3D3D3D3D3D
>> =3D3D3D20
> > =
> =20
>&and
> > >still no clock lock or =
modules=20
=3D3D3D
> > >showing up=3D3D3D20
> =
> =20
> in the paris patchbay.
> > =20
>
> =3D3D3D
> > >>=20
=3D3D3D20
> > > >This means to me =
software=20
unless someone tells me=3D3D3D20
> > > =20
differently.
> > >
> =20
> =3D3D3D
> > >>I =
have=3D3D3D20
> =20
> > a new C drive which I will load XP and no =
pace. =20
Any=3D3D3D20
> > > =20
=3D3D3D3D
>>other=3D3D3D3D3D20
>> =
> =20
=3D3D3D
> > >>suggestions?
>>=20
=3D3D3D20
> > > > =20

 < <More frustrated than=20
my=3D3D3D20
< < < =
clients,
< =20
< <Tom
< < =3D3D3D20
< =
< =20
< <
< < =
<
< =20
< =3D3D3D
< < <
<<=20
=3D3D3D20
< < < < =20
<
< < <I choose Polesoft =
=3D3D3D
< =20
< <Lockspam to=3D3D3D20
< < =
< =20
spam, and you?
< < =3D3D3D20
< =
< =20
< <http://www.polesoft.com/refer.html =20
=3D3D3D3D3D20
<< =3D3D3D20
< < =
< =20
<
< <
< <<!DOCTYPE =
HTML=20
PUBLIC=3D3D3D20
< < < " -//W3C//DTD HTML =
4.0=20
Transitional//EN"
<< =3D3D3D20
< < =

< <<HTML<<HEAD<
<
< =20
<<META=3D3D3D20
< < < =20
http-equiv=3D3D3D3D3D3DContent-Type=20
content=3D3D3D3D3D3D"text/html;
=3D
<=3D3D3D
< =
< =20
<=3D3D3D3D3D
<< =3D3D3D20
< < =
< =20
< charset=3D3D3D3D3D3DDiso-8859-1"
<
< =
<<META=20
=3D3D3D
< < =20
< content=3D3D3D3D3D3D"MSHTML=3D3D3D20
< < =
< =20
6.00.2800.1400" name=3D3D3D3D3D3DGENERATOR
<
<< =20
=3D3D3D20
< < < =20
<<STYLE<</STYLE<
<
< =
=3D3D3D
< =20
< <</HEAD<
<
< =3D3D3D20
< =

< < <<BODY=20
bgColor=3D3D3D3D3D3D#ffffff
<
< =
=3D3D3D
< =20
< <<DIV<<FONT=3D3D3D20
< < =
< =20
< face=3D3D3D3D3D3DArial =3D3D3D
< < =20

=3D3D3D
> =20
> ></DIV>
> =3D3D3D20
> =
> =20
> ></DIV><FONT face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D3D2><I=20
am using =3D
>=3D3D3D
> > > >the=20
simplest=3D3D3D20
> > > > setup=20
</BR>=3D3D3D3D
>can =3D3D3D3D3D
> =
>image=20
=3D3D3D
> > > >and=3D3D3D3D3D20
>=20
=3D3D3D20
> > > > > still it's not=20
working.</DIV><BR& amp;gt;> =
=3D3D3D20
> =20
> > > ></DIV><FONT face=3D3D3D3D3D3DArial=20
size=3D3D3D3D3D3D2>Mike A. =3D3D3D
> > =
>suggested=20
the=3D3D3D20
> > > > .ini=20
file
=3D3D3D3D
>=3D 3D3D3D3D
> =
>to make=20
=3D3D3D
> > > >sure=3D3D3D3D3D20
>=20
=3D3D3D20
> > > > > card A is 0. I'll =
try=20
that.</DIV><BR& amp ;gt;> =
=3D3D3D
> =20
> >
> > > > =
></DIV><FONT=20
face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>Pretty sure=20
=3D
>=3D3D3D
> > > > it's =
right=3D3D3D20
> =20
> > > but who =
=3D3D3D3D
>=3D3D3D3D3D<BR& amp ;gt;>=20
=3D3D3D20
> > > > =20
>knows?</DIV>& lt;BR>> =
=3D3D3D
> =20
> >></DIV><FONT=3D3D3D20
> =
> =20
> face=3D3D3D3D3D3DArial =3D3D3D
> > =20
=
>size=3D3D3D3D3D3D2>Thanks,</FONT& g t;</DIV>
> =

=3D3D3D20
> > > > ></DIV><FONT=20
face=3D3D3D3D3D3DArial=3D3D3D20
> > > =20
size=3D3D3D3D3D3D2>Tom</D IV>
>=20
=3D3D3D20
> > > > ></DIV><FONT=20
face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2> =
=3D3D3D
> =20
> >
> > > =20
</DIV>
> ></DIV><FONT=20

face=3D3D3D3D3D3DArial=3D3D3D20
> > > =20
size=3D3D3D3D3D2> </DIV>
> =20
=3D3D3D
> > =
>></DIV>=3D3D3D20
> =20
> > </DIV>
> ></DIV> =
</DIV>
> =3D3D3D20
> > =
> =20
></DIV> </DIV>
> =20
></DIV>"rick"=3D3D3D20
> > > =20
<<A=3D3D3D3D3D20
> > =20
>&href=3D3D3D3D3D3D"<A=3D3D3D20
> > =
> =20
=3D3D3D
> > =3D3D
> =20
=
=3D
>>&href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell=
68@hotmail.com</A'>mai=3D
><to=3D3D
> =20
>&pa=3D3D3D
> > =20
=
>&rnell68@hotmail.com">parnell68@hotmail.com</A>>=
=3D3D3D20
> =20
> > =
=3D3D3D3D
>=3D3D3D3D3D
> =20
>&wrote in=3D3D3D3D3D20
> =3D3D3D
> =
> =20
>&message=3D3D3D20
> > > =20
<A=3D3D3D3D3D20
> =2 0
=
=3D3D3D3D
>>&href=3D3D3D3D3D3D "<A=3D3D3D20
> =
> =20
> =3D3D3D
> > =3D3D
> =20
=
=3D
> >>&href=3D3D3D3D'news:inqgh393an5s4m99q caojn09vn112t4u6r@=
4ax.com">news:inqgh=3D
>&393=3D3D
> =20
>&'>n=3D3D3D
> > =3D3D
> =20
=
=3D
>>&ews:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">new=
s:inqgh393=3D3D3D3=3D
>&D<B=3D3D
> =20
>=3D3D3D
> > =
>&R>>an5=3D3D3D3D3D
>&am p;gt;=20
=3D3D3D20
> > > =3D3D3D
> =
> =20
=
>>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
=
>&=20
=3D3D3D
> > >&=3D3D3D20
> =
> =20
> ><BLOCKQUOTE=3D3D3D3D3D20
>&am p;gt; =20

=3D3D3D
> > > =
>>style=3D3D3D3D3D3D"PADDING-RIGHT:=20
0px;=3D3D3D20
> > > > PADDING-LEFT: 5px;=20
MARGIN-LEFT: 5px;=20
=
=3D3D3D3D
>=3D3D3D3D3D<BR& ;gt;>

=3D
>=3D3D3D20<=
BR>> =20
> > > >BORDER-LEFT: #000000 2px solid; =
MARGIN-RIGHT:=20
=3D3D3D
> > > =
>&0px">i=3D3D3D3D3D20
>=20
=3D3D3D20
> > > > > > know this as =
dumb as it=20
gets but the bnc is attached =3D
>in=3D3D3D20
> =
> =20
> the=3D3D3D3D3D20
> > > > =
=3D3D3D
> =20
> =
>&right
order...right?<BR& ;gt;all=3D3D3D20
> =20
> > the cards show up in paris with=20
=
=3D
 >the
=3D3D3D3D
& ;gt;=3D3D3D3D3D
> =

=3D3D3D20
> > > > =20
>single=3D3D3D3D3D20
> sp; > > =
mec?
how many=20
i/o =3D3D3D
> > > > cards =
in=3D3D3D20
> =20
> > each mec?

On Fri, =
19=20
Oct=3D3D3D20
> > > > =20
=3D3D3D3D
>2007
&am p;gt; =
=3D3D3D3D3D
> =20
>
> =3D3D3D
> > > >>=20
=3D3D3D20
> > > > 00:22:39 -0400, "Tom =
Bruhl"=20
<<A=3D3D3D3D3D20
>& ;nbsp; > =
=3D3D3D20
> > > > =20
> =3D3D3D3D3D
> =20
=
=3D3D3D3D
>>>href=3D3D3D3D3D3D "A=3D3D3D20
> =
> =20
> =3D3D3D
> > =3D3D
> =20
=
=3D
>>>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@c=
omcast.net>
wro=3D
>>te'=3D3D
> =20
>>ma=3D3D3D
> > > =20

=
>ilto:arpegio@comcast.net">arpegio@comcast.net></BR&=
>w=3D3D3D
> =20
> =20
>rote:=3D3D3D3D</BR>&a mp;gt;=3D3D3D3D3D</BR>>=20
=3D3D3D20
> > > =20
></BR></BR>>l=3D3D3D 3D3D20</BR>> =
> =20
thought =3D3D3D
> > >l =
was=3D3D3D20
> =20
> > groovin' but once the second Mec was=20
=3D3D3D3D3D</BR>> =3D3D3D20
> > =
> =20
>introduced</BR>>the=3D3D3D3D3D20 </BR>> =
> =20
system =3D3D3D
> > =
>stopped.=3D3D3D20
> =20
> > That was a few weeks=20
ago.</BR>></BR>>Toda y l =3D3D3D
> =
> =20
>=3D3D3D3D3D</BR>> =3D3D3D20
> > =
> =20
>tried=3D3D3D3D3D20</BR>> p; > different =
cables, eds=20
cards, =3D3D3D
> > =
>meCs,=3D3D3D20
> =20
> > eliminated the magma =
=3D3D3D3D3D</BR>> =20
>&and</BR>>still=3D3D3D20
> > =
> =20
no=3D3D3D3D3D20</BR>> > clock lock or modules =
showing up=20
in =3D3D3D
> > >the =
paris=3D3D3D20
> =20
> > =3D3D3D3D3D</BR>> =
=3D3D3D20
> > =20
> =20
=
>patchbay.</BR>></BR> ;>This=3D3D3D3D3D20</BR>>&=
nbsp;=20
=3D3D3D
> > >> =3D3D3D20
> =
> =20
> means to me software unless someone tells me=20
=3D3D3D3D3D</BR>> =3D
>=3D3D3D20
> =
> > =20
=
>differently.</BR>></BR>& ;>>l=3D3D3D3D3D20</BR>>&=
nbsp;=20

;META=20
=3D3D3D
> > > =20
>content=3D3D3D3D3D"MSHTML=3D3D3D20
> > > =
> =20
6.00.2800.1400"=3D3D3D20
> > > > =
=3D3D3D
> =20
> =20
=
>name=3D3D3D3D3DGENERATOR>
&a mp;gt;<STYLE></STYLE>=

></HEA=3D3D3D
> =20
> >&D>
><BODY=3D3D 3D20
> =
> =20
> =20
bgColor=3D3D3D3D3D#ffffff>
>& amp;lt;DIV><FONT=20
=3D
>face=3D3D3D3D3DArial=3D3D3D20
> > =
> =20
size=3D3D3D3D3D2>Thanks=3D3D3D20
> > =
> =20
Dimitrios.</DIV><B R>><DIV><FONT=20
=3D3D3D
> > =
>face=3D3D3D3D3DArial=3D3D3D20
> =20
> > size=3D3D3D3D3D2>=20
</DIV>
><DIV&am p;gt;<FONT =3D3D3D
> =
> =20
>face=3D3D3D3D3DArial=3D3D3D20
> > > =20
size=3D3D3D3D3D2>Mike said the same thing. Is the=20
=3D3D3D3D
>ini
=3D
>in =3D3D3D
> =
> =20
>
> > > =
the=3D3D3D3D20
>Paris folde=20
or system=3D3D3D20
> > > =20
32?</DIV><BR&g t;gt;<DIV><FONT=20
face=3D3D3D3D3DArial =3D3D3D
> > =
>
> =20
> > size=3D3D3D3D3D2>Do I want the Master card to =
be=20
=3D3D3D
> > =
>0=3D3D3D3D20
>absolutely?&am p;nbsp;=20
l=3D3D3D20
> > > only have one=20
card</DIV><BR& g t;gt;<DIV><FONT=20
=3D3D3D
> > >
> > =
> =20
face=3D3D3D3D3DArial size=3D3D3D3D3D2>in there right now and it's=20
=3D
>all=3D3D3D20
> > > =20
freaky
=3D3D3D3D
>j ust=3D3D3D20
> =
> =20
> =3D3D3D
> > =20
=
=

>the=3D3D3D3D20
>same.< /FONT></DIV>
&= </DIV><FONT=3D3D3D
> =20
> >=3D3D3D20
> > > > =20
face=3D3D3D3D3DArial=3D3D3D20
> > > > =20
=
size=3D3D3D3D2>Tom</DIV >
></DIV>=
</FONT=3D3D3D20
> =20
> > > face=3D3D3D3D3DArial =
size=3D3D3D3D2>=20
=3D3D3D
> > =20
=
></DIV>
>< /DIV><FONT=3D3D3D20
> =

> > face=3D3D3D3D3DArial =
size=3D3D3D3D2>=20
=3D3D3D
> > =20
=
></DIV>
>< /DIV><FONT=3D3D3D20
> =

> > face=3D3D3D3D3DArial=20
size=3D3D3D3D2>=3D3D3D20
> > =
> =20
=3D3D3D
> > =20
=
></DIV>
>< /BLOCKQUOTE=3D3D3D20
>styl=
e=3D3D3D3D3D" PADDING-RIGHT:
=3D
>=3D3D3D
> =20
> >0px;=3D3D3D20
> > > =
PADDING-LEFT:=20
5px; MARGIN-LEFT: 5px; =3D3D3D3D
>BORDER-LEFT:=20
=3D
>#000000
> =3D3D
> =
>=3D3D3D
> =20
> >2px solid;=3D3D3D20
> > > =

MARGIN-RIGHT: 0px">
> =20
</DIV>"Dimitrios"=3D3D3D20
> > > =20
<<A=3D3D3D3D20
> =20
href=3D3D3D3D3D"<A=3D3D3D20
> > > =20
=3D3D3D
> > =3D3D
> =20
=
=3D
>>>href=3D3D3D3D'mailto:musurgio@otenet.gr">musurgio@o=
tenet.gr</A'>mailto:mu=3D
>sur=3D3D
> =20
>gio=3D3D3D
> > =20
=
>@otenet.gr">musurgio@otenet.gr</A>=3D3D3D20<BR=
>> =20
> > wrote in=20
=3D3D3D3D
>message=3D3D3D3D20< /BR>> <A=20
=3D3D3D
> > =20

=3D
>:arpeggio@comcast.net">arpeggio@comcast.net>=
=3D3D3D3D20
&g=3D 3D3D
> =20
> >t; =3D3D3D20
> > > =20
wrote:
>
>&a mp;lt;BR>>Rick,
>1=20
=3D3D3D
> > >mec, no=3D3D3D20
> =
> =20
> BNC =3D3D3D3D
>involved. =20
Paris=3D3D3D3D20
> boots up so =
=3D
>=3D3D3D
> =20
> >the 1 mec=3D3D3D20
> > > =20
that
>I'm using shows up but never any A =
=3D3D3D3D
>to=20
=3D
>Ds=3D3D3D20
> > > =20
or=3D3D3D3D20
> any installed =
modules.
>This is=20
the =3D3D3D
> > >same=3D3D3D20
> =
> =20
> symptom before I =3D3D3D3D
>repaired=20
one=3D3D3D3D20
> of my =3D
>mecs =
=3D3D3D
> =20
> >with=3D3D3D20
> > > =20
a
>new chip. The clock light continues=20
to=3D3D3D20
> > > =20
=3D3D3D3D
>flash=3D3D3D3D20
> too. =20
Never=20
locks=3D3D3D20
> > > =20
in.
>
>I am using the simplest =
=3D3D3D
> =20
> >=3D3D3D3D
>setup I=3D3D3D20
> =
> =20
> can=3D3D3D3D20
> imagine and still it's =
not=20
=3D3D3D
> > >working.
>Mike=20
A.=3D3D3D20
> > > suggested the=20
=3D3D3D3D
>.ini=3D3D3D3D20
> file to =
make=20
=3D
>=3D3D3D
> > >sure card A=20
is=3D3D3D20
> > > 0. I'll=20
try=3D3D3D20
> > > =3D3D3D
> =
> =20
=
>=3D3D3D3D
>=3D3D3D3D3D
>that.
>Pr
etty=3D3D3D3D20
>=20
=3D3D3D
> > > sure =
it's=3D3D3D20
> > =20
> right but who=3D3D3D3D20
> =
=3D3D3D20
> =20
> > =3D3D3D
> > =20

=
>=3D3D3D3D
>knows?<BR& amp;gt;>Thanks,
>Tom<=3D3D3D
> =20
> =20
=
>BR>>
>< BR>>
><=3D3D3D3 D<=3D3D3D3D
> =20
> >>"rick"=3D3D3D3D20
> =3D3D3D20
> =20
> > <<A=20=3D3D3D3D
>href=3D3D3D3D3D"<A=3D3D3D20
> => =20
> > =3D3D3D
> > =3D3D
> =20
=
=3D
>>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell=68@hotmail.com</A'>mai=3D
>lto=3D3D
> =20
>:pa=3D3D3D
> > =20
=
>rnell68@hotmail.com">parnell68@hotmail.com</A>>=3D3D3D20
> =20
> > =3D3D3D3D
>wrote=3D3D3D3D20<B R>> =20
in message=3D3D3D3D20
> =3D
>=3D3D3D20
> => =20
> =3D3D3D
> > =20
=
=3D
 >>=3D3D3D3D
>=3D3D3D3D 3D
>news:inqgh=393an5s4m99qcaojn09vn112t4u6r@4ax=3D3D=3D
>3D
> =20
> =20
=
>.com...
>&nbs=3D3D3D 3D
>p=3D3D3D20
>g=3D3D3D20
> =20
> > i=3D3D3D3D20
> know this as =dumb as it=20
gets but the bnc is =3D
>=3D3D3D
> > => =20
>attached=20
in=3D3D3D20
> > > =the=3D3D3D3D20
> =20
right
> =3D3D3D20
> > > =20
order...right?
> all the cards show =up=3D3D3D20
> =20
> > =3D3D3D3D
>in=3D3D3D3D20<BR&a mp;gt;> =20
paris with the single =3D3D3D
> > => =20
>mec?
>=20
=3D3D3D20
> > > how many i/o cards in=20
each=3D3D3D3D20
> =3D3D3D20
> > => =20
> =20

mec?
>
>& ;lt;BR>> On Fri, 19 Oct=20
=3D3D3D
> > > >2007=3D3D3D20
> =
> =20
> 00:22:39 -0400,=20
=3D3D3D3D
>>"Tom=3D3D3D3D20
> =20
Bruhl"=3D3D3D20
> > > > =20
<<A=3D3D3D3D20
>> =20
=3D3D3D3D
>>href=3D3D3D3D3D"<A=3D3D3D20
> =
> =20
> =3D3D3D
> > > =3D3D
> =20
=
=3D
>>>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@c=
omcast.net>
>&g t;&n=3D
>'>=3D3D3D=3D3D<=
BR>> =20
>
> > =20
=
>mailto:arpegio@comcast.net">arpegio@comcast.net><B=
R>=3D3D3D
> =20
> =20
=
>>&n=3D3D3D3D&l t;BR>>=3D3D3D3D20
=
>=20
=3D3D3D20
> > > =20
wrote:
>
>&a mp; >I thought I was groovin'=20
=3D3D3D
> > >but once=3D3D3D20
> =
> =20
> the =
=3D3D3D3D
>>second=3D3D3D3D20< BR>> Mec=20
was =3D3D3D
> > >introduced
>>=20
=3D3D3D20
> > > >the system =
stopped. That=20
=3D3D3D3D
>>was a =3D3D3D
> > =20
>few=3D3D3D3D20
>> weeks=3D3D3D20
> =
> =20
> ago.
> >
> >Today =
l=20
tried=3D3D3D20
> > > =20
=3D3D3D3D
>>different=3D3D3D3D20& lt;BR>> =
cables, eds cards,=20
mecs, =3D
>=3D3D3D
> > >eliminated=20
the=3D3D3D20
> > > =20
=
=3D3D3D3D
>>magma
=3 D3D3D3D3D
>>and<BR&=
gt;>=20
=3D3D3D
> > >=3D3D3D3D20
>>=20
=3D3D3D20
> > > >still no clock lock =
or modules=20
showing up in the =3D3D3D
> > =20

>paris=3D3D3D20
> =3D3D3D20
> > =
> =20
patchbay.
> >
> >This means=20
=3D3D3D
> > >to me=3D3D3D20
> =
> =20
> =
=3D3D3D3D
>>software=3D3D3D3D20& l t;BR>> unless=20
someone tells =3D
>me=3D3D3D20
> > =
> =20
differently.
> >
> =
=3D3D3D20
> =20
> > =
=3D3D3D3D
>>I=3D3D3D3D20& l t;BR>> =20
have a new C drive which I will =3D
>=3D3D3D
> =
> =20
>load XP and no=3D3D3D20
> > > =
pace. =20
Any=3D3D3D3D20
> other=3D3D3D3D3D20
>>=20
=3D3D3D20
> > > =20
> suggestions?
> =20
=3D3D3D3D
>>
 ;>=3D3D3D20
> =
> =20
> =3D3D3D3D20
> >More frustrated than my =

=3D3D3D
> > >clients,
>>=20
=3D3D3D20
> > > =20
=3D3D3D3D
>>Tom
& ;>> =
=3D3D3D3D20
> =20
=3D3D3D
> > >
>> =
=3D3D3D20
> =20
> > >
> =
>
> =20
=3D3D3D
> > =20
>=3D3D3D3D
>>
 R>>=3D3D3D20
> =
> =20
> =3D3D3D3D20
> >I choose Polesoft =
Lockspam to=20
fight spam, =3D
>and=3D3D3D20
> > =
> =20
you?
>> =3D3D3D3D20
> =
=3D3D3D
> =20
> =
>>http://www.polesoft.com/refer.html=3D3D3D20
> =20
> > =3D3D3D3D20
> =
=3D3D3D
> =20
> =20
=
>=3D3D3D3D3D20
>>
am p;>>
>>!DOCTYPE=3D=

mec, no BNC=20
involved. =3D
>=3D3D
> =
>Paris=3D3D3D20
> > > =20
> =3D3D3D3D
>=3D3D3D3D3D<BR& amp ;gt;>boots up=20
so=3D3D3D3D20
> =3D3D3D
> > =20
>the=3D3D3D3D20
>1=3D3D3D20
> > =
> =20
mec=3D3D3D20
> > > =3D3D3D
> =
> =20
=
>=3D3D3D3D
>that</DIV>
>&l t=
>DIV><FONT=3D3D3D
> =20
> >=3D3D3D3D20
> =3D3D3D20
> =
> =20
> face=3D3D3D3D3D3DArial size=3D3D3D3D3D2>!m using =
shows up but=20
=3D
>never any
> =3D3D
> >A to=20
=3D3D3D
> > >
> > =
> =20
=3D3D3D3D
>=3D3D3D3D3D<BR& amp ;gt;>Ds =
or=3D3D3D3D20
>=20
=3D3D3D20
> > > =20
any=3D3D3D3D20
>installed=3D3D3D3D 20
>=20
=3D3D3D20
> > > =20
=
modules.</DIV><BR& amp ;gt;></DIV><FONT=3D3D3D=20
> =20
> > =20
=
=3D3D3D3D
>face=3D3D3D3D3D3DArial=3D 3D3D3D20
>&nb=
sp;=20
=3D
>size=3D3D3D3D3D2>This is =3D3D
> =
>=3D3D3D
> =20
> >the same=3D3D3D20
> > > =
symptom=20
before I =3D3D3D3D3D
>repaired =3D3D3D
> =
> =20
>=3D3D3D3D
>one=3D3D3D3D20&am p;lt;BR>> =
=3D3D3D20
> =20
> > of=3D3D3D3D20
>my mecs=20
with=3D3D3D3D20
> =3D3D3D20
> > =
> =20
=
a</DIV>
 ></DIV><FONT=3D3D3D20
>&=
> =20
> > =
face=3D3D3D3D3D3DArial=3D3D3D3D20
>& amp ;nbsp;=20
size=3D3D3D3D3D2>new chip. =3D
>The =3D3D3D
> =

> =20
>clock light=3D3D3D20
> > > > =20
=3D3D3D3D3D
>continues to=3D3D3D3D20
> =20
=3D3D3D
> > =20
>flash=3D3D3D3D20
>too.=3D3 D3D20
> =
> =20
> Never locks=3D3D3D3D20
> =
=3D3D3D20
> > =20
> =
in.</DIV><BR&g t><DIV><FONT=20
=3D3D3D
> > =
>face=3D3D3D3D3DArial=3D3D3D20
> =20
> > =3D3D3D3D
>
> =20
size=3D3D3D3D3D2>=3D3D3D20
> > =
> =20
</DIV>
><DIV&am p;gt;<FONT=3D3D3D20
> =
> =20
> =20
=
=3D3D3D3D
>face=3D3D3D3D3DArial=3D 3D3D3D20
>&nb=
sp;=20
=3D
>size=3D3D3D3D3D2><l am =3D3D3D
> > =
>using the=20
simplest=3D3D3D20
> > > setup I can=20
=3D3D3D3D3D
>imagine=3D3D3D3D20& lt;BR>> =
=3D3D3D20
> =20
> > and=3D3D3D3D3D20
>still it's=20
not=3D3D3D3D20
> =3D3D3D20
> > =
> =20
=
working.</DIV><BR& amp;gt;><DIV><FONT=3D3D3D=
20
> =20
> > =20
=
=3D3D3D3D
>face=3D3D3D3D3DArial=3D 3D3D3D20
>&nb=
sp;=20
=3D
>size=3D3D3D3D3D2><Mike A. =3D3D
> =
>=3D3D3D
> =20
> > suggested the=3D3D3D20
> > =
> .ini=20
file =3D3D3D3D3D
>to make=3D3D3D3D20
>=20
=3D3D3D20
> > > =
sure=3D3D3D3D3D20
>card=20
A is 0. I'll try=3D3D3D3D20
> =3D3D3D20
> =
> =20
> =20
=
that.</DIV><BR& amp ;gt;><DIV><FONT=3D3D3D20 <=

BR>> =20
> > =20
=
=3D3D3D3D
>face=3D3D3D3D3D3DArial=3D 3D3D3D20
> =sp;=20
=3D
>size=3D3D3D3D3D2>Pretty =3D3D3D
> => > > sure=20
it's right=3D3D3D20
> > > > but=20
who=3D3D3D3D20
> =3D3D3D20
> > > => =20
=3D3D3D
> > =20
=
>=3D3D3D3D3D
>knows?</ FONT></DIV>
>=</DIV>&g=3D3D3D
> =20
> > t;<FONT=3D3D3D3D20
> =
=3D3D3D20
> =20
> > > face=3D3D3D3D3D3DArial=3D3D3D3D20
>= 20
=3D3D3D20
> > > > =3D3D3D
> => =20
=
>=3D3D3D3D
>size=3D3D3D3D3D3D 2>Thanks,<= /DIV>
>=3D3D3D
> =20
> =
></DIV><FONT=3D3D3D3D<BR&a mp;gt;>=3D3D3D3D20
>=20
=3D3D3D20
> > > > =20
face=3D3D3D3D3D3DArial=3D3D3D3D20
> =
=3D3D3D20
> > =20
> =3D3D3D
> > =20
=
>size=3D3D3D3D3D3D2>Tom&a mp;lt;/DIV>
></D=IV><=3D3D3D
> =20
> >&FONT=3D3D3D3D20
> =3D3D3D20
> => =20
> face=3D3D3D3D3D3DArial=20
size=3D3D3D3D3D3D2>=3D3D3D20
> > => =20
> > =20
=
>=3D3D3D3D
></DIV& gt;
></DIV><FONT =3D=3D3D3D20
>& ∓nbs=3D3D3D
> =20
> >&p;=3D3D3D20
> > > =20
face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D3D2>=3D3D3D20
> =20
> > =20
=
=3D3D3D3D
></DIV>& lt;BR>></DIV>=3D3D3D3D20&l= t;BR>>=20
=3D3D3D20
> > > =20

=
=3D
 >>>gt;gt;<BLOCKQUOTE=3D3D3D3D3D2 0
>style=3D=
3D3D3D3D3D" PADDING-RIGHT:=3D3D3D3D=3D
>20=3D3D3D
> =20
> >
> =3D3D3D20
> > =
> 0px;=20
PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D3D
> > =20
>=3D3D3D3D3D
>BORDER-LEFT:=3D 3D3D20
> =
> =20
> =3D3D3D3D
>#000000 =
2px=3D3D3D3D20
> =20
solid; =3D
>MARGIN-RIGHT:=3D3D3D20
> > =
> =20
0px">i=3D3D3D3D3D20
> know this as dumb as=20
=3D3D3D
> > =20
>=3D3D3D3D
>it=3D3D3D20
> > =
> =20
gets=3D3D3D3D20
> but the bnc is attached in=20
=3D3D3D
> > =20
>the=3D3D3D3D3D20
>=3D3D3D20
> > =
> =20
=3D3D3D3D20
> =
right
order...right?
all the=20
=3D3D3D
> > >cards show =
up=3D3D3D20
> =20
> > in paris =3D3D3D3D
>with=20
the=3D3D3D3D20
> =3D3D3D20
> > =
> =20
=3D3D3D3D3D
>single=3D3D3D3D3D20& amp ;lt;BR>> =
mec?
how=20
=3D3D3D
> > >many i/o=3D3D3D20
> =
> =20
> cards =3D3D3D3D
>in =
each=3D3D3D3D20
> =20
=3D3D3D
> > =20
>mec?

<BR&a mp;gt;On=3D3D3D20
> =
> =20
> Fri, 19 Oct=3D3D3D3D20
> =
=3D3D3D20
> > =20
> 2007
=3D3D3D3D3D
>& amp ;lt;BR>> =
00:22:39=20
-0400, =3D3D3D
> > =
>"Tom=3D3D3D20
> > =20
> Bruhl"=3D3D3D3D20
> =20
<<A=3D3D3D3D3D20
>=3D3D3D20
> =
> =20
=
=3D3D3D3D3D
>href=3D3D3D3D3D3D" <A=3D3D3D3D20
>=
=20

=3D3D3D20
> > > > =3D3D3D
> =
> =20
=3D3D
> =20
=
=3D
 >>>=3D3D3D3D
>h ref=3D3D3D3D3D'mailto:arpegio@=
comcast.net">arpegio@comcast.n=3D
>et&l=3D3D3D=3D3D
>&=
nbsp;=20
>
> > =20
=
>t;/A>>
wrote'> ma=3D3D3D3D
>ilto:arpegio=
@comcast.net">=3D3D3D
> =20
> =20
=
>;arpegio@comcast.net >
w=3D3D3D3D&l t;BR>>r=
ote:=3D3D3D3D=3D3D3D
> =20
> =20
=
>3D
>
&l t;BR>>l=3D3D3D3D3D20
> =3D=
3D3D20
> =20
> > =3D3D3D3D20
> thought I was =
groovin' but=20
once the second =3D
>Mec=3D3D3D20
> > =
> =20
was=3D3D3D3D20
> =3D3D3D20
> > =
> =20
=3D3D3D
> > =20
=
>=3D3D3D3D3D
>introduced& lt;BR>>the=3D3D3D3D3D20<=
BR>>=20
=3D3D3D
> > > system=3D3D3D20
> =
> =20
> =3D3D3D3D
>stopped. That =
was=3D3D3D3D20
> =20
a few weeks=3D3D3D20
> > > =20
ago.
>
>Toda y l=3D3D3D3D20
>=20
=3D3D3D20
> > > =20
=3D3D3D3D3D
>tried=3D3D3D3D3D20& lt;BR>> =
different cables,=20
=3D3D3D
> > >eds cards,=3D3D3D20
> =
> =20
> mecs, =
=3D3D3D3D
>eliminated=3D3D3D3D20& ;lt;BR>> =20
the magma=3D3D3D20
> > > =20
=3D3D3D3D3D
>and
&a mp;gt;still =3D3D3D
> =
> =20
>no=3D3D3D3D3D20
> =3D3D3D20
> > =
> =20
=3D3D3D3D
>clock lock or=3D3D3D3D20
> =

modules=20
showing up in =3D
>the=3D3D3D20
> > > =
> > =20
paris=3D3D3D3D20
> =3D3D3D20
> > > =
> > =20
=3D3D3D
> > > =20
=
>=3D3D3D3D
>=3D3D3D3D3D&l t;BR>>patchbay.
&g=
t;
>This=3D3D3D3D=3D3D3D
> > =20
> >3D20
> =3D3D3D20
> > > =
> > =20
=3D3D3D3D
>means to=3D3D3D3D20
> > me =
software unless=20
someone =3D
>=3D3D3D
> > > =
>tells=3D3D3D20
> > =20
> > > me=3D3D3D3D20
> =
=3D3D3D20
> > =20
> > > =3D3D3D
> > > =20
=
>=3D3D3D3D
>=3D3D3D3D3D&l t;BR>>differently.
=
>
>l=3D3D3D3D=3D3D3D
> > =20
> >>3D20
> =3D3D3D20
> > > =
> > =20
=3D3D3D3D
>have a new=3D3D3D3D20
> > C =
drive which l=20
will load
=3D
>XP =3D3D3D
> > > > and no =

pace.=3D3D3D20
> > > > Any=20
other=3D3D3D3D3D20
> > =
=3D3D3D3D
>
> ;=20
=3D3D3D20
> > > > =20

>suggestions?
>& amp ;
>More=20
frustrated=3D3D3D20
> > > > =20
=3D3D3D3D
>than=3D3D3D3D20
> > =20
my=3D3D3D3D3D20
> =3D3D3D
> > > =20
>=3D3D3D3D20
> =3D3D3D20
> > > =
> > =20
=3D3D3D
> > > =20
=
>=3D3D3D3D
>clients,<B R>>Tom
><BR& ;=
gt;>
=3D3D3D
> > =20
> > =20
=
>;>
=3D3D3D3D
&g t;>>
>l=3D3D3D3D20& amp ;=
lt;BR>>=20
=3D3D3D20
> > > > choose=20
=3D3D3D3D3D
>Polesoft=3D3D3D3D3D20&a mp;lt;BR>> > =
Lockspam=20

=3D3D3D
> > >to fight=3D3D3D20
> =
> > spam,=3D3D3D3D20
> =
and=3D3D3D3D3D20
>=20
=3D3D3D20
> > > > =3D3D3D
> =
> > =
=3D
 >>=3D3D3D3D
>you?& lt;BR>>http://www.poleso=
ft.com/refer.html=3D3D3D3D20
&=3D3D =3D
>3D
> =&br/>p;=20
> >> =3D3D3D20
> > > > =20
=3D3D3D
> > > =20
=
>=3D3D3D3D
>=3D3D3D3D3D20& ;lt;BR>>
</BLOC=
KQUOTE></BODY>=3D3D3D
> =20
> > =20
=
>;</HTML>
&=3D 3D3D3D
>>
> ;=

</B=3D3D3D
> =20
> > =20
=
>LOCKQUOTE></BODY></HTML& amp;gt;
>
>& amp;|=
t;BR></BLOCKQUOTE><=3D3D3D
> =20
> >/BODY></HTML>
> > > =20
>
> > >
> >
> >
> =20
>
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=20
Transitional//EN">
> =
><HTML><HEAD>
> =20
><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html;=20
=3D3D
> > charset=3D3D3Diso-8859-1">
> =
><META=20
content=3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3DGENERATOR>
> =20
><STYLE></STYLE>
> =
></HEAD>
> =20
><BODY bgColor=3D3D3D#ffffff>
> =
><DIV><FONT=20
face=3D3D3DArial =
size=3D3D3D2>Mike,</DIV&a mp;gt;
> =20
><DIV>I used to use =
a Lucid but=20
since
=3D
>all of
> =3D3D
> >this =
mess=20
l=3D3D20
> =
>stopped.</DIV>
> =20
><DIV>I'm trying to =
get stable=20
from =3D
>square =3D3D
> >one with =

a=3D3D20
> > time.
>>I've seen that =
Mastercard=20
setting as being 0
>&but =3D3D
> >&maybe=20
it=3D3D20
> > changed after removing the 4=20
other
>&eds cards for this round =
=3D
>&of=3D3D20
> =20
> testing.
>&.
>& If it's still 0 what =
else could=20
this be? =3D3D
> >&Busted=3D3D20
> =
> =20
mobo?
>&I'm really in an idunno place right now. I'll =

be=3D3D20
> > checking
>& seriously =
today again=20
because of a session =3D
>&tomorrow=3D3D20
> =
> =20
=
morning.
>& Tom
>& >&.
>&. =
=20
"Mike Audet"=3D3D20
> > <mike@....> wrote =
in message=20
<A=3D3D20
> > =3D3D
> =20
=3D
>&.>&href=3D3D3D"<A=20
=
href=3D'news:471b2ec2\$1 @linux">news:471b2ec2\$1 @linux...
>&&=&g'>news:471b2ec2\$1 @linux">news:471b2ec2\$1 @linux...
>=
>&.
>&.&g'>=3D
>&=3D3D
> =20
>&t; =3D3D20
> > Hi=20
Tom,
>&.
>&. If you've only got one card in, =
then=20
the =3D3D
> >&.
> > Mastercard =
=3D3D3D3D 0=20
setting is =3D3D3D
>&.
>&. =20
=3D3D
> >&The file is=3D3D20
> > =
Paris.cfg, and=20
it lives in the c:\program=3D3D20
> > =20
files\Emu\PARIS
>=3D3D3D
>&.& PRO
>&. =20
=3D3D
> >&folder.
>&.
>&. =
=3D3D20
> =20
> I'd still check it out to see what it is set=20
to.
>&.
>&. =3D3D
> >&.
>&. =
it=3D3D20
> > is wrong, what you are describing =
will=20
happen.
>&.
>&. =3D3D
> =20
>&Good=3D3D20
> > =
luck!
>&.
>&. =20
Mike
>&.
>&. "Tom Bruhl" =3D3D
> =

<<<A=3D3D20
> > href=3D3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net=>3D3D20'>mailto:
to:arpegio@comcast.net">arpegio@comcast.net>=3D3D20<B=
R>> =20
> wrote:
> >
> =20
>
> >Thanks=3D3D20
> > =20
Dimitrios.
> >
> >Mike said =
the=20
same=3D3D20
> > thing. Is the ini in the =
Paris folde=20
or system=3D3D20
> > =20
=3D3D3D
>32?
&g t; >Do I want the Master =
card to be=20
0=3D3D20
> > absolutely? I only have one=20
card
> >in there =3D3D
> >right=20
now=3D3D20
> > and it's all freaky just the=20
same.
> >Tom
> =
=3D3D
> =20
>
> > >
> =20
>
> >
> > =
=3D3D20
> =20
> "Dimitrios" <<A =3D3D
> =
>href=3D3D3D"<A=20
=
href=3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr=>3D3D20'>mailto:
:musurgio@otenet.gr">musurgio@otenet.gr>=3D3D20
&g=
t; =20
> wrote in message =3D3D3D3D
> =
=3D3D
> =20
>>news:471a0486\$1@linux...
> =3D3D20
> =
> =20
>
> > Hi Tom <A=20
href=3D'mailto:!!
">!<BR> > Sorry=20
=3D3D
> >to hear=3D3D20
> > you =
still having=20
problems like this ~!!
> > Must =
=3D3D
> =20
>be very=3D3D20
> > =
frustrating.
> =20
> Open the Paris ini file and =3D3D
> >there=20
change=3D3D20
> > the mastercardoutput=20
with
=3D3D3D
>=3D3D 3D3D
> =20
>your=3D3D20
> > other
> =
> =20
cards and see what happens =3D3D
> >!!
>=20
=3D3D20
> > > Let me =
know.
> =20

>Pretty sure it's right but who knows?
> =&20
=&3D3D20
> >> =&3D3D20
> > =&20
>Thanks,
> > >Tom
> =
>=&20
=&3D3D20
> > >
> > =&20
>
> > =&3D3D
> =
>>
>=&20
=&3D3D20
> > > >
> =
> =&20
>
> > =&3D3D
> =
>
> =&20
> >"rick" <<A=&3D3D20
> > =
href=&3D3D3D"<A=&20
=
href=&3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com<mailto:pa=
rnell68@hotmail.com">parnell68@hotmail.com>
=&3D
=
>>=&3D3D
> =&20
>wrote in=&3D3D20
> > message=&20
=&3D3D3D3D3D
> > =&3D3D20
> > =&20
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
>=&20
=&3D3D20
> > > > i know this as =
dumb as it=&20
gets but the bnc is =&3D3D
> =
>attached=&3D3D20
> =&20
> in the =&3D3D3D
>right
> > =
> >=&20
=&3D3D20
> > order...right?
> =
> =&20
> all the cards show =&3D3D
> >up =
in=&3D3D20
> =&20
> paris with the single mec?
> > =&20
> how =&3D3D
> >many i/o=&3D3D20
> =
> =&20
cards in each mec?
> > =
>
> =&20
=&3D3D
> >> =&3D3D20
> > =&20
>
> > > On Fri, 19 Oct 2007 =
00:22:39=&20
=&3D3D
> >-0400,=&3D3D20
> > "Tom =
Bruhl"=&20
=&3D3D3D3D
> ><<A=&3D3D20
> =
> =&20
=&3D3D
> =&3D
>>href=&3D3D3D"<A=&20
=
href=&3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
>>&n=&3D=
&3D'>mailto:arpegio@comcast.net">arpegio@comcast.net><B=
R>>>&n=&3D3D=&3D
>>
> =&20
>bsp;=&3D3D20
> > > > =&20

> >
> > > > =20
>
> > > =3D3D
> =
>
> =20
> > >
> > > =20
>
> > =3D3D
> >
> =
> =20
> > ><I choose Polesoft Lockspam to fight spam,=20
=3D3D
> >&and=3D3D20
> > =20
you?
> > > =3D3D20
> =
> =20
>&http://www.polesoft.com/refer.html =
=3D3D3D3D3D20
> =20
=3D3D
> >> =3D3D20
> > =20
>
> > >
> =
> =20
=3D3D
> >><!DOCTYPE=3D3D20
> =
> HTML=20
PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
>=20
=3D3D20
> > > =20
><HTML><HEAD><BR&a mp;gt;> > =
=3D3D
> =20
>><META=3D3D20
> > =20
http-equiv=3D3D3D3D3D3DContent-Type=20
=3D
>content=3D3D3D3D3D3D"text/html;=3D3D20
> =
> =20
=3D3D3D
>=3D3D3D3D3D<BR&g t;> > =
=3D3D20
> =20
> > charset=3D3D3D3D3D3Diso-8859-1">
> =

> =3D3D
> >><META=3D3D20
> =
> =20
content=3D3D3D3D3D3D"MSHTML 6.00.2800.1400" =3D3D
> =20
>name=3D3D3D3D3D3DGENERATOR>
 > =3D3D20
> =
> =20
> ><STYLE></STYLE><B R>> >=20
=3D3D20
> > ></HEAD>
> =

> ><BODY=3D3D20
> > =20
bgColor=3D3D3D3D3D3D#ffffff>
> > > =
=3D3D
> =20
>><DIV><FONT=3D3D20</BLOCKQUOTE ></BODY></HTML>

-----=_NextPart_000_0024_01C8145F.3BDB1000--

Subject: Re: Paris saga
Posted by [Mike Audet](#) on Mon, 22 Oct 2007 07:56:45 GMT

Hi Again Tom,

Actually, a newer NIC card will use 3.3 volt signalling, and the PARIS cards use 5 volts. It could be that your MB is feeding the EDS cards bad power - maybe even 3.3 volts. Try the EDS cards in another PC. That's really the only way to know if they are cooked. I doubt that they all could be. Actually, low voltage would make any card act weird. High voltage would work fine until they popped.

Tom, if you give up on this, I need you to send me one of your EDS cards, because I just have to know!

Good luck!

Mike

"Tom Bruhl" <arpegio@comcast.net> wrote:

>
>
>After installing a network card it showed up.
>
>Repeating the process using the same PCI slot
>with an eds card made Windows hang.
>
>Are all my EDS cards toast? They weren't a few weeks
>ago? Even when the Mecs weren't showing up the 442 allowed
>5 EDS cards to work in the Magma.
>
>What the heck?
>Tom
>
>
> "Tom Bruhl" <arpegio@comcast.net> wrote in message =
>news:471c381e@linux...
> Mastercard=3D0 was correct also.
>
> I am going to try a clean OS with Paris on it too
> if the PCI slots are still working.
>
> Don't bother wishing me luck. There's none to be found.
> Tom
>
> "Tom Bruhl" <arpegio@comcast.net> wrote in message =
>news:471c3137@linux...
> Mike,
> I removed the default project and .cfg from the folder as you =
>suggested.

> Now the computer won't even boot with either of three eds cards =
> installed.
> No Magma, no word clock, no word clock line in the existing config.
>
> I'm going to check with a network card to see if the PCI slots are =
> burn't.
> I tried three different ones with the eds. The one time Windows =
> worked
> with an eds card, the eds card didn't show up in device manager. =
> That's=20
> probably why.
>
> There is some serious funk going on over here. Maybe mobo? If this
=
> is the
> case I give up. It's not worth any more BS to me. There is no =
> person
> in my neighborhood to walk me through this. My tech helps me
> but the problem seems to be from the ground up. I'm guessing 3-4
> things still so wrong that nothing makes sense.
>
> Cubase is looking more and more inviting, learning curve and all.
> Tom
>
>
>
> "Mike Audet" <mike@....> wrote in message news:471bcb77\$1@linux...
>
> Hi Tom,
>
> I have an idea.
>
> Try removing UseHouseSync=3D1 from the paris.cfg file.
>
> Next, remove your default project from the program files\emu\paris
=
> pro folder.
> =20
>
> Let me know if it makes a difference.
>
> Good luck!
>
> Mike
>
> "Tom Bruhl" <arpeggio@comcast.net> wrote:
> >
> >

> >Mike,
> >I used to use a Lucid but since all of this mess I stopped.
> >I'm trying to get stable from square one with the least =
>amount=3D20
> >of hardware. I am using the default project for sure. The =
>only=3D20
> >other thing that I still question is my move of Paris to =
>C:ParisPro .
> >I should think the default project will either work or not. =
>Maybe
> >configs or something else is fighting during Paris startup?
> >
> >Pats 42 - Miami 7 . . . Halftime and the games over.
> >Tom
> >
> >
> > "Mike Audet" <mike@....> wrote in message =
>news:471b6eb0\$1@linux...
> >
> > Hi Tom,
> >
> > Are you using a default project with PARIS? I'm so sorry of =
>this has
> =3D
> >been
> > asked and answered already. If so, perhaps it is telling card
=
>zero to
> =3D
> >lock
> > to an external clock, which it can't because there isn't one.
> >
> > It would be interesting to attach an external clock source to =
>the MEC
> =3D
> >and
> > then start PARIS to see how it behaves. Or, if the clock =
>generator is
> =3D
> >fried,
> > tell paris to lock externally and see what happens when an =
>external =3D
> >clock
> > source is applied.
> >
> > Isn't there a master house synch switch in the cfg file? I've
=

>never =3D
> >used
> > it. Maybe DJ could help with what that should/shouldn't be set
=
>to.
> >
> > Wish I could do more than think out loud...
> >
> > Mike
> >
> > "Tom Bruhl" <arpegio@comcast.net> wrote:
> > >
> > >
> > >Hi Mike,
> > >Well I've been to .cfg many a time.
> > >I've seen that Mastercard setting as being 0
> > >but maybe it changed after removing the 4 other
> > >eds cards for this round of testing.
> > >
> > >If it's still 0 what else could this be? Busted mobo?
> > >I'm really in an idunno place right now. I'll be checking
> > >seriously today again because of a session tomorrow morning.
> > >Tom
> > >
> > >
> > > "Mike Audet" <mike@....> wrote in message =
>news:471b2ec2\$1@linux...
> > >
> > > Hi Tom,
> > >
> > > If you've only got one card in, then the Mastercard =3D3D3D
=
>0 setting
> =3D
> >is =3D3D
> > >right.
> > > The file is Paris.cfg, and it lives in the c:\program =3D
> >files\Emu\PARIS
> > =3D3D
> > >PRO
> > > folder.
> > >
> > > I'd still check it out to see what it is set to.
> > >
> > > If it is wrong, what you are describing will happen.
> > >
> > > Good luck!
> > >

> > > Mike
 > > >
 > > > "Tom Bruhl" <arpegio@comcast.net> wrote:
 > > > >
 > > > >
 > > > >Thanks Dimitrios.
 > > > >
 > > > >Mike said the same thing. Is the ini in the Paris folde or
 =
 >system
 > =3D
 > >=3D3D
 > > >32?
 > > > >Do I want the Master card to be 0 absolutely? I only have
 =
 >one =3D
 > >card
 > > > >in there right now and it's all freaky just the same.
 > > > >Tom
 > > > >
 > > > >
 > > > >
 > > > > "Dimitrios" <musurgio@otenet.gr> wrote in message =3D3D3D
 > > > >news:471a0486\$1@linux...
 > > > >
 > > > > Hi Tom !@
 > > > > Sorry to hear you still having problems like this ~!!
 > > > > Must be very frustrating.
 > > > > Open the Paris ini file and there change the =
 >mastercardoutput =3D
 > >with
 > > =3D3D
 > > >=3D3D3D
 > > > >your other
 > > > > cards and see what happens !!
 > > > > Let me know.
 > > > > Regards,
 > > > > Dimitrios
 > > > >
 > > > > "Tom Bruhl" <arpegio@comcast.net> wrote:
 > > > > >
 > > > > >
 > > > > >Rick,
 > > > > >1 mec, no BNC involved. Paris boots up so the 1 mec =
 >that
 > > > > >I'm using shows up but never any A to Ds or any =
 >installed =3D
 > >modules.

> > > > This is the same symptom before I repaired one of my =
> mecs with
> =3D
> >a
> > > > new chip. The clock light continues to flash too. =
> Never locks
> =3D
> >=3D3D
> > >in.
> > > >
> > > > I am using the simplest setup I can imagine and still =
> it's not
> =3D
> >=3D3D3D
> > > >working.
> > > > Mike A. suggested the .ini file to make sure card A is
=
> 0. =3D
> > I'll =3D3D
> > >try
> > > =3D3D3D
> > > >=3D3D3D3D
> > > > >that.
> > > > >Pretty sure it's right but who knows?
> > > > >Thanks,
> > > > >Tom
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > > "rick" <parnell68@hotmail.com> wrote in message =
> > > > >=3D3D3D3D
> > > > > news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> > > > > i know this as dumb as it gets but the bnc is attached
=
> in the
> =3D
> >=3D3D
> > >right
> > > > > order...right?
> > > > > all the cards show up in paris with the single mec?
> > > > > how many i/o cards in each mec?
> > > > >
> > > > >
> > > > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =
> > > > >=3D3D3D
> > > > > <arpeggio@comcast.net>

> > > > wrote:
> > > >
> > > > >I thought I was groovin' but once the second Mec was
=
>=3D
> >introduced
> > > > >the system stopped. That was a few weeks ago.
> > > > >
> > > > >Today I tried different cables, eds cards, mecs, =
>eliminated
> =3D
> >the
> > =3D3D
> > >=3D3D3D
> > > >magma
> > > > =3D3D3D3D
> > > > >and
> > > > >still no clock lock or modules showing up in the =
>paris =3D3D
> > >patchbay.
> > > > >
> > > > >This means to me software unless someone tells me =3D
> > > > > >differently.
> > > > > >
> > > > > >I have a new C drive which I will load XP and no =
>pace. Any
> =3D
> >=3D3D3D
> > > >other=3D3D3D3D20
> > > > > >suggestions?
> > > > > >
> > > > > >More frustrated than my clients,
> > > > > >Tom
> > > > > >
> > > > > >
> > > > > >
> > > > > >
> > > > > >I choose Polesoft Lockspam to fight spam, and you?
> > > > > >http://www.polesoft.com/refer.html =3D3D3D3D20
> > > > > >
> > > > > >
> > > > > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =
>Transitional//EN">
> > > > > ><HTML><HEAD>
> > > > > ><META http-equiv=3D3D3D3D3DContent-Type =3D
> > > > > >content=3D3D3D3D3D"text/html; =3D3D
> > > > > >=3D3D3D3D3D
> > > > > > >charset=3D3D3D3D3D3Diso-8859-1">

```

> > > > <META content="MSHTML 6.00.2800.1400" =3D
> >name=3D3D3D3D3D3DGENERATOR>
> > > > <STYLE></STYLE>
> > > > </HEAD>
> > > > <BODY bgColor=#ffffff>
> > > > <DIV><FONT face=3D3D3D3D3D3DArial =
>size=3D3D3D3D3D2>Rick,</FONT></DIV>
> > > > <DIV><FONT face=3D3D3D3D3D3DArial size=3D3D3D3D3D2>1 mec,
=
>no BNC =3D
> >involved. =3D3D
> > >Paris =3D3D3D
> > > >=3D3D3D3D
> > > > >boots up so the=3D3D3D3D20
> > > > >1 mec that</FONT></DIV>
> > > > <DIV><FONT face=3D3D3D3D3D3DArial size=3D3D3D3D3D2>I'm =
>using shows up
> =3D
> >but =3D3D
> > >never any
> > > =3D3D3D
> > > >A to =3D3D3D3D
> > > > >Ds or any=3D3D3D3D20
> > > > >installed modules.</FONT></DIV>
> > > > <DIV><FONT face=3D3D3D3D3D3DArial size=3D3D3D3D3D2>This is
=
>the same =3D
> >symptom
> > =3D3D
> > >before
> > > =3D3D3D
> > > >I =3D3D3D3D
> > > > >repaired one of=3D3D3D3D20
> > > > >my mecs with a</FONT></DIV>
> > > > <DIV><FONT face=3D3D3D3D3D3DArial size=3D3D3D3D3D2>new =
>chip. The =3D
> >clock light
> > =3D3D
> > >=3D3D3D3D
> > > > >continues to flash=3D3D3D3D20
> > > > >too. Never locks in.</FONT></DIV>
> > > > <DIV><FONT face=3D3D3D3D3D3DArial size=3D3D3D3D3D2></FONT>
=
></DIV>
> > > > <DIV><FONT face=3D3D3D3D3D3DArial size=3D3D3D3D3D2>I am =
>using the =3D
> >simplest =3D3D
> > >setup I

```

```

> > > =3D3D3D
> > > >can =3D3D3D3D
> > > > >imagine and=3D3D3D3D20
> > > > >still it's not working.</FONT></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>Mike A.
=
>suggested
> =3D
> >the =3D3D
> > >.ini file
> > > =3D3D3D
> > > >=3D3D3D3D
> > > > >to make sure=3D3D3D3D20
> > > > >card A is 0. I'll try that.</FONT></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>Pretty
=
>sure it's =3D
> >right =3D3D
> > >>but who =3D3D3D
> > > >=3D3D3D3D
> > > > >knows?</FONT></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3DArial =3D
> > > > >size=3D3D3D3D3D2>Thanks,</FONT></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3DArial =
>size=3D3D3D3D3D2>Tom</FONT></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT>
=
></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT>
=
></DIV>
> > > > ><DIV> </DIV>
> > > > ><DIV> </DIV>
> > > > ><DIV> </DIV>
> > > > ><DIV>"rick" <<A=3D3D3D3D20
> > > > =3D3D
> > =3D
> =
>>>>href=3D3D3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com</A=
>>>
> =3D
> >=3D3D
> > >=3D3D3D
> > > >=3D3D3D3D
> > > > >wrote in=3D3D3D3D20
> > > > >message <A=3D3D3D3D20
> > > > =3D3D3D
> > > =3D3D

```

> > =3D
> =
>>>>href=3D3D3D3D3D"news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news=
>:in=3D
> >qgh=3D3D
> > >393=3D3D3D
> > > >an5=3D3D3D3D
> > > > >s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> > > > ><BLOCKQUOTE=3D3D3D3D20
> > > > >style=3D3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px;
=
>=3D
> >MARGIN-LEFT: =3D3D
> > >5px; =3D3D3D
> > > >=3D3D3D3D
> > > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =
>0px">i=3D3D3D3D20
> > > > > know this as dumb as it gets but the bnc is attached =
>in =3D3D
> > >the=3D3D3D3D20
> > > > > right
order...right?
all the cards show up in =
>paris =3D
> >with =3D3D
> > >the
> > > =3D3D3D
> > > >=3D3D3D3D
> > > > >single=3D3D3D3D20
> > > > > mec?
how many i/o cards in each mec?

On
=
>Fri, 19
> =3D
> >=3D3D
> > >Oct =3D3D3D
> > > >2007
> > > > =3D3D3D3D
> > > > >
> > > > > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D3D20
> > > > > =3D3D3D3D
> > > > =3D3D3D
> > > =3D3D
> > =3D
> > =3D
> =
>>>>href=3D3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net><=
>BR>=3D
> >wro=3D3D
> > >te:=3D3D3D
> > > >=3D3D3D3D
> > > > >

>l=3D3D3D3D20

> > > > thought I was groovin' but once the second Mec was =
 >=3D3D3D3D
 > > > > introduced
>the=3D3D3D3D20
 > > > > system stopped. That was a few weeks =
 >ago.
>
>Today I =3D
 > >=3D3D3D3D
 > > > > tried=3D3D3D3D20
 > > > > different cables, eds cards, mecs, eliminated the =
 >magma =3D
 > >=3D3D3D3D
 > > > > and
>still no=3D3D3D3D20
 > > > > clock lock or modules showing up in the paris =
 >=3D3D3D3D
 > > > > patchbay.
>
>This=3D3D3D3D20
 > > > > means to me software unless someone tells me =3D3D3D3D
 > > > > differently.
>
>I=3D3D3D3D20
 > > > > have a new C drive which I will load XP and no pace. =
 >Any =3D3D
 > > > other=3D3D3D3D20
 > > > >
>suggestions?
>
>More frustrated than =
 >my=3D3D3D3D20
 > > > > clients,
>Tom
>
>
>
>
>
>I choose =
 >=3D3D3D3D
 > > > > Polesoft=3D3D3D3D20
 > > > > Lockspam to fight spam, and=3D3D3D3D20
 > > > > you?
><http://www.polesoft.com/refer.html> =
 >=3D3D3D3D20
 > > > >
</BLOCKQUOTE></BODY></HTML>
 > > > >
 > > > >
 > > > >
 > > > >
 > > > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =
 >Transitional//EN">
 > > > ><HTML><HEAD>
 > > > ><META http-equiv=3D3D3D3DContent-Type =
 >content=3D3D3D3D"text/html; =3D
 > >=3D3D3D
 > > > > charset=3D3D3D3Diso-8859-1">
 > > > ><META content=3D3D3D3D"MSHTML 6.00.2800.1400" =
 >name=3D3D3D3DGENERATOR>
 > > > ><STYLE></STYLE>
 > > > ></HEAD>
 > > > ><BODY bgColor=3D3D3D3D#ffffff>
 > > > ><DIV>Thanks =3D
 > >Dimitrios.</DIV>
 > > > ><DIV> </DIV>
 > > > ><DIV>Mike said the

```

=
>same thing.
> =3D
> > ls =3D3D
> > >the =3D3D3D
> > > >ini in the=3D3D3D20
> > > >Paris folde or system 32?</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Do I want the
=
>Master card
> =3D
> >to be
> > =3D3D
> > >0=3D3D3D20
> > > >absolutely? I only have one card</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>in there right
=
>now and =3D
> >it's all
> > =3D3D
> > >freaky
> > > =3D3D3D
> > > >just the=3D3D3D20
> > > >same.</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3DArial =
>size=3D3D3D3D2>Tom</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > > ><BLOCKQUOTE=3D3D3D20
> > > >style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
>MARGIN-LEFT: =3D
> >5px; =3D3D
> > >=3D3D3D
> > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > > > <DIV>"Dimitrios" <<A=3D3D3D20
> > > > =
>href=3D3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>> =3D
> >wrote
> > =3D3D
> > >in =3D3D3D
> > > >message=3D3D3D20
> > > > <A =3D3D3D
> > > > =3D3D
> > > =3D
> =
>>>>href=3D3D3D3D"news:471a0486$1 @linux">news:471a0486$1 @linux</A>...</DIV=
>><B=3D

```


> >R>H=3D3D
 > > >i
 > > > =3D3D3D
 > > > >Tom=3D3D3D20
 > > > > !@
Sorry to hear you still having problems like this =
 >=3D
 > > ~!!
Must
 > > =3D3D
 > > >be
 > > > =3D3D3D
 > > > >very=3D3D3D20
 > > > > frustrating.
Open the Paris ini file and there change
 =
 >the =3D
 > >=3D3D3D
 > > > >mastercardoutput=3D3D3D20
 > > > > with your other
cards and see what happens !!
Let =
 >=3D
 > >me=3D3D3D20
 > > > > know.
Regards,
Dimitrios

"Tom Bruhl" =
 ><<A=3D3D3D20
 > > > > =3D
 > =
 >>href=3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D=
 >D20
 > > > > wrote:
>
>
>Rick,
>1 mec, no BNC =3D3D3D
 > > > >involved. Paris=3D3D3D20
 > > > > boots up so the 1 mec that
>>I'm using shows up but =
 >never any
 > =3D
 > >A =3D3D
 > > >=3D3D3D
 > > > >to Ds or=3D3D3D20
 > > > > any installed modules.
>>This is the same symptom =
 >before I =3D
 > >=3D3D3D
 > > > >repaired one=3D3D3D20
 > > > > of my mecs with a
>>new chip. The clock light =
 >continues to =3D
 > >=3D3D3D
 > > > >flash=3D3D3D20
 > > > > too. Never locks in.
>
>>I am using the simplest =
 >=3D3D3D
 > > > >setup I can=3D3D3D20
 > > > > imagine and still it's not working.
>>Mike A. suggested
 =
 > the =3D
 > >=3D3D3D


```

> > > > bsp;=3D3D3D20
> > > > wrote:<BR>><BR>> >I thought I was groovin' but once the
=
>=3D3D3D3D
> > > > second=3D3D3D20
> > > > Mec was introduced<BR>> >the system stopped. That =
>=3D3D3D3D
> > > > was a few=3D3D3D20
> > > > weeks ago.<BR>> ><BR>> >Today I tried =3D3D3D3D
> > > > different=3D3D3D20
> > > > cables, eds cards, mecs, eliminated the =3D3D3D3D
> > > > magma<BR>=3D3D3D3D<BR>>and<BR>> =3D3D3D20
> > > > > still no clock lock or modules showing up in the =
>paris=3D3D3D20
> > > > patchbay.<BR>> ><BR>> >This means to me =3D3D3D3D
> > > > software=3D3D3D20
> > > > unless someone tells me differently.<BR>> ><BR>> =
>=3D3D3D3D
> > > >>I=3D3D3D20
> > > > have a new C drive which I will load XP and no pace. =
>Any=3D3D3D20
> > > > other=3D3D3D3D20<BR>> >suggestions?<BR>> =3D3D3D3D
> > > >><BR>> =3D3D3D20
> > > > >More frustrated than my clients,<BR>> =3D3D3D3D
> > > >>Tom<BR>> =3D3D3D20
> > > > ><BR>> ><BR>> ><BR>> =3D3D3D3D
> > > >><BR>> =3D3D3D20
> > > > >I choose Polesoft Lockspam to fight spam, and you?<BR>>
=
>=3D3D3D20
> > > > >http://www.polesoft.com/refer.html =3D3D3D20
> > > > =3D3D3D3D20<BR>><BR>><BR>><!DOCTYPE HTML PUBLIC =
>"-//W3C//DTD =3D3D3D3D
> > > >HTML 4.0=3D3D3D20
> > > > Transitional//EN"><BR>><HTML><HEAD><BR>><META=3D3D3D20
> > > > http-equiv=3D3D3D3D3DContent-Type =3D
> > > > =3D3D3D3D3D"text/html;=3D3D3D20
> > > > =3D3D3D3D<BR>>charset=3D3D3D3D3Diso-8859-1"><BR>><META =
>=3D3D3D3D
> > > >content=3D3D3D3D3D"MSHTML=3D3D3D20
> > > > 6.00.2800.1400"=3D3D3D20
> > > > =3D3D3D3D
> > > > =
>>name=3D3D3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D3D3D3D
> > > >D><BR>><BODY=3D3D3D20
> > > > bgColor=3D3D3D3D3D#ffffff><BR>><DIV><FONT =3D
> > > >face=3D3D3D3D3DArial=3D3D3D20
> > > > =3D3D3D3D

```

> > > >size=3D3D3D3D3D2>Rick,</DIV>
><DIV><FONT=3D3D3D20
 > > > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>1 mec, no BNC =
 >involved. Paris
 > =3D
 > >=3D3D3D
 > > > >=3D3D3D3D
>boots up so=3D3D3D20
 > > > > the=3D3D3D3D20
>1 mec =3D3D3D
 > > > >that</DIV>
><DIV><FONT=3D3D3D20
 > > > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>l'm using shows up
 =
 >but never =3D
 > >any A to
 > > =3D3D
 > > >=3D3D3D
 > > > >=3D3D3D3D
>Ds or=3D3D3D20
 > > > > any=3D3D3D3D20
>installed=3D3D3D20
 > > > > modules.</DIV>
><DIV><FONT =3D3D3D
 > > > >face=3D3D3D3D3DArial=3D3D3D20
 > > > > size=3D3D3D3D3D2>This is the same symptom before I =3D
 > >=3D3D3D3D
>repaired =3D3D
 > > >=3D3D3D
 > > > >one=3D3D3D20
 > > > > of=3D3D3D3D20
>my mecs with=3D3D3D20
 > > > > a</DIV>
><DIV><FONT =
 >face=3D3D3D3D3DArial=3D3D3D20
 > > > > size=3D3D3D3D3D2>new chip. The clock light =
 > >=3D3D3D3D
>continues =3D
 > >to=3D3D3D20
 > > > > flash=3D3D3D3D20
>too. Never locks=3D3D3D20
 > > > > in.</DIV>
><DIV><FONT face=3D3D3D3D3DArial =
 >=3D3D3D
 > > > >
 > > > > size=3D3D3D3D3D2> </DIV>
><DIV><FONT =3D3D3D
 > > > >face=3D3D3D3D3DArial=3D3D3D20
 > > > > size=3D3D3D3D3D2>I am using the simplest setup I can =
 >=3D3D
 > > >=3D3D3D3D
>imagine=3D3D3D20
 > > > > and=3D3D3D3D20
>still it's not=3D3D3D20
 > > > > working.</DIV>
><DIV><FONT =3D3D3D
 > > > >face=3D3D3D3D3DArial=3D3D3D20
 > > > > size=3D3D3D3D3D2>Mike A. suggested the .ini file =
 > >=3D3D3D3D
>to =3D
 > >make=3D3D3D20
 > > > > sure=3D3D3D3D20
>card A is 0. I'll try=3D3D3D20
 > > > > that.</DIV>
><DIV><FONT =3D3D3D
 > > > >face=3D3D3D3D3DArial=3D3D3D20
 > > > > size=3D3D3D3D3D2>Pretty sure it's right but who=3D3D3D20
 > > > > =3D3D3D3D
>knows?</DIV>
><DIV><FONT=3D3D3D20

> > > > face=3D3D3D3D3DArial=3D3D3D20
> > > > =3D3D3D
> > > >size=3D3D3D3D3D2>Thanks,</DIV>
><DIV><FONT=3D3D3D
> > > >=3D3D3D20
> > > > face=3D3D3D3D3DArial=3D3D3D20
> > > > size=3D3D3D3D3D2>Tom</DIV>
><DIV><FONT=3D3D3D20
> > > > face=3D3D3D3D3DArial size=3D3D3D3D3D2> =3D3D3D
> > > ></DIV>
><DIV><FONT=3D3D3D20
> > > > face=3D3D3D3D3DArial size=3D3D3D3D3D2> =3D3D3D
> > > ></DIV>
><DIV>=3D3D3D20
> > > > </DIV>
><DIV> </DIV>
><DIV>=3D3D3D20
> > > > </DIV>
><DIV>"rick" =3D3D3D
> > > ><<A=3D3D3D3D20
>href=3D3D3D3D3D"<A=3D3D3D20
> > > > =3D3D3D
> > > =3D3D
> > =3D
> =
>>>>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>=
>mai=3D
> >lto=3D3D
> > >:pa=3D3D3D
> > > =
>>rnell68@hotmail.com">parnell68@hotmail.com</A>>=3D3D3D20
> > > > =3D3D3D3D
>wrote in=3D3D3D3D20
>message =3D
> ><A=3D3D3D3D20
>href=3D3D3D3D3D"<A
> > =3D3D
> > >=3D3D3D
> > > >
> > > > =3D3D3D
> > > =3D3D
> > =3D
> =
>>>>href=3D3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in=
>qgh=3D
> >393=3D3D
> > >an5=3D3D3D
> > > =3D3D
> > =3D
> =
>>>>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393an5</A=
>=3D3D=3D
> >3D=3D3D
> > >
> > > =3D
> =
>>>>=3D3D3D3D
>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
&=3D3D3D=
>
> > > =

```

>>gt;<BLOCKQUOTE=3D3D3D3D20<BR>>style=3D3D3D3D3D"PADDING-RIGHT:=3D3D3D20
> > > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
> >=3D3D3D3D<BR>>BORDER-LEFT: =3D3D
> > >=3D3D3D
> > > >#000000 2px=3D3D3D20
> > > > solid; MARGIN-RIGHT: 0px">i=3D3D3D3D20<BR>> know this as
=
>dumb as
> =3D
> >=3D3D3D
> > > >it gets=3D3D3D20
> > > > but the bnc is attached in the=3D3D3D3D20<BR>> =3D3D3D20
> > > > right<BR>order...right?<BR>all the cards show up in paris
=
>=3D3D3D
> > > >with the=3D3D3D20
> > > > =3D3D3D3D<BR>>single=3D3D3D3D20<BR>> mec?<BR>how many =
>i/o cards =3D
> >=3D3D3D
> > > >in each=3D3D3D20
> > > > mec?<BR><BR><BR>On Fri, 19 Oct=3D3D3D20
> > > > 2007<BR>=3D3D3D3D<BR>><BR>> 00:22:39 -0400, "Tom =
>Bruhl"=3D3D3D20
> > > > <<A=3D3D3D3D20<BR>> =
>=3D3D3D3D<BR>>href=3D3D3D3D3D"<A=3D3D3D20
> > > > =3D3D3D
> > > =3D3D
> > =3D
> =
>>>>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net</A>><BR>=
>wro=3D
> >te'=3D3D
> > >>ma=3D3D3D
> > > =
>>ilto:arpegio@comcast.net">arpegio@comcast.net</A>><BR>w=3D3D3D
> > > >rote</A>:=3D3D3D3D<BR>><BR><BR>>I=3D3D3D3D20<BR>> =3D3D3D20
> > > > thought I was groovin' but once the second Mec =
>was=3D3D3D20
> > > > =3D3D3D3D<BR>>introduced<BR>>the=3D3D3D3D20<BR>> system
=
>=3D3D3D
> > > >stopped. That was=3D3D3D20
> > > > a few weeks ago.<BR>><BR>>Today I=3D3D3D20
> > > > =3D3D3D3D<BR>>tried=3D3D3D3D20<BR>> different cables, =
>eds cards, =3D
> >mecs, =3D3D3D
> > > >eliminated=3D3D3D20
> > > > the magma =3D3D3D3D<BR>>and<BR>>still no=3D3D3D3D20<BR>>

```

```

=
>=3D3D3D
> > > >clock lock or=3D3D3D20
> > > > modules showing up in the paris=3D3D3D20
> > > > =3D3D3D
> > > >=3D3D3D3D<BR>>patchbay.<BR>><BR>>This=3D3D3D3D20<BR>> =
>=3D3D3D
> > > >means to=3D3D3D20
> > > > me software unless someone tells me=3D3D3D20
> > > > =3D3D3D
> > > >=3D3D3D3D<BR>>differently.<BR>><BR>>I=3D3D3D3D20<BR>> =
>=3D3D3D
> > > >have a new=3D3D3D20
> > > > C drive which I will load XP and no pace. Any =3D
> >other=3D3D3D3D20<BR>> =3D3D
> > >=3D3D3D
> > > >
> > > > <BR>>suggestions?<BR>><BR>>More frustrated =3D3D3D
> > > >than=3D3D3D20
> > > > my=3D3D3D3D20<BR>> =3D3D3D20
> > > > =3D3D3D
> > > >clients,<BR>>Tom<BR>><BR>><BR>><BR>><BR>=3D3D3D
> > > >>><BR>>I=3D3D3D20
> > > > choose =3D3D3D3D<BR>>Polesoft=3D3D3D3D20<BR>> Lockspam =
>to fight =3D
> >spam,=3D3D3D20
> > > > and=3D3D3D3D20<BR>> =3D3D3D
> > > >you?<BR>>http://www.polesoft.com/refer.html=3D3D3D20
> > > > =3D3D3D
> > > >=3D3D3D3D20<BR>><BR></BLOCKQUOTE></BODY></HTML><BR>&=3D3D3D
> > > >gt;<BR>><BR></BLOCKQUOTE></BODY></HTML>
> > > >
> > > >
> > > >
> > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> > ><HTML><HEAD>
> > ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html;
=
>=3D3D
> > > charset=3D3D3Diso-8859-1">
> > ><META content=3D3D3D"MSHTML 6.00.2800.1400" =
>name=3D3D3DGENERATOR>
> > ><STYLE></STYLE>
> > ></HEAD>
> > ><BODY bgColor=3D3D3D#ffffff>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Hi Mike,</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Well I've been to =

```



```

>.cfg many a =3D
>   >=3D3D
>   > >time.</FONT></DIV>
>   > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>'I've seen that =
>Mastercard =3D
>   > >setting as =3D3D
>   > > >being=3D3D20
>   > > >0</FONT></DIV>
>   > > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>but maybe it changed
=
>after =3D
>   > >removing the
>   > > =3D3D
>   > > >4=3D3D20
>   > > >other</FONT></DIV>
>   > > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>eds cards for this =
>round of =3D3D
>   > > >testing.</FONT></DIV>
>   > > ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
>   > > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>If it's still 0 what
=
>else could
>   =3D
>   > >this =3D3D
>   > > >be? =3D3D20
>   > > >Busted mobo?</FONT></DIV>
>   > > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>'I'm really in an =
>idunno place =3D
>   > >right =3D3D
>   > > >now. I'll=3D3D20
>   > > >be checking</FONT></DIV>
>   > > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>seriously today again
=
>because of
>   =3D
>   > >a =3D3D
>   > > >session tomorrow=3D3D20
>   > > >morning.</FONT></DIV>
>   > > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Tom</FONT></DIV>
>   > > ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
>   > > ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
>   > > ><BLOCKQUOTE=3D3D20
>   > > >style=3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
>MARGIN-LEFT: 5px; =3D
>   > > >=3D3D
>   > > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
>   > > > ><DIV>"Mike Audet" <mike@....> wrote in message <A=3D3D20
>   > > > =3D3D

```

> > =3D
> =
>>>href=3D3D3D"news:471b2ec2\$1@linux">news:471b2ec2\$1@linux...</DIV><B=
>R>H=3D
> >i=3D3D20
> > > Tom,

If you've only got one card in, then the =
>Mastercard =3D
> >=3D3D3D 0
> > =3D3D
> > >setting is=3D3D20
> > > right.
 The file is Paris.cfg, and it lives in the =3D
> >c:\program=3D3D20
> > > files\Emu\PARIS PRO
folder.

I'd still check it out
=
>to see
> =3D
> >=3D3D
> > >what it is=3D3D20
> > > set to.

If it is wrong, what you are describing =
>will=3D3D20
> > > happen.

Good luck!

Mike

"Tom Bruhl" =
><<A=3D3D20
> > > =
>href=3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3D20
> > > wrote:
>
>
>Thanks Dimitrios.
>
>Mike =3D3D
> > >said the=3D3D20
> > > same thing. Is the ini in the Paris folde or system =3D3D
> > >32?
>>Do I want=3D3D20
> > > the Master card to be 0 absolutely? I only have one =3D3D
> > >card
>>in there=3D3D20
> > > right now and it's all freaky just the=3D3D20
> > > same.
>>Tom
>
>
>
> "Dimitrios" =3D3D
> > ><<A=3D3D20
> > > =
>href=3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr> wrote
> =3D
> >in =3D3D
> > >message=3D3D20
> > > =3D3D3D
>news:471a0486\$1@linux...
>
> Hi =
>Tom=3D3D20
> > > !@
> Sorry to hear you still having problems like =
>this=3D3D20
> > > ~!!
> Must be very frustrating.
> Open the =3D3D
> > >Paris ini=3D3D20
> > > file and there change the mastercardoutput with =
>=3D3D3D
>your=3D3D20
> > > other
> cards and see what happens !!
> Let me =3D3D
> > >

> > > know.
> Regards,
> =3D3D
> > >Dimitrios
>
> =3D3D20
> > > "Tom Bruhl" <<A=3D3D20
> > > =
>href=3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3D20
> > > wrote:
> >
> >
> =3D3D20
> > > >Rick,
> >1 mec, no BNC involved. Paris boots =3D3D
> > >up so=3D3D20
> > > the 1 mec that
> >I'm using shows up but never any A to
=
>=3D3D
> > >Ds or=3D3D20
> > > any installed modules.
> >This is the same symptom =3D3D
> > >before I=3D3D20
> > > repaired one of my mecs with a
> >new chip. The =3D3D
> > >clock=3D3D20
> > > light continues to flash too. Never locks in.
> =3D3D20
> > > >
> >I am using the simplest setup I can imagine and =
>=3D3D
> > >still=3D3D20
> > > it's not =3D3D3D
>working.
> >Mike A. suggested =
>=3D3D
> > >the .ini=3D3D20
> > > file to make sure card A is 0. I'll =3D3D
> > >try
=3D3D3D
>=3D3D3D3D
> =3D3D20
> > > >that.
> >Pretty sure it's right but who=3D3D20
> > > knows?
> >Thanks,
> >Tom
> =3D3D20
> > > >
> >
> >
> =3D3D
> > > >
> =3D3D20
> > > >
> >"rick" <<A=3D3D20
> > > =
>href=3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com>
> =3D
> >=3D3D
> > >wrote in=3D3D20
> > > message =3D3D3D3D
> =3D3D20
> > > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =
>=3D3D20
> > > > i know this as dumb as it gets but the bnc is attached in
=
>=3D3D
> > >the=3D3D20
> > > right
> > order...right?
> > =3D3D
> > > >all the=3D3D20
> > > cards show up in paris with the single mec?
> > =3D3D
> > > >how many=3D3D20
> > > >i/o cards in each mec?
> >
> =3D3D
> > > >
> =3D3D20

> > > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D3D
> > >=3D3D3D3D
><<A=3D3D20
> > > =3D3D
> > =3D
> =
>>>href=3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=
>=3D3D=3D
> >
> > > bsp;=3D3D20
> > > > wrote:
> >
> > >I =3D3D
> > > >thought I=3D3D20
> > > > was groovin' but once the second Mec was introduced
> =
>=3D3D
> > >> =3D3D20
> > > >the system stopped. That was a few weeks ago.
> =3D3D20
> > > > >
> > >Today I tried different =3D3D
> > > > cables,=3D3D20
> > > > eds cards, mecs, eliminated the =3D3D3D
>magma
> =
>=3D3D
> > >=3D3D3D3D
> =3D3D20
> > > >and
> > >still no clock lock or modules =3D3D
> > > >showing up=3D3D20
> > > > in the paris patchbay.
> > >
> =3D3D
> > >> =3D3D20
> > > >This means to me software unless someone tells me=3D3D20
> > > > differently.
> > >
> > =3D3D
> > >>I have=3D3D20
> > > >a new C drive which I will load XP and no pace. Any=3D3D20
> > > >=3D3D3D
>other=3D3D3D3D20
> > =3D3D
> > >>suggestions?
> =3D3D20
> > > >>
> > >More frustrated than my=3D3D20
> > > > clients,
> > >Tom
> > =3D3D20
> > > >
> > >
> > =3D3D
> > >>
> =3D3D20
> > > >>
> > >I choose Polesoft =3D3D
> > > >Lockspam to=3D3D20
> > > > fight spam, and you?
> > =3D3D20
> > > >http://www.polesoft.com/refer.html =3D3D3D3D20
> =
>=3D3D20
> > > >
> >
> ><!DOCTYPE HTML PUBLIC=3D3D20
> > > >"/-//W3C//DTD HTML 4.0 Transitional//EN">
> =3D3D20
> > > ><HTML><HEAD>
> ><META=3D3D20
> > > > http-equiv=3D3D3D3D3DContent-Type =
> > > >content=3D3D3D3D3D"text/html; =3D3D
> > > >=3D3D3D3D
> =3D3D20
> > > > >charset=3D3D3D3D3DDiso-8859-1">
> ><META =3D3D
> > > > >content=3D3D3D3D3D"MSHTML=3D3D20
> > > > >6.00.2800.1400" name=3D3D3D3D3DGENERATOR>
> =3D3D20

```

> > > <STYLE></STYLE><BR>> =3D3D
> > ></HEAD><BR>> =3D3D20
> > > <BODY bgColor=#ffffff><BR>> =3D3D
> > ><DIV><FONT=3D3D20
> > > face=3D3D3D3D3DArial =3D3D
> > >size=3D3D3D3D3D2>Rick,</FONT></DIV><BR>> =3D3D20
> > > <DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>1 mec, no
=
>BNC =3D3D
> > >involved.=3D3D20
> > > Paris =3D3D3D3D<BR>>=3D3D3D3D<BR>> >boots up so =3D3D
> > >the=3D3D3D3D20<BR>> >1=3D3D20
> > > mec that</FONT></DIV><BR>> =3D3D
> > ><DIV><FONT=3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using shows up but
=
>never =3D3D
> > >any<BR>=3D3D3D<BR>>A to=3D3D20
> > > =3D3D3D3D<BR>> >Ds or any=3D3D3D3D20<BR>> =
>>installed=3D3D20
> > > modules.</FONT></DIV><BR>> =3D3D
> > ><DIV><FONT=3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>This is the same =
>symptom =3D3D
> > >before<BR>=3D3D3D<BR>>I=3D3D20
> > > =3D3D3D3D<BR>> >repaired one of=3D3D3D3D20<BR>> >my =3D3D
> > >mecs with=3D3D20
> > > a</FONT></DIV><BR>> ><DIV><FONT=3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>new chip. The clock =
>light =3D3D
> > >=3D3D3D3D<BR>> =3D3D20
> > > >continues to flash=3D3D3D3D20<BR>> >too. Never =
>locks=3D3D20
> > > in.</FONT></DIV><BR>> ><DIV><FONT=3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =3D3D
> > ></DIV><BR>> =3D3D20
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>I am using
=
>=3D3D
> > >the simplest=3D3D20
> > > setup I<BR>=3D3D3D<BR>>can =3D3D3D3D<BR>> >imagine =3D3D
> > >and=3D3D3D3D20<BR>> =3D3D20
> > > >still it's not working.</FONT></DIV><BR>> =3D3D20
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>Mike A. =
>=3D3D
> > > >suggested the=3D3D20
> > > .ini file<BR>=3D3D3D<BR>>=3D3D3D3D<BR>> >to make =3D3D
> > > >sure=3D3D3D3D20<BR>> =3D3D20

```

> > > >card A is 0. I'll try that.</DIV>
> =3D3D
> > >
> > > ><DIV>Pretty =
>sure =3D3D
> > >it's right=3D3D20
> > > but who =3D3D3D
>=3D3D3D3D
> =3D3D20
> > > >knows?</DIV>
> =3D3D
> > >><DIV><FONT=3D3D20
> > > face=3D3D3D3D3DArial =3D3D
> > >>size=3D3D3D3D3D2>Thanks,</DIV>
> =3D3D20
> > > ><DIV><FONT face=3D3D3D3D3DArial=3D3D20
> > > size=3D3D3D3D3D2>Tom</DIV>
> =3D3D20
> > > ><DIV> =
>=>3D3D
> > >
> > > </DIV>
> ><DIV><FONT face=3D3D3D3D3DArial=3D3D20
> > > size=3D3D3D3D3D2> </DIV>
> =3D3D
> > >><DIV>=3D3D20
> > > </DIV>
> ><DIV> </DIV>
> =3D3D20
> > > ><DIV> </DIV>
> ><DIV>"rick"=3D3D20
> > > <<A=3D3D3D3D20
> >href=3D3D3D3D3D"<A=3D3D20
> > > =3D3D
> > >=3D
> > =
>>>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mai=
>lto=3D
> >:pa=3D3D
> > >rnell68@hotmail.com">parnell68@hotmail.com</A>>=3D3D20
> > > =3D3D3D
>=3D3D3D3D
> >wrote in=3D3D3D3D20
> =3D3D
> > >>message=3D3D20
> > > <A=3D3D3D3D20
> =3D3D3D
>>href=3D3D3D3D3D"<A=3D3D20
> > > =3D3D
> > =3D
> > =
>>>href=3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh=
>393=3D
> >'>n=3D3D
> > =3D
> > =
>>>ews:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393=3D3D3=
>D<B=3D
> >=3D3D
> > >R>>an5=3D3D3D3D
> =3D3D20
> > > =3D3D
> > >>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> =3D3D
> > >;=3D3D20
> > > ><BLOCKQUOTE=3D3D3D3D20
> =3D3D
> > >>style=3D3D3D3D3D"PADDING-RIGHT: 0px;=3D3D20


```

>Any=3D3D20
> > > other=3D3D3D3D20<BR>> > =3D3D20
> > > <BR>>suggestions?<BR>><BR>>More frustrated =3D3D
> > >than=3D3D20
> > > my=3D3D3D3D20<BR>> > =3D3D20
> > > =3D3D
> > >>clients,<BR>>Tom<BR>><BR>><BR>><BR>><BR>>=3D3D
> > >>><BR>>I=3D3D20
> > > choose =3D3D3D3D<BR>> >Polesoft=3D3D3D3D20<BR>> =3D3D
> > >> Lockspam=3D3D20
> > > to fight spam, and=3D3D3D3D20<BR>> > =3D3D20
> > > you?<BR>>http://www.polesoft.com/refer.html =3D3D
> > >=3D3D3D3D20<BR>> =3D3D20
> > > =3D3D
> > >><BR></BLOCKQUOTE></BODY></HTML><BR>> =3D3D
> > >=3D3D20
> > > ><BR>> ><BR>><BR>><BR>><!DOCTYPE HTML =3D3D
> > >>PUBLIC=3D3D20
> > > "-//W3C//DTD HTML 4.0=3D3D20
> > > Transitional//EN"><BR>><HTML><HEAD><BR>><META=3D3D20
> > > http-equiv=3D3D3D3DContent-Type =
>content=3D3D3D3D"text/html;=3D3D20
> > > =3D3D3D<BR>>charset=3D3D3D3Diso-8859-1"><BR>><META =3D3D
> > >content=3D3D3D3D"MSHTML=3D3D20
> > > 6.00.2800.1400"=3D3D20
> > > =3D3D
> > >>name=3D3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D3D
> > >>D><BR>><BODY=3D3D20
> > > >bgColor=3D3D3D3D#ffffff><BR>><DIV><FONT =
>face=3D3D3D3DArial=3D3D20
> > > size=3D3D3D3D2>Thanks=3D3D20
> > > Dimitrios.</FONT></DIV><BR>><DIV><FONT =3D3D
> > >face=3D3D3D3DArial=3D3D20
> > > size=3D3D3D3D2></FONT> </DIV><BR>><DIV><FONT =3D3D
> > >face=3D3D3D3DArial=3D3D20
> > > size=3D3D3D3D2>Mike said the same thing. Is the =
>=3D3D3D<BR>>ini in =3D3D
> > >
> > > the=3D3D3D20<BR>>Paris folde or system=3D3D20
> > > 32?</FONT></DIV><BR>><DIV><FONT face=3D3D3D3DArial =3D3D
> > >
> > > size=3D3D3D3D2>Do I want the Master card to be =3D3D
> > >0=3D3D3D20<BR>>absolutely? I=3D3D20
> > > only have one card</FONT></DIV><BR>><DIV><FONT =3D3D
> > >
> > > face=3D3D3D3DArial size=3D3D3D3D2>in there right now and =
>it's all=3D3D20
> > > freaky<BR>=3D3D3D<BR>>just=3D3D20

```

```

> > > =3D3D
> > >the=3D3D3D20<BR>>same.</FONT></DIV><BR>><DIV><FONT=3D3D
> > >=3D3D20
> > > face=3D3D3D3DArial=3D3D20
> > > size=3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D3D20
> > > face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D3D
> > ></DIV><BR>><DIV><FONT=3D3D20
> > > face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D3D
> > ></DIV><BR>><DIV><FONT=3D3D20
> > > face=3D3D3D3DArial size=3D3D3D3D2></FONT>=3D3D20
> > > =3D3D
> > =
>></DIV><BR>><BLOCKQUOTE=3D3D3D20<BR>>style=3D3D3D3D"PADDING-RIGHT: =3D3D
> > >0px;=3D3D20
> > > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>=3D3D3D<BR>>BORDER-LEFT: #000000
> =3D
> >=3D3D
> > >2px solid;=3D3D20
> > > MARGIN-RIGHT: 0px"><BR>> <DIV>"Dimitrios"=3D3D20
> > > <<A=3D3D3D20<BR>> href=3D3D3D3D"<A=3D3D20
> > > =3D3D
> > =3D
> =
>>>href=3D3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A'>mailto:mu=
>sur=3D
> >gio=3D3D
> > >@otenet.gr">musurgio@otenet.gr</A</A>>>=3D3D20
> > > wrote in =3D3D3D<BR>>message=3D3D3D20<BR>> <A =3D3D
> > >=3D3D3D<BR>>href=3D3D3D3D"<A=3D3D20
> > > =3D3D
> > =3D
> =
>>>href=3D3D3D'news:471a0486$1 @linux">news:471a0486$1 @linux</A>...</DIV><B=
>R>H=3D
> >'i'>=3D3D
> > =
>>news:471a0486$1 @linux">news:471a0486$1 @linux</A>...</DIV>>&=3D3D
> > >lt;BR>Hi</A><BR>=3D3D3D<BR>>Tom=3D3D3D20<BR>> =3D3D20
> > > <A href=3D3D3D"mailto:!!@<BR>Sorry">!!@<BR>Sorry</A> to hear =
>you still
> =3D
> >=3D3D
> > >having=3D3D20
> > > problems like this ~!!<BR>Must =3D3D
> > >be<BR>=3D3D3D<BR>>very=3D3D3D20<BR>> =3D3D20
> > > frustrating.<BR>Open the Paris ini file and there change =
>the=3D3D20

```

> > > mastercardoutput with your
> > > other cards and
> > > see what happens !!
Let me
> > > know.
Regards,
Dimitrios

"Tom
> > > Bruhl"
> > > <<A href="<A
> > > =
> > =
> =
>>>href='mailto:arpegio@comcast.net'>arpegio@comcast.net>
>20'm
> > amailto=
> > =
>>:arpegio@comcast.net">arpegio@comcast.net>
&g
> > > t; =
> > > wrote:

Rick,
>1
> > > mec, no
> > > BNC involved. Paris boots up so
=

>=the 1 mec
> > > that
>l'm using shows up but never any A
>to =
>Ds
> > > or
> any installed modules.
>This is the =
>=same
> > > symptom before I
>repaired one
> of
=

>my mecs
> > >with
> > > a
>new chip. The clock light continues to
> > >
>flash too. Never locks
> > > in.
>
>I am using the simplest
> > >
>setup I
> > > can
> imagine and still it's not
> > > working.
>Mike A.
> > > suggested the
>.ini file to make
=

>=sure card A is
> > > 0. I'll try
> > > =
> > >
>=
>that.
>Pretty
> > =
> > > ;, sure it's
> > > right but who
> =
> > > =
> > >
>knows?
>Thanks,
>Tom
><=

> > >
>
>
><=

> > >>"rick"=3D3D3D20
> =3D3D20
> > > <<A =3D3D3D
>href=3D3D3D3D" <A=3D3D20
> > > =3D3D
> > =3D
> =
>>>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mai=
>lto=3D
> >:pa=3D3D
> > >rnell68@hotmail.com">parnell68@hotmail.com</A>=3D3D20
> > > =3D3D3D
>wrote=3D3D3D20
> in message=3D3D3D20
> =
>=3D3D20
> > > =3D3D
> > =
>>=3D3D3D
>=3D3D3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax=3D=
>3D
> > >.com...
>&nbs=3D3D3D
>p;=3D3D20
> > > i=3D3D3D20
> know this as dumb as it gets but the bnc is
=
>=3D3D
> > >attached in=3D3D20
> > > the=3D3D3D20
> right
> =3D3D20
> > > order...right?
> all the cards show up=3D3D20
> > > =3D3D3D
>in=3D3D3D20
> paris with the single =3D3D
> > >mec?
> =3D3D20
> > > how many i/o cards in each=3D3D3D20
> =3D3D20
> > > mec?
>
>
> On Fri, 19 Oct =3D3D
> > >2007=3D3D20
> > > 00:22:39 -0400, =3D3D3D
>"Tom=3D3D3D20
> =
>Bruhl"=3D3D20
> > > <<A=3D3D3D20
> =3D3D3D
>href=3D3D3D3D" <A=3D3D20
> > > =3D3D
> > =3D
> =
>>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=
>'>=3D3D=3D
> >
> > >mailto:arpegio@comcast.net">arpegio@comcast.net>
=3D3D
> > > ;>&n=3D3D3D
>bsp;=3D3D3D20
> =3D3D20
> > > wrote:
>
> >I thought I was groovin' =3D3D
> > >but once=3D3D20
> > > the =3D3D3D
>second=3D3D3D20
> Mec was =3D3D
> > >introduced
> =3D3D20
> > > >the system stopped. That =3D3D3D
>was a =3D3D
> > >few=3D3D3D20
> weeks=3D3D20
> > > ago.
> >
> >Today I tried=3D3D20
> > > =3D3D3D
>different=3D3D3D20
> cables, eds cards, =
>mecs, =3D3D
> > >eliminated the=3D3D20

```

> > > =3D3D3D<BR>>magma<BR>=3D3D3D3D<BR>>and<BR>> =3D3D
> > >=3D3D3D20<BR>> =3D3D20
> > > >still no clock lock or modules showing up in the =3D3D
> > >paris=3D3D3D20<BR>> =3D3D20
> > > patchbay.<BR>> ><BR>> >This means =3D3D
> > >to me=3D3D20
> > > =3D3D3D<BR>>software=3D3D3D20<BR>> unless someone tells =
>me=3D3D20
> > > differently.<BR>> ><BR>> =3D3D20
> > > =3D3D3D<BR>>>I=3D3D3D20<BR>> have a new C drive which I =
>will =3D3D
> > >load XP and no=3D3D20
> > > pace. Any=3D3D3D20<BR>> other=3D3D3D3D20<BR>> =3D3D20
> > > >suggestions?<BR>> =3D3D3D<BR>>><BR>>=3D3D20
> > > =3D3D3D20<BR>> >More frustrated than my =3D3D
> > >clients,<BR>> =3D3D20
> > > =3D3D3D<BR>>>Tom<BR>> =3D3D3D20<BR>> =3D3D
> > >><BR>> =3D3D20
> > > ><BR>> ><BR>> =3D3D
> > >=3D3D3D<BR>>><BR>>=3D3D20
> > > =3D3D3D20<BR>> >I choose Polesoft Lockspam to fight spam, =
>and=3D3D20
> > > you?<BR>> =3D3D3D20<BR>> =3D3D
> > >>http://www.polesoft.com/refer.html=3D3D20
> > > =3D3D3D20<BR>> =3D3D
> > >=3D3D3D3D20<BR>><BR>><BR>><!DOCTYPE=3D3D20
> > > HTML PUBLIC "-//W3C//DTD =3D3D3D<BR>>HTML 4.0=3D3D3D20<BR>>
=
>=3D3D20
> > > =3D3D
> > >Transitional//EN"><BR>><HTML><HEAD><BR>>=3D3D
> > ><META=3D3D3D20<BR>> =3D3D20
> > > http-equiv=3D3D3D3D3DContent-Type =3D3D
> > >content=3D3D3D3D3D"text/html;=3D3D3D20<BR>> =3D3D20
> > > =3D3D3D3D3D<BR>>charset=3D3D3D3D3DDiso-8859-1"><BR>><META =3D3D
> > >
> > > =3D3D3D<BR>>content=3D3D3D3D3D"MSHTML=3D3D3D20<BR>> =3D3D
> > >6.00.2800.1400"=3D3D3D20<BR>> =3D3D20
> > > =3D3D
> > >=3D3D3D<BR>>name=3D3D3D3D3DGENERATOR><BR>><STYLE></STYLE&=3D3D
> > >gt;<BR>></HEA=3D3D3D<BR>>D><BR>><BODY=3D3D3D20<BR>&=3D3D
> > >gt; =3D3D20
> > > bgColor=3D3D3D3D3D#ffffff><BR>><DIV><FONT=3D3D20
> > > face=3D3D3D3D3DArial=3D3D3D20<BR>> =3D3D20
> > > =3D3D
> > >=3D3D3D<BR>>size=3D3D3D3D3D2>Rick,</FONT></DIV><BR>>&l=3D3D
> > >t;DIV><FONT=3D3D3D20<BR>> =3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>1 mec, no BNC =

```

>involved. =3D
> >Paris=3D3D20
> > > =3D3D3D
>=3D3D3D3D
>boots up so=3D3D3D20
> =3D3D
> > >the=3D3D3D3D20
>1=3D3D20
> > > mec=3D3D20
> > > =3D3D
> > >=3D3D3D
>that</DIV>
><DIV><FONT=3D3D
> > >=3D3D3D20
> =3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>'I'm using shows up but
=
>never any
> =3D
> >A to =3D3D
> > >
> > > =3D3D3D
>=3D3D3D3D
>Ds or=3D3D3D20
> =3D3D20
> > > any=3D3D3D3D20
>installed=3D3D3D20
> =3D3D20
> > > modules.</DIV>
><DIV><FONT=3D3D20
> > > =3D3D3D
>face=3D3D3D3D3DArial=3D3D3D20
> =
>size=3D3D3D3D3D2>This is =3D
> >=3D3D
> > >the same=3D3D20
> > > symptom before I =3D3D3D3D
>repaired =3D3D
> > >=3D3D3D
>one=3D3D3D20
> =3D3D20
> > > of=3D3D3D3D20
>my mecs with=3D3D3D20
> =3D3D20
> > > a</DIV>
><DIV><FONT=3D3D20
> > > face=3D3D3D3D3DArial=3D3D3D20
> size=3D3D3D3D3D2>new =
>chip. The =3D3D
> > >clock light=3D3D20
> > > =3D3D3D3D
>continues to=3D3D3D20
> =3D3D
> > >flash=3D3D3D3D20
>too.=3D3D20
> > > Never locks=3D3D3D20
> =3D3D20
> > > in.</DIV>
><DIV><FONT =3D3D
> > >face=3D3D3D3D3DArial=3D3D20
> > > =3D3D3D
>
> size=3D3D3D3D3D2>=3D3D20
> > > </DIV>
><DIV><FONT=3D3D20
> > > =3D3D3D
>face=3D3D3D3D3DArial=3D3D3D20
> =
>size=3D3D3D3D3D2>I am =3D3D
> > >using the simplest=3D3D20
> > > setup I can =3D3D3D3D
>imagine=3D3D3D20
> =3D3D20
> > > and=3D3D3D3D20
>still it's not=3D3D3D20
> =3D3D20
> > > working.</DIV>
><DIV><FONT=3D3D20
> > > =3D3D3D
>face=3D3D3D3D3DArial=3D3D3D20
> =
>size=3D3D3D3D3D2>Mike A. =3D
> >=3D3D
> > >suggested the=3D3D20
> > > .ini file =3D3D3D3D
>to make=3D3D3D20
> =3D3D20
> > > sure=3D3D3D3D20
>card A is 0. I'll try=3D3D3D20
> =
>=3D3D20

```

> > > that.</FONT></DIV><BR>><DIV><FONT=3D3D20
> > > =3D3D3D<BR>>face=3D3D3D3D3DArial=3D3D3D20<BR>> =
>size=3D3D3D3D3D2>Pretty =3D3D
> > >sure it's right=3D3D20
> > > but who=3D3D3D20<BR>> =3D3D20
> > > =3D3D
> > >=3D3D3D3D<BR>>knows?</FONT></DIV><BR>><DIV&g=3D3D
> > >t;<FONT=3D3D3D20<BR>> =3D3D20
> > > face=3D3D3D3D3DArial=3D3D3D20<BR>> =3D3D20
> > > =3D3D
> > >=3D3D3D<BR>>size=3D3D3D3D3D2>Thanks,</FONT></DIV><BR> >=3D3D
> > ><DIV><FONT=3D3D3D<BR>>=3D3D3D20<BR>> =3D3D20
> > > face=3D3D3D3D3DArial=3D3D3D20<BR>> =3D3D20
> > > =3D3D
> > >size=3D3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><=3D3D
> > >FONT=3D3D3D20<BR>> =3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT>=3D3D20
> > > =3D3D
> > >=3D3D3D<BR>></DIV><BR>><DIV><FONT=3D3D3D20<BR>>&nbs=3D3D
> > >p;=3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT>=3D3D20
> > > =3D3D3D<BR>></DIV><BR>><DIV>=3D3D3D20<BR>> =3D3D20
> > > </DIV><BR>><DIV>=3D3D20
> > > </DIV><BR>><DIV>=3D3D3D20<BR>> =3D3D20
> > > </DIV><BR>><DIV>"rick"=3D3D20
> > > =3D3D
> > =
>>=3D3D3D<BR>><<A=3D3D3D3D20<BR>>href=3D3D3D3D3D"<A=3D3D3D20
<BR>>&n=3D3D
> > >bsp;=3D3D20
> > > =3D3D
> > =3D
> =
>>>=3D3D3D<BR>>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotma=
>il.c=3D3D=3D
> >
> > =
>>om</A'>mailto:pa=3D3D3D<BR>>rnell68@hotmail.com">parnell68@hotmai=3D3D
> > >l.com</A</A>>>=3D3D3D20<BR>> =3D3D20
> > > =3D3D3D3D<BR>>wrote in=3D3D3D3D20<BR>>message=3D3D20
> > > <A=3D3D3D3D20<BR>>href=3D3D3D3D3D"<A =3D3D3D<BR>><BR>> =
>=3D3D20
> > > =3D3D
> > =3D
> =
>>>=3D3D3D<BR>>href=3D3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.c=
>om">=3D3D=3D
> >

```


> > =3D
> =
>>>news:inqgh393an5=3D3D3D
>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4=
>=3D3D=3D
> >
> > =
>>ax.com">news:inqgh393an5</A=3D3D3D
>=3D3D3D3D
 >s4m99q=3D3D
> > >caojn09vn112t4u6r@4ax.com...</DIV>
&=3D3D3D
&=3D3D
> > =3D
> =
>>>gt;gt;<BLOCKQUOTE=3D3D3D3D20
>style=3D3D3D3D3D"PADDING-RIGHT:=3D3D3
D=
>20=3D3D
> > >
> =3D3D20
> > > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D
> > >=3D3D3D3D
>BORDER-LEFT:=3D3D20
> > > =3D3D3D
>#000000 2px=3D3D3D20
> solid; =
>MARGIN-RIGHT:=3D3D20
> > > 0px">i=3D3D3D3D20
> know this as dumb as =3D3D
> > >=3D3D3D
>it=3D3D20
> > > gets=3D3D3D20
> but the bnc is attached in =3D3D
> > >the=3D3D3D3D20
>=3D3D20
> > > =3D3D3D20
> right
order...right?
all the =3D3D
> > >cards show up=3D3D20
> > > in paris =3D3D3D
>with the=3D3D3D20
> =3D3D20
> > > =3D3D3D3D
>single=3D3D3D3D20
> mec?
how =3D3D
> > >many i/o=3D3D20
> > > cards =3D3D3D
>in each=3D3D3D20
> =3D3D
> > >mec?

On=3D3D20
> > > Fri, 19 Oct=3D3D3D20
> =3D3D20
> > > 2007
=3D3D3D3D
>
> 00:22:39 -0400, =3D3D
> > >"Tom=3D3D20
> > > Bruhl"=3D3D3D20
> <<A=3D3D3D3D20
> =3D3D20
> > > =3D3D3D3D
>href=3D3D3D3D3D"<A=3D3D3D20
> =3D3D20
> > > =3D3D
> > =3D
> =
>>>=3D3D3D
>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.n=
>et&l=3D3D=3D
> >
> > >t;/A>>
wrote'>ma=3D3D3D
>ilto:arpegio@comcast.net">=3D3D
> > =
>>;arpegio@comcast.net>
w=3D3D3D
>rote:=3D3D3D=3D3D
> > >3D
>

>l=3D3D3D3D20
>=3D3D20
> > > =3D3D3D20
> thought I was groovin' but once the second =
>Mec=3D3D20
> > > was=3D3D3D20
> =3D3D20
> > > =3D3D

> > >=3D3D3D3D
>introduced
>the=3D3D3D3D20
> =3D3D
 > > > system=3D3D20
 > > > =3D3D3D3D
>stopped. That was=3D3D3D20
> a few =
 > weeks=3D3D20
 > > > ago.
>
>Today I=3D3D3D20
> =3D3D20
 > > > =3D3D3D3D
>tried=3D3D3D3D20
> different cables, =3D3D
 > > > eds cards,=3D3D20
 > > > mecs, =3D3D3D
>eliminated=3D3D3D20
> the magma=3D3D20
 > > > =3D3D3D3D
>and
>still =3D3D
 > > > no=3D3D3D3D20
> =3D3D20
 > > > =3D3D3D
>clock lock or=3D3D3D20
> modules showing up
 =
 > in the=3D3D20
 > > > paris=3D3D3D20
> =3D3D20
 > > > =3D3D
 > > >=3D3D3D
>=3D3D3D3D
>patchbay.
>
>This=3D3D3D=3D3D
 > > > 3D20
> =3D3D20
 > > > =3D3D3D
>means to=3D3D3D20
> me software unless =
 > someone =3D3D
 > > > tells=3D3D20
 > > > me=3D3D3D20
> =3D3D20
 > > > =3D3D
 > > >=3D3D3D
>=3D3D3D3D
>differently.
>
>I=3D3D3D=3D3D
 > > > 3D20
> =3D3D20
 > > > =3D3D3D
>have a new=3D3D3D20
> C drive which I will =
 > load XP =3D3D
 > > > and no pace.=3D3D20
 > > > Any other=3D3D3D3D20
> =3D3D3D
>
> =3D3D20
 > > >
>suggestions?
>
>More frustrated=3D3D20
 > > > =3D3D3D
>than=3D3D3D20
> my=3D3D3D3D20
> =3D3D
 > > > =3D3D3D20
> =3D3D20
 > > > =3D3D
 > > >=3D3D3D
>clients,
>Tom
>
>
>=3D3D
 > > > ;>
=3D3D3D
>>>
>I=3D3D3D20
> =3D3D20
 > > > choose =3D3D3D3D
>Polesoft=3D3D3D3D20
> Lockspam =
 > =3D3D
 > > > to fight=3D3D20
 > > > spam,=3D3D3D20
> and=3D3D3D3D20
> =3D3D20
 > > > =3D3D
 > > > =
 > > >=3D3D3D
>you?
><http://www.polesoft.com/refer.html=3D3D3D20
&=3D=3D3D>
 > > > 3D
 > > > gt; =3D3D20
 > > > =3D3D
 > > >=3D3D3D
>=3D3D3D3D20
>
</BLOCKQUOTE></BODY>=3D3D
 > > > ;</HTML>
&=3D3D3D
>gt;
>
</B=3D3D
 > > > LOCKQUOTE></BODY></HTML>
>
>
</BLOCKQUOTE><=3D3D
 > > > /BODY></HTML>

```

> > >
> > >
> >
> >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> ><HTML><HEAD>
> ><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
> > charset=3D3Diso-8859-1">
> ><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
> ><STYLE></STYLE>
> ></HEAD>
> ><BODY bgColor=3D3D#ffffff>
> ><DIV><FONT face=3D3DArial size=3D3D2>Mike,</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>I used to use a Lucid but =
> since all of
> =3D
> >this mess I=3D20
> >stopped.</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>I'm trying to get stable =
> from square =3D
> >one with the=3D20
> >least amount </FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>of hardware. I am using the
=
>=3D
> >default project=3D20
> >for sure. The only </FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>other thing that I still =
> question is my
> =3D
> >move of=3D20
> >Paris to C:ParisPro .</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>I should think the default =
> project will
> =3D
> >either work=3D20
> >or not. Maybe</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>configs or something else is
=
>=3D
> >fighting during=3D20
> >Paris startup?</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>Pats 42 - Miami 7 . . . =
> Halftime and =3D
> >the games=3D20
> >over.</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>Tom</FONT></DIV>

```

```

> ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> ><BLOCKQUOTE=3D20
> >style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
>5px; =3D
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > <DIV>"Mike Audet" <mike@....> wrote in message <A=3D20
> > =3D
> =
>>href=3D3D"news:471b6eb0$1 @linux">news:471b6eb0$1 @linux</A>...</DIV><BR>H=
>i=3D20
> > Tom,<BR><BR>Are you using a default project with PARIS? I'm so
=
>=3D
> >sorry of=3D20
> > this has been<BR>asked and answered already. If so, perhaps it
=
>=3D
> >is=3D20
> > telling card zero to lock<BR>to an external clock, which it =
>can't =3D
> >because=3D20
> > there isn't one.<BR><BR>It would be interesting to attach an =
>external
> =3D
> >clock=3D20
> > source to the MEC and<BR>then start PARIS to see how it =
>behaves. =3D
> >Or, if=3D20
> > the clock generator is fried,<BR>tell paris to lock externally
=
>and see
> =3D
> >what=3D20
> > happens when an external clock<BR>source is =
>applied.<BR><BR>Isn't there
> =3D
> >a=3D20
> > master house synch switch in the cfg file? I've never =3D
> >used<BR>it. =3D20
> > Maybe DJ could help with what that should/shouldn't be set =3D
> >to.<BR><BR>Wish I=3D20
> > could do more than think out loud...<BR><BR>Mike<BR><BR>"Tom =
>Bruhl" =3D
> ><<A=3D20
> > =
>href=3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>=>=3D20

```

> > wrote:
>
>
>Hi Mike,
>Well I've been to .cfg =3D
> >many a=3D20
> > time.
>I've seen that Mastercard setting as being 0
>but
=
>=3D
> >maybe it=3D20
> > changed after removing the 4 other
>eds cards for this round
=
>of=3D20

Subject: Re: Paris saga
Posted by [Tom Bruhl](#) on Mon, 22 Oct 2007 07:58:53 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_003F_01C8145F.DD006B60
Content-Type: text/plain;
 charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Mike,
I have an old network card and my PC is an older
P4 model with 5 PCI slots. Old school for sure as
is the magma.

I'll try the other PC tomorrow. I'm baked.
Thanks again,
Tom

"Mike Audet" <mike@...> wrote in message news:471c57bd\$1@linux...

Hi Again Tom,

Actually, a newer NIC card will use 3.3 volt signalling, and the PARIS =
cards
use 5 volts. It could be that you MB is feeding the EDS cards bad =
power
- maybe even 3.3 volts. Try the EDS cards in another PC. That's =
really
the only way to know if they are cooked. I doubt that they all could =
be.
Actually, low voltage would make any card act weird. High voltage =
would
work fine until they popped.

Tom, if you give up on this, I need you to send me one of your EDS =
cards,
because I just have to know!

Good luck!

Mike=20

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>
>
>After installing a network card it showed up.
>
>Repeating the process using the same PCI slot
>with an eds card made Windows hang.
>
>Are all my EDS cards toast? They weren't a few weeks
>ago? Even when the Mecs weren't showing up the 442 allowed
>5 EDS cards to work in the Magma.
>
>What the heck?
>Tom
>
>
> "Tom Bruhl" <arpeggio@comcast.net> wrote in message =3D
>news:471c381e@linux...
> Mastercard=3D3D0 was correct also.
>
> I am going to try a clean OS with Paris on it too
> if the PCI slots are still working.
>
> Don't bother wishing me luck. There's none to be found.
> Tom
>
> "Tom Bruhl" <arpeggio@comcast.net> wrote in message =3D
>news:471c3137@linux...
> Mike,
> I removed the default project and .cfg from the folder as you =3D
>suggested.
> Now the computer won't even boot with either of three eds cards =
=3D
>installed.
> No Magma, no word clock, no word clock line in the existing =
config.
>
> I'm going to check with a network card to see if the PCI slots =
are =3D
>burn't.

> I tried three different ones with the eds. The one time Windows =
=3D
>worked
> with an eds card, the eds card didn't show up in device manager. =
=3D
>That's=3D20
> probably why.
>
> There is some serious funk going on over here. Maybe mobo? If =
this
=3D
>is the
> case I give up. It's not worth any more BS to me. There is no =
=3D
>person
> in my neighborhood to walk me through this. My tech helps me
> but the problem seems to be from the ground up. I'm guessing 3-4
> things still so wrong that nothing makes sense.
>
> Cubase is looking more and more inviting, learning curve and all.
> Tom
>
>
>
> "Mike Audet" <mike@....> wrote in message =
news:471bcb77\$1@linux...
>
> Hi Tom,
>
> I have an idea.
>
> Try removing UseHouseSync=3D3D1 from the paris.cfg file.
>
> Next, remove your default project from the program =
files\emu\paris
=3D
>pro folder.
> =3D20
>
> Let me know if it makes a difference.
>
> Good luck!
>
> Mike
>
> "Tom Bruhl" <arpeggio@comcast.net> wrote:
> >
> >

> >Mike,
> >I used to use a Lucid but since all of this mess I stopped.
> >I'm trying to get stable from square one with the least amount of hardware. I am using the default project for sure. The only other thing that I still question is my move of Paris to C:ParisPro .
> >I should think the default project will either work or not. Maybe
> >configs or something else is fighting during Paris startup?
> >
> >Pats 42 - Miami 7 . . . Halftime and the games over.
> >Tom
> >
> >
> > "Mike Audet" <mike@....> wrote in message news:471b6eb0\$1@linux...
> >
> > Hi Tom,
> >
> > Are you using a default project with PARIS? I'm so sorry of this has
> > been
> > asked and answered already. If so, perhaps it is telling card
> > zero to
> > lock
> > to an external clock, which it can't because there isn't one.
> >
> > It would be interesting to attach an external clock source to the MEC
> > and
> > then start PARIS to see how it behaves. Or, if the clock generator is
> > fried,

> > tell paris to lock externally and see what happens when an =
=3D
>external =3D3D
> >clock
> > source is applied.
> >
> > Isn't there a master house synch switch in the cfg file? =
I've
=3D
>never =3D3D
> >used
> > it. Maybe DJ could help with what that should/shouldn't be =
set
=3D
>to.
> >
> > Wish I could do more than think out loud...
> >
> > Mike
> >
> > "Tom Bruhl" <arpeggio@comcast.net> wrote:
> > >
> > >
> > >Hi Mike,
> > >Well I've been to .cfg many a time.
> > >I've seen that Mastercard setting as being 0
> > >but maybe it changed after removing the 4 other
> > >eds cards for this round of testing.
> > >
> > >If it's still 0 what else could this be? Busted mobo?
> > >I'm really in an idunno place right now. I'll be checking
> > >seriously today again because of a session tomorrow =
morning.
> > >Tom
> > >
> > >
> > > "Mike Audet" <mike@....> wrote in message =3D
>news:471b2ec2\$1@linux...
> > >
> > > Hi Tom,
> > >
> > > If you've only got one card in, then the Mastercard =
=3D3D3D3D3D
=3D
>0 setting
> =3D3D
> >is =3D3D3D3D
> > >right.

```

> > > The file is Paris.cfg, and it lives in the c:\program =
=3D3D
> >files\Emu\PARIS
> > =3D3D3D
> > >PRO
> > > folder.
> > >
> > > I'd still check it out to see what it is set to.
> > >
> > > If it is wrong, what you are describing will happen.
> > >
> > > Good luck!
> > >
> > > Mike
> > >
> > > "Tom Bruhl" <arpeggio@comcast.net> wrote:
> > > >
> > > >
> > > >Thanks Dimitrios.
> > > >
> > > >Mike said the same thing. Is the ini in the Paris folde =
or
=3D
>system
> =3D3D
> >=3D3D3D
> > >32?
> > > >Do I want the Master card to be 0 absolutely? I only =
have
=3D
>one =3D3D
> >card
> > > >in there right now and it's all freaky just the same.
> > > >Tom
> > > >
> > > >
> > > >
> > > > "Dimitrios" <musurgio@otenet.gr> wrote in message =
=3D3D3D3D
> > > >news:471a0486$1@linux...
> > > >
> > > > Hi Tom !@
> > > > Sorry to hear you still having problems like this ~!!
> > > > Must be very frustrating.
> > > > Open the Paris ini file and there change the =3D
>mastercardoutput =3D3D
> >with
> > =3D3D3D

```

> > >=3D3D3D3D
 > > > >your other
 > > > > cards and see what happens !!
 > > > > Let me know.
 > > > > Regards,
 > > > > Dimitrios
 > > > >
 > > > > "Tom Bruhl" <arpeggio@comcast.net> wrote:
 > > > >
 > > > >
 > > > > >Rick,
 > > > > >1 mec, no BNC involved. Paris boots up so the 1 mec =
 =3D
 >that
 > > > > >I'm using shows up but never any A to Ds or any =3D
 >installed =3D3D3D
 > >modules.
 > > > > >This is the same symptom before I repaired one of my =
 =3D
 >mecs with
 > =3D3D3D
 > >a
 > > > > >new chip. The clock light continues to flash too. =
 =3D
 >Never locks
 > =3D3D3D
 > >=3D3D3D3D
 > > >in.
 > > > >
 > > > > >I am using the simplest setup I can imagine and still =
 =3D
 >it's not
 > =3D3D3D
 > >=3D3D3D3D3D
 > > > >working.
 > > > > >Mike A. suggested the .ini file to make sure card A =
 is
 =3D
 >0. =3D3D3D
 > >I'll =3D3D3D3D
 > > >try
 > > > =3D3D3D3D3D
 > > > >=3D3D3D3D3D3D
 > > > > >that.
 > > > > >Pretty sure it's right but who knows?
 > > > > >Thanks,
 > > > > >Tom
 > > > > >

> > > >
> > > >
> > > >
> > > >
> > > > "rick" <parnell68@hotmail.com> wrote in message =3D
>=3D3D3D3D3D3D
> > > > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> > > > > i know this as dumb as it gets but the bnc is =
attached
=3D
>in the
> =3D3D
> >=3D3D3D
> > >right
> > > > order...right?
> > > > > all the cards show up in paris with the single mec?
> > > > > how many i/o cards in each mec?
> > > >
> > > >
> > > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D
>=3D3D3D3D3D
> > > ><arpeggio@comcast.net>
> > > > > wrote:
> > > >
> > > > > >I thought I was groovin' but once the second Mec =
was
=3D
>=3D3D
> >introduced
> > > > >the system stopped. That was a few weeks ago.
> > > > >
> > > > > >Today I tried different cables, eds cards, mecs, =
=3D
>eliminated
> =3D3D
> >the
> > =3D3D3D
> > >=3D3D3D3D3D
> > > >magma
> > > > =3D3D3D3D3D3D
> > > > >and
> > > > > >still no clock lock or modules showing up in the =
=3D
>paris =3D3D3D
> > >patchbay.
> > > > >
> > > > > >This means to me software unless someone tells me =
=3D3D

```

> > differently.
> > > > >
> > > > > I have a new C drive which I will load XP and no =
=3D
> pace. Any
> =3D3D
> >=3D3D3D3D3D
> > > > other=3D3D3D3D3D20
> > > > > suggestions?
> > > > >
> > > > > More frustrated than my clients,
> > > > > Tom
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > > I choose Polesoft Lockspam to fight spam, and you?
> > > > > http://www.polesoft.com/refer.html =3D3D3D3D3D20
> > > > >
> > > > >
> > > > > <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =3D
> Transitional//EN">
> > > > > <HTML><HEAD>
> > > > > <META http-equiv=3D3D3D3D3D3DContent-Type =3D3D
> > content=3D3D3D3D3D3D"text/html"; =3D3D3D
> > > =3D3D3D3D3D3D
> > > > > charset=3D3D3D3D3D3DDiso-8859-1">
> > > > > <META content=3D3D3D3D3D3D"MSHTML 6.00.2800.1400" =
=3D3D
> > > > > <name=3D3D3D3D3D3DGENERATOR>
> > > > > <STYLE></STYLE>
> > > > > </HEAD>
> > > > > <BODY bgColor=3D3D3D3D3D3D#ffffff>
> > > > > <DIV><FONT face=3D3D3D3D3D3DArial =3D
> > size=3D3D3D3D3D3D2>Rick,</FONT></DIV>
> > > > > <DIV><FONT face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D3D2>1 mec,
=3D
> > no BNC =3D3D
> > > involved. =3D3D3D
> > > > Paris =3D3D3D3D
> > > > > =3D3D3D3D3D3D
> > > > > boots up so the=3D3D3D3D3D20
> > > > > > 1 mec that</FONT></DIV>
> > > > > <DIV><FONT face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D3D2>I'm =3D
> > using shows up
> > =3D3D

```

> >but =3D3D3D
 > > >never any
 > > > =3D3D3D3D
 > > > >A to =3D3D3D3D3D
 > > > > >Ds or any=3D3D3D3D3D20
 > > > > >installed modules.</DIV>
 > > > > ><DIV><FONT face=3D3D3D3D3D3DArial =
 size=3D3D3D3D3D3D2>This is
 =3D
 >the same =3D3D
 > >symptom
 > > =3D3D3D
 > > >before
 > > > =3D3D3D3D
 > > > >I =3D3D3D3D3D
 > > > > >repaired one of=3D3D3D3D3D20
 > > > > >my mecs with a</DIV>
 > > > > ><DIV><FONT face=3D3D3D3D3D3DArial =
 size=3D3D3D3D3D3D2>new =3D
 >chip. The =3D3D
 > >clock light
 > > =3D3D3D
 > > >=3D3D3D3D3D
 > > > >>continues to flash=3D3D3D3D3D20
 > > > > >too. Never locks in.</DIV>
 > > > > ><DIV><FONT face=3D3D3D3D3D3DArial =
 size=3D3D3D3D3D3D2>
 =3D
 ></DIV>
 > > > ><DIV><FONT face=3D3D3D3D3D3DArial =
 size=3D3D3D3D3D3D2>I am =3D
 >using the =3D3D
 > >simplest =3D3D3D
 > > >setup I
 > > > =3D3D3D3D
 > > > >can =3D3D3D3D3D
 > > > > >imagine and=3D3D3D3D3D20
 > > > > >still it's not working.</DIV>
 > > > > ><DIV><FONT face=3D3D3D3D3D3DArial =
 size=3D3D3D3D3D3D2>Mike A.
 =3D
 >suggested
 > =3D3D
 > >the =3D3D3D
 > > >.ini file
 > > > =3D3D3D3D
 > > > >=3D3D3D3D3D
 > > > > >to make sure=3D3D3D3D3D20


```

> > > > >card A is 0. I'll try that.</FONT></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D3D2>Pretty
=3D
>sure it's =3D3D
> >right =3D3D3D
> > >but who =3D3D3D3D
> > > >=3D3D3D3D3D
> > > > >knows?</FONT></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3DArial =3D3D
> >size=3D3D3D3D3D3D2>Thanks,</FONT></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3DArial =3D
>size=3D3D3D3D3D3D2>Tom</FONT></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D3D2></FONT>
=3D
></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D3D2></FONT>
=3D
></DIV>
> > > > ><DIV> </DIV>
> > > > ><DIV> </DIV>
> > > > ><DIV> </DIV>
> > > > ><DIV>"rick" <<A=3D3D3D3D3D20
> > > > =3D3D3D
> > =3D3D
> =3D
=
>>>>href=3D3D3D3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com=
</A=3D
>>>
> =3D3D
> >=3D3D3D
> > >=3D3D3D3D
> > > >=3D3D3D3D3D
> > > > >wrote in=3D3D3D3D3D20
> > > > >message <A=3D3D3D3D3D20
> > > > =3D3D3D3D
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>>>href=3D3D3D3D3D3D"news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">n=
ews=3D
>:in=3D3D
> >qgh=3D3D3D
> > >393=3D3D3D3D

```

```

> > > >an5=3D3D3D3D3D
> > > > >s4m99qcaojn09vn112t4u6r@4ax.com</A>...</DIV>
> > > > ><BLOCKQUOTE=3D3D3D3D3D20
> > > > >style=3D3D3D3D3D3D"padding-right: 0px; padding-left: =
5px;
=3D
>=3D3D
> >MARGIN-LEFT: =3D3D3D
> > >5px; =3D3D3D3D
> > > >=3D3D3D3D3D
> > > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =3D
>0px">i=3D3D3D3D3D20
> > > > > know this as dumb as it gets but the bnc is =
attached =3D
>in =3D3D3D
> > >the=3D3D3D3D3D20
> > > > > right<BR>order...right?<BR>all the cards show up in =
=3D
>paris =3D3D
> >with =3D3D3D
> > >the
> > > =3D3D3D3D
> > > >=3D3D3D3D3D
> > > > >single=3D3D3D3D3D20
> > > > > mec?<BR>how many i/o cards in each =
mec?<BR><BR><BR>On
=3D
>Fri, 19
> =3D3D
> >=3D3D3D
> > >Oct =3D3D3D3D
> > > >2007
> > > > >=3D3D3D3D3D
> > > > >
> > > > > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D3D3D20
> > > > > =3D3D3D3D3D
> > > > > =3D3D3D3D
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>>>href=3D3D3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A=
>><=3D
>BR>=3D3D
> >wro=3D3D3D
> > >te:=3D3D3D3D
> > > >=3D3D3D3D3D
> > > > ><BR><BR>>|=3D3D3D3D3D20

```

```

> > > > thought I was groovin' but once the second Mec was =
=3D
>=3D3D3D3D3D
> > > > introduced<BR>>the=3D3D3D3D3D20
> > > > system stopped. That was a few weeks =3D
>ago.<BR>><BR>>Today I =3D3D
> >=3D3D3D3D3D
> > > > tried=3D3D3D3D3D20
> > > > different cables, eds cards, mecs, eliminated the =
=3D
>magma =3D3D
> >=3D3D3D3D3D
> > > > and<BR>>still no=3D3D3D3D3D20
> > > > clock lock or modules showing up in the paris =3D
>=3D3D3D3D3D
> > > > patchbay.<BR>><BR>>This=3D3D3D3D3D20
> > > > means to me software unless someone tells me =
=3D3D3D3D3D
> > > > differently.<BR>><BR>>I=3D3D3D3D3D20
> > > > have a new C drive which I will load XP and no =
pace. =3D
>Any =3D3D3D
> > >other=3D3D3D3D3D20
> > > > <BR>>suggestions?<BR>><BR>>More frustrated than =3D
>my=3D3D3D3D3D20
> > > > clients,<BR>>Tom<BR>><BR>><BR>><BR>><BR>><BR>>I choose =
=3D
>=3D3D3D3D3D
> > > > Polesoft=3D3D3D3D3D20
> > > > Lockspam to fight spam, and=3D3D3D3D3D20
> > > > you?<BR>>http://www.polesoft.com/refer.html =3D
>=3D3D3D3D3D20
> > > > <BR></BLOCKQUOTE></BODY></HTML>
> > > >
> > > >
> > > >
> > > >
> > > >
> > > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =3D
>Transitional//EN">
> > > ><HTML><HEAD>
> > > ><META http-equiv=3D3D3D3D3DContent-Type =3D
>content=3D3D3D3D3D"text/html"; =3D3D
> >=3D3D3D3D3D
> > > > charset=3D3D3D3D3Diso-8859-1">
> > > ><META content=3D3D3D3D3D"MSHTML 6.00.2800.1400" =3D
>name=3D3D3D3D3DGENERATOR>
> > > ><STYLE></STYLE>
> > > ></HEAD>

```

```

> > > ><BODY bgColor=#ffffff>
> > > ><DIV><FONT face=Arial size=2>Thanks =
=3D3D
> > Dimitrios.</FONT></DIV>
> > > ><DIV><FONT face=Arial size=2></FONT> =
</DIV>
> > > ><DIV><FONT face=Arial size=2>Mike =
said the
=3D
>same thing.
> =3D3D
> > ls =3D3D3D
> > >the =3D3D3D3D
> > > >ini in the=3D3D3D3D20
> > > >Paris folde or system 32?</FONT></DIV>
> > > ><DIV><FONT face=Arial size=2>Do I =
want the
=3D
>Master card
> =3D3D
> >to be
> > =3D3D3D
> > >0=3D3D3D3D20
> > > >absolutely? I only have one card</FONT></DIV>
> > > ><DIV><FONT face=Arial size=2>in =
there right
=3D
>now and =3D3D
> >it's all
> > =3D3D3D
> > >freaky
> > > =3D3D3D3D
> > > >just the=3D3D3D3D20
> > > >same.</FONT></DIV>
> > > ><DIV><FONT face=Arial =3D
>size=3D3D3D3D2>Tom</FONT></DIV>
> > > ><DIV><FONT face=Arial size=2></FONT> =
</DIV>
> > > ><DIV><FONT face=Arial size=2></FONT> =
</DIV>
> > > ><DIV><FONT face=Arial size=2></FONT> =
</DIV>
> > > ><BLOCKQUOTE=3D3D3D3D20
> > > >style=3D3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
=3D
>MARGIN-LEFT: =3D3D
> > >5px; =3D3D3D
> > >=3D3D3D3D

```

```

> > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > > > <DIV>"Dimitrios" <<A=3D3D3D3D20
> > > > =3D
>href=3D3D3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>> =
=3D3D
> >wrote
> > =3D3D3D
> > >in =3D3D3D3D
> > > >message=3D3D3D3D20
> > > > <A =3D3D3D3D
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D3D"news:471a0486$1@linux">news:471a0486$1@linux</A>...</=
DIV=3D
>><B=3D3D
> >R>H=3D3D3D
> > >i
> > > =3D3D3D3D
> > > >Tom=3D3D3D3D20
> > > > !@<BR>Sorry to hear you still having problems like =
this =3D
>=3D3D
> >~!!<BR>Must
> > =3D3D3D
> > >be
> > > =3D3D3D3D
> > > >very=3D3D3D3D20
> > > > frustrating.<BR>Open the Paris ini file and there =
change
=3D
>the =3D3D
> >=3D3D3D3D
> > > >mastercardoutput=3D3D3D3D20
> > > > with your other<BR>cards and see what happens =
!!<BR>Let =3D
>=3D3D
> >me=3D3D3D3D20
> > > > know.<BR>Regards,<BR>Dimitrios<BR><BR>"Tom Bruhl" =3D
><<A=3D3D3D3D20
> > > > =3D3D
> =3D
=
>>href=3D3D3D3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>>=3D=
3D3D3=3D
>D20
> > > > wrote:<BR>><BR>><BR>>Rick,<BR>>1 mec, no BNC =3D3D3D3D

```


> > =3D3D
> =3D
=
>>>=3D3D3D3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...<BR=
>>&=3D
>nbs=3D3D
> >=3D3D3D3D=3D3D3D
> > >
> > > >p; i=3D3D3D3D20
> > > > know this as dumb as it gets but the bnc is attached =
in =3D
>=3D3D
> >the=3D3D3D3D20
> > > > right
> order...right?
> all the cards show up =
=3D
>=3D3D3D3D
> > > >in=3D3D3D3D20
> > > > paris with the single mec?
> how many i/o cards in =
=3D
>=3D3D
> >each=3D3D3D3D20
> > > > mec?
>
>
> On Fri, 19 Oct 2007 00:22:39 =
-0400,
=3D
>=3D3D3D3D
> > > >"Tom=3D3D3D3D20
> > > > Bruhl" <<A=3D3D3D3D20
> > > > =3D3D3D3D
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>>href=3D3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net><=
BR>=3D
>>&n=3D3D
> >=3D3D3D3D=3D3D3D
> > >
> > > >bsp;=3D3D3D3D20
> > > > wrote:
>
> >I thought I was groovin' but once =
the
=3D
>=3D3D3D3D
> > > >second=3D3D3D3D20
> > > > Mec was introduced
> >the system stopped. That =
=3D
>=3D3D3D3D
> > > >was a few=3D3D3D3D20
> > > > weeks ago.
> >
> >Today I tried =3D3D3D3D


```

> =3D3D
> >=3D3D3D3D
> > > >=3D3D3D3D3D3D<BR>>boots up so=3D3D3D3D20
> > > > the=3D3D3D3D3D3D20<BR>>1 mec =3D3D3D3D
> > > >that</FONT></DIV><BR>><DIV><FONT=3D3D3D3D20
> > > > face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>I'm using =
shows up
=3D
>but never =3D3D
> >any A to
> > =3D3D3D
> > >=3D3D3D3D
> > > >=3D3D3D3D3D3D<BR>>Ds or=3D3D3D3D20
> > > > any=3D3D3D3D3D3D20<BR>>installed=3D3D3D3D20
> > > > modules.</FONT></DIV><BR>><DIV><FONT =3D3D3D3D
> > > >face=3D3D3D3D3D3DArial=3D3D3D3D20
> > > > size=3D3D3D3D3D3D2>This is the same symptom before I =
=3D3D
> >=3D3D3D3D3D3D<BR>>repaired =3D3D3D
> > >=3D3D3D3D
> > > >one=3D3D3D3D20
> > > > of=3D3D3D3D3D3D20<BR>>my mecs with=3D3D3D3D20
> > > > a</FONT></DIV><BR>><DIV><FONT =3D
>face=3D3D3D3D3D3DArial=3D3D3D3D20
> > > > size=3D3D3D3D3D3D2>new chip. The clock light =3D
>=3D3D3D3D3D3D<BR>>continues =3D3D
> >to=3D3D3D3D20
> > > > flash=3D3D3D3D3D3D20<BR>>too. Never locks=3D3D3D3D20
> > > > in.</FONT></DIV><BR>><DIV><FONT face=3D3D3D3D3D3DArial =
=3D
>=3D3D3D3D
> > > >
> > > > size=3D3D3D3D3D3D2></FONT> </DIV><BR>><DIV><FONT =
=3D3D3D3D
> > > >face=3D3D3D3D3D3DArial=3D3D3D3D20
> > > > size=3D3D3D3D3D3D2>I am using the simplest setup I can =
=3D
>=3D3D3D
> > >=3D3D3D3D3D3D<BR>>imagine=3D3D3D3D20
> > > > and=3D3D3D3D3D3D20<BR>>still it's not=3D3D3D3D20
> > > > working.</FONT></DIV><BR>><DIV><FONT =3D3D3D3D
> > > >face=3D3D3D3D3D3DArial=3D3D3D3D20
> > > > size=3D3D3D3D3D3D2>Mike A. suggested the .ini file =3D
>=3D3D3D3D3D3D<BR>>to =3D3D
> >make=3D3D3D3D20
> > > > sure=3D3D3D3D3D3D20<BR>>card A is 0. I'll try=3D3D3D3D20
> > > > that.</FONT></DIV><BR>><DIV><FONT =3D3D3D3D
> > > >face=3D3D3D3D3D3DArial=3D3D3D3D20

```

> > > size=3D3D3D3D3D2>Pretty sure it's right but =
who=3D3D3D3D20
> > > =
=3D3D3D3D3D
>knows?</DIV>
><DIV><FONT=3D3D3D3D20
> > > face=3D3D3D3D3D3DArial=3D3D3D3D20
> > > =3D3D3D3D
> > > =
>size=3D3D3D3D3D3D2>Thanks,</DIV>
><DIV><FONT=3D3D3D3D3D
> > > =3D3D3D3D20
> > > face=3D3D3D3D3D3DArial=3D3D3D3D20
> > > =
size=3D3D3D3D3D3D2>Tom</DIV>
><DIV><FONT=3D3D3D3D20
> > > face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2> =
=3D3D3D3D
> > > </DIV>
><DIV><FONT=3D3D3D3D20
> > > face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2> =
=3D3D3D3D
> > > </DIV>
><DIV>=3D3D3D3D20
> > > </DIV>
><DIV> </DIV>
><DIV>=3D3D3D3D20
> > > </DIV>
><DIV>"rick" =3D3D3D3D
> > > <<A=3D3D3D3D3D20
>href=3D3D3D3D3D3D"<A=3D3D3D3D20
> > > =3D3D3D3D
> > > =3D3D3D3D
> > =3D3D3D
> =3D
=
>>>>href=3D3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</=
A'>=3D
>mai=3D3D
> >lt=3D3D3D
> > :pa=3D3D3D3D
> > > =3D
>>rnell68@hotmail.com">parnell68@hotmail.com</A>=3D3D3D3D20
> > > =3D3D3D3D3D
>wrote in=3D3D3D3D3D20
>message =
=3D3D3D
> ><A=3D3D3D3D3D20
>href=3D3D3D3D3D3D"<A
> > =3D3D3D
> > >=3D3D3D3D3D
> > > >
> > > > =3D3D3D3D3D
> > > =3D3D3D3D
> > =3D3D3D
> =3D
=
>>>>href=3D3D3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news=
:in=3D
>qgh=3D3D
> >393=3D3D3D

> > >an5=3D3D3D3D
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393an5</=
A=3D
>=3D3D3D=3D3D
> >3D=3D3D3D
> > >
> > > =3D3D
> =3D
=
>>>>=3D3D3D3D3D
>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
&=3D3=
D3D3D=3D
>
> > > =3D
=
>>gt;<BLOCKQUOTE=3D3D3D3D3D20
>style=3D3D3D3D3D3D"PADDING-RIGHT:=3D3D
3=
D3D20
> > > > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D
> >=3D3D3D3D3D
>BORDER-LEFT: =3D3D3D
> > >=3D3D3D3D
> > > >#000000 2px=3D3D3D3D20
> > > > solid; MARGIN-RIGHT: 0px">i=3D3D3D3D3D20
> know =
this as
=3D
>dumb as
> =3D3D
> >=3D3D3D3D
> > > >it gets=3D3D3D3D20
> > > > but the bnc is attached in the=3D3D3D3D3D20
> =
=3D3D3D3D20
> > > > right
order...right?
all the cards show up in =
paris
=3D
>=3D3D3D3D
> > > >with the=3D3D3D3D20
> > > > =3D3D3D3D3D
>single=3D3D3D3D3D20
> mec?
how =
many =3D
>i/o cards =3D3D
> >=3D3D3D3D
> > > >in each=3D3D3D3D20
> > > > mec?

On Fri, 19 Oct=3D3D3D3D20
> > > > 2007
=3D3D3D3D3D
>
> 00:22:39 -0400, "Tom =
=3D
>Bruhl"=3D3D3D3D20

> > > <<A=3D3D3D3D3D20
> =3D
>=3D3D3D3D3D
>href=3D3D3D3D3D3D"<A=3D3D3D3D20
> > > =3D3D3D3D
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>>href=3D3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net><=
BR>=3D
>wro=3D3D
> >te'=3D3D3D
> > >>ma=3D3D3D3D
> > > =3D
>>ilto:arpegio@comcast.net">arpegio@comcast.net>
w=3D3D3D3D
> > > >rote:=3D3D3D3D3D
>

>l=3D3D3D3D3D20
 > =
=3D3D3D3D20
> > > > thought I was groovin' but once the second Mec =3D
>was=3D3D3D3D20
> > > > =3D3D3D3D3D
>introduced
>the=3D3D3D3D3D20
> =
system
=3D
>=3D3D3D3D
> > > >stopped. That was=3D3D3D3D20
> > > > a few weeks ago.
>
>Today l=3D3D3D3D20
> > > > =3D3D3D3D3D
>tried=3D3D3D3D3D20
> different =
cables, =3D
>eds cards, =3D3D
> >mecs, =3D3D3D3D
> > > >eliminated=3D3D3D3D20
> > > > the magma =3D3D3D3D3D
>and
>still =
no=3D3D3D3D3D20
>
=3D
>=3D3D3D3D
> > > >clock lock or=3D3D3D3D20
> > > > modules showing up in the paris=3D3D3D3D20
> > > > =3D3D3D3D
> > > =
>=3D3D3D3D3D
>patchbay.
>
>This=3D3D3D3D3D20
> =3D
>=3D3D3D3D
> > > >means to=3D3D3D3D20
> > > > me software unless someone tells me=3D3D3D3D20
> > > > =3D3D3D3D
> > > =
>=3D3D3D3D3D
>differently.
>
>l=3D3D3D3D3D20
> =3D
>=3D3D3D3D
> > > >have a new=3D3D3D3D20
> > > > C drive which I will load XP and no pace. Any =3D3D
> >other=3D3D3D3D3D20
> =3D3D3D

```

> > >=3D3D3D3D
> > >
> > > <BR>>suggestions?<BR>><BR>>More frustrated =3D3D3D3D
> > > >than=3D3D3D3D20
> > > > my=3D3D3D3D3D20<BR>> =3D3D3D3D20
> > > > =3D3D3D3D
> > > >clients,<BR>>Tom<BR>><BR>><BR>><BR>><BR>=3D3D3D3D
> > > >>><BR>>I=3D3D3D3D20
> > > > choose =3D3D3D3D3D<BR>>Polesoft=3D3D3D3D20<BR>> =
Lockspam =3D
>to fight =3D3D
> >spam,=3D3D3D3D20
> > > > and=3D3D3D3D3D20<BR>> =3D3D3D3D
> > > >you?<BR>>http://www.polesoft.com/refer.html=3D3D3D3D20
> > > > =3D3D3D3D
> > > =
>=3D3D3D3D3D20<BR>><BR></BLOCKQUOTE></BODY></HTML><BR>&=3D3D3D3D
> > > >gt;<BR>><BR></BLOCKQUOTE></BODY></HTML>
> > > >
> > > >
> > >
> > >
> > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =
Transitional//EN">
> > ><HTML><HEAD>
> > ><META http-equiv=3D3D3D3DContent-Type =
content=3D3D3D3D"text/html;
=3D
>=3D3D3D
> > >charset=3D3D3D3Diso-8859-1">
> > ><META content=3D3D3D3D"MSHTML 6.00.2800.1400" =3D
>name=3D3D3D3DGENERATOR>
> > ><STYLE></STYLE>
> > ></HEAD>
> > ><BODY bgColor=3D3D3D3D#ffffff>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Hi =
Mike,</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Well I've been =
to =3D
>.cfg many a =3D3D
> >=3D3D3D
> > >time.</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>I've seen that =
=3D
>Mastercard =3D3D
> >setting as =3D3D3D
> > >being=3D3D3D20
> > >0</FONT></DIV>

```

```

> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>but maybe it =
changed
=3D
>after =3D3D
> >removing the
> > =3D3D3D
> > >4=3D3D3D20
> > >other</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>eds cards for =
this =3D
>round of =3D3D3D
> > >testing.</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>If it's still =
0 what
=3D
>else could
> =3D3D
> >this =3D3D3D
> > >be? =3D3D3D20
> > >Busted mobo?</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>I'm really in =
an =3D
>idunno place =3D3D
> >right =3D3D3D
> > >now. I'll=3D3D3D20
> > >be checking</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>seriously =
today again
=3D
>because of
> =3D3D
> >a =3D3D3D
> > >session tomorrow=3D3D3D20
> > >morning.</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>Tom</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > ><BLOCKQUOTE=3D3D3D20
> > >style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =3D
>MARGIN-LEFT: 5px; =3D3D
> >=3D3D3D
> > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > > <DIV>"Mike Audet" <mike@....> wrote in message =
<A=3D3D3D20
> > > =3D3D3D
> > =3D3D

```


> =3D
 =
 >>>href=3D3D3D3D"news:471b2ec2\$1@linux">news:471b2ec2\$1@linux...</DIV=
 ><B=3D
 >R>H=3D3D
 > >i=3D3D3D20
 > > > Tom,

If you've only got one card in, then the =3D
 >Mastercard =3D3D
 > >=3D3D3D3D 0
 > > =3D3D3D
 > > >setting is=3D3D3D20
 > > > right.
 The file is Paris.cfg, and it lives in the =
 =3D3D3D
 > >c:\program=3D3D3D20
 > > > files\Emu\PARIS PRO
folder.

I'd still check it =
 out
 =3D
 >to see
 > =3D3D
 > >=3D3D3D
 > > >what it is=3D3D3D20
 > > > set to.

If it is wrong, what you are describing =
 =3D
 >will=3D3D3D20
 > > > happen.

Good luck!

Mike

"Tom Bruhl" =
 =3D
 ><<A=3D3D3D20
 > > > =3D
 =
 >href=3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D=
 D20
 > > > wrote:
>
>
>Thanks Dimitrios.
>
>Mike =
 =3D3D3D
 > > >said the=3D3D3D20
 > > > same thing. Is the ini in the Paris folde or system =
 =3D3D3D
 > > >32?
>>Do I want=3D3D3D20
 > > > the Master card to be 0 absolutely? I only have one =
 =3D3D3D
 > > >card
>>in there=3D3D3D20
 > > > right now and it's all freaky just the=3D3D3D20
 > > > same.
>Tom
>
>
>
> "Dimitrios" =3D3D3D
 > > ><<A=3D3D3D20
 > > > =3D
 >href=3D3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr> =
 wrote
 > =3D3D
 > >in =3D3D3D

> > >message=3D3D3D20
 > > > =3D3D3D3D3D
>news:471a0486\$1 @linux...
>
> Hi =3D
 >Tom=3D3D3D20
 > > > !@
> Sorry to hear you still having problems like =3D
 >this=3D3D3D20
 > > > ~!!
> Must be very frustrating.
> Open the =
 =3D3D3D3D
 > > >Paris ini=3D3D3D20
 > > > file and there change the mastercardoutput with =3D
 >=3D3D3D3D3D
>your=3D3D3D20
 > > > other
> cards and see what happens !!
> Let me =
 =3D3D3D3D
 > > >
 > > > know.
> Regards,
> =3D3D3D3D
 > > >Dimitrios
>
> =3D3D3D20
 > > > "Tom Bruhl" <<A=3D3D3D20
 > > > =3D
 =
 >href=3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D3D
 D20
 > > > wrote:
> >
> >
> =3D3D3D20
 > > > >Rick,
> >1 mec, no BNC involved. Paris boots =
 =3D3D3D3D
 > > >up so=3D3D3D20
 > > > the 1 mec that
> >I'm using shows up but never any A =
 to
 =3D
 >=3D3D3D3D
 > > >Ds or=3D3D3D20
 > > > any installed modules.
> >This is the same symptom =
 =3D3D3D3D
 > > >before I=3D3D3D20
 > > > repaired one of my mecs with a
> >new chip. The =
 =3D3D3D3D
 > > >clock=3D3D3D20
 > > > light continues to flash too. Never locks in.
> =
 =3D3D3D3D20
 > > > >
> >I am using the simplest setup I can imagine and =
 =3D
 >=3D3D3D3D
 > > >still=3D3D3D20
 > > > it's not =3D3D3D3D3D
>working.
> >Mike A. suggested =
 =3D
 >=3D3D3D3D
 > > >the .ini=3D3D3D20
 > > > file to make sure card A is 0. I'll =3D3D3D3D
 > > >try
=3D3D3D3D3D
>=3D3D3D3D3D3D
> =3D3D3D20
 > > > >that.
> >Pretty sure it's right but who=3D3D3D20

> > > knows?
> >Thanks,
> >Tom
> =3D3D3D20
 > > > >
> >
> >
> =3D3D3D
 > > >>
> =3D3D3D20
 > > > >
> >"rick" <<A=3D3D3D20
 > > > =3D
 =
 >href=3D3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com>
 > =3D3D
 > >=3D3D3D
 > > >wrote in=3D3D3D20
 > > > message =3D3D3D3D3D3D
> =3D3D3D20
 > > > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =
 =3D
 >=3D3D3D20
 > > > > i know this as dumb as it gets but the bnc is attached =
 in
 =3D
 >=3D3D3D
 > > >the=3D3D3D20
 > > > right
> > order...right?
> > =3D3D3D
 > > >all the=3D3D3D20
 > > > cards show up in paris with the single mec?
> > =
 =3D3D3D
 > > >how many=3D3D3D20
 > > > i/o cards in each mec?
> >
> =3D3D3D
 > > >>
> =3D3D3D20
 > > > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =
 =3D3D3D
 > > >=3D3D3D3D
><<A=3D3D3D20
 > > > =3D3D3D
 > > =3D3D
 > =3D
 =
 >>>href=3D3D3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>
=
 >&n=3D
 >=3D3D3D=3D3D
 > >
 > > >bsp;=3D3D3D20
 > > > > wrote:
> >
> > >I =3D3D3D
 > > >thought I=3D3D3D20
 > > > was groovin' but once the second Mec was introduced
> =
 =3D
 >=3D3D3D
 > > >> =3D3D3D20
 > > > >the system stopped. That was a few weeks ago.
> =
 =3D3D3D20
 > > > > >
> > >Today I tried different =3D3D3D
 > > > >cables,=3D3D3D20

> > > eds cards, mecs, eliminated the =3D3D3D3D
>magma
> =
=3D
>=3D3D3D
> > >=3D3D3D3D3D3D
> =3D3D3D20
> > > >and
> > >still no clock lock or modules =3D3D3D
> > > showing up=3D3D3D20
> > > in the paris patchbay.
> > >
> =3D3D3D
> > >> =3D3D3D20
> > > >This means to me software unless someone tells =
me=3D3D3D20
> > > differently.
> > >
> > =3D3D3D
> > >>I have=3D3D3D20
> > > a new C drive which I will load XP and no pace. =
Any=3D3D3D20
> > > =3D3D3D3D3D
>other=3D3D3D3D3D3D20
> > =3D3D3D
> > >>suggestions?
> =3D3D3D20
> > > >
> > >More frustrated than my=3D3D3D20
> > > clients,
> > >Tom
> > =3D3D3D20
> > > >
> > >
> > =3D3D3D
> > >>
> =3D3D3D20
> > > > >
> > >I choose Polesoft =3D3D3D
> > >Lockspam to=3D3D3D20
> > > fight spam, and you?
> > =3D3D3D20
> > > >http://www.polesoft.com/refer.html =3D3D3D3D3D3D20
> =
=3D
>=3D3D3D20
> > > >
> >
> ><!DOCTYPE HTML PUBLIC=3D3D3D20
> > > "-//W3C//DTD HTML 4.0 Transitional//EN">
> =3D3D3D20
> > > ><HTML><HEAD>
> ><META=3D3D3D20
> > > http-equiv=3D3D3D3D3D3D3DContent-Type =3D
> > >content=3D3D3D3D3D3D3D"text/html"; =3D3D3D
> > >=3D3D3D3D3D3D
> =3D3D3D20
> > > >charset=3D3D3D3D3D3D3Diso-8859-1">
> ><META =3D3D3D
> > >content=3D3D3D3D3D3D3D"MSHTML=3D3D3D20
> > > 6.00.2800.1400" name=3D3D3D3D3D3D3DGENERATOR>
> =
=3D3D3D20
> > > ><STYLE></STYLE>
> =3D3D3D
> > >></HEAD>
> =3D3D3D20
> > > ><BODY bgColor=3D3D3D3D3D3D3D#ffffff>
> =3D3D3D
> > >><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3D3D3DArial =3D3D3D
> > >size=3D3D3D3D3D3D2>Rick,</DIV>
> =3D3D3D20
> > > ><DIV>1 =
mec, no
=3D
>BNC =3D3D3D
> > >involved.=3D3D3D20
> > > Paris =3D3D3D3D3D
>=3D3D3D3D3D3D
> >boots up so =

=3D3D3D

> > >the=3D3D3D3D3D20
> >1=3D3D3D20
> > > mec that</DIV>
> =3D3D3D
> > >><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>I'm using shows =

up but

=3D

>never =3D3D3D

> > >any
=3D3D3D3D
>A to=3D3D3D20
> > > =3D3D3D3D3D
> >Ds or any=3D3D3D3D3D20
> =3D
>>installed=3D3D3D20

> > > modules.</DIV>
> =3D3D3D

> > >><DIV><FONT=3D3D3D20

> > > face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>This is the =

same =3D

>symptom =3D3D3D

> > >before
=3D3D3D3D
>I=3D3D3D20

> > > =3D3D3D3D3D
> >repaired one of=3D3D3D3D3D20
> >my =

=3D3D3D

> > >mecs with=3D3D3D20

> > > a</DIV>
> ><DIV><FONT=3D3D3D20

> > > face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>new chip. The =

clock =3D

>light =3D3D3D

> > >=3D3D3D3D3D
> =3D3D3D20

> > > >continues to flash=3D3D3D3D3D20
> >too. Never =3D

>locks=3D3D3D20

> > > in.</DIV>
> ><DIV><FONT=3D3D3D20

> > > face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2> =3D3D3D

> > ></DIV>
> =3D3D3D20

> > > ><DIV>I =

am using

=3D

>=3D3D3D

> > >the simplest=3D3D3D20

> > > setup I
=3D3D3D3D
>can =3D3D3D3D3D
> >imagine =

=3D3D3D

> > >and=3D3D3D3D3D20
> =3D3D3D20

> > > >still it's not working.</DIV>
> =3D3D3D20

> > > ><DIV><FONT face=3D3D3D3D3D3DArial =

size=3D3D3D3D3D3D2>Mike A. =3D

>=3D3D3D

> > >suggested the=3D3D3D20

> > > .ini file
=3D3D3D3D
>=3D3D3D3D3D
> >to make =

=3D3D3D

> > >sure=3D3D3D3D3D20
> =3D3D3D20

> > > >card A is 0. I'll try that.</DIV>
> =3D3D3D

> > >

```

> > > ><DIV><FONT face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D3D2>Pretty =3D
>sure =3D3D3D
> > >it's right=3D3D3D20
> > > but who =3D3D3D3D<BR>=>=3D3D3D3D3D<BR>> =3D3D3D20
> > > >knows?</FONT></DIV><BR>> =3D3D3D
> > >><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3D3DArial =3D3D3D
> > >size=3D3D3D3D3D3D2>Thanks,</FONT></DIV><BR>> =3D3D3D20
> > > ><DIV><FONT face=3D3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D3D2>Tom</FONT></DIV><BR>> =3D3D3D20
> > > ><DIV><FONT face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D3D2></FONT> =3D
>=3D3D3D
> > >
> > > </DIV><BR>> ><DIV><FONT face=3D3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D3D2></FONT> </DIV><BR>> =3D3D3D
> > >><DIV>=3D3D3D20
> > > </DIV><BR>> ><DIV> </DIV><BR>> =3D3D3D20
> > > ><DIV> </DIV><BR>> ><DIV>"rick"=3D3D3D20
> > > <<A=3D3D3D3D3D20<BR>> >href=3D3D3D3D3D3D"<A=3D3D3D20
> > > =3D3D3D
> > > =3D3D
> > =3D
=
>>>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>=
mai=3D
>lto=3D3D
> >:pa=3D3D3D
> > =
>rnell68@hotmail.com">parnell68@hotmail.com</A</A>>>=3D3D3D20
> > > =3D3D3D3D<BR>=>=3D3D3D3D3D<BR>> >wrote =
in=3D3D3D3D3D20<BR>> =3D3D3D
> > >>message=3D3D3D20
> > > <A=3D3D3D3D3D20<BR>> =
=3D3D3D3D<BR>>>href=3D3D3D3D3D3D"<A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> > =3D
=
>>>href=3D3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in=
qgh=3D
>393=3D3D
> >'>n=3D3D3D
> > =3D3D
> > =3D
=
>>>ews:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393</A>=3D3D=

```

3D3=3D

>D<B=3D3D

> >=3D3D3D

> > >R>>an5=3D3D3D3D3D
> =3D3D3D20

> > > =3D3D3D

> > >>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> =3D3D3D

> > >;=3D3D3D20

> > > ><BLOCKQUOTE=3D3D3D3D3D20
> =3D3D3D

> > >>style=3D3D3D3D3D3D"padding-right: 0px;=3D3D3D20

> > > padding-left: 5px; margin-left: 5px; =3D

>=3D3D3D3D
>=3D3D3D3D3D
> =3D3D3D20

> > > >BORDER-LEFT: #000000 2px solid; margin-right: =3D3D3D

> > >0px">i=3D3D3D3D3D20
> =3D3D3D20

> > > > know this as dumb as it gets but the bnc is attached =

=3D

>in=3D3D3D20

> > > the=3D3D3D3D3D20
> > =3D3D3D

> > >right
order...right?
all=3D3D3D20

> > > the cards show up in paris with =3D

>the
=3D3D3D3D
>=3D3D3D3D3D
> =3D3D3D20

> > > >single=3D3D3D3D3D20
> > mec?
how many i/o =

=3D3D3D

> > >cards in=3D3D3D20

> > > each mec?

On Fri, 19 Oct=3D3D3D20

> > > =3D3D3D3D
>2007
> =3D3D3D3D3D
> >
> =

=3D3D3D

> > >> =3D3D3D20

> > > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D3D3D20
> > =

=3D3D3D20

> > > =3D3D3D3D3D
> =

=3D3D3D3D
>>href=3D3D3D3D3D3D" <A=3D3D3D20

> > > =3D3D3D

> > =3D3D

> =3D

=

>>>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
=

wro=3D

>te'=3D3D

> >>ma=3D3D3D

> > =

>ilto:arpegio@comcast.net">arpegio@comcast.net>
w=3D3D3D

> > >rote:=3D3D3D3D
>=3D3D3D3D3D
> =3D3D3D20

> > > >

>I=3D3D3D3D3D20
> > thought =3D3D3D

> > >I was=3D3D3D20

> > > groovin' but once the second Mec was =3D3D3D3D3D
> =

=3D3D3D20

> > > >introduced
>the=3D3D3D3D3D20
> > system =3D3D3D

> > > >stopped.=3D3D3D20

> > > That was a few weeks ago.
>
>Today I =3D3D3D
 > > >=3D3D3D3D3D3D
> =3D3D3D20
 > > > >tried=3D3D3D3D3D20
> > different cables, eds cards, =
 =3D
 >=3D3D3D
 > > >mecs,=3D3D3D20
 > > > eliminated the magma =3D3D3D3D3D3D
> =
 >and
>still=3D3D3D20
 > > > no=3D3D3D3D3D20
> > clock lock or modules showing up =
 in =3D
 >=3D3D3D
 > > >the paris=3D3D3D20
 > > > =3D3D3D3D3D3D
> =3D3D3D20
 > > > >patchbay.
>
>This=3D3D3D3D3D20
> =3D3D3D
 > > >> =3D3D3D20
 > > > means to me software unless someone tells me =
 =3D3D3D3D3D3D
>
 =3D
 >=3D3D3D20
 > > > >differently.
>
>I=3D3D3D3D3D20
> =3D3D3D
 > > >> =3D3D3D20
 > > > have a new C drive which I will load XP and no pace. =3D
 >Any=3D3D3D20
 > > > other=3D3D3D3D3D20
> > =3D3D3D20
 > > >
>suggestions?
>
>More frustrated =3D3D3D
 > > >than=3D3D3D20
 > > > my=3D3D3D3D3D20
> > =3D3D3D20
 > > > =3D3D3D
 > > >clients,
>Tom
>
>
>
>
>=3D3D3D
 > > >>>
>I=3D3D3D20
 > > > choose =3D3D3D3D3D3D
> >Polesoft=3D3D3D3D3D20
> =
 =3D3D3D
 > > >> Lockspam=3D3D3D20
 > > > to fight spam, and=3D3D3D3D3D20
> > =3D3D3D20
 > > > you?
>http://www.polesoft.com/refer.html =3D3D3D
 > > >=3D3D3D3D3D20
> =3D3D3D20
 > > > =3D3D3D
 > > >>
</BLOCKQUOTE></BODY></HTML>
> =3D3D3D
 > > >=3D3D3D20
 > > > >
> >
>
>
><!DOCTYPE HTML =3D3D3D
 > > >PUBLIC=3D3D3D20
 > > > "-//W3C//DTD HTML 4.0=3D3D3D20
 > > > Transitional//EN">
><HTML><HEAD>
><META=3D3D3D20
 > > > http-equiv=3D3D3D3D3DContent-Type =3D
 >content=3D3D3D3D3D"text/html";=3D3D3D20
 > > > =3D3D3D3D3D
>charset=3D3D3D3D3Diso-8859-1">
><META =
 =3D3D3D
 > > >content=3D3D3D3D3D"MSHTML=3D3D3D20

```

> > > 6.00.2800.1400"=3D3D3D20
> > > =3D3D3D
> > =
>name=3D3D3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D3D3D
> > >D><BR>><BODY=3D3D3D20
> > > bgColor=3D3D3D3D3D#ffffff><BR>><DIV><FONT =3D
>face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Thanks=3D3D3D20
> > > Dimitrios.</FONT></DIV>><DIV><FONT =3D3D3D
> > >face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2></FONT> </DIV>><DIV><FONT =3D3D3D
> > >face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Mike said the same thing. Is the =3D
>=3D3D3D3D<BR>>ini in =3D3D3D
> > >
> > > the=3D3D3D3D20<BR>>Paris folde or system=3D3D3D20
> > > 32?</FONT></DIV>><DIV><FONT face=3D3D3D3D3DArial =
=3D3D3D
> > >
> > > size=3D3D3D3D3D2>Do I want the Master card to be =3D3D3D
> > >0=3D3D3D3D20<BR>>absolutely? I=3D3D3D20
> > > only have one card</FONT></DIV>><DIV><FONT =3D3D3D
> > >
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>in there right now =
and =3D
>it's all=3D3D3D20
> > > freaky<BR>=3D3D3D3D<BR>>just=3D3D3D20
> > > =3D3D3D
> > >the=3D3D3D3D20<BR>>same.</FONT></DIV>><DIV><FONT=3D3D3D
> > >=3D3D3D20
> > > face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Tom</FONT></DIV>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =3D3D3D
> > ></DIV>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =3D3D3D
> > ></DIV>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT>=3D3D3D20
> > > =3D3D3D
> > =3D
=
>></DIV>><BR>><BLOCKQUOTE=3D3D3D3D20<BR>>style=3D3D3D3D3D "PADDING-RIGHT:
=
=3D3D3D
> > >0px;=3D3D3D20
> > > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
>=3D3D3D3D<BR>>BORDER-LEFT: #000000
> =3D3D
> >=3D3D3D

```

```

> > >2px solid;=3D3D3D20
> > > MARGIN-RIGHT: 0px"><BR>> <DIV>"Dimitrios"=3D3D3D20
> > > <<A=3D3D3D3D20<BR>> href=3D3D3D3D3D"<A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A'>mailto=
:mu=3D
>sur=3D3D
> >gio=3D3D3D
> > >@otenet.gr">musurgio@otenet.gr</A</A>>=3D3D3D20
> > > wrote in =3D3D3D3D<BR>>message=3D3D3D3D20<BR>> <A =
=3D3D3D
> > >=3D3D3D3D<BR>>href=3D3D3D3D3D"<A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D'news:471a0486$1 @linux">news:471a0486$1 @linux</A>...</DIV=
><B=3D
>R>H=3D3D
> >i'>=3D3D3D
> > =3D
>>news:471a0486$1 @linux">news:471a0486$1 @linux</A>...</DIV>&=3D3D3D
> > >lt;BR>Hi</A><BR>=3D3D3D3D<BR>>Tom=3D3D3D3D20<BR>> =3D3D3D20
> > > <A href=3D3D3D3D"mailto:!!@<BR>Sorry">!!@<BR>Sorry</A> to =
hear =3D
>you still
> =3D3D
> >=3D3D3D
> > >having=3D3D3D20
> > > problems like this ~!!<BR>Must =3D3D3D
> > >be<BR>=3D3D3D3D<BR>>very=3D3D3D3D20<BR>> =3D3D3D20
> > > frustrating.<BR>Open the Paris ini file and there change =
=3D
>the=3D3D3D20
> > > =3D3D3D3D<BR>>mastercardoutput=3D3D3D3D20<BR>> with your =
=3D3D3D
> > >other<BR>cards and=3D3D3D20
> > > see what happens !!<BR>Let me=3D3D3D3D20<BR>> =3D3D3D20
> > > know.<BR>Regards,<BR>Dimitrios<BR><BR>"Tom =3D3D3D
> > >Bruhl"=3D3D3D20
> > > <<A=3D3D3D3D20<BR>> href=3D3D3D3D3D"<A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=

```


> > >BR>>
>
>
><=3D3D3D3D
>BR>=3D3D3D
 > > >>"rick"=3D3D3D3D20
> =3D3D3D20
 > > > <<A =3D3D3D3D
>href=3D3D3D3D3D" <A=3D3D3D20
 > > > =3D3D3D
 > > =3D3D
 > =3D
 =
 >>>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>=
 mai=3D
 >lto=3D3D
 > >:pa=3D3D3D
 > > =
 >rnell68@hotmail.com">parnell68@hotmail.com</A>=3D3D3D20
 > > > =3D3D3D3D
>wrote=3D3D3D3D20
> in =
 message=3D3D3D3D20
> =3D
 >=3D3D3D20
 > > > =3D3D3D
 > > =3D
 =
 >>=3D3D3D3D
>=3D3D3D3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4=
 ax=3D3D=3D
 >3D
 > > >.com...
>&nbs=3D3D3D3D
>p;=3D3D3D20
 > > > i=3D3D3D3D20
> know this as dumb as it gets but the =
 bnc is
 =3D
 >=3D3D3D
 > > >attached in=3D3D3D20
 > > > the=3D3D3D3D20
> right
> =3D3D3D20
 > > > order...right?
> all the cards show up=3D3D3D20
 > > > =3D3D3D3D
>in=3D3D3D3D20
> paris with the single =
 =3D3D3D
 > > >mec?
> =3D3D3D20
 > > > how many i/o cards in each=3D3D3D3D20
> =3D3D3D20
 > > > mec?
>
>
> On Fri, 19 Oct =3D3D3D
 > > >2007=3D3D3D20
 > > > 00:22:39 -0400, =3D3D3D3D
>"Tom=3D3D3D3D20
> =3D
 >Bruhl"=3D3D3D20
 > > > <<A=3D3D3D3D20
> =
 =3D3D3D3D
>href=3D3D3D3D3D" <A=3D3D3D20
 > > > =3D3D3D
 > > =3D3D
 > =3D
 =
 >>>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
=
 >&n=3D
 >'>=3D3D3D=3D3D
 > >

> > =
>mailto:arpegio@comcast.net">arpegio@comcast.net>
=3D3D3D
> > >;&n=3D3D3D3D
>bsp;=3D3D3D3D20
> =3D3D3D20
> > > wrote:
>
> >I thought I was groovin' =3D3D3D
> > >but once=3D3D3D20
> > > the =3D3D3D3D
>second=3D3D3D3D20
> Mec was =3D3D3D
> > >introduced
> =3D3D3D20
> > > >the system stopped. That =3D3D3D3D
>was a =3D3D3D
> > >few=3D3D3D3D20
> weeks=3D3D3D20
> > > ago.
> >
> >Today I tried=3D3D3D20
> > > =3D3D3D3D
>different=3D3D3D3D20
> cables, eds =
cards, =3D
>mecs, =3D3D3D
> > >eliminated the=3D3D3D20
> > > =3D3D3D3D
>magma
=3D3D3D3D3D
>and
> =3D3D3D
> > >=3D3D3D3D20
> =3D3D3D20
> > > >still no clock lock or modules showing up in the =3D3D3D
> > >paris=3D3D3D3D20
> =3D3D3D20
> > > patchbay.
> >
> >This means =3D3D3D
> > >to me=3D3D3D20
> > > =3D3D3D3D
>software=3D3D3D3D20
> unless someone =
tells =3D
>me=3D3D3D20
> > > differently.
> >
> =3D3D3D20
> > > =3D3D3D3D
>>I=3D3D3D3D20
> have a new C drive =
which I =3D
>will =3D3D3D
> > >load XP and no=3D3D3D20
> > > pace. Any=3D3D3D3D20
> other=3D3D3D3D3D20
> =
=3D3D3D20
> > > >suggestions?
> =3D3D3D3D
>>
>=3D3D3D20
> > > =3D3D3D3D20
> >More frustrated than my =3D3D3D
> > >clients,
> =3D3D3D20
> > > =3D3D3D3D
>>Tom
> =3D3D3D3D20
> =3D3D3D
> > >>
> =3D3D3D20
> > > >
> >
> =3D3D3D
> > >=3D3D3D3D
>>
>=3D3D3D20
> > > =3D3D3D3D20
> >I choose Polesoft Lockspam to fight =
spam, =3D
>and=3D3D3D20
> > > you?
> =3D3D3D3D20
> =3D3D3D
> > >>http://www.polesoft.com/refer.html=3D3D3D20
> > > =3D3D3D3D20
> =3D3D3D
> > >=3D3D3D3D3D20
>
>
><!DOCTYPE=3D3D3D20
> > > HTML PUBLIC "-//W3C//DTD =3D3D3D3D
>HTML =
4.0=3D3D3D3D20
>
=3D
>=3D3D3D20

```

> > > =3D3D3D
> > >Transitional//EN"><BR>><HTML><HEAD><BR>>=3D3D3D
> > ><META=3D3D3D3D20<BR>> =3D3D3D20
> > > http-equiv=3D3D3D3D3D3DContent-Type =3D3D3D
> > >content=3D3D3D3D3D3D"text/html;=3D3D3D3D20<BR>> =3D3D3D20
> > > =
=3D3D3D3D3D<BR>>charset=3D3D3D3D3D3Diso-8859-1"><BR>><META =3D3D3D
> > >
> > > =3D3D3D3D<BR>>content=3D3D3D3D3D3D"MSHTML=3D3D3D3D20<BR> > =
=3D3D3D3D
> > >6.00.2800.1400"=3D3D3D3D20<BR>> =3D3D3D20
> > > =3D3D3D3D
> > > =
>=3D3D3D3D3D<BR>>name=3D3D3D3D3D3DGENERATOR><BR>><STYLE></STYLE&=3D3D3D
D
> > =
>gt;<BR>></HEA=3D3D3D3D3D<BR>>D><BR>><BODY=3D3D3D3D20<BR >&=3D3D3D
> > >gt; =3D3D3D20
> > > bgcolor=3D3D3D3D3D3D#ffffff><BR>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3D3DArial=3D3D3D3D20<BR>> =3D3D3D20
> > > =3D3D3D3D
> > > =
>=3D3D3D3D3D<BR>>size=3D3D3D3D3D3D2>Rick,</FONT></DIV><BR >>&l=3D3D3D
> > >t;DIV><FONT=3D3D3D3D20<BR>> =3D3D3D20
> > > face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>1 mec, no BNC =
=3D
>involved. =3D3D
> >Paris=3D3D3D20
> > > =3D3D3D3D<BR>>=3D3D3D3D3D<BR>>boots up so=3D3D3D3D20<BR>> =
=3D3D3D3D
> > >the=3D3D3D3D3D20<BR>>1=3D3D3D20
> > > mec=3D3D3D20
> > > =3D3D3D3D
> > >=3D3D3D3D3D<BR>>that</FONT></DIV><BR>><DIV><FONT=3D3D3D
> > >=3D3D3D3D20<BR>> =3D3D3D20
> > > face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>I'm using shows =
up but
=3D
>never any
> =3D3D
> >A to =3D3D3D
> > >
> > > =3D3D3D3D<BR>>=3D3D3D3D3D<BR>>Ds or=3D3D3D3D20<BR>> =
=3D3D3D20
> > > any=3D3D3D3D3D20<BR>>installed=3D3D3D3D20<BR>> =3D3D3D20
> > > modules.</FONT></DIV><BR>><DIV><FONT=3D3D3D20
> > > =3D3D3D3D<BR>>face=3D3D3D3D3D3DArial=3D3D3D3D20<BR>> =3D
>size=3D3D3D3D3D3D2>This is =3D3D

```


> >=3D3D3D
 > > >the same=3D3D3D20
 > > > symptom before I =3D3D3D3D3D3D
>repaired =3D3D3D3D
 > > >=3D3D3D3D3D
>one=3D3D3D3D3D20
> =3D3D3D3D20
 > > > of=3D3D3D3D3D20
>my mecs with=3D3D3D3D20
> =
 =3D3D3D20
 > > > a</DIV>
><DIV><FONT=3D3D3D20
 > > > face=3D3D3D3D3D3DArial=3D3D3D3D20
> =
 size=3D3D3D3D3D3D2>new =3D
 >chip. The =3D3D3D
 > > >clock light=3D3D3D20
 > > > =3D3D3D3D3D3D
>continues to=3D3D3D3D20
> =3D3D3D
 > > >flash=3D3D3D3D3D20
>too.=3D3D3D20
 > > > Never locks=3D3D3D3D20
> =3D3D3D20
 > > > in.</DIV>
><DIV><FONT =3D3D3D
 > > >face=3D3D3D3D3D3DArial=3D3D3D20
 > > > =3D3D3D3D
>
> size=3D3D3D3D3D3D2>=3D3D3D20
 > > > </DIV>
><DIV><FONT=3D3D3D20
 > > > =3D3D3D3D
>face=3D3D3D3D3D3DArial=3D3D3D3D20
> =3D
 >size=3D3D3D3D3D3D2>I am =3D3D3D
 > > >using the simplest=3D3D3D20
 > > > setup I can =3D3D3D3D3D3D
>imagine=3D3D3D3D20
> =
 =3D3D3D20
 > > > and=3D3D3D3D3D20
>still it's not=3D3D3D3D20
> =
 =3D3D3D20
 > > > working.</DIV>
><DIV><FONT=3D3D3D20
 > > > =3D3D3D3D
>face=3D3D3D3D3D3DArial=3D3D3D3D20
> =3D
 >size=3D3D3D3D3D3D2>Mike A. =3D3D
 > >=3D3D3D
 > > >suggested the=3D3D3D20
 > > > .ini file =3D3D3D3D3D3D
>to make=3D3D3D3D20
> =
 =3D3D3D20
 > > > sure=3D3D3D3D3D20
>card A is 0. I'll =
 try=3D3D3D3D20
> =3D
 >=3D3D3D20
 > > > that.</DIV>
><DIV><FONT=3D3D3D20
 > > > =3D3D3D3D
>face=3D3D3D3D3D3DArial=3D3D3D3D20
> =3D
 >size=3D3D3D3D3D3D2>Pretty =3D3D3D
 > > >sure it's right=3D3D3D20
 > > > but who=3D3D3D3D20
> =3D3D3D20
 > > > =3D3D3D
 > > >=3D3D3D3D3D3D
>knows?</DIV>
><DIV&g=3D3D3D
 > > >t;<FONT=3D3D3D3D20
> =3D3D3D20
 > > > face=3D3D3D3D3D3DArial=3D3D3D3D20
> =3D3D3D20
 > > > =3D3D3D
 > > =
 >=3D3D3D3D3D3D
>size=3D3D3D3D3D3D2>Thanks,</DIV>
>=3D3D3D
 > > ><DIV><FONT=3D3D3D3D
>=3D3D3D3D20
> =3D3D3D20

> > > face=3D3D3D3D3D3DArial=3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D
> > >size=3D3D3D3D3D3D2>Tom</DIV>
><DIV><=3D3D3D
> > >FONT=3D3D3D3D20
> =3D3D3D20
> > > face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D3D2>=3D3D3D20
> > > =3D3D3D
> > =
>=3D3D3D3D3D
></DIV>
><DIV><FONT=3D3D3D3D20
>&nbs=3D3D3D
> > >p;=3D3D3D20
> > > face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D3D2>=3D3D3D20
> > > =3D3D3D3D
></DIV>
><DIV>=3D3D3D3D20
> =3D3D3D20
> > > </DIV>
><DIV>=3D3D3D20
> > > </DIV>
><DIV>=3D3D3D3D20
> =3D3D3D20
> > > </DIV>
><DIV>"rick"=3D3D3D20
> > > =3D3D3D
> > =3D
=
>>=3D3D3D3D
><<A=3D3D3D3D3D20
>href=3D3D3D3D3D3D"<A=3D3D3D3D20

>=
&n=3D3D3D
> > >bsp;=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>=3D3D3D3D
>href=3D3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@=
hotma=3D
>il.c=3D3D3D=3D3D
> >
> > =3D
=
>>om</A'>mailto:pa=3D3D3D3D
>rnell68@hotmail.com">parnell68@hotmail=3D3=
D3D
> > >l.com</A>>=3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D3D3D3D
>wrote =
in=3D3D3D3D3D3D20
>message=3D3D3D20
> > > <A=3D3D3D3D3D20
>href=3D3D3D3D3D3D"<A =
=3D3D3D3D
>
> =3D
>=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>=3D3D3D3D
>href=3D3D3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@=
4ax.c=3D
>om">=3D3D3D=3D3D

> >
> > =3D3D
> =3D
=
>>>news:inqgh393an5=3D3D3D3D
>'>news:inqgh393an5s4m99qcaojn09vn112t4u6=
r@4=3D
>=3D3D3D=3D3D
> >
> > =3D
=
>>ax.com">news:inqgh393an5</A=3D3D3D3D
>=3D3D3D3D3D
>s4m99q=3D3D3D=

> > =
>caojn09vn112t4u6r@4ax.com...</DIV>
&=3D3D3D3D
&=3D3D3D
> > =3D3D
> =3D
=
>>>gt;gt;<BLOCKQUOTE=3D3D3D3D3D20
>style=3D3D3D3D3D3D"PADDING-RIGHT:=3
D=
3D3D3D=3D
>20=3D3D3D
> > >
> =3D3D3D20
> > > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D3D
> > >=3D3D3D3D3D
>BORDER-LEFT:=3D3D3D20
> > > =3D3D3D3D
>#000000 2px=3D3D3D3D20
> solid; =3D
>MARGIN-RIGHT:=3D3D3D20
> > > 0px">i=3D3D3D3D3D20
> know this as dumb as =3D3D3D
> > >=3D3D3D3D
>it=3D3D3D20
> > > gets=3D3D3D3D20
> but the bnc is attached in =3D3D3D
> > >the=3D3D3D3D3D20
>=3D3D3D20
> > > =3D3D3D3D20
> right
order...right?
all the =
=3D3D3D
> > >cards show up=3D3D3D20
> > > in paris =3D3D3D3D
>with the=3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D3D3D
>single=3D3D3D3D3D20
> mec?
how =
=3D3D3D
> > >many i/o=3D3D3D20
> > > cards =3D3D3D3D
>in each=3D3D3D3D20
> =3D3D3D
> > >mec?

On=3D3D3D20
> > > Fri, 19 Oct=3D3D3D3D20
> =3D3D3D20
> > > 2007
=3D3D3D3D3D
>
> 00:22:39 -0400, =3D3D3D
> > >"Tom=3D3D3D20
> > > Bruhl"=3D3D3D3D20
> <<A=3D3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D3D3D
>href=3D3D3D3D3D3D"<A=3D3D3D3D20
> =
=3D3D3D20
> > > =3D3D3D
> > =3D3D

> =3D
=
>>>=3D3D3D3D
>href=3D3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comc=
ast.n=3D
>et&l=3D3D3D=3D3D
> >
> > =
>t;/A>>
wrote'>ma=3D3D3D3D
>ilto:arpegio@comcast.net">=3D3D3D
> > =3D
=
>>;arpegio@comcast.net>
w=3D3D3D3D
>rote:=3D3D3D3D=3D3D3D
> > >3D
>

>l=3D3D3D3D3D20
>=3D3D3D20
> > > =3D3D3D3D20
> thought I was groovin' but once the =
second =3D
>Mec=3D3D3D20
> > > was=3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D
> > >=3D3D3D3D3D
>introduced
>the=3D3D3D3D3D20
> =
=3D3D3D
> > > system=3D3D3D20
> > > =3D3D3D3D
>stopped. That was=3D3D3D3D20
> a few =
=3D
>weeks=3D3D3D20
> > > ago.
>
>Today l=3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D3D3D
>tried=3D3D3D3D3D20
> different =
cables, =3D3D3D
> > >eds cards,=3D3D3D20
> > > mecs, =3D3D3D3D
>eliminated=3D3D3D3D20
> the =
magma=3D3D3D20
> > > =3D3D3D3D3D
>and
>still =3D3D3D
> > >no=3D3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D3D
>clock lock or=3D3D3D3D20
> modules =
showing up
=3D
>in the=3D3D3D20
> > > paris=3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D
> > =
>=3D3D3D3D
>=3D3D3D3D3D
>patchbay.
>
>This=3D3D3D3D=3D3D3D
> > >3D20
> =3D3D3D20
> > > =3D3D3D3D
>means to=3D3D3D3D20
> me software =
unless =3D
>someone =3D3D3D
> > >tells=3D3D3D20
> > > me=3D3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D
> > =
>=3D3D3D3D
>=3D3D3D3D3D
>differently.
>
>l=3D3D3D3D=3D3D3D

```

> > >3D20<BR>> =3D3D3D20
> > > =3D3D3D3D3D<BR>>have a new=3D3D3D3D20<BR>> C drive which I =
will =3D
>load XP =3D3D3D
> > >and no pace.=3D3D3D20
> > > Any other=3D3D3D3D3D20<BR>> =3D3D3D3D<BR>><BR>> =
=3D3D3D20
> > > <BR>>suggestions?<BR>><BR>>More frustrated=3D3D3D20
> > > =3D3D3D3D3D<BR>>than=3D3D3D3D20<BR>> my=3D3D3D3D3D20<BR>> =
=3D3D3D
> > >=3D3D3D3D3D20<BR>> =3D3D3D20
> > > =3D3D3D
> > >=3D3D3D3D3D<BR>>clients,<BR>>Tom<BR>><BR>><BR>=3D3D3D
> > >;><BR=3D3D3D3D3D<BR>>>><BR>>I=3D3D3D3D20<BR>> =3D3D3D20
> > > choose =3D3D3D3D3D<BR>>Polesoft=3D3D3D3D3D20<BR>> =
Lockspam =3D
>=3D3D3D
> > >to fight=3D3D3D20
> > > spam,=3D3D3D3D20<BR>> and=3D3D3D3D3D20<BR>> =3D3D3D20
> > > =3D3D3D
> > =3D
=
>>=3D3D3D3D3D<BR>>you?<BR>>http://www.polesoft.com/refer.html=3D3D3D3D20<BR=
>&=3D3D=3D
>3D
> > >gt;=3D3D3D20
> > > =3D3D3D
> > =
>=3D3D3D3D3D<BR>>=3D3D3D3D3D20<BR>><BR></BLOCKQUOTE></BODY >=3D3D3D
> > >;</HTML><BR>&=3D3D3D3D3D<BR>>gt;<BR>><BR></B=3D3D3D
> > >LOCKQUOTE></BODY></HTML><BR>><BR>><BR></BLOCKQUOTE><=3D3D3D
> > >/BODY></HTML>
> > >
> > >
> >
> >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> ><HTML><HEAD>
> ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =
=3D3D
> > charset=3D3D3Diso-8859-1">
> ><META content=3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3DGENERATOR>
> ><STYLE></STYLE>
> ></HEAD>
> ><BODY bgColor=3D3D3D#ffffff>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Mike,</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>I used to use a Lucid =

```

but =3D

- >since all of
- > =3D3D
- > >this mess I=3D3D20
- > >stopped.</DIV>
- > ><DIV>I'm trying to get =

stable =3D

- >from square =3D3D
- > >one with the=3D3D20
- > >least amount </DIV>
- > ><DIV>of hardware. I am =

using the

=3D

- >=3D3D
- > >default project=3D3D20
- > >for sure. The only </DIV>
- > ><DIV>other thing that I =

still =3D

- >question is my
- > =3D3D
- > >move of=3D3D20
- > >Paris to C:ParisPro .</DIV>
- > ><DIV>I should think the =

default =3D

- >project will
- > =3D3D
- > >either work=3D3D20
- > >or not. Maybe</DIV>
- > ><DIV>configs or something =

else is

=3D

- >=3D3D
- > >fighting during=3D3D20
- > >Paris startup?</DIV>
- > ><DIV> </DIV>
- > ><DIV>Pats 42 - Miami 7 . . =

.. =3D

- >Halftime and =3D3D
- > >the games=3D3D20
- > >over.</DIV>
- > ><DIV>Tom</DIV>
- > ><DIV> </DIV>
- > ><DIV> </DIV>
- > ><DIV> </DIV>
- > ><BLOCKQUOTE=3D3D20
- > >style=3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =

MARGIN-LEFT: =3D

- >5px; =3D3D

```

> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > <DIV>"Mike Audet" <mike@...> wrote in message <A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D"news:471b6eb0$1 @linux">news:471b6eb0$1 @linux</A>...</DIV><B=
R>H=3D
>i=3D3D20
> > Tom,<BR><BR>Are you using a default project with PARIS? I'm =
so
=3D
>=3D3D
> >sorry of=3D3D20
> > this has been<BR>asked and answered already. If so, perhaps =
it
=3D
>=3D3D
> >is=3D3D20
> > telling card zero to lock<BR>to an external clock, which it =
=3D
>can't =3D3D
> >because=3D3D20
> > there isn't one.<BR><BR>It would be interesting to attach an =
=3D
>external
> =3D3D
> >clock=3D3D20
> > source to the MEC and<BR>then start PARIS to see how it =3D
>behaves. =3D3D
> >Or, if=3D3D20
> > the clock generator is fried,<BR>tell paris to lock =
externally
=3D
>and see
> =3D3D
> >what=3D3D20
> > happens when an external clock<BR>source is =3D
>applied.<BR><BR>Isn't there
> =3D3D
> >a=3D3D20
> > master house synch switch in the cfg file? I've never =3D3D
> >used<BR>it. =3D3D20
> > Maybe DJ could help with what that should/shouldn't be set =
=3D3D
> >to.<BR><BR>Wish I=3D3D20
> > could do more than think out loud...<BR><BR>Mike<BR><BR>"Tom =
=3D
>Bruhl" =3D3D

```


> ><<A=3D3D20
> > =3D
=
>href=3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3D20
> > wrote:
>
>
>Hi Mike,
>Well I've been to .cfg =
=3D3D
> >many a=3D3D20
> > time.
>I've seen that Mastercard setting as being =
0
>but
=3D
>=3D3D
> >maybe it=3D3D20
> > changed after removing the 4 other
>eds cards for this =
round
=3D
>of=3D3D20
-----=_NextPart_000_003F_01C8145F.DD006B60
Content-Type: text/html;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Mike,</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>I have an old network card and my PC is =
an=20
older</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>P4 model with 5 PCI slots.&nbsp; Old =
school for=20
sure as</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>is the magma.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>I'll try the other PC tomorrow.&nbsp; =
I'm=20
baked.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Thanks again,</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
```


nbsp;=20
> > > </DIV>
><DIV&am p;gt; =
=
</DIV>
><DIV&am p;gt;=3D3D3D3D20
> =
> > > > > =
</DIV>
><DIV&am p;gt; "rick"=20
=3D3D3D3D
> > > > =20
=
><<A=3D3D3D3D3D20
&am p;gt;href=3D3D3D3D3D3D " <A=3D3D3D3D2=
0
 > =2 0
> > > > =
=3D3D3D3D
 > =2 0
> > > =3D3D3D
> =
> =20
=3D3D
 > =2 0
=
=3D
>>>href=3D3D3D3D3D'mailto:parnell68@hotmail.com">p=
arnell68@hotmail.com</A'>=3D
>mai=3D3D
> &nb=
sp; =20
><to=3D3D3D
> > =20
><pa=3D3D3D3D
> > =
> =20
=
=3D
>>rnell68@hotmail.com">parnell68@hotmail.com</A</A&=
gt;>>=3D3D3D3D20
 > =2 0
> > > > =3D3D3D3D3D
>wrote=20
in=3D3D3D3D3D20
>message =
=3D3D
 > =2 0
=
><A=3D3D3D3D3D20
>href =3D3D3D3D3D3D " <A
> =
 =20
> =3D3D3D
> > =20
> =3D3D3D3D
> > =
> =20
>
> > > > =
> =20
=3D3D3D3D
> > > > =20
=3D3D3D
> > =20
=3D3D
 > =2 0
=
=3D
 >>>>href=3D3D3D3D3D'news:inqgh39 3an5s4m99qcaojn09vn112=
t4u6r@4ax.com">news:in=3D
>qgh=3D3D
> &nb=
sp; =20
><393=3D3D3D
> > =20
><an5=3D3D3D3D
> > =
> =20

system stopped. That was a few weeks ago.
Today I tried different cables, eds cards, mecs, eliminated the magma
and still no clock lock or modules showing up in the paris patchbay.
This means to me software unless someone tells me differently.
I have a new C drive which I will load XP and no pace. Any other suggestions?
More frustrated than my clients, Tom

=3D3D3D3D3D
> =20
=
=3D3D3D3D
>>href=3D3D3D3D3D3D "A=3D3D3D20
> =
 =20
> =3D3D3D
> =
> =20
=3D3D
 > =2 0
=
=3D
>>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@c=
omcast.net>
wro=3D
>te'=3D3D
> &nb=
sp; =20
>>ma=3D3D3D
> > =20
=
>mailto:arpegio@comcast.net">arpegio@comcast.net><BR&=
gt;w=3D3D3D
 > =2 0
> =
>rote:=3D3D3D3D
&a mp;gt;=3D3D3D3D3D
>=20
=3D3D3D20
> > > =20
>

>l=3D3D3D 3D3D20
> =
> =20
thought =3D3D3D
> > >l =

was=3D3D3D20
> > =
> =20
groovin' but once the second Mec was =3D3D3D3D3D
>=20
=3D3D3D20
> > > =20
>introduced
>the=3D3D3D3D3D20
> =
> =20
system =3D3D3D
> > =20
>stopped.=3D3D3D20
> > =

> That was a few weeks ago.
>
>Toda y =
l=20
=3D3D3D
> > =20
>=3D3D3D3D3D
> =
=3D3D3D20
 > =2 0
> > >tried=3D3D3D3D3D20
> p; =
> =20
different cables, eds cards,=20
=3D
>=3D3D3D
> > =20
>meccs,=3D3D3D20
> > =
> =20
eliminated the magma =3D3D3D3D3D
> =20
=
>and
>still=3D3D3D20
> =
=20
> > no=3D3D3D3D3D20
> > =
clock lock=20

there isn't
 one. It would be interesting to attach an external clock source to the MEC and then start PARIS to see how it behaves. Or, if we can't get the clock generator is fried, tell paris to lock externally and see what happens when an external clock source is applied. Isn't there a switch in the cfg file? I've never used it. Maybe DJ could help with what that should/shouldn't be set to. Wish I could do more than think out loud... Mike & Tom Bruhl" A href="mailto:arpeggio@comcast.net">arpeggio@comcast.net wrote: Mike, Well I've been to .cfg many a time. I've seen that Mastercard setting as being 0 but
 maybe it

changed=20

after removing the 4 other
>eds cards for this=20
round
=3D
>of=3D3D20</BLOCKQUOTE></BODY></HTML >

-----=_NextPart_000_003F_01C8145F.DD006B60--

Subject: Re: Paris saga

Posted by [Tom Bruhl](#) on Mon, 22 Oct 2007 08:06:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_006D_01C81460.E747FDD0

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

MAYBE- - -

My power supply in my PC is pooped.

That would make everything goofy including
the Magma who's power supply I just replaced.

Hmmm? Got another \$100 for another power supply?!!!

Hell of an experiment I'm running here huh?

Tom

"Mike Audet" <mike@...> wrote in message news:471c5655\$1@linux...

Hi Tom,

Yikes! Well, removing the house synch line from the cfg file and =
removing

the default project would not affect whether Windows boots or not. =
Both

are not looked at by anything until the PARIS application loads.

This is sounding more like either dammaged EDS card(s) or a bad =
motherboard.

I'm not sure this will make you feel any better, but we had basically =
the

same experience at work with am EMU 1820M. The external breakout box =
died,

and Adobe Audition became useless. It was the same kind of nightmare. =

Two

employees stayed up all night trying to sort it out to get a tape out =
to

a TV station the next day.

I wouldn't give up on PARIS over this. Hardware failures happen no matter what platform you use - even tape - and they can be hell to sort out.

I'd ask your tech to lend you a PC, and just try installing a simple PARIS system in there. If it works, just get a new PC.

I look forward to reading your post when you get this sorted out!

Good luck,

Mike

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>Mike,

>I removed the default project and .cfg from the folder as you suggested.

>Now the computer won't even boot with either of three eds cards installed.

>No Magma, no word clock, no word clock line in the existing config.

>

>I'm going to check with a network card to see if the PCI slots are

>burn't.

>I tried three different ones with the eds. The one time Windows worked

>with an eds card, the eds card didn't show up in device manager. That's

>=3D

>

>probably why.

>

>There is some serious funk going on over here. Maybe mobo? If this is

>=3D

>the

>case I give up. It's not worth any more BS to me. There is no person

>in my neighborhood to walk me through this. My tech helps me

>but the problem seems to be from the ground up. I'm guessing 3-4

>things still so wrong that nothing makes sense.

>
>Cubase is looking more and more inviting, learning curve and all.
>Tom
>
>
>
> "Mike Audet" <mike@....> wrote in message news:471bcb77\$1@linux...
>
> Hi Tom,
>
> I have an idea.
>
> Try removing UseHouseSync=3D3D1 from the paris.cfg file.
>
> Next, remove your default project from the program files\emu\paris =
pro
=3D
>folder.
> =3D20
>
> Let me know if it makes a difference.
>
> Good luck!
>
> Mike
>
> "Tom Bruhl" <arpeggio@comcast.net> wrote:
> >
> >
> >Mike,
> >I used to use a Lucid but since all of this mess I stopped.
> >I'm trying to get stable from square one with the least =
amount=3D3D20
> >of hardware. I am using the default project for sure. The =
only=3D3D20
> >other thing that I still question is my move of Paris to =
C:ParisPro .
> >I should think the default project will either work or not. Maybe
> >configs or something else is fighting during Paris startup?
> >
> >Pats 42 - Miami 7 . . . Halftime and the games over.
> >Tom
> >
> >
> >
> > "Mike Audet" <mike@....> wrote in message =
news:471b6eb0\$1@linux...
> >

> > Hi Tom,
> >
> > Are you using a default project with PARIS? I'm so sorry of =
this =3D
>has
> =3D3D
> >been
> > asked and answered already. If so, perhaps it is telling card =
zero
=3D
>to
> =3D3D
> >lock
> > to an external clock, which it can't because there isn't one.
> >
> > It would be interesting to attach an external clock source to =
the =3D
>MEC
> =3D3D
> >and
> > then start PARIS to see how it behaves. Or, if the clock =
generator
=3D
>is
> =3D3D
> >fried,
> > tell paris to lock externally and see what happens when an =
external
=3D
>=3D3D
> >clock
> > source is applied.
> >
> > Isn't there a master house synch switch in the cfg file? I've =
=3D
>never =3D3D
> >used
> > it. Maybe DJ could help with what that should/shouldn't be set =
to.
> >
> > Wish I could do more than think out loud...
> >
> > Mike
> >
> > "Tom Bruhl" <arpegio@comcast.net> wrote:
> > >
> > >
> > >Hi Mike,

> > >Well I've been to .cfg many a time.
 > > >I've seen that Mastercard setting as being 0
 > > >but maybe it changed after removing the 4 other
 > > >eds cards for this round of testing.
 > > >
 > > >If it's still 0 what else could this be? Busted mobo?
 > > >I'm really in an idunno place right now. I'll be checking
 > > >seriously today again because of a session tomorrow morning.
 > > >Tom
 > > >
 > > >
 > > > "Mike Audet" <mike@....> wrote in message =3D
 >news:471b2ec2\$1@linux...
 > > >
 > > > Hi Tom,
 > > >
 > > > If you've only got one card in, then the Mastercard =3D3D3D3D =
 0 =3D
 >setting
 > =3D3D
 > >is =3D3D3D
 > > >right.
 > > > The file is Paris.cfg, and it lives in the c:\program =3D3D
 > >files\Emu\PARIS
 > > =3D3D3D
 > > >PRO
 > > > folder.
 > > >
 > > > I'd still check it out to see what it is set to.
 > > >
 > > > If it is wrong, what you are describing will happen.
 > > >
 > > > Good luck!
 > > >
 > > > Mike
 > > >
 > > > "Tom Bruhl" <arpeggio@comcast.net> wrote:
 > > > >
 > > > >
 > > > >Thanks Dimitrios.
 > > > >
 > > > >Mike said the same thing. Is the ini in the Paris folde or =
 =3D
 >system
 > =3D3D
 > >=3D3D3D
 > > >32?
 > > > >Do I want the Master card to be 0 absolutely? I only have =

```

one
=3D
>=3D3D
> >card
> > > >in there right now and it's all freaky just the same.
> > > >Tom
> > > >
> > > >
> > > >
> > > > "Dimitrios" <musurgio@otenet.gr> wrote in message =
=3D3D3D3D3D
> > > >news:471a0486$1@linux...
> > > >
> > > > Hi Tom !@
> > > > Sorry to hear you still having problems like this ~!!
> > > > Must be very frustrating.
> > > > Open the Paris ini file and there change the =
mastercardoutput
=3D
>=3D3D
> >with
> > =3D3D3D
> > >=3D3D3D3D3D
> > > >your other
> > > > cards and see what happens !!
> > > > Let me know.
> > > > Regards,
> > > > Dimitrios
> > > >
> > > > "Tom Bruhl" <arpegio@comcast.net> wrote:
> > > > >
> > > > >
> > > > >Rick,
> > > > >1 mec, no BNC involved. Paris boots up so the 1 mec that
> > > > >I'm using shows up but never any A to Ds or any installed =
=3D
>=3D3D
> >modules.
> > > > >This is the same symptom before I repaired one of my mecs =
=3D
>with
> =3D3D
> >a
> > > > >new chip. The clock light continues to flash too. Never =
=3D
>locks
> =3D3D
> >=3D3D3D3D

```

> > >in.
 > > > > >
 > > > > >I am using the simplest setup I can imagine and still =
 it's =3D
 >not
 > =3D3D
 > >=3D3D3D3D
 > > > >working.
 > > > > >Mike A. suggested the .ini file to make sure card A is =
 0.=20
 =3D
 >=3D3D
 > >'ll =3D3D3D
 > > >try
 > > > =3D3D3D3D
 > > > >=3D3D3D3D3D
 > > > > >that.
 > > > > >Pretty sure it's right but who knows?
 > > > > >Thanks,
 > > > > >Tom
 > > > > >
 > > > > >
 > > > > >
 > > > > >
 > > > > >
 > > > > >
 > > > > >"rick" <parnell68@hotmail.com> wrote in message =
 =3D3D3D3D3D
 > > > > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
 > > > > > i know this as dumb as it gets but the bnc is attached =
 in
 =3D
 >the
 > =3D3D
 > >=3D3D3D
 > > >right
 > > > > > order...right?
 > > > > > all the cards show up in paris with the single mec?
 > > > > > how many i/o cards in each mec?
 > > > > >
 > > > > >
 > > > > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =
 =3D3D3D3D
 > > > ><arpeggio@comcast.net>
 > > > > > wrote:
 > > > > >
 > > > > > >I thought I was groovin' but once the second Mec was =
 =3D3D
 > >introduced

> > > > > the system stopped. That was a few weeks ago.
> > > > >
> > > > > Today I tried different cables, eds cards, mecs, =3D
> eliminated
> =3D3D
> > the
> > =3D3D3D
> > > =3D3D3D3D
> > > > magma
> > > > =3D3D3D3D3D
> > > > and
> > > > > still no clock lock or modules showing up in the paris =
=3D
> =3D3D3D
> > > patchbay.
> > > > >
> > > > > This means to me software unless someone tells me =
=3D3D
> > differently.
> > > > >
> > > > > I have a new C drive which I will load XP and no pace. =
=3D
> Any
> =3D3D
> > =3D3D3D3D
> > > > other=3D3D3D3D3D20
> > > > > suggestions?
> > > > >
> > > > > More frustrated than my clients,
> > > > > Tom
> > > > >
> > > > >
> > > > >
> > > > >
> > > > > I choose Polesoft Lockspam to fight spam, and you?
> > > > > http://www.polesoft.com/refer.html =3D3D3D3D3D20
> > > > >
> > > > >
> > > > > > <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =3D
> Transitional//EN">
> > > > > <HTML><HEAD>
> > > > > <META http-equiv=3D3D3D3D3D3DContent-Type =3D3D
> > content=3D3D3D3D3D3D"text/html; =3D3D3D
> > > =3D3D3D3D3D3D
> > > > > charset=3D3D3D3D3D3DDiso-8859-1">
> > > > > <META content=3D3D3D3D3D3D"MSHTML 6.00.2800.1400" =3D3D
> > name=3D3D3D3D3D3DGENERATOR>
> > > > > <STYLE></STYLE>

```

> > > > ></HEAD>
> > > > ><BODY bgColor=#ffffff>
> > > > ><DIV><FONT face=Arial =3D
>size=3D2>Rick,</FONT></DIV>
> > > > ><DIV><FONT face=Arial size=3D2>1 =
mec, no =3D
>BNC =3D
> >involved. =3D
> > >Paris =3D
> > > >=3D
> > > > >boots up so the=3D20
> > > > >1 mec that</FONT></DIV>
> > > > ><DIV><FONT face=Arial size=3D2>I'm =
using =3D
>shows up
> =3D
> >but =3D
> > >never any
> > > =3D
> > > >A to =3D
> > > > >Ds or any=3D20
> > > > >installed modules.</FONT></DIV>
> > > > ><DIV><FONT face=Arial size=3D2>This =
is the
=3D
>same =3D
> >symptom
> > =3D
> > >before
> > > =3D
> > > >I =3D
> > > > >repaired one of=3D20
> > > > >my mecs with a</FONT></DIV>
> > > > ><DIV><FONT face=Arial size=3D2>new =
chip. =3D
>The =3D
> >clock light
> > =3D
> > >=3D
> > > > >continues to flash=3D20
> > > > >too. Never locks in.</FONT></DIV>
> > > > ><DIV><FONT face=Arial =
size=3D2></FONT> =3D
></DIV>
> > > > ><DIV><FONT face=Arial size=3D2>I am =
using
=3D
>the =3D

```

```

> >simplest =3D3D3D
> > >setup l
> > > =3D3D3D3D
> > > >can =3D3D3D3D3D
> > > > >imagine and=3D3D3D3D3D20
> > > > >still it's not working.</FONT></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>Mike =
A. =3D
>suggested
> =3D3D
> >the =3D3D3D
> > >.ini file
> > > =3D3D3D3D
> > > >=3D3D3D3D3D
> > > > >to make sure=3D3D3D3D3D20
> > > > >card A is 0. I'll try that.</FONT></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D3D2>Pretty sure
=3D
>it's =3D3D
> >right =3D3D3D
> > >but who =3D3D3D3D
> > > >=3D3D3D3D3D
> > > > >knows?</FONT></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3DArial =3D3D
> >size=3D3D3D3D3D3D2>Thanks,</FONT></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3DArial =3D
>size=3D3D3D3D3D3D2>Tom</FONT></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D3D2></FONT> =3D
></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D3D2></FONT> =3D
></DIV>
> > > > ><DIV> </DIV>
> > > > ><DIV> </DIV>
> > > > ><DIV> </DIV>
> > > > ><DIV>"rick" <<A=3D3D3D3D3D20
> > > > =3D3D3D
> > =3D3D
> =3D
=
>>>>href=3D3D3D3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com=
</A=3D
>>>
> =3D3D
> >=3D3D3D
> > >=3D3D3D3D

```


> > > >=3D3D3D3D3D
> > > > >wrote in=3D3D3D3D3D20
> > > > >message <A=3D3D3D3D3D20
> > > > =3D3D3D3D
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>>href=3D3D3D3D3D3D"news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">n=
ews=3D
>.in=3D3D
> >qgh=3D3D3D
> > >393=3D3D3D3D
> > > >an5=3D3D3D3D3D
> > > > >s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> > > > ><BLOCKQUOTE=3D3D3D3D3D20
> > > > >style=3D3D3D3D3D3D"padding-right: 0px; padding-left: 5px; =
=3D3D
> >MARGIN-LEFT: =3D3D3D
> > >5px; =3D3D3D3D
> > > >=3D3D3D3D3D
> > > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =3D
>0px">i=3D3D3D3D3D20
> > > > > know this as dumb as it gets but the bnc is attached in =
=3D
>=3D3D3D
> > >the=3D3D3D3D3D20
> > > > > right
order...right?
all the cards show up in =
paris
=3D
>=3D3D
> >with =3D3D3D
> > >the
> > > =3D3D3D3D
> > > >=3D3D3D3D3D
> > > > >single=3D3D3D3D3D20
> > > > > mec?
how many i/o cards in each mec?

On =
Fri,
=3D
>19
> =3D3D
> >=3D3D3D
> > >Oct =3D3D3D3D
> > > >2007
> > > > =3D3D3D3D3D
> > > > >
> > > > > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D3D3D20
> > > > > =3D3D3D3D3D

> > > > =3D3D3D3D3D
> > > =3D3D3D3D
> > =3D3D3D
> =3D
=
>>>>href=3D3D3D3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A=
>><=3D
>BR>=3D3D3D
> >wro=3D3D3D3D
> > >te:=3D3D3D3D3D
> > > >=3D3D3D3D3D3D
> > > > >

>I=3D3D3D3D3D3D20
> > > > > thought I was groovin' but once the second Mec was =3D
>=3D3D3D3D3D3D
> > > > >introduced
>the=3D3D3D3D3D3D20
> > > > > system stopped. That was a few weeks =
ago.
>
>Today I
=3D
>=3D3D3D
> >=3D3D3D3D3D3D
> > > > >tried=3D3D3D3D3D3D20
> > > > > different cables, eds cards, mecs, eliminated the magma =
=3D
>=3D3D3D
> >=3D3D3D3D3D3D
> > > > >and
>still no=3D3D3D3D3D3D20
> > > > > clock lock or modules showing up in the paris =
=3D3D3D3D3D3D
> > > > >patchbay.
>
>This=3D3D3D3D3D3D20
> > > > > means to me software unless someone tells me =
=3D3D3D3D3D3D
> > > > >differently.
>
>I=3D3D3D3D3D3D20
> > > > > have a new C drive which I will load XP and no pace. =
Any =3D
>=3D3D3D3D
> > >other=3D3D3D3D3D3D20
> > > > >
>suggestions?
>
>More frustrated than =3D
>my=3D3D3D3D3D3D20
> > > > > clients,
>Tom
>
>
>
>
>
>I choose =3D
>=3D3D3D3D3D3D
> > > > >Polesoft=3D3D3D3D3D3D20
> > > > > Lockspam to fight spam, and=3D3D3D3D3D3D20
> > > > > you?
>http://www.polesoft.com/refer.html =
=3D3D3D3D3D3D20
> > > > >
</BLOCKQUOTE></BODY></HTML>
> > > > >
> > > > >
> > > > >

```

> > > >
> > > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =
Transitional//EN">
> > > ><HTML><HEAD>
> > > ><META http-equiv=3D3D3D3D3DContent-Type =3D
>content=3D3D3D3D3D"text/html; =3D3D
> =3D3D3D3D3D
> > > >charset=3D3D3D3D3DDiso-8859-1">
> > > ><META content=3D3D3D3D3D"MSHTML 6.00.2800.1400" =3D
>name=3D3D3D3D3DGENERATOR>
> > > ><STYLE></STYLE>
> > > ></HEAD>
> > > ><BODY bgColor=3D3D3D3D3D#ffffff>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>Thanks =
=3D3D
> >Dimitrios.</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =
</DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>Mike said =
the same
=3D
>thing.
> =3D3D
> > ls =3D3D3D
> > >the =3D3D3D3D
> > > >ini in the=3D3D3D3D20
> > > >Paris folde or system 32?</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>Do I want =
the =3D
>Master card
> =3D3D
> >to be
> > =3D3D3D
> > >0=3D3D3D3D20
> > > >absolutely? I only have one card</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>in there =
right now
=3D
>and =3D3D
> >it's all
> > =3D3D3D
> > >freaky
> > > =3D3D3D3D
> > > >just the=3D3D3D3D20
> > > >same.</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial =
size=3D3D3D3D3D2>Tom</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =

```

```
</DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =
</DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =
</DIV>
> > > ><BLOCKQUOTE=3D3D3D3D20
> > > >style=3D3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =3D
>MARGIN-LEFT: =3D3D
> >5px; =3D3D3D
> > >=3D3D3D3D
> > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > > > <DIV>"Dimitrios" <<A=3D3D3D3D20
> > > > =3D
>href=3D3D3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>> =
=3D3D
> >wrote
> > =3D3D3D
> > >in =3D3D3D3D
> > > >message=3D3D3D3D20
> > > > <A =3D3D3D3D
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>>href=3D3D3D3D3D"news:471a0486$1@linux">news:471a0486$1@linux</A>...</=
DIV=3D
>><B=3D3D
> >R>H=3D3D3D
> > >i
> > > =3D3D3D3D
> > > >Tom=3D3D3D3D20
> > > > !@<BR>Sorry to hear you still having problems like this =
=3D3D
> >~!!<BR>Must
> > =3D3D3D
> > >be
> > > =3D3D3D3D
> > > >very=3D3D3D3D20
> > > > frustrating.<BR>Open the Paris ini file and there change =
the
=3D
>=3D3D
> >=3D3D3D3D
> > > >mastercardoutput=3D3D3D3D20
> > > > with your other<BR>cards and see what happens !!<BR>Let =
=3D3D
> >me=3D3D3D3D20
> > > > know.<BR>Regards,<BR>Dimitrios<BR><BR>"Tom Bruhl" =3D
```

>><A=3D3D3D3D20
 > > > > =3D3D
 > =3D
 =
 >>href=3D3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=3D=
 3D3D3=3D
 >D20
 > > > > wrote:
>
>
>Rick,
>1 mec, no BNC =3D3D3D3D
 > > > >involved. Paris=3D3D3D3D20
 > > > > boots up so the 1 mec that
>I'm using shows up but =
 never =3D
 >any
 > =3D3D
 > >A =3D3D3D
 > > >=3D3D3D3D
 > > > >to Ds or=3D3D3D3D20
 > > > > any installed modules.
>This is the same symptom before =
 |
 =3D
 >=3D3D
 > >=3D3D3D3D
 > > > >repaired one=3D3D3D3D20
 > > > > of my mecs with a
>new chip. The clock light continues =
 to
 =3D
 >=3D3D
 > >=3D3D3D3D
 > > > >flash=3D3D3D3D20
 > > > > too. Never locks in.
>
>I am using the simplest =3D
 >=3D3D3D3D
 > > > >setup I can=3D3D3D3D20
 > > > > imagine and still it's not working.
>Mike A. suggested =
 =3D
 >the =3D3D
 > >=3D3D3D3D
 > > > >.ini=3D3D3D3D20
 > > > > file to make sure card A is 0. I'll try =3D3D3D3D
 > > > >=3D3D3D3D3D
>that.
>Pretty=3D3D3D3D20
 > > > > sure it's right but who=3D3D3D3D20
 > > > > =3D3D3D3D
 > > > > =
 >>>href=3D3D3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com=
 > > > >BR>>"rick"=3D3D3D3D20
 > > > > <<A =3D3D3D3D
 > > > > =3D3D
 > =3D
 =
 >>>href=3D3D3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com=

>>
=3D
>=3D3D
> >=3D3D3D
> > >=3D3D3D3D
> > > >wrote=3D3D3D3D20
> > > > in message=3D3D3D3D20
> > > > =3D3D3D3D
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>=3D3D3D3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...<BR=
>>&=3D
>nbs=3D3D
> >=3D3D3D3D=3D3D3D
> > >
> > > >p; i=3D3D3D3D20
> > > > know this as dumb as it gets but the bnc is attached in =
=3D3D
> >the=3D3D3D3D20
> > > > right
> order...right?
> all the cards show up =3D
>=3D3D3D3D
> > > >in=3D3D3D3D20
> > > > paris with the single mec?
> how many i/o cards in =
=3D3D
> >each=3D3D3D3D20
> > > > mec?
>
>
> On Fri, 19 Oct 2007 00:22:39 -0400, =
=3D
>=3D3D3D3D
> > > >"Tom=3D3D3D3D20
> > > > Bruhl" <<A=3D3D3D3D20
> > > > =3D3D3D3D
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>>href=3D3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net><=
BR>=3D
>>&n=3D3D
> >=3D3D3D3D=3D3D3D
> > >
> > > >bsp;=3D3D3D3D20
> > > > wrote:
>
> >I thought I was groovin' but once the =
=3D
>=3D3D3D3D
> > > >second=3D3D3D3D20
> > > > Mec was introduced
> >the system stopped. That =

```

=3D3D3D3D
> > > >was a few=3D3D3D3D20
> > > > weeks ago.<BR>> ><BR>> >Today I tried =3D3D3D3D
> > > >different=3D3D3D3D20
> > > > cables, eds cards, mecs, eliminated the =3D3D3D3D
> > > >magma<BR>=3D3D3D3D3D<BR>>and<BR>> =3D3D3D3D20
> > > > >still no clock lock or modules showing up in the =3D
>paris=3D3D3D3D20
> > > > patchbay.<BR>> ><BR>> >This means to me =3D3D3D3D
> > > >software=3D3D3D3D20
> > > > unless someone tells me differently.<BR>> ><BR>> =
=3D3D3D3D
> > > >>I=3D3D3D3D20
> > > > have a new C drive which I will load XP and no pace. =3D
>Any=3D3D3D3D20
> > > > other=3D3D3D3D3D20<BR>> >suggestions?<BR>> =3D3D3D3D
> > > >><BR>> =3D3D3D3D20
> > > > >More frustrated than my clients,<BR>> =3D3D3D3D
> > > >>Tom<BR>> =3D3D3D3D20
> > > > ><BR>> ><BR>> ><BR>> =3D3D3D3D
> > > >><BR>> =3D3D3D3D20
> > > > >I choose Polesoft Lockspam to fight spam, and you?<BR>> =
=3D
>=3D3D3D3D20
> > > > >http://www.polesoft.com/refer.html =3D3D3D3D20
> > > > =3D3D3D3D3D20<BR>><BR>><BR>><!DOCTYPE HTML PUBLIC =
"/W3C//DTD
=3D
>=3D3D3D3D
> > > >HTML 4.0=3D3D3D3D20
> > > > Transitional//EN"><BR>><HTML><HEAD><BR>><META=3D3D3D3D20
> > > > http-equiv=3D3D3D3D3D3DContent-Type =3D3D
> >content=3D3D3D3D3D3D"text/html;=3D3D3D3D20
> > > > =3D3D3D3D3D<BR>>charset=3D3D3D3D3D3Diso-8859-1"><BR>><META =
=3D
>=3D3D3D3D
> > > >content=3D3D3D3D3D3D"MSHTML=3D3D3D3D20
> > > > 6.00.2800.1400"=3D3D3D3D20
> > > > =3D3D3D3D
> > > > =
>name=3D3D3D3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D3D3D3D
> > > >D><BR>><BODY=3D3D3D3D20
> > > > bgColor=3D3D3D3D3D3D#ffffff><BR>><DIV><FONT =3D3D
> >face=3D3D3D3D3D3DArial=3D3D3D3D20
> > > > =3D3D3D3D
> > > > =
>size=3D3D3D3D3D3D2>Rick,</FONT></DIV><BR>><DIV><FONT=3D3D3D3D20
> > > > face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>1 mec, no BNC =

```


involved.

=3D
>Paris
> =3D3D
> >=3D3D3D3D
> > > >=3D3D3D3D3D
>boots up so=3D3D3D3D20
> > > > the=3D3D3D3D3D20
>1 mec =3D3D3D3D
> > > >that</DIV>
><DIV><FONT=3D3D3D3D20
> > > > face=3D3D3D3D3D3DArial size=3D3D3D3D3D2>l'm using shows =
up but
=3D
>never =3D3D
> >any A to
> > =3D3D3D
> > >=3D3D3D3D
> > > >=3D3D3D3D3D
>Ds or=3D3D3D3D20
> > > > any=3D3D3D3D3D20
>installed=3D3D3D3D20
> > > > modules.</DIV>
><DIV><FONT =3D3D3D3D
> > > >face=3D3D3D3D3D3DArial=3D3D3D3D20
> > > > size=3D3D3D3D3D2>This is the same symptom before I =3D3D
> >=3D3D3D3D3D
>repaired =3D3D3D
> > >=3D3D3D3D
> > > >one=3D3D3D3D20
> > > > of=3D3D3D3D3D20
>my mecs with=3D3D3D3D20
> > > > a</DIV>
><DIV><FONT =
face=3D3D3D3D3D3DArial=3D3D3D3D20
> > > > size=3D3D3D3D3D2>new chip. The clock light =3D
>=3D3D3D3D3D
>continues =3D3D
> >to=3D3D3D3D20
> > > > flash=3D3D3D3D3D20
>too. Never locks=3D3D3D3D20
> > > > in.</DIV>
><DIV><FONT face=3D3D3D3D3D3DArial =
=3D3D3D3D
> > > >
> > > > size=3D3D3D3D3D2> </DIV>
><DIV><FONT =3D3D3D3D
> > > >face=3D3D3D3D3D3DArial=3D3D3D3D20
> > > > size=3D3D3D3D3D2>I am using the simplest setup I can =
=3D3D3D
> > >=3D3D3D3D3D
>imagine=3D3D3D3D20
> > > > and=3D3D3D3D3D20
>still it's not=3D3D3D3D20
> > > > working.</DIV>
><DIV><FONT =3D3D3D3D
> > > >face=3D3D3D3D3D3DArial=3D3D3D3D20
> > > > size=3D3D3D3D3D2>Mike A. suggested the .ini file =3D
>=3D3D3D3D3D
>to =3D3D
> >make=3D3D3D3D20
> > > > sure=3D3D3D3D3D20
>card A is 0. I'll try=3D3D3D3D20
> > > > that.</DIV>
><DIV><FONT =3D3D3D3D
> > > >face=3D3D3D3D3D3DArial=3D3D3D3D20
> > > > size=3D3D3D3D3D2>Pretty sure it's right but =

who=3D3D3D3D20
> > > > =
=3D3D3D3D3D
>knows?</DIV>
><DIV><FONT=3D3D3D3D20
> > > > face=3D3D3D3D3D3DArial=3D3D3D3D20
> > > > =3D3D3D3D3D
> > > > =
>size=3D3D3D3D3D3D2>Thanks,</DIV>
><DIV><FONT=3D3D3D3D3D
> > > > =3D3D3D3D3D20
> > > > face=3D3D3D3D3D3DArial=3D3D3D3D20
> > > > =
size=3D3D3D3D3D3D2>Tom</DIV>
><DIV><FONT=3D3D3D3D20
> > > > face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2> =
=3D3D3D3D3D
> > > ></DIV>
><DIV><FONT=3D3D3D3D20
> > > > face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2> =
=3D3D3D3D3D
> > > ></DIV>
><DIV>=3D3D3D3D20
> > > > </DIV>
><DIV> </DIV>
><DIV>=3D3D3D3D20
> > > > </DIV>
><DIV>"rick" =3D3D3D3D
> > > ><<A=3D3D3D3D3D20
>href=3D3D3D3D3D3D"<A=3D3D3D3D20
> > > > =3D3D3D3D3D
> > > =3D3D3D3D
> > =3D3D3D
> =3D
=
>>>>href=3D3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</=
A'>=3D
>mai=3D3D3D
> >lto=3D3D3D3D
> > >:pa=3D3D3D3D3D
> > > > =
>rnell68@hotmail.com">parnell68@hotmail.com</A>>=3D3D3D3D20
> > > > =3D3D3D3D3D3D
>wrote in=3D3D3D3D3D20
>message =3D3D3D
> ><A=3D3D3D3D3D20
>href=3D3D3D3D3D3D"<A
> > =3D3D3D3D
> > >=3D3D3D3D3D
> > > >
> > > > =3D3D3D3D3D
> > > =3D3D3D3D
> > =3D3D3D
> =3D
=
>>>>href=3D3D3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news=
:in=3D
>qgh=3D3D3D
> >393=3D3D3D3D
> > >an5=3D3D3D3D3D
> > > =3D3D3D3D

> > =3D3D
> =3D
=
>>>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393an5</=
A=3D
>=3D3D3D=3D3D
> >3D=3D3D3D
> > >
> > > =3D3D
> =3D
=
>>>=3D3D3D3D3D
>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
&=3D3=
D3D3D=3D
>
> > > =3D
=
>>gt;<BLOCKQUOTE=3D3D3D3D3D20
>style=3D3D3D3D3D3D"padding-right:=3D3D
3=
D3D20
> > > > 0px; padding-left: 5px; margin-left: 5px; =3D3D
> >=3D3D3D3D3D
>border-left: =3D3D3D
> > >=3D3D3D3D
> > > >#000000 2px=3D3D3D3D20
> > > > solid; margin-right: 0px">i=3D3D3D3D3D20
> know this =
as =3D
>dumb as
> =3D3D
> >=3D3D3D3D
> > > >it gets=3D3D3D3D20
> > > > but the bnc is attached in the=3D3D3D3D3D20
> =
=3D3D3D3D20
> > > > right
order...right?
all the cards show up in paris =
=3D
>=3D3D3D3D
> > > >with the=3D3D3D3D20
> > > > =3D3D3D3D3D
>single=3D3D3D3D3D20
> mec?
how many =
i/o =3D
>cards =3D3D
> >=3D3D3D3D
> > > >in each=3D3D3D3D20
> > > > mec?

On Fri, 19 Oct=3D3D3D3D20
> > > > 2007
=3D3D3D3D3D
>
> 00:22:39 -0400, "Tom =3D
>Bruhl"=3D3D3D3D20
> > > > <<A=3D3D3D3D3D20
> =3D
>=3D3D3D3D3D
>href=3D3D3D3D3D3D"<A=3D3D3D3D20
> > > > =3D3D3D3D
> > > =3D3D3D
> > =3D3D

> =3D
=
>>>href=3D3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net><=
BR>=3D
>wro=3D3D
> >te'=3D3D3D
> > >>ma=3D3D3D3D
> > > =
>ilto:arpegio@comcast.net">arpegio@comcast.net>
w=3D3D3D3D
> > > >rote:=3D3D3D3D3D
>

>l=3D3D3D3D3D20
 > =
=3D3D3D3D20
> > > > thought I was groovin' but once the second Mec =
was=3D3D3D3D20
> > > > =3D3D3D3D3D
>introduced
>the=3D3D3D3D3D20
> =
system =3D
>=3D3D3D3D
> > > >stopped. That was=3D3D3D3D20
> > > > a few weeks ago.
>
>Today l=3D3D3D3D20
> > > > =3D3D3D3D3D
>tried=3D3D3D3D3D20
> different cables, =
eds =3D
>cards, =3D3D
> >mecs, =3D3D3D3D
> > > >eliminated=3D3D3D3D20
> > > > the magma =3D3D3D3D3D
>and
>still =
no=3D3D3D3D3D20
> =3D
>=3D3D3D3D
> > > >clock lock or=3D3D3D3D20
> > > > modules showing up in the paris=3D3D3D3D20
> > > > =3D3D3D3D
> > > >=3D3D3D3D3D
>patchbay.
>
>This=3D3D3D3D3D20
> =
=3D3D3D3D
> > > >means to=3D3D3D3D20
> > > > me software unless someone tells me=3D3D3D3D20
> > > > =3D3D3D3D
> > > >=3D3D3D3D3D
>differently.
>
>l=3D3D3D3D3D20
> =
=3D3D3D3D
> > > >have a new=3D3D3D3D20
> > > > C drive which I will load XP and no pace. Any =3D3D
> >other=3D3D3D3D3D20
> =3D3D3D
> > >=3D3D3D3D
> > > >
> > > >
>suggestions?
>
>More frustrated =3D3D3D3D
> > > >than=3D3D3D3D20
> > > > my=3D3D3D3D3D20
> =3D3D3D3D20
> > > > =3D3D3D3D
> > > >clients,
>Tom
>
>
>
=3D3D3D3D
> > > >>>
>l=3D3D3D3D20
> > > > choose =3D3D3D3D3D
>Polesoft=3D3D3D3D3D20
> =

```

Lockspam to =3D
>fight =3D3D
> >spam,=3D3D3D3D20
> > > > and=3D3D3D3D3D20<BR>> =3D3D3D3D
> > > >you?<BR>>http://www.polesoft.com/refer.html=3D3D3D3D20
> > > > =3D3D3D3D
> > > =
>=3D3D3D3D3D20<BR>><BR></BLOCKQUOTE></BODY></HTML><BR>&=3D3D3D3D
> > > >gt;<BR>><BR></BLOCKQUOTE></BODY></HTML>
> > > >
> > > >
> > >
> > >
> > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> > ><HTML><HEAD>
> > ><META http-equiv=3D3D3D3DContent-Type =
content=3D3D3D3D"text/html; =3D
>=3D3D3D
> > >charset=3D3D3D3Diso-8859-1">
> > ><META content=3D3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3D3DGENERATOR>
> > ><STYLE></STYLE>
> > ></HEAD>
> > ><BODY bgColor=3D3D3D3D#ffffff>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Hi =
Mike,</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Well I've been to =
..cfg =3D
>many a =3D3D
> >=3D3D3D
> > >time.</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>I've seen that =
Mastercard
=3D
>=3D3D
> >setting as =3D3D3D
> > >being=3D3D3D20
> > >0</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>but maybe it =
changed =3D
>after =3D3D
> >removing the
> > =3D3D3D
> > >4=3D3D3D20
> > >other</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>eds cards for this =
round
=3D

```

```

>of =3D3D3D
> > >testing.</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>If it's still 0 =
what else
=3D
>could
> =3D3D
> >this =3D3D3D
> > >be? =3D3D3D20
> > >Busted mobo?</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>I'm really in an =
idunno =3D
>place =3D3D
> >right =3D3D3D
> > >now. I'll=3D3D3D20
> > >be checking</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>seriously today =
again =3D
>because of
> =3D3D
> >a =3D3D3D
> > >session tomorrow=3D3D3D20
> > >morning.</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Tom</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > ><BLOCKQUOTE=3D3D3D20
> > >style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
MARGIN-LEFT: =3D
>5px; =3D3D
> >=3D3D3D
> > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > > <DIV>"Mike Audet" <mike@....> wrote in message <A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D"news:471b2ec2$1@linux">news:471b2ec2$1@linux</A>...</DIV=
><B=3D
>R>H=3D3D
> >i=3D3D3D20
> > > Tom,<BR><BR>If you've only got one card in, then the =
Mastercard
=3D
>=3D3D
> >=3D3D3D3D 0
> > =3D3D3D

```

> > > setting is=3D3D3D20
 > > > right.
 The file is Paris.cfg, and it lives in the =3D3D
 > > > c:\program=3D3D3D20
 > > > files\Emu\PARIS PRO
folder.

I'd still check it out =
 to
 =3D
 > see
 > =3D3D
 > > =3D3D3D
 > > > what it is=3D3D3D20
 > > > set to.

If it is wrong, what you are describing =3D
 > will=3D3D3D20
 > > > happen.

Good luck!

Mike

"Tom Bruhl" =3D
 > <<A=3D3D3D20
 > > > =3D
 =
 > href=3D3D3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net=3D3D3D=
 D20
 > > > wrote:
>
>
> Thanks Dimitrios.
>
> Mike =3D3D3D
 > > > said the=3D3D3D20
 > > > same thing. Is the ini in the Paris folde or system =3D3D3D
 > > > 32?
>> Do I want=3D3D3D20
 > > > the Master card to be 0 absolutely? I only have one =3D3D3D
 > > > card
>> in there=3D3D3D20
 > > > right now and it's all freaky just the=3D3D3D20
 > > > same.
>> Tom
>>
>
>
> "Dimitrios" =3D3D3D
 > > ><<A=3D3D3D20
 > > > =
 href=3D3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr=3D
 > wrote
 > =3D3D
 > > in =3D3D3D
 > > > message=3D3D3D20
 > > > =3D3D3D3D
>> news:471a0486\$1@linux...
>
> Hi =
 Tom=3D3D3D20
 > > > !@
> Sorry to hear you still having problems like =3D
 > this=3D3D3D20
 > > > ~!!
> Must be very frustrating.
> Open the =3D3D3D
 > > > Paris ini=3D3D3D20
 > > > file and there change the mastercardoutput with =3D
 > =3D3D3D3D
>> your=3D3D3D20
 > > > other
>> cards and see what happens !!
> Let me =
 =3D3D3D
 > > >
 > > > know.
> Regards,
> =3D3D3D
 > > > Dimitrios
>
> =3D3D3D20
 > > > "Tom Bruhl" <<A=3D3D3D20
 > > > =3D

=

>[href="mailto:arpeggio@comcast.net"](mailto:arpeggio@comcast.net)>arpeggio@comcast.net

D20

> > > wrote:
> >
> >
> =3D3D3D20

> > > >Rick,
> >1 mec, no BNC involved. Paris boots =3D3D3D

> > >up so=3D3D3D20

> > > the 1 mec that
> >I'm using shows up but never any A to =

=3D

>=3D3D3D

> > >Ds or=3D3D3D20

> > > any installed modules.
> >This is the same symptom =

=3D3D3D

> > >before I=3D3D3D20

> > > repaired one of my mecs with a
> >new chip. The =3D3D3D

> > >clock=3D3D3D20

> > > light continues to flash too. Never locks in.
> =3D3D3D20

> > > >
> >I am using the simplest setup I can imagine and =

=3D3D3D

> > >still=3D3D3D20

> > > it's not =3D3D3D3D
>working.
> >Mike A. suggested =

=3D3D3D

> > >the .ini=3D3D3D20

> > > file to make sure card A is 0. I'll =3D3D3D

> > >try
=3D3D3D3D
=3D3D3D3D
=3D3D3D20

> > > >that.
> >Pretty sure it's right but who=3D3D3D20

> > > knows?
> >Thanks,
> >Tom
> =3D3D3D20

> > > >
> >
> >
> =3D3D3D

> > >>
> =3D3D3D20

> > > >
> >"rick" <<A=3D3D3D20

> > > =3D

=

>[href="mailto:parnell68@hotmail.com"](mailto:parnell68@hotmail.com)>parnell68@hotmail.com

> =3D3D

> >=3D3D3D

> > >wrote in=3D3D3D20

> > > message =3D3D3D3D3D
> =3D3D3D20

> > > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =

=3D3D3D20

> > > > i know this as dumb as it gets but the bnc is attached in =

=3D

>=3D3D3D

> > >the=3D3D3D20

> > > right
> > order...right?
> > =3D3D3D

> > >all the=3D3D3D20

> > > cards show up in paris with the single mec?
> > =3D3D3D

> > >how many=3D3D3D20

> > > i/o cards in each mec?
> >
> =3D3D3D

> > >>
> =3D3D3D20

> > > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D3D3D
> > >=3D3D3D3D3D
><<A=3D3D3D20
> > > =3D3D3D3D
> > =3D3D3D
> =3D
=
>>>href=3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
=
>&n=3D
>=3D3D3D3D=3D3D
> >
> > >bsp;=3D3D3D20
> > > > wrote:
> >
> > >I =3D3D3D3D
> > >thought I=3D3D3D3D20
> > > was groovin' but once the second Mec was introduced
> =
=3D3D3D3D
> > >> =3D3D3D3D20
> > > >the system stopped. That was a few weeks ago.
> =
=3D3D3D3D20
> > > > >
> > >Today I tried different =3D3D3D3D
> > >cables,=3D3D3D3D20
> > > eds cards, mecs, eliminated the =3D3D3D3D3D
>magma
> =
=3D3D3D3D
> > >=3D3D3D3D3D3D3D
> =3D3D3D3D20
> > > >and
> > >still no clock lock or modules =3D3D3D3D
> > >showing up=3D3D3D3D20
> > > in the paris patchbay.
> > >
> =3D3D3D3D
> > >> =3D3D3D3D20
> > > >This means to me software unless someone tells me=3D3D3D3D20
> > > differently.
> > >
> > =3D3D3D3D
> > >>I have=3D3D3D3D20
> > > a new C drive which I will load XP and no pace. Any=3D3D3D3D20
> > > =3D3D3D3D3D
>other=3D3D3D3D3D3D20
> > =3D3D3D3D
> > >>suggestions?
> =3D3D3D3D20
> > > >
> > >More frustrated than my=3D3D3D3D20
> > > clients,
> > >Tom
> > =3D3D3D3D20
> > > >
> > >
> > =3D3D3D3D
> > >>
> =3D3D3D3D20
> > > >
> > >I choose Polesoft =3D3D3D3D
> > >Lockspam to=3D3D3D3D20
> > > fight spam, and you?
> > =3D3D3D3D20
> > > >http://www.polesoft.com/refer.html =3D3D3D3D3D3D20
> =
=3D3D3D3D20
> > > >
> >
> ><!DOCTYPE HTML PUBLIC=3D3D3D3D20
> > > "-//W3C//DTD HTML 4.0 Transitional//EN">
> =3D3D3D3D20
> > > ><HTML><HEAD>
> ><META=3D3D3D3D20
> > > http-equiv=3D3D3D3D3D3D3DContent-Type =
content=3D3D3D3D3D3D3D"text/html;
=3D

>=3D3D3D
> > >=3D3D3D3D3D3D
> =3D3D3D20
> > > > charset=3D3D3D3D3D3D3D iso-8859-1">
> ><META =3D3D3D
> > > content=3D3D3D3D3D3D3D"MSHTML=3D3D3D20
> > > 6.00.2800.1400" name=3D3D3D3D3D3D3DGENERATOR>
> =3D3D3D20
> > > ><STYLE></STYLE>
> =3D3D3D
> > >></HEAD>
> =3D3D3D20
> > > ><BODY bgColor=3D3D3D3D3D3D3D#ffffff>
> =3D3D3D
> > >><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3D3D3DArial =3D3D3D
> > > size=3D3D3D3D3D3D2>Rick,</DIV>
> =3D3D3D20
> > > ><DIV>1 mec, =
no BNC
=3D
>=3D3D3D
> > >involved.=3D3D3D20
> > > Paris =3D3D3D3D3D3D3D
>=3D3D3D3D3D3D3D
> > boots up so =3D3D3D
> > > the=3D3D3D3D3D3D20
> > 1=3D3D3D20
> > > mec that</DIV>
> =3D3D3D
> > >><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>I'm using shows up =
but =3D
> never =3D3D3D
> > > any
=3D3D3D3D3D3D
> A to=3D3D3D20
> > > =3D3D3D3D3D3D3D
> > Ds or any=3D3D3D3D3D3D20
> =
> installed=3D3D3D20
> > > modules.</DIV>
> =3D3D3D
> > >><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>This is the same =
symptom =3D
>=3D3D3D
> > > before
=3D3D3D3D3D3D3D
> I=3D3D3D20
> > > =3D3D3D3D3D3D3D
> > repaired one of=3D3D3D3D3D3D20
> > my =
=3D3D3D
> > > mecs with=3D3D3D20
> > > a</DIV>
> ><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>new chip. The clock =
light
=3D
>=3D3D3D
> > >=3D3D3D3D3D3D3D
> =3D3D3D20
> > > > continues to flash=3D3D3D3D3D3D20
> > too. Never =
locks=3D3D3D20
> > > in.</DIV>
> ><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3D3D3DArial size=3D3D3D3D3D3D2> =3D3D3D
> > ></DIV>
> =3D3D3D20
> > > ><DIV>I am =
using =3D

```

>=3D3D3D
> > >the simplest=3D3D3D20
> > > setup |<BR>=3D3D3D3D<BR>>can =3D3D3D3D3D<BR>> >imagine =
=3D3D3D
> > >and=3D3D3D3D3D20<BR>> =3D3D3D20
> > > >still it's not working.</FONT></DIV><BR>> =3D3D3D20
> > > ><DIV><FONT face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>Mike A. =
=3D3D3D
> > >suggested the=3D3D3D20
> > > .ini file<BR>=3D3D3D3D<BR>>=3D3D3D3D3D<BR>> >to make =3D3D3D
> > >sure=3D3D3D3D3D20<BR>> =3D3D3D20
> > > >card A is 0. I'll try that.</FONT></DIV><BR>> =3D3D3D
> > >
> > > ><DIV><FONT face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>Pretty =
sure =3D
>=3D3D3D
> > >it's right=3D3D3D20
> > > but who =3D3D3D3D<BR>>=3D3D3D3D3D<BR>> =3D3D3D20
> > > >knows?</FONT></DIV><BR>> =3D3D3D
> > >><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3D3DArial =3D3D3D
> > >size=3D3D3D3D3D3D2>Thanks,</FONT></DIV><BR>> =3D3D3D20
> > > ><DIV><FONT face=3D3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D3D2>Tom</FONT></DIV><BR>> =3D3D3D20
> > > ><DIV><FONT face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2></FONT> =
=3D3D3D
> > >
> > > </DIV><BR>> ><DIV><FONT face=3D3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D3D2></FONT> </DIV><BR>> =3D3D3D
> > >><DIV>=3D3D3D20
> > > </DIV><BR>> ><DIV> </DIV><BR>> =3D3D3D20
> > > ><DIV> </DIV><BR>> ><DIV>"rick"=3D3D3D20
> > > <<A=3D3D3D3D3D20<BR>> >href=3D3D3D3D3D3D"<A=3D3D3D20
> > > =3D3D3D
> > >=3D3D
> > =3D
=
>>>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>=
mai=3D
>lt=3D3D
> >:pa=3D3D3D
> > >rnell68@hotmail.com">parnell68@hotmail.com</A</A>>>=3D3D3D20
> > > =3D3D3D3D<BR>>=3D3D3D3D3D<BR>> >wrote in=3D3D3D3D3D20<BR>> =
=3D3D3D
> > >>message=3D3D3D20
> > > <A=3D3D3D3D3D20<BR>> =
=3D3D3D3D<BR>>>href=3D3D3D3D3D3D"<A=3D3D3D20
> > > =3D3D3D

```

> > =3D3D
> =3D
=
>>>href=3D3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in=
qgh=3D
>393=3D3D
> >'>n=3D3D3D
> > =3D3D
> =3D
=
>>>ews:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393=3D3D=
3D3=3D
>D<B=3D3D
> >=3D3D3D
> > >R>>an5=3D3D3D3D3D3D
> =3D3D3D20
> > > =3D3D3D
> > >>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> =3D3D3D
> > >;=3D3D3D20
> > > ><BLOCKQUOTE=3D3D3D3D3D20
> =3D3D3D
> > >>style=3D3D3D3D3D3D"Padding-Right: 0px;=3D3D3D20
> > > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3D3D3D3D
>=3D3D3D3D3D
>
=3D
>=3D3D3D20
> > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =3D3D3D
> > >0px">i=3D3D3D3D3D20
> =3D3D3D20
> > > > know this as dumb as it gets but the bnc is attached =3D
>in=3D3D3D20
> > > the=3D3D3D3D3D3D20
> > =3D3D3D
> > >right
order...right?
all=3D3D3D20
> > > the cards show up in paris with =3D
>the
=3D3D3D3D
>=3D3D3D3D3D
> =3D3D3D20
> > > >single=3D3D3D3D3D20
> > mec?
how many i/o =3D3D3D
> > >cards in=3D3D3D20
> > > each mec?

On Fri, 19 Oct=3D3D3D20
> > > =3D3D3D3D
>2007
> =3D3D3D3D3D
> >
> =3D3D3D
> > >> =3D3D3D20
> > > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D3D3D20
> > =
=3D3D3D20
> > > =3D3D3D3D3D
> =
=3D3D3D3D
>>href=3D3D3D3D3D3D" <A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
=
wro=3D
>te'=3D3D

> >>ma=3D3D3D
 > > >ilto:arpeggio@comcast.net">arpeggio@comcast.net>
w=3D3D3D
 > > >rote:=3D3D3D3D
>=3D3D3D3D3D
> =3D3D3D20
 > > > >

>l=3D3D3D3D3D20
> > thought =3D3D3D
 > > >l was=3D3D3D20
 > > > groovin' but once the second Mec was =3D3D3D3D3D
> =
 =3D3D3D20
 > > > >introduced
>the=3D3D3D3D3D20
> > system =3D3D3D
 > > >stopped.=3D3D3D20
 > > > That was a few weeks ago.
>
>Today I =3D3D3D
 > > >=3D3D3D3D3D
> =3D3D3D20
 > > > >tried=3D3D3D3D3D20
> > different cables, eds cards, =
 =3D3D3D
 > > >mecs,=3D3D3D20
 > > > eliminated the magma =3D3D3D3D3D
> =
 >and
>still=3D3D3D20
 > > > no=3D3D3D3D3D20
> > clock lock or modules showing up in =
 =3D3D3D
 > > >the paris=3D3D3D20
 > > > =3D3D3D3D3D
> =3D3D3D20
 > > > >patchbay.
>
>This=3D3D3D3D3D20
> =3D3D3D
 > > >> =3D3D3D20
 > > > means to me software unless someone tells me =3D3D3D3D3D
> =
 =3D
 >=3D3D3D20
 > > > >differently.
>
>l=3D3D3D3D3D20
> =3D3D3D
 > > >> =3D3D3D20
 > > > have a new C drive which I will load XP and no pace. =
 Any=3D3D3D20
 > > > other=3D3D3D3D3D20
> > =3D3D3D20
 > > >
>suggestions?
>
>More frustrated =3D3D3D
 > > >than=3D3D3D20
 > > > my=3D3D3D3D3D20
> > =3D3D3D20
 > > > =3D3D3D
 > > >clients,
>Tom
>
>
>
>
>=3D3D3D
 > > >>>
>l=3D3D3D20
 > > > choose =3D3D3D3D3D
> >Polesoft=3D3D3D3D3D20
> =3D3D3D
 > > >> Lockspam=3D3D3D20
 > > > to fight spam, and=3D3D3D3D3D20
> > =3D3D3D20
 > > > you?
>http://www.polesoft.com/refer.html =3D3D3D
 > > >=3D3D3D3D3D20
> =3D3D3D20
 > > > =3D3D3D
 > > >>
</BLOCKQUOTE></BODY></HTML>
> =3D3D3D
 > > >=3D3D3D20
 > > > >
> >
>
>
><!DOCTYPE HTML =3D3D3D
 > > >PUBLIC=3D3D3D20
 > > > "-//W3C//DTD HTML 4.0=3D3D3D20
 > > > Transitional//EN">
><HTML><HEAD>
><META=3D3D3D20

```

> > > http-equiv=3D3D3D3DContent-Type =3D
>content=3D3D3D3D3D"text/html;=3D3D3D20
> > > =3D3D3D3D<BR>>charset=3D3D3D3D3Diso-8859-1"><BR>><META =
=3D3D3D3D
> > >content=3D3D3D3D3D"MSHTML=3D3D3D20
> > > 6.00.2800.1400"=3D3D3D20
> > > =3D3D3D3D
> > >name=3D3D3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D3D3D3D
> > >D><BR>><BODY=3D3D3D20
> > > bgcolor=3D3D3D3D3D#ffffff><BR>><DIV><FONT =3D
>face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Thanks=3D3D3D20
> > > Dimitrios.</FONT></DIV><BR>><DIV><FONT =3D3D3D3D
> > >face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2></FONT> </DIV><BR>><DIV><FONT =3D3D3D3D
> > >face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Mike said the same thing. Is the =
=3D3D3D3D<BR>>ini
=3D
>in =3D3D3D3D
> > >
> > > the=3D3D3D3D20<BR>>Paris folde or system=3D3D3D20
> > > 32?</FONT></DIV><BR>><DIV><FONT face=3D3D3D3D3DArial =3D3D3D3D
> > >
> > > size=3D3D3D3D3D2>Do I want the Master card to be =3D3D3D3D
> > >0=3D3D3D3D20<BR>>absolutely? I=3D3D3D20
> > > only have one card</FONT></DIV><BR>><DIV><FONT =3D3D3D3D
> > >
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>in there right now and =
it's =3D
>all=3D3D3D20
> > > freaky<BR>=3D3D3D3D<BR>>just=3D3D3D20
> > > =3D3D3D3D
> > >the=3D3D3D3D20<BR>>same.</FONT></DIV><BR>><DIV><FONT=3D3D3D3D
> > >=3D3D3D20
> > > face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =3D3D3D3D
> > ></DIV><BR>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =3D3D3D3D
> > ></DIV><BR>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT>=3D3D3D20
> > > =3D3D3D3D
> > =
></DIV><BR>><BLOCKQUOTE=3D3D3D3D20<BR>>style=3D3D3D3D3D"PADDING-RIGHT:
=3D
>=3D3D3D3D
> > >0px;=3D3D3D20

```


> > > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3D3D3D3D
>BORDER-LEFT: =3D
>#000000
> =3D3D
> >=3D3D3D
> > >2px solid;=3D3D3D20
> > > MARGIN-RIGHT: 0px">
> <DIV>"Dimitrios"=3D3D3D20
> > > <<A=3D3D3D3D20
> href=3D3D3D3D3D"<A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A'>mailto=
:mu=3D
>sur=3D3D
> >gio=3D3D3D
> > >@otenet.gr">musurgio@otenet.gr</A>>=3D3D3D20
> > > wrote in =3D3D3D3D
>message=3D3D3D3D20
> <A =3D3D3D
> > >=3D3D3D3D
>href=3D3D3D3D3D"<A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D'news:471a0486\$1 @linux">news:471a0486\$1 @linux...</DIV=
><B=3D
>R>H=3D3D
> >'>=3D3D3D
> > =
>news:471a0486\$1 @linux">news:471a0486\$1 @linux...</DIV>&=3D3D3D
> > >lt;BR>Hi
=3D3D3D3D
>Tom=3D3D3D3D20
> =3D3D3D20
> > > <A href=3D3D3D3D"mailto:!!@
Sorry">!!@
Sorry to hear =
you =3D
>still
> =3D3D
> >=3D3D3D
> > >having=3D3D3D20
> > > problems like this ~!!
Must =3D3D3D
> > >be
=3D3D3D3D
>very=3D3D3D3D20
> =3D3D3D20
> > > frustrating.
Open the Paris ini file and there change =3D
>the=3D3D3D20
> > > =3D3D3D3D
>mastercardoutput=3D3D3D3D20
> with your =
=3D3D3D
> > >other
cards and=3D3D3D20
> > > see what happens !!
Let me=3D3D3D3D20
> =3D3D3D20
> > > know.
Regards,
Dimitrios

"Tom =3D3D3D
> > >Bruhl"=3D3D3D20
> > > <<A=3D3D3D3D20
> href=3D3D3D3D3D"<A=3D3D3D20
> > > =3D3D3D

> > =3D3D
 > =3D
 =
 >>>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3D=
 D3D3D=3D
 >20'>m=3D3D
 > >ailto=3D3D3D
 > > =3D
 =
 >>:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D3D20
&g=3D3D=
 D3D
 > > >t; =3D3D3D20
 > > > wrote:
>
>
>Rick,
>1 =3D3D3D
 > > >mec, no=3D3D3D20
 > > > BNC =3D3D3D3D
>involved. Paris=3D3D3D3D20
> boots up =
 so =3D
 >=3D3D3D
 > > >the 1 mec=3D3D3D20
 > > > that
>I'm using shows up but never any A =3D3D3D3D
>to =
 =3D
 >Ds=3D3D3D20
 > > > or=3D3D3D3D20
> any installed modules.
>This is the =
 =3D3D3D
 > > >same=3D3D3D20
 > > > symptom before I =3D3D3D3D
>repaired one=3D3D3D3D20
> =
 of my =3D
 >mecs =3D3D3D
 > > >with=3D3D3D20
 > > > a
>new chip. The clock light continues to=3D3D3D20
 > > > =3D3D3D3D
>flash=3D3D3D3D20
> too. Never =
 locks=3D3D3D20
 > > > in.
>
>I am using the simplest =3D3D3D
 > > >=3D3D3D3D
>setup I=3D3D3D20
 > > > can=3D3D3D3D20
> imagine and still it's not =3D3D3D
 > > >working.
>Mike A.=3D3D3D20
 > > > suggested the =3D3D3D3D
>.ini=3D3D3D3D20
> file to =
 make =3D
 >=3D3D3D
 > > >sure card A is=3D3D3D20
 > > > 0. I'll try=3D3D3D20
 > > > =3D3D3D
 > > >=3D3D3D3D
>=3D3D3D3D3D
>that.
>Pretty=3D3D3D3D20
> =
 =3D3D3D
 > > >; sure it's=3D3D3D20
 > > > right but who=3D3D3D3D20
> =3D3D3D20
 > > > =3D3D3D
 > > >=3D3D3D3D
>knows?
>Thanks,
>Tom
><=3D3D3D
 > > >BR>>
>
>
><=3D3D3D3D
>BR>=3D3D3D

> > >>"rick"=3D3D3D3D20
> =3D3D3D20
> > > <<A =3D3D3D3D3D
>href=3D3D3D3D3D" <A=3D3D3D20
> > > =3D3D3D3D
> > =3D3D3D
> =3D
=
>>>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>=
mai=3D
>lto=3D3D3D
> >:pa=3D3D3D3D
> > >rnell68@hotmail.com">parnell68@hotmail.com</A>>=3D3D3D20
> > > =3D3D3D3D3D
>wrote=3D3D3D3D20
> in =
message=3D3D3D3D20
> =3D
>=3D3D3D20
> > > =3D3D3D3D
> > =3D
=
>>=3D3D3D3D3D
>=3D3D3D3D3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4=
ax=3D3D3D=3D
>3D
> > >.com...
>&nbs=3D3D3D3D3D
>p;=3D3D3D20
> > > i=3D3D3D3D20
> know this as dumb as it gets but the bnc =
is =3D
>=3D3D3D3D
> > >attached in=3D3D3D20
> > > the=3D3D3D3D20
> right
> =3D3D3D20
> > > order...right?
> all the cards show up=3D3D3D20
> > > =3D3D3D3D3D
>in=3D3D3D3D20
> paris with the single =
=3D3D3D3D
> > >mec?
> =3D3D3D20
> > > how many i/o cards in each=3D3D3D3D20
> =3D3D3D20
> > > mec?
>
>
> On Fri, 19 Oct =3D3D3D
> > >2007=3D3D3D20
> > > 00:22:39 -0400, =3D3D3D3D3D
>"Tom=3D3D3D3D20
> =
Bruhl"=3D3D3D20
> > > <<A=3D3D3D3D20
> =
=3D3D3D3D3D
>href=3D3D3D3D3D" <A=3D3D3D20
> > > =3D3D3D3D
> > =3D3D3D
> =3D
=
>>>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
=
>&n=3D
>'>=3D3D3D=3D3D
> >
> > >mailto:arpegio@comcast.net">arpegio@comcast.net>
=3D3D3D
> > >;>&n=3D3D3D3D3D
>bsp;=3D3D3D3D20
> =3D3D3D20
> > > wrote:
>
> >I thought I was groovin' =3D3D3D

> > >but once=3D3D3D20
 > > > the =3D3D3D3D
>second=3D3D3D3D20
> Mec was =3D3D3D
 > > >introduced
> =3D3D3D20
 > > > >the system stopped. That =3D3D3D3D
>was a =3D3D3D
 > > >few=3D3D3D3D20
> weeks=3D3D3D20
 > > > ago.
> >
> >Today I tried=3D3D3D20
 > > > =3D3D3D3D
>different=3D3D3D3D20
> cables, eds cards, =
 mecs, =3D
 >=3D3D3D
 > > >eliminated the=3D3D3D20
 > > > =3D3D3D3D
>magma
=3D3D3D3D3D
>and
> =3D3D3D
 > > >=3D3D3D3D20
> =3D3D3D20
 > > > >still no clock lock or modules showing up in the =3D3D3D
 > > >paris=3D3D3D3D20
> =3D3D3D20
 > > > patchbay.
> >
> >This means =3D3D3D
 > > >to me=3D3D3D20
 > > > =3D3D3D3D
>software=3D3D3D3D20
> unless someone tells =
 =3D
 >me=3D3D3D20
 > > > differently.
> >
> =3D3D3D20
 > > > =3D3D3D3D
>>I=3D3D3D3D20
> have a new C drive which I =
 will =3D
 >=3D3D3D
 > > >load XP and no=3D3D3D20
 > > > pace. Any=3D3D3D3D20
> other=3D3D3D3D3D20
> =3D3D3D20
 > > > >suggestions?
> =3D3D3D3D
>>
>=3D3D3D20
 > > > =3D3D3D3D20
> >More frustrated than my =3D3D3D
 > > >clients,
> =3D3D3D20
 > > > =3D3D3D3D
>>Tom
> =3D3D3D3D20
> =3D3D3D
 > > >>
> =3D3D3D20
 > > > >
> >
> =3D3D3D
 > > >=3D3D3D3D
>>
>=3D3D3D20
 > > > =3D3D3D3D20
> >I choose Polesoft Lockspam to fight spam, =
 =3D
 >and=3D3D3D20
 > > > you?
> =3D3D3D3D20
> =3D3D3D
 > > >><http://www.polesoft.com/refer.html>=3D3D3D20
 > > > =3D3D3D3D20
> =3D3D3D
 > > >=3D3D3D3D3D20
>
>
><!DOCTYPE=3D3D3D20
 > > > HTML PUBLIC "-//W3C//DTD =3D3D3D3D
>HTML =
 4.0=3D3D3D3D20
> =3D
 >=3D3D3D20
 > > > =3D3D3D
 > > >Transitional//EN">
><HTML><HEAD>
>=3D3D3D
 > > ><META=3D3D3D3D20
> =3D3D3D20
 > > > http-equiv=3D3D3D3D3D3DContent-Type =3D3D3D
 > > >content=3D3D3D3D3D3D"text/html;=3D3D3D3D20
> =3D3D3D20
 > > > =3D3D3D3D3D
>charset=3D3D3D3D3D3Diso-8859-1">
><META =

=3D3D3D
> > >
> > > =3D3D3D3D
>content=3D3D3D3D3D3D"MSHTML=3D3D3D3D20
 > =
=3D3D3D3D
> > >6.00.2800.1400"=3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D3D
> > =
>=3D3D3D3D3D
>name=3D3D3D3D3D3DGENERATOR>
><STYLE></STYLE&=3D3D3D
D
> > >gt;
></HEA=3D3D3D3D3D
>D>
><BODY=3D3D3D3D20
&=3D3D3D
> > >gt; =3D3D3D20
> > > bgColor=3D3D3D3D3D3D#ffffff>
><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3D3DArial=3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D3D
> > =
>=3D3D3D3D3D
>size=3D3D3D3D3D3D2>Rick,</DIV>
>&l=3D3D3D
> > >t;DIV><FONT=3D3D3D3D20
> =3D3D3D20
> > > face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>1 mec, no BNC =
involved. =3D
>=3D3D
> >Paris=3D3D3D20
> > > =3D3D3D3D3D
>=3D3D3D3D3D3D
>boots up so=3D3D3D3D20
> =
=3D3D3D3D
> > >the=3D3D3D3D3D3D20
>1=3D3D3D20
> > > mec=3D3D3D20
> > > =3D3D3D3D
> > >=3D3D3D3D3D
>that</DIV>
><DIV><FONT=3D3D3D
> > >=3D3D3D3D3D20
> =3D3D3D20
> > > face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>I'm using shows up =
but =3D
>never any
> =3D3D
> >A to =3D3D3D
> > >
> > > =3D3D3D3D3D
>=3D3D3D3D3D3D
>Ds or=3D3D3D3D20
> =3D3D3D20
> > > any=3D3D3D3D3D3D20
>installed=3D3D3D3D20
> =3D3D3D20
> > > modules.</DIV>
><DIV><FONT=3D3D3D20
> > > =3D3D3D3D3D
>face=3D3D3D3D3D3DArial=3D3D3D3D20
> =3D
>size=3D3D3D3D3D3D2>This is =3D3D
> >=3D3D3D3D
> > >the same=3D3D3D20
> > > symptom before I =3D3D3D3D3D3D
>repaired =3D3D3D3D
> > >=3D3D3D3D3D
>one=3D3D3D3D20
> =3D3D3D20
> > > of=3D3D3D3D3D3D20
>my mecs with=3D3D3D3D20
> =3D3D3D20
> > > a</DIV>
><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3D3DArial=3D3D3D3D20
> =
size=3D3D3D3D3D3D2>new chip. =3D
>The =3D3D3D

```

> > >clock light=3D3D3D20
> > > =3D3D3D3D3D<BR>>continues to=3D3D3D3D20<BR>> =3D3D3D
> > >flash=3D3D3D3D3D20<BR>>too.=3D3D3D20
> > > Never locks=3D3D3D3D20<BR>> =3D3D3D20
> > > in.</FONT></DIV><BR>><DIV><FONT =3D3D3D
> > >face=3D3D3D3D3D3DArial=3D3D3D20
> > > =3D3D3D3D<BR>><BR>> size=3D3D3D3D3D2></FONT>=3D3D3D20
> > > </DIV><BR>><DIV><FONT=3D3D3D20
> > > =3D3D3D3D<BR>>face=3D3D3D3D3D3DArial=3D3D3D3D20<BR>> =3D
>size=3D3D3D3D3D2>I am =3D3D3D
> > >using the simplest=3D3D3D20
> > > setup I can =3D3D3D3D3D<BR>>imagine=3D3D3D3D20<BR>> =3D3D3D20
> > > and=3D3D3D3D3D20<BR>>still it's not=3D3D3D3D20<BR>> =3D3D3D20
> > > working.</FONT></DIV><BR>><DIV><FONT=3D3D3D20
> > > =3D3D3D3D<BR>>face=3D3D3D3D3D3DArial=3D3D3D3D20<BR>> =3D
>size=3D3D3D3D3D2>Mike A. =3D3D
> >=3D3D3D
> > >suggested the=3D3D3D20
> > > .ini file =3D3D3D3D3D<BR>>to make=3D3D3D3D20<BR>> =3D3D3D20
> > > sure=3D3D3D3D3D20<BR>>card A is 0. I'll try=3D3D3D3D20<BR>> =
=3D3D3D20
> > > that.</FONT></DIV><BR>><DIV><FONT=3D3D3D20
> > > =3D3D3D3D<BR>>face=3D3D3D3D3D3DArial=3D3D3D3D20<BR>> =3D
>size=3D3D3D3D3D2>Pretty =3D3D3D
> > >sure it's right=3D3D3D20
> > > but who=3D3D3D3D20<BR>> =3D3D3D20
> > > =3D3D3D
> > >=3D3D3D3D3D<BR>>knows?</FONT></DIV><BR>><DIV&g=3D3D3D
> > >t;<FONT=3D3D3D3D20<BR>> =3D3D3D20
> > > face=3D3D3D3D3D3DArial=3D3D3D3D20<BR>> =3D3D3D20
> > > =3D3D3D
> > =
>=3D3D3D3D<BR>>size=3D3D3D3D3D2>Thanks,</FONT></DIV><BR >>=3D3D3D
> > ><DIV><FONT=3D3D3D3D<BR>>=3D3D3D3D20<BR>> =3D3D3D20
> > > face=3D3D3D3D3D3DArial=3D3D3D3D20<BR>> =3D3D3D20
> > > =3D3D3D
> > >size=3D3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><=3D3D3D
> > >FONT=3D3D3D3D20<BR>> =3D3D3D20
> > > face=3D3D3D3D3D3DArial size=3D3D3D3D3D2></FONT>=3D3D3D20
> > > =3D3D3D
> > >=3D3D3D3D<BR>></DIV><BR>><DIV><FONT=3D3D3D3D20<BR>>&nbs=3D3D3D
> > >p;=3D3D3D20
> > > face=3D3D3D3D3D3DArial size=3D3D3D3D3D2></FONT>=3D3D3D20
> > > =3D3D3D3D<BR>></DIV><BR>><DIV>=3D3D3D3D20<BR>> =3D3D3D20
> > > </DIV><BR>><DIV>=3D3D3D20
> > > </DIV><BR>><DIV>=3D3D3D3D20<BR>> =3D3D3D20
> > > </DIV><BR>><DIV>"rick"=3D3D3D20
> > > =3D3D3D

```

> > =3D
=
>>=3D3D3D3D
><<A=3D3D3D3D3D20
>href=3D3D3D3D3D3D"<A=3D3D3D3D20

>=
&n=3D3D3D
> > >bsp;=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>=3D3D3D3D
>href=3D3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@=
hotma=3D
>il.c=3D3D3D=3D3D
> >
> > =3D
=
>>ommailto:pa=3D3D3D3D
>rnell68@hotmail.com">parnell68@hotmail=3D3=
D3D
> > >l.com</A>=3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D3D3D
>wrote in=3D3D3D3D3D20
>message=3D3D3D20
> > > <A=3D3D3D3D3D20
>href=3D3D3D3D3D3D"<A =3D3D3D3D
>
> =
=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>=3D3D3D3D
>href=3D3D3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@=
4ax.c=3D
>om">=3D3D3D=3D3D
> >
> > =3D3D
> =3D
=
>>>news:inqgh393an5=3D3D3D3D
>'>news:inqgh393an5s4m99qcaojn09vn112t4u6=
r@4=3D
>=3D3D3D=3D3D
> >
> > =
>ax.com">news:inqgh393an5</A=3D3D3D3D
>>=3D3D3D3D3D
>s4m99q=3D3D3D
> > =
>caojn09vn112t4u6r@4ax.com...</DIV>
&=3D3D3D3D
&=3D3D3D
> > =3D3D
> =3D
=
>>>gt;gt;<BLOCKQUOTE=3D3D3D3D3D20
>style=3D3D3D3D3D3D"PADDING-RIGHT:=3
D=
3D3D3D=3D
>20=3D3D3D

> > >
> =3D3D3D20
> > > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D3D
> > >=3D3D3D3D3D3D
>BORDER-LEFT:=3D3D3D20
> > > =3D3D3D3D3D
>#000000 2px=3D3D3D3D20
> solid; =3D
>MARGIN-RIGHT:=3D3D3D20
> > > 0px">i=3D3D3D3D3D20
> know this as dumb as =3D3D3D
> > >=3D3D3D3D3D
>it=3D3D3D20
> > > gets=3D3D3D3D20
> but the bnc is attached in =3D3D3D
> > >the=3D3D3D3D3D20
>=3D3D3D20
> > > =3D3D3D3D20
> right
order...right?
all the =3D3D3D
> > >cards show up=3D3D3D20
> > > in paris =3D3D3D3D
>with the=3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D3D3D3D
>single=3D3D3D3D3D20
> mec?
how =3D3D3D
> > >many i/o=3D3D3D20
> > > cards =3D3D3D3D
>in each=3D3D3D3D20
> =3D3D3D
> > >mec?

On=3D3D3D20
> > > Fri, 19 Oct=3D3D3D3D20
> =3D3D3D20
> > > 2007
=3D3D3D3D3D3D
>
> 00:22:39 -0400, =3D3D3D
> > >"Tom=3D3D3D20
> > > Bruhl"=3D3D3D3D20
> <<A=3D3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D3D3D3D
>href=3D3D3D3D3D3D"<A=3D3D3D3D20
> =
=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>=3D3D3D3D3D
>href=3D3D3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comc=
ast.n=3D
>et&l=3D3D3D=3D3D
> >
> > =
>t;/A>>
wrote'>ma=3D3D3D3D3D
>ilto:arpegio@comcast.net">=3D3D3D
> > =
>;arpegio@comcast.net>
w=3D3D3D3D3D
>rote:=3D3D3D3D=3D3D3D
> > >3D
>

>l=3D3D3D3D3D3D20
>=3D3D3D20
> > > =3D3D3D3D20
> thought I was groovin' but once the second =
=3D
>Mec=3D3D3D20
> > > was=3D3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D
> > >=3D3D3D3D3D3D
>introduced
>the=3D3D3D3D3D20
> =3D3D3D
> > > system=3D3D3D20
> > > =3D3D3D3D3D
>stopped. That was=3D3D3D3D20
> a few =
weeks=3D3D3D20
> > > ago.
>
>Today l=3D3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D3D3D3D
>tried=3D3D3D3D3D3D20
> different cables, =
=3D3D3D
> > >eds cards,=3D3D3D20

> > > mecs, =3D3D3D3D
>eliminated=3D3D3D3D20
> the =
magma=3D3D3D20
> > > =3D3D3D3D3D
>and
>still =3D3D3D3D
> > >no=3D3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D3D
>clock lock or=3D3D3D3D20
> modules showing =
up in =3D
>the=3D3D3D20
> > > paris=3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D3D
> > =
>=3D3D3D3D
>=3D3D3D3D3D
>patchbay.
>
>This=3D3D3D3D=3D3D3D
> > >3D20
> =3D3D3D20
> > > =3D3D3D3D
>means to=3D3D3D3D20
> me software unless =
someone =3D
>=3D3D3D3D
> > >tells=3D3D3D20
> > > me=3D3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D3D
> > =
>=3D3D3D3D
>=3D3D3D3D3D
>differently.
>
>I=3D3D3D3D=3D3D3D
> > >3D20
> =3D3D3D20
> > > =3D3D3D3D
>have a new=3D3D3D3D20
> C drive which I =
will load
=3D
>XP =3D3D3D3D
> > >and no pace.=3D3D3D20
> > > Any other=3D3D3D3D3D20
> =3D3D3D3D
>
> =3D3D3D20
> > >
>suggestions?
>
>More frustrated=3D3D3D20
> > > =3D3D3D3D
>than=3D3D3D3D20
> my=3D3D3D3D3D20
> =
=3D3D3D3D
> > >=3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D3D
> > >=3D3D3D3D
>clients,
>Tom
>
>
>=3D3D3D3D
> > >;
=3D3D3D3D
>>
>I=3D3D3D3D20
> =3D3D3D20
> > > choose =3D3D3D3D3D
>Polesoft=3D3D3D3D3D20
> Lockspam =
=3D3D3D3D
> > >to fight=3D3D3D20
> > > spam,=3D3D3D3D3D20
> and=3D3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D3D
> > =3D
=
>>=3D3D3D3D
>you?
><http://www.polesoft.com/refer.html>=3D3D3D3D20
=
>&=3D3D3D3D
>3D
> > >gt; =3D3D3D20
> > > =3D3D3D3D
> > >=3D3D3D3D
>=3D3D3D3D3D20
>
</BLOCKQUOTE></BODY >=3D3D3D3D
> > >;</HTML>
&=3D3D3D3D
>gt;
>
</B=3D3D3D3D

```

> > >LOCKQUOTE></BODY></HTML><BR>><BR>><BR></BLOCKQUOTE><=3D3D3D
> > >/BODY></HTML>
> > >
> > >
> >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> ><HTML><HEAD>
> ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html"; =
=3D3D3D
> > charset=3D3D3Diso-8859-1">
> ><META content=3D3D3D"MSHTML 6.00.2800.1400" name=3D3D3DGENERATOR>
> ><STYLE></STYLE>
> ></HEAD>
> ><BODY bgColor=3D3D3D#ffffff>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Mike,</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>I used to use a Lucid but =
since
=3D
>all of
> =3D3D3D
> >this mess I=3D3D20
> >stopped.</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>I'm trying to get stable =
from =3D
>square =3D3D3D
> >one with the=3D3D20
> >least amount </FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>of hardware. I am using =
the =3D3D3D
> >default project=3D3D20
> >for sure. The only </FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>other thing that I still =
=3D
>question is my
> =3D3D3D
> >move of=3D3D20
> >Paris to C:ParisPro .</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>I should think the =
default =3D
>project will
> =3D3D3D
> >either work=3D3D20
> >or not. Maybe</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>configs or something else =
is =3D3D3D
> >fighting during=3D3D20
> >Paris startup?</FONT></DIV>

```

```

> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Pats 42 - Miami 7 . . . =
Halftime
=3D
>and =3D3D
> >the games=3D3D20
> >over.</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Tom</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> ><BLOCKQUOTE=3D3D20
> >style=3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
5px; =3D
>=3D3D
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > <DIV>"Mike Audet" <mike@....> wrote in message <A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D"news:471b6eb0$1@linux">news:471b6eb0$1@linux</A>...</DIV><B=
R>H=3D
>i=3D3D20
> > Tom,<BR><BR>Are you using a default project with PARIS? I'm so =
=3D3D
> >sorry of=3D3D20
> > this has been<BR>asked and answered already. If so, perhaps it =
=3D3D
> >is=3D3D20
> > telling card zero to lock<BR>to an external clock, which it =
can't =3D
>=3D3D
> >because=3D3D20
> > there isn't one.<BR><BR>It would be interesting to attach an =3D
>external
> =3D3D
> >clock=3D3D20
> > source to the MEC and<BR>then start PARIS to see how it behaves. =
=3D
>=3D3D
> >Or, if=3D3D20
> > the clock generator is fried,<BR>tell paris to lock externally =
and
=3D
>see
> =3D3D
> >what=3D3D20
> > happens when an external clock<BR>source is applied.<BR><BR>Isn't =

```

=3D
>there
> =3D3D
> >a=3D3D20
> > master house synch switch in the cfg file? I've never =3D3D
> >used

it. =3D3D20
> > Maybe DJ could help with what that should/shouldn't be set =3D3D
> >to.

Wish I=3D3D20
> > could do more than think out loud...

Mike

"Tom =
Bruhl"
=3D
>=3D3D
> ><<A=3D3D20
> > =
href=3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3D20
> > wrote:
>
>
>Hi Mike,
>Well I've been to .cfg =3D3D
> >many a=3D3D20
> > time.
>I've seen that Mastercard setting as being 0
>but =
=3D3D
> >maybe it=3D3D20
> > changed after removing the 4 other
>eds cards for this round =
=3D
>of=3D3D20
> > testing.
>
>If it's still 0 what else could this be? =
=3D3D
> >Busted=3D3D20
> > mobo?
>I'm really in an idunno place right now. I'll =
be=3D3D20
> > checking
>seriously today again because of a session =3D
>tomorrow=3D3D20
> > morning.
>Tom
>
>
> "Mike Audet"=3D3D20
> > <mike@....> wrote in message <A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D"news:471b2ec2\$1@linux">news:471b2ec2\$1@linux...
>
=
>&g=3D
>=3D3D
> >t; =3D3D20
> > Hi Tom,
>
> If you've only got one card in, then the =
=3D3D
> >
> > Mastercard =3D3D3D3D 0 setting is =3D3D3D
>right.
> =
=3D3D
> >The file is=3D3D20
> > Paris.cfg, and it lives in the c:\program=3D3D20
> > files\Emu\PARIS
=3D3D3D
>PRO
> =3D3D
> >folder.
>
> =3D3D20

> > I'd still check it out to see what it is set to.
>
> =
=3D3D
> >If it=3D3D20
> > is wrong, what you are describing will happen.
>
> =3D3D
> >Good=3D3D20
> > luck!
>
> Mike
>
> "Tom Bruhl" =3D3D
> ><<A=3D3D20
> > =
href=3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3D20
> > wrote:
> >
> >
> >Thanks=3D3D20
> > Dimitrios.
> >
> >Mike said the same=3D3D20
> > thing. Is the ini in the Paris folde or system=3D3D20
> > =3D3D3D
>32?
> >Do I want the Master card to be 0=3D3D20
> > absolutely? I only have one card
> >in there =3D3D
> >right now=3D3D20
> > and it's all freaky just the same.
> >Tom
> =3D3D
> >
> > >
> >
> >
> > =3D3D20
> > "Dimitrios" <<A =3D3D
> =
>href=3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr>=3D3D20
> > wrote in message =3D3D3D3D
> =3D3D
> >>news:471a0486\$1@linux...
> =3D3D20
> > >
> > Hi Tom !@
> > Sorry =3D3D
> >to hear=3D3D20
> > you still having problems like this ~!!
> > Must =3D3D
> >be very=3D3D20
> > frustrating.
> > Open the Paris ini file and =3D3D
> >there change=3D3D20
> > the mastercardoutput with
=3D3D3D
>=3D3D3D3D
> =
>your=3D3D20
> > other
> > cards and see what happens =3D3D
> >!!
> =3D3D20
> > > Let me know.
> > =3D3D
> >Regards,
> =3D3D20
> > > Dimitrios
> >
> > "Tom =3D3D
> >Bruhl"=3D3D20
> > <<A =
href=3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
=3D
>=3D3D
> >
> > wrote:
> > >
> > =3D3D20
> > >
> > >Rick,
> > >1 =3D3D
> >mec, no=3D3D20
> > BNC involved. Paris boots up so the 1 mec that
> =3D3D
> >> =3D3D20
> > >I'm using shows up but never any A to Ds or any =

installed=3D3D20

> > modules.
> > >This is the same symptom before =3D3D
> >I=3D3D20
> > repaired one of my mecs with a
> > >new =3D3D
> >chip. =3D3D20
> > The clock light continues to flash too. Never locks=3D3D20
> > =3D3D3D
>in.
> >
> > =3D3D
> >>I am=3D3D20
> > using the simplest setup I can imagine and still it's not =3D3D
> >=3D3D3D3D
> =3D3D20
> > >working.
> > >Mike A. suggested the =3D3D
> >.ini=3D3D20
> > file to make sure card A is 0. I'll =3D3D3D
>try
> =3D3D
> >
> > =3D3D3D3D
> >=3D3D3D3D3D3D
> > =3D3D
> >>that.
> =3D3D20
> > > >Pretty sure it's right but who knows?
> =3D3D
> >> =3D3D20
> > >Thanks,
> > >Tom
> > =3D3D20
> > >
> > >
> > =3D3D
> >>
> =3D3D20
> > > >
> > >
> > =3D3D
> >
> > >"rick" <<A=3D3D20
> > =

href=3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com>
=3D

>=3D3D
> >wrote in=3D3D20
> > message =3D3D3D3D3D3D
> > =3D3D20
> > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =3D3D20
> > > > i know this as dumb as it gets but the bnc is =3D3D
> >attached=3D3D20
> > in the =3D3D3D
>right
> > > =3D3D20
> > order...right?
> > > all the cards show =3D3D
> >up in=3D3D20
> > paris with the single mec?
> > > how =3D3D
> >many i/o=3D3D20
> > cards in each mec?
> > >
> =3D3D
> >> =3D3D20
> > >
> > > On Fri, 19 Oct 2007 00:22:39 =3D3D
> > -0400,=3D3D20
> > "Tom Bruhl" =3D3D3D3D
> ><<A=3D3D20
> > =3D3D
> =3D
=

>>href=3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=
=3D3D=3D

>
 > > bsp;=3D3D20
 > > > > wrote:
> > =3D3D
 > >>
> =3D3D20
 > > > > >I thought I was groovin' but once the second =3D3D
 > >Mec was=3D3D20
 > > introduced
> > > >the system =3D3D
 > >stopped. =3D3D20
 > > That was a few weeks ago.
> > > =3D3D20
 > > >
> > > >Today I tried different =3D3D
 > >cables,=3D3D20
 > > eds cards, mecs, eliminated the
=3D3D3D
>=3D3D3D3D
> =
 =3D3D20
 > > >magma
> > =3D3D3D3D3D3D
> > =3D3D20
 > > >and
> > > >still no clock lock or =3D3D
 > >modules=3D3D20
 > > showing up in the paris =3D3D3D
>patchbay.
> > =3D3D
 > >> =3D3D20
 > > >
> > > >This means to me software =3D3D
 > >unless=3D3D20
 > > someone tells me differently.
> > > =3D3D20
 > > >
> > > >I have a new C drive =3D3D
 > >which I will=3D3D20
 > > load XP and no pace. Any =3D3D3D3D3D
> =3D3D20
 > > >other=3D3D3D3D3D3D20
> > > =3D3D20
 > > >suggestions?
> > > =3D3D
 > >>
> =3D3D20
 > > > > >More frustrated than my =3D3D
 > >clients,
> =3D3D20
 > > > > >Tom
> > > =3D3D20
 > > >
> > > >
> > =3D3D
 > >
 > > > >
> > > >
> =3D3D
 > >
 > > > > >I choose Polesoft Lockspam to fight spam, =3D3D
 > >and=3D3D20
 > > you?
> > > =3D3D20
 > > >http://www.polesoft.com/refer.html =3D3D3D3D3D3D20
> =3D3D
 > >> =3D3D20
 > > >
> > >
> > =3D3D
 > >><!DOCTYPE=3D3D20
 > > HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> =
 =3D3D20
 > > > ><HTML><HEAD>
> > =3D3D
 > >><META=3D3D20
 > > http-equiv=3D3D3D3D3D3D3DContent-Type =3D
 > >content=3D3D3D3D3D3D3D"text/html";=3D3D20
 > > =3D3D3D
>=3D3D3D3D3D3D
> > =3D3D20

```
> > > charset=3D3D3D3D3D3D3Diso-8859-1"><BR>> > =3D3D3D
> >><META=3D3D20
> > content=3D3D3D3D3D3D3D"MSHTML 6.00.2800.1400" =3D3D3D
> > name=3D3D3D3D3D3D3DGENERATOR><BR>> =3D3D3D20
> > > ><STYLE></STYLE><BR>> > =3D3D3D20
> > ></HEAD><BR>> > ><BODY=3D3D20
> > bgColor=3D3D3D3D3D3D3D#ffffff><BR>> > =3D3D3D
> >><DIV><FONT=3D3D20
```

-----=_NextPart_000_006D_01C81460.E747FDD0

Content-Type: text/html;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>MAYBE- - </FONT></DIV>
<DIV><FONT face=3DArial size=3D2>My power supply in my PC is =
pooped.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>That would make everything goofy=20
including</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>the Magma who's power supply I just=20
replaced.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Hmmm?&nbsp; Got another $100 for =
another power=20
supply?!!!</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>Hell of an experiment I'm running here=20
huh?</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
<DIV>&nbsp;</DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Mike Audet" &lt;mike@...&gt; wrote in message <A=20
=
href=3D"news:471c5655$1 @linux">news:471c5655$1 @linux</A>...</DIV><BR>Hi=20
Tom,<BR><BR>Yikes!&nbsp; Well, removing the house synch line from the =
cfg file=20
and removing<BR>the default project would not affect whether Windows =
boots or=20
not.&nbsp; Both<BR>are not looked at by anything until the PARIS =
application=20
```

loads.

This is sounding more like either damaged EDS card(s) =
or a bad=20
motherboard.

I'm not sure this will make you feel any better, =
but we=20
had basically the
same experience at work with an EMU 1820M. =
The=20
external breakout box died,
and Adobe Audition became =
useless. It was=20
the same kind of nightmare. Two
employees stayed up all night =
trying to=20
sort it out to get a tape out to
a TV station the next =
day.

I=20
wouldn't give up on PARIS over this. Hardware failures happen no =

matter
what platform you use - even tape - and they can be hell to =
sort=20
out.

I'd ask your tech to lend you a PC, and just try =
installing=20
a simple PARIS
system in there. If it works, just get a new =
PC. =20

I look forward to reading your post when you get this sorted=20
out!

Good luck,

Mike

"Tom Bruhl" <<A=20
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=20
wrote:
>
>
>Mike,
>I removed the default =
project and=20
.cfg from the folder as you suggested.
>Now the computer won't =
even boot=20
with either of three eds cards =3D
>installed.
>No Magma, =
no word=20
clock, no word clock line in the existing config.
>
>I'm =
going to=20
check with a network card to see if the PCI slots are=20
=3D
>burn't.
>I tried three different ones with the =
eds. The=20
one time Windows worked
>with an eds card, the eds card didn't =
show up=20
in device manager. That's
=3D
>
>probably=20
why.
>
>There is some serious funk going on over =
here. Maybe=20
mobo? If this is
=3D
>the
>case I give up. =
It's not=20
worth any more BS to me. There is no person
>in my =
neighborhood to=20
walk me through this. My tech helps me
>but the problem =
seems to=20
be from the ground up. I'm guessing 3-4
>things still so =
wrong=20
that nothing makes sense.
>
>Cubase is looking more and =

more=20
inviting, learning curve and=20
all.
>Tom
>
>
>
> "Mike Audet"=20
<mike@....> wrote in message <A=20
=
href=3D"news:471bcb77\$1 @linux">news:471bcb77\$1 @linux...
>
&g=
t; =20
Hi Tom,
>
> I have an idea.
>
> =
Try=20
removing UseHouseSync=3D3D1 from the paris.cfg =
file.
>
> Next,=20
remove your default project from the program files\emu\paris=20
pro
=3D
>folder.
> =3D20
>
> =
Let me know if=20
it makes a difference.
>
> Good =
luck!
>
> =20
Mike
>
> "Tom Bruhl" <<A=20
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=20
wrote:
> >
> >
> =20
>Mike,
> >I used to use a Lucid but since all of =
this mess I=20
stopped.
> >I'm trying to get stable from square one =
with the=20
least amount=3D3D20
> >of hardware. I am using =
the default=20
project for sure. The only=3D3D20
> >other thing =
that I=20
still question is my move of Paris to C:ParisPro .
> >I =
should=20
think the default project will either work or not. =
Maybe
> =20
>configs or something else is fighting during Paris =
startup?
> =20
>
> >Pats 42 - Miami 7 . . . Halftime and the games=20
over.
> >Tom
> >
> =20
>
> >
> > "Mike Audet"=20
<mike@....> wrote in message <A=20
=
href=3D"news:471b6eb0\$1 @linux">news:471b6eb0\$1 @linux...
> =20
>
> > Hi Tom,
> >
> =

> Are you using a default project with PARIS? I'm so =
sorry of=20
this =3D
>has
> =3D3D
> =
>been
> =20
> asked and answered already. If so, perhaps it is =
telling card=20

zero
=3D
>to
> =3D3D
> =>lock
> => to an external clock, which it can't because there isn't=20 one.
> >
> > It would be = interesting to=20 attach an external clock source to the =3D
>MEC
> =20 =3D3D
> >and
> > then start PARIS = to see how=20 it behaves. Or, if the clock = generator
=3D
>is
> =20 =3D3D
> >fried,
> > tell paris to = lock=20 externally and see what happens when an = external
=3D
>=3D3D
> =20 >clock
> > source is applied.
> =20 >
> > Isn't there a master house synch switch = in the=20 cfg file? I've =3D
>never =3D3D
> = >used
> =20 > it. Maybe DJ could help with what that = should/shouldn't be=20 set to.
> >
> > Wish I could do = more than=20 think out loud...
> >
> > =20 Mike
> >
> > "Tom Bruhl" <<A=20 href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=20 wrote:
> > >
> > =20 >
> > >Hi Mike,
> > = >Well=20 I've been to .cfg many a time.
> > >I've seen = that=20 Mastercard setting as being 0
> > >but maybe = it=20 changed after removing the 4 other
> > >eds = cards for=20 this round of testing.
> > >
> >= >>If it's still 0 what else could this be? Busted = mobo?
> =20 > >I'm really in an idunno place right now. I'll be=20 checking
> > >seriously today again because of = a=20 session tomorrow morning.
> > = >Tom
> =20 > >
> > >
> > = > >"Mike Audet" <mike@....> wrote in message=20 =3D
>news:471b2ec2\$1@linux...
> > =

message =3D3D3D3D
> > > > =20
> news:471a0486\$1 @linux...
> > > > =20
>
> > > > > > Hi Tom =
!@
> =20
> > > > > Sorry to hear you still having =
problems like=20
this ~!!
> > > > > Must be very=20
frustrating.
> > > > > Open the =
Paris ini=20
file and there change the =
mastercardoutput
=3D
>=3D3D
> =20
> with
> > > =3D3D3D
> > > =20
> =3D3D3D3D
> > > > > > your =
other
> =20
> > > > cards and see what happens =
!!
> =20
> > > > Let me know.
> > > =

> > > Regards,
> > > > =
> =20
Dimitrios
> > > > >
> =
> =20
> > > "Tom Bruhl" <<A=20
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=20
wrote:
> > > > > =
>
> =20
> > > > >
> > > =
> =20
> > > Rick,
> > > > > > =
> 1 mec,=20
no BNC involved. Paris boots up so the 1 mec that
> =20
> > > > > I'm using shows up but never any =
A to Ds=20
or any installed =3D
>=3D3D
> =
> modules.
> =20
> > > > > This is the same symptom before I =

repaired one of my mecs =3D
>with
> =
=3D3D
> =20
> a
> > > > > > new =
chip. The=20
clock light continues to flash too. Never =
=3D
>locks
> =20
=3D3D
> > > =3D3D3D
> > > =
> in.
> =20
> > > > >
> > > =
> =20
> > > I am using the simplest setup I can imagine and still =

it's=20
=3D
>not
> =3D3D
> =
>=3D3D3D3D
> =20
> > >working.
> > > > =

> >Mike A. suggested the .ini file to make sure card =
A is 0.=20

=3D
>=3D3D
> >I'll =3D3D3D
> =
> =20
>try
> > > =3D3D3D3D
> =
> =20
> >=3D3D3D3D3D
> > > =
> =20
>that.
> > > > > >Pretty =
sure it's=20
right but who knows?
> > > > =20
>Thanks.
> > > > =20
>Tom
> > > > =
>
> =20
> > > >
> > =
> =20
> >
> > > > =20
>
> > > > >
> =

> > > >"rick" <<A=20
href=3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com> =
wrote in=20
message =3D3D3D3D3D
> > > > =20
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =20
> > > > i know this as dumb as it =
gets but=20
the bnc is attached in
=3D
>the
> =
=3D3D
> =20
>=3D3D3D
> > >right
> =
> =20
> > > order...right?
> =
> =20
> > > all the cards show up in paris with =
the=20
single mec?
> > > > > =
how many=20
i/o cards in each mec?
> > > > =20
>
> > > > >
> =

> > > > On Fri, 19 Oct 2007 =
00:22:39=20
-0400, "Tom Bruhl" =3D3D3D3D
> > > =
><<A=20

size=3D3D3D3D3D2>l'm using =3D
>shows up
> =20
=3D3D
> > but =3D3D3D
> > > never =

> > > > =3D3D3D3D
> > =
> =20
> > A to =3D3D3D3D3D
> > > > =
> =20
> Ds or any=3D3D3D3D3D20
> > > > =
> =20
> installed modules.</DIV>
> > =
> =20
> > > <DIV><FONT face=3D3D3D3D3D3DArial=20
size=3D3D3D3D3D3D2>This is the
=3D
> same =
=3D3D
> =20
> symptom
> > > =3D3D3D
> > =20
> before
> > > > =3D3D3D3D
> > =

> > > > l =3D3D3D3D3D3D
> > > =
> =20
> > repaired one of=3D3D3D3D3D20
> > > =
> =20
> > my mecs with a</DIV>
> =20
> > > > > <DIV><FONT =
face=3D3D3D3D3D3DArial=20
size=3D3D3D3D3D3D2>new chip. =3D
>The =3D3D
> > =
> clock=20
light
> > > =3D3D3D
> > > =20
> =3D3D3D3D3D
> > > > > > =
> continues to=20
flash=3D3D3D3D3D20
> > > > > > =
> too. Never=20
locks in.</DIV>
> > > > > =

> > <DIV><FONT face=3D3D3D3D3D3DArial=20
size=3D3D3D3D3D3D2> =
=3D
></DIV>
> =20
> > > > > <DIV><FONT =
face=3D3D3D3D3D3DArial=20
size=3D3D3D3D3D3D2>l am using
=3D
>the =3D3D
> > =
> simplest=20
=3D3D3D
> > > > setup l
> > > =
> =20
=3D3D3D3D
> > > > > > can =
=3D3D3D3D3D
> > =20
> > > > > imagine =
and=3D3D3D3D3D20
> =20
> > > > > still it's not=20
working.</DIV>
> > > > > =20

> ></DIV><FONT face=3D3D3D3D3D3DArial=20
size=3D3D3D3D3D2>Mike A. =3D
>suggested
> =
=3D3D
> =20
>the =3D3D3D
> > > .ini file
> =
> =20
> =3D3D3D3D
> > > > =20
>=3D3D3D3D3D
> > > > > > > to =
make=20
sure=3D3D3D3D3D20
> > > > > =
>card A is=20
0. I'll try that.</DIV>
> > =
> =20
> ></DIV><FONT face=3D3D3D3D3D3DArial=20
size=3D3D3D3D3D2>Pretty sure
=3D
>it's =
=3D3D
> >right=20
=3D3D3D
> > > but who =3D3D3D3D
> =
> =20
> >=3D3D3D3D3D
> > > > =
> =20
>knows?</DIV>
> > =
> =20
> ></DIV><FONT face=3D3D3D3D3D3DArial =
=3D3D
> =20
=
>size=3D3D3D3D3D2>Thanks,</FONT&g t;</DIV>
> =

> > > ></DIV><FONT =
face=3D3D3D3D3D3DArial=20
=
=3D
 >size=3D3D3D3D3D2>Tom&a mp;</DIV>
> =
p;=20
> > > ></DIV><FONT =
face=3D3D3D3D3D3DArial=20
size=3D3D3D3D3D2> =
=3D
></DIV>
> =20
> > > ></DIV><FONT =
face=3D3D3D3D3D3DArial=20
size=3D3D3D3D3D2> =
=3D
></DIV>
> =20
> > > ></DIV> =
</DIV>
> =20
> > > ></DIV> =
</DIV>
> =20
> > > ></DIV> =
</DIV>
> =20
> > > ></DIV>"rick"=20
<<A=3D3D3D3D3D20
> > > > > =20
=3D3D3D
> > =3D3D
> =20

> =20
> >=3D3D3D3D3D
> > > > =
> =20
>single=3D3D3D3D3D20
> > > > > =

> mec?
how many i/o cards in each=20
mec?

On =
Fri,
=3D
>19
> =20
=3D3D
> >=3D3D3D
> > > >Oct=20
=3D3D3D3D
> > > > >2007
> =
> =20
> > > =3D3D3D3D3D
> > > > =
> =20
>
> > > > > > > =
00:22:39 -0400,=20
"Tom Bruhl" <<A=3D3D3D3D3D20
> > > > =

> > > =3D3D3D3D3D
> > > > =
> =20
=3D3D3D3D
> > > > =3D3D3D
> > > =
> =20
=3D3D
> =3D
>>>>>href=3D3D3D3D3D3D "A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net</A'>mailto:arpegi=
o@comcast.net">arpegio@comcast.net</A>><=3D
>BR&=
>=3D3D
> =20
>wro=3D3D3D
> > > >te=3D3D3D3D
> =
> =20
> >=3D3D3D3D3D
> > > > =
> =20
>

>l=3D3D3D 3D3D20
> > > =
> =20
> > > thought I was groovin' but once the second Mec =
was=20
=3D
>=3D3D3D3D3D
> > > > > > =20
>introduced
>the=3D3D3D3D3D20
> > > =
> =20
> > > system stopped. That was a few weeks=20
ago.
>
>Toda y =
l
=3D
>=3D3D
> =20
>=3D3D3D3D3D
> > > > > > =20
>tried=3D3D3D3D3D20
> > > > > > =
> =20
different cables, eds cards, mecs, eliminated the magma=20
=3D
>=3D3D
> >=3D3D3D3D3D
> > > =
> > > =20
> >&and
>still no=3D3D3D3D3D20
> > > =
> =20

> ><DIV><FONT face=3D3D3D3D3DArial=20
size=3D3D3D3D2> </DIV>
> =
> =20
> ><DIV><FONT face=3D3D3D3D3DArial=20
size=3D3D3D3D2> </DIV>
> =
> =20
> ><DIV><FONT face=3D3D3D3D3DArial=20
size=3D3D3D3D2> </DIV>
> =
> =20
> ><BLOCKQUOTE=3D3D3D3D20
> > =
> =20
>&style=3D3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px;=20
=3D
>MARGIN-LEFT: =3D3D
> >5px; =
=3D3D3D
> =20
> >=3D3D3D3D
> > > =
>BORDER-LEFT:=20
#000000 2px solid; MARGIN-RIGHT: 0px">
> > =
> =20
> <DIV>"Dimitrios" <<A=3D3D3D3D20
> =
> =20
> > =3D
>href=3D3D3D3D3D"<A=20
=
href=3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A">mailto:musurgio=
@otenet.gr">musurgio@otenet.gr</A">>=20
=3D3D
> >wrote
> > =
=3D3D3D
> =20
> >=3D3D3D3D
> > > =20
>&message=3D3D3D3D20
> > > > =
<A=20
=3D3D3D3D
> > > =3D3D3D
> =
> =20
=3D3D
> =3D
>>>href=3D3D3D3D3D"<A=20
=
href=3D'news:471a0486\$1@linux">news:471a0486\$1@linux</A">...</DIV">news:47=
1a0486\$1@linux">news:471a0486\$1@linux</A">...</DIV">=3D
>=&
>><B=3D3D
> =20
>&R>H=3D3D3D
> > > >i
> =
> =20
> =3D3D3D3D
> > > =20
>&Tom=3D3D3D3D20
> > > > <A=20
href=3D"mailto:!!@
Sorry">!!@
Sorry to hear you still =
having=20
problems like this =3D3D
> =
>&~!!
>Must
> =20
> =3D3D3D
> > >be
> =
> =20
> =3D3D3D3D
> > > =20
>&very=3D3D3D3D20
> > > > =20

frustrating.
Open the Paris ini file and there change=20
the
=3D
>=3D3D
> >=3D3D3D3D
> =
> =20
> >mastercardoutput=3D3D3D3D20
> > > =
> =20
> with your other
>cards and see what happens =
!!
>Let=20
=3D3D
> >me=3D3D3D3D20
> > > =
> =20
> =
know.
>Regards,
>Dimitrios&a mp;lt;BR>>
> "Tom=20
Bruhl" =3D
><<A=3D3D3D3D20
> > > =
> =20
> =3D3D
> >=3D
>>>href=3D3D3D3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net=>=3D3D3D3D3D'>mai=
lto:arpegio@comcast.net">arpegio@comcast.net<A>>=3D3D3D3D=
=3D
>>D20
> > > =20
> > > > =20
> wrote:
>>
>>&a mp;lt;BR>>>Rick,
>>1 =
mec, no=20
BNC =3D3D3D3D
> > > > > > involved. =20
Paris=3D3D3D3D20
> > > > > > boots =
up so the=20
1 mec that
>>I'm using shows up but never=20
=3D
>>any
> >=3D3D
> > > > > A =
=3D3D3D
> =20
> > >=3D3D3D3D
> > > > > > > to Ds =

> or=3D3D3D3D20
> > > > > > > any =
installed=20
> modules.
>>This is the same symptom before=20
l
=3D
>=3D3D
> >=3D3D3D3D
> =
> =20
> > >repaired one=3D3D3D3D20
> > > =
> =20
> > of my mecs with a
>>new chip. The clock =
light=20
> continues to
=3D
>=3D3D
> > > =
> =3D3D3D3D
> =20
> > > >flash=3D3D3D3D20
> > > =
> =20
> > too. Never locks in.
>>
>>I am =
using=20
> the simplest =3D
>=3D3D3D3D
> > > > > =
> =20
> can=3D3D3D3D20
> > > > > > imagine =
and still=20

with the=20
single mec?
> how many i/o cards in =
=3D3D
> =20
>each=3D3D3D3D20
> > > > > =20
mec?
>
> ;lt;BR>> On Fri, 19 Oct =
2007=20
00:22:39 -0400, =3D
>=3D3D3D3D
> > =
> =20
>"Tom=3D3D3D3D20
> > > > =
Bruhl"=20
<<A=3D3D3D3D20
> > > > =20
=3D3D3D3D
> > > =3D3D3D
> =
> =20
=3D3D
> =3D
>>>>href=3D3D3D3D3D" <A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net><BR'>mailto:a=
rpegio@comcast.net">arpegio@comcast.net><BR>=3D=

>>&n=3D3D
> =20
>=3D3D3D3D=3D3D3D
> > >
> =
> =20
> >bsp;=3D3D3D3D20
> > > =
> =20
wrote:
>
> >I thought I was groovin' =
but once=20
the =3D
>=3D3D3D3D
> > > =20
>second=3D3D3D3D20
> > > > =
Mec was=20
introduced
> >the system stopped. That=20
=3D3D3D3D
> > > >was a=20
few=3D3D3D3D20
> > > > weeks=20
ago.
> >
> >Today I tried=20
=3D3D3D3D
> > > =20
>different=3D3D3D3D20
> > > =
> cables,=20
eds cards, mecs, eliminated the =3D3D3D3D
> > =
> =20
>magma
=3D3D3D3D3D
 >and
>=20
=3D3D3D3D20
> > > > >still =
no clock=20
lock or modules showing up in the =
=3D
>paris=3D3D3D3D20
> =20
> > > patchbay.
> =20
>
> >This means to me =3D3D3D3D
> =
> =20
> >software=3D3D3D3D20
> > > =

> unless someone tells me differently.
> =20
>
> =3D3D3D3D
> > > =

>>l=3D3D3D3D20
> > > > > =
have a new C=20
drive which I will load XP and no pace. =20
=3D
>Any=3D3D3D3D20
> > > > =
> =20
other=3D3D3D3D20
> =
>suggestions?
> =20
=3D3D3D3D
> > > >>
>=20
=3D3D3D3D20
> > > > >More =
frustrated=20
than my clients,
> =3D3D3D3D
> =
> =20
> >>Tom
> =3D3D3D3D20
> =
> =20
> > >
> =
>
> =20
>
> =3D3D3D3D
> > > =

>>
> =3D3D3D3D20
> > > =

> >l choose Polesoft Lockspam to fight spam, and=20
you?
> =3D
>=3D3D3D3D20
> > =
> =20
> >http://www.polesoft.com/refer.html =
=3D3D3D3D20
> =20
> > > =20
=3D3D3D3D20
>
&am p;gt;
><!DOCTYPE =
HTML PUBLIC=20
"-//W3C//DTD
=3D
>=3D3D3D3D
> > =
> >HTML=20
4.0=3D3D3D3D20
> > > > =20
=
Transitional//EN" >
><HTML>& l t;HEAD>
>=
<META=3D3D3D3D20
> =20
> > > http-equiv=3D3D3D3D3D3DContent-Type=20
=3D3D
> =
>content=3D3D3D3D3D3D"text/html;=3D3D3D3D20
> =20
> > > =20
=
=3D3D3D3D
>charset=3D3D3D3D3D3Diso -8859-1 ">
>=
<META=20
=3D
>=3D3D3D3D
> > > =20
>content=3D3D3D3D3D3D"MSHTML=3D3D3D3D20
> > =
> =20
> >6.00.2800.1400"=3D3D3D3D20
> > =
> =20
> =3D3D3D3D
> > > =20

=
>name=3D3D3D3D3D3DGENERATOR>
 ><STYLE></STYLE&g=
t;
></HEA=3D3D3D3D
> =20
> > =
>D>
><BODY=3D3D 3D3D20
> =20
> > > =20
bgColor=3D3D3D3D3D#ffffff>
> <DIV><FONT=20
=3D3D
> =
>face=3D3D3D3D3D3DArial=3D3D3D3D20
> > =20
> > =3D3D3D3D
> > > =20
=
>size=3D3D3D3D3D2>Rick, </DIV>
><=
><FONT=3D3D3D3D20
> =20
> > > face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D2>1=20
mec, no BNC involved.
=3D
>Paris
> =
=3D3D
> =20
>=3D3D3D3D
> > > =20
>=3D3D3D3D
>boots up so=3D3D3D3D20
> =
> =20
> > the=3D3D3D3D20
>1 mec =
=3D3D3D3D
> =20
> > =20
=
>that</DIV><
><DIV><FONT=3D3D3D=
3D20
> =20
> > > face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D2>I'm=20
using shows up but
=3D
>never =3D3D
> >any A=20
to
> > =3D3D3D
> > =20
>=3D3D3D3D
> > > =
>=3D3D3D3D
>Ds=20
or=3D3D3D3D20
> > > > =20
any=3D3D3D3D20
>installed=3D3D3D3D 20
> =
> =20
> > =20
modules.</DIV><BR& >><DIV><FONT=20
=3D3D3D3D
> > > =20
>face=3D3D3D3D3D3DArial=3D3D3D3D20
> > =
> =20
> size=3D3D3D3D3D2>This is the same symptom before I=20
=3D3D
> >=3D3D3D3D
>repaired =
=3D3D3D
> =20
> >=3D3D3D3D
> > > =20
>one=3D3D3D3D20
> > > > =20
of=3D3D3D3D20
>my mecs with=3D3D3D3D20
> =
> =20
> > =20

&size=3D3D3D3D2&Thanks,&/FONT& t;&/DIV&&BR&&=<DIV&&FONT=3D3D3D3D
& =20
& & &&=3D3D3D3D20
& & =
& =20
& face=3D3D3D3D3DArial=3D3D3D3D20
& & =
& =20
& =20
=
size=3D3D3D3D2&Tom&/FONT&&/D IV&&BR&&<DIV&g
t;&FONT=3D3D3D3D20
& =20
& & & face=3D3D3D3D3DArial=20
size=3D3D3D3D2&/FONT& =3D3D3D3D
& & =
& =20
=
&</DIV&&BR&&<DIV&&FONT=3D3D3D3D20
& =
;=20
& & & face=3D3D3D3D3DArial=20
size=3D3D3D3D2&/FONT& =3D3D3D3D
& & =
& =20
&</DIV&&BR&&<DIV&&=3D3D3D3D20
& =
& =20
& & &</DIV&&BR&&<DIV&am p;gt;=20
&</DIV&&BR&&<DIV&am p;gt;=3D3D3D3D20
& =
& =20
& & &</DIV&&BR&&<DIV&am p;gt; "rick"=20
=3D3D3D3D
& & & =20
=
&<&&A=3D3D3D3D20&BR&&& href=3D3D3D3D3D "&&A=3D3D3D3D2=
0
& =20
& & & =3D3D3D3D
& & =
& =20
=3D3D3D
& & =3D3D
& =20
=
=3D
&& href=3D3D3D3D'mailto:parnell68@hotmail.com"&&p=
arnell68@hotmail.com&&A&&=3D
&&mai=3D3D
& =20
&<o=3D3D3D
& & &&pa=3D3D3D3D
& =
& =20
& =20
=
&&rnell68@hotmail.com"&&parnell68@hotmail.com&&A&&/A&&&=&&=
=3D3D3D3D20
& =20
& & & =3D3D3D3D&&BR&&&wrote=20
in=3D3D3D3D20&&BR&&&message =3D3D
& =20
=
&<&&A=3D3D3D3D20&BR&&& href =3D3D3D3D3D "&&A
& =
=20
& =3D3D3D
& & =
&&=3D3D3D3D
& & =20

> > the magma =
=3D3D3D3D3D
>&and
&a mp;gt;still=20
no=3D3D3D3D3D20
> =3D
>=3D3D3D3D
> =
> =20
> >clock lock or=3D3D3D3D20
> > =
> =20
> modules showing up in the paris=3D3D3D3D20
> =
> =20
> > =3D3D3D3D
> > > =20
=
>=3D3D3D3D3D
>>patchbay.&l t;BR>>
>This=3D=
3D3D3D3D20
>> =20
=3D3D3D3D
> > > >means=20
to=3D3D3D3D20
> > > > me =
software unless=20
someone tells me=3D3D3D3D20
> > > =
> =20
=3D3D3D3D
> > > =20
=
>=3D3D3D3D3D
>>differently.&am p;lt;BR>>
>l=3D=
3D3D3D3D20
>> =20
=3D3D3D3D
> > > >have a=20
new=3D3D3D3D20
> > > > C drive =
which l=20
will load XP and no pace. Any =3D3D
> =20
>other=3D3D3D3D3D20
>>&nbs p; =3D3D3D
> =
> =20
>=3D3D3D3D
> > > >
> =
> =20
> > =20

>suggestions?
>& ;gt;
>More frustrated=20
=3D3D3D3D
> > > =
>than=3D3D3D3D20
> =20
> > > my=3D3D3D3D3D20
>>=20
=3D3D3D3D20
> > > > =
=3D3D3D3D
> =20
> > =20
=
>clients,
>Tom<BR& gt;>
>
& gt;&l=
t;BR=3D3D3D3D
> =20
> > =
>>>
>l=3D3D3D3D 20
> =20
> > > choose=20
=3D3D3D3D3D
>Polesoft=3D3D3D3D3D20&a mp;lt;BR>> =
Lockspam to=20
=3D
>fight =3D3D
> =
>spam,=3D3D3D3D20
> > =20
> > and=3D3D3D3D3D20
>> =

=3D3D3D3D
> =20
> > > =20
=
>you?
>http://www.polesoft.com/refer.html=3D3D3D3D20
&g=
t; =20
> > > =3D3D3D3D
> > =
> =20
=
>=3D3D3D3D3D20
><BR&am p;</BLOCKQUOTE></BODY>=
</HTML>
&=3D3D3D3D
> =20
> > =20
=
>g;
>
& </BLOCKQUOTE></BODY></HTML&=20
g;
> =20
> > >
> > > =20
>
> > >
> > =
>
> =20
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=20
Transitional//EN">
> > =20
><HTML><HEAD>
> > ><META=20
http-equiv=3D3D3D3DContent-Type content=3D3D3D3D"text/html;=20
=3D
>=3D3D3D
> > =20
> charset=3D3D3D3Diso-8859-1">
> > =
><META=20
content=3D3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3D3DGENERATOR>
> =20
> ><STYLE></STYLE>
> > =20
></HEAD>
> > ><BODY=20
bgColor=3D3D3D3D#ffffff>
> > =
><DIV><FONT=20
face=3D3D3D3DArial size=3D3D3D3D2>Hi=20
Mike,</DIV>
> > =20
><DIV>Well I've =
been to=20
.cfg =3D
>many a =3D3D
> >=3D3D3D
> =
> =20
>time.</DIV>
> > =20
><DIV>I've seen =
that=20
Mastercard
=3D
>=3D3D
> >setting as =
=3D3D3D
> =20
> >being=3D3D3D20
> > =20
>0</DIV>
> > =20
><DIV>but maybe =
it changed=20
=3D
>after =3D3D
> >removing the
> =
> =20
=3D3D3D
> > >4=3D3D3D20
> =

; =20
"Dimitrios" =3D3D3D
 =
 <<A=3D3D3D20
 =20
 href=3D3D3D3D"<A=20
=
href=3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A'>mailto:musurgio=
@otenet.gr" musurgio@otenet.gr</A =20
=3D
 wrote
 =3D3D
 in =
=3D3D3D
 =20
 message=3D3D3D20
 =20
=
=3D3D3D3D
 news:471a0486\$1 @linux...

 g=
t; =20
Hi Tom=3D3D3D20
 <A=20
href=3D"mailto:!!@<BR">!!<BR Sorry to hear you =
still having=20
problems like =3D
 this=3D3D3D20
 =
 =20
~!!
 Must be very frustrating.
 =
Open the=20
=3D3D3D
 Paris ini=3D3D3D20
 =
 =20
 file and there change the mastercardoutput with=20
=3D
 =3D3D3D3D
 your=3D3D3D20
 =
 =
other
 cards and see what happens =
!!
 =20
Let me =3D3D3D

 =
 =20
know.
 Regards,
 =
=3D3D3D
 =20
 Dimitrios

 =
=3D3D3D20
 =20
 "Tom Bruhl" <<A=3D3D3D20
 =
 =20
 =3D
 href=3D3D3D3D"<A=20
=
href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net=>=3D3D3D20'>ma=
ilto:arpeggio@comcast.net" arpeggio@comcast.net =3D3D3D20</=
A>
 =20
 wrote:
 =

 =20

 =3D3D3D20
 =20
 Rick,
 1 mec, no BNC involved. Paris =
boots=20
=3D3D3D
 up so=3D3D3D20
 =
 =20
 the 1 mec that
 I'm using shows up =

but never=20
any A to =3D
>=3D3D3D
> > > > Ds=20
or=3D3D3D20
> > > > any installed=20
modules.
> > This is the same symptom =
=3D3D3D
> =20
> > before l=3D3D3D20
> > > > =
repaired=20
one of my mecs with a
> > new chip. The=20
=3D3D3D
> > > clock=3D3D3D20
> > =
> =20
> light continues to flash too. Never locks =
in.
>=20
=3D3D3D20
> > > > >
> =
> I am=20
using the simplest setup I can imagine and =3D3D3D
> =
> =20
> still=3D3D3D20
> > > > it's not=20
=3D3D3D3D
>working.
 > > Mike A. =
suggested =20
=3D3D3D
> > > the .ini=3D3D3D20
> =
> =20
> file to make sure card A is 0. I'll =
=3D3D3D
> =20
> =
> try
=3D3D3D3D
 >=3D3D3D3D3D
>=20
=3D3D3D20
> > > =
> that.
> =20
> Pretty sure it's right but who=3D3D3D20
> > =
> =20
knows?
> > Thanks,
> =20
> Tom
> =3D3D3D20
> > > =20
>
> >
> =
>
> =20
=3D3D3D
> > > >
> =
=3D3D3D20
> =20
> > >
> > "rick"=20
<<A=3D3D3D20
> > > =
=3D
> href=3D3D3D3D"<A=20
=
href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto:pa=
rnell68@hotmail.com">parnell68@hotmail.com</A'>>
> =
bsp;=20
=3D3D
> >=3D3D3D
> > > > wrote=20
in=3D3D3D20
> > > > message =
=3D3D3D3D3D
>=20
=3D3D3D20
> > > > =20
> news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
>=20
=3D3D3D20
> > > > > i know this =

as dumb as=20
it gets but the bnc is attached in =3D
>=3D3D3D
> =
> =20
>the=3D3D3D20
> > > > =
right
> =20
> order...right?
> > > =
=3D3D3D
> =20
> >all the=3D3D3D20
> > > > =
cards show=20
up in paris with the single mec?
> > =20
=3D3D3D
> > > >how many=3D3D3D20
> =
> =20
> i/o cards in each mec?
> =
>
> =20
=3D3D3D
> > >>
> =
=3D3D3D20
> =20
> > > > On Fri, 19 Oct 2007 00:22:39 -0400, =
"Tom=20
Bruhl" =3D3D3D
> > =20
>=3D3D3D3D
><<A =3D3D3D20
> > =
> =20
=3D3D3D
> > =3D3D
> =20
=3D
>>href=3D3D3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n'>=
mailto:arpegio@comcast.net">arpegio@comcast.net>
=
>&n=3D
>=3D3D3D=3D3D
> =20
>
> > >bsp;=3D3D3D20
> =
> =20
> > wrote:
> =
>
> =20
> >I =3D3D3D
> > >thought=20
I=3D3D3D20
> > > was groovin' but once =
the second=20
Mec was introduced
> =3D3D3D
> =
> >>=20
=3D3D3D20
> > > >the system =
stopped. That=20
was a few weeks ago.
> =3D3D3D20
> > =
> =20
> >
> > >Today I tried =
different=20
=3D3D3D
> > >cables,=3D3D3D20
> =
> =20
> eds cards, mecs, eliminated the=20
=3D3D3D3D
>magma
&a mp;gt; =3D3D3D
> =
> =20
>=3D3D3D3D
> =3D3D3D20
> > =

> =20
>
> > > > still no clock lock or =
modules=20
=3D3D3D
> > > > showing up=3D3D3D20
> =
> =20
> in the paris patchbay.
> > =20
>
> =3D3D3D
> > >>=20
=3D3D3D20
> > > > > This means to me =
software=20
unless someone tells me=3D3D3D20
> > > =20
differently.
> > >
> =20
> =3D3D3D
> > >>I =
have=3D3D3D20
> =20
> > a new C drive which I will load XP and no =
pace. =20
Any=3D3D3D20
> > > =20
=3D3D3D3D
> other=3D3D3D3D3D20
> =
> =20
=3D3D3D
> > >>suggestions?
>=20
=3D3D3D20
> > > > =20
>
> > > More frustrated than=20
my=3D3D3D20
> > > =
clients,
> =20
> > Tom
> > =3D3D3D20
> =
> =20
> >
> > =
>
> =20
> =3D3D3D
> > >
>=20
=3D3D3D20
> > > > =20
>
> > > I choose Polesoft =
=3D3D3D
> =20
> > Lockspam to=3D3D3D20
> > =
> fight=20
> spam, and you?
> > =3D3D3D20
> =
> =20
> > http://www.polesoft.com/refer.html =20
=3D3D3D3D3D20
> =3D3D3D20
> > =
> =20
>
> >
> ><!DOCTYPE =
HTML=20
PUBLIC=3D3D3D20
> > > > "-//W3C//DTD HTML =
4.0=20
Transitional//EN">
> =3D3D3D20
> > =

> ><HTML><HEAD><BR&a mp;gt;> =20
><META=3D3D3D20
> > > =20
http-equiv=3D3D3D3D3D3DContent-Type=20
content=3D3D3D3D3D3D"text/html;
=3D
>=3D3D3D
> =

> =20
>=3D3D3D3D3D
> =3D3D3D20
> > =
> =20
> charset=3D3D3D3D3D3D3Diso-8859-1">
> =
><META=20
=3D3D3D
> > =20
> content=3D3D3D3D3D3D"MSHTML=3D3D3D20
> > =
> =20
6.00.2800.1400" name=3D3D3D3D3D3DGENERATOR>
> =20
=3D3D3D20
> > > =20
><STYLE></STYLE><B R>> =
=3D3D3D
> =20
> >></HEAD>
& > =3D3D3D20
> =

> > ><BODY=20
bgColor=3D3D3D3D3D3D#ffffff>
> =
=3D3D3D
> =20
> >><DIV><FONT=3D3D3D20
> =
> =20
> face=3D3D3D3D3D3DArial =3D3D3D
> > =20
> size=3D3D3D3D3D2>Rick, </DIV>
> =

=3D3D3D20
> > > ><DIV><FONT=20
face=3D3D3D3D3D3DArial size=3D3D3D3D3D2>1 mec, no=20
BNC
=3D
>=3D3D3D
> > =20
> involved.=3D3D3D20
> > > Paris=20
=3D3D3D3D
>=3D3D3D3D3D<BR& amp ;> >boots up so =

=3D3D3D
> > =
> the=3D3D3D3D3D20
> =20
> 1=3D3D3D20
> > > mec=20
that</DIV><BR& >> =
=3D3D3D
> =20
> >><DIV><FONT=3D3D3D20
> =
> =20
> face=3D3D3D3D3D3DArial size=3D3D3D3D3D2>'m using =
shows up but=20
=3D
>never =3D3D3D
> > =20
> any
=3D3D3D3D
& amp ;>A to=3D3D3D20
> =
> =20
> =3D3D3D3D3D
> >Ds or=20
any=3D3D3D3D3D20
> =
> installed=3D3D3D20
> =20
> > =
modules.</DIV><BR& amp ;>> =20
=3D3D3D
> > =20
>><DIV><FONT=3D3D3D20
> > =
> =20

right=3D3D3D20
> =20
> > > but who =
=3D3D3D3D
>=3D3D3D3D3D<BR& ;gt;>=20
=3D3D3D20
> > > > =20
>knows?</DIV>& lt;BR>> =
=3D3D3D
> =20
> >><DIV><FONT=3D3D3D20
> =
> =20
> face=3D3D3D3D3D3DArial =3D3D3D
> > =20
=
>&size=3D3D3D3D3D2>Thanks,</FONT&g t;</DIV>
> =

=3D3D3D20
> > > ><DIV><FONT=20
face=3D3D3D3D3D3DArial=3D3D3D20
> > > =20
size=3D3D3D3D3D2>Tom</D IV>
>=20
=3D3D3D20
> > > ><DIV><FONT=20
face=3D3D3D3D3D3DArial size=3D3D3D3D3D2> =
=3D3D3D
> =20
> >
> > > > =20
</DIV>
> ><DIV><FONT=20
face=3D3D3D3D3D3DArial=3D3D3D20
> > > =20
size=3D3D3D3D3D2> </DIV>
> =20
=3D3D3D
> > =
>><DIV>=3D3D3D20
> =20
> > </DIV>
> ><DIV> =

</DIV>
> =3D3D3D20
> > =
> =20
><DIV> </DIV>
> =20
><DIV>"rick"=3D3D3D20
> > > =20
<<A=3D3D3D3D3D20
>& ;nbsp;=20
>&href=3D3D3D3D3D3D"<A=3D3D3D20
> > =
> =20
=3D3D3D
> > =3D3D
> =20
=
=3D
>>&href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell=
68@hotmail.com</A'>mai=3D
><to=3D3D
> =20
>&:pa=3D3D3D
> > =20
=
>&rnell68@hotmail.com">parnell68@hotmail.com</A>>=
=3D3D3D20
> =20
> > =
=3D3D3D3D
>=3D3D3D3D3D<BR& ;gt;> =20
>&wrote in=3D3D3D3D3D20
> =3D3D3D
> =
> =20
>>message=3D3D3D20
> > > =20
<A=3D3D3D3D3D20
> =2 0
=
=

in=3D3D3D20
> =20
> > each mec?
>
>
>On Fri, =
19=20
Oct=3D3D3D20
> > > =20
=3D3D3D3D
>>2007
>&am p;> =
=3D3D3D3D3D
>> =20
>
>> =3D3D3D
> > >>=20
=3D3D3D20
> > > 00:22:39 -0400, "Tom =
Bruhl"=20
<<A=3D3D3D3D3D20
>> > =
=3D3D3D20
> > =20
> =3D3D3D3D3D
>> =20
=
=3D3D3D3D
>>>href=3D3D3D3D3D3D "A=3D3D3D20
> =
> =20
> =3D3D3D
> > =3D3D
> =20
=
=3D
>>>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@c=
omcast.net>
>wro=3D
>&te'=3D3D
> =20
>>ma=3D3D3D
> > =20
=
>mailto:arpegio@comcast.net">arpegio@comcast.net>
=
>w=3D3D3D
> =20
> =
>rote:=3D3D3D3D
>&a mp;>=3D3D3D3D3D
>>=20
=3D3D3D20
> > > =20
>
>
>>l=3D3D3D 3D3D20
>> =
> =20
thought =3D3D3D
> > >l =
was=3D3D3D20
> =20
> > groovin' but once the second Mec was=20
=3D3D3D3D3D
>> =3D3D3D20
> > =
> =20
>introduced
>>the=3D3D3D3D3D20
>> =
> =20
system =3D3D3D
> > =
>stopped.=3D3D3D20
> =20
> > That was a few weeks=20
ago.
>
>&Toda y l =3D3D3D
> =
> =20
>=3D3D3D3D3D
>> =3D3D3D20
> > =
> =20
>tried=3D3D3D3D3D20
>> > different =
cables, eds=20
cards, =3D3D3D
> > =
>meCs,=3D3D3D20
> =20
> > eliminated the magma =
=3D3D3D3D3D
>> =20

=
>>
</BLOCKQUOTE> ;</BODY></HTML>
 ;=
>=20
=3D3D3D
> > >=3D3D3D20
> ;=
> > >=20
>
> > >=20
>
>
>&
><!DOCTYPE HTML=20
=3D3D3D
> > >PUBLIC=3D3D3D20
> ;=
> >=20
> " -//W3C//DTD HTML 4.0=3D3D3D20
> > ;=
> >=20
=
Transitional//EN" >
><HTML><HEAD>
>=
<META=3D3D3D20
> >=20
> > http-equiv=3D3D3D3D3DContent-Type=20
=3D
>content=3D3D3D3D3D"text/html;=3D3D3D20
> ;=
> >=20
> >=20
=
=3D3D3D3D
> charset=3D3D3D3D3Diso-885 9-1 ">
><=20
<META=20
=3D3D3D
> > >=20
>content=3D3D3D3D3D"MSHTML=3D3D3D20
> > ;=
> >=20
6.00.2800.1400"=3D3D3D20
> > > ;=
=3D3D3D
> >=20
> >=20
=
>name=3D3D3D3D3DGENERATOR>
& amp;gt;<STYLE></STYLE>=

></HEA=3D3D3D
> >=20
> ><D>
><BODY=3D3D 3D20
> ;=
> >=20
> >=20
bgColor=3D3D3D3D3D#ffffff>
>& amp;lt;DIV><FONT=20
=3D
>face=3D3D3D3D3DArial=3D3D3D20
> > ;=
> >=20
size=3D3D3D3D3D2>Thanks=3D3D3D20
> > ;=
> >=20
Dimitrios.</DIV><B R>><DIV><FONT=20
=3D3D3D
> > ;=
>face=3D3D3D3D3DArial=3D3D3D20
> > >=20
> > size=3D3D3D3D3D2>=20
</DIV>
><DIV& amp;gt;<FONT =3D3D3D
> ;=
> >=20
>face=3D3D3D3D3DArial=3D3D3D20
> > > > >=20
size=3D3D3D3D3D2>Mike said the same thing. Is the=20
=3D3D3D3D
>ini
=3D
>in =3D3D3D
> ;=
> >=20

>
> > > =
the=3D3D3D3D20
> Paris folde=20
or system=3D3D3D20
> > > =20
32?</DIV><BR& g t;></DIV><FONT=20
face=3D3D3D3DARial =3D3D3D
> > =
>
> =20
> > size=3D3D3D3D2>Do I want the Master card to =
be=20
=3D3D3D
> > =
>0=3D3D3D3D20
> absolutely?&am p; =20
l=3D3D3D20
> > > only have one=20
card</DIV><BR& g t;></DIV><FONT=20
=3D3D3D
> > >
> > =
> =20
face=3D3D3D3DARial size=3D3D3D3D2>in there right now and it's=20
=3D
>all=3D3D3D20
> > > =20
freaky
=3D3D3D3D
>j ust=3D3D3D20
> =
> =20
> =3D3D3D
> > =20
=
>the=3D3D3D3D20
> same.< ;/FONT></DIV>
&=
></DIV></FONT=3D3D3D
> =20
> >=3D3D3D20
> > > =20
face=3D3D3D3DARial=3D3D3D20
> > > =20
=
size=3D3D3D3D2>Tom</DIV >
></DIV>=
</FONT=3D3D3D20
> =20
> > face=3D3D3D3DARial =
size=3D3D3D3D2>=20
=3D3D3D
> > =20
=
></DIV>
>& l t;DIV></FONT=3D3D3D20
> =

> > face=3D3D3D3DARial =
size=3D3D3D3D2>=20
=3D3D3D
> > =20
=
></DIV>
>& l t;DIV></FONT=3D3D3D20
> =

> > face=3D3D3D3DARial=20
size=3D3D3D3D2>=3D3D3D20
> > =
> =20
=3D3D3D
> > =20
=
></DIV>
>& l t;BLOCKQUOTE=3D3D3D3D20
>styl=
e=3D3D3D3D3D" PADDING-RIGHT:
=3D
>=3D3D3D
> =20
> >0px;=3D3D3D20
> > > =
PADDING-LEFT:=20

5px; MARGIN-LEFT: 5px; =3D3D3D3D
>>BORDER-LEFT:=20
=3D
>#000000
> =3D3D
> =
>=3D3D3D
> =20
> >2px solid;=3D3D3D20
> > > > =

MARGIN-RIGHT: 0px">
> =20
<DIV>"Dimitrios"=3D3D3D20
> > > > =20
<<A=3D3D3D3D20
>> =20
href=3D3D3D3D3D"<A=3D3D3D20
> > > > =20
=3D3D3D
> > =3D3D
> =20
=
=3D
>>>href=3D3D3D3D'mailto:musurgio@otenet.gr">musurgio@o=
tenet.gr</A'>mailto:mu=3D
>sur=3D3D
> =20
>>io=3D3D3D
> > > =20
=
>@otenet.gr">musurgio@otenet.gr</A>>=3D3D3D20<BR=
>> =20
> > > wrote in=20
=3D3D3D3D
>>message=3D3D3D3D20< ;BR>> <A=20
=3D3D3D
> > =20
=
>=3D3D3D3D
>>href=3D3D3D3D3D"<A=3D3D3D20
> =
> =20
> > =3D3D3D
> > > =3D3D
> =20
=
=3D
>>>href=3D3D3D3D'news:471a0486\$1 @linux">news:471a0486\$=
1 @linux...</DIV><B=3D
>R>&H=3D3D
> =
=20
>>i'>=3D3D3D
> > > =20
=
>news:471a0486\$1 @linux">news:471a0486\$1 @linux...</DIV&=
>&=3D3D3D
> =20
> =20
=
>
>Hi
>= 3D3D3D3D
>>Tom=3D3D3D3D20&=
lt;BR>>=20
=3D3D3D20
> > > > <A href=3D3D3D3D"<A=20
=
href=3D'mailto:!!@
Sorry">!!@
Sorry</A'>mailto:!!@
>Sorry ">=
!!@
>Sorry</A'>>=20
to hear you =3D
>still
> =3D3D
> =20
>=3D3D3D
> > > >having=3D3D3D20
> =
> =20
> > problems like this ~!!
>Must =3D3D3D
> =
> =20
>>be
>=3D3D3D3D
>>very=3D3D3D3D20
>>=20
=3D3D3D20
> > > > =
frustrating.
>Open the=20

Paris ini file and there change
> =20
& =20
=20
& mastercardoutput=20 20
& =20
with your =20
& & & & other
& cards=20
and=20
& & & & see what happens=20
!!
& Let me=20
& =20
& =
& =20
& =20
know.
& Regards,
& Dimitrios& mp;
&
& "Tom=20
=20
& & & Bruhl"=20
& =
& =20
& & & A=20
& & =20
href=20" & A=20
& & & & =20
=20
& & =20
& =20
=
=20
& & & href=20'mailto:arpeggio@comcast.net'& arpeggio@c=
omcast.net
& /A& & =20=20
& 20'& m=20
& & =20
& ailto=20
& & & =20
=
=20
& & :arpeggio@comcast.net"& arpeggio@comcast.net
& /A& & =
=20
& /A& & & g=20 20
& & =20
& & & =20
& & & & & =20
wrote:
& & & & & Rick,
& & & 1=20
=20
& & & & mec, no=20
& =20
& =20
& & BNC =20
& & involved.& =20
Paris=20
& & boots up so =
=20
& =20
& =20
& & the 1 mec=20
& & & & =20
that
& & I'm using shows up but never any A =
=20
& & to=20
=20
& Ds=20
& & & & =20
or=20
& & any installed =
modules.
& & This is=20
the =20
& & & & same=20
& & =
& =20
& & symptom before I =20
& & repaired=20
one=20
& & of my =20
& mechs =
=20
& =20
& & with=20
& & & & =20
a
& & new chip.& The clock light continues=20
to=20
& & & & =20
=20
& & flash=20
& B R& & & too.& =
Never=20
locks=20
& & & & & =20
in.
& & & I am using the simplest =
=20
& =20

> >=3D3D3D3D
>setup l=3D3D3D20
> =
> >=20
> can=3D3D3D3D20
> imagine and still it's =
not=20
=3D3D3D
> > >working.
>Mike=20
A.=3D3D3D20
> > > suggested the=20
=3D3D3D3D
>.ini=3D3D3D3D20
> file to =
make=20
=3D
>=3D3D3D
> > > sure card A=20
is=3D3D3D20
> > > 0. I'll=20
try=3D3D3D20
> > > =3D3D3D
> =
> >=20
=
>=3D3D3D3D
>=3D3D3D3D3D&l t;BR>>that.
>Pr=
etty=3D3D3D3D20
>=20
=3D3D3D
> > > sure =
it's=3D3D3D20
> > >=20
> right but who=3D3D3D3D20
> =
=3D3D3D20
> > >=20
> > =3D3D3D
> > >=20
=
>=3D3D3D3D
>knows?<BR& amp;gt;>Thanks,
>Tom<=
t;BR>><=3D3D3D
> > >=20
> >=20
=
>BR>>
>< BR>>
><=3D3D3D3 D<=
BR>>BR>=3D3D3D
> > >=20
> >>"rick"=3D3D3D3D20
> =
=3D3D3D20
> > >=20
> > <<A=20
=3D3D3D3D
>href=3D3D3D3D3D"<A=3D3D3D20
> =
> >=20
> =3D3D3D
> > >=3D3D
> > >=20
=
=3D
>>>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell=
68@hotmail.com</A'>mai=3D
><to=3D3D
> > >=20
>;pa=3D3D3D
> > >=20
=
>rnell68@hotmail.com">parnell68@hotmail.com</A>>=
=3D3D3D20
> > >=20
> > =
=3D3D3D3D
>wrote=3D3D3D3D20<B R>> > >=20
in message=3D3D3D3D20
> =3D
>=3D3D3D20
> =
> >=20
> =3D3D3D
> > >=20
=
=3D
 >>=3D3D3D3D
>=3D3D3D3D 3D
>news:inqgh=
393an5s4m99qcaojn09vn112t4u6r@4ax=3D3D=3D
>>3D
> > >=20

> =20
=
>.com...
>&nbs=3D3D3D 3D
>p;=3D3D3D20
&g=
&t; =20
> > i=3D3D3D3D20
> know this as =
dumb as it=20
gets but the bnc is =3D
>=3D3D3D
> > =
>attached=20
in=3D3D3D20
> > > =
the=3D3D3D3D20
> =20
right
> =3D3D3D20
> > > =20
order...right?
> all the cards show =
up=3D3D3D20
> =20
> > =
=3D3D3D3D
>in=3D3D3D3D20<BR&a mp;gt;> =20
paris with the single =3D3D3D
> > =
>mec?
>=20
=3D3D3D20
> > > how many i/o cards in=20
each=3D3D3D3D20
> =3D3D3D20
> > =
> =20
mec?
>
>& ;lt;BR>> On Fri, 19 Oct=20
=3D3D3D
> > >2007=3D3D3D20
> =
> =20
> 00:22:39 -0400,=20
=3D3D3D3D
>"Tom=3D3D3D3D20
> =20
Bruhl"=3D3D3D20
> > > =20
<<A=3D3D3D3D20
>&n bsp;=20
=3D3D3D3D
>href=3D3D3D3D3D"<A=3D3D3D20
> =
> =20
> =3D3D3D
> > =3D3D
> =20
=
=3D
>>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@c=
omcast.net>
>g t;&n=3D
>'>=3D3D3D=3D3D<=
BR>> =20
>
> > =20
=
>mailto:arpegio@comcast.net">arpegio@comcast.net><B=
R>=3D3D3D
> =20
> =20
=
>;>&n=3D3D3D3D&l t;BR>>bsp;=3D3D3D3D20
=
>=20
=3D3D3D20
> > > =20
wrote:
>
>&a mp;nbsp; >I thought I was groovin'=20
=3D3D3D
> > >but once=3D3D3D20
> =
> =20
> the =
=3D3D3D3D
>second=3D3D3D3D20< BR>> Mec=20

=3D3D3D
> > >
> =
=3D3D3D20
> = 20
> > >
> =
>
> = 20
=3D3D3D
> > = 20
>=3D3D3D3D
>><B R>>=3D3D3D20
> =
> = 20
> =3D3D3D3D20
> ><I choose Polesoft =
Lockspam to=20
fight spam, =3D
>and=3D3D3D20
> > =
> = 20
you?
> =3D3D3D3D20
> =
=3D3D3D
> = 20
> =
>>http://www.polesoft.com/refer.html=3D3D3D20
> = 20
> > =3D3D3D3D20
> =
=3D3D3D
> = 20
> = 20
=
>=3D3D3D3D3D20
><BR&am p;gt;>
><!DOCTYPE=3D=
3D3D20
> = 20
> > HTML PUBLIC "-//W3C//DTD =
=3D3D3D3D
>HTML=20
4.0=3D3D3D3D20
> =3D
>=3D3D3D20
> =
> = 20
> =3D3D3D
> > = 20
=
>Transitional//EN" >
><HTML><t;HEAD>
=
>=3D3D3D
> = 20
> ><META=3D3D3D3D20
> =
=3D3D3D20
> = 20
> > http-equiv=3D3D3D3D3D3DContent-Type =
=3D3D3D
> = 20
> =
>&content=3D3D3D3D3D3D"text/html;=3D3D3D3D20
>=20
=3D3D3D20
> > > = 20
=
=3D3D3D3D3D
>charset=3D3D3D3D3D3Diso -8859-1 ">
>=
<META=20
=3D3D3D
> > >
> > =
> = 20
=
=3D3D3D3D
>content=3D3D3D3D3D3D"MSHTML=3D3D3D3D20
>g=
t; = 20
=3D3D3D
> > =
>6.00.2800.1400"=3D3D3D3D20
>=20
=3D3D3D20
> > > =3D3D3D
> =
> = 20

=
>=3D3D3D3D
>name=3D3D3D3D3D3D GENERATOR>
>&l
t;STYLE></STYLE&=3D3D3D
> =20
> =20
=
>>
></HEA=3D3D3D3D&a mp;lt;BR>>D>
>& amp;|=
t;BODY=3D3D3D3D20
>&=3D3D3D
> =20
> >> =3D3D3D20
> > > > =20
=
bgColor=3D3D3D3D3D3D#ffffff>
> ;<DIV><FONT=3D3D3D20=

> =20
> > > face=3D3D3D3D3D3DArial=3D3D3D3D20
>= 20
=3D3D3D20
> > > > > =3D3D3D
> =
> =20
=
>=3D3D3D3D
>size=3D3D3D3D3D3D 2>Rick,</D=
IV>
>&|=3D3D3D
> =20
> >&t;DIV><FONT=3D3D3D3D20
 t;> =
=3D3D3D20
> =20
> > > face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>1 =
mec, no BNC=20
involved. =3D
>=3D3D
> =
>&Paris=3D3D3D20
> > > =20
> =3D3D3D3D
>=3D3D3D3D3D<BR& ;>>boots up=20
so=3D3D3D3D20
> =3D3D3D
> > > =20
>&the=3D3D3D3D3D20
>1=3D3D3D20
> > =
> =20
mec=3D3D3D20
> > > > =3D3D3D
> =
> =20
=
>=3D3D3D3D
>that</DIV>
>&l t=
>DIV><FONT=3D3D3D
> =20
> >=3D3D3D3D20
> =3D3D3D20
> =
> =20
> face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>I'm using =
shows up but=20
=3D
>never any
> =3D3D
> >&A to=20
=3D3D3D
> > >&
> > =
> =20
=3D3D3D3D
>=3D3D3D3D3D<BR& ;>>Ds =
or=3D3D3D3D20
>=20
=3D3D3D20
> > > =20
any=3D3D3D3D3D20
>installed=3D3D3D3D 20
>=20
=3D3D3D20
> > > =20
=
modules.</DIV><BR& amp;gt;><DIV><FONT=3D3D3D=
20
> =20
> > =20

=
=3D3D3D3D
>>face=3D3D3D3D3D3DArial=3D 3D3D3D20
>>&nb= sp;=20
=3D
>>size=3D3D3D3D3D3D2>>This is =3D3D
>> = >>=3D3D3D
>> =20
> > >>the same=3D3D3D20
> > > > > > > > = symptom=20
before I =3D3D3D3D3D
>>repaired =3D3D3D
>> = > >=20
>>=3D3D3D3D
>>>one=3D3D3D3D20&am p;lt;BR>>> = =3D3D3D20
>> =20
> > > > of=3D3D3D3D3D20
>>>my mecs=20 with=3D3D3D3D20
>>> =3D3D3D20
>> > > = > >=20
=
a
>>/FONT>>>/DIV>>>
>> >><DIV>>><FONT=3D3D3D20
>>= > >=20
> > > > > > = face=3D3D3D3D3D3D3DArial=3D3D3D3D20
>>>& =20
size=3D3D3D3D3D3D2>>new chip. =3D
>>The =3D3D3D
>> = > >=20
>>clock light=3D3D3D20
>> > > > > > > >=20
=3D3D3D3D3D
>>>continues to=3D3D3D3D20
>>> =20
=3D3D3D
>> > > >=20
>>flash=3D3D3D3D3D20
>>>too.=3D3 D3D20
>> = > >=20
> > Never locks=3D3D3D3D20
>>> = =3D3D3D20
>> > > >=20
> > = in.
>>/FONT>>>/DIV>>>
>> t;>><DIV>>><FONT=20 =3D3D3D
>> > > > = >>face=3D3D3D3D3D3D3DArial=3D3D3D20
>> >=20
> > > > > > =3D3D3D3D
>>>
>>> =20
size=3D3D3D3D3D3D2>>
>>>=3D3D3D20
>> > > > = > >=20

>>
>>><DIV>>><FONT=3D3D3D20
>> > = > >=20
> >=20
> >=20
=
=3D3D3D3D
>>>face=3D3D3D3D3D3D3DArial=3D 3D3D3D20
>>>&nb= sp;=20
=3D
>>>size=3D3D3D3D3D3D2>>I am =3D3D3D
>> > > > = > >using the=20
simplest=3D3D3D20
>> > > > > > > > setup I can=20
=3D3D3D3D3D
>>>>imagine=3D3D3D3D20& lt;BR>>>> = =3D3D3D20
>> >=20
> > > > > > and=3D3D3D3D3D20
>>>&still it's=20
not=3D3D3D3D20
>>> =3D3D3D20
>> > > > =

> =20
=
working.</DIV><BR& amp ;>><DIV><FONT=3D3D3D=
20
> =20
> > =20
=
=3D3D3D3D
>face=3D3D3D3D3D3DArial=3D 3D3D3D20
>&nb=
sp;=20
=3D
>size=3D3D3D3D3D3D2>Mike A. =3D3D
> =
>=3D3D3D
> =20
> > suggested the=3D3D3D20
> > =
> .ini=20
file =3D3D3D3D3D
>to make=3D3D3D3D20
>=20
=3D3D3D20
> > > =
sure=3D3D3D3D3D20
>card=20
A is 0. I'll try=3D3D3D3D20
> =3D3D3D20
> =
> =20
> =20
=
that.</DIV><BR& amp ;>><DIV><FONT=3D3D3D20 <=
BR>> =20
> > =20
=
=3D3D3D3D
>face=3D3D3D3D3D3DArial=3D 3D3D3D20
>&nb=
sp;=20
=3D
>size=3D3D3D3D3D3D2>Pretty =3D3D3D
> =
> > sure=20
it's right=3D3D3D20
> > > but=20
who=3D3D3D3D20
> =3D3D3D20
> > =
> =20
=3D3D3D
> > =20
=
>=3D3D3D3D3D
>knows?</ FONT></DIV>
>=
<DIV& amp ;>g=3D3D3D
> =20
> > t;<FONT=3D3D3D3D20
> =
=3D3D3D20
> =20
> > face=3D3D3D3D3D3DArial=3D3D3D3D20
>= 20
=3D3D3D20
> > > =3D3D3D
> =
> =20
=
>=3D3D3D3D
>size=3D3D3D3D3D3D 2>Thanks,<=
</DIV>
>=3D3D3D
> =20
> =
><DIV><FONT=3D3D3D3D<BR& amp ;>>=3D3D3D3D20
>=20
=3D3D3D20
> > > =20
face=3D3D3D3D3D3DArial=3D3D3D3D20
> =
=3D3D3D20
> > =20
> =3D3D3D
> > =20

=
>size=3D3D3D3D3D2>Tom&a mp;lt;/DIV>
><D=
IV><=3D3D3D
> =20
> >FONT=3D3D3D3D20
> =3D3D3D20
> =
> =20
> face=3D3D3D3D3D3DArial=20
size=3D3D3D3D3D2>=3D3D3D20
> > =
> =20
=3D3D3D
> > =20
=
>=3D3D3D3D
></DIV& gt;
><DIV><FONT =3D=
3D3D3D20
> =20
> >p;=3D3D3D20
> > > =20
face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D2>=3D3D3D20
> =20
> > =20
=
=3D3D3D3D
></DIV>& lt;BR>><DIV>=3D3D3D3D20&l=
t;BR>>=20
=3D3D3D20
> > > =20
</DIV>
><DIV&am p;gt;=3D3D3D20
> =
> =20
> =
</DIV>
><DIV&am p;gt;=3D3D3D3D20
>=20
=3D3D3D20
> > > =20
</DIV>
><DIV&am p;gt; "rick"=3D3D3D20
> =
> =20
> =3D3D3D
> > =20
=
=3D
 >>=3D3D3D3D
><& amp;lt;A=3D3D3D3D3D20
>=
>href=3D3D3D3D3D3D" <A=3D3D3D3D20
> =20
> >=3D3D3D3D3D3D3D
> =20
> >=3D3D3D20
> > > =20
=3D3D3D
> > =3D3D
> =20
=
=3D
 >>>=3D3D3D3D
>h ref=3D3D3D3D3D'mailto:parnell6=
8@hotmail.com">parnell68@hotma=3D
>il.c=3D3D3D=3D3D
> =
>=20
>
> > =20
=
=3D
 >>om</A'>mailto:pa=3D3D3D3D& lt;BR>>rnell68@hotma=
il.com">parnell68@hotmai=3D3D3D
> =20
> >l.com</A>>=3D 3D3D3D20
>=20
=3D3D3D20
> > > =
=3D3D3D3D3D
>wrote=20
in=3D3D3D3D3D20
>message=3D3D3D20
> > =
> =20
<A=3D3D3D3D3D20
>href=3D3D3D3 D3D3D " <A=20

=3D3D3D3D
>
> ; =3D3D3D20
> =
> =20
> =3D3D3D
> > =3D3D
> =20
=
=3D
 >>>=3D3D3D3D
>>h ref=3D3D3D3D3D'news:inqgh393an=
5s4m99qcaojn09vn112t4u6r@4ax.c=3D
>om">=3D3D3D=3D3D
> =
;=20
>
> > =3D3D
> =20
=
=3D
 >>>news:inqgh393an5=3D3D3D3D
 & amp;gt;>'>news:inqgh=
393an5s4m99qcaojn09vn112t4u6r@4=3D
>=3D3D3D=3D3D
> =20
>
> > =20
=
>ax.com" >news:inqgh393an5</A=3D3D3D3D
 >>=3D3D3D3D=
3D
>>s4m99q=3D3D3D
> =20
> =20
=
>caojn09vn112t4u6r@4ax.com ...</DIV>
>& amp;amp;=3D3=
D3D3D
>& amp;=3D3D3D
> =20
> =3D3D
> =20
=
=3D
 >>>gt;gt;<BLOCKQUOTE=3D3D3D3D2 0
>>style=3D=
3D3D3D3D3D"PADDING-RIGHT:=3D3D3D3D=3D
>20=3D3D3D
> =20
> >
>> =3D3D3D20
> > =
> =20
PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D3D
> > =20
>=3D3D3D3D3D
>>BORDER-LEFT:=3D 3D3D20
> =
> =20
> =3D3D3D3D
>>#000000 =
2px=3D3D3D3D20
>> =20
solid; =3D
>MARGIN-RIGHT:=3D3D3D20
> > =
> =20
0px">i=3D3D3D3D3D20
>> know this as dumb as=20
=3D3D3D
> > =20
>=3D3D3D3D
>>it=3D3D3D20
> > =
> =20
gets=3D3D3D3D20
>> but the bnc is attached in=20
=3D3D3D
> > =20
>the=3D3D3D3D20
>>=3D3D3D20
> > =
> =20
=3D3D3D3D20
>> =
right
>order...right?
>all the=20
=3D3D3D
> > >cards show =
up=3D3D3D20
> =20
> > in paris =3D3D3D3D
>>with=20
the=3D3D3D3D20
>> =3D3D3D20
> > =
> =20
=3D3D3D3D3D
>>single=3D3D3D3D3D20& amp ;lt;BR>>> =

mec?
how=20
=3D3D3D
> > > many i/o=3D3D3D20
> =
> =20
> cards =3D3D3D3D
>>in =
each=3D3D3D3D20
>> =20
=3D3D3D
> > =20
>mec?
>
>
&a mp;gt;On=3D3D3D20
> =
> =20
> Fri, 19 Oct=3D3D3D3D20
>> =
=3D3D3D20
> > =20
> 2007
>=3D3D3D3D3D
>>& amp;lt;BR>>> =
00:22:39=20
-0400, =3D3D3D
> > =
>"Tom=3D3D3D20
> > =20
> Bruhl"=3D3D3D3D20
>> =20
<<A=3D3D3D3D3D20
>> =3D3D3D20
> =
> > =20
=
=3D3D3D3D3D
>>href=3D3D3D3D3D3D"<A=3D3D3D3D20
>>=
=20
=3D3D3D20
> > > =3D3D3D
> =
> =20
=3D3D
> =20
=
=3D
 >>>=3D3D3D3D
>>h ref=3D3D3D3D3D'mailto:arpegio@=
comcast.net">arpegio@comcast.n=3D
>et&l=3D3D3D=3D3D
>&= =20
>
> > =20
=
>t;/A>>
>wrote'> ma=3D3D3D3D
>>ilto:arpegio=
@comcast.net">=3D3D3D
> =20
> =20
=
>;arpegio@comcast.net >
>w=3D3D3D3D&l t;BR>>r=
ote:=3D3D3D3D=3D3D3D
> =20
> =20
=
>3D
>>
>&l t;BR>>l=3D3D3D3D3D20
>> =3D=
3D3D20
> =20
> > =3D3D3D3D20
>> thought I was =
groovin' but=20
once the second =3D
>Mec=3D3D3D20
> > =
> =20
was=3D3D3D3D20
>> =3D3D3D20
> > =
> =20
=3D3D3D
> > =20
=
>=3D3D3D3D3D
>>introduced& lt;BR>>>the=3D3D3D3D3D20
>=

BR>>=20
=3D3D3D
> > > system=3D3D3D20
> =
> =20
> =3D3D3D3D
>stopped. That =
was=3D3D3D3D20
> =20
a few weeks=3D3D3D20
> > > =20
ago.
>
>Toda y l=3D3D3D3D20
>=20
=3D3D3D20
> > > =20
=3D3D3D3D3D
>tried=3D3D3D3D3D20& lt;BR>> =
different cables,=20
=3D3D3D
> > >eds cards,=3D3D3D20
> =
> =20
> mecs, =
=3D3D3D3D
>eliminated=3D3D3D3D20& amp ;lt;BR>> =20
the magma=3D3D3D20
> > > =20
=3D3D3D3D3D
>and
& a mp;gt;still =3D3D3D
> =
> =20
>&no=3D3D3D3D3D20
> =3D3D3D20
> > =
> =20
=3D3D3D3D
>clock lock or=3D3D3D3D20
> =
modules=20
showing up in =3D
>the=3D3D3D20
> > =
> =20
paris=3D3D3D3D20
> =3D3D3D20
> > =
> =20
=3D3D3D
> > =20
=
>=3D3D3D3D
>=3D3D3D3D3D& l t;BR>>patchbay.
&g=
t;
>This=3D3D3D3D=3D3D3D
> =20
> >3D20
> =3D3D3D20
> > =
> =20
=3D3D3D3D
>means to=3D3D3D3D20
> me =
software unless=20
someone =3D
>=3D3D3D
> > =
>&tells=3D3D3D20
> =20
> > me=3D3D3D3D20
> =
=3D3D3D20
> =20
> > =3D3D3D
> > =20
=
>=3D3D3D3D
>=3D3D3D3D3D& l t;BR>>differently.
=
>
>l=3D3D3D3D=3D3D3D
> =20
> >3D20
> =3D3D3D20
> > =
> =20
=3D3D3D3D
>have a new=3D3D3D3D20
> C =
drive which l=20
will load
=3D
>XP =3D3D3D
> > > and no =
pace.=3D3D3D20
> > > Any=20

other=3D3D3D3D20
> =
=3D3D3D3D
>
> ;=20
=3D3D3D20
> > > > ;=20

>suggestions?
> >
>More=20
frustrated=3D3D3D20
> > > > ;=20
=3D3D3D3D
>than=3D3D3D3D20
> ;=20
my=3D3D3D3D20
> =3D3D3D
> > ;=20
>=3D3D3D3D20
> =3D3D3D20
> > ; =
> ;=20
=3D3D3D
> > ;=20
=
>=3D3D3D3D
>clients,<B R>>Tom
>
> ;=
>>
>=3D3D3D
> ;=20
> ;=20
=
>><BR=3D3D3D3D
> g t,>>
>l=3D3D3D3D20& amp ; =
lt;BR>> ;=20
=3D3D3D20
> > > ; choose=20
=3D3D3D3D3D
>Polesoft=3D3D3D3D3D20&a mp;lt;BR>> ; =
Lockspam=20
=3D3D3D
> > > ;to fight=3D3D3D20
> ; =
> ;=20
> ; spam,=3D3D3D3D20
> ; =
and=3D3D3D3D3D20
> ;=20
=3D3D3D20
> > > ; =3D3D3D
> ; =
> ;=20
=
=3D
 >>=3D3D3D3D
>you?& lt;BR>>http://www.poleso=
ft.com/refer.html=3D3D3D3D20
>& amp;=3D3D =3D
>> ;=20
> >> ;=3D3D3D20
> > > ;=20
=3D3D3D
> > ;=20
=
>=3D3D3D3D
>=3D3D3D3D3D20& amp ;lt;BR>>
</BLOC=
KQUOTE></BODY>=3D3D3D
> ;=20
> ;=20
=
></HTML>
>=3D 3D3D3D
>>
> ;=

</B=3D3D3D
> ;=20
> ;=20
=
>LOCKQUOTE></BODY></HTML& amp;gt;
>
>& amp;l=
t;BR></BLOCKQUOTE><=3D3D3D
> ;=20
> ></BODY></HTML>
> > ;=20
>
> > >
> >
> ;=20
>
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=20
Transitional//EN">
> ; =
></HTML><HEAD>
> ;=20

<<META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html";=20
=3D3D
> > charset=3D3D3Diso-8859-1">
> =
><<META=20
content=3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3DGENERATOR>
> =20
><<STYLE></STYLE>
> =
><</HEAD>
> =20
><<BODY bgcolor=3D3D3D#ffffff>
> =
><<DIV><FONT=20
face=3D3D3DArial =
size=3D3D3D2>Mike,</DIV&a mp;gt;
> =20
><<DIV>I used to use =
a Lucid but=20
since
=3D
>all of
> =3D3D
> >this =
mess=20
I=3D3D20
> =
>stopped.</DIV>
> =20
><<DIV>I'm trying to =
get stable=20
from =3D
>square =3D3D
> >one with =
the=3D3D20
> =20
>least amount </DIV>
> =20
><<DIV>of =
hardware. I am=20
using the =3D3D
> >default project=3D3D20
> =
>for=20
sure. The only </DIV>
> =20
><<DIV>other thing =
that I still=20
=3D
>question is my
> =3D3D
> >move=20
of=3D3D20
> >Paris to C:ParisPro=20
</DIV>
> ><<DIV><FONT=20
face=3D3D3DArial size=3D3D3D2>I should think the default =
=3D
>project=20
will
> =3D3D
> >either =
work=3D3D20
> >or=20
not. Maybe</DIV>
> =20
><<DIV>configs or =
something else=20
is =3D3D
> >fighting during=3D3D20
> =
>Paris=20
startup?</DIV>
> =
><<DIV><FONT=20
face=3D3D3DArial size=3D3D3D2> =
</DIV>
> =20
><<DIV>Pats 42 - =
Miami 7 . . .=20
Halftime
=3D
>and =3D3D
> >the =

games=3D3D20
> =20
>over.</DIV>
> =
></DIV></FONT=20
face=3D3D3DArial =
size=3D3D3D2>Tom</DIV& & ;gt;
> =20
></DIV> =

</DIV>
> ></DIV></FONT face=3D3D3DArial=20
size=3D3D3D2> </DIV>
> =
></DIV></FONT=20
face=3D3D3DArial size=3D3D3D2> =
</DIV>
> =20
><BLOCKQUOTE=3D3D20
> =
>style=3D3D3D"PADDING-RIGHT: 0px;=20
PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
>=3D3D
> =20
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =
0px">
> =20
> </DIV>"Mike Audet" <mike@....> wrote in message=20
<A=3D3D20
> > =3D3D
> =20
=3D
>>href=3D3D3D"<A=20
=
href=3D'news:471b6eb0\$1 @linux">news:471b6eb0\$1 @linux...</DIV>
H'>n=
ews:471b6eb0\$1 @linux>news:471b6eb0\$1 @linux...</DIV>&l=
t;BR>H=3D
>>i=3D3D20
> =20
> Tom,

Are you using a default project =
with=20
PARIS? I'm so =3D3D
> >sorry =
of=3D3D20
> =20
> this has been
asked and answered already. If =
so,=20
perhaps it =3D3D
> >is=3D3D20
> > =
telling card=20
zero to lock
to an external clock, which it can't=20
=3D
>=3D3D
> >because=3D3D20
> =
> there=20
isn't one.

It would be interesting to attach an=20
=3D
>external
> =3D3D
> =
>clock=3D3D20
> =20
> source to the MEC and
then start PARIS to see how =
it=20
behaves. =3D
>=3D3D
> >Or, =
if=3D3D20
> =20
> the clock generator is fried,
tell paris to lock=20
externally and
=3D
>see
> =3D3D
> =20
>what=3D3D20
> > happens when an external=20
clock
source is applied.

Isn't=20
=3D
>there
> =3D3D
> =
>a=3D3D20
> =20

 master house synch switch in the cfg file? I've never =
=3D3D
 used
it. =3D3D20
 =
 Maybe=20
DJ could help with what that should/shouldn't be set =
=3D3D
 =20
 to.

Wish I=3D3D20
 =
could do more=20
than think out loud...

Mike<BR&am p;gt;
 "Tom =

Bruhl"
=3D
 =3D3D
 =
 <A=3D3D20
 =20
 href=3D3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net=3D3D20'>mail=
to:arpegio@comcast.net">arpegio@comcast.net>=3D3D20<B=
R> =20
 wrote:
>
>&a mp;lt;BR>>Hi=20
Mike,
>Well I've been to .cfg =3D3D
 =

a=3D3D20
 time.
>I've seen that =
Mastercard=20
setting as being 0
>but =3D3D
 maybe=20
it=3D3D20
 changed after removing the 4=20
other
>eds cards for this round =
=3D
 of=3D3D20
 =20
 testing.
>
> If it's still 0 what =
else could=20
this be? =3D3D
 Busted=3D3D20
 =
 =20
mobo?
>I'm really in an idunno place right now. I'll =

be=3D3D20
 checking
>seriously =
today again=20
because of a session =3D
 tomorrow=3D3D20
 =
 =20
=
morning.
>Tom
> >
> =
=20
"Mike Audet"=3D3D20
 <mike@....> wrote =
in message=20
<A=3D3D20
 =3D3D
 =20
=3D
 href=3D3D3D"<A=20
=
href=3D'news:471b2ec2\$1@linux">news:471b2ec2\$1@linux...
>
 =
'>news:471b2ec2\$1@linux">news:471b2ec2\$1@linux...
>=

 >=3D
 =3D3D
 =20
 =3D3D20
 Hi=20

Tom, If you've only got one card in, =
then=20
the =3D3D

 Mastercard =
=3D3D3D3D 0=20
setting is =3D3D3D
>right.
&am p;gt; =20
=3D3D
> >The file is=3D3D20
> > =
Paris.cfg, and=20
it lives in the c:\program=3D3D20
> > =20
files\Emu\PARIS
=3D3D3D
&a mp;gt;PRO
> =20
=3D3D
> >folder.
>
& amp;gt; =
=3D3D20
> =20
> I'd still check it out to see what it is set=20
to.
>
> =3D3D
> >lf=20
it=3D3D20
> > is wrong, what you are describing =
will=20
happen.
>
>& amp;nbsp; =3D3D
> =20
>Good=3D3D20
> > =
luck!
>
>&am p;nbsp;=20
Mike
>
>&nbsp; "Tom Bruhl" =3D3D
> =
><<A=3D3D20
> > href=3D3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net=3D3D20'>mail=
to:arpegio@comcast.net">arpegio@comcast.net>=3D3D20<B=
R>> =20
> wrote:
> >
> =20
>
> >Thanks=3D3D20
> > =20
Dimitrios.
> >
> >Mike said =
the=20
same=3D3D20
> > thing. Is the ini in the =
Paris folde=20
or system=3D3D20
> > =20
=3D3D3D
>32?
>g t; >Do I want the Master =
card to be=20
0=3D3D20
> > absolutely? I only have one=20
card
> >in there =3D3D
> >right=20
now=3D3D20
> > and it's all freaky just the=20
same.
> >Tom
> =
=3D3D
> =20
>
> > >
> =20
>
> >
> > =
=3D3D20
> =20
> "Dimitrios" <<A =3D3D
> =
>href=3D3D3D"<A=20
=
href=3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr=3D3D20'>mailto=
:musurgio@otenet.gr">musurgio@otenet.gr>=3D3D20
>&g=
t; =20

> wrote in message =3D3D3D3D
> =
=3D3D
> =20
>>news:471a0486\$1 @linux...
> =3D3D20
> =
> =20
>
>> > Hi Tom <A=20
href=3D"mailto:!
=3D3D
> >to hear=3D3D20
> > you =
still having=20
problems like this ~!!
> > Must =
=3D3D
> =20
>&be very=3D3D20
> > =
frustrating.
> =20
> Open the Paris ini file and =3D3D
> >there=20
change=3D3D20
> > the mastercardoutput=20
with
>=3D3D3D
>>=3D3D 3D3D
>> =20
>your=3D3D20
> > other
>> =
> =20
cards and see what happens =3D3D
> >!!
>>=20
=3D3D20
> > > Let me =
know.
> =20
> =3D3D
> >Regards,
>> =
=3D3D20
> =20
> > Dimitrios
>> =
>
>> =20
> "Tom =3D3D
> >Bruhl"=3D3D20
> =
> =20
<<A href=3D3D3D"<A=20
=
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A'>mailto:arpegi=
o@comcast.net">arpeggio@comcast.net</A>>
=3D
>=3D=
3D
> =20
>
> > wrote:
>> > =20
>
>> > =3D3D20
> > =20
>
>> > >Rick,
>> =
> =20
>1 =3D3D
> >mec, no=3D3D20
> > =
BNC=20
involved. Paris boots up so the 1 mec that
>> =20
=3D3D
> >> =3D3D20
> > >I'm =
using shows=20
up but never any A to Ds or any installed=3D3D20
> =
> =20
modules.
>> > >This is the same symptom =
before=20
=3D3D
> >I=3D3D20
> > repaired one =
of my mecs=20
with a
>> > >new =3D3D
> > =
>chip.=20

=3D3D20
> > The clock light continues to flash =
too. = 20
Never locks=3D3D20
> > = 20
=3D3D3D
>in.
&g t, > =
>
> = 20
> =3D3D
> >>I am=3D3D20
> =
> using=20
the simplest setup I can imagine and still it's not =
=3D3D
> = 20
>=3D3D3D3D
> =3D3D20
> > = 20
>working.
> > > >Mike A. =
suggested the=20
=3D3D
> >&.&ini=3D3D20
> > > file to =
make sure=20
card A is 0. I'll =3D3D3D
>try
&g t, = 20
=3D3D
> >
> > > =
=3D3D3D3D
> = 20
>=3D3D3D3D3D
> > > =3D3D
> = 20
>>that.
> =3D3D20
> > > =
> = 20
>Pretty sure it's right but who knows?
> = 20
=3D3D
> >> =3D3D20
> > = 20
>Thanks,
> > > >Tom
> > = 20
=3D3D20
> > >
> > = 20
>
> > =3D3D
> =
>>
>=20
=3D3D20
> > > >
> =
>
> > =3D3D
> =
>
> = 20
> >"rick" <<A=3D3D20
> > =
href=3D3D3D"<A=20
=
href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto:pa=
rnell68@hotmail.com">parnell68@hotmail.com</A>>
=3D<BR=
>>=3D3D
> = 20
>wrote in=3D3D20
> > message=20
=3D3D3D3D3D
> > =3D3D20
> > = 20
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
>=20
=3D3D20
> > > > > i know this as =
dumb as it=20
gets but the bnc is =3D3D
> =
>attached=3D3D20
> = 20
> in the =3D3D3D
>right
& ;> =
> >=20
=3D3D20
> > order...right?
> =
> = 20

> =3D3D
> >><META=3D3D20
> =
> =20
content=3D3D3D3D3D3D"MSHTML 6.00.2800.1400" =3D3D
> =20
>&name=3D3D3D3D3D3D3DGENERATOR>
 > =3D3D20
> =
> =20
> ><STYLE></STYLE><B R>> >=20
=3D3D20
> > ></HEAD>
> =

> ><BODY=3D3D20
> > =20
bgColor=3D3D3D3D3D3D#ffffff>
> > > =
=3D3D
> =20
>><DIV><FONT=3D3D20</BLOCKQUOTE ></BODY></HTML>

-----=_NextPart_000_006D_01C81460.E747FDD0--

Subject: Re: Paris saga
Posted by [Dimitrios](#) on Mon, 22 Oct 2007 09:05:53 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hey Tom,
Paris cfg file is in Paris folder.
Just open with as a text editor and change the mastercardout to whichever
letter will work alright.

Next what I would do is install over the minimum setup
exe file (subsystem effects) to your new moved directory exactly !!

Then I would for sure delete from the Paris folder the default.ppj project
AND the untitled project.ppj to.

Let us know !

Regards,

Dimitrios

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>Mike,

>I used to use a Lucid but since all of this mess I stopped.

>I'm trying to get stable from square one with the least amount=20

>of hardware. I am using the default project for sure. The only=20

>other thing that I still question is my move of Paris to C:ParisPro .

>I should think the default project will either work or not. Maybe

>configs or something else is fighting during Paris startup?

>

>Pats 42 - Miami 7 . . . Halftime and the games over.

>Tom

>

>
>
> "Mike Audet" <mike@....> wrote in message news:471b6eb0\$1@linux...
>
> Hi Tom,
>
> Are you using a default project with PARIS? I'm so sorry of this has
=
>been
> asked and answered already. If so, perhaps it is telling card zero to
=
>lock
> to an external clock, which it can't because there isn't one.
>
> It would be interesting to attach an external clock source to the MEC
=
>and
> then start PARIS to see how it behaves. Or, if the clock generator is
=
>fried,
> tell paris to lock externally and see what happens when an external =
>clock
> source is applied.
>
> Isn't there a master house synch switch in the cfg file? I've never =
>used
> it. Maybe DJ could help with what that should/shouldn't be set to.
>
> Wish I could do more than think out loud...
>
> Mike
>
> "Tom Bruhl" <arpeggio@comcast.net> wrote:
> >
> >
> >Hi Mike,
> >Well I've been to .cfg many a time.
> >I've seen that Mastercard setting as being 0
> >but maybe it changed after removing the 4 other
> >eds cards for this round of testing.
> >
> >If it's still 0 what else could this be? Busted mobo?
> >I'm really in an idunno place right now. I'll be checking
> >seriously today again because of a session tomorrow morning.
> >Tom
> >
> >
> > "Mike Audet" <mike@....> wrote in message news:471b2ec2\$1@linux...

> >
> > Hi Tom,
> >
> > If you've only got one card in, then the Mastercard =3D3D 0 setting
=
>is =3D
> >right.
> > The file is Paris.cfg, and it lives in the c:\program =
>files\Emu\PARIS
> =3D
> >PRO
> > folder.
> >
> > I'd still check it out to see what it is set to.
> >
> > If it is wrong, what you are describing will happen.
> >
> > Good luck!
> >
> > Mike
> >
> > "Tom Bruhl" <arpeggio@comcast.net> wrote:
> > >
> > >
> > >Thanks Dimitrios.
> > >
> > >Mike said the same thing. Is the ini in the Paris folde or system
=
>=3D
> >32?
> > >Do I want the Master card to be 0 absolutely? I only have one =
>card
> > >in there right now and it's all freaky just the same.
> > >Tom
> > >
> > >
> > >
> > > "Dimitrios" <musurgio@otenet.gr> wrote in message =3D3D
> > >news:471a0486\$1 @linux...
> > >
> > > Hi Tom !@
> > > Sorry to hear you still having problems like this ~!!
> > > Must be very frustrating.
> > > Open the Paris ini file and there change the mastercardoutput =
>with
> =3D
> >=3D3D
> > >your other

> > > cards and see what happens !!
> > > Let me know.
> > > Regards,
> > > Dimitrios
> > >
> > > "Tom Bruhl" <arpegio@comcast.net> wrote:
> > > >
> > > >
> > > >Rick,
> > > >1 mec, no BNC involved. Paris boots up so the 1 mec that
> > > >I'm using shows up but never any A to Ds or any installed =
>modules.
> > > >This is the same symptom before I repaired one of my mecs with
=
>a
> > > >new chip. The clock light continues to flash too. Never locks
=
>=3D
> >in.
> > > >
> > > >I am using the simplest setup I can imagine and still it's not
=
>=3D3D
> > >working.
> > > >Mike A. suggested the .ini file to make sure card A is 0. =
>I'll =3D
> >try
> > =3D3D
> > >=3D3D3D
> > > >that.
> > > >Pretty sure it's right but who knows?
> > > >Thanks,
> > > >Tom
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >"rick" <parnell68@hotmail.com> wrote in message =3D3D3D
> > > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> > > > i know this as dumb as it gets but the bnc is attached in the
=
>=3D
> >right
> > > > order...right?
> > > > all the cards show up in paris with the single mec?
> > > > how many i/o cards in each mec?
> > > >

> > > >
> > > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D3D
> > ><arpegio@comcast.net>
> > > > wrote:
> > > >
> > > > >I thought I was groovin' but once the second Mec was =
>introduced
> > > > >the system stopped. That was a few weeks ago.
> > > > >
> > > > >Today I tried different cables, eds cards, mecs, eliminated
=
>the
> =3D
> >=3D3D
> > >magma
> > > =3D3D3D
> > > >and
> > > > >still no clock lock or modules showing up in the paris =3D
> >patchbay.
> > > > >
> > > > >This means to me software unless someone tells me =
> > > > >differently.
> > > > >
> > > > >I have a new C drive which I will load XP and no pace. Any
=
>=3D3D
> > >other=3D3D3D20
> > > > >suggestions?
> > > > >
> > > > >More frustrated than my clients,
> > > > >Tom
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >I choose Polesoft Lockspam to fight spam, and you?
> > > > ><http://www.polesoft.com/refer.html> =3D3D3D20
> > > >
> > > >
> > > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> > > ><HTML><HEAD>
> > > ><META http-equiv=3D3D3D3DContent-Type =
> > > >content=3D3D3D3D"text/html; =3D
> > > >=3D3D3D3D
> > > >charset=3D3D3D3Diso-8859-1">
> > > ><META content=3D3D3D3D"MSHTML 6.00.2800.1400" =
> > > >name=3D3D3D3DGENERATOR>
> > > ><STYLE></STYLE>

> > > ></HEAD>
> > > ><BODY bgColor=#ffffff>
> > > ><DIV>Rick,</DIV>
> > > ><DIV>1 mec, no BNC =
>involved. =
> >Paris =
> > =
> > > >boots up so the=20
> > > >1 mec that</DIV>
> > > ><DIV>I'm using shows up
=
>but =
> >never any
> > =
> > >A to =
> > > >Ds or any=20
> > > >installed modules.</DIV>
> > > ><DIV>This is the same =
>symptom
> =
> >before
> > =
> > >I =
> > > >repaired one of=20
> > > >my mecs with a</DIV>
> > > ><DIV>new chip. The =
>clock light
> =
> >=3
> > > >continues to flash=20
> > > >too. Never locks in.</DIV>
> > > ><DIV> </DIV>
> > > ><DIV>I am using the =
>simplest =
> >setup I
> > =
> > >can =
> > > >imagine and=20
> > > >still it's not working.</DIV>
> > > ><DIV>Mike A. suggested
=
>the =
> >.ini file
> > =
> > >=3
> > > >to make sure=20
> > > >card A is 0. I'll try that.</DIV>
> > > ><DIV>Pretty sure it's =

>right =3D
> >but who =3D3D
> > >=3D3D3D
> > > >knows?</DIV>
> > > ><DIV><FONT face=3D3D3D3DArial =
>size=3D3D3D3D2>Thanks,</DIV>
> > > ><DIV>Tom</DIV>
> > > ><DIV> </DIV>
> > > ><DIV> </DIV>
> > > ><DIV> </DIV>
> > > ><DIV> </DIV>
> > > ><DIV> </DIV>
> > > ><DIV>"rick" <<A=3D3D3D20
> > > =3D
> =
>>>href=3D3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com>
=
>=3D
> >=3D3D
> > >=3D3D3D
> > > >wrote in=3D3D3D20
> > > >message <A=3D3D3D20
> > > =3D3D
> > =3D
> =
>>>>href=3D3D3D3D"news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in=
>qgh=3D
> >393=3D3D
> > >an5=3D3D3D
> > > >s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> > > ><BLOCKQUOTE=3D3D3D20
> > > >style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
>MARGIN-LEFT: =3D
> >5px; =3D3D
> > >=3D3D3D
> > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">i=3D3D3D20
> > > > know this as dumb as it gets but the bnc is attached in =3D
> >the=3D3D3D20
> > > > right
order...right?
all the cards show up in paris =
>with =3D
> >the
> > =3D3D
> > >=3D3D3D
> > > >single=3D3D3D20
> > > > mec?
how many i/o cards in each mec?

On Fri, 19
=
>=3D
> >Oct =3D3D

```

> > >2007
> > > =3D3D3D
> > > >
> > > > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D20
> > > > =3D3D3D3D
> > > =3D3D3D
> > =3D
> =
>>>>href=3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>><BR>=
>wro=3D
> >te:=3D3D3D
> > >=3D3D3D3D
> > > ><BR><BR>>l=3D3D3D3D20
> > > > thought I was groovin' but once the second Mec was =3D3D3D3D
> > > >introduced<BR>>the=3D3D3D3D20
> > > > system stopped. That was a few weeks ago.<BR>><BR>>Today I =
>=3D3D3D3D
> > > >tried=3D3D3D3D20
> > > > different cables, eds cards, mecs, eliminated the magma =
>=3D3D3D3D
> > > >>and<BR>>still no=3D3D3D3D20
> > > > clock lock or modules showing up in the paris =3D3D3D3D
> > > >patchbay.<BR>><BR>>This=3D3D3D3D20
> > > > means to me software unless someone tells me =3D3D3D3D
> > > >differently.<BR>><BR>>l=3D3D3D3D20
> > > > have a new C drive which I will load XP and no pace. Any =3D
> >other=3D3D3D3D20
> > > > <BR>>suggestions?<BR>><BR>>More frustrated than my=3D3D3D3D20
> > > > clients,<BR>>Tom<BR>><BR>><BR>><BR>><BR>>I choose =3D3D3D3D
> > > >>Polesoft=3D3D3D3D20
> > > > Lockspam to fight spam, and=3D3D3D3D20
> > > > you?<BR>>http://www.polesoft.com/refer.html =3D3D3D3D20
> > > ><BR></BLOCKQUOTE></BODY></HTML>
> > > >
> > > >
> > > >
> > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> > ><HTML><HEAD>
> > ><META http-equiv=3D3D3D3DContent-Type content=3D3D3D3D"text/html; =
>=3D3D3D
> > > charset=3D3D3D3Diso-8859-1">
> > ><META content=3D3D3D3D"MSHTML 6.00.2800.1400" name=3D3D3D3DGENERATOR>
> > ><STYLE></STYLE>
> > ></HEAD>
> > ><BODY bgColor=3D3D3D3D#ffffff>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Thanks =
> >Dimitrios.</FONT></DIV>

```

```

> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Mike said the same thing.
=
> ls =3D
> >the =3D3D
> > >ini in the=3D3D20
> > >Paris folde or system 32?</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Do I want the Master card
=
>to be
> =3D
> >0=3D3D20
> > >absolutely? I only have one card</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>in there right now and =
>it's all
> =3D
> >freaky
> > =3D3D
> > >just the=3D3D20
> > >same.</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Tom</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> > ><BLOCKQUOTE=3D3D20
> > >style=3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
>5px; =3D
> >=3D3D
> > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > > <DIV>"Dimitrios" <<A=3D3D20
> > > href=3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>> =
>wrote
> =3D
> >in =3D3D
> > >message=3D3D20
> > > <A =3D3D
> > =3D
> =
>>>href=3D3D3D"news:471a0486$1@linux">news:471a0486$1@linux</A>...</DIV><B=
>R>H=3D
> >i
> > =3D3D
> > >Tom=3D3D20
> > > !@<BR>Sorry to hear you still having problems like this =
>~!!<BR>Must
> =3D
> >be
> > =3D3D

```


>the=3D3D20
 > > > right
> order...right?
> all the cards show up =3D3D
 > > >in=3D3D20
 > > > paris with the single mec?
> how many i/o cards in =
 >each=3D3D20
 > > > mec?
>
>
> On Fri, 19 Oct 2007 00:22:39 -0400, =3D3D
 > > >"Tom=3D3D20
 > > > Bruhl" <<A=3D3D20
 > > > =3D3D
 > > =3D
 > =
 >>>href=3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=
 >=3D3D=3D
 > >
 > > >bsp;=3D3D20
 > > > wrote:
>
> >I thought I was groovin' but once the =3D3D
 > > >second=3D3D20
 > > > Mec was introduced
> >the system stopped. That =3D3D
 > > >was a few=3D3D20
 > > > weeks ago.
> >
> >Today I tried =3D3D
 > > >different=3D3D20
 > > > cables, eds cards, mecs, eliminated the =3D3D
 > > > magma
=3D3D3D
>and
> =3D3D20
 > > > >still no clock lock or modules showing up in the paris=3D3D20
 > > > patchbay.
> >
> >This means to me =3D3D
 > > >software=3D3D20
 > > > unless someone tells me differently.
> >
> =3D3D
 > > >>I=3D3D20
 > > > have a new C drive which I will load XP and no pace. Any=3D3D20
 > > > other=3D3D3D20
> >suggestions?
> =3D3D
 > > >>
> =3D3D20
 > > > >More frustrated than my clients,
> =3D3D
 > > >>Tom
> =3D3D20
 > > > >
> >
> >
> =3D3D
 > > >>
> =3D3D20
 > > > >I choose Polesoft Lockspam to fight spam, and you?
> =3D3D20
 > > > >http://www.polesoft.com/refer.html =3D3D20
 > > > =3D3D3D20
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD =3D3D
 > > >HTML 4.0=3D3D20
 > > > Transitional//EN">
><HTML><HEAD>
><META=3D3D20
 > > > http-equiv=3D3D3D3DContent-Type =
 > > >content=3D3D3D3D"text/html;=3D3D20
 > > > =3D3D3D
>charset=3D3D3D3Diso-8859-1">
><META =3D3D
 > > >content=3D3D3D3D"MSHTML=3D3D20
 > > > 6.00.2800.1400"=3D3D20
 > > > =3D3D
 > > >name=3D3D3D3DGENERATOR>
><STYLE></STYLE>
></HEA=3D3D
 > > >D>
><BODY=3D3D20

```

> > > bgColor=#ffffff><BR>><DIV><FONT =
>face=Arial=20
> > > =3D
> > >size=2>Rick,</FONT></DIV>><BR>><DIV><FONT=20
> > > face=Arial size=2>1 mec, no BNC involved. Paris
=
>=3D
> > >=3D<BR>>boots up so=20
> > > the=20<BR>>1 mec =3D
> > >that</FONT></DIV>><BR>><DIV><FONT=20
> > > face=Arial size=2>I'm using shows up but never =
>any A to
> =3D
> >=3D
> > >=3D<BR>>Ds or=20
> > > any=20<BR>>installed=20
> > > modules.</FONT></DIV>><BR>><DIV><FONT =3D
> > >face=Arial=20
> > > size=2>This is the same symptom before I =
>=3D<BR>>repaired =3D
> >=3D
> > >one=20
> > > of=20<BR>>my mecs with=20
> > > a</FONT></DIV>><BR>><DIV><FONT face=Arial=20
> > > size=2>new chip. The clock light =3D<BR>>continues =
>to=20
> > > flash=20<BR>>too. Never locks=20
> > > in.</FONT></DIV>><BR>><DIV><FONT face=Arial =3D
> > >
> > > size=2></FONT> </DIV>><BR>><DIV><FONT =3D
> > >face=Arial=20
> > > size=2>I am using the simplest setup I can =3D
> >=3D<BR>>imagine=20
> > > and=20<BR>>still it's not=20
> > > working.</FONT></DIV>><BR>><DIV><FONT =3D
> > >face=Arial=20
> > > size=2>Mike A. suggested the .ini file =3D<BR>>to =
> > >make=20
> > > sure=20<BR>>card A is 0. I'll try=20
> > > that.</FONT></DIV>><BR>><DIV><FONT =3D
> > >face=Arial=20
> > > size=2>Pretty sure it's right but who=20
> > > =3D<BR>>knows?</FONT></DIV>><BR>><DIV><FONT=20
> > > face=Arial=20
> > > =3D
> > >size=2>Thanks,</FONT></DIV>><BR>><DIV><FONT=3D
> > >=20
> > > face=Arial=20

```

> > > size=3D3D3D3D2>Tom</DIV>
><DIV><FONT=3D3D20
> > > face=3D3D3D3DArial size=3D3D3D3D2> =3D3D
> > ></DIV>
><DIV><FONT=3D3D20
> > > face=3D3D3D3DArial size=3D3D3D3D2> =3D3D
> > ></DIV>
><DIV>=3D3D20
> > > </DIV>
><DIV> </DIV>
><DIV>=3D3D20
> > > </DIV>
><DIV>"rick" =3D3D
> > ><<A=3D3D3D20
>href=3D3D3D3D"<A=3D3D20
> > > =3D3D
> > =3D
> =
>>>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mai=
> > >to=3D
> > >:pa=3D3D
> > >rnell68@hotmail.com">parnell68@hotmail.com</A>>=3D3D20
> > > =3D3D3D
>wrote in=3D3D3D20
>message =
> > ><A=3D3D3D20
>href=3D3D3D3D"<A
> > > =3D
> > >=3D3D
> > >
> > > =3D3D
> > > =3D
> =
>>>href=3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh=
> > >393=3D
> > >an5=3D3D
> > > =3D
> =
>>>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393an5</A=3D=
> > >3D=3D
> > >
> > > =
>>>=3D3D3D
>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
&=3D3D
> > >gt;<BLOCKQUOTE=3D3D3D20
>style=3D3D3D3D"PADDING-RIGHT:=3D3D20
> > > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
> > >=3D3D3D
>BORDER-LEFT: =3D
> > >=3D3D
> > > >#000000 2px=3D3D20
> > > solid; MARGIN-RIGHT: 0px">i=3D3D3D20
> know this as dumb as
> =
> > >=3D3D
> > >it gets=3D3D20
> > > but the bnc is attached in the=3D3D3D20
> =3D3D20
> > > right
order...right?
all the cards show up in paris =3D3D
> > >with the=3D3D20
> > > =3D3D3D
>single=3D3D3D20
> mec?
how many i/o cards =
> > >=3D3D
> > >in each=3D3D20


```

> >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> ><HTML><HEAD>
> ><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
> > charset=3D3Diso-8859-1">
> ><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
> ><STYLE></STYLE>
> ></HEAD>
> ><BODY bgColor=3D3D#ffffff>
> ><DIV><FONT face=3D3DArial size=3D3D2>Hi Mike,</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>Well I've been to .cfg many a =
> =3D
> >time.</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>I've seen that Mastercard =
> > setting as =3D
> > being=3D20
> >0</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>but maybe it changed after =
> > removing the
> > =3D
> >4=3D20
> >other</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>eds cards for this round of =3D
> > testing.</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>If it's still 0 what else could
=
> >this =3D
> >be? =3D20
> >Busted mobo?</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>I'm really in an idunno place =
> > right =3D
> >now. I'll=3D20
> >be checking</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>seriously today again because of
=
> >a =3D
> >session tomorrow=3D20
> >morning.</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>Tom</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> ><BLOCKQUOTE=3D20
> >style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
> =3D
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > <DIV>"Mike Audet" <mike@....> wrote in message <A=3D20
> > =3D

```

> =
>>[news:471b2ec2\\$1@linux](news:471b2ec2$1@linux)...</DIV>
H=
>i=3D20
> > Tom,

If you've only got one card in, then the Mastercard =
>=3D3D 0
> =3D
> >setting is=3D20
> > right.
 The file is Paris.cfg, and it lives in the =
>c:\program=3D20
> > files\Emu\PARIS PRO
folder.

I'd still check it out to see
=
>=3D
> >what it is=3D20
> > set to.

If it is wrong, what you are describing will=3D20
> > happen.

Good luck!

Mike

"Tom Bruhl" <<A=3D20
> > [href=3D3D"mailto:arpegio@comcast.net"](mailto:arpegio@comcast.net)>arpegio@comcast.net>=3D20
> > wrote:
>
>
>Thanks Dimitrios.
>
>Mike =3D
> >said the=3D20
> > same thing. Is the ini in the Paris folde or system =3D
> >32?
>Do I want=3D20
> > the Master card to be 0 absolutely? I only have one =3D
> >card
>in there=3D20
> > right now and it's all freaky just the=3D20
> > same.
>Tom
>
>
>
> "Dimitrios" =3D
> ><<A=3D20
> > [href=3D3D"mailto:musurgio@otenet.gr"](mailto:musurgio@otenet.gr)>musurgio@otenet.gr> wrote
=
>in =3D
> >message=3D20
> > =3D3D
>news:471a0486\$1@linux...
>
> Hi Tom=3D20
> > !@
> Sorry to hear you still having problems like this=3D20
> > ~!!
> Must be very frustrating.
> Open the =3D
> >Paris ini=3D20
> > file and there change the mastercardoutput with =3D3D
>your=3D20
> > other
> cards and see what happens !!
> Let me =3D
> >
> > know.
> Regards,
> =3D
> >Dimitrios
>
> =3D20
> > "Tom Bruhl" <<A=3D20
> > [href=3D3D"mailto:arpegio@comcast.net"](mailto:arpegio@comcast.net)>arpegio@comcast.net>=3D20
> > wrote:
> >
> >
> =3D20
> > >Rick,
> >1 mec, no BNC involved. Paris boots =3D
> >up so=3D20
> > the 1 mec that
> >I'm using shows up but never any A to =3D
> >Ds or=3D20
> > any installed modules.
> >This is the same symptom =3D
> >before I=3D20
> > repaired one of my mecs with a
> >new chip. The =3D

> >clock=3D20
 > > light continues to flash too. Never locks in.
> =3D20
 > > >
> >I am using the simplest setup I can imagine and =3D
 > >still=3D20
 > > it's not =3D3D
>working.
> >Mike A. suggested =3D
 > >the .ini=3D20
 > > file to make sure card A is 0. I'll =3D
 > >try
=3D3D
>=3D3D3D
> =3D20
 > > >that.
> >Pretty sure it's right but who=3D20
 > > knows?
> >Thanks,
> >Tom
> =3D20
 > > >
> >
> >
> =3D
 > >>
> =3D20
 > > >
> >"rick" <<A=3D20
 > > href=3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com>
 =
 >=3D
 > >wrote in=3D20
 > > message =3D3D3D
> =3D20
 > > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =3D20
 > > > i know this as dumb as it gets but the bnc is attached in =3D
 > >the=3D20
 > > right
> > order...right?
> > =3D
 > >all the=3D20
 > > cards show up in paris with the single mec?
> > =3D
 > >how many=3D20
 > > i/o cards in each mec?
> >
> =3D
 > >>
> =3D20
 > > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D
 > >=3D3D
><<A=3D20
 > > =3D
 > =
 >>href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=3D=
 >
 > >bsp;=3D20
 > > > wrote:
> >
> > >I =3D
 > >thought I=3D20
 > > was groovin' but once the second Mec was introduced
> =3D
 > >> =3D20
 > > >the system stopped. That was a few weeks ago.
> =3D20
 > > > >
> > >Today I tried different =3D
 > >cables,=3D20
 > > eds cards, mecs, eliminated the =3D3D
>magma
> =3D
 > >=3D3D3D
> =3D20
 > > >and
> > >still no clock lock or modules =3D
 > >showing up=3D20
 > > in the paris patchbay.
> > >
> =3D
 > >> =3D20
 > > >This means to me software unless someone tells me=3D20

> > differently.
> > >
> > =3D
> >>I have=3D20
> > a new C drive which I will load XP and no pace. Any=3D20
> > =3D3D
>other=3D3D3D20
> > =3D
> >>suggestions?
> =3D20
> > > >
> > >More frustrated than my=3D20
> > clients,
> > >Tom
> > =3D20
> > >
> > >
> > =3D
> >>
> =3D20
> > > >
> > >I choose Polesoft =3D
> >Lockspam to=3D20
> > fight spam, and you?
> > =3D20
> > >http://www.polesoft.com/refer.html =3D3D3D20
> =3D20
> > >
> >
> ><!DOCTYPE HTML PUBLIC=3D20
> > "-//W3C//DTD HTML 4.0 Transitional//EN">
> =3D20
> > ><HTML><HEAD>
> ><META=3D20
> > http-equiv=3D3D3D3DContent-Type content=3D3D3D3D"text/html; =3D
> >=3D3D3D
> =3D20
> > >charset=3D3D3D3Diso-8859-1">
> ><META =3D
> >content=3D3D3D3D"MSHTML=3D20
> > 6.00.2800.1400" name=3D3D3D3DGENERATOR>
> =3D20
> > ><STYLE></STYLE>
> =3D
> >></HEAD>
> =3D20
> > ><BODY bgColor=3D3D3D3D#ffffff>
> =3D
> >><DIV><FONT=3D20
> > face=3D3D3D3DArial =3D
> >size=3D3D3D3D2>Rick,</DIV>
> =3D20
> > ><DIV>1 mec, no BNC =3D
> >involved.=3D20
> > Paris =3D3D
>=3D3D3D
> >boots up so =3D
> >the=3D3D3D20
> >1=3D20
> > mec that</DIV>
> =3D
> >><DIV><FONT=3D20
> > face=3D3D3D3DArial size=3D3D3D3D2>I'm using shows up but never =3D
> >any
=3D3D
>A to=3D20
> > =3D3D3D
> >Ds or any=3D3D3D20
> >installed=3D20
> > modules.</DIV>
> =3D
> >><DIV><FONT=3D20
> > face=3D3D3D3DArial size=3D3D3D3D2>This is the same symptom =3D
> >before
=3D3D
>I=3D20
> > =3D3D3D
> >repaired one of=3D3D3D20
> >my =3D
> >mecs with=3D20
> > a</DIV>
> ><DIV><FONT=3D20
> > face=3D3D3D3DArial size=3D3D3D3D2>new chip. The clock light =3D
> >=3D3D3D
> =3D20
> > >continues to flash=3D3D3D20
> >too. Never locks=3D20
> > in.</DIV>
> ><DIV><FONT=3D20
> > face=3D3D3D3DArial size=3D3D3D3D2> =3D

```

> </DIV><BR>> =3D20
> > <DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>I am using =3D
> >the simplest=3D20
> > setup I<BR>=3D3D<BR>>can =3D3D3D<BR>> >imagine =3D
> >and=3D3D3D20<BR>> =3D20
> > >still it's not working.</FONT></DIV><BR>> =3D20
> > <DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Mike A. =3D
> >suggested the=3D20
> > .ini file<BR>=3D3D<BR>>=3D3D3D<BR>> >to make =3D
> >sure=3D3D3D20<BR>> =3D20
> > >card A is 0. I'll try that.</FONT></DIV><BR>> =3D
> >
> > <DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Pretty sure =3D
> >it's right=3D20
> > but who =3D3D<BR>>=3D3D3D<BR>> =3D20
> > >knows?</FONT></DIV><BR>> =3D
> >><DIV><FONT=3D20
> > face=3D3D3D3DArial =3D
> >size=3D3D3D3D2>Thanks,</FONT></DIV><BR>> =3D20
> > <DIV><FONT face=3D3D3D3DArial=3D20
> > size=3D3D3D3D2>Tom</FONT></DIV><BR>> =3D20
> > <DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D
> >
> > </DIV><BR>> <DIV><FONT face=3D3D3D3DArial=3D20
> > size=3D3D3D3D2></FONT> </DIV><BR>> =3D
> >><DIV>=3D20
> > </DIV><BR>> <DIV> </DIV><BR>> =3D20
> > <DIV> </DIV><BR>> <DIV>"rick"=3D20
> > <<A=3D3D3D20<BR>> >href=3D3D3D3D"<A=3D20
> > =3D
> =
>>href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto=
>:pa=3D
> >rnell68@hotmail.com">parnell68@hotmail.com</A</A>>>=3D20
> > =3D3D<BR>>=3D3D3D<BR>> >wrote in=3D3D3D20<BR>> =3D
> >>message=3D20
> > <A=3D3D3D20<BR>> =3D3D<BR>>>href=3D3D3D3D"<A=3D20
> > =3D
> =
>>href=3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393=
>'>n=3D
> =
>>ews:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393</A>=3D3D<B=
>=>=3D
> >R>>an5=3D3D3D<BR>> =3D20
> > =3D
> >>s4m99qcaojn09vn112t4u6r@4ax.com</A>...</DIV><BR>> =3D
> >;=3D20

```

> > ><BLOCKQUOTE=3D3D3D20
> =3D
> >>style=3D3D3D3D"PADDING-RIGHT: 0px;=3D20
> > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D
>=3D3D3D
> =3D20
> > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =3D
> >0px">i=3D3D3D20
> =3D20
> > > know this as dumb as it gets but the bnc is attached in=3D20
> > the=3D3D3D20
> > =3D
> >right
order...right?
all=3D20
> > the cards show up in paris with the
=3D3D
>=3D3D3D
> =3D20
> > >single=3D3D3D20
> > mec?
how many i/o =3D
> >cards in=3D20
> > each mec?

On Fri, 19 Oct=3D20
> > =3D3D
>2007
> =3D3D3D
> >
> =3D
> >> =3D20
> > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D20
> > =3D20
> > =3D3D3D
> =3D3D
>>href=3D3D3D3D"<A=3D20
> > =3D
> > =
>>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
wrote'=
>>ma=3D
> >mailto:arpegio@comcast.net">arpegio@comcast.net>
w=3D
> >rote:=3D3D
>=3D3D3D
> =3D20
> > >

>I=3D3D3D20
> > thought =3D
> >I was=3D20
> > groovin' but once the second Mec was =3D3D3D
> =3D20
> > >introduced
>the=3D3D3D20
> > system =3D
> >stopped.=3D20
> > That was a few weeks ago.
>
>Today I =3D
> >=3D3D3D
> =3D20
> > >tried=3D3D3D20
> > different cables, eds cards, =3D
> >mecs,=3D20
> > eliminated the magma =3D3D3D
> >and
>still=3D20
> > no=3D3D3D20
> > clock lock or modules showing up in =3D
> >the paris=3D20
> > =3D3D3D
> =3D20
> > >patchbay.
>
>This=3D3D3D20
> =3D
> >> =3D20
> > means to me software unless someone tells me =3D3D3D
> =3D20
> > >differently.
>
>I=3D3D3D20
> =3D
> >> =3D20
> > have a new C drive which I will load XP and no pace. Any=3D20
> > other=3D3D3D20
> > =3D20
> >
>suggestions?
>
>More frustrated =3D
> >than=3D20
> > my=3D3D3D20
> > =3D20
> > =3D
> >clients,
>Tom
>
>
>
=3D
> >>>
>I=3D20


```

> > choose =3D3D3D<BR>> >Polesoft=3D3D3D20<BR>> =3D
> >> Lockspam=3D20
> > to fight spam, and=3D3D3D20<BR>> > =3D20
> > you?<BR>>http://www.polesoft.com/refer.html =3D
> >=3D3D3D20<BR>> =3D20
> > =3D
> >><BR></BLOCKQUOTE></BODY></HTML><BR>> =3D
> >=3D20
> > ><BR>> ><BR>><BR>><BR>><!DOCTYPE HTML =3D
> >PUBLIC=3D20
> > "-//W3C//DTD HTML 4.0=3D20
> > Transitional//EN"><BR>><HTML><HEAD><BR>><META=3D20
> > http-equiv=3D3D3DContent-Type content=3D3D3D"text/html;=3D20
> > =3D3D<BR>> charset=3D3D3Diso-8859-1"><BR>><META =3D
> > content=3D3D3D"MSHTML=3D20
> > 6.00.2800.1400"=3D20
> > =3D
> > name=3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D
> > D><BR>><BODY=3D20
> > bgColor=3D3D3D#ffffff><BR>><DIV><FONT face=3D3D3DArial=3D20
> > size=3D3D3D2>Thanks=3D20
> > Dimitrios.</FONT></DIV><BR>><DIV><FONT =3D
> > face=3D3D3DArial=3D20
> > size=3D3D3D2></FONT> </DIV><BR>><DIV><FONT =3D
> > face=3D3D3DArial=3D20
> > size=3D3D3D2>Mike said the same thing. Is the =3D3D<BR>>ini in =3D
> >
> > the=3D3D20<BR>>Paris folde or system=3D20
> > 32?</FONT></DIV><BR>><DIV><FONT face=3D3D3DArial =3D
> >
> > size=3D3D3D2>Do I want the Master card to be =3D
> > 0=3D3D20<BR>>absolutely? I=3D20
> > only have one card</FONT></DIV><BR>><DIV><FONT =3D
> >
> > face=3D3D3DArial size=3D3D3D2>in there right now and it's all=3D20
> > freaky<BR>=3D3D<BR>>just=3D20
> > =3D
> > the=3D3D20<BR>>same.</FONT></DIV><BR>><DIV><FONT=3D
> > =3D20
> > face=3D3D3DArial=3D20
> > size=3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D20
> > face=3D3D3DArial size=3D3D3D2></FONT> =3D
> ></DIV><BR>><DIV><FONT=3D20
> > face=3D3D3DArial size=3D3D3D2></FONT> =3D
> ></DIV><BR>><DIV><FONT=3D20
> > face=3D3D3DArial size=3D3D3D2></FONT>=3D20
> > =3D
> ></DIV><BR>><BLOCKQUOTE=3D3D20<BR>>style=3D3D3D"PADDING-RIGHT: =3D

```

```

> >0px;=3D20
> > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D<BR>>BORDER-LEFT: #000000
=
>=3D
> >2px solid;=3D20
> > MARGIN-RIGHT: 0px"><BR>> <DIV>"Dimitrios"=3D20
> > <<A=3D3D20<BR>> href=3D3D3D"<A=3D20
> > =3D
> =
>>href=3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A'>mailto:musur=
>gio=3D
> >@otenet.gr">musurgio@otenet.gr</A</A>>=3D20
> > wrote in =3D3D<BR>>message=3D3D20<BR>> <A =3D
> >=3D3D<BR>>href=3D3D3D"<A=3D20
> > =3D
> =
>>href=3D3D'news:471a0486$1 @linux">news:471a0486$1 @linux</A>...</DIV><BR>H=
>i'>=3D
> >news:471a0486$1 @linux">news:471a0486$1 @linux</A>...</DIV>&=3D
> >lt;BR>Hi</A><BR>=3D3D<BR>>Tom=3D3D20<BR>> =3D20
> > <A href=3D3D"mailto:!!@<BR>Sorry">!!@<BR>Sorry</A> to hear you still
=
>=3D
> >having=3D20
> > problems like this ~!!<BR>Must =3D
> >be<BR>=3D3D<BR>>very=3D3D20<BR>> =3D20
> > frustrating.<BR>Open the Paris ini file and there change the=3D20
> > =3D3D<BR>>mastercardoutput=3D3D20<BR>> with your =3D
> >other<BR>cards and=3D20
> > see what happens !!<BR>Let me=3D3D20<BR>> =3D20
> > know.<BR>Regards,<BR>Dimitrios<BR><BR>"Tom =3D
> >Bruhl"=3D20
> > <<A=3D3D20<BR>> href=3D3D3D"<A=3D20
> > =3D
> =
>>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net</A>>=3D3D20'>m=
>ailto=3D
> >:arpegio@comcast.net">arpegio@comcast.net</A>>=3D3D20</A><BR>&g=3D
> >t; =3D20
> > wrote:<BR>><BR>><BR>>Rick,<BR>>1 =3D
> >mec, no=3D20
> > BNC =3D3D<BR>>involved. Paris=3D3D20<BR>> boots up so =3D
> >the 1 mec=3D20
> > that<BR>>I'm using shows up but never any A =3D3D<BR>>to Ds=3D20
> > or=3D3D20<BR>> any installed modules.<BR>>This is the =3D
> >same=3D20
> > symptom before I =3D3D<BR>>repaired one=3D3D20<BR>> of my mecs =3D
> >with=3D20

```

> > a
>new chip. The clock light continues to=3D20
> > =3D3D
>flash=3D3D20
> too. Never locks=3D20
> > in.
>
>I am using the simplest =3D
> >=3D3D
>setup l=3D20
> > can=3D3D20
> imagine and still it's not =3D
> >working.
>Mike A.=3D20
> > suggested the =3D3D
>.ini=3D3D20
> file to make =3D
> >sure card A is=3D20
> > 0. I'll try=3D20
> > =3D
> >=3D3D
>=3D3D3D
>that.
>Pretty=3D3D20
> =3D
> >; sure it's=3D20
> > right but who=3D3D20
> =3D20
> > =3D
> >=3D3D
>knows?
>Thanks,
>Tom
><=3D
> >BR>>
>
>
><=3D3D
>BR>=3D
> >>"rick"=3D3D20
> =3D20
> > <<A =3D3D
>href=3D3D3D"<A=3D20
> > =3D
> =
>>href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto=
>:pa=3D
> >rnell68@hotmail.com">parnell68@hotmail.com</A>>=3D20
> > =3D3D
>wrote=3D3D20
> in message=3D3D20
> =3D20
> > =3D
> >=3D3D
>=3D3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax=3D
> >.com...
>&nbs=3D3D
>p;=3D20
> > i=3D3D20
> know this as dumb as it gets but the bnc is =3D
> >attached in=3D20
> > the=3D3D20
> right
> =3D20
> > order...right?
> all the cards show up=3D20
> > =3D3D
>in=3D3D20
> paris with the single =3D
> >mec?
> =3D20
> > how many i/o cards in each=3D3D20
> =3D20
> > mec?
>
>
> On Fri, 19 Oct =3D
> >2007=3D20
> > 00:22:39 -0400, =3D3D
>"Tom=3D3D20
> Bruhl"=3D20
> > <<A=3D3D20
> =3D3D
>href=3D3D3D"<A=3D20
> > =3D
> =
>>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n'>=3D=
>
> >mailto:arpegio@comcast.net">arpegio@comcast.net>
=3D
> >;>&n=3D3D
>bsp;=3D3D20
> =3D20
> > wrote:
>
> >I thought I was groovin' =3D
> >but once=3D20
> > the =3D3D
>second=3D3D20
> Mec was =3D
> >introduced
> =3D20

> > >the system stopped. That was a
 > >few weeks ago.
> Today I tried
 > > different cables, eds cards, mecs,
>
 > > eliminated the
 > > magma
> and
>
 > > still no clock lock or modules showing up in the
 > > paris
>
 > > patchbay.
>
> This means
 > > to me
 > > software unless someone tells me
 > > differently.
>
>
 > > I have a new C drive which I will
 > > load XP and no
 > > pace. Any other
>
 > > suggestions?
>
>
 > > More frustrated than my
 > > clients,
>
 > > Tom
>
>
 > >
>
>
 > > I choose Polesoft Lockspam to fight spam, and
 > > you?
>
>
 > >
> http://www.polesoft.com/refer.html
 > >
>
>
 > >
>
><!DOCTYPE
 > > HTML PUBLIC "-//W3C//DTD HTML 4.0
>
>
 > >
>
 > >
><HTML><HEAD>
>
>
 > >
><META
 > > http-equiv=Content-Type
>
 > > content="text/html;
>
>
 > >
> charset=Diso-8859-1">
><META
>
 > >
>
 > >
> content="MSHTML
>
>
 > > 6.00.2800.1400"
>
>
 > >
>
 > >
> name=GENERATOR>
><STYLE></STYLE>
>
 > >
></HEA
>D>
><BODY
>&
>
 > >
>
 > >
> bgColor=#ffffff>
><DIV><FONT
>
 > > face=Arial
>
>
 > >
>
 > >
> size=2>Rick,</DIV>
>&I
>
 > >
><FONT
>
>
 > >
> face=Arial size=2>1 mec, no BNC involved. =

>Paris=3D20
> > =3D3D
>=3D3D3D
>boots up so=3D3D20
> =3D
> >the=3D3D3D20
>1=3D20
> > mec=3D20
> > =3D
> >=3D3D
>that</DIV>
><DIV><FONT=3D
> >=3D3D20
> =3D20
> > face=3D3D3D3DArial size=3D3D3D3D2>I'm using shows up but never any
=
>A to =3D
> >
> > =3D3D
>=3D3D3D
>Ds or=3D3D20
> =3D20
> > any=3D3D3D20
>installed=3D3D20
> =3D20
> > modules.</DIV>
><DIV><FONT=3D20
> > =3D3D
>face=3D3D3D3DArial=3D3D20
> size=3D3D3D3D2>This is =
>=3D
> >the same=3D20
> > symptom before I =3D3D3D
>repaired =3D
> >=3D3D
>one=3D3D20
> =3D20
> > of=3D3D3D20
>my mecs with=3D3D20
> =3D20
> > a</DIV>
><DIV><FONT=3D20
> > face=3D3D3D3DArial=3D3D20
> size=3D3D3D3D2>new chip. The =3D
> >clock light=3D20
> > =3D3D3D
>continues to=3D3D20
> =3D
> >flash=3D3D3D20
>too.=3D20
> > Never locks=3D3D20
> =3D20
> > in.</DIV>
><DIV><FONT =3D
> >face=3D3D3D3DArial=3D20
> > =3D3D
>
> size=3D3D3D3D2>=3D20
> > </DIV>
><DIV><FONT=3D20
> > =3D3D
>face=3D3D3D3DArial=3D3D20
> size=3D3D3D3D2>I am =3D
> >using the simplest=3D20
> > setup I can =3D3D3D
>imagine=3D3D20
> =3D20
> > and=3D3D3D20
>still it's not=3D3D20
> =3D20
> > working.</DIV>
><DIV><FONT=3D20
> > =3D3D
>face=3D3D3D3DArial=3D3D20
> size=3D3D3D3D2>Mike A. =
>=3D
> >suggested the=3D20
> > .ini file =3D3D3D
>to make=3D3D20
> =3D20
> > sure=3D3D3D20
>card A is 0. I'll try=3D3D20
> =3D20
> > that.</DIV>
><DIV><FONT=3D20
> > =3D3D
>face=3D3D3D3DArial=3D3D20
> size=3D3D3D3D2>Pretty =3D
> >sure it's right=3D20
> > but who=3D3D20
> =3D20
> > =3D
> >=3D3D3D
>knows?</DIV>
><DIV&g=3D
> >t;<FONT=3D3D20
> =3D20
> > face=3D3D3D3DArial=3D3D20
> =3D20

```

> > =3D
> >=3D3D<BR>>size=3D3D3D3D2>Thanks,</FONT></DIV><BR>>=3D
> ><DIV><FONT=3D3D<BR>>=3D3D20<BR>> =3D20
> > face=3D3D3D3DArial=3D3D20<BR>> =3D20
> > =3D
> >size=3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><=3D
> >FONT=3D3D20<BR>> =3D20
> > face=3D3D3D3DArial size=3D3D3D3D2></FONT>=3D20
> > =3D
> >=3D3D<BR>></DIV><BR>><DIV><FONT=3D3D20<BR>>&nbs=3D
> >p;=3D20
> > face=3D3D3D3DArial size=3D3D3D3D2></FONT>=3D20
> > =3D3D<BR>></DIV><BR>><DIV>=3D3D20<BR>> =3D20
> > </DIV><BR>><DIV>=3D20
> > </DIV><BR>><DIV>=3D3D20<BR>> =3D20
> > </DIV><BR>><DIV>"rick"=3D20
> > =3D
> >=3D3D<BR>><<A=3D3D3D20<BR>>href=3D3D3D3D"<A=3D3D20<BR >>&n=3D
> >bsp;=3D20
> > =3D
> =
>>=3D3D<BR>>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.c=3D=
>
> >om</A'>mailto:pa=3D3D<BR>>rnell68@hotmail.com">parnell68@hotmail=3D
> >l.com</A/A>>=3D3D20<BR>> =3D20
> > =3D3D3D<BR>>wrote in=3D3D3D20<BR>>message=3D20
> > <A=3D3D3D20<BR>>href=3D3D3D3D"<A =3D3D<BR>><BR>> =3D20
> > =3D
> =
>>=3D3D<BR>>href=3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">=3D=
>
> =
>>news:inqgh393an5=3D3D<BR>>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4=3D=
>
> >ax.com">news:inqgh393an5</A=3D3D<BR>>>=3D3D3D<BR>>s4m99q=3D
> >caojn09vn112t4u6r@4ax.com</A>...</DIV><BR>&=3D3D<BR>&=3D
> =
>>gt;gt;<BLOCKQUOTE=3D3D3D20<BR>>style=3D3D3D3D"PADDING-RIGHT:=3D3D20=3D
> ><BR>> =3D20
> > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
> >=3D3D3D<BR>>BORDER-LEFT:=3D20
> > =3D3D<BR>>#000000 2px=3D3D20<BR>> solid; MARGIN-RIGHT:=3D20
> > 0px">i=3D3D3D20<BR>> know this as dumb as =3D
> >=3D3D<BR>>it=3D20
> > gets=3D3D20<BR>> but the bnc is attached in =3D
> >the=3D3D3D20<BR>>=3D20
> > =3D3D20<BR>> right<BR>order...right?<BR>all the =3D
> >cards show up=3D20

```

> > in paris =3D3D
>with the=3D3D20
> =3D20
> > =3D3D3D
>single=3D3D3D20
> mec?
how =3D
> >many i/o=3D20
> > cards =3D3D
>in each=3D3D20
> =3D
> >mec?

On=3D20
> > Fri, 19 Oct=3D3D20
> =3D20
> > 2007
=3D3D3D
>
> 00:22:39 -0400, =3D
> >"Tom=3D20
> > Bruhl"=3D3D20
> <<A=3D3D3D20
> =3D20
> > =3D3D3D
>href=3D3D3D3D"<A=3D3D20
> =3D20
> > =3D
> =
>>=3D3D
>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net&l=3D=
>
> >t;/A>>
wrote'>ma=3D3D
>ilto:arpegio@comcast.net">=3D
> >;arpegio@comcast.net>
w=3D3D
>rote:=3D3D=3D
> >3D
>

>l=3D3D3D20
>=3D20
> > =3D3D20
> thought I was groovin' but once the second Mec=3D20
> > was=3D3D20
> =3D20
> > =3D
> >=3D3D3D
>introduced
>the=3D3D3D20
> =3D
> > system=3D20
> > =3D3D
>stopped. That was=3D3D20
> a few weeks=3D20
> > ago.
>
>Today l=3D3D20
> =3D20
> > =3D3D3D
>tried=3D3D3D20
> different cables, =3D
> >eds cards,=3D20
> > mecs, =3D3D
>eliminated=3D3D20
> the magma=3D20
> > =3D3D3D
>and
>still =3D
> >no=3D3D3D20
> =3D20
> > =3D3D
>clock lock or=3D3D20
> modules showing up in the=3D20
> > paris=3D3D20
> =3D20
> > =3D
> >=3D3D
>=3D3D3D
>patchbay.
>
>This=3D3D=3D
> >3D20
> =3D20
> > =3D3D
>means to=3D3D20
> me software unless someone =3D
> >tells=3D20
> > me=3D3D20
> =3D20
> > =3D
> >=3D3D
>=3D3D3D
>differently.
>
>l=3D3D=3D
> >3D20
> =3D20
> > =3D3D
>have a new=3D3D20
> C drive which I will load XP =3D
> >and no pace.=3D20
> > Any other=3D3D3D20
> =3D3D
>
> =3D20
> >
>suggestions?
>
>More frustrated=3D20
> > =3D3D
>than=3D3D20
> my=3D3D3D20
> =3D
> >=3D3D20
> =3D20
> > =3D
> >=3D3D
>clients,
>Tom
>
>
=3D


```

> >;<BR>>>><BR>>I=20
> > choose =3D3D3D<BR>>Polesoft=3D3D3D20<BR>> Lockspam =3D
> >to fight=20
> > spam,=3D3D20<BR>> and=3D3D3D20<BR>> =20
> > =3D
> >=3D3D<BR>>you?<BR>>http://www.polesoft.com/refer.html=3D3D20<BR>&=3D
> >gt; =20
> > =3D
> >=3D3D<BR>>=3D3D3D20<BR>><BR></BLOCKQUOTE></BODY>=3D
> >;</HTML><BR>&=3D3D<BR>>gt;<BR>><BR></B=3D
> >LOCKQUOTE></BODY></HTML><BR>><BR>><BR></BLOCKQUOTE><=3D
> >/BODY></HTML>
> >
> >
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3DContent-Type content=3D"text/html; =
>charset=3Diso-8859-1">
><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D#ffffff>
><DIV><FONT face=3DArial size=3D2>Mike,</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>I used to use a Lucid but since all of
=
>this mess I=20
>stopped.</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>I'm trying to get stable from square =
>one with the=20
>least amount </FONT></DIV>

>default project=20

><DIV><FONT face=3DArial size=3D2>other thing that I still question is my
=
>move of=20
>Paris to C:ParisPro .</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>I should think the default project will
=
>either work=20

><DIV><FONT face=3DArial size=3D2>configs or something else is =

>Paris startup?</FONT></DIV>

><DIV><FONT face=3DArial size=3D2>Pats 42 - Miami 7 . . . Halftime and =

```

>the games=20
>over.</DIV>
><DIV>Tom</DIV>

><BLOCKQUOTE=20
>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Mike Audet" <mike@....> wrote in message <A=20
> =
>href=3D"news:471b6eb0\$1@linux">news:471b6eb0\$1@linux...</DIV>
Hi=20

>sorry of=20

>is=20
> telling card zero to lock
to an external clock, which it can't =
>because=20
> there isn't one.

It would be interesting to attach an external
=
>clock=20

>Or, if=20
> the clock generator is fried,
tell paris to lock externally and see
=
>what=20
> happens when an external clock
source is applied.

Isn't there
=
>a=20

> Maybe DJ could help with what that should/shouldn't be set =
>to.

Wish I=20
> could do more than think out loud...

Mike

"Tom Bruhl" =
><<A=20
> href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=20
> wrote:
>
>
>Hi Mike,
>Well I've been to .cfg =
>many a=20
> time.
>I've seen that Mastercard setting as being 0
>but =
>maybe it=20
> changed after removing the 4 other
>eds cards for this round of=20

>Busted=20

> checking
>seriously today again because of a session tomorrow=20

> <mike@....> wrote in message <A=20
> =

>[news:471b2ec2\\$1@linux](news:471b2ec2$1@linux)...
>
&g=

>

>The file is=20

> Paris.cfg, and it lives in the c:\program=20

>If it=20

>Good=20

><<A=20

> arpegio@comcast.net>=20

>right now=20

>

> "Dimitrios" <<A =

>musurgio@otenet.gr>=20

>to hear=20

>be very=20

>there change=20

>Bruhl"=20

> <<A arpegio@comcast.net>=

>

>mec, no=20

> >I'm using shows up but never any A to Ds or any installed=20

>I=20

>>I am=20

> using the simplest setup I can imagine and still it's not =

>.ini=20

>

>

> >"rick" <<A=20

> href=3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com> =

>wrote in=20

>attached=20

>up in=20

>many i/o=20

>-0400,=20

> =

>href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=

>bsp;=20

>Mec was=20

>cables,=20

>modules=20

>unless=20

>which I will=20

>

>

>and=20

>><!DOCTYPE=20

>><META=20

> http-equiv=3D3D3D3DContent-Type content=3D3D3D3D"text/html;=20

>><META=20

> content=3D3D3D3D"MSHTML 6.00.2800.1400" =

>><DIV><FONT=20

> face=3D3D3D3DArial =

>size=3D3D3D3D2>1 mec, no=20

>mec=20

>><DIV><FONT=20

> face=3D3D3D3DArial size=3D3D3D3D2>I'm using shows up but =

>=3D
>never=20

> ><DIV>This is =

>the same=20

>size=3D3D3D3D2>new chip.=20

>>continues to=20

>><DIV><FONT=20

> face=3D3D3D3DArial size=3D3D3D3D2> =

>size=3D3D3D3D2>I am using=20

>>can=20

> ><DIV>Mike A. =

>suggested the=20

>A is 0.=20

> ><DIV>Pretty =

>sure it's=20

> ><DIV><FONT face=3D3D3D3DArial=20

> ><DIV><FONT face=3D3D3D3DArial=20

> ><DIV><FONT face=3D3D3D3DArial =
>size=3D3D3D3D2>=20

>face=3D3D3D3DArial=20

>=3D
>>href=3D3D3D3D"<A=20

> =

>href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto:pa=
>rnell68@hotmail.com">parnell68@hotmail.com</A>>=20

>>wrote=20

> =

>href=3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh'>news=
>:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh=3D
>=

> =

>;=20

> >style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
>

> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT:=20

>dumb as it=20

>up in=20

> mec?

On Fri, 19 =3D
>Oct =

> =
>href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
wro'>mail=
>to:arpegio@comcast.net">arpegio@comcast.net>
wro=

> thought I was groovin' but once the second Mec was =

>cables, eds=20

>pace. Any=20

>
>suggestions?
>
>More frustrated =
>than=20

> =
>clients,
>Tom
>
>
>
>
=
>>>
>I=20

>you?
>http://www.polesoft.com/refer.html=20

> =

>=20

> ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html;=20

>><META=20

> content=3D3D3D"MSHTML 6.00.2800.1400" =

>><DIV><FONT=20

> face=3D3D3DArial size=3D3D3D2>Thanks=20

>><DIV><FONT=20

> face=3D3D3DArial size=3D3D3D2> =

> ><DIV>Mike said the =

>same=20

> face=3D3D3DArial size=3D3D3D2>Do I want the Master card to=20

>have one=20

> face=3D3D3DArial size=3D3D3D2>in there right now and it's=20

> ><DIV><FONT face=3D3D3DArial=20

> ><DIV> =

>

>><DIV><FONT=20

> face=3D3D3DArial size=3D3D3D2> =

>>style=3D3D3D"PADDING-RIGHT: 0px;=20

> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =

> href=3D3D3D"<A=20

> =

>href=3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A'>mailto:musurgio=

>@otenet.gr">musurgio@otenet.gr</A>=20

> =

>href=3D'news:471a0486\$1@linux">news:471a0486\$1@linux...</DIV>
H'>n=

>ews:471a0486\$1@linux">news:471a0486\$1@linux...</DIV>&l=

> href=3D"mailto:!!
Sorry">!!
Sorry to hear you still =

>having=20

> frustrating.
Open the Paris ini file and there change the=20

> other
cards and see what happens !!
Let=20

> know.
Regards,
Dimitrios

"Tom =

>Bruhl"=20

> =

>href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3D20'>mail=

>to:arpegio@comcast.net">arpegio@comcast.net>=3D3D20<B=

> wrote:
>
>
>Rick,
>1 =

>mec, no=20

> boots up so the 1 mec that
>I'm using shows up but never =

>any A=20

> installed modules.
>This is the same symptom before I=20

>of my mecs=20

> locks in.
>
>I am using the simplest =

>not=20

> =

> =
>>knows?
>Thanks,
>Tom
>
&=

> >href=3D3D3D"<A=20
> =
>href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto:pa=
>rnell68@hotmail.com">parnell68@hotmail.com</A>>=20

> =
>=3D
>>=3D3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u=

>but the=20

>Fri, 19 Oct=20

> =3D
>>href=3D3D3D"<A=20
> =
>href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=3D=
>3D'>mailto:arpegio@comcast.net">arpegio@comcast.net><B=

>but once=20

>was=20

>weeks=20

>cables, eds=20

> >magma
=3D3D3D
>and
> =

>will load=20

Subject: Re: Paris saga
Posted by [Dimitrios](#) on Mon, 22 Oct 2007 09:42:17 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dear Tom,
Here is what I would do ,because I also had one-two broken eds cards and power supply failures too !!
First I would use as Mike suggested another PC.
then I would hookup ONLY two eds cards and one mec.
I would delete default project and untitled project from Paris folder.
I would install the minimumsetup.exe over in the Paris folder.
If system will work,then I would add the second mec,if system works then I would add the third card .
If still working then add third mec, if still working fourth card, fourth

mec , fifth card, fifth mec...

Thus you will find the "broken" eds card and /or mec if any...

Do you have an edstransfer line in your Paris.cfg ??

If so take this out !

Hope this helps.

regards,

Dimitrios

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>Mike,

>I have an old network card and my PC is an older

>P4 model with 5 PCI slots. Old school for sure as

>is the magma.

>

>I'll try the other PC tomorrow. I'm baked.

>Thanks again,

>Tom

>

>

> "Mike Audet" <mike@...> wrote in message news:471c57bd\$1@linux...

>

> Hi Again Tom,

>

> Actually, a newer NIC card will use 3.3 volt signalling, and the PARIS

=

>cards

> use 5 volts. It could be that you MB is feeding the EDS cards bad =

>power

> - maybe even 3.3 volts. Try the EDS cards in another PC. That's =

>really

> the only way to know if they are cooked. I doubt that they all could

=

>be.

> Actually, low voltage would make any card act weird. High voltage =

>would

> work fine until they popped.

>

> Tom, if you give up on this, I need you to send me one of your EDS =

>cards,

> because I just have to know!

>

> Good luck!

>

> Mike=20

>

> "Tom Bruhl" <arpeggio@comcast.net> wrote:

> >
> >
> >After installing a network card it showed up.
> >
> >Repeating the process using the same PCI slot
> >with an eds card made Windows hang.
> >
> >Are all my EDS cards toast? They weren't a few weeks
> >ago? Even when the Mecs weren't showing up the 442 allowed
> >5 EDS cards to work in the Magma.
> >
> >What the heck?
> >Tom
> >
> >
> > "Tom Bruhl" <arpegio@comcast.net> wrote in message =3D
> >news:471c381e@linux...
> > Mastercard=3D3D0 was correct also.
> >
> > I am going to try a clean OS with Paris on it too
> > if the PCI slots are still working.
> >
> > Don't bother wishing me luck. There's none to be found.
> > Tom
> >
> > "Tom Bruhl" <arpegio@comcast.net> wrote in message =3D
> >news:471c3137@linux...
> > Mike,
> > I removed the default project and .cfg from the folder as you =3D
> >suggested.
> > Now the computer won't even boot with either of three eds cards =
> >=3D
> >installed.
> > No Magma, no word clock, no word clock line in the existing =
> >config.
> >
> > I'm going to check with a network card to see if the PCI slots =
> >are =3D
> >burn't.
> > I tried three different ones with the eds. The one time Windows
> >=
> >=3D
> >worked
> > with an eds card, the eds card didn't show up in device manager.
> >=
> >=3D
> >That's=3D20
> > probably why.

> >
> > There is some serious funk going on over here. Maybe mobo? If =
>this
> =3D
> >is the
> > case I give up. It's not worth any more BS to me. There is no =
>=3D
> >person
> > in my neighborhood to walk me through this. My tech helps me
> > but the problem seems to be from the ground up. I'm guessing 3-4
> > things still so wrong that nothing makes sense.
> >
> > Cubase is looking more and more inviting, learning curve and all.
> > Tom
> >
> >
> >
> > "Mike Audet" <mike@....> wrote in message =
>news:471bcb77\$1@linux...
> >
> > Hi Tom,
> >
> > I have an idea.
> >
> > Try removing UseHouseSync=3D3D1 from the paris.cfg file.
> >
> > Next, remove your default project from the program =
>files\emu\paris
> =3D
> >pro folder.
> > =3D20
> >
> > Let me know if it makes a difference.
> >
> > Good luck!
> >
> > Mike
> >
> > "Tom Bruhl" <arpeggio@comcast.net> wrote:
> > >
> > >
> > >Mike,
> > >I used to use a Lucid but since all of this mess I stopped.
> > >I'm trying to get stable from square one with the least =3D
> >amount=3D3D20
> > >of hardware. I am using the default project for sure. The =
>=3D
> >only=3D3D20

> > >other thing that I still question is my move of Paris to =3D
> >C:ParisPro .
> > >I should think the default project will either work or not. =
>=3D
> >Maybe
> > >configs or something else is fighting during Paris startup?
> > >
> > >Pats 42 - Miami 7 . . . Halftime and the games over.
> > >Tom
> > >
> > >
> > > "Mike Audet" <mike@....> wrote in message =3D
> >news:471b6eb0\$1@linux...
> > >
> > > Hi Tom,
> > >
> > > Are you using a default project with PARIS? I'm so sorry of
=
>=3D
> >this has
> > =3D3D
> > >been
> > > asked and answered already. If so, perhaps it is telling =
>card
> =3D
> >zero to
> > =3D3D
> > >lock
> > > to an external clock, which it can't because there isn't =
>one.
> > >
> > > It would be interesting to attach an external clock source =
>to =3D
> >the MEC
> > =3D3D
> > >and
> > > then start PARIS to see how it behaves. Or, if the clock =
>=3D
> >generator is
> > =3D3D
> > >fried,
> > > tell paris to lock externally and see what happens when an =
>=3D
> >external =3D3D
> > >clock
> > > source is applied.
> > >

> > > Isn't there a master house synch switch in the cfg file? =
>I've
> =3D
> >never =3D3D
> > >used
> > > it. Maybe DJ could help with what that should/shouldn't be
=
>set
> =3D
> >to.
> > >
> > > Wish I could do more than think out loud...
> > >
> > > Mike
> > >
> > > "Tom Bruhl" <arpeggio@comcast.net> wrote:
> > > >
> > > >
> > > >Hi Mike,
> > > >Well I've been to .cfg many a time.
> > > >I've seen that Mastercard setting as being 0
> > > >but maybe it changed after removing the 4 other
> > > >eds cards for this round of testing.
> > > >
> > > >If it's still 0 what else could this be? Busted mobo?
> > > >I'm really in an idunno place right now. I'll be checking
> > > >seriously today again because of a session tomorrow =
>morning.
> > > >Tom
> > > >
> > > >
> > > > "Mike Audet" <mike@....> wrote in message =3D
> >news:471b2ec2\$1@linux...
> > > >
> > > > Hi Tom,
> > > >
> > > > If you've only got one card in, then the Mastercard =
>=3D3D3D3D3D
> =3D
> >0 setting
> > =3D3D
> > >is =3D3D3D3D
> > > >right.
> > > > The file is Paris.cfg, and it lives in the c:\program =
>=3D3D3D
> > >files\Emu\PARIS
> > > =3D3D3D3D
> > > >PRO

> > > > folder.
> > > >
> > > > I'd still check it out to see what it is set to.
> > > >
> > > > If it is wrong, what you are describing will happen.
> > > >
> > > > Good luck!
> > > >
> > > > Mike
> > > >
> > > > "Tom Bruhl" <arpeggio@comcast.net> wrote:
> > > > >
> > > > >
> > > > >Thanks Dimitrios.
> > > > >
> > > > >Mike said the same thing. Is the ini in the Paris folde
=
>or
> =3D
> >system
> > =3D3D
> > >=3D3D3D
> > > >32?
> > > > >Do I want the Master card to be 0 absolutely? I only =
>have
> =3D
> >one =3D3D
> > >card
> > > > >in there right now and it's all freaky just the same.
> > > > >Tom
> > > > >
> > > > >
> > > > >
> > > > > "Dimitrios" <musurgio@otenet.gr> wrote in message =
>=3D3D3D3D3D
> > > > >news:471a0486\$1@linux...
> > > > >
> > > > > Hi Tom !@
> > > > > Sorry to hear you still having problems like this ~!!
> > > > > Must be very frustrating.
> > > > > Open the Paris ini file and there change the =3D
> >mastercardoutput =3D3D
> > >with
> > > =3D3D3D3D
> > > >=3D3D3D3D3D
> > > > >your other
> > > > > cards and see what happens !!
> > > > > Let me know.

> > > > Regards,
 > > > > Dimitrios
 > > > >
 > > > > "Tom Bruhl" <arpegio@comcast.net> wrote:
 > > > > >
 > > > > >
 > > > > >Rick,
 > > > > >1 mec, no BNC involved. Paris boots up so the 1 mec
 =
 >=3D
 > >that
 > > > > >I'm using shows up but never any A to Ds or any =3D
 > >installed =3D3D
 > > >modules.
 > > > > >This is the same symptom before I repaired one of my
 =
 >=3D
 > >mecs with
 > > =3D3D
 > > >a
 > > > > >new chip. The clock light continues to flash too. =
 >=3D
 > >Never locks
 > > =3D3D
 > > >=3D3D3D
 > > > >in.
 > > > > >
 > > > > >I am using the simplest setup I can imagine and still
 =
 >=3D
 > >it's not
 > > =3D3D
 > > >=3D3D3D3D
 > > > >working.
 > > > > >Mike A. suggested the .ini file to make sure card A
 =
 >is
 > =3D
 > >0. =3D3D
 > > >I'll =3D3D3D
 > > > >try
 > > > > =3D3D3D3D
 > > > > >=3D3D3D3D3D
 > > > > > >that.
 > > > > > >Pretty sure it's right but who knows?
 > > > > > >Thanks,
 > > > > > >Tom
 > > > > > >

> > > > >
> > > > >
> > > > >
> > > > >
> > > > > "rick" <parnell68@hotmail.com> wrote in message =3D
> >=3D3D3D3D3D3D
> > > > > news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> > > > > i know this as dumb as it gets but the bnc is =
> attached
> =3D
> > in the
> > =3D3D
> > >=3D3D3D3D
> > > > right
> > > > > order...right?
> > > > > all the cards show up in paris with the single mec?
> > > > > how many i/o cards in each mec?
> > > > >
> > > > >
> > > > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D
> >=3D3D3D3D3D3D
> > > > > <arpeggio@comcast.net>
> > > > > wrote:
> > > > >
> > > > > > I thought I was groovin' but once the second Mec =
> was
> =3D
> >=3D3D3D
> > > introduced
> > > > > the system stopped. That was a few weeks ago.
> > > > >
> > > > > > Today I tried different cables, eds cards, mecs, =
>=3D
> > eliminated
> > =3D3D3D
> > > the
> > > =3D3D3D3D
> > > >=3D3D3D3D3D3D
> > > > > magma
> > > > > =3D3D3D3D3D3D3D
> > > > > and
> > > > > > still no clock lock or modules showing up in the =
>=3D
> > > paris =3D3D3D3D
> > > > patchbay.
> > > > > >
> > > > > > This means to me software unless someone tells me
=

```

>=3D3D
> > > differently.
> > > > > >
> > > > > > I have a new C drive which I will load XP and no =
>=3D
> > pace. Any
> > =3D3D
> > >=3D3D3D3D
> > > > > other=3D3D3D3D3D20
> > > > > > suggestions?
> > > > > >
> > > > > > More frustrated than my clients,
> > > > > > Tom
> > > > > >
> > > > > >
> > > > > >
> > > > > >
> > > > > > I choose Polesoft Lockspam to fight spam, and you?
> > > > > > http://www.polesoft.com/refer.html =3D3D3D3D3D20
> > > > > >
> > > > > >
> > > > > > <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =3D
> > > > > > <Transitional//EN">
> > > > > > <HTML><HEAD>
> > > > > > <META http-equiv=3D3D3D3D3D3DContent-Type =3D3D
> > > > > > <content=3D3D3D3D3D3D"text/html; =3D3D3D
> > > > > > >=3D3D3D3D3D
> > > > > > < charset=3D3D3D3D3D3D3Diso-8859-1">
> > > > > > <META content=3D3D3D3D3D3D"MSHTML 6.00.2800.1400" =
>=3D3D
> > > > > > <name=3D3D3D3D3D3D3DGENERATOR>
> > > > > > <STYLE></STYLE>
> > > > > > </HEAD>
> > > > > > <BODY bgColor=3D3D3D3D3D3D#ffffff>
> > > > > > <DIV><FONT face=3D3D3D3D3D3D3DArial =3D
> > > > > > <size=3D3D3D3D3D3D2>Rick,</FONT></DIV>
> > > > > > <DIV><FONT face=3D3D3D3D3D3D3DArial =
> > > > > > <size=3D3D3D3D3D3D2>1 mec,
> > > > > > =3D
> > > > > > no BNC =3D3D
> > > > > > involved. =3D3D3D
> > > > > > Paris =3D3D3D3D
> > > > > > >=3D3D3D3D3D
> > > > > > > boots up so the=3D3D3D3D3D20
> > > > > > > 1 mec that</FONT></DIV>
> > > > > > <DIV><FONT face=3D3D3D3D3D3D3DArial =
> > > > > > <size=3D3D3D3D3D3D2>I'm =3D
> > > > > > using shows up

```


> > =3D3D
 > > >but =3D3D3D
 > > > >never any
 > > > > =3D3D3D3D
 > > > > >A to =3D3D3D3D3D
 > > > > >Ds or any=3D3D3D3D3D20
 > > > > >installed modules.</DIV>
 > > > > ><DIV><FONT face=3D3D3D3D3D3DArial =
 >size=3D3D3D3D3D3D2>This is
 > =3D
 > >the same =3D3D
 > > >symptom
 > > > =3D3D3D
 > > > >before
 > > > > =3D3D3D3D
 > > > > >I =3D3D3D3D3D
 > > > > >repaired one of=3D3D3D3D3D20
 > > > > >my mecs with a</DIV>
 > > > > ><DIV><FONT face=3D3D3D3D3D3DArial =
 >size=3D3D3D3D3D3D2>new =3D
 > >chip. The =3D3D
 > > >clock light
 > > > =3D3D3D
 > > > >=3D3D3D3D3D
 > > > > >continues to flash=3D3D3D3D3D20
 > > > > >too. Never locks in.</DIV>
 > > > > ><DIV><FONT face=3D3D3D3D3D3DArial =
 >size=3D3D3D3D3D3D2>
 > =3D
 > ></DIV>
 > > > > ><DIV><FONT face=3D3D3D3D3D3DArial =
 >size=3D3D3D3D3D3D2>I am =3D
 > >using the =3D3D
 > > >simplest =3D3D3D
 > > > >setup I
 > > > > =3D3D3D3D
 > > > > >can =3D3D3D3D3D
 > > > > >imagine and=3D3D3D3D3D20
 > > > > >still it's not working.</DIV>
 > > > > ><DIV><FONT face=3D3D3D3D3D3DArial =
 >size=3D3D3D3D3D3D2>Mike A.
 > =3D
 > >suggested
 > > =3D3D
 > > >the =3D3D3D
 > > > >.ini file
 > > > > =3D3D3D3D
 > > > > >=3D3D3D3D3D

> > > > >to make sure=3D3D3D3D3D20
> > > > >card A is 0. I'll try that.</DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3DArial =
> >size=3D3D3D3D3D3D2>Pretty
> =3D
> >sure it's =3D3D
> > >right =3D3D3D
> > > >but who =3D3D3D3D
> > > > >=3D3D3D3D3D
> > > > > >knows?</DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3DArial =3D3D
> > >size=3D3D3D3D3D3D2>Thanks,</DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3DArial =3D
> >size=3D3D3D3D3D3D2>Tom</DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3DArial =
> >size=3D3D3D3D3D3D2>
> =3D
> ></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3DArial =
> >size=3D3D3D3D3D3D2>
> =3D
> ></DIV>
> > > > ><DIV> </DIV>
> > > > ><DIV> </DIV>
> > > > ><DIV> </DIV>
> > > > ><DIV>"rick" <<A=3D3D3D3D3D20
> > > > >=3D3D3D
> > > > >=3D3D
> > > > >=3D
> =
>>>>>href=3D3D3D3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com=
></A=3D
> >>>
> > >=3D3D
> > > >=3D3D3D
> > > > >=3D3D3D3D
> > > > > >=3D3D3D3D3D
> > > > > >wrote in=3D3D3D3D3D20
> > > > > >message <A=3D3D3D3D3D20
> > > > > >=3D3D3D3D
> > > > > >=3D3D3D
> > > > > >=3D3D
> > > > > >=3D
> > > > > >=3D
> =
>>>>>>href=3D3D3D3D3D3D"news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">n=
>ews=3D
> >.in=3D3D
> > >qgh=3D3D3D

> > > >393=3D3D3D3D
> > > > >an5=3D3D3D3D3D
> > > > >s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> > > > ><BLOCKQUOTE=3D3D3D3D3D20
> > > > >style=3D3D3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT:
=
>5px;
> =3D
> >=3D3D
> > >MARGIN-LEFT: =3D3D3D
> > > >5px; =3D3D3D3D
> > > > >=3D3D3D3D3D
> > > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =3D
> >0px">i=3D3D3D3D3D20
> > > > > know this as dumb as it gets but the bnc is =
>attached =3D
> >in =3D3D3D
> > > >the=3D3D3D3D3D20
> > > > > right
order...right?
all the cards show up in
=
>=3D
> >paris =3D3D
> > >with =3D3D3D
> > > >the
> > > > =3D3D3D3D
> > > > >=3D3D3D3D3D
> > > > >single=3D3D3D3D3D20
> > > > > mec?
how many i/o cards in each =
>mec?

On
> =3D
> >Fri, 19
> > =3D3D
> > >=3D3D3D
> > > >Oct =3D3D3D3D3D
> > > > >2007
> > > > >=3D3D3D3D3D
> > > > >
> > > > > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D3D3D20
> > > > > =3D3D3D3D3D3D
> > > > > =3D3D3D3D3D
> > > > =3D3D3D3D
> > > =3D3D3D
> > > =3D3D
> > =3D
> =
>>>>>>href=3D3D3D3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A=
>>><=3D
> >BR>=3D3D
> > >wro=3D3D3D

```

> > > >te:=3D3D3D3D
> > > > >=3D3D3D3D3D
> > > > > <BR><BR>>I=3D3D3D3D3D20
> > > > > thought I was groovin' but once the second Mec was
=
>=3D
> >=3D3D3D3D3D
> > > > >introduced<BR>>the=3D3D3D3D3D20
> > > > > system stopped. That was a few weeks =3D
> >ago.<BR>><BR>>Today I =3D3D
> > >=3D3D3D3D3D
> > > > >tried=3D3D3D3D3D20
> > > > > different cables, eds cards, mecs, eliminated the =
>=3D
> >magma =3D3D
> > >=3D3D3D3D3D
> > > > >and<BR>>still no=3D3D3D3D3D20
> > > > > clock lock or modules showing up in the paris =3D
> >=3D3D3D3D3D
> > > > >patchbay.<BR>><BR>>This=3D3D3D3D3D20
> > > > > means to me software unless someone tells me =
>=3D3D3D3D3D
> > > > >differently.<BR>><BR>>I=3D3D3D3D3D20
> > > > > have a new C drive which I will load XP and no =
>pace. =3D
> >Any =3D3D3D
> > > >other=3D3D3D3D3D20
> > > > > <BR>>suggestions?<BR>><BR>>More frustrated than =3D
> >my=3D3D3D3D3D20
> > > > > clients,<BR>>Tom<BR>><BR>><BR>><BR>><BR>><BR>>I choose =
>=3D
> >=3D3D3D3D3D
> > > > >Polesoft=3D3D3D3D3D20
> > > > > Lockspam to fight spam, and=3D3D3D3D3D20
> > > > > you?<BR>>http://www.polesoft.com/refer.html =3D
> >=3D3D3D3D3D20
> > > > ><BR></BLOCKQUOTE></BODY></HTML>
> > > > >
> > > > >
> > > > >
> > > > >
> > > > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =3D
> >Transitional//EN">
> > > > ><HTML><HEAD>
> > > > ><META http-equiv=3D3D3D3D3DContent-Type =3D
> >content=3D3D3D3D3D"text/html; =3D3D
> > >=3D3D3D3D
> > > > >charset=3D3D3D3D3Diso-8859-1">

```

> > > > ><META content=3D3D3D3D3D"MSHTML 6.00.2800.1400" =3D
> >name=3D3D3D3D3DGENERATOR>
> > > > ><STYLE></STYLE>
> > > > ></HEAD>
> > > > ><BODY bgColor=3D3D3D3D3D#ffffff>
> > > > ><DIV>Thanks
=
>=3D3D
> > >Dimitrios.</DIV>
> > > > ><DIV>
=
></DIV>
> > > > ><DIV>Mike =
>said the
> =3D
> >same thing.
> > =3D3D
> > > ls =3D3D3D
> > > >the =3D3D3D3D
> > > > >ini in the=3D3D3D3D20
> > > > >Paris folde or system 32?</DIV>
> > > > ><DIV>Do I =
>want the
> =3D
> >Master card
> > =3D3D
> > >to be
> > > =3D3D3D
> > > >0=3D3D3D3D20
> > > > >absolutely? I only have one card</DIV>
> > > > ><DIV>in =
>there right
> =3D
> >now and =3D3D
> > >it's all
> > > =3D3D3D
> > > >freaky
> > > > =3D3D3D3D
> > > > >just the=3D3D3D3D20
> > > > >same.</DIV>
> > > > ><DIV><FONT face=3D3D3D3D3DArial =3D
> >size=3D3D3D3D3D2>Tom</DIV>
> > > > ><DIV>
=
></DIV>
> > > > ><DIV>
=
></DIV>

> > > > ><DIV>
=
></DIV>
> > > > ><BLOCKQUOTE=3D3D3D3D20
> > > > >style=3D3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px;
=
>=3D
> >MARGIN-LEFT: =3D3D
> > >5px; =3D3D3D
> > > >=3D3D3D3D
> > > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > > > > <DIV>"Dimitrios" <<A=3D3D3D3D20
> > > > > =3D
> > > > > >href=3D3D3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr> =
>=3D3D
> > >wrote
> > > =3D3D3D
> > > >in =3D3D3D3D
> > > > >message=3D3D3D3D20
> > > > > <A =3D3D3D3D
> > > > =3D3D3D
> > > =3D3D
> > =3D
> > =3D
> =
>>>>>href=3D3D3D3D3D"news:471a0486\$1 @linux">news:471a0486\$1 @linux...</=
>DIV=3D
> >><B=3D3D
> > >R>H=3D3D3D
> > > >i
> > > > =3D3D3D3D
> > > > >Tom=3D3D3D3D20
> > > > > !@
Sorry to hear you still having problems like =
>this =3D
> >=3D3D
> > >~!!
Must
> > > =3D3D3D
> > > >be
> > > > =3D3D3D3D
> > > > >very=3D3D3D3D20
> > > > > frustrating.
Open the Paris ini file and there =
>change
> =3D
> >the =3D3D
> > >=3D3D3D3D
> > > > >mastercardoutput=3D3D3D3D20
> > > > > with your other
cards and see what happens =
>!!
Let =3D
> >=3D3D

> > =3D
> =
>>>href=3D3D3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com</A=
>>>
> =3D
> >=3D3D
> > >=3D3D3D
> > > >=3D3D3D3D
> > > > >wrote=3D3D3D3D20
> > > > > in message=3D3D3D3D20
> > > > > =3D3D3D3D3D
> > > > =3D3D3D3D
> > > =3D3D
> > =3D
> =
>>>>=3D3D3D3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...<BR=
>>>&=3D
> >nbs=3D3D
> > >=3D3D3D3D=3D3D3D
> > > >
> > > > >p; i=3D3D3D3D20
> > > > > know this as dumb as it gets but the bnc is attached =
>in =3D
> >=3D3D
> > >the=3D3D3D3D20
> > > > > right
> order...right?
> all the cards show up
=
>=3D
> >=3D3D3D3D
> > > >in=3D3D3D3D20
> > > > > paris with the single mec?
> how many i/o cards in
=
>=3D
> >=3D3D
> > >each=3D3D3D3D20
> > > > > mec?
>
>
> On Fri, 19 Oct 2007 00:22:39 =
>-0400,
> =3D
> >=3D3D3D3D
> > > > >"Tom=3D3D3D3D20
> > > > > Bruhl" <<A=3D3D3D3D20
> > > > > =3D3D3D3D3D
> > > > =3D3D3D3D
> > > =3D3D
> > =3D
> > =3D
> =
>>>>href=3D3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net><=
>BR>=3D

> >=3D3D3D3D
> > > >content=3D3D3D3D3D3D"MSHTML=3D3D3D3D20
> > > > 6.00.2800.1400"=3D3D3D3D20
> > > > =3D3D3D3D
> > > > =3D
>
>>name=3D3D3D3D3D3DGENERATOR>
><STYLE></STYLE>
></HEA=3D3D3D3D
> > > >D>
><BODY=3D3D3D3D20
> > > > bgColor=3D3D3D3D3D3D3D#ffffff>
><DIV><FONT =3D3D
> > >face=3D3D3D3D3D3D3DArial=3D3D3D3D20
> > > > =3D3D3D3D
> > > > =
>>size=3D3D3D3D3D3D2>Rick,</DIV>>
><DIV><FONT=3D3D3D3D20
> > > > face=3D3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>1 mec, no =
>BNC =3D
> >involved. Paris
> > =3D3D
> > >=3D3D3D3D
> > > >=3D3D3D3D3D
>boots up so=3D3D3D3D20
> > > > the=3D3D3D3D3D3D20
>1 mec =3D3D3D3D
> > > >that</DIV>>
><DIV><FONT=3D3D3D3D20
> > > > face=3D3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>I'm using =
>shows up
> =3D
> >but never =3D3D
> > >any A to
> > > =3D3D3D
> > > >=3D3D3D3D
> > > >=3D3D3D3D3D
>Ds or=3D3D3D3D20
> > > > any=3D3D3D3D3D3D20
>installed=3D3D3D3D20
> > > > modules.</DIV>>
><DIV><FONT =3D3D3D3D
> > > >face=3D3D3D3D3D3D3DArial=3D3D3D3D20
> > > > size=3D3D3D3D3D3D2>This is the same symptom before I =
>=3D3D
> > >=3D3D3D3D3D
>repaired =3D3D3D
> > > >=3D3D3D3D
> > > >one=3D3D3D3D20
> > > > of=3D3D3D3D3D3D20
>my mecs with=3D3D3D3D20
> > > > a</DIV>>
><DIV><FONT =3D
> >face=3D3D3D3D3D3D3DArial=3D3D3D3D20
> > > > size=3D3D3D3D3D3D2>new chip. The clock light =3D
> >=3D3D3D3D3D3D
>continues =3D3D
> > >to=3D3D3D3D20
> > > > flash=3D3D3D3D3D3D20
>too. Never locks=3D3D3D3D20
> > > > in.</DIV>>
><DIV><FONT face=3D3D3D3D3D3D3DArial
=
>=3D
> >=3D3D3D3D

```

> > > >
> > > > size=3D3D3D3D3D3D2></FONT> </DIV><BR>><DIV><FONT =
>=3D3D3D3D3D
> > > > >face=3D3D3D3D3D3DArial=3D3D3D3D20
> > > > > size=3D3D3D3D3D3D2>I am using the simplest setup I can
=
>=3D
> >=3D3D3D3D
> > > >=3D3D3D3D3D3D<BR>>imagine=3D3D3D3D20
> > > > > and=3D3D3D3D3D3D20<BR>>still it's not=3D3D3D3D20
> > > > > working.</FONT></DIV><BR>><DIV><FONT =3D3D3D3D3D
> > > > >face=3D3D3D3D3D3DArial=3D3D3D3D20
> > > > > size=3D3D3D3D3D3D2>Mike A. suggested the .ini file =3D
> >=3D3D3D3D3D3D<BR>>to =3D3D
> > >make=3D3D3D3D20
> > > > > sure=3D3D3D3D3D3D20<BR>>card A is 0. I'll try=3D3D3D3D20
> > > > > that.</FONT></DIV><BR>><DIV><FONT =3D3D3D3D3D
> > > > >face=3D3D3D3D3D3DArial=3D3D3D3D20
> > > > > size=3D3D3D3D3D3D2>Pretty sure it's right but =
>who=3D3D3D3D20
> > > > > =
>=3D3D3D3D3D3D<BR>>knows?</FONT></DIV><BR>><DIV><FONT=3D3D3D3D20
> > > > > face=3D3D3D3D3D3DArial=3D3D3D3D20
> > > > > =3D3D3D3D3D
> > > > > =
>>size=3D3D3D3D3D3D2>Thanks,</FONT></DIV><BR>><DIV><FONT=3D3D3D3D3D
> > > > >=3D3D3D3D20
> > > > > face=3D3D3D3D3D3DArial=3D3D3D3D20
> > > > > =
>size=3D3D3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D3D3D3D20
> > > > > face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2></FONT> =
>=3D3D3D3D3D
> > > > ></DIV><BR>><DIV><FONT=3D3D3D3D20
> > > > > face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2></FONT> =
>=3D3D3D3D3D
> > > > ></DIV><BR>><DIV>=3D3D3D3D20
> > > > > </DIV><BR>><DIV> </DIV><BR>><DIV>=3D3D3D3D20
> > > > > </DIV><BR>><DIV>"rick" =3D3D3D3D3D
> > > > ><<A=3D3D3D3D3D3D20<BR>>href=3D3D3D3D3D3D"<A=3D3D3D3D20
> > > > > =3D3D3D3D3D
> > > > > =3D3D3D3D
> > > > =3D3D3D
> > > =3D
> > =3D
> =
>>>>>href=3D3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</=
>A'>=3D
> >mai=3D3D3D
> > >lt=3D3D3D3D

```

> > > >:pa=3D3D3D3D
> > > > =3D
> >>rnell68@hotmail.com">parnell68@hotmail.com</A>=3D3D3D3D20
> > > > =3D3D3D3D3D
>wrote in=3D3D3D3D3D20
>message =
>=3D3D
> > ><A=3D3D3D3D3D20
>href=3D3D3D3D3D3D"<A
> > > =3D3D3D
> > > >=3D3D3D3D
> > > > >
> > > > > =3D3D3D3D
> > > > =3D3D3D
> > > =3D3D
> > =3D
> =
>>>>href=3D3D3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news=
>:in=3D
> >qgh=3D3D
> > >393=3D3D3D
> > > >an5=3D3D3D3D
> > > > =3D3D3D
> > > =3D3D
> > =3D
> =
>>>>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393an5</=
>A=3D
> >=3D3D3D=3D3D
> > >3D=3D3D3D
> > > >
> > > > =3D3D
> > =3D
> =
>>>>=3D3D3D3D3D
>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
&=3D3=
>D3D3D=3D
> >
> > > > =3D
> =
>>>gt;<BLOCKQUOTE=3D3D3D3D3D20
>style=3D3D3D3D3D3D"PADDING-RIGHT:=3D3
D3=
>D3D20
> > > > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D
> > >=3D3D3D3D3D3D
>BORDER-LEFT: =3D3D3D
> > > >=3D3D3D3D
> > > > >#000000 2px=3D3D3D3D20
> > > > > solid; MARGIN-RIGHT: 0px">i=3D3D3D3D3D20
> know =
>this as
> =3D
> >dumb as
> > =3D3D

> > >=3D3D3D3D
 > > > > >it gets=3D3D3D3D20
 > > > > > but the bnc is attached in the=3D3D3D3D3D20
> =
 >=3D3D3D3D3D20
 > > > > > right
order...right?
all the cards show up in =
 >paris
 > =3D
 > >=3D3D3D3D
 > > > > >with the=3D3D3D3D20
 > > > > > =3D3D3D3D3D
>single=3D3D3D3D3D20
> mec?
how
 =
 >many =3D
 > >i/o cards =3D3D
 > > >=3D3D3D3D
 > > > > >in each=3D3D3D3D20
 > > > > > mec?

On Fri, 19 Oct=3D3D3D3D20
 > > > > > 2007
=3D3D3D3D3D
>
> 00:22:39 -0400, "Tom =
 >=3D
 > >Bruhl"=3D3D3D3D20
 > > > > > <<A=3D3D3D3D3D20
> =3D
 > >=3D3D3D3D3D
>href=3D3D3D3D3D3D" <A=3D3D3D3D20
 > > > > > =3D3D3D3D
 > > > > > =3D3D3D
 > > > > =3D3D
 > > > =3D
 > =
 >>>>href=3D3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net><=
 >BR>=3D
 > >wro=3D3D
 > > >te'=3D3D3D
 > > > >>ma=3D3D3D3D
 > > > > > =3D
 > >>mailto:arpegio@comcast.net">arpegio@comcast.net>
w=3D3D3D3D
 > > > > >rote:=3D3D3D3D3D
>

>l=3D3D3D3D3D20
 > =
 >=3D3D3D3D20
 > > > > > thought I was groovin' but once the second Mec =3D
 > >was=3D3D3D3D20
 > > > > > =3D3D3D3D3D
>introduced
>the=3D3D3D3D3D20
>
 =
 >system
 > =3D
 > >=3D3D3D3D
 > > > > >stopped. That was=3D3D3D3D20
 > > > > > a few weeks ago.
>
>Today I=3D3D3D3D20
 > > > > > =3D3D3D3D3D
>tried=3D3D3D3D3D20
> different =
 >cables, =3D
 > >eds cards, =3D3D
 > > >mecs, =3D3D3D3D

> > > > >eliminated=3D3D3D3D20
> > > > the magma =3D3D3D3D3D
>and
>still =
>no=3D3D3D3D3D20
>
> =3D
> >=3D3D3D3D
> > > > >clock lock or=3D3D3D3D20
> > > > > modules showing up in the paris=3D3D3D3D20
> > > > > =3D3D3D3D
> > > > =
>>=3D3D3D3D3D
>patchbay.
>
>This=3D3D3D3D3D20
> =3D
> >=3D3D3D3D
> > > > >means to=3D3D3D3D20
> > > > > me software unless someone tells me=3D3D3D3D20
> > > > > =3D3D3D3D
> > > > =
>>=3D3D3D3D3D
>differently.
>
>I=3D3D3D3D3D20
> =3D
> >=3D3D3D3D
> > > > >have a new=3D3D3D3D20
> > > > > C drive which I will load XP and no pace. Any =3D3D
> > >other=3D3D3D3D3D20
> =3D3D3D
> > > >=3D3D3D3D
> > > > >
> > > > >
>suggestions?
>
>More frustrated =3D3D3D3D
> > > > >than=3D3D3D3D20
> > > > > my=3D3D3D3D3D20
> =3D3D3D3D20
> > > > > =3D3D3D3D
> > > > >clients,
>Tom
>
>
>
>
>=3D3D3D3D
> > > > >>>
>I=3D3D3D3D20
> > > > > choose =3D3D3D3D3D
>Polesoft=3D3D3D3D3D20
> =
>Lockspam =3D
> >to fight =3D3D
> > >spam,=3D3D3D3D20
> > > > >and=3D3D3D3D3D20
> =3D3D3D3D
> > > > >you?
><http://www.polesoft.com/refer.html>=3D3D3D3D20
> > > > > =3D3D3D3D
> > > > =
>>=3D3D3D3D3D20
>
</BLOCKQUOTE></BODY></HTML>
&=3D3D3D3D
> > > > >gt;
>
</BLOCKQUOTE></BODY></HTML>
> > > > >
> > > > >
> > > >
> > > >
> > > >
> > > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =
>Transitional//EN">
> > > ><HTML><HEAD>
> > > ><META http-equiv=3D3D3D3DContent-Type =
>content=3D3D3D3D"text/html;
> =3D


```
> >=3D3D3D
> > > > charset=3D3D3D3D Iso-8859-1">
> > > ><META content=3D3D3D3D "MSHTML 6.00.2800.1400" =3D
> > name=3D3D3D3D GENERATOR>
> > > ><STYLE></STYLE>
> > > ></HEAD>
> > > ><BODY bgColor=3D3D3D3D #ffffff>
> > > ><DIV><FONT face=3D3D3D3D Arial size=3D3D3D3D 2>Hi =
> Mike,</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D Arial size=3D3D3D3D 2>Well I've been
=
> to =3D
> .cfg many a =3D3D
> > >=3D3D3D
> > > > time.</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D Arial size=3D3D3D3D 2>I've seen that
=
> =3D
> > Mastercard =3D3D
> > > setting as =3D3D3D
> > > > being=3D3D3D 20
> > > ></FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D Arial size=3D3D3D3D 2>but maybe it =
> changed
> =3D
> > after =3D3D
> > > removing the
> > > =3D3D3D
> > > > 4=3D3D3D 20
> > > > other</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D Arial size=3D3D3D3D 2>eds cards for
=
> this =3D
> > round of =3D3D3D
> > > > testing.</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D Arial size=3D3D3D3D 2></FONT> </DIV>
> > > ><DIV><FONT face=3D3D3D3D Arial size=3D3D3D3D 2>If it's still
=
> 0 what
> =3D
> > else could
> > > =3D3D
> > > > this =3D3D3D
> > > > > be? =3D3D3D 20
> > > > Busted mobo?</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D Arial size=3D3D3D3D 2>I'm really in
=
> an =3D
```

```

> >idunno place =3D3D
> > >right =3D3D3D
> > > >now. I'll=3D3D3D20
> > > >be checking</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>seriously =
>today again
> =3D
> >because of
> > =3D3D
> > >a =3D3D3D
> > > >session tomorrow=3D3D3D20
> > > >morning.</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3DArial =
>size=3D3D3D3D2>Tom</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > > ><BLOCKQUOTE=3D3D3D20
> > > >style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =3D
> >MARGIN-LEFT: 5px; =3D3D
> > >=3D3D3D
> > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > > > <DIV>"Mike Audet" <mike@....> wrote in message =
><A=3D3D3D20
> > > > =3D3D3D
> > > > =3D3D
> > > > =3D
> =
>>>>href=3D3D3D3D"news:471b2ec2$1 @linux">news:471b2ec2$1 @linux</A>...</DIV=
>><B=3D
> >R>H=3D3D
> > >i=3D3D3D20
> > > > Tom,<BR><BR>If you've only got one card in, then the =3D
> >Mastercard =3D3D
> > >=3D3D3D3D 0
> > > =3D3D3D
> > > >setting is=3D3D3D20
> > > > right.<BR> The file is Paris.cfg, and it lives in the =
>=3D3D
> > >c:\program=3D3D3D20
> > > > files\Emu\PARIS PRO<BR>folder.<BR><BR>I'd still check it
=
>out
> =3D
> >to see
> > =3D3D
> > >=3D3D3D
> > > >what it is=3D3D3D20
> > > > set to.<BR><BR>If it is wrong, what you are describing =

```

>=3D
> >will=3D3D3D20
> > > > happen.

Good luck!

Mike

"Tom Bruhl"
=
>=3D
> ><<A=3D3D3D20
> > > > =3D
> =
>>href=3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D=
>D20
> > > > wrote:
>
>
>Thanks Dimitrios.
>
>Mike =
>=3D3D3D
> > > >said the=3D3D3D20
> > > > same thing. Is the ini in the Paris folde or system =
>=3D3D3D
> > > >32?
>Do I want=3D3D3D20
> > > > the Master card to be 0 absolutely? I only have one =
>=3D3D3D
> > > >card
>in there=3D3D3D20
> > > > right now and it's all freaky just the=3D3D3D20
> > > > same.
>Tom
>
>
>
> "Dimitrios" =3D3D3D
> > > ><<A=3D3D3D20
> > > > =3D
> >href=3D3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr> =
>wrote
> > =3D3D
> > >in =3D3D3D
> > > >message=3D3D3D20
> > > > =3D3D3D3D
>news:471a0486\$1@linux...
>
> Hi =3D
> >Tom=3D3D3D20
> > > > !@
> Sorry to hear you still having problems like =3D
> >this=3D3D3D20
> > > > ~!!
> Must be very frustrating.
> Open the =
>=3D3D3D
> > > >Paris ini=3D3D3D20
> > > > file and there change the mastercardoutput with =3D
> >=3D3D3D3D
>your=3D3D3D20
> > > > other
> cards and see what happens !!
> Let me =
>=3D3D3D
> > > >
> > > > know.
> Regards,
> =3D3D3D
> > > >Dimitrios
>
> =3D3D3D20
> > > > "Tom Bruhl" <<A=3D3D3D20
> > > > =3D
> =
>>href=3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D=
>D20
> > > > wrote:
> >
> >
> =3D3D3D20

> > > > Rick,
> >1 mec, no BNC involved. Paris boots =
>=3D3D3D
> > > >up so=3D3D3D20
> > > > the 1 mec that
> >I'm using shows up but never any A
=
>to
> =3D
> >=3D3D3D
> > > >Ds or=3D3D3D20
> > > > any installed modules.
> >This is the same symptom =
>=3D3D3D
> > > >before I=3D3D3D20
> > > > repaired one of my mecs with a
> >new chip. The =
>=3D3D3D
> > > >clock=3D3D3D20
> > > > light continues to flash too. Never locks in.
> =
>=3D3D3D20
> > > >
> >I am using the simplest setup I can imagine and
=
>=3D
> >=3D3D3D
> > > >still=3D3D3D20
> > > > it's not =3D3D3D3D
>working.
> >Mike A. suggested
=
>=3D
> >=3D3D3D
> > > >the .ini=3D3D3D20
> > > > file to make sure card A is 0. I'll =3D3D3D
> > > >try
=3D3D3D3D
>=3D3D3D3D3D
> =3D3D3D20
> > > > >that.
> >Pretty sure it's right but who=3D3D3D20
> > > > knows?
> >Thanks,
> >Tom
> =3D3D3D20
> > > >
>
>
> =3D3D3D
> > > >
> =3D3D3D20
> > > >
> >"rick" <<A=3D3D3D20
> > > > =3D
> =
>>href=3D3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com>
> > =3D3D
> > >=3D3D3D
> > > >wrote in=3D3D3D20
> > > > message =3D3D3D3D3D
> =3D3D3D20
> > > > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
>
=
>=3D
> >=3D3D3D20
> > > > i know this as dumb as it gets but the bnc is attached
=
>in

> =3D
> >=3D3D3D
> > > >the=3D3D3D20
> > > > right
> > order...right?
> > =3D3D3D
> > > > all the=3D3D3D20
> > > > cards show up in paris with the single mec?
> > =
>=3D3D3D
> > > >how many=3D3D3D20
> > > > i/o cards in each mec?
> >
> =3D3D3D
> > > >>
> =3D3D3D20
> > > > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =
>=3D3D3D
> > > >=3D3D3D3D
><<A=3D3D3D20
> > > > =3D3D3D
> > > > =3D3D
> > > =3D
> =
>>>href=3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
=
>>&n=3D
> >=3D3D3D=3D3D
> > >
> > > >bsp;=3D3D3D20
> > > > > wrote:
> >
> > >I =3D3D3D
> > > >thought I=3D3D3D20
> > > > was groovin' but once the second Mec was introduced
>
=
>=3D
> >=3D3D3D
> > > >> =3D3D3D20
> > > > >the system stopped. That was a few weeks ago.
> =
>=3D3D3D20
> > > > >
> > >Today I tried different =3D3D3D
> > > > cables,=3D3D3D20
> > > > eds cards, mecs, eliminated the =3D3D3D3D
>magma
>
=
>=3D
> >=3D3D3D
> > > >=3D3D3D3D3D
> =3D3D3D20
> > > > >and
> > >still no clock lock or modules =3D3D3D
> > > > showing up=3D3D3D20
> > > > in the paris patchbay.
> > >
> =3D3D3D
> > > >> =3D3D3D20
> > > > >This means to me software unless someone tells =
>me=3D3D3D20
> > > > differently.
> > >
> > =3D3D3D
> > > >>I have=3D3D3D20
> > > > a new C drive which I will load XP and no pace. =
>Any=3D3D3D20

```

> > > > =3D3D3D3D<BR>>other=3D3D3D3D3D20<BR>> > =3D3D3D
> > > >>suggestions?<BR>> =3D3D3D20
> > > > ><BR>> > >More frustrated than my=3D3D3D20
> > > > clients,<BR>> > >Tom<BR>> > =3D3D3D20
> > > > ><BR>> > ><BR>> > =3D3D3D
> > > >><BR>> =3D3D3D20
> > > > ><BR>> > >I choose Polesoft =3D3D3D
> > > >Lockspam to=3D3D3D20
> > > > fight spam, and you?<BR>> > =3D3D3D20
> > > > >http://www.polesoft.com/refer.html =3D3D3D3D3D20<BR>> =
>=3D
> >=3D3D3D20
> > > > ><BR>> ><BR>> ><!DOCTYPE HTML PUBLIC=3D3D3D20
> > > > "-//W3C//DTD HTML 4.0 Transitional//EN"><BR>> =3D3D3D20
> > > > ><HTML><HEAD><BR>> ><META=3D3D3D20
> > > > http-equiv=3D3D3D3D3D3DContent-Type =3D
> > > >content=3D3D3D3D3D3D"text/html; =3D3D3D
> > > >=3D3D3D3D3D<BR>> =3D3D3D20
> > > > >charset=3D3D3D3D3D3DDiso-8859-1"><BR>> ><META =3D3D3D
> > > >content=3D3D3D3D3D3D"MSHTML=3D3D3D20
> > > > 6.00.2800.1400" name=3D3D3D3D3D3DGENERATOR><BR>> =
>=3D3D3D20
> > > > ><STYLE></STYLE><BR>> =3D3D3D
> > > >></HEAD><BR>> =3D3D3D20
> > > > ><BODY bgColor=3D3D3D3D3D3D#ffffff><BR>> =3D3D3D
> > > >><DIV><FONT=3D3D3D20
> > > > face=3D3D3D3D3D3D3DArial =3D3D3D
> > > >size=3D3D3D3D3D3D2>Rick,</FONT></DIV><BR>> =3D3D3D20
> > > > ><DIV><FONT face=3D3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>1 =
>mec, no
> =3D
> >BNC =3D3D3D
> > > >involved.=3D3D3D20
> > > > Paris =3D3D3D3D<BR>>=3D3D3D3D3D<BR>> >boots up so =
>=3D3D3D
> > > >the=3D3D3D3D3D20<BR>> >1=3D3D3D20
> > > > mec that</FONT></DIV><BR>> =3D3D3D
> > > >><DIV><FONT=3D3D3D20
> > > > face=3D3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>I'm using shows
=
>up but
> =3D
> >never =3D3D3D
> > > >any<BR>=3D3D3D3D<BR>>A to=3D3D3D20
> > > > =3D3D3D3D3D3D<BR>> >Ds or any=3D3D3D3D3D20<BR>> =3D
> >>installed=3D3D3D20
> > > > modules.</FONT></DIV><BR>> =3D3D3D
> > > >><DIV><FONT=3D3D3D20

```

```

> > > > face=Arial size=2>This is the =
>same =
> >symptom =
> > > >before<BR>=I=20
> > > > =<BR>> >repaired one of=20<BR>> >my
=
>=
> > > >mecs with=20
> > > > a</FONT></DIV><BR>> ><DIV><FONT=20
> > > > face=Arial size=2>new chip. The =
>clock =
> >light =
> > > >=<BR>> =20
> > > > >continues to flash=20<BR>> >too. Never =
>locks=20
> > > > in.</FONT></DIV><BR>> ><DIV><FONT=20
> > > > face=Arial size=2></FONT> =
> > > ></DIV><BR>> =20
> > > > ><DIV><FONT face=Arial size=2>I =
>am using
> =
> >=
> > > >the simplest=20
> > > > setup I<BR>=<BR>>can =<BR>> >imagine =
>=<BR>>
> > > >and=20<BR>> =20
> > > > >still it's not working.</FONT></DIV><BR>> =20
> > > > ><DIV><FONT face=Arial =
>size=2>Mike A. =
> >=
> > > >suggested the=20
> > > > .ini file<BR>=<BR>>=<BR>> >to make =
>=<BR>>
> > > >sure=20<BR>> =20
> > > > >card A is 0. I'll try that.</FONT></DIV><BR>> =
> > > >
> > > > ><DIV><FONT face=Arial =
>size=2>Pretty =
> >sure =
> > > >it's right=20
> > > > >but who =<BR>>=<BR>> =20
> > > > > >knows?</FONT></DIV><BR>> =
> > > > >><DIV><FONT=20
> > > > > face=Arial =
> > > > >size=2>Thanks,</FONT></DIV><BR>> =
> > > > >><DIV><FONT face=Arial=20
> > > > > size=2>Tom</FONT></DIV><BR>> =
> > > > >><DIV><FONT face=Arial =

```


>size=3D3D3D3D3D2> =3D
> >=3D3D3D
> > > >
> > > > </DIV>
> ><DIV><FONT face=3D3D3D3D3D3DArial=3D3D3D20
> > > > size=3D3D3D3D3D3D2> </DIV>
> =3D3D3D
> > > >><DIV>=3D3D3D20
> > > > </DIV>
> ><DIV> </DIV>
> =3D3D3D20
> > > > ><DIV> </DIV>
> ><DIV>"rick"=3D3D3D20
> > > > <<A=3D3D3D3D3D20
> >href=3D3D3D3D3D3D"<A=3D3D3D20
> > > > =3D3D3D
> > > =3D3D
> > =3D
> =
>>>>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>=
>mai=3D
> >lto=3D3D
> > >:pa=3D3D3D
> > > =
>>rnell68@hotmail.com">parnell68@hotmail.com</A>>=3D3D3D20
> > > > =3D3D3D3D
>=3D3D3D3D3D
> >wrote =
>in=3D3D3D3D3D20
> =3D3D3D
> > > >>message=3D3D3D20
> > > > <A=3D3D3D3D3D20
> =
>=3D3D3D3D3D
>>href=3D3D3D3D3D3D"<A=3D3D3D20
> > > > =3D3D3D
> > > =3D3D
> > =3D
> =
>>>>href=3D3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in=
>qgh=3D
> >393=3D3D
> > >'>n=3D3D3D
> > > =3D3D
> > =3D
> =
>>>>ews:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393=3D3D=
>3D3=3D
> >D<B=3D3D
> > >=3D3D3D
> > > >R>>an5=3D3D3D3D3D3D
> =3D3D3D20
> > > > =3D3D3D
> > > >>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> =3D3D3D
> > > > ;=3D3D3D20
> > > > ><BLOCKQUOTE=3D3D3D3D3D20
> =3D3D3D
> > > >>style=3D3D3D3D3D3D"PADDING-RIGHT: 0px;=3D3D3D20
> > > > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
> >=3D3D3D3D3D
>=3D3D3D3D3D3D
> =3D3D3D20
> > > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =3D3D3D

> > > >0px">i=3D3D3D3D3D20
> =3D3D3D20
> > > > know this as dumb as it gets but the bnc is attached =
>=3D
> >in=3D3D3D20
> > > > the=3D3D3D3D3D20
> > =3D3D3D
> > > >right
order...right?
all=3D3D3D20
> > > > the cards show up in paris with =3D
> >the
=3D3D3D3D
>=3D3D3D3D3D
> =3D3D3D20
> > > >single=3D3D3D3D3D20
> > mec?
how many i/o =
>=3D3D3D
> > > >cards in=3D3D3D20
> > > > each mec?

On Fri, 19 Oct=3D3D3D20
> > > > =3D3D3D3D
>2007
> =3D3D3D3D3D
> >
> =
>=3D3D3D
> > > >> =3D3D3D20
> > > > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D3D3D20
> > =
>=3D3D3D20
> > > > =3D3D3D3D3D
> =
>=3D3D3D3D
>>href=3D3D3D3D3D3D"<A=3D3D3D20
> > > > =3D3D3D
> > > =3D3D
> > =3D
> =
>>>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
=
>wro=3D
> >te'=3D3D
> > >>ma=3D3D3D
> > > =
>>ilto:arpegio@comcast.net">arpegio@comcast.net>
w=3D3D3D
> > > >rote:=3D3D3D3D
>=3D3D3D3D3D
> =3D3D3D20
> > > > >

>I=3D3D3D3D3D20
> > thought =3D3D3D
> > > >I was=3D3D3D20
> > > > groovin' but once the second Mec was =3D3D3D3D3D
> =
>=3D3D3D20
> > > > >introduced
>the=3D3D3D3D3D20
> > system =3D3D3D
> > > >stopped.=3D3D3D20
> > > > That was a few weeks ago.
>
>Today I =3D3D3D
> > > >=3D3D3D3D3D
> =3D3D3D20
> > > > >tried=3D3D3D3D3D20
> > different cables, eds cards,
=
>=3D
> >=3D3D3D
> > > >mecs,=3D3D3D20
> > > > eliminated the magma =3D3D3D3D3D
> =
>>and
>still=3D3D3D20
> > > > no=3D3D3D3D3D20
> > clock lock or modules showing up
=
>in =3D

```

> >=3D3D3D
> > > >the paris=3D3D3D20
> > > > =3D3D3D3D3D3D<BR>> =3D3D3D20
> > > > >patchbay.<BR>><BR>>This=3D3D3D3D3D20<BR>> =3D3D3D
> > > >> =3D3D3D20
> > > > means to me software unless someone tells me =
>=3D3D3D3D3D3D<BR>>
> =3D
> >=3D3D3D20
> > > > >differently.<BR>><BR>>I=3D3D3D3D3D20<BR>> =3D3D3D
> > > >> =3D3D3D20
> > > > have a new C drive which I will load XP and no pace. =3D
> >Any=3D3D3D20
> > > > other=3D3D3D3D3D20<BR>> > =3D3D3D20
> > > > <BR>>suggestions?<BR>><BR>>More frustrated =3D3D3D
> > > >than=3D3D3D20
> > > > my=3D3D3D3D3D20<BR>> > =3D3D3D20
> > > > =3D3D3D
> > > >clients,<BR>>Tom<BR>><BR>><BR>><BR>><BR>=3D3D3D
> > > >><BR>>I=3D3D3D20
> > > > choose =3D3D3D3D3D<BR>> >Polesoft=3D3D3D3D3D20<BR>> =
>=3D3D3D
> > > >> Lockspam=3D3D3D20
> > > > to fight spam, and=3D3D3D3D3D20<BR>> > =3D3D3D20
> > > > you?<BR>>http://www.polesoft.com/refer.html =3D3D3D
> > > >=3D3D3D3D3D20<BR>> =3D3D3D20
> > > > =3D3D3D
> > > >><BR></BLOCKQUOTE></BODY></HTML><BR>> =3D3D3D
> > > >=3D3D3D20
> > > > ><BR>> ><BR>><BR>><BR>><!DOCTYPE HTML =3D3D3D
> > > >PUBLIC=3D3D3D20
> > > > "-//W3C//DTD HTML 4.0=3D3D3D20
> > > > Transitional//EN"><BR>><HTML><HEAD><BR>><META=3D3D3D20
> > > > http-equiv=3D3D3D3D3DContent-Type =3D
> >content=3D3D3D3D3D"text/html;=3D3D3D20
> > > > =3D3D3D3D<BR>>charset=3D3D3D3D3Diso-8859-1"><BR>><META =
>=3D3D3D
> > > >content=3D3D3D3D3D"MSHTML=3D3D3D20
> > > > 6.00.2800.1400"=3D3D3D20
> > > > =3D3D3D
> > > > =
>>name=3D3D3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D3D3D
> > > >D><BR>><BODY=3D3D3D20
> > > > bgColor=3D3D3D3D3D#ffffff><BR>><DIV><FONT =3D
> > >face=3D3D3D3D3DArial=3D3D3D20
> > > > size=3D3D3D3D3D2>Thanks=3D3D3D20
> > > > Dimitrios.</FONT></DIV><BR>><DIV><FONT =3D3D3D
> > > >face=3D3D3D3D3DArial=3D3D3D20

```

```

> > > > size=3D3D3D3D3D2></FONT> </DIV><BR>><DIV><FONT =3D3D3D
> > > >face=3D3D3D3D3DArial=3D3D3D20
> > > > size=3D3D3D3D3D2>Mike said the same thing. Is the =3D
> >=3D3D3D3D<BR>>ini in =3D3D3D
> > > >
> > > > the=3D3D3D3D20<BR>>Paris folde or system=3D3D3D20
> > > > 32?</FONT></DIV><BR>><DIV><FONT face=3D3D3D3D3DArial =
>=3D3D3D
> > > >
> > > > size=3D3D3D3D3D2>Do I want the Master card to be =3D3D3D
> > > >0=3D3D3D3D20<BR>>absolutely? I=3D3D3D20
> > > > only have one card</FONT></DIV><BR>><DIV><FONT =3D3D3D
> > > >
> > > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>in there right now
=
>and =3D
> >it's all=3D3D3D20
> > > > freaky<BR>=3D3D3D3D<BR>>just=3D3D3D20
> > > > =3D3D3D
> > > >the=3D3D3D3D20<BR>>same.</FONT></DIV><BR>><DIV><FONT=3D3D3D
> > > >=3D3D3D20
> > > > face=3D3D3D3D3DArial=3D3D3D20
> > > > size=3D3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D3D3D20
> > > > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =3D3D3D
> > > ></DIV><BR>><DIV><FONT=3D3D3D20
> > > > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =3D3D3D
> > > ></DIV><BR>><DIV><FONT=3D3D3D20
> > > > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT>=3D3D3D20
> > > > =3D3D3D
> > > > =3D
> =
>>></DIV><BR>><BLOCKQUOTE=3D3D3D3D20<BR>>style=3D3D3D3D3D "PADDING-RIGHT:
=
>=3D3D3D
> > > >0px;=3D3D3D20
> > > > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
> >=3D3D3D3D<BR>>BORDER-LEFT: #000000
> > =3D3D
> > >=3D3D3D
> > > >2px solid;=3D3D3D20
> > > > MARGIN-RIGHT: 0px"><BR>> <DIV>"Dimitrios"=3D3D3D20
> > > > <<A=3D3D3D3D20<BR>> href=3D3D3D3D3D"<A=3D3D3D20
> > > > =3D3D3D
> > > > =3D3D
> > > > =3D
> =
>>>>href=3D3D3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>mailto=
>:mu=3D

```

> >sur=3D3D
> > >gio=3D3D3D
> > > >@otenet.gr">musurgio@otenet.gr>=3D3D3D20
> > > > wrote in =3D3D3D3D
>message=3D3D3D3D20
> <A =
>=3D3D3D3D
> > > >=3D3D3D3D
>href=3D3D3D3D3D"<A=3D3D3D20
> > > > =3D3D3D3D
> > > > =3D3D3D
> > > > =3D
> =
>>>>href=3D3D3D3D'news:471a0486\$1 @linux">news:471a0486\$1 @linux...</DIV=
>><B=3D
> >R>H=3D3D
> > >i'>=3D3D3D
> > > =3D
> >>news:471a0486\$1 @linux">news:471a0486\$1 @linux...</DIV>&=3D3D3D
> > > >lt;BR>Hi
=3D3D3D3D
>Tom=3D3D3D3D20
> =3D3D3D20
> > > > <A href=3D3D3D3D"mailto:!!@
Sorry">!!@
Sorry to =
>hear =3D
> >you still
> > >=3D3D
> > >=3D3D3D
> > > >having=3D3D3D20
> > > > problems like this ~!!
Must =3D3D3D
> > > >be
=3D3D3D3D
>very=3D3D3D3D20
> =3D3D3D20
> > > > frustrating.
Open the Paris ini file and there change
=
>=3D
> >the=3D3D3D20
> > > > =3D3D3D3D
>mastercardoutput=3D3D3D3D20
> with your
=
>=3D3D3D3D
> > > >other
cards and=3D3D3D20
> > > > see what happens !!
Let me=3D3D3D3D20
> =3D3D3D20
> > > > know.
Regards,
Dimitrios

"Tom =3D3D3D
> > > >Bruhl"=3D3D3D20
> > > > <<A=3D3D3D3D20
> href=3D3D3D3D3D"<A=3D3D3D20
> > > > =3D3D3D3D
> > > > =3D3D3D
> > > > =3D
> =
>>>>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3=
>D3D3D=3D
> >20'>m=3D3D
> > >ailto=3D3D3D
> > > =3D
> =
>>>:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D3D20
&g=3D3=

> =
>>>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>=
>mai=3D
> >lto=3D3D
> > >:pa=3D3D3D
> > > =
>>rnell68@hotmail.com">parnell68@hotmail.com</A>=3D3D3D20
> > > > =3D3D3D3D
>wrote=3D3D3D3D20
> in =
>message=3D3D3D3D20
> =3D
> >=3D3D3D20
> > > > =3D3D3D
> > > =3D
> =
>>>=3D3D3D3D
>=3D3D3D3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4=
>ax=3D3D=3D
> >3D
> > > >.com...
>&nbs=3D3D3D3D
>p;=3D3D3D20
> > > > i=3D3D3D3D20
> know this as dumb as it gets but the =
>bnc is
> =3D
> >=3D3D3D
> > > >attached in=3D3D3D20
> > > > the=3D3D3D3D20
> right
> =3D3D3D20
> > > > order...right?
> all the cards show up=3D3D3D20
> > > > =3D3D3D3D
>in=3D3D3D3D20
> paris with the single =
>=3D3D3D
> > > >mec?
> =3D3D3D20
> > > > how many i/o cards in each=3D3D3D3D20
> =3D3D3D20
> > > > mec?
>
>
> On Fri, 19 Oct =3D3D3D
> > > >2007=3D3D3D20
> > > > 00:22:39 -0400, =3D3D3D3D
>"Tom=3D3D3D3D20
> =3D
> >Bruhl"=3D3D3D20
> > > > <<A=3D3D3D3D20
> =
>=3D3D3D3D
>href=3D3D3D3D3D'<A=3D3D3D20
> > > > =3D3D3D
> > > =3D3D
> > =3D
> =
>>>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
=
>>&n=3D
> >'>=3D3D3D=3D3D
> > >
> > > =
>>mailto:arpegio@comcast.net">arpegio@comcast.net>
=3D3D3D
> > > > >>&n=3D3D3D3D
>bsp;=3D3D3D3D20
> =3D3D3D20
> > > > wrote:
>
> >I thought I was groovin' =3D3D3D
> > > >but once=3D3D3D20
> > > > the =3D3D3D3D
>second=3D3D3D3D20
> Mec was =3D3D3D

> > > >introduced
> =3D3D3D20
 > > > >the system stopped. That =3D3D3D3D
>was a =3D3D3D
 > > > >few=3D3D3D3D20
> weeks=3D3D3D20
 > > > > ago.
> >
> >Today I tried=3D3D3D20
 > > > > =3D3D3D3D
>different=3D3D3D3D20
> cables, eds =
 >cards, =3D
 > >mecs, =3D3D3D
 > > > >eliminated the=3D3D3D20
 > > > > =3D3D3D3D
>magma
=3D3D3D3D3D
>and
> =3D3D3D
 > > > >=3D3D3D3D20
> =3D3D3D20
 > > > > >still no clock lock or modules showing up in the =3D3D3D
 > > > >paris=3D3D3D3D20
> =3D3D3D20
 > > > > patchbay.
> >
> >This means =3D3D3D
 > > > >to me=3D3D3D20
 > > > > =3D3D3D3D
>software=3D3D3D3D20
> unless someone =
 >tells =3D
 > >me=3D3D3D20
 > > > > differently.
> >
> =3D3D3D20
 > > > > =3D3D3D3D
>>I=3D3D3D3D20
> have a new C drive =
 >which I =3D
 > >will =3D3D3D
 > > > >load XP and no=3D3D3D20
 > > > > pace. Any=3D3D3D3D20
> other=3D3D3D3D3D20
> =
 >=3D3D3D20
 > > > > >suggestions?
> =3D3D3D3D
>>
>=3D3D3D20
 > > > > =3D3D3D3D20
> >More frustrated than my =3D3D3D
 > > > > >clients,
> =3D3D3D20
 > > > > =3D3D3D3D
>>Tom
> =3D3D3D3D20
> =3D3D3D
 > > > >>
> =3D3D3D20
 > > > > >
> >
> =3D3D3D
 > > > >=3D3D3D3D
>>
>=3D3D3D20
 > > > > =3D3D3D3D20
> >I choose Polesoft Lockspam to fight =
 >spam, =3D
 > >and=3D3D3D20
 > > > > you?
> =3D3D3D3D20
> =3D3D3D
 > > > >>http://www.polesoft.com/refer.html=3D3D3D20
 > > > > =3D3D3D3D20
> =3D3D3D
 > > > >=3D3D3D3D3D20
>
>
><!DOCTYPE=3D3D3D20
 > > > > HTML PUBLIC "-//W3C//DTD =3D3D3D3D
>HTML =
 >4.0=3D3D3D3D20
>
 > =3D
 > >=3D3D3D20
 > > > > =3D3D3D
 > > > > >Transitional//EN">
><HTML><HEAD>
>=3D3D3D
 > > > ><META=3D3D3D3D20
> =3D3D3D20
 > > > > http-equiv=3D3D3D3D3D3D3DContent-Type =3D3D3D
 > > > >content=3D3D3D3D3D3D"text/html;=3D3D3D3D20
> =3D3D3D20
 > > > > =

>=3D3D3D3D3D
> charset=3D3D3D3D3D3D3Diso-8859-1">
><META =3D3D3D3D
> > > >
> > > > =3D3D3D3D3D
> content=3D3D3D3D3D3D3D"MSHTML=3D3D3D3D20
 >
=
> =3D3D3D3D
> > > >6.00.2800.1400"=3D3D3D3D20
> =3D3D3D3D20
> > > > =3D3D3D3D
> > > =
>>=3D3D3D3D3D
> name=3D3D3D3D3D3D3DGENERATOR>
><STYLE></STYLE&=3D3D3D3D
3D
> > > =
>>gt;
></HEA=3D3D3D3D3D
>D>
><BODY=3D3D3D3D20
&=3D3D3D3D
> > > >gt; =3D3D3D3D20
> > > > bgColor=3D3D3D3D3D3D3D#ffffff>
><DIV><FONT=3D3D3D3D20
> > > > face=3D3D3D3D3D3D3DArial=3D3D3D3D20
> =3D3D3D3D20
> > > > =3D3D3D3D
> > > =
>>=3D3D3D3D3D
> size=3D3D3D3D3D3D2>Rick,</DIV>
>&l=3D3D3D3D
> > > >t;DIV><FONT=3D3D3D3D20
> =3D3D3D3D20
> > > > face=3D3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>1 mec, no BNC =
>=3D
> >involved. =3D3D3D
> > >Paris=3D3D3D20
> > > > =3D3D3D3D3D
>=3D3D3D3D3D3D
>boots up so=3D3D3D3D20
>
=
> =3D3D3D3D
> > > >the=3D3D3D3D3D3D20
>1=3D3D3D3D20
> > > > mec=3D3D3D3D20
> > > > =3D3D3D3D
> > > >=3D3D3D3D3D
>that</DIV>
><DIV><FONT=3D3D3D3D
> > > >=3D3D3D3D20
> =3D3D3D3D20
> > > > face=3D3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>I'm using shows
=
>up but
> =3D
> >never any
> > =3D3D3D
> > >A to =3D3D3D3D
> > > >
> > > > =3D3D3D3D3D
>=3D3D3D3D3D3D
>Ds or=3D3D3D3D20
> =
>=3D3D3D3D20
> > > > any=3D3D3D3D3D3D20
>installed=3D3D3D3D20
> =3D3D3D3D20
> > > > modules.</DIV>
><DIV><FONT=3D3D3D3D20
> > > > =3D3D3D3D3D
>face=3D3D3D3D3D3D3DArial=3D3D3D3D20
> =3D
> > size=3D3D3D3D3D3D2>This is =3D3D3D
> > >=3D3D3D3D
> > > >the same=3D3D3D20
> > > > symptom before I =3D3D3D3D3D3D
>repaired =3D3D3D3D

> > > >=3D3D3D3D
>one=3D3D3D3D20
> =3D3D3D20
> > > > of=3D3D3D3D3D20
>my mecs with=3D3D3D3D20
> =
>=3D3D3D20
> > > > a</DIV>
><DIV><FONT=3D3D3D20
> > > > face=3D3D3D3D3D3DArial=3D3D3D3D20
> =
>size=3D3D3D3D3D2>new =3D
> >chip. The =3D3D3D
> > > >clock light=3D3D3D20
> > > > =3D3D3D3D3D
>continues to=3D3D3D3D20
> =3D3D3D
> > > >flash=3D3D3D3D3D20
>too.=3D3D3D20
> > > > Never locks=3D3D3D3D20
> =3D3D3D20
> > > > in.</DIV>
><DIV><FONT =3D3D3D
> > > >face=3D3D3D3D3D3DArial=3D3D3D20
> > > > =3D3D3D3D
>
> size=3D3D3D3D3D3D2>=3D3D3D20
> > > > </DIV>
><DIV><FONT=3D3D3D20
> > > > =3D3D3D3D
>face=3D3D3D3D3D3DArial=3D3D3D3D20
> =3D
> >size=3D3D3D3D3D3D2>I am =3D3D3D
> > > >using the simplest=3D3D3D20
> > > > setup I can =3D3D3D3D3D
>imagine=3D3D3D3D20
> =

Subject: Re: Paris saga
Posted by [Tom Bruhl](#) on Mon, 22 Oct 2007 20:40:22 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_00F2_01C814CA.3D733990
Content-Type: text/plain;
 charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Thanks Dimitrios.

The Mastercard in the .cfg is looking for a number not a letter.
Mine always has read "0". I think that's what it supposed to be right?

I'm going to try the other computer to test the hardware one more time.
Maybe this will become the rig of choice... no pace you know and only =
one install
at C:Paris Pro. Clean from the get-go. It's an AMD 3000+ which should =
be fine.

I'll post when I learn something.
Tom

"Dimitrios" <musurgio@otenet.gr> wrote in message =

news:471c67f1\$1@linux...

Hey Tom,
Paris cfg file is in Paris folder.
Just open with as a text editor and change the mastercardout to =
whichever
letter will work alright.

Next what I would do is install over the minimum setup
exe file (subsystem effects) to your new moved directory exactly !!

Then I would for sure delete from the Paris folder the default.ppj =
project
AND the untitled project.ppj to.

Let us know !

Regards,
Dimitrios

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>
>
>Mike,
>I used to use a Lucid but since all of this mess I stopped.
>I'm trying to get stable from square one with the least amount=3D20
>of hardware. I am using the default project for sure. The only=3D20
>other thing that I still question is my move of Paris to C:ParisPro .
>I should think the default project will either work or not. Maybe
>configs or something else is fighting during Paris startup?

>
>Pats 42 - Miami 7 . . . Halftime and the games over.

>Tom

>

>

>

> "Mike Audet" <mike@....> wrote in message news:471b6eb0\$1@linux...

>

> Hi Tom,

>

> Are you using a default project with PARIS? I'm so sorry of this =
has

=3D

>been

> asked and answered already. If so, perhaps it is telling card zero =
to

=3D

>lock

> to an external clock, which it can't because there isn't one.

>

> It would be interesting to attach an external clock source to the =

MEC
=3D
>and
> then start PARIS to see how it behaves. Or, if the clock generator =
is
=3D
>fried,
> tell paris to lock externally and see what happens when an external =
=3D
>clock
> source is applied.
>
> Isn't there a master house synch switch in the cfg file? I've =
never =3D
>used
> it. Maybe DJ could help with what that should/shouldn't be set to.
>
> Wish I could do more than think out loud...
>
> Mike
>
> "Tom Bruhl" <arpeggio@comcast.net> wrote:
> >
> >
> >Hi Mike,
> >Well I've been to .cfg many a time.
> >I've seen that Mastercard setting as being 0
> >but maybe it changed after removing the 4 other
> >eds cards for this round of testing.
> >
> >If it's still 0 what else could this be? Busted mobo?
> >I'm really in an idunno place right now. I'll be checking
> >seriously today again because of a session tomorrow morning.
> >Tom
> >
> >
> > "Mike Audet" <mike@....> wrote in message =
news:471b2ec2\$1@linux...
> >
> > Hi Tom,
> >
> > If you've only got one card in, then the Mastercard =3D3D3D 0 =
setting
=3D
>is =3D3D
> >right.
> > The file is Paris.cfg, and it lives in the c:\program =3D
>files\Emu\PARIS

> =3D3D
> >PRO
> > folder.
> >
> > I'd still check it out to see what it is set to.
> >
> > If it is wrong, what you are describing will happen.
> >
> > Good luck!
> >
> > Mike
> >
> > "Tom Bruhl" <arpegio@comcast.net> wrote:
> > >
> > >
> > >Thanks Dimitrios.
> > >
> > >Mike said the same thing. Is the ini in the Paris folde or =
system
=3D
>=3D3D
> >32?
> > >Do I want the Master card to be 0 absolutely? I only have one =
=3D
>card
> > >in there right now and it's all freaky just the same.
> > >Tom
> > >
> > >
> > >
> > > "Dimitrios" <musurgio@otenet.gr> wrote in message =3D3D3D
> > >news:471a0486\$1@linux...
> > >
> > > Hi Tom !@
> > > Sorry to hear you still having problems like this ~!!
> > > Must be very frustrating.
> > > Open the Paris ini file and there change the mastercardoutput =
=3D
>with
> =3D3D
> >=3D3D3D
> > >your other
> > > cards and see what happens !!
> > > Let me know.
> > > Regards,
> > > Dimitrios
> > >
> > > "Tom Bruhl" <arpegio@comcast.net> wrote:

> > > >
> > > >
> > > >Rick,
> > > >1 mec, no BNC involved. Paris boots up so the 1 mec that
> > > >I'm using shows up but never any A to Ds or any installed =
=3D
>modules.
> > > >This is the same symptom before I repaired one of my mecs =
with
=3D
>a
> > > >new chip. The clock light continues to flash too. Never =
locks
=3D
>=3D3D
> >in.
> > > >
> > > >I am using the simplest setup I can imagine and still it's =
not
=3D
>=3D3D3D
> > >working.
> > > >Mike A. suggested the .ini file to make sure card A is 0. =
=3D
>I'll =3D3D
> >try
> > =3D3D3D
> > >=3D3D3D3D
> > > >that.
> > > >Pretty sure it's right but who knows?
> > > >Thanks,
> > > >Tom
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >"rick" <parnell68@hotmail.com> wrote in message =3D3D3D3D
> > > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> > > > i know this as dumb as it gets but the bnc is attached in =
the
=3D
>=3D3D
> >right
> > > > order...right?
> > > > all the cards show up in paris with the single mec?
> > > > how many i/o cards in each mec?
> > > >

> > > >
 > > > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D3D3D
 > > ><arpegio@comcast.net>
 > > > > wrote:
 > > > >
 > > > > >I thought I was groovin' but once the second Mec was =3D
 >introduced
 > > > > >the system stopped. That was a few weeks ago.
 > > > > >
 > > > > >Today I tried different cables, eds cards, mecs, =
 eliminated
 =3D
 >the
 > =3D3D
 > >=3D3D3D
 > > >magma
 > > > =3D3D3D3D3D
 > > > >and
 > > > > >still no clock lock or modules showing up in the paris =
 =3D3D
 > >patchbay.
 > > > > >
 > > > > >This means to me software unless someone tells me =3D
 >differently.
 > > > > >
 > > > > >I have a new C drive which I will load XP and no pace. =
 Any
 =3D
 >=3D3D3D
 > > >other=3D3D3D3D20
 > > > > >suggestions?
 > > > > >
 > > > > >More frustrated than my clients,
 > > > > >Tom
 > > > > >
 > > > > >
 > > > > >
 > > > > >
 > > > > >I choose Polesoft Lockspam to fight spam, and you?
 > > > > ><http://www.polesoft.com/refer.html> =3D3D3D3D20
 > > > > >
 > > > > >
 > > > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =
 Transitional//EN">
 > > > ><HTML><HEAD>
 > > > ><META http-equiv=3D3D3D3D3DContent-Type =3D
 >content=3D3D3D3D3D"text/html"; =3D3D
 > >=3D3D3D3D3D

```

> > > > charset="iso-8859-1">
> > > > <META content="MSHTML 6.00.2800.1400" name="GENERATOR">
> > > > <STYLE></STYLE>
> > > > </HEAD>
> > > > <BODY bgcolor="#ffffff">
> > > > <DIV><FONT face="Arial" size="2">Rick,</FONT></DIV>
> > > > <DIV><FONT face="Arial" size="2">1 mec, no =
BNC =
>involved. =
> >Paris =
> > >=
> > > > boots up so the =
> > > > 1 mec that</FONT></DIV>
> > > > <DIV><FONT face="Arial" size="2">I'm using =
shows up
=
>but =
> >never any
> > =
> > >A to =
> > > >Ds or any =
> > > > installed modules.</FONT></DIV>
> > > > <DIV><FONT face="Arial" size="2">This is the =
same =
>symptom
> =
> >before
> > =
> > >I =
> > > >repaired one of =
> > > > my mecs with a</FONT></DIV>
> > > > <DIV><FONT face="Arial" size="2">new chip. =
The =
>clock light
> =
> >=
> > > > continues to flash =
> > > > too. Never locks in.</FONT></DIV>
> > > > <DIV><FONT face="Arial" size="2"></FONT> =
</DIV>
> > > > <DIV><FONT face="Arial" size="2">I am using =
the =
>simplest =
> >setup I
> > =
> > >can =

```

> > > > imagine and=3D3D3D3D20
> > > > still it's not working.</DIV>
> > > ><DIV>Mike A. =
suggested
=3D
>the =3D3D
> >.ini file
> > =3D3D3D
> > >=3D3D3D3D
> > > >to make sure=3D3D3D3D20
> > > >card A is 0. I'll try that.</DIV>
> > > ><DIV>Pretty sure =
it's =3D
>right =3D3D
> >but who =3D3D3D
> > >=3D3D3D3D
> > > >knows?</DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial =3D
>size=3D3D3D3D3D2>Thanks,</DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial =
size=3D3D3D3D3D2>Tom</DIV>
> > > ><DIV> =
</DIV>
> > > ><DIV> =
</DIV>
> > > ><DIV> </DIV>
> > > ><DIV> </DIV>
> > > ><DIV> </DIV>
> > > ><DIV>"rick" <<A=3D3D3D3D20
> > > =3D3D
> =3D
=
>>>href=3D3D3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com</A=
>>
=3D
>=3D3D
> >=3D3D3D
> > >=3D3D3D3D
> > > >wrote in=3D3D3D3D20
> > > >message <A=3D3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>>href=3D3D3D3D3D"news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news=
:in=3D
>qgh=3D3D
> >393=3D3D3D

> > >an5=3D3D3D3D
> > > >s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> > > ><BLOCKQUOTE=3D3D3D3D20
> > > >style=3D3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =3D
>MARGIN-LEFT: =3D3D3D
> >5px; =3D3D3D3D
> > >=3D3D3D3D3D
> > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =
0px">i=3D3D3D3D20
> > > > know this as dumb as it gets but the bnc is attached in =
=3D3D3D
> >the=3D3D3D3D20
> > > > right
order...right?
all the cards show up in paris =
=3D
>with =3D3D3D
> >the
> > =3D3D3D3D
> > >=3D3D3D3D3D
> > > >single=3D3D3D3D20
> > > > mec?
how many i/o cards in each mec?

On Fri, =
19
=3D
>=3D3D3D
> >Oct =3D3D3D3D
> > >2007
> > > =3D3D3D3D3D
> > > >
> > > > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D3D20
> > > > =3D3D3D3D3D
> > > =3D3D3D3D
> > =3D3D3D
> =3D
=
>>>>href=3D3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net><=
BR>=3D
>wro=3D3D3D
> >te:=3D3D3D3D
> > >=3D3D3D3D3D
> > > >

>I=3D3D3D3D20
> > > > thought I was groovin' but once the second Mec was =
=3D3D3D3D3D
> > > >introduced
>the=3D3D3D3D20
> > > > system stopped. That was a few weeks ago.
>
>Today I =
=3D
>=3D3D3D3D3D
> > > >tried=3D3D3D3D20
> > > > different cables, eds cards, mecs, eliminated the magma =
=3D

```

>=3D3D3D3D
> > > >and<BR>>still no=3D3D3D3D20
> > > > clock lock or modules showing up in the paris =3D3D3D3D
> > > >patchbay.<BR>><BR>>This=3D3D3D3D20
> > > > means to me software unless someone tells me =3D3D3D3D
> > > > differently.<BR>><BR>>I=3D3D3D3D20
> > > > have a new C drive which I will load XP and no pace. Any =
=3D3D
> >other=3D3D3D3D20
> > > > <BR>>suggestions?<BR>><BR>>More frustrated than =
my=3D3D3D3D20
> > > > clients,<BR>>Tom<BR>><BR>><BR>><BR>><BR>><BR>>I choose =
=3D3D3D3D
> > > >Polesoft=3D3D3D3D20
> > > > Lockspam to fight spam, and=3D3D3D3D20
> > > > you?<BR>>http://www.polesoft.com/refer.html =3D3D3D3D20
> > > ><BR></BLOCKQUOTE></BODY></HTML>
> > > >
> > > >
> > >
> > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> > ><HTML><HEAD>
> > ><META http-equiv=3D3D3D3DContent-Type =
content=3D3D3D3D"text/html; =3D
>=3D3D3D
> > > charset=3D3D3D3Diso-8859-1">
> > ><META content=3D3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3D3DGENERATOR>
> > ><STYLE></STYLE>
> > ></HEAD>
> > ><BODY bgColor=3D3D3D3D#ffffff>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Thanks =3D
>Dimitrios.</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Mike said the same =
thing.
=3D
> > ls =3D3D
> > >the =3D3D3D
> > >ini in the=3D3D3D20
> > >Paris folde or system 32?</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Do I want the =
Master card
=3D
> >to be
> >=3D3D
> >>0=3D3D3D20

```

```

> > >absolutely? I only have one card</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>in there right now =
and =3D
>it's all
> =3D3D
> >freaky
> > =3D3D3D
> > >just the=3D3D3D20
> > >same.</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Tom</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > ><BLOCKQUOTE=3D3D3D20
> > >style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
MARGIN-LEFT: =3D
>5px; =3D3D
> >=3D3D3D
> > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > > <DIV>"Dimitrios" <<A=3D3D3D20
> > > =
href=3D3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>> =3D
>wrote
> =3D3D
> >in =3D3D3D
> > >message=3D3D3D20
> > > <A =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D"news:471a0486$1@linux">news:471a0486$1@linux</A>...</DIV=
><B=3D
>R>H=3D3D
> >i
> > =3D3D3D
> > >Tom=3D3D3D20
> > > !@<BR>Sorry to hear you still having problems like this =3D
>~!!<BR>Must
> =3D3D
> >be
> > =3D3D3D
> > >very=3D3D3D20
> > > frustrating.<BR>Open the Paris ini file and there change the =
=3D
>=3D3D3D
> > >mastercardoutput=3D3D3D20
> > > with your other<BR>cards and see what happens !!<BR>Let =3D
>me=3D3D3D20

```


>>>=3D3D3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
>&=nbs=3D
>=3D3D3D=3D3D
> >
> > >p; i=3D3D3D20
> > > know this as dumb as it gets but the bnc is attached in =3D
>the=3D3D3D20
> > > right
> order...right?
> all the cards show up =
=3D3D3D
> > >in=3D3D3D20
> > > paris with the single mec?
> how many i/o cards in =3D
>each=3D3D3D20
> > > mec?
>
>
> On Fri, 19 Oct 2007 00:22:39 -0400, =
=3D3D3D
> > >"Tom=3D3D3D20
> > > Bruhl" <<A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
=>&n=3D
>=3D3D3D=3D3D
> >
> > >bsp;=3D3D3D20
> > > wrote:
>
> >I thought I was groovin' but once the =
=3D3D3D
> > >second=3D3D3D20
> > > Mec was introduced
> >the system stopped. That =3D3D3D
> > >was a few=3D3D3D20
> > > weeks ago.
> >
> >Today I tried =3D3D3D
> > >different=3D3D3D20
> > > cables, eds cards, mecs, eliminated the =3D3D3D
> > >magma
=3D3D3D3D
>and
> =3D3D3D20
> > > >still no clock lock or modules showing up in the =
paris=3D3D3D20
> > > patchbay.
> >
> >This means to me =3D3D3D
> > >software=3D3D3D20
> > > unless someone tells me differently.
> >
> =3D3D3D
> > >>l=3D3D3D20
> > > have a new C drive which I will load XP and no pace. =
Any=3D3D3D20
> > > other=3D3D3D3D20
> >suggestions?
> =3D3D3D
> > >>
> =3D3D3D20
> > > >More frustrated than my clients,
> =3D3D3D
> > >>Tom
> =3D3D3D20
> > > >
> >
> >
> =3D3D3D
> > >>
> =3D3D3D20

```

> > > >I choose Polesoft Lockspam to fight spam, and you?<BR>> =
=3D3D3D20
> > > >http://www.polesoft.com/refer.html =3D3D3D20
> > > =3D3D3D3D20<BR>><BR>><BR>><!DOCTYPE HTML PUBLIC "-//W3C//DTD =
=3D3D3D
> > >HTML 4.0=3D3D3D20
> > > Transitional//EN"><BR>><HTML><HEAD><BR>><META=3D3D3D20
> > > http-equiv=3D3D3D3D3DContent-Type =3D
>content=3D3D3D3D3D"text/html;=3D3D3D20
> > > =3D3D3D3D3D<BR>>charset=3D3D3D3D3Diso-8859-1"><BR>><META =
=3D3D3D
> > >content=3D3D3D3D3D"MSHTML=3D3D3D20
> > > 6.00.2800.1400"=3D3D3D20
> > > =3D3D3D
> > >name=3D3D3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D3D3D
> > >D><BR>><BODY=3D3D3D20
> > > bgColor=3D3D3D3D3D#ffffff><BR>><DIV><FONT =3D
>face=3D3D3D3D3DArial=3D3D3D20
> > > =3D3D3D
> > >size=3D3D3D3D3D2>Rick,</FONT></DIV><BR>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>1 mec, no BNC involved. =
Paris
=3D
>=3D3D3D
> > >=3D3D3D3D<BR>>boots up so=3D3D3D20
> > > the=3D3D3D3D20<BR>>1 mec =3D3D3D
> > >that</FONT></DIV><BR>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using shows up but =
never =3D
>any A to
> =3D3D
> >=3D3D3D
> > >=3D3D3D3D<BR>>Ds or=3D3D3D20
> > > any=3D3D3D3D20<BR>>installed=3D3D3D20
> > > modules.</FONT></DIV><BR>><DIV><FONT =3D3D3D
> > >face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>This is the same symptom before I =3D
>=3D3D3D3D<BR>>repaired =3D3D
> >=3D3D3D
> > >one=3D3D3D20
> > > of=3D3D3D3D20<BR>>my mecs with=3D3D3D20
> > > a</FONT></DIV><BR>><DIV><FONT face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>new chip. The clock light =
=3D3D3D3D<BR>>continues =3D
>to=3D3D3D20
> > > flash=3D3D3D3D20<BR>>too. Never locks=3D3D3D20
> > > in.</FONT></DIV><BR>><DIV><FONT face=3D3D3D3D3DArial =3D3D3D
> > >

```

> > > size=3D3D3D3D2> </DIV>
><DIV><FONT =3D3D3D
> > >face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>I am using the simplest setup I can =3D3D
> >=3D3D3D3D
>imagine=3D3D3D20
> > > and=3D3D3D3D20
>still it's not=3D3D3D20
> > > working.</DIV>
><DIV><FONT =3D3D3D
> > >face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Mike A. suggested the .ini file =
=3D3D3D3D
>to =3D
>make=3D3D3D20
> > > sure=3D3D3D3D20
>card A is 0. I'll try=3D3D3D20
> > > that.</DIV>
><DIV><FONT =3D3D3D
> > >face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Pretty sure it's right but who=3D3D3D20
> > > =3D3D3D3D
>knows?</DIV>
><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial=3D3D3D20
> > > =3D3D3D
> > >size=3D3D3D3D3D2>Thanks,</DIV>
><DIV><FONT=3D3D3D
> > >=3D3D3D20
> > > face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Tom</DIV>
><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2> =3D3D3D
> > ></DIV>
><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2> =3D3D3D
> > ></DIV>
><DIV>=3D3D3D20
> > > </DIV>
><DIV> </DIV>
><DIV>=3D3D3D20
> > > </DIV>
><DIV>"rick" =3D3D3D
> > ><<A=3D3D3D3D20
>href=3D3D3D3D3D"<A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>=
mai=3D
>Ito=3D3D
> >:pa=3D3D3D
> > >rnell68@hotmail.com">parnell68@hotmail.com</A>>=3D3D3D20
> > > =3D3D3D3D
>wrote in=3D3D3D3D20
>message =3D
><A=3D3D3D3D20
>href=3D3D3D3D3D"<A
> =3D3D
> >=3D3D3D
> > >
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in=
qgh=3D

>393=3D3D
> >an5=3D3D3D
> > =3D3D
> =3D
=
>>>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393an5</A=
=3D3D=3D
>3D=3D3D
> >
> > =3D
=
>>>=3D3D3D3D
>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
&=3D3D3D=

> > =
>gt;<BLOCKQUOTE=3D3D3D3D20
>style=3D3D3D3D3D"PADDING-RIGHT:=3D3D3D20
> > > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
>=3D3D3D3D
>BORDER-LEFT: =3D3D
> >=3D3D3D
> > >#000000 2px=3D3D3D20
> > > solid; MARGIN-RIGHT: 0px">i=3D3D3D3D20
> know this as =
dumb as
=3D
>=3D3D3D
> > >it gets=3D3D3D20
> > > but the bnc is attached in the=3D3D3D3D20
> =3D3D3D20
> > > right
order...right?
all the cards show up in paris =
=3D3D3D
> > >with the=3D3D3D20
> > > =3D3D3D3D
>single=3D3D3D3D20
> mec?
how many i/o =
cards =3D
>=3D3D3D
> > >in each=3D3D3D20
> > > mec?

On Fri, 19 Oct=3D3D3D20
> > > 2007
=3D3D3D3D
>
> 00:22:39 -0400, "Tom =
Bruhl"=3D3D3D20
> > > <<A=3D3D3D3D20
> =
=3D3D3D3D
>href=3D3D3D3D3D"<A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
=
wro=3D
>te'=3D3D
> >>ma=3D3D3D
> > >ilto:arpegio@comcast.net">arpegio@comcast.net>
w=3D3D3D
> > >rote:=3D3D3D3D
>

>I=3D3D3D3D20
> =3D3D3D20
> > > thought I was groovin' but once the second Mec was=3D3D3D20

> > > =3D3D3D3D
>introduced
>the=3D3D3D3D20
> system =
 =3D3D3D3D
 > > >stopped. That was=3D3D3D20
 > > > a few weeks ago.
>
>Today I=3D3D3D20
 > > > =3D3D3D3D
>tried=3D3D3D3D20
> different cables, eds =
 cards, =3D
 >mecs, =3D3D3D3D
 > > >eliminated=3D3D3D20
 > > > the magma =3D3D3D3D
>and
>still no=3D3D3D3D20
> =
 =3D3D3D3D
 > > >clock lock or=3D3D3D20
 > > > modules showing up in the paris=3D3D3D20
 > > > =3D3D3D3D
 > > >=3D3D3D3D
>patchbay.
>
>This=3D3D3D3D20
> =3D3D3D
 > > >means to=3D3D3D20
 > > > me software unless someone tells me=3D3D3D20
 > > > =3D3D3D3D
 > > >=3D3D3D3D
>differently.
>
>I=3D3D3D3D20
> =3D3D3D
 > > >have a new=3D3D3D20
 > > > C drive which I will load XP and no pace. Any =3D
 >other=3D3D3D3D20
> =3D3D
 > >=3D3D3D3D
 > > >
 > > >
>suggestions?
>
>More frustrated =3D3D3D
 > > >than=3D3D3D20
 > > > my=3D3D3D3D20
> =3D3D3D20
 > > > =3D3D3D3D
 > > >clients,
>Tom
>
>
>
>
>=3D3D3D
 > > >>>
>I=3D3D3D20
 > > > choose =3D3D3D3D
>Polesoft=3D3D3D3D20
> Lockspam to =
 fight =3D
 >spam,=3D3D3D20
 > > > and=3D3D3D3D20
> =3D3D3D3D
 > > >you?
><http://www.polesoft.com/refer.html>=3D3D3D20
 > > > =3D3D3D3D
 > > >=3D3D3D3D20
>
></BLOCKQUOTE></BODY></HTML>
&=3D3D3D
 > > >gt;
>
></BLOCKQUOTE></BODY></HTML>
 > > >
 > > >
 > >
 > >
 > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
 > ><HTML><HEAD>
 > ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =
 =3D3D
 > >charset=3D3D3Diso-8859-1">
 > ><META content=3D3D3D"MSHTML 6.00.2800.1400" name=3D3D3DGENERATOR>
 > ><STYLE></STYLE>

```

> </HEAD>
> <BODY bgColor=#ffffff>
> <DIV><FONT face=Arial size=2>Hi Mike,</FONT></DIV>
> <DIV><FONT face=Arial size=2>Well I've been to .cfg =
many a =3D
>=3D3D
> >time.</FONT></DIV>
> <DIV><FONT face=Arial size=2>I've seen that Mastercard =
=3D
>setting as =3D3D
> >being=3D3D20
> >0</FONT></DIV>
> <DIV><FONT face=Arial size=2>but maybe it changed =
after =3D
>removing the
> =3D3D
> >4=3D3D20
> >other</FONT></DIV>
> <DIV><FONT face=Arial size=2>eds cards for this round =
of =3D3D
> >testing.</FONT></DIV>
> <DIV><FONT face=Arial size=2></FONT> </DIV>
> <DIV><FONT face=Arial size=2>If it's still 0 what else =
could
=3D
>this =3D3D
> >be? =3D3D20
> >Busted mobo?</FONT></DIV>
> <DIV><FONT face=Arial size=2>I'm really in an idunno =
place =3D
>right =3D3D
> >now. I'll=3D3D20
> >be checking</FONT></DIV>
> <DIV><FONT face=Arial size=2>seriously today again =
because of
=3D
>a =3D3D
> >session tomorrow=3D3D20
> >morning.</FONT></DIV>
> <DIV><FONT face=Arial size=2>Tom</FONT></DIV>
> <DIV><FONT face=Arial size=2></FONT> </DIV>
> <DIV><FONT face=Arial size=2></FONT> </DIV>
> <BLOCKQUOTE=3D3D20
> >style=3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
5px; =3D
>=3D3D
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > <DIV>"Mike Audet" <mike@....> wrote in message <A=3D3D20

```

> > =3D3D
> =3D
=
>>href=3D3D3D"news:471b2ec2\$1@linux">news:471b2ec2\$1@linux...</DIV><B=
R>H=3D
>i=3D3D20
> > Tom,

If you've only got one card in, then the Mastercard =
=3D
>=3D3D3D 0
> =3D3D
> >setting is=3D3D20
> > right.
 The file is Paris.cfg, and it lives in the =3D
>c:\program=3D3D20
> > files\Emu\PARIS PRO
folder.

I'd still check it out to =
see
=3D
>=3D3D
> >what it is=3D3D20
> > set to.

If it is wrong, what you are describing =
will=3D3D20
> > happen.

Good luck!

Mike

"Tom Bruhl" =
<<A=3D3D20
> > =
href=3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net=>=3D3D20
> > wrote:
>
>
>Thanks Dimitrios.
>
>Mike =3D3D
> >said the=3D3D20
> > same thing. Is the ini in the Paris folde or system =3D3D
> >32?
>Do I want=3D3D20
> > the Master card to be 0 absolutely? I only have one =3D3D
> >card
>in there=3D3D20
> > right now and it's all freaky just the=3D3D20
> > same.
>Tom
>
>
>
> "Dimitrios" =3D3D
> ><<A=3D3D20
> > href=3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr =
wrote
=3D
>in =3D3D
> >message=3D3D20
> > =3D3D3D
>news:471a0486\$1@linux...
>
> Hi Tom=3D3D20
> > !@
> Sorry to hear you still having problems like =
this=3D3D20
> > ~!!
> Must be very frustrating.
> Open the =3D3D
> >Paris ini=3D3D20
> > file and there change the mastercardoutput with =
=3D3D3D
>your=3D3D20
> > other
> cards and see what happens !!
> Let me =3D3D
> >
> > know.
> Regards,
> =3D3D

> >Dimitrios
>
> =3D3D20
> > "Tom Bruhl" <<A=3D3D20
> > =
href=3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net=>=3D3D20
> > wrote:
> >
> >
> =3D3D20
> > >Rick,
> >1 mec, no BNC involved. Paris boots =3D3D
> >up so=3D3D20
> > the 1 mec that
> >I'm using shows up but never any A to =
=3D3D
> >Ds or=3D3D20
> > any installed modules.
> >This is the same symptom =3D3D
> >before I=3D3D20
> > repaired one of my mecs with a
> >new chip. The =3D3D
> >clock=3D3D20
> > light continues to flash too. Never locks in.
> =3D3D20
> > >
> >I am using the simplest setup I can imagine and =3D3D
> >still=3D3D20
> > it's not =3D3D3D
>working.
> >Mike A. suggested =3D3D
> >the .ini=3D3D20
> > file to make sure card A is 0. I'll =3D3D
> >try
=3D3D3D
>=3D3D3D3D
> =3D3D20
> > >that.
> >Pretty sure it's right but who=3D3D20
> > knows?
> >Thanks,
> >Tom
> =3D3D20
> > >
> >
> >
> =3D3D
> >>
> =3D3D20
> > >
> >"rick" <<A=3D3D20
> > =
href=3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com>
=3D
>=3D3D
> >wrote in=3D3D20
> > message =3D3D3D3D
> =3D3D20
> > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =3D3D20
> > > i know this as dumb as it gets but the bnc is attached in =
=3D3D
> >the=3D3D20
> > right
> > order...right?
> > =3D3D
> >all the=3D3D20
> > cards show up in paris with the single mec?
> > =3D3D
> >how many=3D3D20
> > i/o cards in each mec?
> >
> =3D3D
> >>
> =3D3D20
> > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D3D
> >=3D3D3D
><<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=

```

=3D3D=3D
>
> >bsp;=3D3D20
> > > wrote:<BR>> ><BR>> > >I =3D3D
> >thought I=3D3D20
> > was groovin' but once the second Mec was introduced<BR>> =3D3D
> >> =3D3D20
> > >the system stopped. That was a few weeks ago.<BR>> =3D3D20
> > > ><BR>> > >Today I tried different =3D3D
> >cables,=3D3D20
> > eds cards, mecs, eliminated the =3D3D3D<BR>>magma<BR>> =3D3D
> >=3D3D3D3D<BR>> =3D3D20
> > >and<BR>> > >still no clock lock or modules =3D3D
> >showing up=3D3D20
> > in the paris patchbay.<BR>> > ><BR>> =3D3D
> >> =3D3D20
> > >This means to me software unless someone tells me=3D3D20
> > differently.<BR>> > ><BR>> > =3D3D
> >>I have=3D3D20
> > a new C drive which I will load XP and no pace. Any=3D3D20
> > =3D3D3D<BR>>other=3D3D3D3D20<BR>> > =3D3D
> >>suggestions?<BR>> =3D3D20
> > > ><BR>> > >More frustrated than my=3D3D20
> > clients,<BR>> > >Tom<BR>> > =3D3D20
> > ><BR>> > ><BR>> > =3D3D
> >><BR>> =3D3D20
> > > ><BR>> > >I choose Polesoft =3D3D
> >Lockspam to=3D3D20
> > fight spam, and you?<BR>> > =3D3D20
> > >http://www.polesoft.com/refer.html =3D3D3D3D20<BR>> =3D3D20
> > ><BR>> ><BR>> ><!DOCTYPE HTML PUBLIC=3D3D20
> > "-//W3C//DTD HTML 4.0 Transitional//EN"><BR>> =3D3D20
> > ><HTML><HEAD><BR>> ><META=3D3D20
> > http-equiv=3D3D3D3D3DContent-Type content=3D3D3D3D3D"text/html; =
=3D3D
> >=3D3D3D3D<BR>> =3D3D20
> > >charset=3D3D3D3D3D3Diso-8859-1"><BR>> ><META =3D3D
> >content=3D3D3D3D3D3D"MSHTML=3D3D20
> > 6.00.2800.1400" name=3D3D3D3D3D3DGENERATOR><BR>> =3D3D20
> > ><STYLE></STYLE><BR>> =3D3D
> >></HEAD><BR>> =3D3D20
> > ><BODY bgColor=3D3D3D3D3D#ffffff><BR>> =3D3D
> >><DIV><FONT=3D3D20
> > face=3D3D3D3D3D3DArial =3D3D
> >size=3D3D3D3D3D2>Rick,</FONT></DIV><BR>> =3D3D20
> > ><DIV><FONT face=3D3D3D3D3D3DArial size=3D3D3D3D3D2>1 mec, no BNC =
=3D3D
> >involved.=3D3D20

```

> > Paris =3D3D3D
>=3D3D3D3D
> >boots up so =3D3D
> >the=3D3D3D3D20
> >1=3D3D20
> > mec that</DIV>
> =3D3D
> >><DIV><FONT=3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2>l'm using shows up but =
never =3D3D
> >any
=3D3D3D
>A to=3D3D20
> > =3D3D3D3D
> >Ds or any=3D3D3D3D20
> >installed=3D3D20
> > modules.</DIV>
> =3D3D
> >><DIV><FONT=3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2>This is the same symptom =
=3D3D
> >before
=3D3D3D
>I=3D3D20
> > =3D3D3D3D
> >repaired one of=3D3D3D3D20
> >my =3D3D
> >mecs with=3D3D20
> > a</DIV>
> ><DIV><FONT=3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2>new chip. The clock light =
=3D3D
> >=3D3D3D3D
> =3D3D20
> > >continues to flash=3D3D3D3D20
> >too. Never locks=3D3D20
> > in.</DIV>
> ><DIV><FONT=3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2> =3D3D
> ></DIV>
> =3D3D20
> > ><DIV>I am using =
=3D3D
> >the simplest=3D3D20
> > setup I
=3D3D3D
>can =3D3D3D3D
> >imagine =3D3D
> >and=3D3D3D3D20
> =3D3D20
> > >still it's not working.</DIV>
> =3D3D20
> > ><DIV>Mike A. =3D3D
> >suggested the=3D3D20
> > .ini file
=3D3D3D
>=3D3D3D3D
> >to make =3D3D
> >sure=3D3D3D3D20
> =3D3D20
> > >card A is 0. I'll try that.</DIV>
> =3D3D
> >
> > ><DIV>Pretty sure =
=3D3D
> >it's right=3D3D20
> > but who =3D3D3D
>=3D3D3D3D
> =3D3D20
> > >knows?</DIV>
> =3D3D
> >><DIV><FONT=3D3D20
> > face=3D3D3D3D3DArial =3D3D
> >size=3D3D3D3D3D2>Thanks,</DIV>
> =3D3D20
> > ><DIV><FONT face=3D3D3D3D3DArial=3D3D20
> > size=3D3D3D3D3D2>Tom</DIV>
> =3D3D20
> > ><DIV> =3D3D
> >
> > </DIV>
> ><DIV><FONT face=3D3D3D3D3DArial=3D3D20

> > size=3D3D3D3D2> </DIV>
> =3D3D
> >><DIV>=3D3D20
> > </DIV>
> ><DIV> </DIV>
> =3D3D20
> > ><DIV> </DIV>
> ><DIV>"rick"=3D3D20
> > <<A=3D3D3D3D20
> >href=3D3D3D3D3D"<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mai=
lto=3D
>:pa=3D3D
> >rnell68@hotmail.com">parnell68@hotmail.com</A/A>>=3D3D20
> > =3D3D3D
>=3D3D3D3D
> >wrote in=3D3D3D3D20
> =3D3D
> >>message=3D3D20
> > <A=3D3D3D3D20
> =3D3D3D
>>href=3D3D3D3D3D"<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh=
393=3D
>'>n=3D3D
> =3D
=
>>ews:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393=3D3D3=
D<B=3D
>=3D3D
> >R>>an5=3D3D3D3D
> =3D3D20
> > =3D3D
> >>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> =3D3D
> >;=3D3D20
> > ><BLOCKQUOTE=3D3D3D3D20
> =3D3D
> >>style=3D3D3D3D3D"PADDING-RIGHT: 0px;=3D3D20
> > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D3D
>=3D3D3D3D
> =
=3D3D20
> > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =3D3D
> >0px">i=3D3D3D3D20
> =3D3D20
> > > know this as dumb as it gets but the bnc is attached =
in=3D3D20
> > the=3D3D3D3D20
> > =3D3D
> >right
order...right?
all=3D3D20
> > the cards show up in paris with =
the
=3D3D3D
>=3D3D3D3D
> =3D3D20
> > >single=3D3D3D3D20
> > mec?
how many i/o =3D3D
> >cards in=3D3D20
> > each mec?

On Fri, 19 Oct=3D3D20
> > =3D3D3D
>2007
> =3D3D3D3D
> >
> =3D3D
> >> =3D3D20
> > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D3D20
> > =3D3D20

> > =3D3D3D3D
> =3D3D3D
>>href=3D3D3D3D3D3D" <A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
wro=
te'=3D
>>ma=3D3D
> >ilto:arpegio@comcast.net">arpegio@comcast.net>
w=3D3D
> >rote:=3D3D3D3D
>=3D3D3D3D3D
> =3D3D20
> > >

>I=3D3D3D3D20
> > thought =3D3D
> >I was=3D3D20
> > groovin' but once the second Mec was =3D3D3D3D
> =3D3D20
> > >introduced
>the=3D3D3D3D20
> > system =3D3D
> >stopped.=3D3D20
> > That was a few weeks ago.
>
>Today I =3D3D
> >=3D3D3D3D
> =3D3D20
> > >tried=3D3D3D3D20
> > different cables, eds cards, =3D3D
> >mecs,=3D3D20
> > eliminated the magma =3D3D3D3D
> >and
>still=3D3D20
> > no=3D3D3D3D20
> > clock lock or modules showing up in =3D3D
> >the paris=3D3D20
> > =3D3D3D3D
> =3D3D20
> > >patchbay.
>
>This=3D3D3D3D20
> =3D3D
> >>=3D3D20
> > means to me software unless someone tells me =3D3D3D3D
> =
=3D3D20
> > >differently.
>
>I=3D3D3D3D20
> =3D3D
> >>=3D3D20
> > have a new C drive which I will load XP and no pace. Any=3D3D20
> > other=3D3D3D3D20
> > =3D3D20
> >
>suggestions?
>
>More frustrated =3D3D
> >than=3D3D20
> > my=3D3D3D3D20
> > =3D3D20
> > =3D3D
> >clients,
>Tom
>
>
>
>
=3D3D
> >>>
>I=3D3D20
> > choose =3D3D3D3D
> >Polesoft=3D3D3D3D20
> =3D3D
> >> Lockspam=3D3D20
> > to fight spam, and=3D3D3D3D20
> > =3D3D20
> > you?
>http://www.polesoft.com/refer.html =3D3D
> >=3D3D3D3D20
> =3D3D20
> > =3D3D
> >>
</BLOCKQUOTE></BODY></HTML>
> =3D3D
> >=3D3D20
> > >
> >
>
>
><!DOCTYPE HTML =3D3D
> >PUBLIC=3D3D20
> > "-//W3C//DTD HTML 4.0=3D3D20
> > Transitional//EN">
><HTML><HEAD>
><META=3D3D20

```

> > http-equiv=Content-Type =
content="text/html; charset=
> > =Diso-8859-1"><BR>><META =
> > content="MSHTML=
> > 6.00.2800.1400"=
> > =
> > name=GENERATOR><BR>><STYLE></STYLE><BR>></HEA=
> > D><BR>><BODY=
> > bgColor=#ffffff><BR>><DIV><FONT =
face=Arial=
> > size=2>Thanks=
> > Dimitrios.</FONT></DIV><BR>><DIV><FONT =
> > face=Arial=
> > size=2></FONT> </DIV><BR>><DIV><FONT =
> > face=Arial=
> > size=2>Mike said the same thing. Is the =
in =
> >
> > the=20<BR>>Paris folde or system=20
> > 32?</FONT></DIV><BR>><DIV><FONT face=Arial =
> >
> > size=2>Do I want the Master card to be =
> > 0=20<BR>>absolutely? I=20
> > only have one card</FONT></DIV><BR>><DIV><FONT =
> >
> > face=Arial size=2>in there right now and it's =
all=20
> > freaky<BR>=20<BR>>just=20
> > =
> > the=20<BR>>same.</FONT></DIV><BR>><DIV><FONT=
> > =
> > face=Arial=
> > size=2>Tom</FONT></DIV><BR>><DIV><FONT=
> > face=Arial size=2></FONT> =
> > </DIV><BR>><DIV><FONT=
> > face=Arial size=2></FONT> =
> > </DIV><BR>><DIV><FONT=
> > face=Arial size=2></FONT>=
> > =
> > </DIV><BR>><BLOCKQUOTE=20<BR>>style="PADDING-RIGHT: =
=
> > 0px;=
> > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
#000000
=
> > =
> > 2px solid;=
> > MARGIN-RIGHT: 0px"><BR>> <DIV>"Dimitrios"=

```

> > <<A=3D3D3D20
> href=3D3D3D3D"<A=3D3D20
 > > =3D3D
 > =3D
 =
 >>href=3D3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A'>mailto:mu=
 sur=3D
 >gio=3D3D
 > >@otenet.gr">musurgio@otenet.gr</A>=3D3D20
 > > wrote in =3D3D3D
>message=3D3D3D20
> <A =3D3D
 > >=3D3D3D
>href=3D3D3D3D"<A=3D3D20
 > > =3D3D
 > =3D
 =
 >>href=3D3D3D'news:471a0486\$1 @linux">news:471a0486\$1 @linux...</DIV><B=
 R>H=3D
 >i'>=3D3D
 > >news:471a0486\$1 @linux">news:471a0486\$1 @linux...</DIV>&=3D3D
 > >lt;BR>Hi
=3D3D3D
>Tom=3D3D3D20
> =3D3D20
 > > <A href=3D3D3D"mailto:!!@
Sorry">!!@
Sorry to hear you =
 still
 =3D
 >=3D3D
 > >having=3D3D20
 > > problems like this ~!!
Must =3D3D
 > >be
=3D3D3D
>very=3D3D3D20
> =3D3D20
 > > frustrating.
Open the Paris ini file and there change =
 the=3D3D20
 > > =3D3D3D
>mastercardoutput=3D3D3D20
> with your =3D3D
 > >other
cards and=3D3D20
 > > see what happens !!
Let me=3D3D3D20
> =3D3D20
 > > know.
Regards,
Dimitrios

"Tom =3D3D
 > >Bruhl"=3D3D20
 > > <<A=3D3D3D20
> href=3D3D3D3D"<A=3D3D20
 > > =3D3D
 > =3D
 =
 >>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D=
 20'>m=3D
 >ailto=3D3D
 > =
 >:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D20
&g=3D3D
 > >t; =3D3D20
 > > wrote:
>
>
>Rick,
>1 =3D3D
 > >mec, no=3D3D20
 > > BNC =3D3D3D
>involved. Paris=3D3D3D20
> boots up so =
 =3D3D
 > >the 1 mec=3D3D20
 > > that
>I'm using shows up but never any A =3D3D3D
>to =

Ds=3D3D20

> > or=3D3D3D20
> any installed modules.
>This is the =3D3D

> > same=3D3D20

> > symptom before I =3D3D3D
>repaired one=3D3D3D20
> of my =
mecs =3D3D

> > with=3D3D20

> > a
>new chip. The clock light continues to=3D3D20

> > =3D3D3D
>flash=3D3D3D20
> too. Never locks=3D3D20

> > in.
>
>I am using the simplest =3D3D

> > =3D3D3D
>setup I=3D3D20

> > can=3D3D3D20
> imagine and still it's not =3D3D

> > working.
>Mike A.=3D3D20

> > suggested the =3D3D3D
>.ini=3D3D3D20
> file to make =

=3D3D

> > sure card A is=3D3D20

> > 0. I'll try=3D3D20

> > =3D3D

> > =3D3D3D
>=3D3D3D3D
>that.
>Pretty=3D3D3D20
> =3D3D

> >; sure it's=3D3D20

> > right but who=3D3D3D20
> =3D3D20

> > =3D3D

> > =3D3D3D
>knows?
>Thanks,
>Tom
><=3D3D

> >BR>>
>
>
><=3D3D3D
>BR>=3D3D

> >>"rick"=3D3D3D20
> =3D3D20

> > <<A =3D3D3D
>href=3D3D3D3D"<A=3D3D20

> > =3D3D

> =3D

=

>>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mai=
lto=3D

>:pa=3D3D

> > rnell68@hotmail.com">parnell68@hotmail.com</A/A>>=3D3D20

> > =3D3D3D
>wrote=3D3D3D20
> in message=3D3D3D20
> =

=3D3D20

> > =3D3D

> =

>=3D3D3D
>=3D3D3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax=3D=
3D

> >.com...
>&nbs=3D3D3D
>p;=3D3D20

> > i=3D3D3D20
> know this as dumb as it gets but the bnc is =

=3D3D

> > attached in=3D3D20

> > the=3D3D3D20
> right
> =3D3D20

> > order...right?
> all the cards show up=3D3D20

> > =3D3D3D
>in=3D3D3D20
> paris with the single =3D3D

> > mec?
> =3D3D20

> > how many i/o cards in each=3D3D3D20
> =3D3D20

> > mec?
>
>
> On Fri, 19 Oct =3D3D

> >2007=3D3D20
 > > 00:22:39 -0400, =3D3D3D
>"Tom=3D3D3D20
> Bruhl"=3D3D20
 > > <<A=3D3D3D20
> =3D3D3D
>href=3D3D3D3D"<A=3D3D20
 > > =3D3D
 > =3D
 =
 >>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=
 '>=3D3D=3D
 >
 > >mailto:arpegio@comcast.net">arpegio@comcast.net>
=3D3D
 > >;&n=3D3D3D
>bsp;=3D3D3D20
> =3D3D20
 > > wrote:
>
> >I thought I was groovin' =3D3D
 > >but once=3D3D20
 > > the =3D3D3D
>second=3D3D3D20
> Mec was =3D3D
 > >introduced
> =3D3D20
 > > >the system stopped. That =3D3D3D
>was a =3D3D
 > >few=3D3D3D20
> weeks=3D3D20
 > > ago.
> >
> >Today I tried=3D3D20
 > > =3D3D3D
>different=3D3D3D20
> cables, eds cards, mecs, =
 =3D3D
 > >eliminated the=3D3D20
 > > =3D3D3D
>magma
=3D3D3D3D
>and
> =3D3D
 > >=3D3D3D20
> =3D3D20
 > > >still no clock lock or modules showing up in the =3D3D
 > >paris=3D3D3D20
> =3D3D20
 > > patchbay.
> >
> >This means =3D3D
 > >to me=3D3D20
 > > =3D3D3D
>software=3D3D3D20
> unless someone tells =
 me=3D3D20
 > > differently.
> >
> =3D3D20
 > > =3D3D3D
>>I=3D3D3D20
> have a new C drive which I will =
 =3D3D
 > >load XP and no=3D3D20
 > > pace. Any=3D3D3D20
> other=3D3D3D3D20
> =3D3D20
 > > >suggestions?
> =3D3D3D
>>
>=3D3D20
 > > =3D3D3D20
> >More frustrated than my =3D3D
 > >clients,
> =3D3D20
 > > =3D3D3D
>>Tom
> =3D3D3D20
> =3D3D
 > >>
> =3D3D20
 > > >
> >
> =3D3D
 > >=3D3D3D
>>
>=3D3D20
 > > =3D3D3D20
> >I choose Polesoft Lockspam to fight spam, =
 and=3D3D20
 > > you?
> =3D3D3D20
> =3D3D
 > >>http://www.polesoft.com/refer.html=3D3D20
 > > =3D3D3D20
> =3D3D
 > >=3D3D3D3D20
>
>
><!DOCTYPE=3D3D20
 > > HTML PUBLIC "-//W3C//DTD =3D3D3D
>HTML 4.0=3D3D3D20
> =

```

=3D3D20
> > =3D3D
> >Transitional//EN"><BR>><HTML><HEAD><BR>>=3D3D
> ><META=3D3D3D20<BR>> =3D3D20
> > http-equiv=3D3D3D3D3DContent-Type =3D3D
> >content=3D3D3D3D3D"text/html;=3D3D3D20<BR>> =3D3D20
> > =3D3D3D3D<BR>>charset=3D3D3D3D3DDiso-8859-1"><BR>><META =3D3D
> >
> > =3D3D3D<BR>>content=3D3D3D3D3D"MSHTML=3D3D3D20<BR>> =3D3D
> >6.00.2800.1400"=3D3D3D20<BR>> =3D3D20
> > =3D3D
> >=3D3D3D<BR>>name=3D3D3D3D3DGENERATOR><BR>><STYLE></STYLE&=3D3D
> >gt;<BR>></HEA=3D3D3D<BR>>D><BR>><BODY=3D3D3D20<BR>&=3D3D
> >gt; =3D3D20
> > bgColor=3D3D3D3D3D#ffffff><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3D3DArial=3D3D3D20<BR>> =3D3D20
> > =3D3D
> >=3D3D3D<BR>>size=3D3D3D3D3D2>Rick,</FONT></DIV><BR>>&l=3D3D
> >t;DIV><FONT=3D3D3D20<BR>> =3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2>1 mec, no BNC involved. =
=3D
>Paris=3D3D20
> > =3D3D3D<BR>>=3D3D3D3D<BR>>boots up so=3D3D3D20<BR>> =3D3D
> >the=3D3D3D3D20<BR>>1=3D3D20
> > mec=3D3D20
> > =3D3D
> >=3D3D3D<BR>>that</FONT></DIV><BR>><DIV><FONT=3D3D
> >=3D3D3D20<BR>> =3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using shows up but =
never any
=3D
>A to =3D3D
> >
> > =3D3D3D<BR>>=3D3D3D3D<BR>>Ds or=3D3D3D20<BR>> =3D3D20
> > any=3D3D3D3D20<BR>>installed=3D3D3D20<BR>> =3D3D20
> > modules.</FONT></DIV><BR>><DIV><FONT=3D3D20
> > =3D3D3D<BR>>face=3D3D3D3D3DArial=3D3D3D20<BR>> =
size=3D3D3D3D3D2>This is =3D
>=3D3D
> >the same=3D3D20
> > symptom before I =3D3D3D3D<BR>>repaired =3D3D
> >=3D3D3D<BR>>one=3D3D3D20<BR>> =3D3D20
> > of=3D3D3D3D20<BR>>my mecs with=3D3D3D20<BR>> =3D3D20
> > a</FONT></DIV><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3D3DArial=3D3D3D20<BR>> size=3D3D3D3D3D2>new chip. =
The =3D3D
> >clock light=3D3D20
> > =3D3D3D3D<BR>>continues to=3D3D3D20<BR>> =3D3D

```

```

> >flash=3D3D3D3D20<BR>>too.=3D3D20
> > Never locks=3D3D3D20<BR>> =3D3D20
> > in.</FONT></DIV><BR>><DIV><FONT =3D3D
> >face=3D3D3D3D3DArial=3D3D20
> > =3D3D3D<BR>><BR>> size=3D3D3D3D3D2></FONT>=3D3D20
> > </DIV><BR>><DIV><FONT=3D3D20
> > =3D3D3D<BR>>face=3D3D3D3D3DArial=3D3D3D20<BR>> =
size=3D3D3D3D3D2>I am =3D3D
> >using the simplest=3D3D20
> > setup I can =3D3D3D3D<BR>>imagine=3D3D3D20<BR>> =3D3D20
> > and=3D3D3D3D20<BR>>still it's not=3D3D3D20<BR>> =3D3D20
> > working.</FONT></DIV><BR>><DIV><FONT=3D3D20
> > =3D3D3D<BR>>face=3D3D3D3D3DArial=3D3D3D20<BR>> =
size=3D3D3D3D3D2>Mike A. =3D
>=3D3D
> >suggested the=3D3D20
> > .ini file =3D3D3D3D<BR>>to make=3D3D3D20<BR>> =3D3D20
> > sure=3D3D3D3D20<BR>>card A is 0. I'll try=3D3D3D20<BR>> =3D3D20
> > that.</FONT></DIV><BR>><DIV><FONT=3D3D20
> > =3D3D3D<BR>>face=3D3D3D3D3DArial=3D3D3D20<BR>> =
size=3D3D3D3D3D2>Pretty =3D3D
> >sure it's right=3D3D20
> > but who=3D3D3D20<BR>> =3D3D20
> > =3D3D
> >=3D3D3D3D<BR>>knows?</FONT></DIV><BR>><DIV&g=3D3D
> >t;<FONT=3D3D3D20<BR>> =3D3D20
> > face=3D3D3D3D3DArial=3D3D3D20<BR>> =3D3D20
> > =3D3D
> >=3D3D3D<BR>>size=3D3D3D3D3D2>Thanks,</FONT></DIV><BR> >=3D3D
> ><DIV><FONT=3D3D3D<BR>>=3D3D3D20<BR>> =3D3D20
> > face=3D3D3D3D3DArial=3D3D3D20<BR>> =3D3D20
> > =3D3D
> >size=3D3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><=3D3D
> >FONT=3D3D3D20<BR>> =3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT>=3D3D20
> > =3D3D
> >=3D3D3D<BR>></DIV><BR>><DIV><FONT=3D3D3D20<BR>>&nbs=3D3D
> >p;=3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT>=3D3D20
> > =3D3D3D<BR>></DIV><BR>><DIV>=3D3D3D20<BR>> =3D3D20
> > </DIV><BR>><DIV>=3D3D20
> > </DIV><BR>><DIV>=3D3D3D20<BR>> =3D3D20
> > </DIV><BR>><DIV>"rick"=3D3D20
> > =3D3D
> =
>=3D3D3D<BR>><<A=3D3D3D3D20<BR>>href=3D3D3D3D3D"<A=3D3D3D20
<BR>>&n=3D3D
> >bsp;=3D3D20

```

> > =3D3D
> =3D
=
>>=3D3D3D
>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com">=3D3D3D
>
> =
>om</A'>mailto:pa=3D3D3D3D
>rnell68@hotmail.com">parnell68@hotmail.com">=3D3D
> >l.com</A>=3D3D3D20
> =3D3D20
> > =3D3D3D3D3D
>wrote in=3D3D3D3D20
>message=3D3D20
> > <A=3D3D3D3D20
>href=3D3D3D3D3D" <A =3D3D3D3D
>
> =3D3D20
> > =3D3D
> =3D
=
>>=3D3D3D
>href=3D3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">=3D3D3D
>
> =3D
=
>>news:inqgh393an5=3D3D3D
>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">=3D3D3D
>
> >ax.com">news:inqgh393an5</A=3D3D3D
>>=3D3D3D3D
>s4m99q=3D3D
> >caojn09vn112t4u6r@4ax.com...</DIV>
&=3D3D3D
&=3D3D
> =3D
=
>>gt;gt;<BLOCKQUOTE=3D3D3D3D20
>style=3D3D3D3D3D"PADDING-RIGHT:=3D3D3D
=
20=3D3D3D
> >
> =3D3D20
> > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D
> >=3D3D3D3D3D
>BORDER-LEFT:=3D3D20
> > =3D3D3D3D
>#000000 2px=3D3D3D20
> solid; =
MARGIN-RIGHT:=3D3D20
> > 0px">i=3D3D3D3D20
> know this as dumb as =3D3D
> >=3D3D3D3D
>it=3D3D20
> > gets=3D3D3D20
> but the bnc is attached in =3D3D
> >the=3D3D3D3D20
>=3D3D20
> > =3D3D3D20
> right
order...right?
all the =3D3D
> >cards show up=3D3D20
> > in paris =3D3D3D3D
>with the=3D3D3D20
> =3D3D20
> > =3D3D3D3D3D
>single=3D3D3D3D20
> mec?
how =3D3D
> >many i/o=3D3D20
> > cards =3D3D3D3D
>in each=3D3D3D20
> =3D3D
> >mec?

On=3D3D20
> > Fri, 19 Oct=3D3D3D20
> =3D3D20
> > 2007
=3D3D3D3D3D
>
> 00:22:39 -0400, =3D3D
> >"Tom=3D3D20

> > Bruhl"=3D3D3D20
> <<A=3D3D3D3D20
> =3D3D20
 > > =3D3D3D3D
>href=3D3D3D3D3D"<A=3D3D3D20
> =3D3D20
 > > =3D3D
 > =3D
 =
 >>=3D3D3D
>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.n=
 et&l=3D3D=3D
 >
 > >t;/A>>
wrote'>ma=3D3D3D
>ilto:arpegio@comcast.net">=3D3D
 > >;arpegio@comcast.net>
w=3D3D3D
>rote:=3D3D3D=3D3D
 > >3D
>

>l=3D3D3D3D20
>=3D3D20
 > > =3D3D3D20
> thought I was groovin' but once the second =
 Mec=3D3D20
 > > was=3D3D3D20
> =3D3D20
 > > =3D3D
 > >=3D3D3D3D
>introduced
>the=3D3D3D3D20
> =3D3D
 > > system=3D3D20
 > > =3D3D3D
>stopped. That was=3D3D3D20
> a few weeks=3D3D20
 > > ago.
>
>Today l=3D3D3D20
> =3D3D20
 > > =3D3D3D3D
>tried=3D3D3D3D20
> different cables, =3D3D
 > >eds cards,=3D3D20
 > > mecs, =3D3D3D
>eliminated=3D3D3D20
> the magma=3D3D20
 > > =3D3D3D3D
>and
>still =3D3D
 > >no=3D3D3D3D20
> =3D3D20
 > > =3D3D3D
>clock lock or=3D3D3D20
> modules showing up in =
 the=3D3D20
 > > paris=3D3D3D20
> =3D3D20
 > > =3D3D
 > >=3D3D3D
>=3D3D3D3D
>patchbay.
>
>This=3D3D3D=3D3D
 > >3D20
> =3D3D20
 > > =3D3D3D
>means to=3D3D3D20
> me software unless someone =
 =3D3D
 > >tells=3D3D20
 > > me=3D3D3D20
> =3D3D20
 > > =3D3D
 > >=3D3D3D
>=3D3D3D3D
>differently.
>
>l=3D3D3D=3D3D
 > >3D20
> =3D3D20
 > > =3D3D3D
>have a new=3D3D3D20
> C drive which I will load =
 XP =3D3D
 > >and no pace.=3D3D20
 > > Any other=3D3D3D3D20
> =3D3D3D
>
> =3D3D20
 > >
>suggestions?
>
>More frustrated=3D3D20
 > > =3D3D3D
>than=3D3D3D20
> my=3D3D3D3D20
> =3D3D
 > >=3D3D3D20
> =3D3D20
 > > =3D3D
 > >=3D3D3D
>clients,
>Tom
>
>
=3D3D
 > >;>
=3D3D3D
>>>
>l=3D3D3D20
> =3D3D20
 > > choose =3D3D3D3D
>Polesoft=3D3D3D3D20
> Lockspam =3D3D

```

> >to fight=3D3D20
> > spam,=3D3D3D20<BR>> and=3D3D3D3D20<BR>> =3D3D20
> > =3D3D
> =
>=3D3D3D<BR>>you?<BR>>http://www.polesoft.com/refer.html=3D3D3D20<BR>&=3D=
3D
> >gt; =3D3D20
> > =3D3D
> >=3D3D3D<BR>>=3D3D3D3D20<BR>><BR></BLOCKQUOTE></BODY>=3D3D
> >;</HTML><BR>&=3D3D3D<BR>>gt;<BR>><BR></B=3D3D
> >LOCKQUOTE></BODY></HTML><BR>><BR>><BR></BLOCKQUOTE><=3D3D
> >/BODY></HTML>
> >
> >
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
>charset=3D3Diso-8859-1">
><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D3D#ffffff>
><DIV><FONT face=3D3DArial size=3D3D2>Mike,</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>I used to use a Lucid but since =
all of
=3D
>this mess I=3D20
>stopped.</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>I'm trying to get stable from =
square =3D
>one with the=3D20
>least amount </FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>of hardware. I am using the =3D
>default project=3D20
>for sure. The only </FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>other thing that I still =
question is my
=3D
>move of=3D20
>Paris to C:ParisPro .</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>I should think the default =
project will
=3D
>either work=3D20
>or not. Maybe</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>configs or something else is =3D

```



```

>fighting during=3D20
>Paris startup?</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><DIV><FONT face=3D3DArial size=3D3D2>Pats 42 - Miami 7 . . . Halftime =
and =3D
>the games=3D20
>over.</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>Tom</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><BLOCKQUOTE=3D20
>style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3D
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Mike Audet" <mike@....> wrote in message <A=3D20
> =3D
=
>href=3D3D"news:471b6eb0$1 @linux">news:471b6eb0$1 @linux</A>...</DIV><BR>H=
i=3D20
> Tom,<BR><BR>Are you using a default project with PARIS? I'm so =3D
>sorry of=3D20
> this has been<BR>asked and answered already. If so, perhaps it =3D
>is=3D20
> telling card zero to lock<BR>to an external clock, which it can't =
=3D
>because=3D20
> there isn't one.<BR><BR>It would be interesting to attach an =
external
=3D
>clock=3D20
> source to the MEC and<BR>then start PARIS to see how it behaves. =
=3D
>Or, if=3D20
> the clock generator is fried,<BR>tell paris to lock externally and =
see
=3D
>what=3D20
> happens when an external clock<BR>source is applied.<BR><BR>Isn't =
there
=3D
>a=3D20
> master house synch switch in the cfg file? I've never =3D
>used<BR>it. =3D20
> Maybe DJ could help with what that should/shouldn't be set =3D
>to.<BR><BR>Wish I=3D20
> could do more than think out loud...<BR><BR>Mike<BR><BR>"Tom Bruhl" =
=3D

```

><<A=3D20
 > href=3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net=3D20
 > wrote:
>
>
>Hi Mike,
>Well I've been to .cfg =3D
 >many a=3D20
 > time.
>I've seen that Mastercard setting as being 0
>but =3D
 >maybe it=3D20
 > changed after removing the 4 other
>eds cards for this round =
 of=3D20
 > testing.
>
>If it's still 0 what else could this be? =3D
 >Busted=3D20
 > mobo?
>I'm really in an idunno place right now. I'll be=3D20
 > checking
>seriously today again because of a session =
 tomorrow=3D20
 > morning.
>Tom
>
>
> "Mike Audet"=3D20
 > <mike@....> wrote in message <A=3D20
 > =3D
 =
 >href=3D3D"news:471b2ec2\$1@linux">news:471b2ec2\$1@linux...
>
>&g=
 =3D
 >t; =3D20
 > Hi Tom,
>
> If you've only got one card in, then the =3D
 >
 > Mastercard =3D3D3D 0 setting is =3D3D
>right.
> =3D
 >The file is=3D20
 > Paris.cfg, and it lives in the c:\program=3D20
 > files\Emu\PARIS
=3D3D
>PRO
> =3D
 >folder.
>
> =3D20
 > I'd still check it out to see what it is set to.
>
> =3D
 >If it=3D20
 > is wrong, what you are describing will happen.
>
> =3D
 >Good=3D20
 > luck!
>
> Mike
>
> "Tom Bruhl" =3D
 ><<A=3D20
 > href=3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net=3D20
 > wrote:
> >
> >
> >Thanks=3D20
 > Dimitrios.
> >
> >Mike said the same=3D20
 > thing. Is the ini in the Paris folde or system=3D20
 > =3D3D
>32?
> >Do I want the Master card to be 0=3D20
 > absolutely? I only have one card
> >in there =3D
 >right now=3D20
 > and it's all freaky just the same.
> >Tom
> =3D
 >
 > >
> >
> >
> > =3D20
 > "Dimitrios" <<A =3D
 >href=3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr=3D20
 > wrote in message =3D3D3D
> =3D
 >>news:471a0486\$1@linux...
> =3D20
 > >
> > Hi Tom !@
> > Sorry =3D

>to hear=3D20
> you still having problems like this ~!!
> > Must =3D
>be very=3D20
> frustrating.
> > Open the Paris ini file and =3D
>there change=3D20
> the mastercardoutput with
=3D3D
>=3D3D3D
> >your=3D20
> other
> > cards and see what happens =3D
>!!
> =3D20
> > Let me know.
> > =3D
>Regards,
> =3D20
> > Dimitrios
> >
> > "Tom =3D
>Bruhl"=3D20
> <arpegio@comcast.net> =
=3D
>
> wrote:
> > >
> > =3D20
> >
> > >Rick,
> > >1 =3D
>mec, no=3D20
> BNC involved. Paris boots up so the 1 mec that
> =3D
>> =3D20
> >I'm using shows up but never any A to Ds or any installed=3D20
> modules.
> > >This is the same symptom before =3D
>I=3D20
> repaired one of my mecs with a
> > >new =3D
>chip. =3D20
> The clock light continues to flash too. Never locks=3D20
> =3D3D
>in.
> > >
> > =3D
>>I am=3D20
> using the simplest setup I can imagine and still it's not =3D
>=3D3D3D
> =3D20
> >working.
> > >Mike A. suggested the =3D
>.ini=3D20
> file to make sure card A is 0. I'll =3D3D
>try
> =3D
>
> =3D3D3D
> >=3D3D3D3D
> > =3D
>>that.
> =3D20
> > >Pretty sure it's right but who knows?
> =3D
>> =3D20
> >Thanks,
> > >Tom
> > =3D20
> >
> > >
> > =3D
>>
> =3D20
> > >
> > >
> > =3D
>
> >"rick" <<A=3D20
> href=3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com> =
=3D
>wrote in=3D20
> message =3D3D3D3D
> > =3D20

> >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =3D20
> > > i know this as dumb as it gets but the bnc is =3D
>attached=3D20
> in the =3D3D
>right
> > > =3D20
> order...right?
> > > all the cards show =3D
>up in=3D20
> paris with the single mec?
> > > how =3D
>many i/o=3D20
> cards in each mec?
> > >
> =3D
>> =3D20
> >
> > > On Fri, 19 Oct 2007 00:22:39 =3D
>-0400,=3D20
> "Tom Bruhl" =3D3D3D
> ><<A=3D20
> =3D
=
>href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=3D=

>bsp;=3D20
> > > wrote:
> > =3D
>>
> =3D20
> > > >I thought I was groovin' but once the second =3D
>Mec was=3D20
> introduced
> > > >the system =3D
>stopped. =3D20
> That was a few weeks ago.
> > > =3D20
> >
> > > >Today I tried different =3D
>cables,=3D20
> eds cards, mecs, eliminated the
=3D3D
>=3D3D3D
> =3D20
> >magma
> > =3D3D3D3D
> > =3D20
> >and
> > > >still no clock lock or =3D
>modules=3D20
> showing up in the paris =3D3D
>patchbay.
> > =3D
>> =3D20
> >
> > > >This means to me software =3D
>unless=3D20
> someone tells me differently.
> > > =3D20
> >
> > > >I have a new C drive =3D
>which I will=3D20
> load XP and no pace. Any =3D3D3D
> =3D20
> >other=3D3D3D3D20
> > > =3D20
> >suggestions?
> > > =3D
>>
> =3D20
> > > >More frustrated than my =3D
>clients,
> =3D20
> > > >Tom
> > > =3D20
> >
> > > >
> > =3D
>
> > >
> > > >
> =3D

```

>
> > > | choose Polesoft Lockspam to fight spam, =3D
>and=3D20
> you?<BR>> > > =3D20
> >http://www.polesoft.com/refer.html =3D3D3D3D20<BR>> =3D
>> =3D20
> ><BR>> > ><BR>> > =3D
>><!DOCTYPE=3D20
> HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN"><BR>> =3D20
> > ><HTML><HEAD><BR>> > =3D
>><META=3D20
> http-equiv=3D3D3D3D3DContent-Type =
content=3D3D3D3D3D"text/html";=3D20
> =3D3D<BR>>=3D3D3D3D<BR>> > =3D20
> > charset=3D3D3D3D3D"iso-8859-1"><BR>> > =3D
>><META=3D20
> content=3D3D3D3D3D"MSHTML 6.00.2800.1400" =3D
>name=3D3D3D3D3DGENERATOR><BR>> =3D20
> > ><STYLE></STYLE><BR>> > =3D20
> ></HEAD><BR>> > ><BODY=3D20
> bgColor=3D3D3D3D3D"#ffffff"><BR>> > =3D
>><DIV><FONT=3D20
> face=3D3D3D3D3DArial =3D
>size=3D3D3D3D3D2>Rick,</FONT></DIV><BR>> =3D20
> > ><DIV><FONT face=3D3D3D3D3DArial =3D
>size=3D3D3D3D3D2>1 mec, no=3D20
> BNC involved. =3D3D<BR>>Paris =3D3D3D<BR>> =3D
>>=3D3D3D3D<BR>> =3D20
> > >boots up so the=3D3D3D3D20<BR>> > >1 =3D
>mec=3D20
> that</FONT></DIV><BR>> > =3D
>><DIV><FONT=3D20
> face=3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using shows up but =3D
>=3D3D<BR>>never=3D20
> any<BR>> =3D3D3D<BR>> >A to =3D3D3D3D<BR>> =3D
>> =3D20
> >Ds or any=3D3D3D3D20<BR>> > >installed=3D20
> modules.</FONT></DIV><BR>> > =3D20
> ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>This is =3D
>the same=3D20
> symptom<BR>=3D3D<BR>>before<BR>> =3D3D3D<BR>> >I=3D20
> =3D3D3D3D<BR>> > >repaired one =3D
>of=3D3D3D3D20<BR>> =3D20
> > >my mecs with a</FONT></DIV><BR>> =3D20
> > ><DIV><FONT face=3D3D3D3D3DArial =3D
>size=3D3D3D3D3D2>new chip.=3D20
> The clock light<BR>=3D3D<BR>>=3D3D3D3D<BR>> > =3D
>>continues to=3D20

```

```

> flash=3D3D3D3D20<BR>> > >too. Never locks=3D20
> in.</FONT></DIV><BR>> > =3D
>><DIV><FONT=3D20
> face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =3D
></DIV><BR>> =3D20
> > ><DIV><FONT face=3D3D3D3D3DArial =3D
>size=3D3D3D3D3D2>I am using=3D20
> the simplest =3D3D<BR>>setup I<BR>> =3D3D3D<BR>> =3D
>>can=3D20
> =3D3D3D3D<BR>> > >imagine =3D
>and=3D3D3D3D20<BR>> > =3D20
> >still it's not working.</FONT></DIV><BR>> =3D
>> =3D20
> ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>Mike A. =3D
>suggested the=3D20
> =3D3D<BR>>.ini file<BR>> =3D3D3D<BR>> =3D
>>=3D3D3D3D<BR>> =3D20
> > >to make sure=3D3D3D3D20<BR>> > >card =3D
>A is 0.=3D20
> I'll try that.</FONT></DIV><BR>> > =3D20
> ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>Pretty =3D
>sure it's=3D20
> right =3D3D<BR>>but who =3D3D3D<BR>> >=3D3D3D3D<BR>> =3D
>> =3D20
> >knows?</FONT></DIV><BR>> > =3D20
> ><DIV><FONT face=3D3D3D3D3DArial=3D20
> size=3D3D3D3D3D2>Thanks,</FONT></DIV><BR>> =3D
>> =3D20
> ><DIV><FONT face=3D3D3D3D3DArial=3D20
> size=3D3D3D3D3D2>Tom</FONT></DIV><BR>> =3D
>> =3D20
> ><DIV><FONT face=3D3D3D3D3DArial =3D
>size=3D3D3D3D3D2></FONT>=3D20
> </DIV><BR>> > ><DIV><FONT =3D
>face=3D3D3D3D3DArial=3D20
> size=3D3D3D3D3D2></FONT> </DIV><BR>> > =3D20
> ><DIV> </DIV><BR>> > ><DIV>=3D20
> </DIV><BR>> > ><DIV>=3D20
> </DIV><BR>> > ><DIV>"rick"=3D20
> <<A=3D3D3D3D20<BR>> > =3D
>=3D3D<BR>>>href=3D3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto=
:pa=3D
>rnell68@hotmail.com">parnell68@hotmail.com</A</A>>=3D20
> =3D3D<BR>>=3D3D3D<BR>> >=3D3D3D3D<BR>> > =3D
>>wrote=3D20

```

> in=3D3D3D3D20
> > >message =3D
 ><A=3D3D3D3D20
> =3D20
 > > =3D3D3D
> =3D3D
>>>href=3D3D3D3D3D"<A=3D20
 > =3D
 =
 >href=3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh'>n=
 ews=3D
 =
 >:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh=3D3D
>=3D=

 >393=3D3D3D
> =3D20
 > >an5=3D3D3D3D
> > =3D20
 > =3D
 >>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> =3D
 >;=3D20
 > > ><BLOCKQUOTE=3D3D3D3D20
> > =3D20
 > >style=3D3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
 MARGIN-LEFT: =3D
 >
 > =3D3D
>5px; =3D3D3D
> >=3D3D3D3D
> =3D
 >> =3D20
 > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT:=3D20
 > 0px">i=3D3D3D3D20
> > > know this as =3D
 >dumb as it=3D20
 > gets but the bnc is attached in =3D3D
>the=3D3D3D3D20
> =3D
 >> =3D20
 > > right
order...right?
all the cards show =3D
 >up in=3D20
 > paris with =3D3D
>the
> =3D3D3D
> =3D20
 > >=3D3D3D3D
> > >single=3D3D3D3D20
> =3D
 >> =3D20
 > > mec?
how many i/o cards in each=3D20
 > mec?

On Fri, 19 =3D3D
>Oct =3D
 >=3D3D3D
> =3D20
 > >2007
> > =3D3D3D3D
> > =3D20
 > >
> > > 00:22:39 -0400, "Tom Bruhl"=3D20
 > <<A=3D3D3D3D20
> > > =3D
 >=3D3D3D3D
> =3D20
 > > =3D3D3D
> =3D3D
>>>href=3D3D3D3D3D"<A=3D20
 > =3D
 =
 >href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
wro'>m=
 ail=3D
 >to:arpegio@comcast.net">arpegio@comcast.net>
wro=3D
 >=3D3D
>te:=3D3D3D
> =3D20
 > >=3D3D3D3D
> > =3D20
 > >

|=3D3D3D3D20
> > =3D
 >> =3D20

> thought I was groovin' but once the second Mec was =3D
 >=3D3D3D3D
> =3D20
 > > >introduced
>the=3D3D3D3D20
> =3D
 >> =3D20
 > > system stopped. That was a few weeks=3D20
 > ago.
>
>Today I =3D3D3D3D
> =3D
 >> =3D20
 > >tried=3D3D3D3D20
> > > different =3D
 >cables, eds=3D20
 > cards, mecs, eliminated the magma =3D3D3D3D
> > =3D20
 > >and
>still no=3D3D3D3D20
> > =3D
 >> clock=3D20
 > lock or modules showing up in the paris =3D3D3D3D
> =3D
 >> =3D20
 > >patchbay.
>
>This=3D3D3D3D20
> =3D
 >> =3D20
 > > means to me software unless someone tells me =3D
 >=3D3D3D3D
> =3D20
 > > =3D
 >>differently.
>
>I=3D3D3D3D20
> =3D20
 > > > have a new C drive which I will load XP and no =3D
 >pace. Any=3D20
 > =3D3D
>other=3D3D3D3D20
> > > =3D20
 >
>suggestions?
>
>More frustrated =3D
 >than=3D20
 > my=3D3D3D3D20
> > > =3D20
 > =3D
 >clients,
>Tom
>
>
>
>
=3D
 >>>
>I=3D20
 > choose =3D3D3D3D
> > =3D
 >>Polesoft=3D3D3D3D20
> =3D20
 > > > Lockspam to fight spam, =3D
 >and=3D3D3D3D20
> =3D20
 > > > =3D
 >you?
>http://www.polesoft.com/refer.html=3D20
 > =3D3D3D3D20
> > =3D20
 > =3D
 >>
</BLOCKQUOTE></BODY></HTML>
> =3D
 >=3D20
 > > >
> > >
> =3D
 >>
> =3D20
 > >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=3D20
 > Transitional//EN">
> =3D
 >><HTML><HEAD>
> =3D20
 > ><META http-equiv=3D3D3D3DContent-Type =
 content=3D3D3D3D"text/html;=3D20
 > =3D3D3D
> >charset=3D3D3D3Diso-8859-1">
> =3D
 >><META=3D20

```

> content="MSHTML 6.00.2800.1400" =3D
>name="GENERATOR"><BR>> =3D20
> <STYLE></STYLE><BR>> =3D
>></HEAD><BR>> =3D20
> <BODY bgColor=#ffffff><BR>> =3D
>><DIV><FONT=3D20
> face="Arial" size="2">Thanks=3D20
> Dimitrios.</FONT></DIV><BR>> =3D
>><DIV><FONT=3D20
> face="Arial" size="2"></FONT> =3D
></DIV><BR>> =3D20
> <DIV><FONT face="Arial" size="2">Mike said the =3D
>same=3D20
> thing. Is =3D3D<BR>>the =3D3D<BR>> >ini in=3D20
> the=3D3D20<BR>> >Paris folde or system=3D20
> 32?</FONT></DIV><BR>> ><DIV><FONT=3D20
> face="Arial" size="2">Do I want the Master card to=3D20
> be<BR>=3D3D<BR>>0=3D3D20<BR>> >absolutely? I only =3D
>have one=3D20
> card</FONT></DIV><BR>> ><DIV><FONT=3D20
> face="Arial" size="2">in there right now and it's=3D20
> all<BR>=3D3D<BR>>freaky<BR>> =3D3D<BR>> >just=3D20
> the=3D3D20<BR>> =3D
>>same.</FONT></DIV><BR>> =3D20
> <DIV><FONT face="Arial"=3D20
> size="2">Tom</FONT></DIV><BR>> =3D20
> <DIV><FONT face="Arial" size="2"></FONT> =3D
>
> </DIV><BR>> ><DIV><FONT face="Arial"=3D20
> size="2"></FONT> </DIV><BR>> =3D
>><DIV><FONT=3D20
> face="Arial" size="2"></FONT> =3D
></DIV><BR>> =3D20
> <BLOCKQUOTE=3D3D20<BR>> =3D
>>style="PADDING-RIGHT: 0px;=3D20
> PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D<BR>>=3D3D<BR>> =3D20
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =3D
>0px"><BR>> =3D20
> > <DIV>"Dimitrios" <<A=3D3D20<BR>> =3D
>> =3D20
> href="mailto:="
> =3D
=
>href="mailto:musurgio@otenet.gr">musurgio@otenet.gr</A'>mailto:musur=
gio=3D
>@otenet.gr">musurgio@otenet.gr</A/A>>=3D20
> wrote<BR>=3D3D<BR>>in =3D3D3D<BR>> =3D
>>message=3D3D20<BR>> =3D20

```

> > news:471a0486\$1@linux...</DIV>
H=
 > =
 =
 > href="news:471a0486\$1@linux">news:471a0486\$1@linux...</DIV>&l=3D
 >t;BR>H=3D
>i
> =3D20
 > =3D3D3D
> >Tom=3D3D3D20
> > <A href="mailto:!!@
Sorry">!!@
Sorry to hear you still =3D
 >having=3D20
 > problems like this ~!!
Must
=3D3D
>be
> =3D20
 > =3D3D3D
> >very=3D3D3D20
> > =3D20
 > frustrating.
Open the Paris ini file and there change the=3D20
 > =3D3D3D
> >mastercardoutput=3D3D3D20
> =3D
 >> with your=3D20
 > other
cards and see what happens !!
Let=3D20
 > me=3D3D3D20
> > =3D20
 > know.
Regards,
Dimitrios

"Tom =3D
 >Bruhl"=3D20
 > <arpegio@comcast.net=3D3D3D20'=
 >mail=3D
 >to:arpegio@comcast.net">arpegio@comcast.net=3D3D3D20<B=3D
 >R>> =3D20
 > > =3D20
 > wrote:
>
>
>Rick,
>1 =3D
 >mec, no=3D20
 > BNC =3D3D3D
> >involved. Paris=3D3D3D20
> =3D
 >> =3D20
 > boots up so the 1 mec that
>I'm using shows up but never =3D
 >any A=3D20
 > =3D3D
>=3D3D3D
> >to Ds or=3D3D3D20
> =3D
 >> any=3D20
 > installed modules.
>This is the same symptom before I=3D20
 > =3D3D3D
> >repaired one=3D3D3D20
> > =3D
 >of my mecs=3D20
 > with a
>new chip. The clock light continues to=3D20
 > =3D3D3D
> >flash=3D3D3D20
> > =3D
 >too. Never=3D20
 > locks in.
>
>I am using the simplest =3D
 >=3D3D3D
> =3D20
 > >setup I can=3D3D3D20
> > imagine and still it's =3D
 >not=3D20
 > working.
>Mike A. suggested the =3D3D3D
> =3D20
 > >.ini=3D3D3D20
> > file to make sure card A is =3D
 >0. =3D20

>was=3D20
> introduced
> >the system stopped. That=3D20
> =3D3D3D
> >was a few=3D3D3D20
> > =3D
>weeks=3D20
> ago.
> >
> >Today I tried=3D20
> =3D3D3D
> >different=3D3D3D20
> > =3D
>cables, eds=3D20
> cards, mecs, eliminated the =3D3D3D
> =3D20
> >magma
=3D3D3D3D
>and
> =3D
>=3D3D3D20
> =3D20
> > >still no clock lock or modules showing up in the=3D20
> paris=3D3D3D20
> > patchbay.
> =3D20
> >
> >This means to me =3D3D3D
> =3D20
> >software=3D3D3D20
> > unless someone tells me=3D20
> differently.
> >
> =3D
>=3D3D3D
> =3D20
> >>I=3D3D3D20
> > have a new C drive which I =3D
>will load=3D20
> XP and no pace. Any=3D3D3D20
> > =3D20
> other=3D3D3D3D20
> =3D
>>suggestions?
> =3D20
> =3D3D3D
> >>
> =3D3D3D20
> =3D
>> =3D20
> >More frustrated than my clients,
> =3D
>=3D3D3D
> =3D20
> >>Tom
> =3D3D3D20
> > =3D20
> >
> >
> =3D

-----=_NextPart_000_00F2_01C814CA.3D733990

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Thanks Dimitrios.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>The Mastercard in the .cfg is looking =
for a number=20
not a letter.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Mine always has read "0".&nbsp; I think =
that's what=20
it supposed to be right?</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
```


either work or not. Maybe configs or something else is =
fighting=20
during Paris startup?
>
>Pats 42 - Miami 7 . . . Halftime =
and the=20
games over.
>Tom
>
>
>
> "Mike =
Audet"=20
<mike@....> wrote in message <A=20
=
href=3D"news:471b6eb0\$1 @linux">news:471b6eb0\$1 @linux...
>
&g=
t; =20
Hi Tom,
>
> Are you using a default project with=20
PARIS? I'm so sorry of this has
=3D
>been
> =
asked and=20
answered already. If so, perhaps it is telling card zero=20
to
=3D
>lock
> to an external clock, which it =
can't because=20
there isn't one.
>
> It would be interesting to =
attach an=20
external clock source to the MEC
=3D
>and
> then =
start=20
PARIS to see how it behaves. Or, if the clock generator=20
is
=3D
>fried,
> tell paris to lock externally =
and see what=20
happens when an external =3D
>clock
> source is=20
applied.
>
> Isn't there a master house synch switch =
in the=20
cfg file? I've never =3D
>used
> it. =
Maybe DJ=20
could help with what that should/shouldn't be set =
to.
>
> =20
Wish I could do more than think out loud...
>
> =20
Mike
>
> "Tom Bruhl" <<A=20
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=20
wrote:
> >
> >
> >
> >Hi=20
Mike,
> >Well I've been to .cfg many a =
time.
> =20
>I've seen that Mastercard setting as being 0
> >but =
maybe=20
it changed after removing the 4 other
> >eds cards for =
this=20
round of testing.
> >
> >If it's still 0 =
what=20
else could this be? Busted mobo?
> >I'm really in =
an=20
idunno place right now. I'll be checking
> =
>seriously=20
today again because of a session tomorrow morning.
> =20
>Tom
> >
> >
> > =

> Must be very frustrating.
 =
 Open=20
the Paris ini file and there change the mastercardoutput=20
=3D
 with
 =3D3D
 =
 =3D3D3D
 =20
 your other
 cards =
and see=20
what happens !!
 Let me =
know.
 =20
 Regards,
 =20
Dimitrios

 =
 =20
"Tom Bruhl" <<A=20
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net =20
wrote:

 =
 =20

 =
 Rick,
 =20
 1 mec, no BNC involved. Paris boots up =
so the=20
1 mec that
 I'm using shows up =
but=20
never any A to Ds or any installed =3D
 modules.
 =
 =20
 This is the same symptom before I repaired one of my =
mecs=20
with
=3D
 a
 new =
chip. The=20
clock light continues to flash too. Never=20
locks
=3D
 =3D3D
 in.
 =
 =20

 I am using the =

simplest setup I can imagine and still it's=20
not
=3D
 =3D3D3D
 =
 working.
 =20
 Mike A. suggested the .ini file to =
make sure=20
card A is 0. =3D
 I'll =3D3D
 =
 try
 =20
 =3D3D3D
 =
 =3D3D3D3D
 =20
 that.
 Pretty =
sure it's=20
right but who knows?
 =20
 Thanks,
 Tom
 =20
 =20

 =

> >
> > > >
> =
> > >"rick" <<A=20
href=3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com> =
wrote in=20
message =3D3D3D3D
> > > =20
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =20
> > > i know this as dumb as it gets but =
the bnc is=20
attached in the
=3D
>=3D3D
> =
>right
> =20
> > > order...right?
> =
> =20
> > all the cards show up in paris with the single=20
mec?
> > > > > how many i/o cards =
in each=20
mec?
> > > >
> > =
> >
> > > > On Fri, =
19 Oct=20
2007 00:22:39 -0400, "Tom Bruhl" =3D3D3D
> > =
><<A=20
=
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>
>&n=
bsp;=20
> > > wrote:
> > =
> =20
>
> > > > >I thought I =
was=20
groovin' but once the second Mec was =
=3D
>introduced
> =20
> > > >the system stopped. That =
was a few=20
weeks ago.
> > > > =
>
> =20
> > > >Today I tried different cables, =
eds=20
cards, mecs, eliminated
=3D
>the
> =
=3D3D
> =20
>=3D3D3D
> > >magma
> =
> =20
> =3D3D3D3D
> > > =
>and
> =20
> > > >still no clock lock or modules =
showing up=20
in the paris =3D3D
> >patchbay.
> =
> =20

file
> > > =3D3D3D
> > > =20
>=3D3D3D3D
> > > > > > to make=20
sure=3D3D3D3D20
> > > > > card A is 0. =
I'll try=20
that.</DIV>
> > > > =20
></DIV></FONT face=3D3D3D3D3DArial =
size=3D3D3D3D3D2>Pretty sure it's=20
=3D
>right =3D3D
> > > but who =3D3D3D
> > =
> =20
>=3D3D3D3D
> > > > =20
> knows?</DIV>
> > > =
> =20
></DIV></FONT face=3D3D3D3D3DArial=20
=
=3D
 >size=3D3D3D3D3D2>Thanks, </DIV>
>&n=
bsp;=20
> > > </DIV></FONT face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2>Tom</DIV >
> > =
> =20
> ></DIV></FONT face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2> </DIV>
> > =
> =20
> ></DIV></FONT face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2> </DIV>
> > =
> =20
> ></DIV> </DIV>
> > > =
> =20
></DIV> </DIV>
> > > > =20
></DIV> </DIV>
> > > > =20
></DIV>"rick" <<A=3D3D3D3D20
> > > =
> =20
=3D3D
> =3D
>>>href=3D3D3D3D3D"<A=20
=
href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto:pa=
rnell68@hotmail.com">parnell68@hotmail.com</A>>
=3D
=
>>=3D3D
> > > >=3D3D3D3D
> > =
> =20
> > >wrote in=3D3D3D3D20
> > > > =

> message <A=3D3D3D3D20
> > > > =20
=3D3D3D
> > > =3D3D
> > =20
=3D
>>>href=3D3D3D3D3D"<A=20
=
href=3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in'>news:in=
qgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in=3D
>>qqh=3D=
3D
> > =20
> 393=3D3D3D
> > > > an5=3D3D3D3D
> > =

> =20
> =20
=
>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> =
;=20
> > ><BLOCKQUOTE=3D3D3D3D20
> =
> =20
> >style=3D3D3D3D3D" PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =

=3D
>MARGIN-LEFT: =3D3D
> >5px; =
=3D3D3D
> =20
> >=3D3D3D3D
> > > =
>BORDER-LEFT: =20
#000000 2px solid; MARGIN-RIGHT: 0px">i=3D3D3D3D20
> =
> =20
> > know this as dumb as it gets but the bnc is =
attached in=20
=3D3D
> >the=3D3D3D3D20
> > =
> =20
> right
order...right?
all the cards show =
up in=20
paris =3D
>with =3D3D
> >the
> =
> =20
=3D3D3D
> > >=3D3D3D3D
> =
> > =20
>single=3D3D3D3D20
> > > > =20
mec?
how many i/o cards in each =
mec?

On =20
Fri, 19
=3D
>=3D3D
> >Oct =
=3D3D3D
> > =20
>2007
> > > =3D3D3D3D
> =
> =20
> >
> > > > =
00:22:39 -0400,=20
"Tom Bruhl" <<A=3D3D3D3D20
> > > =
> =20
=3D3D3D3D
> > > =3D3D3D
> =
> =20
=3D3D
> =3D
>>>>href=3D3D3D3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net><BR'>mailto:a=
rpegio@comcast.net">arpegio@comcast.net><BR>=3D=

>wro=3D3D
> =20
>te:=3D3D3D
> > >=3D3D3D3D
> =
> =20
> >

>l=3D3D3D 3D20
> =
> =20
> > thought I was groovin' but once the second Mec =

> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=20
Transitional//EN">
> > > =20
><HTML><HEAD>
> > > ><META=20
http-equiv=3D3D3D3DContent-Type content=3D3D3D3D"text/html;=20
=3D
>=3D3D3D
> > > =20
>< charset=3D3D3D3DISO-8859-1">
> > > =
><META=20
content=3D3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3D3DGENERATOR>
> > > =20
> ><STYLE></STYLE>
> > > =20
></HEAD>
> > ><BODY=20
bgColor=3D3D3D3D#ffffff>
> > > =
><DIV><FONT=20
face=3D3D3D3DArial size=3D3D3D3D2>Thanks=20
=3D
>Dimitrios.</DIV>
> > > =20
><DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>=20
</DIV>
> > ><DIV><FONT =
face=3D3D3D3DArial=20
size=3D3D3D3D2>Mike said the same thing.
=3D
> Is =
=3D3D
> > > =20
><the =3D3D3D
> > > ><ini in =
the=3D3D3D20
> > > =20
> >Paris folde or system=20
32?</DIV>
> > > =
><DIV><FONT=20
face=3D3D3D3DArial size=3D3D3D3D2>Do I want the Master =
card
=3D
>to=20
be
> > > ><0=3D3D3D20
> > > =
> > > =20
> >absolutely? > > I only have one=20
card</DIV>
> > > =
><DIV><FONT=20
face=3D3D3D3DArial size=3D3D3D3D2>in there right now and =
=3D
>>it's=20
all
> > > ><3D3D
> > > ><freaky
> > > =
> > > =20
=3D3D3D
> > > > ><just the=3D3D3D20
> > > =
> > > =20
> >same.</DIV>
> > > > > =20
><DIV><FONT face=3D3D3D3DArial=20
size=3D3D3D3D2>Tom</DIV>
> > > =
> > > =20
><DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>=20
</DIV>
> > > ><DIV><FONT =
face=3D3D3D3DArial=20

> > =20
wrote:
>
>& a mp;
>Rick,
>1 =
mec, no=20
BNC =3D3D3D
> > > involved. =20
Paris=3D3D3D20
> > > boots up so the 1 =
mec=20
that
>I'm using shows up but never any
=3D
>A=20
=3D3D
> >=3D3D3D
> > > to Ds=20
or=3D3D3D20
> > > any installed=20
modules.
>This is the same symptom before I=20
=3D
>=3D3D3D
> > > repaired =
one=3D3D3D20
> =20
> > of my mecs with a
>new chip. =
The clock=20
light continues to =3D
>=3D3D3D
> > =20
>flash=3D3D3D20
> > > too. =
Never locks=20
in.
>
>I am using the simplest =
=3D3D3D
> =20
> >setup I can=3D3D3D20
> > =
> imagine=20
and still it's not working.
>Mike A. suggested the=20
=3D
>=3D3D3D
> > =
>.ini=3D3D3D20
> =20
> > file to make sure card A is 0. I'll try=20
=3D3D3D
> > =20
=
>=3D3D3D3D
>that.<BR&a mp;>>Pretty=3D3D3D20
> =
p;=20
> > sure it's right but who=3D3D3D20
> =
> =20
> =3D3D3D
> > =20
=
>knows?
>Thanks,<BR&a mp;>>Tom
>
 &=
gt;
>
>& lt;
>
> =20
> >&BR>>"rick"=3D3D3D20
> > =
> =20
<<A =3D3D3D
> > =
=3D
>>>href=3D3D3D3D"<A=20
=
href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto:pa=
rnell68@hotmail.com">parnell68@hotmail.com</A'>>=20
=3D
>=3D3D
> >=3D3D3D
> > =20
>wrote=3D3D3D20
> > > in=20
message=3D3D3D20
> > > =
=3D3D3D
> =20
> =3D3D
> =20
=
=

=3D
 >>>=3D3D3D3D
>>n ews:inqgh393an5s4m99qcaojn09vn=
112t4u6r@4ax.com...
>>&nbs=3D
>=3D3D3D=3D3D
>>=
nbsp;=20
>
> > > >p; i=3D3D3D20
> =
> =20
> know this as dumb as it gets but the bnc is attached in=20
=3D
>the=3D3D3D20
> > > > =20
right
> order...right?
> all the =
cards=20
show up =3D3D3D
> > >in=3D3D3D20
> =
> =20
> paris with the single mec?
> how many i/o =
cards=20
in =3D
>each=3D3D3D20
> > > =20
mec?
>
>& ;lt;BR>> On Fri, 19 Oct =
2007=20
00:22:39 -0400, =3D3D3D
> > =
>"Tom=3D3D3D20
> =20
> > Bruhl" <<A=3D3D3D20
> =
> =20
> =3D3D3D
> > =3D3D
> =20
=3D
>>href=3D3D3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n'>=
mailto:arpegio@comcast.net">arpegio@comcast.net>
>=
>&n=3D
>=3D3D3D=3D3D
> =20
>
> > >bsp;=3D3D3D20
> =
> =20
> wrote:
>
>&a mp;nbsp; >I thought I =
was=20
groovin' but once the =3D3D3D
> > =20
>second=3D3D3D20
> > > Mec was=20
introduced
> >the system stopped. That=20
=3D3D3D
> > >was a few=3D3D3D20
> =
> =20
> weeks ago.
> >
> =
>Today I=20
tried =3D3D3D
> > =
>different=3D3D3D20
> =20
> > cables, eds cards, mecs, eliminated the=20
=3D3D3D
> > =20
>magma
>=3D3D3D3D
>&a mp;gt;and
>>=20
=3D3D3D20
> > > >still no clock lock =
or modules=20
showing up in the paris=3D3D3D20
> > > =20
patchbay.
> >
> >This means =
to me=20
=3D3D3D
> > >software=3D3D3D20
> =

> =20
> unless someone tells me differently.
> =20
>
> =3D3D3D
> > =20
>>|=3D3D3D20
> > > have a new C =
drive which=20
I will load XP and no pace. Any=3D3D3D20
> =
> =20
> other=3D3D3D3D20
> =20
>uggestions?
> =3D3D3D
> > =20
>>
> =3D3D3D20
> > > =
>More=20
frustrated than my clients,
> =3D3D3D
> =
> =20
>>Tom
> =3D3D3D20
> > =
> =20
>
> >
> =
>
> =20
=3D3D3D
> > >>
> =
=3D3D3D20
> =20
> > >I choose Polesoft Lockspam to fight spam, =
and=20
you?
> =3D3D3D20
> > > =20
>http://www.polesoft.com/refer.html =3D3D3D20
> =
> =20
> =
=3D3D3D3D20
>
> >
><!DOCTYPE=20
HTML PUBLIC "-//W3C//DTD =3D3D3D
> > >HTML=20
4.0=3D3D3D20
> > > =20
=
Transitional//EN" >
><HTML><HEAD>
>=
<META=3D3D3D20
> =20
> > http-equiv=3D3D3D3D3DContent-Type=20
=3D
>content=3D3D3D3D3D"text/html;=3D3D3D20
> =
> =20
> =20
=
=3D3D3D3D
> charset=3D3D3D3D3Diso-885 9-1 ">
><=
>META=20
=3D3D3D
> > =20
>content=3D3D3D3D3D"MSHTML=3D3D3D20
> > =
> =20
6.00.2800.1400"=3D3D3D20
> > > =
=3D3D3D
> =20
> =20
=
>name=3D3D3D3D3DGENERATOR>
&a mp;gt;<STYLE></STYLE>=

></HEA=3D3D3D
> =20
> >D>
><BODY=3D3D 3D20
> =

> =20
> =
bgColor=3D3D3D3D3D#ffffff>
>& amp;lt;/DIV><FONT=20
=3D
>face=3D3D3D3D3DArial=3D3D3D20
> > =
> =20
=3D3D3D
> > =20
=
>size=3D3D3D3D2>Rick,&a mp;lt;/DIV>
><D=
IV><FONT=3D3D3D20
> =20
> > face=3D3D3D3D3DArial size=3D3D3D3D2>1 mec, =
no BNC=20
involved. Paris
=3D
>=3D3D3D
> > =20
>=3D3D3D3D
>boots up so=3D3D3D20
> =
> =20
> the=3D3D3D3D20
>1 mec =3D3D3D
> =
> =20
=
>that</DIV>< ;BR>><DIV><FONT=3D3D3D=
20
> =20
> > face=3D3D3D3D3DArial size=3D3D3D3D2>I'm =
using shows up=20
but never =3D
>any A to
> =3D3D
> =20
>=3D3D3D
> > >=3D3D3D3D
>Ds=20
or=3D3D3D20
> > > =20
any=3D3D3D3D20
>installed=3D3D3D20
> =
> > =20
modules.</DIV><BR& amp;gt;><DIV><FONT=20
=3D3D3D
> > =
>face=3D3D3D3D3DArial=3D3D3D20
> =20
> > size=3D3D3D3D2>This is the same symptom =
before I=20
=3D
>=3D3D3D3D
>repaired =3D3D
> =20
>=3D3D3D
> > >one=3D3D3D20
> =
> =20
> of=3D3D3D3D20
>my mecs =
with=3D3D3D20
> =20
> > =20
a</DIV>
 ><DIV><FONT=20
face=3D3D3D3D3DArial=3D3D3D20
> > > =20
size=3D3D3D3D2>new chip. The clock light =
=3D3D3D3D
>continues=20
=3D
>to=3D3D3D20
> > > =20
flash=3D3D3D3D20
>too. Never locks=3D3D3D20
> =
> =20
> =
in.</DIV><BR&g t;><DIV><FONT=20
face=3D3D3D3D3DArial =3D3D3D
> > =
>
> =20

> > size=3D3D3D3D2>=20
</DIV>
><DIV&am p;gt;<FONT =3D3D3D
> =
> =20
>face=3D3D3D3DArial=3D3D3D20
> > > =20
size=3D3D3D3D2>I am using the simplest setup I can =
=3D3D
> =20
>=3D3D3D3D
>imagine=3D3D3D20
> > =
> =20
and=3D3D3D3D20
>still it's not=3D3D3D20
> =
> =20
> =
working.</DIV><BR& amp;gt;><DIV><FONT=20
=3D3D3D
> > =
>face=3D3D3D3DArial=3D3D3D20
> =20
> > size=3D3D3D3D2>Mike A. suggested the .ini =
file=20
=3D3D3D
>to =3D
>make=3D3D3D20
> =
> =20
> sure=3D3D3D3D20
>card A is 0. I'll=20
try=3D3D3D20
> > > =20
that.</DIV><BR& ;gt;><DIV><FONT=20
=3D3D3D
> > =
>face=3D3D3D3DArial=3D3D3D20
> =20
> > size=3D3D3D3D2>Pretty sure it's right but=20
who=3D3D3D20
> > > =20
=
=3D3D3D3D
>knows?</FONT&g t;</DIV>
><D=
IV><FONT=3D3D3D20
> =20
> > face=3D3D3D3DArial=3D3D3D20
> =
> =20
> =3D3D3D
> > =20
=
>size=3D3D3D3D2>Thanks, </DIV>
><=
> > > =20
> >=3D3D3D20
> > > =20
face=3D3D3D3DArial=3D3D3D20
> > > =20
=
size=3D3D3D3D2>Tom</DIV >
><DIV>=
<FONT=3D3D3D20
> =20
> > face=3D3D3D3DArial =
size=3D3D3D3D2>=20
=3D3D3D
> > =20
=
></DIV>
><DIV><FONT=3D3D3D20
> =

> > face=3D3D3D3DArial =
size=3D3D3D3D2>=20
=3D3D3D
> > =20

></DIV>
><DIV>=3D3D3D20
> =
> </DIV>
><DIV>=20
</DIV>
><DIV>=3D3D3D20
> =
> =20
> </DIV>
><DIV> "rick" =
=3D3D3D
> =20
> =20
=
><<A=3D3D3D3D20
&g t;href=3D3D3D3D3D "<A=3D3D3D20
&=
 =20
> > =3D3D3D
> > =
=3D3D
> =20
=
=3D
>&g t;href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell= 68@hotmail.com</A'>mai=3D
>lt=3D3D
> =20
>;pa=3D3D3D
> > =20
=
>rnell68@hotmail.com">parnell68@hotmail.com</A>>= =3D3D3D20
> =20
> > =3D3D3D3D
>wrote=20
in=3D3D3D3D20
>message=20
=
=3D
 ><A=3D3D3D3D20
&g t;href=3 D3D3D3D3D "<A
>&nb= sp;=20
=3D3D
> >=3D3D3D
> > =
>
> =20
> > =3D3D3D
> > =
=3D3D
> =20
=
=3D
 >&g t;href=3D3D3D3D'news:inqgh393an5s4m99q caojn09vn112t4u6r@= 4ax.com">news:inqgh=3D
>393=3D3D
> =20
>an5=3D3D3D
> > =3D3D
> =20
=
=3D
>&g t;news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com"&= >news:inqgh393an5</A=3D3D=3D
>3D=3D3D
> =20
>
> > =20
=
=3D
>&g t;=3D3D3D3D
>s4m99qcaojn09vn112t4u6r@4ax.com= ...</DIV>
& amp;=3D3D3D
> =20
> =20
=
>g;<BLOCKQUOTE=3D3D3D3D20
&a mp;gt;style=3D3D3D3D3D "PADDING-RI= GHT:=3D3D3D20
> =20
> > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px;=20
=3D
>=3D3D3D3D
>BORDER-LEFT: =3D3D
> =20
>=3D3D3D
> > >#000000 = 2px=3D3D3D20
> =20

> > solid; MARGIN-RIGHT:=20
0px">i=3D3D3D3D20
> know this as dumb=20
as
=3D
>=3D3D3D
> > > >it =
gets=3D3D3D20
> =20
> > but the bnc is attached in =
the=3D3D3D3D20
>=20
=3D3D3D20
> > > > =20
right
order...right?
all the cards show up in paris=20
=3D3D3D
> > >with the=3D3D3D20
> =
> =20
> =
=3D3D3D3D
>single=3D3D3D3D20< BR>> =20
mec?
how many i/o cards =3D
>=3D3D3D
> =
> =20
>in each=3D3D3D20
> > > =20
mec?

On Fri, 19 =
Oct=3D3D3D20
> =20
> > =
2007
=3D3D3D3D
>&am p;
> =20
00:22:39 -0400, "Tom Bruhl"=3D3D3D20
> > =
> =20
<<A=3D3D3D3D20
> =20
=3D3D3D3D
>href=3D3D3D3D3D"<A=3D3D3D20
> =
> =20
> =3D3D3D
> > =3D3D
> =20
=
=3D
>>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@c=
omcast.net>
wro=3D
>te'=3D3D
> =20
>>ma=3D3D3D
> > =20
=
>ilto:arpegio@comcast.net">arpegio@comcast.net><BR&=
gt;w=3D3D3D
> =20
> =20
=
>rote:=3D3D3D3D
&a mp;>

>l=3D3D3=
D3D20
>=20
=3D3D3D20
> > > thought I was groovin' =
but once=20
the second Mec was=3D3D3D20
> > > =20
=
=3D3D3D3D
>introduced
>the=3D3D3D3D20
&g=
t; =20
system =3D3D3D
> > >stopped. That=20
was=3D3D3D20
> > > a few weeks=20
ago.
>
>Toda y l=3D3D3D20
> =
> =20
> =3D3D3D3D
>tried=3D3D3D3D20<B R>> =
different=20

t;/HTML<
&=3D3D3D
> =20
> =20
=
>>
>
& lt;/BLOCKQUOTE></BODY></HTML& ;=
>
> =20
> >
> > >
> =
>
> =20
>
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=20
Transitional//EN">
> =
><HTML><HEAD>
> =20
><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html;=20
=3D3D
> > charset=3D3D3Diso-8859-1">
> =
><META=20
content=3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3DGENERATOR>
> =20
><STYLE></STYLE>
> =
></HEAD>
> =20
><BODY bgcolor=3D3D3D#ffffff>
> =
><DIV><FONT=20
face=3D3D3DArial size=3D3D3D2>Hi =
Mike,</DIV>
> =20
><DIV>Well I've =
been to .cfg=20
many a =3D
>=3D3D
> =20
>time.</DIV>
> =
><DIV><FONT=20
face=3D3D3DArial size=3D3D3D2>I've seen that Mastercard =
=3D
>setting as=20
=3D3D
> >being=3D3D20
> =20
>0</DIV>
> ><DIV><FONT=20
face=3D3D3DArial size=3D3D3D2>but maybe it changed after =
=3D
>removing=20
the
> =3D3D
> >4=3D3D20
> =20
>other</DIV>
> =
><DIV><FONT=20
face=3D3D3DArial size=3D3D3D2>eds cards for this round of =
=3D3D
> =20
>testing.</DIV>
> =
><DIV><FONT=20
face=3D3D3DArial size=3D3D3D2> =
</DIV>
> =20
><DIV>If it's still =
0 what else=20
could
=3D
>this =3D3D
> >be? =
=3D3D20
> =20
>Busted mobo?</DIV>
> =20
><DIV>I'm really in =
an idunno=20

> wrote:
> >
> =20
>
> =3D3D20
> > =20
>Rick,
> >1 mec, no BNC involved. Paris =
boots=20
=3D3D
> >up so=3D3D20
> > the 1 =
mec=20
that
> >I'm using shows up but never any A to=20
=3D3D
> >Ds or=3D3D20
> > any =
installed=20
modules.
> >This is the same symptom =
=3D3D
> =20
>before I=3D3D20
> > repaired one of my mecs =
with=20
a
> >new chip. The =3D3D
> =20
>clock=3D3D20
> > light continues to flash =
too. =20
Never locks in.
> =3D3D20
> > =20
>
> >I am using the simplest setup I can =
imagine and=20
=3D3D
> >still=3D3D20
> > it's not =

=3D3D3D
> working.
> >Mike A. =
suggested =20
=3D3D
> >the .ini=3D3D20
> > file =
to make sure=20
card A is 0. I'll =3D3D
> =20
>try
>=3D3D3D
> t;=3D3D3D3D
> =
=3D3D20
> =20
> >that.
> >Pretty sure it's right =
but=20
who=3D3D20
> > knows?
> =20
>Thanks,
> >Tom
> =
=3D3D20
> =20
> >
> >
> =20
>
> >=3D3D
> >
>=20
=3D3D20
> > >
> > "rick"=20
<<A=3D3D20
> > href=3D3D3D"<A=20
=
href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto:pa= rnell68@hotmail.com">parnell68@hotmail.com</A'>>
=3D<BR= >>=3D3D
> =20
>wrote in=3D3D20
> > message =
=3D3D3D3D
>=20
=3D3D20
> > =20
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
>=20
=3D3D20
> > > I know this as dumb as it =
gets but=20
the bnc is attached in =3D3D
> =

> =20
=3D3D
> >>suggestions?
> =
=3D3D20
> =20
> > >
> > >More =
frustrated=20
than my=3D3D20
> > clients,
> =
> =20
>Tom
> > =3D3D20
> > =20
>
> > >
> =
> =20
=3D3D
> >>
> =3D3D20
> =
> =20
> >
> > >l choose Polesoft=20
=3D3D
> >Lockspam to=3D3D20
> > =
fight spam,=20
and you?
> > =3D3D20
> > =20
>http://www.polesoft.com/refer.html =3D3D3D3D20
> =

=3D3D20
> > >
> =20
>
> ><!DOCTYPE HTML =
PUBLIC=3D3D20
> =20
> "-//W3C//DTD HTML 4.0 Transitional//EN">
>=20
=3D3D20
> > =20
><HTML><HEAD>
> =20
><META=3D3D20
> > =
http-equiv=3D3D3D3D3DContent-Type=20
content=3D3D3D3D3D"text/html; =3D3D
> =
>=3D3D3D3D
>=20
=3D3D20
> > =20
>charset=3D3D3D3D3Diso-8859-1">
> ><META =

=3D3D
> >content=3D3D3D3D3D"MSHTML=3D3D20
> =
> =20
6.00.2800.1400" name=3D3D3D3D3DGENERATOR>
> =
=3D3D20
> =20
> ><STYLE></STYLE><B R>> =20
=3D3D
> >></HEAD>
> =
=3D3D20
> =20
> ><BODY =
bgColor=3D3D3D3D3D#ffffff>
> =20
=3D3D
> >><DIV><FONT=3D3D20
> =
> =20
face=3D3D3D3D3DArial =3D3D
> =20
>size=3D3D3D3D3D2>Rick,<DIV>
>=20
=3D3D20
> > ><DIV><FONT =
face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2>1 mec, no BNC =3D3D
> =20
>involved.=3D3D20
> > Paris=20

> =3D3D3D
>=3D3D3D3D
 > =
>wrote=20
in=3D3D3D3D20
> =3D3D
> =20
>>message=3D3D20
> > =20
<A=3D3D3D3D20
> =20
=3D3D3D
>>href=3D3D3D3D3D" <A=3D3D20
> =
> =20
=3D3D
> =20
=
=3D
>>href=3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.co=
m">>news:inqgh393=3D
>>'>>n=3D3D
> =20
=
=3D
>>ews:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">>news:in=
qgh393=3D3D3D<B=3D
>=3D3D
> =20
>>R>>an5=3D3D3D3D
> > =3D3D20
> =
> =20
=3D3D
> =20
=
>>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
=
>=20
=3D3D
> >=3D3D20
> > =20
><BLOCKQUOTE=3D3D3D3D20
& > =3D3D
> =20
>>style=3D3D3D3D3D"PADDING-RIGHT: 0px;=3D3D20
> =
> =20
PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3D3D3D
>=3D3D3D3D
 >=20
=3D3D20
> > >BORDER-LEFT: #000000 2px solid;=20
MARGIN-RIGHT: =3D3D
> =
>0px">=3D3D3D3D20
>=20
=3D3D20
> > > know this as dumb as it =
gets but the=20
bnc is attached in=3D3D20
> > =20
the=3D3D3D3D20
> > =3D3D
> =20
>&right
order...right?<BR& >all=3D3D20
> =
> =20
the cards show up in paris with=20
the
=3D3D3D
>=3D3D3 D3D
> =
=3D3D20
> =20
> >single=3D3D3D3D20
> > =20
mec?
how many i/o =3D3D
> >cards =
in=3D3D20
> =20
> each mec?

On Fri, 19=20
Oct=3D3D20
> > =
=3D3D3D
>2007
& > =20
=3D3D3D3D
> >
> =
=3D3D
> =20
>> =3D3D20
> > 00:22:39 -0400, "Tom Bruhl"=20
<<A=3D3D3D3D20
> > =3D3D20
> =

> =20
=3D3D3D3D
> =20
=3D3D3D
>>href=3D3D3D3D3D" <A=3D3D20
> = > =20
=3D3D
> =20
=
=3D
>>href=3D3D3D'mailto:arpegio@comcast.net' >arpegio@comcast=.net>
wrote'=3D
>>ma=3D3D
> =20
=
>ilto:arpegio@comcast.net" >arpegio@comcast.net>
w=3D3D
> =20
>rote:=3D3D3D
> & ;gt;=3D3D3D3D
>=20
=3D3D20
> > =20
>

>l=3D3D3D 3D20
> = > =20
> thought=20
=3D3D
> >l was=3D3D20
> > groovin' = but once=20
the second Mec was =3D3D3D3D
> =3D3D20
> = > =20
>introduced
>the=3D3D3D3D20&a mp;lt;BR>> = > =20
> system=20
=3D3D
> >stopped.=3D3D20
> > That = was a few=20
weeks ago.
>
>Toda y l =3D3D
> =20
>=3D3D3D3D
> =3D3D20
> > =20
>tried=3D3D3D3D20
> > different cables, = eds cards,=20
=3D3D
> >mecs,=3D3D20
> > = eliminated the magma=20
=3D3D3D3D
> = > =20
>and
>still=3D3D20
> =20
> no=3D3D3D3D20
> > clock lock or = modules=20
showing up in =3D3D
> >the paris=3D3D20
> = > =20
=3D3D3D3D
> =3D3D20
> > =20
=
>patchbay.
>
 ;>This=3D3D3D3D20
>&nb= sp;=20
=3D3D
> >> =3D3D20
> > means to = me software=20
unless someone tells me =3D3D3D3D
> =3D3D20
> = > =20
=
>differently.
>
>l=3D3D3D3D20
>&nb= sp;=20
=3D3D
> >> =3D3D20
> > have a = new C drive=20

size=3D3D3D3D2>Thanks=3D3D20
> > > =20
</DIV>< B R>></DIV></FONT=20
=3D3D
> >face=3D3D3D3DArial=3D3D20
> =
> =20
size=3D3D3D3D2> =
</DIV>
></DIV> ></FONT=20
=3D3D
> >face=3D3D3D3DArial=3D3D20
> =
> =20
size=3D3D3D3D2>Mike said the same thing. Is the =
=3D3D3D
>ini=20
in =3D3D
> >
> > =20
the=3D3D3D20
>Paris folde or system=3D3D20
> =
> =20
32?</DIV>
></DIV></FONT =
face=3D3D3D3DArial=20
=3D3D
> >
> > > size=3D3D3D3D2>Do =
I want the=20
Master card to be =3D3D
> =20
>0=3D3D3D20
>absolutely? I=3D3D20
> =
> =20
only have one =
card</DIV>
></DIV></FONT=20
=3D3D
> >
> > > face=3D3D3D3DArial=20
size=3D3D3D3D2>in there right now and it's all=3D3D20
> =
> =20
freaky
=3D3D3D
>jus t=3D3D20
> =
> =20
=3D3D
> =20
=
>the=3D3D3D20
>same.</ FONT></DIV>
>=
</DIV></FONT=3D3D
> =20
>=3D3D20
> > =
face=3D3D3D3DArial=3D3D20
> =20
> =20
=
size=3D3D3D3D2>Tom</DIV&a mp;gt;
></DIV><l
t;FONT=3D3D20
> =20
> face=3D3D3D3DArial size=3D3D3D3D2> =
=3D3D
> =20
></DIV>
>< l t;DIV></FONT=3D3D20
> =

> face=3D3D3D3DArial size=3D3D3D3D2> =
=3D3D
> =20
></DIV>
>< l t;DIV></FONT=3D3D20
> =

> face=3D3D3D3DArial =
size=3D3D3D3D2>=3D3D20
> =20
> =3D3D
> =20

=
></DIV>
>< t;BLOCKQUOTE=3D3D3D20
>style=3D=3D3D3D"PADDING-RIGHT:=20
=3D3D
> >0px;=3D3D20
> > >= PADDING-LEFT: 5px;=20
MARGIN-LEFT: 5px; =3D3D3D
>BORDER-LEFT:=20
#000000
=3D
>=3D3D
> >2px = solid;=3D3D20
> >=20
> > MARGIN-RIGHT: 0px">
> >=20
<DIV>"Dimitrios"=3D3D20
> > >=20
<<A=3D3D3D20
> p; = href=3D3D3D3D"<A=3D3D20
> >=20
> >=3D3D
> >=20
=
=3D
>>href=3D3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.=gr</A'>mailto:musur=3D
>gio=3D3D
> >=20
=
>@otenet.gr">musurgio@otenet.gr</A>>=3D3D20
&=gt; >=20
> > wrote in =
=3D3D3D
>message=3D3D3D20<BR& amp;gt;> >=20
<A =3D3D
> >=20
>=3D3D3D
>href=3D3D3D3D"<A=3D3D20
> > =
> >=20
=3D3D
> >=20
=
=3D
>>href=3D3D3D'news:471a0486\$1 @linux">news:471a0486\$1 @linu=x...</DIV>
 H=3D
>>'>=3D3D
>> >=20
=
>news:471a0486\$1 @linux">news:471a0486\$1 @linux...</DIV&=gt;&=3D3D
> >=20
=
>lt;BR>Hi
= 3D3D3D
>Tom=3D3D3D20<B=R>>=20
=3D3D20
> > > <A href=3D3D3D"<A=20
=
href=3D'mailto:!!@
Sorry">!!@
Sorry</A'>mailto:!!@
Sorry ">=!!@
Sorry</A>=20
to hear you still
=3D
>=3D3D
> > =
>>having=3D3D20
> >=20
> > problems like this ~!!
Must =3D3D
> >=20
>&be
=3D3D3D
> ;very=3D3D3D20
>=20
=3D3D20
> > > frustrating.
Open the Paris =
ini file=20
and there change the=3D3D20
> > >=20
=3D3D3D
>mastercardoutput=3D3D3D20&a mp;lt;BR>> > =
with your=20

=3D3D
> >other
cards and=3D3D20
> =
> = 20
see what happens !!
Let me=3D3D3D20
> =
=3D3D20
> = 20
> =
know.
Regards,
Dimitrios&a mp;lt;BR>
 "Tom=20
=3D3D
> >Bruhl"=3D3D20
> > = 20
<<A=3D3D3D20
> p; =
href=3D3D3D3D"<A=3D3D20
> = 20
> =3D3D
> = 20
=
=3D
>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast=
..net>=3D3D3D20'>m=3D
>ailto=3D3D
> = 20
=
>:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D20&l=
t;/A>
&g=3D3D
> = 20
>t; =3D3D20
> > = 20
wrote:
>
>&a mp;lt;BR>>Rick,
>1=20
=3D3D
> >mec, no=3D3D20
> > BNC=20
=3D3D3D
>involved. =
Paris=3D3D3D20
> boots up=20
so =3D3D
> >the 1 mec=3D3D20
> > = 20
that
>I'm using shows up but never any A =
=3D3D3D
>to=20
Ds=3D3D20
> > or=3D3D3D20
> any =
installed=20
modules.
>This is the =3D3D
> = 20
>same=3D3D20
> > symptom before I=20
=3D3D3D
>repaired one=3D3D3D20
> of my =
mecs=20
=3D3D
> >with=3D3D20
> > =
a
>new=20
chip. The clock light continues to=3D3D20
> =
> = 20
=3D3D3D
>flash=3D3D3D20
>p; > too. =
Never=20
locks=3D3D20
> > in.
>
>I =
am using=20
the simplest =3D3D
> >=3D3D3D
>setup=20
I=3D3D20
> > can=3D3D3D20
> =
imagine and=20
still it's not =3D3D
> >working.
>Mike=20
A.=3D3D20
> > suggested the=20
=3D3D3D
>.ini=3D3D3D20
> > file to make=20
=3D3D
> >sure card A is=3D3D20
> > =
0. = 20
I'll try=3D3D20
> > =3D3D
> = 20
=
=

>=3D3D3D
>=3D3D3D3D
>that.
>Pretty=
=3D3D3D20
>=20
=3D3D
> >; sure it's=3D3D20
> > > =
right but=20
who=3D3D3D20
> =3D3D20
> > > =
=3D3D
> >=20
=
>=3D3D3D
>knows?<BR&am p;g;>Thanks,
>Tom<=
BR>><=3D3D
> >=20
=
>BR>>
>< BR>>
><=3D3D3D& amp;lt;BR=
>>BR>=3D3D
> >=20
>>"rick"=3D3D3D20
> =3D3D20
> > > =
<<A=20
=3D3D3D
>href=3D3D3D3D"<A=3D3D20
> > =
> >=20
=3D3D
> >=20
=
=3D
>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hot=
mail.com</A'>mailto=3D
>;pa=3D3D
> >=20
=
>rnell68@hotmail.com">parnell68@hotmail.com</A>=
=3D3D20
> >=20
> > =3D3D3D
>wrote=3D3D3D20<BR&am p;g;> > in=20
message=3D3D3D20
> =3D3D20
> > > =
=3D3D
> >=20
=
>=3D3D3D
>=3D3D3D3D
>news:inqgh393an5s4m99qcao=
jn09vn112t4u6r@4ax=3D3D
> >=20
=
>.com...
>&nbs=3D3D3D
>p;=3D3D20
>&n=
bsp;=20
> > i=3D3D3D20
> > know this as dumb as it gets =
but the=20
bnc is =3D3D
> >attached in=3D3D20
> > =
> >=20
the=3D3D3D20
> > right
> =
=3D3D20
> >=20
> > order...right?
> > all the cards show=20
up=3D3D20
> > >=20
=3D3D3D
>in=3D3D3D20<BR&g t;> > paris with the =
single=20
=3D3D
> >mec?
> =3D3D20
> > =
> > how=20
many i/o cards in each=3D3D3D20
> =3D3D20
> > =
> >=20
mec?
>
>& ;lt;BR>> > On Fri, 19 Oct=20
=3D3D
> >2007=3D3D20
> > > 00:22:39 =

-0400,=20
=3D3D3D
>"Tom=3D3D3D20
> =
Bruhl"=3D3D20
> =20
> <<A=3D3D3D20
>> p;=20
=3D3D3D
>>href=3D3D3D3D" <A=3D3D20
> =
> =20
=3D3D
> =20
=
=3D
>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast=
..net>
>&am p; amp;n'>=3D3D=3D
>
> =
=20
=
>mailto:arpegio@comcast.net">arpegio@comcast.net><B=
R>=3D3D
> =20
=
>;&n=3D3D3D
> =3D3D3D20
>>=
=20
=3D3D20
> > =
wrote:
>
>& a mp; >l=20
thought I was groovin' =3D3D
> >but =
once=3D3D20
> =20
> the =
=3D3D3D
>>second=3D3D3D20
&a mp; >> Mec was=20
=3D3D
> >introduced
>> =3D3D20
> =
> =20
>the system stopped. That =3D3D3D
>>was a =
=3D3D
> =20
>few=3D3D3D20
>> weeks=3D3D20
> =
> =20
ago.
> >
> >Today l=20
tried=3D3D20
> > =20
=3D3D3D
>>different=3D3D3D20
> cables, =
eds cards,=20
mecs, =3D3D
> >eliminated the=3D3D20
> =
> =20
=
=3D3D3D
>>magma
>=3D3 D3D3D
>>and
>&=
gt;=20
=3D3D
> >=3D3D3D20
>> =3D3D20
> =
> =20
>still no clock lock or modules showing up in the =
=3D3D
> =20
>paris=3D3D3D20
>> =3D3D20
> > =20
patchbay.
> >
> >This means=20
=3D3D
> >to me=3D3D20
> > =20
=3D3D3D
>>software=3D3D3D20
>> unless =
someone tells=20
me=3D3D20
> > differently.
>> =20

>
> =3D3D20
> > > =20
=3D3D3D
>>=3D3D3D20<B R>> have a new C =
drive which l=20
will =3D3D
> >&load XP and no=3D3D20
> =
> =20
pace. Any=3D3D3D20
> =
other=3D3D3D3D20
>=20
=3D3D20
> > >&suggestions?
> =20
=3D3D3D
>>
& & amp;gt;=3D3D20
> =
> =20
=3D3D3D20
> >&More frustrated than my =
=3D3D
> =20
>&clients,
> =3D3D20
> > =20
=3D3D3D
>>Tom<BR&g t;> =
=3D3D3D20
> =20
=3D3D
> >&
> =3D3D20
> =
> =20
>
> >
> =3D3D
> =20
>=3D3D3D
>><BR& amp;gt;>=3D3D20
> =
> =20
=3D3D3D20
> >&l choose Polesoft Lockspam to fight =
spam,=20
and=3D3D20
> > you?
>=20
=3D3D3D20
> =3D3D
> =20
>&http://www.polesoft.com/refer.html=3D3D20
> =
> =20
=3D3D3D20
> =3D3D
> =20
=
>=3D3D3D3D20
><BR& g t;>
><!DOCTYPE=3D3=
D20
> =20
> HTML PUBLIC "-//W3C//DTD =3D3D3D
>HTML=20
4.0=3D3D3D20
> =3D3D20
> > =
=3D3D
> =20
=
>&Transitional//EN" >
><HTML>&l t;HEAD>
=
>=3D3D
> =20
><META=3D3D3D20
> =3D3D20
> > =20
http-equiv=3D3D3D3DContent-Type =3D3D
> =20
>&content=3D3D3D3D"text/html;=3D3D3D20
> =
=3D3D20
> =20
> =20
=
=3D3D3D3D
> charset=3D3D3D3DDiso-885 9-1 ">
><=
>META=20
=3D3D
> >&
> > =20
=
=3D3D3D
> content=3D3D3D3D"MSHTML=3D3D3D20
> =

=3D3D
> >6.00.2800.1400"=3D3D3D20
> =
=3D3D20
> =20
> =3D3D
> =20
=
>=3D3D3D
>name=3D3D3D3D3DGENE RATOR>
><ST=
YLE></STYLE&=3D3D
> =20
=
>>
></HEA=3D3D3D& ;lt;BR>>D>
>&am p;lt;=
BODY=3D3D3D20
&=3D3D
> =20
>> =3D3D20
> > =20
=
bgColor=3D3D3D3D3D#ffffff>
>& amp;lt;DIV><FONT=3D3D20
=
> =20
> face=3D3D3D3D3DArial=3D3D3D20
> =
=3D3D20
> =20
> =3D3D
> =20
=
>=3D3D3D
>size=3D3D3D3D3D2&am p;gt;Rick,</DIV&g=
t;
>&=3D3D
> =20
>&t;DIV><FONT=3D3D3D20
 > =3D3D20
> =
> =20
face=3D3D3D3D3DArial size=3D3D3D3D3D2>1 mec, no BNC involved.=20
=3D
>Paris=3D3D20
> > =20
=3D3D3D
>=3D3D3D3D
 >boots up =
so=3D3D3D20
> =20
=3D3D
> =
>the=3D3D3D3D20
>1=3D3D20
> =20
> mec=3D3D20
> > =3D3D
> =20
=
>=3D3D3D
>that</FONT&a mp;gt;</DIV>
>< D=
IV><FONT=3D3D
> =20
>=3D3D3D20
> =3D3D20
> > =
face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2>I'm using shows up but never any
=3D
>A =
to=20
=3D3D
> >
> > =20
=3D3D3D
>=3D3D3D3D
 >Ds =
or=3D3D3D20
>=20
=3D3D20
> > =20
any=3D3D3D3D20
>installed=3D3D3D20&a mp;lt;BR>> =
=3D3D20
> =20
> =20
=
modules.</DIV><BR& amp;gt;><DIV><FONT=3D3D20=

> =20
> =
=3D3D3D
>face=3D3D3D3D3DArial=3D3D3D 20
> =20
size=3D3D3D3D3D2>This is =3D
>=3D3D
> >the=20

same=3D3D20
> > symptom before l=20
=3D3D3D3D
>repaired =3D3D
> =20
>=3D3D3D
>one=3D3D3D20< ;BR>> =
=3D3D20
> > =20
of=3D3D3D3D20
>my mecs with=3D3D3D20
> =
=3D3D20
> =20
> =20
=
a</DIV>
 ></DIV><FONT=3D3D20
>=
 =20
> face=3D3D3D3D3DArial=3D3D3D20
> =
size=3D3D3D3D3D2><new=20
chip. The =3D3D
> >clock light=3D3D20
> =
> =20
=3D3D3D3D
>continues to=3D3D3D20
> =
=3D3D
> =20
>flash=3D3D3D3D20
>too.=3D3D2 0
> > =
Never=20
locks=3D3D3D20
> =3D3D20
> > =20
in.</DIV><BR&g t></DIV><FONT=20
=3D3D
> >face=3D3D3D3D3DArial=3D3D20
> =
> =20
=3D3D3D
>
> =20
size=3D3D3D3D3D2>=3D3D20
> > =20
</DIV>
></DIV&am p><FONT=3D3D20
> =
> =20
=3D3D3D
>face=3D3D3D3D3DArial=3D3D3D 20
> =

size=3D3D3D3D3D2><l am =3D3D
> >using the=20
simplest=3D3D20
> > setup I can=20
=3D3D3D3D
>imagine=3D3D3D20<B R>> =
=3D3D20
> =20
> and=3D3D3D3D20
>still it's =
not=3D3D3D20
>=20
=3D3D20
> > =20
=
working.</DIV><BR& amp>></DIV><FONT=3D3D20=

> =20
> =
=3D3D3D
>face=3D3D3D3D3DArial=3D3D3D 20
> =20
size=3D3D3D3D3D2><Mike A. =3D
>=3D3D
> =
> suggested=20
the=3D3D20
> > .ini file =
=3D3D3D3D
>to=20
make=3D3D3D20
> =3D3D20
> > =20
sure=3D3D3D3D20
>card A is 0. I'll =
try=3D3D3D20
>=20
=3D3D20
> > =20

=
that.</DIV><BR& ;gt;></DIV><FONT=3D3D20 <BR=
>> =20
> =
=3D3D3D
>face=3D3D3D3D3DArial=3D3D3D 20
> =20
size=3D3D3D3D2>Pretty =3D3D
> > sure it's=20
right=3D3D20
> > but who=3D3D3D20
>=20
=3D3D20
> > =3D3D
> =20
=
>=3D3D3D3D
>knows?</FO NT></DIV>
>& & =
lt;DIV& & g=3D3D
> =20
>t;</FONT=3D3D3D20
> =3D3D20
> > =

face=3D3D3D3D3DArial=3D3D3D20
> =3D3D20
> =
> =20
=3D3D
> =20
=
>=3D3D3D
>size=3D3D3D3D2&am p;gt;Thanks,</DIV=
>
>=3D3D
> =20
></DIV></FONT=3D3D3D<BR& >>=3D3D3D20
>=20
=3D3D20
> > =
face=3D3D3D3D3DArial=3D3D3D20
>=20
=3D3D20
> > =3D3D
> =20
=
>size=3D3D3D3D2>Tom& & ;lt;/DIV>
></DIV=
>
> =20
>FONT=3D3D3D20
> =3D3D20
> > =20
face=3D3D3D3D3DArial =
size=3D3D3D3D2>=3D3D20
> =20
> =3D3D
> =20
=
>=3D3D3D
></DIV>
></DIV><FONT=3 D=
3D3D20
>& & nbs=3D3D
> =20
>p;=3D3D20
> > face=3D3D3D3D3DArial=20
size=3D3D3D3D2>=3D3D20
> > =20
=
=3D3D3D
></DIV>< ;BR>></DIV>=3D3D3D20<BR=
>>=20
=3D3D20
> > =20
</DIV>
></DIV& & m p;gt;=3D3D20
> > =20
</DIV>
></DIV& & m p;gt;=3D3D3D20
> =
=3D3D20
> =20
> =
</DIV>
></DIV& & m p;gt; "rick"=3D3D20
> =20
> =3D3D
> =20
=
>=3D3D3D
>& & & & A=3 D3D3D3D20
>href=3D3D3D3D3=
D"<A=3D3D3D20
>& & n=3D3D
> =20

>=3D3D20
> > =3D3D
> =20
=
=3D
 >>=3D3D3D
>href=3D3D3D 3D'mailto:parnell68@hotmail.com">parnell68@hotmail.c=3D3D=3D
>
> =20
=
>om</A'>mailto:pa=3D3D3D<BR& gt;>rnell68@hotmail.com">pa=rnell68@hotmail=3D3D
> =20
>l.com</A>>=3D 3D3D20
> =
=3D3D20
> =20
> =3D3D3D3D
>wrote=20
in=3D3D3D3D20
>message=3D3D20
> > =20
<A=3D3D3D3D20
>href=3D3D3D3D3 D "<A=20
=3D3D3D
>
> =3D3D20
> > =20
=3D3D
> =20
=
=3D
 >>=3D3D3D
>href=3D3D3D 3D'news:inqgh393an5s4m99qc=aojn09vn112t4u6r@4ax.com">=3D3D=3D
>
> =20
=
=3D
 >>news:inqgh393an5=3D3D3D
& amp;gt;'>news:inqgh393an5=s4m99qcaojn09vn112t4u6r@4=3D3D=3D
>
> =20
=
>ax.com" >news:inqgh393an5</A=3D3D3D
& amp;gt;>=3D3D3D3D
>s4m99q=3D3D
> =20
=
>caojn09vn112t4u6r@4ax.com ...</DIV>
& amp;amp;=3D3D=3D3D
& amp;=3D3D
> =20
=
=3D
 >>gt;gt;<BLOCKQUOTE=3D3D3D3D20<B R>>style=3D3D3D3D=3D3D"PADDING-RIGHT:=3D3D3D20=3D3D
> =20
>
> =3D3D20
> > 0px; PADDING-LEFT: =5px;=20
MARGIN-LEFT: 5px; =3D3D
> =20
>=3D3D3D3D
>BORDER-LEFT:=3D3D 20
> => =20
=3D3D3D
>#000000 2px=3D3D3D20
> solid;=20
MARGIN-RIGHT:=3D3D20
> > =20
0px">i=3D3D3D3D20
> know this as dumb as =
=3D3D
> =20
>=3D3D3D
>it=3D3D20
> > =20
gets=3D3D3D20
> but the bnc is attached in =
=3D3D
> =20
>the=3D3D3D3D20
>=3D3D20
> > =20
=3D3D3D20
> =
right
order...right?
all the=20
=3D3D
> >&cards show up=3D3D20
> > =
in paris=20
=3D3D3D
>with the=3D3D3D20
> =
=3D3D20
> =20

=3D3D3D3D
>&and
>& ;gt;still =3D3D
> =20
>&no=3D3D3D3D20
>> =3D3D20
>> > =20
=3D3D3D
>>clock lock or=3D3D3D20
>> =
modules showing up=20
in the=3D3D20
> > paris=3D3D3D20
>>=20
=3D3D20
> > =3D3D
> =20
=
>=3D3D3D
>>=3D3D3D3D
 >>patchbay.
>>&l=
t;BR>>>This=3D3D3D=3D3D
> =20
>&3D20
>> =3D3D20
> > =
=3D3D3D
>>means=20
to=3D3D3D20
>> me software unless someone =
=3D3D
> =20
>&tells=3D3D20
> > me=3D3D3D20
>>=20
=3D3D20
> > =3D3D
> =20
=
>=3D3D3D
>>=3D3D3D3D
 >>differently.
>>=

>>l=3D3D3D=3D3D
> =20
>&3D20
>> =3D3D20
> > =
=3D3D3D
>>have=20
a new=3D3D3D20
>> C drive which I will load XP=20
=3D3D
> >&and no pace.=3D3D20
> > =
Any=20
other=3D3D3D3D20
>> =
=3D3D3D
>>
>>= 20
=3D3D20
> > =20

>>suggestions?
>>& ;gt;
>>More=20
frustrated=3D3D20
> > =20
=3D3D3D
>>than=3D3D3D20
>>& ;gt;> =
my=3D3D3D3D20
>>=20
=3D3D
> >=3D3D3D20
>> =3D3D20
> =
> =20
=3D3D
> =20
=
>=3D3D3D
>>clients,
& >>Tom
>>
&g t=
>
>=3D3D
> =20
=
>&
=3D3D3D
>> >>
>>l=3D3D3D20
 B=
R>>=20
=3D3D20
> > choose=20
=3D3D3D3D
>>Polesoft=3D3D3D3D20&l t;BR>>> =
Lockspam=20
=3D3D
> >to fight=3D3D20
> > =20
spam,=3D3D3D20
>> and=3D3D3D3D20
>>=20
=3D3D20
> > =3D3D
> =20
=
>=3D3D3D
>>you?
& g t;>http://www.polesoft.com/refer.=
html=3D3D3D20
>>&=3D3D
> =20

>> =3D3D20
> > > =3D3D
> =20
=
>=3D3D3D
>=3D3D3D3D20< BR>>
</BLOCKQUO=
TE></BODY>=3D3D
> =20
=
></HTML>
&=3D 3D3D
>>
>& & amp;|=
t;BR></B=3D3D
> =20
=
>LOCKQUOTE></BODY></HTML& & amp;gt;
>
>& & amp;|=
t;BR></BLOCKQUOTE><=3D3D
> =20
>/BODY></HTML>
> >
> =20
>
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML =
4.0=20
Transitional//EN">
><HTML><HEAD>
><META=20
http-equiv=3D3DContent-Type content=3D3D"text/html;=20
=3D
> charset=3D3Diso-8859-1">
><META =
content=3D3D"MSHTML=20
6.00.2800.1400"=20
=
name=3D3DGENERATOR>
><STYLE></STYLE>
></HEA=
D>
><BODY=20
bgColor=3D3D#ffffff>
><DIV><FONT face=3D3DArial=20
=
size=3D3D2>Mike,</DIV& amp ;gt;
><DIV><FONT=20
face=3D3DArial size=3D3D2>I used to use a Lucid but since all=20
of
=3D
>this mess=20
=
l=3D20
>stopped.</DIV>
><DIV><FON=
T=20
face=3D3DArial size=3D3D2>I'm trying to get stable from square =
=3D
>one=20
with the=3D20
>least amount=20
</DIV>
><DIV><FONT face=3D3DArial=20
size=3D3D2>of hardware. I am using the =3D
>default =
project=3D20
>for=20
sure. The only </DIV>
><DIV><FONT=20
face=3D3DArial size=3D3D2>other thing that I still question is=20
my
=3D
>move of=3D20
>Paris to C:ParisPro=20
</DIV>
><DIV><FONT face=3D3DArial=20
size=3D3D2>I should think the default project =
will
=3D
>either=20
work=3D20
>or not.=20
Maybe</DIV>
><DIV><FONT =
face=3D3DArial=20
size=3D3D2>configs or something else is =3D
>fighting=20
during=3D20
>Paris=20
startup?</DIV>
><DIV><FONT =
face=3D3DArial=20

size=3D3D2> </DIV>
></DIV></FONT =
face=3D3DArial=20
size=3D3D2>Pats 42 - Miami 7 . . . Halftime and =3D
>the=20
=
games=3D20
>over.</DIV>
></DIV></FO=
NT=20
face=3D3DArial=20
size=3D3D2>Tom</DIV>
></DIV></FONT=20
face=3D3DArial size=3D3D2> =
</DIV>
></DIV></FONT=20
face=3D3DArial size=3D3D2> =
</DIV>
></DIV></FONT=20
face=3D3DArial size=3D3D2>=20
=
</DIV>
></BLOCKQUOTE=3D20
>style=3D3D"PADDING-RIGHT: =
0px;=20
PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
>BORDER-LEFT: #000000 =
2px solid;=20
MARGIN-RIGHT: 0px">
> </DIV>"Mike Audet" =
</mike@....>=20
wrote in message <A=3D20
> =3D
>href=3D3D"<A=20
=
href=3D'news:471b6eb0\$1 @linux">news:471b6eb0\$1 @linux...</DIV>
Hi=3D=
20">news:471b6eb0\$1 @linux">news:471b6eb0\$1 @linux...</DIV&=
gt;</BR>Hi=3D20
> =20
Tom,</BR></BR>Are you using a default project with PARIS? =
I'm so=20
=3D
>sorry of=3D20
> this has been</BR>asked =
and answered=20
already. If so, perhaps it =3D
>is=3D20
> telling =
card zero to=20
lock</BR>to an external clock, which it can't=20
=3D
>because=3D20
> there isn't =
one.</BR></BR>It would=20
be interesting to attach an =
external
=3D
>clock=3D20
> source=20
to the MEC and</BR>then start PARIS to see how it behaves. =
=3D
>Or,=20
if=3D20
> the clock generator is fried,</BR>tell =
paris to lock=20
externally and see
=3D
>what=3D20
> happens when =
an external=20
clock</BR>source is applied.</BR></BR>Isn't=20
there
=3D
>a=3D20
> master house synch switch in =
the cfg=20
file? I've never =3D
>used</BR>it. =3D20
> =
Maybe DJ could=20
help with what that should/shouldn't be set=20

=3D
>to.

Wish I=3D20
> could do =
more than=20
think out loud...

Mike
 ;
 "Tom =
Bruhl"=20
=3D
><A=3D20
> href=3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>=3D20'>mailto=
:arpegio@comcast.net">arpegio@comcast.net>=3D20
&g=
t; =20
wrote:
>
> ;
>Hi =
Mike,
>Well=20
I've been to .cfg =3D
>many a=3D20
> =
time.
>I've=20
seen that Mastercard setting as being 0
>but =
=3D
>maybe=20
it=3D20
> changed after removing the 4 =
other
>eds cards=20
for this round of=3D20
> =
testing.
>
> If it's=20
still 0 what else could this be? =3D
>Busted=3D20
> ;=20
mobo?
>I'm really in an idunno place right now. I'll=20
be=3D20
> ; checking
>seriously today again =
because of a=20
session tomorrow=3D20
> ;=20
morning.
>Tom
>
>
> =
"Mike=20
Audet"=3D20
> ; <mike@...> wrote in message=20
<A=3D20
> ; =3D
>href=3D3D"<A=20
=
href=3D'news:471b2ec2\$1 @linux">news:471b2ec2\$1 @linux...
>
&=
g'>news:471b2ec2\$1 @linux">news:471b2ec2\$1 @linux...
=
>
&g=3D
>t;=20
=3D20
> ; Hi Tom,
>
> If you've only =
got one=20
card in, then the =3D
>
> ; Mastercard =3D3D3D 0 =
setting is=20
=3D3D
>right.
> =3D
>The file =
is=3D20
> ;=20
Paris.cfg, and it lives in the c:\program=3D20
> ;=20
files\Emu\PARIS
=3D3D
& ;PRO
>=20
=3D
> >folder.
>
> > =3D20
> ; I'd =
still check=20
it out to see what it is set to.
>
> =
=3D
>lf=20
it=3D20
> ; is wrong, what you are describing will=20
happen.
>
> =3D
>Good=3D20
> ; =

luck!
>
> Mike
>
> =

href="mailto:arpeggio@comcast.net">arpeggio@comcast.netmailto:arpeggio@comcast.net">arpeggio@comcast.net>=20
=3D
>
> wrote:
> > >
> =
>=20
=3D20
> >
> > >Rick,
> =
> >1=20
=3D
>mec, no=3D20
> BNC involved. Paris boots up so =
the 1 mec=20
that
> =3D
>> =3D20
> >I'm using =
shows up but=20
never any A to Ds or any installed=3D20
> =
modules.
>=20
> >This is the same symptom before =
=3D
>I=3D20
> repaired=20
one of my mecs with a
> > >new =3D
>chip.=20
=3D20
> The clock light continues to flash too. Never=20
locks=3D20
> =3D3D
>in.
> >=20
>
> > =3D
>>I am=3D20
> using =
the simplest=20
setup I can imagine and still it's not =
=3D
>=3D3D3D
>=20
=3D20
> >working.
> > >Mike A. =
suggested the=20
=3D
>.ini=3D20
> file to make sure card A is 0. I'll =

=3D3D
>try
> =3D
>
> =
=3D3D3D
>=20
>=3D3D3D3D
> > =3D
>>that.
>=20
=3D20
> > >Pretty sure it's right but who =
knows?
>=20
=3D
>> =3D20
> >Thanks,
> >=20
>Tom
> > =3D20
> >
> > =

>
> > =3D
>>
> =
=3D20
> >=20
>
> > >
> > =
=3D
>
> =20
>"rick" <A=3D20
> href=3D3D"<A=20
=
href="mailto:parnell68@hotmail.com">parnell68@hotmail.commailto:pa= rnell68@hotmail.com">parnell68@hotmail.com>=20
=3D
>wrote in=3D20
> message =3D3D3D3D
> =
>=20
=3D20
> =20
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
>=20
=3D20
> > > i know this as dumb as it gets but the =
bnc is=20
=3D
>attached=3D20
> in the =

=3D3D
>right
&g t;=20
> > =3D20
> ; order...right?
> > > =
all the=20
cards show =3D
>up in=3D20
> ; paris with the single=20
mec?
> > > how =3D
>many =
i/o=3D20
> ; cards in=20
each mec?
> > >
> =3D
>>=20
=3D20
> ; >
> > > On Fri, 19 Oct 2007 =
00:22:39=20
=3D
>,-0400,=3D20
> ; "Tom Bruhl" =3D3D3D
> =

><<A=3D20
> ; =3D
>href=3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n'>=
mailto:arpegio@comcast.net">arpegio@comcast.net>
=
>&n=3D
>bsp;=3D20
> ;=20
> > wrote:
> > =3D
>>
>=20
=3D20
> ; > > >I thought I was groovin' but once =
the second=20
=3D
>Mec was=3D20
> ; introduced
> > =
> >the=20
system =3D
>stopped. =3D20
> ; That was a few weeks=20
ago.
> > > =3D20
> ; >
> =
> >=20
>Today I tried different =3D
>cables,=3D20
> ; eds =
cards, mecs,=20
eliminated the
=3D3D
>=3D3D3D& amp;lt;BR>> =
=3D20
> ;=20
> magma
> > =3D3D3D3D
> > =
=3D20
> ;=20
>and
> > > >still no clock lock or=20
=3D
>modules=3D20
> ; showing up in the paris=20
=3D3D
>patchbay.
&a mp;gt; > =3D
>> =
=3D20
> ;=20
>
> > > >This means to me software=20
=3D
>unless=3D20
> ; someone tells me =
differently.
>=20
> > =3D20
> ; >
> > > >I have =
a new C=20
drive =3D
>which I will=3D20
> ; load XP and no pace. =
Any=20
=3D3D3D
> =3D20
> ; =
>other=3D3D3D3D20
> >=20
> =3D20
> ; >suggestions?
> > >=20
=3D
>>
> =3D20
> ; > > >More =
frustrated=20
than my =3D
>clients,
> =3D20
> ; > =
>=20

>Tom
> > > =3D20
> >
> =
> >=20
>
> > > =3D
>
> > =
>
> >=20
> >
> =3D
>
> > > >I =
choose=20
Polesoft Lockspam to fight spam, =3D
>&and=3D20
> =20
you?
> > > =3D20
> =20
>http://www.polesoft.com/refer.html =3D3D3D3D20
> =
=3D
>>=20
=3D20
> >
> > >
> >=20
=3D
>><!DOCTYPE=3D20
> HTML PUBLIC =
"-//W3C//DTD HTML 4.0=20
Transitional//EN">
> =3D20
> >=20
><HTML><HEAD><BR&a mp;gt;> >=20
=3D
>><META=3D20
> =
http-equiv=3D3D3D3D3DContent-Type=20
content=3D3D3D3D3D"text/html;=3D20
> =20
=3D3D
>=3D3D3D3D
&a mp;gt; > =3D20
> =20
> charset=3D3D3D3D3Diso-8859-1">
> >=20
=3D
>><META=3D20
> content=3D3D3D3D3D"MSHTML =
6.00.2800.1400"=20
=3D
 >name=3D3D3D3D3DGENERATOR>
&a mp;gt; =
=3D20
> >=20
><STYLE></STYLE><B R>> > =3D20
> =
></HEAD>
> > ><BODY=3D20
> =20
bgColor=3D3D3D3D3D#ffffff>
> >=20
=3D
>><DIV><FONT=3D20
> =
face=3D3D3D3D3DArial=20
=
=3D
 >size=3D3D3D3D3D2>Rick,&a mp;lt;/DIV>
&g=
t;=20
=3D20
> > ><DIV><FONT face=3D3D3D3D3DArial=20
=3D
>>size=3D3D3D3D3D2>1 mec, no=3D20
> BNC =
involved.=20
=3D3D
>Paris =3D3D3D
> =
=3D
>>=3D3D3D3D
>=20
=3D20
> > >boots up so the=3D3D3D3D20
> =
> >1=20
=3D
>>mec=3D20
> =
that</DIV><BR& gt;> >=20
=3D
>><DIV><FONT=3D20
> =
face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2>I'm using shows up but=20
=3D
>>=3D3D
>never=3D20
> =
any
>=20
=3D3D3D
> >A to =3D3D3D3D
> =3D
>> =

=3D20
> >Ds or any=3D3D3D3D20
> >=20
>installed=3D20
> =
modules.</DIV><BR& amp;gt;>=20
> =3D20
> > <DIV><FONT face=3D3D3D3D3DArial=20
size=3D3D3D3D2>This is =3D
>the same=3D20
> =20
symptom
=3D3D
>befo re
> =
=3D3D3D
>=20
>|l=3D20
> =3D3D3D3D
> > >repaired one =

=3D
>of=3D3D3D3D20
> =3D20
> > >my =
mecs with=20
a</DIV>
 > =3D20
> >=20
><DIV><FONT face=3D3D3D3D3DArial =
=3D
>size=3D3D3D3D2>new=20
chip.=3D20
> The clock=20
light
=3D3D
>=3D3D3 D3D
> >=20
=3D
>>continues to=3D20
> =
flash=3D3D3D3D20
> >=20
>too. Never locks=3D20
> =20
in.</DIV><BR&g t> >=20
=3D
>><DIV><FONT=3D20
> =
face=3D3D3D3D3DArial=20
size=3D3D3D3D2> =
=3D
></DIV>
>=20
=3D20
> > ><DIV><FONT face=3D3D3D3D3DArial=20
=3D
>size=3D3D3D3D2>I am using=3D20
> the =
simplest=20
=3D3D
>setup l
> =3D3D3D
>=20
=3D
>>can=3D20
> =3D3D3D3D
> > =
>imagine=20
=3D
>&and=3D3D3D3D20
> > =3D20
> =
>still it's not=20
working.</DIV><BR& amp;gt;> =3D
>>=20
=3D20
> ><DIV><FONT face=3D3D3D3D3DArial=20
size=3D3D3D3D2>Mike A. =3D
>suggested =
the=3D20
> =20
=3D3D
>.ini file
> =3D3D3D
>=20
=3D
>>=3D3D3D3D
> =3D20
> > >to =
make=20
sure=3D3D3D3D20
> > >card =3D
>A is =
0.=3D20
> =20
I'll try that.</DIV><BR& amp ;gt;> > =
=3D20
> =20
><DIV><FONT face=3D3D3D3D3DArial =
size=3D3D3D3D2>Pretty=20
=3D
>sure it's=3D20
> right =3D3D
>but =
who=20

=3D3D3D
> >=3D3D3D3D
> > =3D
>> =
=3D20
> =20
>knows?</DIV>&
> > =
=3D20
> =20
></DIV></FONT face=3D3D3D3D3DArial=3D20
> =20
size=3D3D3D3D3D2> Thanks,</DIV></BR>> > =
=3D
>>=20
=3D20
> ></DIV></FONT =
face=3D3D3D3D3DArial=3D20
> =20
size=3D3D3D3D3D2> Tom</DIV ></BR>> > =
=3D
>>=20
=3D20
> ></DIV></FONT face=3D3D3D3D3DArial=20
=3D
>&size=3D3D3D3D3D2>=3D20
> =20
</DIV></BR>> > ></DIV></FONT=20
=3D
>&face=3D3D3D3D3DArial=3D20
> =
size=3D3D3D3D3D2>=20
</DIV></BR>> > >=3D20
> ></DIV>=20
</DIV></BR>> > ></DIV>=3D20
> =20
</DIV></BR>> > ></DIV>=3D20
> =20
</DIV></BR>> > =
></DIV>"rick"=3D20
> =20
</</A=3D3D3D3D20</BR>>> >=20
=
=3D
 >=3D3D</BR>>>>href=3D3D3D3D 3D "</A=3D20
> =
;=20
=
=3D
>href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.c=
om</A'>mailto:pa=3D
>&gnell68@hotmail.com">parnell68@hotmai=
l.com</A>>=3D20
> =20
=3D3D</BR>>>=3D3D3D</BR>>& > >=3D3D3D3D</BR>>> =
>=20
=3D
>>wrote=3D20
> in=3D3D3D3D20</BR>>> =
> >message=20
=3D
></A=3D3D3D3D20</BR>>> =3D20
> >=20
=3D3D3D</BR>>>=20
=3D3D</BR>>>>>href=3D3D3D3D 3D "</A=3D20
> =20
=
=3D
>href=3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">=
news:inqgh'>news=3D
>>:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com=
" >news:inqgh=3D3D</BR>>& > >=3D
>>393=3D3D3D</BR>>g=
t;>=20
=3D20
> >an5=3D3D3D3D</BR>>> > =
=3D20
> =20
=
=3D
>>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>&l=
t;BR>>=20
=3D
>>=3D20
> > =
></BLOCKQUOTE=3D3D3D3D20</BR>>& >=20

> =3D20
> >style=3D3D3D3D3D"PADDING-RIGHT: 0px; =
PADDING-LEFT:=20
5px; MARGIN-LEFT: =3D
>
> =3D3D
>5px;=20
=3D3D3D
> >=3D3D3D3D
> =3D
>> =
=3D20
> =20
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT:=3D20
> =20
0px">i=3D3D3D3D20
> > > know this as =
=3D
>dumb as=20
it=3D20
> gets but the bnc is attached in=20
=3D3D
>the=3D3D3D3D20
> > > =3D
>> =
=3D20
> =20
> right
>order...right?
>all the cards show =
=3D
>up=20
in=3D20
> paris with =3D3D
>the
> =20
=3D3D3D
> =3D20
> >=3D3D3D3D
> =
>=20
>single=3D3D3D3D20
> =3D
>> =
=3D20
> >=20
mec?
>how many i/o cards in each=3D20
> =20
mec?
>
>
>On Fri, 19 =3D3D
>Oct=20
=3D
>=3D3D3D
> =3D20
> =
>2007
> >=20
=3D3D3D3D
> > =3D20
> >
> =
> >=20
00:22:39 -0400, "Tom Bruhl"=3D20
> =
<<A=3D3D3D3D20
>=20
> > =3D
>=3D3D3D3D
> =3D20
> >=20
=3D3D3D
>=20
=3D3D
>>>href=3D3D3D3D 3D "<A=3D20
> =20
=
=3D
>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net&l=
t;/A>>
>wro'>mail=3D
>to:arpegio@comcast.net">a=
rpegio@comcast.net>
>wro=3D
>=3D3D&l=
t;BR>>te=3D3D3D
>=20
=3D20
> >=3D3D3D3D
> > =
=3D20
> =20
>
>
>l=3D3D3D 3D20
> > =
=3D
>>=20
=3D20
> thought I was groovin' but once the second Mec was =

=3D
>=3D3D3D3D
> =3D20
> >=20
>introduced
>the=3D3D3D3D20&a mp;lt;BR>> =
=3D
>>=20
=3D20
> > system stopped. That was a few =
weeks=3D20
> =20
ago.
>
>Toda y I =3D3D3D3D
> =
=3D
>>=20
=3D20
> >tried=3D3D3D3D20
> > > =

different=20
=3D
>cables, eds=3D20
> cards, mecs, eliminated the =
magma=20
=3D3D3D3D
> > =3D20
> =
>&and
>still=20
no=3D3D3D3D20
> > =3D
>> =
clock=3D20
> lock or=20
modules showing up in the paris =3D3D3D3D
> =
=3D
>>=20
=3D20
> =20
>patchbay.
>
 ;>This=3D3D3D3D20
> =

=3D
>>=3D20
> > means to me software unless =
someone tells=20
me =3D
>=3D3D3D3D
> =3D20
> >=20
=
=3D
 >>differently.
>&l t;BR>>l=3D3D3D3D20
=
>>=20
=3D20
> > > have a new C drive which I will load XP =
and no=20
=3D
>pace. Any=3D20
> =20
=3D3D
>other=3D3D3D3D20<BR&am p;gt;> > > =
=3D20
> =20

>suggestions?
& ;gt;
>More frustrated=20
=3D
>than=3D20
> my=3D3D3D3D20
> > =
>=20
=3D20
> =20
=
=3D
 >>clients,
>Tom<BR& gt;>
>
=
>
>=3D
>>
>l=3D20
> =20
choose =3D3D3D3D
> > =
=3D
 >>Polesoft=3D3D3D3D20
> =20
=3D20
> > > Lockspam to fight spam,=20
=3D
>&and=3D3D3D3D20
> =3D20
> > >=20
=
=3D
>you?
>http://www.polesoft.com/refer.html=3D20
&=&
gt; =20
=3D3D3D3D20
> > =3D20
> =20
=
=3D
 >>
</BLOCKQUOTE> ;</BODY></HTML><=&
>>=20
=3D
>=3D20
> > >
> > =
>
>=20
=3D
>>
> =3D20
> >
>=20
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=3D20
> =20
Transitional//EN">
>=20
=3D
 >>
</HTML></HEAD>& ;lt;BR>> =
=3D20
> =20

><META http-equiv=3D3D3D3DContent-Type=20
content=3D3D3D3D"text/html";=3D20
> =3D3D3D3D
>=20
>< charset=3D3D3D3DDiso-8859-1">
>=20
=3D
>><META=3D20
> content=3D3D3D3D"MSHTML =
6.00.2800.1400"=20
=3D
 >&name=3D3D3D3DGENERATOR>
& amp ;gt; =
=3D20
> =20
><STYLE></STYLE><B R>>=20
=3D
 >></HEAD>
& g t; =3D20
> =
><BODY=20
bgColor=3D3D3D3D#ffffff>
>=20
=3D
>><DIV><FONT=3D20
> =
face=3D3D3D3DArial=20
size=3D3D3D3D2>Thanks=3D20
> =20
Dimitrios.</DIV><B R>>=20
=3D
>><DIV><FONT=3D20
> =
face=3D3D3D3DArial=20
size=3D3D3D3D2> =3D
></DIV>
>=20
=3D20
> ><DIV><FONT face=3D3D3D3DArial=20
size=3D3D3D3D2>Mike said the =3D
>same=3D20
> =
thing. Is=20
=3D3D
>the =3D3D3D
> >&ini =
in=3D20
> =20
the=3D3D3D20
> >Paris folde or =
system=3D20
> =20
32?</DIV><BR&g t;>=20
><DIV><FONT=3D20
> face=3D3D3D3DArial =
size=3D3D3D3D2>Do I=20
want the Master card to=3D20
> =20
be
=3D3D
>0=3D3D3D2 0
> =
>&absolutely? I only=20
=3D
>have one=3D20
> =
card</DIV><BR& g t;>=20
><DIV><FONT=3D20
> face=3D3D3D3DArial =
size=3D3D3D3D2>in=20
there right now and it's=3D20
> =20
all
=3D3D
>freaky&a mp;lt;BR>> =
=3D3D3D
>=20
>&just=3D20
> the=3D3D3D20
>=20
=3D
 >>same.</DIV&g t;
> =
=3D20
> =20
><DIV><FONT face=3D3D3D3DArial=3D20
> =20
size=3D3D3D3D2>Tom</DIV&a mp;gt;
> =
=3D20
> =20
><DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>=20
=3D
>
> </DIV>
> =
><DIV><FONT=20

face=Arial=20
>=20
</DIV>
<FONT=20
>=20
face=Arial size=20
=20
</DIV>
<BLOCKQUOTE=20
< ;=20
=20
<style=20" PADDING-RIGHT: 0px;=20
< =
PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =20
<=20
<=20
<BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 20
=20
<0px"
<=20
<=20
<=20
</DIV><"Dimitrios"=20
<<A=20
<=20
<=20
<=20
href=20"<A=20
<=20
=
=20
<href=20'mailto:musurgio@otenet.gr"<musurgio@otenet.gr<=
'A'<mailto:musurgio=20
<@otenet.gr"<musurgio@otenet.gr</A<=
lt;/A<<=20
<=20
wrote
<=20
<in =20
<=20
=20
<message=20
<=20
<=20
<A=20
=20
<=20
=20
<=20
<=20
<=20
=
=20
<href=20'news:471a0486\$1@linux"<news:471a0486\$1@linux</=
A<...</DIV>
<H'<n=20
<ews:471a0486\$1@linux"<=
news:471a0486\$1@linux</A<...</DIV><<=20
<t;BR<H<=
lt;/A<=20
<=20
<=20
=20
<=20
<=20
<Tom=20
<=20
<A=20
<=20 href=20"<A=20
=
href=20'mailto:!!@
Sorry">!!@
Sorry</A'>mailto:!!@
Sorry "<=
!@
Sorry</A/<=20
to hear you still =20
<having=20
<=20 problems like =
this=20
~!!
<Must
<=20
<=20
=20
<=20
=20
<=20
<=20
=20
<=20
frustrating.
<Open the Paris ini file and there change=20
the=20
<=20
<=20
<mastercardoutput=20
<=20
<=20 with=20
your=20
<=20 other
<cards and see what happens=20
!!
<Let=20
<=20 me=20
<=20
=20
<=20
know.
<Regards,
<Dimitrios
<=20
"Tom=20

=3D20
> >BR>>"rick"=3D3D3D20
> > =
<<A=20
=3D
>=3D3D3D
> =3D20
> =20
>&href=3D3D3D3D"<A=3D20
> =20
=
=3D
>&href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.c=
om</A'>mailto:pa=3D
>rnell68@hotmail.com">parnell68@hotmail=
l.com</A>>=3D20
> =20
=3D3D
>=3D3D3D
& & ;> =
>&wrote=3D3D3D20
>=20
=3D
>> in=3D20
> message=3D3D3D20
> =
>&=20
=3D3D3D
> =3D20
> =20
=
=3D
 >=3D3D
>>=3D3D3D3D& & ;
>news:inqgh393an5=
s4m99qcaojn09vn112t4u=3D
>6r@4ax.com...
>& & nbs=3D3D3D=
D=3D3D
>& &
>=2 0
=3D20
> >& p; i=3D3D3D20
> > know this as =
dumb as it=20
gets =3D
>but the=3D20
> bnc is attached in=20
the=3D3D3D20
> > =3D
>right
> =
=3D20
> =20
order...right?
> all the cards show up=20
=3D
>=3D3D3D
> =3D20
> =
>&in=3D3D3D20
>=20
> paris with the single=3D20
> mec?
> how =
many i/o=20
cards in =3D
>each=3D3D3D20
> =3D20
> =
>&=20
mec?
>& &
>& &
> On =3D
>Fri, 19=20
Oct=3D20
> 2007 00:22:39 -0400, =3D3D3D
>=20
>"Tom=3D3D3D20
> =3D
>> =3D20
> =
Bruhl"=20
<<A=3D3D3D20
> > =3D3D3D
> =
=3D20
> =20
=3D3D
>& & &href=3D3D3D3D"<A=3D20
> =20
=
=3D
>&href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net&l=
t;/A>>& &
>& & n=3D3 D=3D
>3D'>mailto:arpegio@com=
cast.net">arpegio@comcast.net>& &
>& & R>>& & a=
mp;n=3D3D3D=3D3D
> &
>=20
=3D20
> & & bsp;=3D3D3D20
> > =
=3D20
> =20
wrote:
>& &
> >I thought I was groovin' =
=3D
>&but=20
once=3D20
> the =3D3D3D
> =
>&second=3D3D3D20
>=20
> Mec =3D
>was=3D20
> introduced
> =

>the system=20
stopped. That=3D20
> =3D3D3D
> > was a=20
few=3D3D3D20
> > =3D
> weeks=3D20
> =20
ago.
> >
> > Today I =
tried=3D20
> =20
=3D3D3D
> > different=3D3D3D20
> > =
=3D
> cables,=20
eds=3D20
> cards, mecs, eliminated the =
=3D3D3D
> =20
=3D20
> =
> magma
=3D3D3D3D
&a mp;gt;&and
>=20
=3D
>=3D3D3D20
> =3D20
> > > still =
no clock lock=20
or modules showing up in the=3D20
> =
paris=3D3D3D20
> >=20
patchbay.
> =3D20
> >
> =
> This means to=20
me =3D3D3D
> =3D20
> =
> software=3D3D3D20
>=20
> unless someone tells me=3D20
> =
differently.
>=20
>
> =3D
>=3D3D3D
> =
=3D20
> =20
>> I=3D3D3D20
> > have a new C drive which I =
=3D
> will=20
load=3D20
> XP and no pace. Any=3D3D3D20
> =
>=20
=3D20
> other=3D3D3D3D20
>=20
=3D
>> suggestions?
> =3D20
> =
=3D3D3D
>=20
>>
> =3D3D3D20
> =3D
>> =
=3D20
> =20
> More frustrated than my clients,
>=20
=3D
>=3D3D3D
> =3D20
> =
>> Tom
>=20
=3D3D3D20
> > =3D20
> >
>=20
>
> =3D</BLOCKQUOTE></BODY></HTML>

-----=_NextPart_000_00F2_01C814CA.3D733990--
