
Subject: Re: Mixing with PARIS outside the box
Posted by [Deej \[1\]](#) on Fri, 13 Jan 2006 15:03:20 GMT
[View Forum Message](#) <> [Reply to Message](#)

> I an running 2 EDS cards so what is was thinking was to 8 out on
> one card and 8 out on the other, but I would think there would
> be an easier way.

You could use the Paris auxes to create stem mixes if you didn't want to fly
16 individual tracks to an external mixer..

;o)

"Dominic" <bertstudio@aol.com> wrote in message news:43c7bbe7\$1@linux...
>

> Looking for help mixing with PARIS outside the box.
> How do you have it set up? What I was originally thinking was
> to "external out" each channel but that would only get me 8 outs.
> I an running 2 EDS cards so what is was thinking was to 8 out on
> one card and 8 out on the other, but I would think there would
> be an easier way.
>
> Your advice would be greatly appreciated.
> Thanx Dominic

Subject: Mixing with PARIS outside the box
Posted by [Dominic](#) on Fri, 13 Jan 2006 15:40:39 GMT
[View Forum Message](#) <> [Reply to Message](#)

Looking for help mixing with PARIS outside the box.
How do you have it set up? What I was originally thinking was
to "external out" each channel but that would only get me 8 outs.
I an running 2 EDS cards so what is was thinking was to 8 out on
one card and 8 out on the other, but I would think there would
be an easier way.

Your advice would be greatly appreciated.
Thanx Dominic

Subject: Re: Mixing with PARIS outside the box
Posted by [Will Wilsn](#) on Fri, 13 Jan 2006 18:04:24 GMT
[View Forum Message](#) <> [Reply to Message](#)

DJ,
I just sent you an email.

I want to do this but I'm having a brainfart trying to do it.

-Will

"DJ" <animix_spam-this-ahole_@animas.net> wrote:

>> I an running 2 EDS cards so what is was thinking was to 8 out on

>> one card and 8 out on the other, but I would think there would

>> be an easier way.

>

>You could use the Paris auxes to create stem mixes if you didn't want to fly

>16 individual tracks to an external mixer..

>

>;o)

>

>"Dominic" <bertstudio@aol.com> wrote in message news:43c7bbe7\$1@linux...

>>

>> Looking for help mixing with PARIS outside the box.

>> How do you have it set up? What I was originally thinking was

>> to "external out" each channel but that would only get me 8 outs.

>> I an running 2 EDS cards so what is was thinking was to 8 out on

>> one card and 8 out on the other, but I would think there would

>> be an easier way.

>>

>> Your advice would be greatly appreciated.

>> Thanx Dominic

>

>

Subject: Re: Mixing with PARIS outside the box (auxes for stem mixes)

Posted by [tonehouse](#) on Fri, 13 Jan 2006 23:26:45 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi DJ...please tell us all how to do this....

"> >

> >You could use the Paris auxes to create stem mixes if you didn't want to

> fly

> >16 individual tracks to an external mixer..

> >

> >;o)

> >

> >"Dominic" <bertstudio@aol.com> wrote in message news:43c7bbe7\$1@linux...

> >>

> >> Looking for help mixing with PARIS outside the box.

> >> How do you have it set up? What I was originally thinking was

> >> to "external out" each channel but that would only get me 8 outs.

> >> I an running 2 EDS cards so what is was thinking was to 8 out on

> >> one card and 8 out on the other, but I would think there would
> >> be an easier way.
> >>
> >> Your advice would be greatly appreciated.
> >> Thanx Dominic
> >
> >
>

Subject: Re: Mixing with PARIS outside the box (auxes for stem mixes)
Posted by [Deej \[1\]](#) on Sat, 14 Jan 2006 02:08:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hmmmmmm.....guys???.....major brain fart here, likely caused by
.....well.....nevermind what, I simply fucked up. This is actually
not possible to my knowlefdge without routing the track from the Paris
insert sends into a summing device. Using the auxes is just a dead end
because you would still have to patch the insert sends to L & R Paris auxes
and since you can't sum patch points on the aux module, what's the use in
that?

Now back to the CR. Big mix to do, lots of acoustic instruments, with track
counts in low 20's for the most part.....14 songs and needs to be
finished in two weeks. This wouldn't be a problem except I have a day job
that is very busy these days and some evenings I'm just too fried to feel
like firing up the beast and going to work all night (though that's what's
happening right now).

If I think of a workaround for this, I'll post it up here.
Sorry.....false hope sucks.....I know.

Deej

tonehouse" <zmcleod@comcast.net> wrote in message news:43c83675\$1@linux...

> Hi DJ...please tell us all how to do this....

> "> >

> > >You could use the Paris auxes to create stem mixes if you didn't want
to

> > fly

> > >16 individual tracks to an external mixer..

> > >

> > >;o)

> > >

> > >"Dominic" <bertstudio@aol.com> wrote in message
news:43c7bbe7\$1@linux...

```
> > >> Looking for help mixing with PARIS outside the box.
> > >> How do you have it set up? What I was originally thinking was
> > >> to "external out" each channel but that would only get me 8 outs.
> > >> I an running 2 EDS cards so what is was thinking was to 8 out on
> > >> one card and 8 out on the other, but I would think there would
> > >> be an easier way.
> > >>
> > >> Your advice would be greatly appreciated.
> > >> Thanx Dominic
> > >
> > >
> >
>
>
```

Dang, the whole reason I bought Paris was so I could mix in the box....)

>Hmmmmmm.....guys???.....major brain fart here, likely caused by
>.....well.....nevermind what, I simply fucked up. This is actually
>not possible to my knowlefdge without routing the track from the Paris
>insert sends into a summing device. Using the auxes is just a dead end
>because you would still have to patch the insert sends to L & R Paris auxes
>and since you can't sum patch points on the aux module, what's the use in
>that?
>
>Now back to the CR. Big mix to do, lots of acoustic instruments, with track
>counts in low 20's for the most part.....14 songs and needs to be
>finished in two weeks. This wouldn't be a problem except I have a day job
>that is very busy these days and some evenings I'm just too fried to feel
>like firing up the beast and going to work all night (though that's what's
>happening right now).
>
>If I think of a workaround for this, I'll post it up here.
>Sorry.....false hope sucks.....I know.
>
>Deej
>
>
>
>
>tonehouse" <zmcleod@comcast.net> wrote in message news:43c83675\$1

>> Hi DJ...please tell us all how to do this....
>> "> >
>> > >You could use the Paris auxes to create stem mixes if you didn't want
>to
>> > fly
>> > >16 individual tracks to an external mixer..
>> > >
>> > >;o)
>> > >
>> > >"Dominic" <bertstudio@aol.com> wrote in message
>news:43c7bbe7\$1@linux...
>> > >>
>> > >> Looking for help mixing with PARIS outside the box.
>> > >> How do you have it set up? What I was originally thinking was
>> > >> to "external out" each channel but that would only get me 8 outs.
>> > >> I an running 2 EDS cards so what is was thinking was to 8 out on
>> > >> one card and 8 out on the other, but I would think there would
>> > >> be an easier way.
>> > >>
>> > >> Your advice would be greatly appreciated.
>> > >> Thanx Dominic
>> > >
>> > >
>> >
>>
>>
>
>

Subject: Re: Mixing with PARIS outside the box (auxes for stem mixes)
Posted by [Dominic](#) on Wed, 25 Jan 2006 15:41:50 GMT
[View Forum Message](#) <> [Reply to Message](#)

Deej

I have been external out on 4 Aux's for my headphone mix into a Furman HDS 16. Why can't I send 8 trks out my aux external from one EDS and 8 out the aux external on the other EDS card.

I'll know if will work in a few weeks. Just think PARIS tracks mixed down on an AMEK 2500.....Next to an Ampex MM1200
What a world..

You got to love it

DJ" <animix_spam-this-ahole_@animas.net> wrote:

>Hmmmmmm.....guys???.....major brain fart here, likely caused by
>.....well.....nevermind what, I simply fucked up. This is actually

>not possible to my knowlefdge without routing the track from the Paris
>insert sends into a summing device. Using the auxes is just a dead end
>because you would still have to patch the insert sends to L & R Paris auxes
>and since you can't sum patch points on the aux module, what's the use in
>that?
>
>Now back to the CR. Big mix to do, lots of acoustic instruments, with track
>counts in low 20's for the most part.....14 songs and needs to be
>finished in two weeks. This wouldn't be a problem except I have a day job
>that is very busy these days and some evenings I'm just too fried to feel
>like firing up the beast and going to work all night (though that's what's
>happening right now).
>
>If I think of a workaround for this, I'll post it up here.
>Sorry.....false hope sucks.....I know.
>
>Deej
>
>
>
>tonehouse" <zmcleod@comcast.net> wrote in message news:43c83675\$1@linux...
>> Hi DJ...please tell us all how to do this....
>> "> >
>> > >You could use the Paris auxes to create stem mixes if you didn't want
>to
>> > fly
>> > >16 individual tracks to an external mixer..
>> > >
>> > >;o)
>> > >
>> > >"Dominic" <bertstudio@aol.com> wrote in message
>news:43c7bbe7\$1@linux...
>> > >>
>> > >> Looking for help mixing with PARIS outside the box.
>> > >> How do you have it set up? What I was originally thinking was
>> > >> to "external out" each channel but that would only get me 8 outs.
>> > >> I an running 2 EDS cards so what is was thinking was to 8 out on
>> > >> one card and 8 out on the other, but I would think there would
>> > >> be an easier way.
>> > >>
>> > >> Your advice would be greatly appreciated.
>> > >> Thanx Dominic
>> > >
>> > >
>> >
>>
>>
>

>

Subject: Re: Mixing with PARIS outside the box (auxes for stem mixes)

Posted by [Deej \[1\]](#) on Wed, 25 Jan 2006 17:19:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

You can do this if you set the analog I/O appropriately in the Paris patchbay, then set the respective aux to External and stereo, enable the respective aux on the tracks you want to hear on the respective input of the HDS-16, physically connect the output from the respective auxes to the inputs of the HDS16 and crank the volume pot on the HRM-16 mixer. If you want to hear the entire mix on the HRM mixer, route your main mix (not monitor mix) to stereo D of the HDS-16. Now that you have that working, set you mixer to post fader and go buy yourself an Alesis Wedge on EBay and hook it up to the FX I/O on the HRM mixer and you'll never have to worry about jacking around with FX levels from the board. The HDS/HRM is a great system, IMO, plenty of gain available for 600 ohm cans and more versatile I/O situation (at least for studio applications) than the (somewhat similar) Mytek Private Q system which, when similarly configured, costs around \$1000.00 more and exponentially more and more as it is expanded. Something about running line level audio down those big old SCSI cables sounds much *phatter* than the LAN based HDS-6 system, to my ears.

Welcome to the club.

;o)

Deej

"Dominic" <BERTSTUDIO@aol.com> wrote in message news:43d78e2e\$1@linux...

>

> Deej

>

> I have been external out on 4 Aux's for my headphone mix into a
> Furman HDS 16. Why can't I send 8 trks out my aux external from
> one EDS and 8 out the aux external on the other EDS card.

>

>

> I'll know if will work in a few weeks. Just think PARIS tracks
> mixed down on an AMEK 2500.....Next to an Ampex MM1200
> What a world..

> You got to love it

> DJ" <animix_spam-this-ahole_@animas.net> wrote:

> >Hmmmmmm.....guys???.....major brain fart here, likely caused by

> >.....well.....nevermind what, I simply fucked up. This is actually

> >not possible to my knowlefdge without routing the track from the Paris

> >insert sends into a summing device. Using the auxes is just a dead end
> >because you would still have to patch the insert sends to L & R Paris
auxes
> >and since you can't sum patch points on the aux module, what's the use in
> >that?
> >
> >Now back to the CR. Big mix to do, lots of acoustic instruments, with
track
> >counts in low 20's for the most part.....14 songs and needs to be
> >finished in two weeks. This wouldn't be a problem except I have a day job
> >that is very busy these days and some evenings I'm just too fried to feel
> >like firing up the beast and going to work all night (though that's
what's
> >happening right now).
> >
> >If I think of a workaround for this, I'll post it up here.
> >Sorry.....false hope sucks.....I know.
> >
> >Deej
> >
> >
> >
> >tonehouse" <zmcleod@comcast.net> wrote in message
news:43c83675\$1@linux...
> >> Hi DJ...please tell us all how to do this....
> >> "> >
> >> > >You could use the Paris auxes to create stem mixes if you didn't
want
> >to
> >> > fly
> >> > >16 individual tracks to an external mixer..
> >> > >
> >> > >);o)
> >> > >
> >> > >"Dominic" <bertstudio@aol.com> wrote in message
> >news:43c7bbe7\$1@linux...
> >> > >>
> >> > >> Looking for help mixing with PARIS outside the box.
> >> > >> How do you have it set up? What I was originally thinking was
> >> > >> to "external out" each channel but that would only get me 8 outs.
> >> > >> I an running 2 EDS cards so what is was thinking was to 8 out on
> >> > >> one card and 8 out on the other, but I would think there would
> >> > >> be an easier way.
> >> > >>
> >> > >> Your advice would be greatly appreciated.
> >> > >> Thanx Dominic
> >> > >
> >> > >

> > >
> >>
> >>
> >
> >
> >
>

Subject: Re: Mixing with PARIS outside the box (auxes for stem mixes)

Posted by [Dominic](#) on Wed, 25 Jan 2006 21:05:50 GMT

[View Forum Message](#) <> [Reply to Message](#)

DJ

Thanx for your response....

What I was actually thinking was to do this same type of set up

so that I can mix outside the box.

What do you think?

Thanx again Dominic

"DJ" <animix_spam-this-ahole_@animas.net> wrote:

>You can do this if you set the analog I/O appropriately in the Paris
>patchbay, then set the respective aux to External and stereo, enable the
>respective aux on the tracks you want to hear on the respective input of
the
>HDS-16, physically connect the output from the respective auxes to the
>inputs of the HDS16 and crank the volume pot on the HRM-16 mixer. If you
>want to hear the entire mix on the HRM mixer, route your main mix (not
>monitor mix) to stereo D of the HDS-16. Now that you have that working,
set
>you mixer to post fader and
>go buy yourself an Alesis Wedge on EBay and hook it up to the FX I/O on
the
>HRM mixer and you'll never have to worry about jacking around with FX levels
>from the board. The HDS/HRM is a great system, IMO, plenty of gain
>available for 600 ohm cans and more versatile I/O situation (at least for
>studio applications) than the (somewhat similar) Mytek Private Q system
>which, when similarly configured, costs around \$1000.00 more and
>exponentially more and more as it is expanded. Something about running line
>level audio down those big old SCSI cables sounds much *phatter* than the
>LAN based HDS-6 system, to my ears.
>
>Welcome to the club.
>
>;o)
>
>Deej

>
>"Dominic" <BERTSTUDIO@aol.com> wrote in message news:43d78e2e\$1@linux...
>>
>> Deej
>>
>> I have been external out on 4 Aux's for my headphone mix into a
>> Furman HDS 16. Why can't I send 8 trks out my aux external from
>> one EDS and 8 out the aux external on the other EDS card.
>>
>>
>> I'll know if will work in a few weeks. Just think PARIS tracks
>> mixed down on an AMEK 2500.....Next to an Ampex MM1200
>> What a world..
>> You got to love it
>> DJ" <animix_spam-this-ahole_@animas.net> wrote:
>> >Hmmmmm.....guys???.....major brain fart here, likely caused
by
>> >.....well.....nevermind what, I simply fucked up. This is actually
>> >not possible to my knowlefdge without routing the track from the Paris
>> >insert sends into a summing device. Using the auxes is just a dead end
>> >because you would still have to patch the insert sends to L & R Paris
>auxes
>> >and since you can't sum patch points on the aux module, what's the use
in
>> >that?
>> >
>> >Now back to the CR. Big mix to do, lots of acoustic instruments, with
>track
>> >counts in low 20's for the most part.....14 songs and needs to be
>> >finished in two weeks. This wouldn't be a problem except I have a day
job
>> >that is very busy these days and some evenings I'm just too fried to
feel
>> >like firing up the beast and going to work all night (though that's
>what's
>> >happening right now).
>> >
>> >If I think of a workaround for this, I'll post it up here.
>> >Sorry.....false hope sucks.....I know.
>> >
>> >Deej
>> >
>> >
>> >
>> >tonehouse" <zmcleod@comcast.net> wrote in message
>news:43c83675\$1@linux...
>> >> Hi DJ...please tell us all how to do this....
>> >> "> >

>> >> > >You could use the Paris auxes to create stem mixes if you didn't
>want
>> >to
>> >> > fly
>> >> > >16 individual tracks to an external mixer..
>> >> > >
>> >> > >;o)
>> >> > >
>> >> > >"Dominic" <bertstudio@aol.com> wrote in message
>> >news:43c7bbe7\$1@linux...
>> >> > >>
>> >> > >> Looking for help mixing with PARIS outside the box.
>> >> > >> How do you have it set up? What I was originally thinking was
>> >> > >> to "external out" each channel but that would only get me 8 outs.
>> >> > >> I an running 2 EDS cards so what is was thinking was to 8 out
on
>> >> > >> one card and 8 out on the other, but I would think there would
>> >> > >> be an easier way.
>> >> > >>
>> >> > >> Your advice would be greatly appreciated.
>> >> > >> Thanx Dominic
>> >> > >
>> >> > >
>> >> >
>> >>
>> >>
>> >
>> >
>>
>
>

Subject: Re: Mixing with PARIS outside the box (auxes for stem mixes)

Posted by [Deej \[1\]](#) on Wed, 25 Jan 2006 23:21:32 GMT

[View Forum Message](#) <> [Reply to Message](#)

You can apply as many tracks to an aux channel as you want in a Paris submix and you can also gain stage with the aux send/return. Since I've never done this, I can't speak to the panning aspect of it, but I would think that if you have your fader levels and panning applied in Paris, the auxes set to stereo and center panned and the input channels on your mixer panned wide L & R, then your mix panning in Paris might be preserved (because if you're using auxses, this is where you're going to have to do your painning....in Paris).....but then, you're not controlling your individual track fader levels and panning on your outboard mixer. This might be a problem, depending on how much control you want. If you're just using the mixer for summing and you don't have enough inputs to handle anything but a few stems,

I can see doing this. You will have to monitor everything through the outboard mixer, obviously, unless you are feeding everything full on through the auxes and this is where you might run into some major distortion with your stems since the aux sends/returns are gain stages that can be overdriven. If you output 1:1 through the Paris inserts into corresponding channels of an analog mixer (if you have enough inputs on the outboard mixer), you have much less chance of this happening unless, of course, you boost the Paris channel fader to 20 and crank the EQ output gain stages on the individual channels, etc.

I'm simultaneously mixing on two DAWs with automation working on both of them and I have to be really careful about the gain staging thing. I'm sorta' doing what you're proposing to do, except Paris is my *outboard* whereas Cubase is my ITB.

Deej

"Dominic" <BERTSTUDIO@aol.com> wrote in message news:43d7da1e\$1@linux...

>

> DJ

>

> Thanx for your response....

> What I was actually thinking was to do this same type of set up
> so that I can mix outside the box.

> What do you think?

>

> Thanx again Dominic

>

> "DJ" <animix_spam-this-ahole_@animas.net> wrote:

> >You can do this if you set the analog I/O appropriately in the Paris
> >patchbay, then set the respective aux to External and stereo, enable the
> >respective aux on the tracks you want to hear on the respective input of
> the

> >HDS-16, physically connect the output from the respective auxes to the
> >inputs of the HDS16 and crank the volume pot on the HRM-16 mixer. If you
> >want to hear the entire mix on the HRM mixer, route your main mix (not
> >monitor mix) to stereo D of the HDS-16. Now that you have that working,
> set

> >you mixer to post fader and

> >go buy yourself an Alesis Wedge on EBay and hook it up to the FX I/O on
> the

> >HRM mixer and you'll never have to worry about jacking around with FX
levels

> >from the board. The HDS/HRM is a great system, IMO, plenty of gain
> >available for 600 ohm cans and more versatile I/O situation (at least for
> >studio applications) than the (somewhat similar) Mytek Private Q system

> >which, when similarly configured, costs around \$1000.00 more and
> >exponentially more and more as it is expanded. Something about running
line
> >level audio down those big old SCSI cables sounds much *phatter* than the
> >LAN based HDS-6 system, to my ears.
> >
> >Welcome to the club.
> >
> >;o)
> >
> >Deej
> >
> >"Dominic" <BERTSTUDIO@aol.com> wrote in message news:43d78e2e\$1@linux...
> >>
> >> Deej
> >>
> >> I have been external out on 4 Aux's for my headphone mix into a
> >> Furman HDS 16. Why can't I send 8 trks out my aux external from
> >> one EDS and 8 out the aux external on the other EDS card.
> >>
> >>
> >> I'll know if will work in a few weeks. Just think PARIS tracks
> >> mixed down on an AMEK 2500.....Next to an Ampex MM1200
> >> What a world..
> >> You got to love it
> >> DJ" <animix_spam-this-ahole_@animas.net> wrote:
> >> >Hmmmmm.....guys???.....major brain fart here, likely caused
> by
> >> >.....well.....nevermind what, I simply fucked up. This is
actually
> >> >not possible to my knowlefdge without routing the track from the Paris
> >> >insert sends into a summing device. Using the auxes is just a dead end
> >> >because you would still have to patch the insert sends to L & R Paris
> >auxes
> >> >and since you can't sum patch points on the aux module, what's the use
> in
> >> >that?
> >> >
> >> >Now back to the CR. Big mix to do, lots of acoustic instruments, with
> >track
> >> >counts in low 20's for the most part.....14 songs and needs to be
> >> >finished in two weeks. This wouldn't be a problem except I have a day
> job
> >> >that is very busy these days and some evenings I'm just too fried to
> feel
> >> >like firing up the beast and going to work all night (though that's
> >what's
> >> >happening right now).
