
Subject: Sync a midi device slave to paris
Posted by [dennis](#) on Sat, 25 Aug 2007 20:51:31 GMT
[View Forum Message](#) <> [Reply to Message](#)

There must be people who are doing this.
How do you people do this?
Witch hardware and witch midi interface?
I am really having problems getting my midi stuff synchronized to paris.

Cheers,

Dennis

Subject: Re: Sync a midi device slave to paris
Posted by [PARIS](#) on Thu, 30 Aug 2007 05:40:21 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hey Dennis, I've just completed a project using MIDI, so I might be able to help. I'm using a sort of ad-hoc MIDI setup, which may or may not apply to what you're running, so I'll ask you to tell me what you're running first and I can help you from there.

Specifically:

- what OS/platform
- what MIDI I/O device(s)
- what controller/slave MIDI devices (keyboards, samplers, synths, sequencers, etc.)

It took me several days and many, many hours to get my MIDI setup working right for recording. I hope I can save you some pain. :-)

Matt

dennis wrote:

- > There must be people who are doing this.
- > How do you people do this?
- > Witch hardware and witch midi interface?
- > I am really having problems getting my midi stuff synchronized to paris.
- >
- > Cheers,
- >
- > Dennis

Subject: Re: Sync a midi device slave to paris

Posted by [dennis](#) on Thu, 30 Aug 2007 13:36:45 GMT

[View Forum Message](#) <> [Reply to Message](#)

Thanks at first for trying to help me out.
I got Paris running under Windows XP.
As midi i got a simple usb edirol device.
I wanna have a midiclock signal so i can sync my electricbe drummachine.
But more important is that i can have a clock signal into my Korg KMS-30
to sync al my analogue modular stuff.
Then i can do jams much more easier and make edits afterwards.
I hope this is enough information.

Cheers,

Dennis

"M. O'Reilly" <PARIS@moreilly.com> wrote:

>Hey Dennis, I've just completed a project using MIDI, so I might be able

>to help. I'm using a sort of ad-hoc MIDI setup, which may or may not
>apply to what you're running, so I'll ask you to tell me what you're
>running first and I can help you from there.

>

>Specifically:

>-what OS/platform

>-what MIDI I/O device(s)

>-what controller/slave MIDI devices (keyboards, samplers, synths,
>sequencers, etc.)

>

>It took me several days and many, many hours to get my MIDI setup
>working right for recording. I hope I can save you some pain. :-)

>

>Matt

>

>

>dennis wrote:

>> There must be people who are doing this.

>> How do you people do this?

>> Witch hardware and witch midi interface?

>> I am really having problems getting my midi stuff synchronized to paris.

>>

>> Cheers,

>>

>> Dennis

Subject: Re: Sync a midi device slave to paris

Posted by [dennis](#) on Thu, 06 Sep 2007 21:20:38 GMT

[View Forum Message](#) <> [Reply to Message](#)

Anyone?

"dennis" <atari@1040.st> wrote:

>

>Thanks at first for trying to help me out.

>I got Paris running under Windows XP.

>As midi i got a simple usb edirol device.

>I wanna have a midiclock signal so i can sync my electribe drummachine.

>But more important is that i can have a clock signal into my Korg KMS-30

>to sync al my analogue modular stuff.

>Then i can do jams much more easier and make edits afterwards.

>I hope this is enough information.

>

>Cheers,

>

>Dennis

>

>

>"M. O'Reilly" <PARIS@moreilly.com> wrote:

>>Hey Dennis, I've just completed a project using MIDI, so I might be able

>

>>to help. I'm using a sort of ad-hoc MIDI setup, which may or may not

>>apply to what you're running, so I'll ask you to tell me what you're

>>running first and I can help you from there.

>>

>>Specifically:

>>-what OS/platform

>>-what MIDI I/O device(s)

>>-what controller/slave MIDI devices (keyboards, samplers, synths,

>>sequencers, etc.)

>>

>>It took me several days and many, many hours to get my MIDI setup

>>working right for recording. I hope I can save you some pain. :-)

>>

>>Matt

>>

>>

>>dennis wrote:

>>> There must be people who are doing this.

>>> How do you people do this?

>>> Witch hardware and witch midi interface?

>>> I am really having problems getting my midi stuff synchronized to paris.

>>>

>>> Cheers,

>>>

>>> Dennis

>

Subject: Re: Sync a midi device slave to paris
Posted by [dennis](#) on Fri, 21 Sep 2007 13:40:17 GMT
[View Forum Message](#) <> [Reply to Message](#)

I still wanna sync my midi hardware to paris.
Can anyone help me out?

"dennis" <atari@1040.st> wrote:

>

>Anyone?

>

>"dennis" <atari@1040.st> wrote:

>>

>>Thanks at first for trying to help me out.

>>I got Paris running under Windows XP.

>>As midi i got a simple usb edirol device.

>>I wanna have a midiclock signal so i can sync my electribe drummachine.

>>But more important is that i can have a clock signal into my Korg KMS-30

>>to sync al my analogue modular stuff.

>>Then i can do jams much more easier and make edits afterwards.

>>I hope this is enough information.

>>

>>Cheers,

>>

>>Dennis

>>

>>

>>"M. O'Reilly" <PARIS@moreilly.com> wrote:

>>>Hey Dennis, I've just completed a project using MIDI, so I might be able

>>>

>>>to help. I'm using a sort of ad-hoc MIDI setup, which may or may not

>>>apply to what you're running, so I'll ask you to tell me what you're

>>>running first and I can help you from there.

>>>

>>>Specifically:

>>>-what OS/platform

>>>-what MIDI I/O device(s)

>>>-what controller/slave MIDI devices (keyboards, samplers, synths,

>>>sequencers, etc.)

>>>

>>>It took me several days and many, many hours to get my MIDI setup

>>>working right for recording. I hope I can save you some pain. :-)

>>>

>>>Matt

>>>
>>>
>>>dennis wrote:
>>>> There must be people who are doing this.
>>>> How do you people do this?
>>>> Witch hardware and witch midi interface?
>>>> I am really having problems getting my midi stuff synchronized to paris.
>>>>
>>>> Cheers,
>>>>
>>>> Dennis
>>
>

Subject: Re: Sync a midi device slave to paris
Posted by [Tom Bruhl](#) on Sat, 06 Oct 2007 17:12:59 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_00FE_01C8081A.9E0C5780
Content-Type: text/plain;
 charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Dennis,
You should post this question at IDEA.EMUEnsoniqPARIS
That's the busiest Paris newsgroup.
Tom

"dennis" <atari@1040.st> wrote in message news:46f3c9c1\$1@linux...

I still wanna sync my midi hardware to paris.
Can anyone help me out?

"dennis" <atari@1040.st> wrote:

>
>Anyone?
>
>"dennis" <atari@1040.st> wrote:
>>
>>Thanks at first for trying to help me out.
>>I got Paris running under Windows XP.
>>As midi i got a simple usb edirol device.
>>I wanna have a midiclock signal so i can sync my electribe =
drummachine.

>>But more important is that i can have a clock signal into my Korg =
KMS-30
>>to sync al my analogue modular stuff.
>>Then i can do jams much more easier and make edits afterwards.
>>I hope this is enough information.
>>
>>Cheers,
>>
>>Dennis
>>
>>
>>"M. O'Reilly" <PARIS@moreilly.com> wrote:
>>>Hey Dennis, I've just completed a project using MIDI, so I might be =
able
>>
>>>to help. I'm using a sort of ad-hoc MIDI setup, which may or may =
not

>>>apply to what you're running, so I'll ask you to tell me what =
you're=20
>>>running first and I can help you from there.
>>>
>>>Specifically:
>>>-what OS/platform
>>>-what MIDI I/O device(s)
>>>-what controller/slave MIDI devices (keyboards, samplers, synths,=20
>>>sequencers, etc.)
>>>
>>>It took me several days and many, many hours to get my MIDI setup=20
>>>working right for recording. I hope I can save you some pain. :-)
>>>
>>>Matt
>>>
>>>
>>>dennis wrote:
>>>> There must be people who are doing this.
>>>> How do you people do this?
>>>> Witch hardware and witch midi interface?
>>>> I am really having problems getting my midi stuff synchronized to =
paris.
>>>>=20
>>>> Cheers,
>>>>=20
>>>> Dennis
>>
>

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=_NextPart_000_00FE_01C8081A.9E0C5780

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =

charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV>Dennis,</DIV>

<DIV>You should post this question at=20

IDEA.EMUEnsoniqPARIS</DIV>

<DIV>That's the busiest Paris =

newsgroup.</DIV>

<DIV>Tom</DIV>

<DIV> </DIV>

<DIV> </DIV>

<BLOCKQUOTE=20

style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =

BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

<DIV>"dennis" <<A =

href=3D"mailto:atari@1040.st">atari@1040.st> wrote=20

in message <A=20

href=3D"news:46f3c9c1\$1@linux">news:46f3c9c1\$1@linux...</DIV>
I =

still=20

wanna sync my midi hardware to paris.
Can anyone help me=20

out?

"dennis" <<A =

href=3D"mailto:atari@1040.st">atari@1040.st>=20

wrote:
>
>Anyone?
>
>"dennis" <<A=20

href=3D"mailto:atari@1040.st">atari@1040.st>=20

wrote:
>>
>>Thanks at first for trying to help me=20

out.
>>I got Paris running under Windows XP.
>>As =

midi i got=20

a simple usb edirol device.
>>I wanna have a midiclock signal =

so i=20

can sync my electribe drummachine.
>>But more important is =

that i can=20

have a clock signal into my Korg KMS-30
>>to sync al my =

analogue=20

modular stuff.
>>Then i can do jams much more easier and make =

edits=20

afterwards.
>>I hope this is enough=20
=
information.
>>
>>Cheers,
>>
>>Dennis=

>>
>>
>> "M.=20
O'Reilly" <<A =
href=3D"mailto:PARIS@moreilly.com">PARIS@moreilly.com>=20
wrote:
>>>Hey Dennis, I've just completed a project using =
MIDI, so=20
I might be able
>>
>>>to help. I'm using a =
sort of=20
ad-hoc MIDI setup, which may or may not

>>>apply to =
what=20
you're running, so I'll ask you to tell me what you're =

>>>running=20
first and I can help you from=20
=
there.
>>>
>>>Specifically:
>>>-what =

OS/platform
>>>-what MIDI I/O =
device(s)
>>>-what=20
controller/slave MIDI devices (keyboards, samplers, synths,=20

>>>sequencers, etc.)
>>>
>>>It =
took me=20
several days and many, many hours to get my MIDI setup =

>>>working=20
right for recording. I hope I can save you some pain. =20
=
:-)
>>>
>>>Matt
>>>
>>><B=
R>>>>dennis=20
wrote:
>>>> There must be people who are doing=20
this.
>>>> How do you people do =
this?
>>>> Witch=20
hardware and witch midi interface?
>>>> I am really =
having=20
problems getting my midi stuff synchronized to =
paris.
>>>>=20

>>>>> Cheers,
>>>>>
>>>>>=20
Dennis
>>>
>>
</BLOCKQUOTE >
<DIV>

I choose Polesoft Lockspam to fight spam, =
and=20
you?
<A=20
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html </DIV></BODY ></HTML>

-----=_NextPart_000_00FE_01C8081A.9E0C5780--