

---

Subject: FX presets no saving (XP)... help!  
Posted by [Dan B](#) on Sun, 21 Aug 2005 17:23:50 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

```
gt; charset="iso-8859-1">
><META content="MSHTML 6.00.2800.1400" name="GENERATOR">
><STYLE></STYLE>
></HEAD>
><BODY bgcolor="#ffffff">
><DIV><FONT face="Arial" size="2">Daniel,</FONT></DIV>
&gt;
```

---

---

Subject: Re: FX presets no saving (XP)... help!  
Posted by [Tom Bruhl](#) on Sun, 21 Aug 2005 18:13:08 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

```
;<DIV><FONT face="Arial" size="2">You are dragging them into the =
lower =
>bin before
>quitting right?</FONT></DIV>
><DIV><FONT face="Arial" size="2">This adds them to your user =
presets for
=
>other
>projects.</FONT></DIV>
><DIV><FONT face="Arial" size="2">Tom</FONT></DIV>
><DIV><FONT face="Arial" size="2"></FONT> </DIV>
><BLOCKQUOTE=
=
>style="padding-right: 0px; padding-left: 5px; margin-left: 5px; =
=
>border-left: #000000 2px solid; margin-right: 0px">
> <DIV>"dan b" <a=
> =
=
>href="mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.=
com=
></a>=
> wrote in message <a=
> =
=
>href="news:4308b8a6$1@linux">news:4308b8a6$1@linux</a>...</DIV><br>H=
i,
=
>
> <br><br>Just wondering if anyone has any idea how I can get my FX =
=
>presets to
```

> save<BR>in XP (Paris v3). Whenever I reboot I loose them =3D  
>all?<BR><BR>Should I=3D20  
> try reinstalling the XP FX subsystem again? Is that ok to do =3D  
>once<BR>Paris is=3D20  
> installed and has been used?<BR><BR>Thanks for any tips.=3D20  
><BR><BR>Daniel</BLOCKQUOTE></BODY></HTML>  
>  
>

-----=\_NextPart\_000\_0057\_01C5A664.2242A2E0

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =

charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV><FONT face=3DArial size=3D2>Dan,</FONT></DIV>

<DIV><FONT face=3DArial size=3D2>Sounds like a smart move =  
then.</FONT></DIV>

<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>

<BLOCKQUOTE=20

style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =

BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

<DIV>"Dan B" &lt;<A=20

=

href=3D"mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yahoo.com=

</A>&gt;=20

wrote in message <A=20

=

href=3D"news:4308cc02\$

---

Subject: Re: FX presets no saving (XP)... help!

Posted by [Dan B](#) on Sun, 21 Aug 2005 18:46:26 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

amp;gt;You are dragging them =

into the=20

lower bin before quitting right?<BR>&gt;This adds them to your user =

presets=20

for other projects.<BR>&gt;Tom<BR>&gt;<BR>&gt;&nbsp; "dan b" &lt;<A=20

=

href="mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yahoo.com=  
</A>&gt;=20  
wrote in message =  
=3D<BR>&gt;news:4308b8a6\$1 @linux...<BR>&gt;<BR>&gt;&nbsp;=20  
Hi,=3D20<BR>&gt;<BR>&gt;&nbsp; Just wondering if anyone has any idea =  
how I can=20  
get my FX presets to =3D<BR>&gt;save<BR>&gt;&nbsp; in XP (Paris v3). =  
Whenever I=20  
reboot I loose them all?<BR>&gt;<BR>&gt;&nbsp; Should I try =  
reinstalling the=20  
XP FX subsystem again? Is that ok to =  
do<BR>=3D<BR>&gt;once<BR>&gt;&nbsp; Paris=20  
is installed and has been used?<BR>&gt;<BR>&gt;&nbsp; Thanks for any=20  
tips.=3D20<BR>&gt;<BR>&gt;&nbsp; Daniel<BR>&gt;<BR>&gt;&lt;!DOCTYPE =  
HTML PUBLIC=20  
"-//W3C//DTD HTML 4.0=20  
Transitional//EN"&gt;<BR>&gt;&lt;HTML&gt;&lt;HEAD&gt; <BR>&gt;&lt;META=20  
http-equiv=3D3DContent-Type content=3D3D"text/html;=20  
=3D<BR>&gt;charset=3D3Diso-8859-1"&gt;<BR>&gt;&lt;META =  
content=3D3D"MSHTML=20  
6.00.2800.1400"=20  
=  
name=3D3DGENERATOR&gt;<BR>&gt;&lt;STYLE&gt;&lt;/STYLE&gt; <BR>&gt;&lt;/HEA=  
D&gt;<BR>&gt;&lt;BODY=20  
bgColor=3D3D#ffffff&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT face=3D3DArial=20  
=  
size=3D3D2&gt;Daniel,&lt;/FONT&gt;&lt;/DIV&a mp;gt; <BR>&gt;&lt;DIV&gt;&lt;FONT=  
=20  
face=3D3DArial size=3D3D2&gt;You are dragging them into the lower =  
=3D<BR>&gt;bin=20  
before=3D20<BR>&gt;quitting=20  
right?&lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT =  
face=3D3DArial=20  
size=3D3D2&gt;This adds them to your user presets=20  
=  
for<BR>=3D<BR>&gt;other=3D20<BR>&gt;projects.&lt;/FONT&gt;&lt;/DIV&gt; <BR=  
>&gt;&lt;DIV&gt;&lt;FONT=20  
face=3D3DArial=20  
size=3D3D2&gt;Tom&lt;/FONT&gt;&lt;/DIV&g t; <BR>&gt;&lt;DIV&gt;&lt;FONT=20  
face=3D3DArial size=3D3D2&gt;&lt;/FONT&gt;=20  
=  
&lt;/DIV&gt;<BR>&gt;&lt;BLOCKQUOTE=3D20<BR >&gt;style=3D3D"PADDING-RIGHT: =  
0px;=20  
PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D<BR>&gt;BORDER-LEFT: #000000 =  
2px solid;=20  
MARGIN-RIGHT: 0px"&gt;<BR>&gt;&nbsp; &lt;DIV&gt;"dan b"=20  
&lt;&lt;A=3D20<BR>&gt;&nbsp; =3D<BR>&gt;href=3D3D"<A=20  
=  
=

href=3D'mailto:daniel\_burneNOSPAM@yahoo.com">

---

---

Subject: Re: FX presets no saving (XP)... help!  
Posted by [Tom Bruhl](#) on Sun, 21 Aug 2005 19:22:25 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

= "mailto:daniel\_burneNOSPAM@yahoo.com"  
target="\_blank">daniel\_burneNOSPAM@yahoo.com=  
'>mailto:daniel\_burneNOSPAM@yahoo.com"&gt;daniel\_burneNOSPAM@yahoo.com</A=  
>=3D<BR>&gt;&lt;/A&gt;&gt;=3D20<BR>&gt;&nbsp;=20  
wrote in message &lt;A=3D20<BR>&gt;&nbsp;=3D<BR>&gt;href=3D3D"<A=20  
=  
href=3D'news:4308b8a6\$1@linux">news:4308b8a6\$1@linux</A>...</DIV><BR>Hi'>=  
news:4308b8a6\$1@linux"&gt;news:4308b8a6\$1@linux&lt;/A&gt;...&lt;/DIV&gt;&=  
lt;BR&gt;Hi</A>,<BR>=3D<BR>&gt;<BR>&gt;&nbsp;=20  
&lt;BR&gt;&lt;BR&gt;Just wondering if anyone has any idea how I can =  
get my FX=20  
=3D<BR>&gt;presets to=3D20<BR>&gt;&nbsp;save&lt;BR&gt;in XP (Paris =  
v3). Whenever=20  
I reboot I loose them =3D<BR>&gt;all?&lt;BR&gt;&lt;BR&gt;Should=20  
l=3D20<BR>&gt;&nbsp;try reinstalling the XP FX subsystem again? Is =  
that ok to=20  
do =3D<BR>&gt;once&lt;BR&gt;Paris is=3D20<BR>&gt;&nbsp;installed and =  
has been=20  
used?&lt;BR&gt;&lt;BR&gt;Thanks for any=20  
=  
tips.=3D20<BR> &gt;&lt;BR&gt;&lt;BR&gt;Daniel&lt;/B LOCKQUOTE&gt;&lt;/BODY&=  
gt;&lt;/HTML&gt;<BR>&gt;<BR>&gt;<BR></BLOCKQUOTE ></BODY></HTML>

-----=\_NextPart\_000\_0057\_01C5A664.2242A2E0--Ok, so I've reinstalled the FX subsystem. Still no joy. All presets in the main library lost between reboots, and sometimes also restarts of Paris... Any more ideas!?!?!

Thanks,

db

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>  
>  
>Dan,  
>Sounds like a smart move then.  
>Tom  
> "Dan B" <daniel\_burneNOSPAM@yahoo.com> wrote in message =  
>news:4308cc02\$1@linux...  
>

> Hi Tom,=20  
>  
> Yup - I'm placing them in the library. They show in other projects =  
>once saved,  
> until I reboot... then they disappear. I may try reinstalling the FX =  
>subsystem.  
> In the meantime, suggestions welcome!  
>  
> Thanks,=20  
>  
> Dan  
>  
> "Tom Bruhl" <arpeggio@comcast.net> wrote:  
> >  
> >  
> >Daniel,  
> >You are dragging them into the lower bin before quitting right?  
> >This adds them to your user presets for other projects.  
> >Tom  
> >  
> > "dan b" <daniel\_burneNOSPAM@yahoo.com> wrote in message =3D  
> >news:4308b8a6\$1@linux...  
> >  
> > Hi,=3D20  
> >  
> > Just wondering if anyone has any idea how I can get my FX presets =  
>to =3D  
> >save  
> > in XP (Paris v3). Whenever I reboot I loose them all?  
> >  
> > Should I try reinstalling the XP FX subsystem again? Is that ok to  
=<br>
>do  
> =3D  
> >once  
> > Paris is installed and has been used?  
> >  
> > Thanks for any tips.=3D20  
> >  
> > Daniel  
> >  
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">  
> ><HTML><HEAD>  
> ><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D  
> >charset=3D3Diso-8859-1">  
> ><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>  
> ><STYLE></STYLE>  
> ></HEAD>

```

> <<BODY bgColor=#ffffff>
> <<DIV><FONT face=Arial size=2>Daniel,</FONT></DIV>
> <<DIV><FONT face=Arial size=2>You are dragging them into the =
>lower =
> >bin before=20
> >quitting right?</FONT></DIV>
> <<DIV><FONT face=Arial size=2>This adds them to your user =
>presets for
> =
> >other=20
> >projects.</FONT></DIV>
> <<DIV><FONT face=Arial size=2>Tom</FONT></DIV>
> <<DIV><FONT face=Arial size=2></FONT> </DIV>
> <<BLOCKQUOTE=20
> >style="PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>=3D
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > <DIV>"dan b" <<A=20
> > =3D
> > =
>>href="mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.=
>com=3D
> ></A>>=20
> > wrote in message <A=20
> > =3D
> > =
>>href="news:4308b8a6$1 @linux">news:4308b8a6$1 @linux</A>...</DIV><BR>H=
>i,
> =3D
> >
> > <BR><BR>Just wondering if anyone has any idea how I can get my FX =
>=3D
> >presets to=20
> > save<BR>in XP (Paris v3). Whenever I reboot I loose them =3D
> >all?<BR><BR>Should I=20
> > try reinstalling the XP FX subsystem again? Is that ok to do =3D
> >once<BR>Paris is=20
> > installed and has been used?<BR><BR>Thanks for any tips.=3D20
> ><BR><BR>Daniel</BLOCKQUOTE></BODY></HTML>
> >
> >
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=Content-Type content="text/html; =
>charset=Diso-8859-1">
><META content="MSHTML 6.00.2800.1400" name=GENERATOR>

```

```
><STYLE></STYLE>
></HEAD>
><BODY bgColor=#ffffff>
><DIV><FONT face=Arial size=2>Dan,</FONT></DIV>
><DIV><FONT face=Arial size=2>Sounds like a smart move =
>then.</FONT></DIV>
><DIV><FONT face=Arial size=2>Tom</FONT></DIV>
><BLOCKQUOTE=20
>style="PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Dan B" <<A=20
> =
>href="mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com=
></A>>=20
> wrote in message <A=20
> =
>href="news:4308cc02$1@linux">news:4308cc02$1@linux</A>...</DIV><BR>Hi
=
>Tom,=20
> <BR><BR>Yup - I'm placing them in the library. They show in other =
>projects=20
> once saved,<BR>until I reboot... then they disappear. I may try =
>reinstalling=20
> the FX subsystem.<BR>In the meantime, suggestions =
>welcome!<BR><BR>Thanks,=20
> <BR><BR>Dan<BR><BR>"Tom Bruhl" <<A=20
> href="mailto:arpegio@comcast.net">arpegio@comcast.net</A>>=20
> wrote:<BR>><BR>><BR>>Daniel,<BR>>You are dragging them =
>into the=20
> lower bin before quitting right?<BR>>This adds them to your user =
>presets=20

> =
>href="mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com=
></A>>=20
> wrote in message =

>how I can=20

>Whenever I=20

>reinstalling the=20
> XP FX subsystem again? Is that ok to =

>HTML PUBLIC=20
```

```
> "-//W3C//DTD HTML 4.0=20
> Transitional//EN"><BR>><HTML><HEAD><BR>><META=20
> http-equiv=3D3DContent-Type content=3D3D"text/html";=20
> =3D<BR>> charset=3D3Diso-8859-1"><BR>><META =
> content=3D3D"MSHTML=20
> 6.00.2800.1400"=20
> =
> name=3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=
> D><BR>><BODY=20
> bgcolor=3D3D#ffffff><BR>><DIV><FONT face=3D3DArial=20
> =
> size=3D3D2>Daniel,</FONT></DIV><BR>><DIV><FONT=
> =20
> face=3D3DArial size=3D3D2>You are dragging them into the lower =
> =3D<BR>>>bin=20
> before=3D20<BR>>quitting=20
> right?</FONT></DIV><BR>><DIV><FONT =
> face=3D3DArial=20
> size=3D3D2>This adds them to your user presets=20
> =
> for<BR>=3D<BR>>other=3D20<BR>>projects.</FONT></DIV ><BR=
> >><DIV><FONT=20
> face=3D3DArial=20
> size=3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=20
> face=3D3DArial size=3D3D2></FONT>=20
> =
> </DIV><BR>><BLOCKQUOTE=3D20<BR>>style=3D3D"PADDING-RIGHT: =
> 0px;=20
> PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D<BR>>BORDER-LEFT: #000000 =
> 2px solid;=20
```

---

Subject: Re: FX presets no saving (XP)... help!  
Posted by [Dan B](#) on Sun, 21 Aug 2005 22:23:33 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

```
> =
> href=3D'mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com=
> '>mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com</A=
```

```
> =
> href=3D'news:4308b8a6$1 @linux">news:4308b8a6$1 @linux</A>...</DIV><BR>Hi'>=
> news:4308b8a6$1 @linux">news:4308b8a6$1 @linux</A>...</DIV>>&=
```



> <BR><BR>Just wondering if anyone has any idea how I can =  
>get my FX=20

>v3). Whenever=20

> I reboot I loose them =3D<BR>>all?<BR><BR>Should=20

>that ok to=20

>has been=20

> used?<BR><BR>Thanks for any=20

> =

>tips.=3D20<BR>><BR><BR>Daniel</BLOCKQUOTE></BODY&=

>gt;</HTML><BR>><BR>><BR></BLOCKQUOTE></BODY></HTML>

>

>This is a multi-part message in MIME format.

-----=\_NextPart\_000\_0408\_01C5A689.D181C400

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Dan,

It sounds like the saves aren't going to the right folder/file.?

Do you see "PARIS\_Fx.var" in your C:\Program Files\EMU\Paris folder? =20

Do you also see a file named "PARIS\_Fx.var (default)" ? These are both in my Paris folder. I believe the first is the file that holds all your home grown presets (Paris and VST/DX) along=20 with the stock ones that came with your install. The second is=20 a backup of the stock Paris presets. I'm no tech but you can try=20 this at your own risk. You are having a problem with one of those=20 files. If the first is missing then there's your problem. I'd remove=20 the words (default) from the second if that was the case. Others here should be able to help you with anything deeper than this.

If you're on XP with a P4 turn off Hyperthreading in the BIOS.

Is Windows crashing? Are you getting blue screens?

Maybe you have a defective Paris disc?

Ain't no technician,

Tom

"dan b" <daniel\_burneNOSPAM@yahoo.com> wrote in message =  
news:4308fee5\$1@linux...

Ok, so I've reinstalled the FX subsystem. Still no joy. All presets in =  
the

main library lost between reboots, and sometimes also restarts of =

Paris...

Any more ideas!?!?!?

Thanks,=20

db

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>Dan,

>Sounds like a smart move then.

>Tom

> "Dan B" <daniel\_burneNOSPAM@yahoo.com> wrote in message =3D

>news:4308cc02\$1@linux...

>

> Hi Tom,=3D20

>

> Yup - I'm placing them in the library. They show in other projects =  
=3D

>once saved,

> until I reboot... then they disappear. I may try reinstalling the =

FX =3D

>subsystem.

> In the meantime, suggestions welcome!

>

> Thanks,=3D20

>

> Dan

>

> "Tom Bruhl" <arpeggio@comcast.net> wrote:

> >

> >

> >Daniel,

> >You are dragging them into the lower bin before quitting right?

> >This adds them to your user presets for other projects.

> >Tom

> >

> > "dan b" <daniel\_burneNOSPAM@yahoo.com> wrote in message =3D3D

> >news:4308b8a6\$1@linux...

> >

> > Hi,=3D3D20

> >

> > Just wondering if anyone has any idea how I can get my FX =  
presets =3D

>to =3D3D

> >save

> > in XP (Paris v3). Whenever I reboot I loose them all?

```

> >
> > Should I try reinstalling the XP FX subsystem again? Is that ok =
to
=3D
>do
> =3D3D
> >once
> > Paris is installed and has been used?
> >
> > Thanks for any tips.=3D3D20
> >
> > Daniel
> >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> ><HTML><HEAD>
> ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =
=3D3D
> > charset=3D3D3Diso-8859-1">
> ><META content=3D3D3D"MSHTML 6.00.2800.1400" name=3D3D3DGENERATOR>
> ><STYLE></STYLE>
> ></HEAD>
> ><BODY bgColor=3D3D3D#ffffff>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Daniel,</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>You are dragging them =
into the =3D
>lower =3D3D
> >bin before=3D3D20
> >quitting right?</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>This adds them to your =
user =3D
>presets for
> =3D3D
> >other=3D3D20
> >projects.</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Tom</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> ><BLOCKQUOTE=3D3D20
> >style=3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
5px; =3D
>=3D3D
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > <DIV>"dan b" <<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D"mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yah=
oo.=3D
>com=3D3D

```

```

> ></A>>=3D3D20
> > wrote in message <A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D"news:4308b8a6$1 @linux">news:4308b8a6$1 @linux</A>...</DIV><B=
R>H=3D
> i,
> =3D3D
> >
> > <BR><BR>Just wondering if anyone has any idea how I can get my =
FX =3D
> =3D3D
> >presets to=3D3D20
> > save<BR>in XP (Paris v3). Whenever I reboot I loose them =3D3D
> >all?<BR><BR>Should I=3D3D20
> > try reinstalling the XP FX subsystem again? Is that ok to do =
=3D3D
> >once<BR>Paris is=3D3D20
> > installed and has been used?<BR><BR>Thanks for any tips.=3D3D20
> ><BR><BR>Daniel</BLOCKQUOTE></BODY></HTML>
> >
> >
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
> charset=3D3Diso-8859-1">
><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D3D#ffffff>
><DIV><FONT face=3D3DArial size=3D3D2>Dan,</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>Sounds like a smart move =3D
> then.</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>Tom</FONT></DIV>
><BLOCKQUOTE=3D20
> style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3D
> BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Dan B" <<A=3D20
> =3D
=
> href=3D3D"mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.=
com=3D
> </A>>=3D20
> > wrote in message <A=3D20

```

> =3D  
=  
>href=3D3D"news:4308cc02\$1 @linux">news:4308cc02\$1 @linux</A>...</DIV><BR>H=  
i  
=3D  
>Tom,=3D20  
> <BR><BR>Yup - I'm placing them in the library. They show in other =  
=3D  
>projects=3D20  
> once saved,<BR>until I reboot... then they disappear. I may try =3D  
>reinstalling=3D20  
> the FX subsystem.<BR>In the meantime, suggestions =3D  
>welcome!<BR><BR>Thanks,=3D20  
> <BR><BR>Dan<BR><BR>"Tom Bruhl" <<A=3D20  
> href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>>=3D20  
> wrote:<BR>><BR>><BR>>Daniel,<BR>>You are dragging them =3D  
>into the=3D20  
> lower bin before quitting right?<BR>>This adds them to your user =  
=3D  
>presets=3D20  
> for other projects.<BR>>Tom<BR>><BR>> "dan b" <<A=3D20  
> =3D  
=  
>href=3D3D"mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yahoo.=  
com=3D  
></A>>=3D20  
> wrote in message =3D  
>=3D3D<BR>>news:4308b8a6\$1 @linux...<BR>><BR>> =3D20  
> Hi,=3D3D20<BR>><BR>> Just wondering if anyone has any idea =3D  
>how I can=3D20  
> get my FX presets to =3D3D<BR>>save<BR>> in XP (Paris v3). =3D  
>W

---

Subject: Re: FX presets no saving (XP)... help!  
Posted by [Tom Bruhl](#) on Sun, 21 Aug 2005 23:52:10 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

henever I=3D20  
> reboot I loose them all?<BR>><BR>> Should I try =3D  
>reinstalling the=3D20  
> XP FX subsystem again? Is that ok to =3D  
>do<BR>=3D3D<BR>>once<BR>> Paris=3D20  
> is installed and has been used?<BR>><BR>> Thanks for any=3D20  
> tips.=3D3D20<BR>><BR>> Daniel<BR>><BR>><!DOCTYPE =3D  
>HTML PUBLIC=3D20  
> "-//W3C//DTD HTML 4.0=3D20  
> Transitional//EN"><BR>><HTML><HEAD><BR>><META=3D20

```

> http-equiv=3D3D3DContent-Type content=3D3D3D"text/html;=3D20
> =3D3D<BR>>charset=3D3D3Diso-8859-1"><BR>><META =3D
>content=3D3D3D"MSHTML=3D20
> 6.00.2800.1400"=3D20
> =3D
>name=3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D
>D><BR>><BODY=3D20
> bgColor=3D3D3D#ffffff><BR>><DIV><FONT face=3D3D3DArial=3D20
> =3D
>size=3D3D3D2>Daniel,</FONT></DIV><BR>><DIV><FONT=3D
>=3D20
> face=3D3D3DArial size=3D3D3D2>You are dragging them into the lower =
=3D
>=3D3D<BR>>bin=3D20
> before=3D3D20<BR>>quitting=3D20
> right?</FONT></DIV><BR>><DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>This adds them to your user presets=3D20
> =3D
>for<BR>=3D3D<BR>>other=3D3D20<BR>>projects.</FONT></DIV ><BR=3D
>>><DIV><FONT=3D20
> face=3D3D3DArial=3D20
> size=3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D20
> face=3D3D3DArial size=3D3D3D2></FONT>=3D20
> =3D
></DIV><BR>><BLOCKQUOTE=3D3D20<BR>>style=3D3D3D"PADDING-RIGHT: =3D
>0px;=3D20
> PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D<BR>>BORDER-LEFT: #000000 =
=3D
>2px solid;=3D20
> MARGIN-RIGHT: 0px"><BR>> <DIV>"dan b"=3D20
> <<A=3D3D20<BR>> =3D3D<BR>>href=3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.=
com=3D
=
>'>mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com</A=3D=

>>=3D3D<BR>></A>=3D3D20<BR>> =3D20
> wrote in message <A=3D3D20<BR>> =3D3D<BR>>href=3D3D3D"<A=3D20
> =3D
=
>href=3D3D'news:4308b8a6$1 @linux">news:4308b8a6$1 @linux</A>...</DIV><BR>H=
i'>=3D
>news:4308b8a6$1 @linux">news:4308b8a6$1 @linux</A>...</DIV>&=3D
>lt;BR>Hi</A>,<BR>=3D3D<BR>><BR>> =3D20
> <BR><BR>Just wondering if anyone has any idea how I can =3D

```



<DIV><FONT face=3DArial size=3D2>a backup </FONT><FONT face=3DArial =  
size=3D2>of the=20  
stock Paris presets.&nbsp; I'm no tech&nbsp;but you can try =  
</FONT></DIV>  
<DIV><FONT size=3D2><FONT face=3DArial><FONT>this </FONT><FONT><EM>at =  
your own=20  
risk</EM>.&nbsp; You are having </FONT>a problem with one of those=20  
</FONT></FONT></DIV>  
<DIV>files.&nbsp; If the first is missing then <FONT face=3DArial =  
size=3D2>there's=20  
your problem.&nbsp; I'd remove </FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>the words (default) from the =  
</FONT><FONT=20  
face=3DArial size=3D2>second if that was the case.&nbsp; =  
Others</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>here should be able to help you =  
with&nbsp;anything=20  
deeper than this.</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>  
<DIV><FONT face=3DArial size=3D2>If you're on XP with a P4 turn off =  
Hyperthreading=20  
in the BIOS.</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>Is Windows crashing? Are you getting =  
blue=20  
screens?</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>  
<DIV><FONT face=3DArial size=3D2>Maybe you have a defective Paris =  
disc?</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>  
<DIV><FONT face=3DArial size=3D2>Ain't no technician,</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>  
<BLOCKQUOTE=20  
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =  
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">  
<DIV>"dan b" &lt;<A=20  
=  
href=3D"mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yahoo.com=  
</A>&gt;=20  
wrote in message <A=20  
=  
href=3D"news:4308fee5\$1 @linux">news:4308fee5\$1 @linux</A>...</DIV><BR>Ok, =  
so I've=20  
reinstalled the FX subsystem. Still no joy. All presets in the<BR>main =  
library=20  
lost between reboots, and sometimes also restarts of Paris...<BR>Any =  
more=20  
ideas!?!?!<BR><BR>Thanks, <BR><BR>db<BR><BR>"Tom Bruhl" &lt;<A=20  
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>&gt;=20





&gt;&lt;META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html";=20  
=3D3D<BR>&gt;&nbsp; &gt; charset=3D3D3Diso-8859-1"&gt;<BR>&gt;&nbsp; =  
&gt;&lt;META=20  
content=3D3D3D"MSHTML 6.00.2800.1400" =  
name=3D3D3DGENERATOR&gt;<BR>&gt;&nbsp;=20  
&gt;&lt;STYLE&gt;&lt;/STYLE&gt;<BR>&gt;&nbsp; =  
&gt;&lt;/HEAD&gt;<BR>&gt;&nbsp;=20  
&gt;&lt;BODY bgColor=3D3D3D#ffffff&gt;<BR>&gt;&nbsp; =  
&gt;&lt;DIV&gt;&lt;FONT=20  
face=3D3D3DArial =  
size=3D3D3D2&gt;Daniel,&lt;/FONT&gt;&lt;/DIV &gt; <BR>&gt;&nbsp;=20  
&gt;&lt;DIV&gt;&lt;FONT face=3D3D3DArial size=3D3D3D2&gt;You are =  
dragging them=20  
into the =3D<BR>&gt;lower =3D3D<BR>&gt;&nbsp; &gt;bin =  
before=3D3D20<BR>&gt;&nbsp;=20  
&gt;quitting right?&lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt;&nbsp;=20  
&gt;&lt;DIV&gt;&lt;FONT face=3D3D3DArial size=3D3D3D2&gt;This adds =  
them to your=20  
user =3D<BR>&gt;presets for<BR>&gt;&nbsp; =3D3D<BR>&gt;&nbsp;=20  
&gt;other=3D3D20<BR>&gt;&nbsp;=20  
&gt;projects.&lt;/FONT&gt;&lt;/DIV&gt;<BR >&gt;&nbsp; =  
&gt;&lt;DIV&gt;&lt;FONT=20  
face=3D3D3DArial =  
size=3D3D3D2&gt;Tom&lt;/FONT&gt;&lt;/DIV& &gt; <BR>&gt;&nbsp;=20  
&gt;&lt;DIV&gt;&lt;FONT face=3D3D3DArial size=3D3D3D2&gt;&lt;/FONT&gt; =  
&lt;/DIV&gt;<BR>&gt;&nbsp; &gt;&lt;BLOCKQUOTE=3D3D20<BR>&gt;&nbsp;=20  
&gt;style=3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =  
5px;=20  
=3D<BR>&gt;=3D3D<BR>&gt;&nbsp; &gt;BORDER-LEFT: #000000 2px solid; =  
MARGIN-RIGHT:=20  
0px"&gt;<BR>&gt;&nbsp; &gt;&nbsp; &lt;DIV&gt;"dan b"=20  
&lt;&lt;A=3D3D20<BR>&gt;&nbsp; &gt;&nbsp; =3D3D<BR>&gt;&nbsp;=20  
=3D<BR>&gt;&gt;href=3D3D3D"<A=20  
=  
href=3D'mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yahoo'>ma=  
mailto:daniel\_burneNOSPAM@yahoo.com"&gt;daniel\_burneNOSPAM@yahoo</A>.=3D<BR=  
>&gt;com=3D3D<BR>&gt;&nbsp;=20  
&gt;&lt;/A&gt;&gt;=3D3D20<BR>&gt;&nbsp; &gt;&nbsp; wrote in message=20  
&lt;A=3D3D20<BR>&gt;&nbsp; &gt;&nbsp; =3D3D<BR>&gt;&nbsp;=20  
=3D<BR>&gt;&gt;href=3D3D3D"<A=20  
=  
href=3D'news:4308b8a6\$1 @linux">news:4308b8a6\$1 @linux</A>...</DIV><BR>H'>n=  
ews:4308b8a6\$1 @linux"&gt;news:4308b8a6\$1 @linux&lt;/A&gt;...&lt;/DIV&gt;&lt;I=  
t;BR&gt;H</A>=3D<BR>&gt;&gt;i,<BR>&gt;&nbsp;=20  
=3D3D<BR>&gt;&nbsp; &gt;<BR>&gt;&nbsp; &gt;&nbsp; =  
&lt;BR&gt;&lt;BR&gt;Just=20  
wondering if anyone has any idea how I can get my FX=20

=3D<BR>&gt;=3D3D<BR>&gt;&nbsp; &gt;presets to=3D3D20<BR>&gt;&nbsp; =  
&gt;&nbsp;=20  
save&lt;BR&gt;in XP (Paris v3). Whenever I reboot I loose them=20  
=3D3D<BR>&gt;&nbsp; &gt;all?&lt;BR&gt;&lt;BR&gt;Should =  
l=3D3D20<BR>&gt;&nbsp;=20  
&gt;&nbsp;try reinstalling the XP FX subsystem again? Is that ok to =  
do=20  
=3D3D<BR>&gt;&nbsp; &gt;once&lt;BR&gt;Paris is=3D3D20<BR>&gt;&nbsp; =  
&gt;&nbsp;=20  
installed and has been used?&lt;BR&gt;&lt;BR&gt;Thanks for any=20  
tips.=3D3D20<BR>&gt;&nbsp;=20  
=  
&gt;&lt;BR&gt;&lt;BR&gt;Daniel&lt;/B LOCKQUOTE&gt;&lt;/BODY&gt;&lt;/HTML&g=  
t;<BR>&gt;&nbsp;=20  
&gt;<BR>&gt;&nbsp; &gt;<BR>&gt;<BR>&gt;<BR>&gt;&lt;!DOCTYPE HTML =  
PUBLIC=20  
"-//W3C//DTD HTML 4.0=20  
Transitional//EN"&gt;<BR>&gt;&lt;HTML&gt;&lt;HEAD&gt; <BR>&gt;&lt;META=20  
http-equiv=3D3DContent-Type content=3D3D"text/html;=20  
=3D<BR>&gt;charset=3D3Diso-8859-1"&gt;<BR>&gt;&lt;META =  
content=3D3D"MSHTML=20  
6.00.2800.1400"=20  
=  
name=3D3DGENERATOR&gt;<BR>&gt;&lt;STYLE&gt;&lt;/STYLE&gt; <BR>&gt;&lt;/HEA=  
D&gt;<BR>&gt;&lt;BODY=20  
bgColor=3D3D#ffffff&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT face=3D3DArial=20  
size=3D3D2&gt;Dan,&lt;/FONT&gt;&lt;/DIV&gt; <BR>&gt;&lt;DIV&gt;&lt;FONT =  
  
face=3D3DArial size=3D3D2&gt;Sounds like a smart move=20  
=3D<BR>&gt;then.&lt;/FONT&gt;&lt;/DIV&gt; <BR>&gt;&lt;DIV&gt;&lt;FONT=20  
face=3D3DArial=20  
=  
size=3D3D2&gt;Tom&lt;/FONT&gt;&lt;/DIV&gt; <BR>&gt;&lt;BLOCKQUOTE=3D20<BR>=  
&gt;style=3D3D"PADDING-RIGHT:=20  
0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D<BR>&gt;BORDER-LEFT: =  
#000000 2px=20  
solid; MARGIN-RIGHT: 0px"&gt;<BR>&gt;&nbsp; &lt;DIV&gt;"Dan B"=20  
&lt;&lt;A=3D20<BR>&gt;&nbsp; =3D<BR>&gt;href=3D3D"<A=20  
=  
href=3D'mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yahoo.com=  
'>mailto:daniel\_burneNOSPAM@yahoo.com"&gt;daniel\_burneNOSPAM@yahoo.com</A=  
>=3D<BR>&gt;&lt;/A&gt;&gt;=3D20<BR>&gt;&nbsp;=20  
wrote in message &lt;A=3D20<BR>&gt;&nbsp; =3D<BR>&gt;href=3D3D"<A=20  
=  
href=3D'news:4308cc02\$1 @linux">news:4308cc02\$1 @linux</A>...</DIV><BR>Hi'>=  
news:4308cc02\$1 @linux"&gt;news:4308cc02\$1 @linux&lt;/A&gt;...&lt;/DIV&gt;&=  
lt;BR&gt;Hi</A><BR>=3D<BR>&gt;Tom,=3D20<BR>&gt;&nbsp;=20  
&lt;BR&gt;&lt;BR&gt;Yup - I'm placing them in the library. They show =

in other=20  
=3D<BR>&gt;projects=3D20<BR>&gt;&nbsp; once saved,&lt;BR>&gt;until I =  
reboot... then=20  
they disappear. I may try =3D<BR>&gt;reinstalling=3D20<BR>&gt;&nbsp; =  
the FX=20  
subsystem.&lt;BR>&gt;In the meantime, suggestions=20  
=3D<BR> &gt;welcome!&lt;BR>&gt;&lt;BR>&gt;Thanks,= 3D20 <BR>&gt;&nbsp;=20  
&lt;BR>&gt;&lt;BR>&gt;Dan&lt;BR>&gt;&amp; ;&lt;BR>&gt; "Tom Bruhl"=20  
&lt;A=3D20<BR>&gt;&nbsp; href=3D3D"<A=20  
=  
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net</A>=>3D20'>mailto=  
:arpegio@comcast.net"&gt;arpegio@comcast.net&lt;/A&gt;&gt;=3D20</A><BR>&gt;g=  
&nbsp;=20  
wrote:&lt;BR>&gt;&gt;&lt;BR>&gt;&gt;&amp; mp;&lt;BR>&gt;&gt;Daniel,&lt;BR>&gt;&gt;You =  
are=20  
dragging them =3D<BR>&gt;into the=3D20<BR>&gt;&nbsp; lower bin before =  
quitting=20  
right?&lt;BR>&gt;&gt;This adds them to your user=20  
=3D<BR>&gt;presets=3D20<BR>&gt;&nbsp; for other=20  
projects.&lt;BR>&gt;&gt;Tom&lt;BR>&gt;&amp; ;&lt;BR>&gt;&gt; "dan b"=20  
&lt;A=3D20<BR>&gt;&nbsp; href=3D3D"<A=20  
=  
href=3D'mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yahoo.com=  
'>mailto:daniel\_burneNOSPAM@yahoo.com"&gt;daniel\_burneNOSPAM@yahoo.com</A=  
>=3D<BR>&gt;&lt;/A&gt;&gt;=3D20<BR>&gt;&nbsp;=20  
wrote in message=20  
=  
=3D<BR>&gt;=3D3D&lt;BR>&gt;&gt;news:4308b8a6\$1@linux...&lt;BR>&gt;&gt;&lt;BR>&gt;B=  
R&gt;&gt;=20  
=3D20<BR>&gt;&nbsp; Hi,=3D3D20&lt;BR>&gt;&gt;&lt;BR>&gt;&g t; Just =  
wondering if=20  
anyone has any idea =3D<BR>&gt;how I can=3D20<BR>&gt;&nbsp; get my FX =  
presets to=20  
=3D3D&lt;BR>&gt;&gt;save&lt;BR>&gt;&gt; in XP (Paris v3). =  
=3D<BR>&gt;Whenever=20  
I=3D20<BR>&gt;&nbsp; reboot I loose them =  
all?&lt;BR>&gt;&gt;&lt;BR>&gt;&gt; Should=20  
I try =3D<BR>&gt;reinstalling the=3D20<BR>&gt;&nbsp; XP FX subsystem =  
again? Is=20  
that ok to =  
=3D<BR> &gt;do&lt;BR>&gt;=3D3D&lt;BR>&gt;&gt;once&lt;BR>&gt;&gt;=20  
Paris=3D20<BR>&gt;&nbsp; is installed and has been=20  
used?&lt;BR>&gt;&gt;&lt;BR>&gt;&gt; Thanks for any=3D20<BR>&gt;&nbsp;=20  
tips.=3D3D20&lt;BR>&gt;&gt;&lt;BR>&gt;&gt;&amp; ;&lt;BR>&gt;&gt;=20  
Daniel&lt;BR>&gt;&gt;&lt;BR>&gt;&gt;&amp; mp;&lt;BR>&gt;&gt;!DOCTYPE =3D<BR>&gt;HTML=20  
PUBLIC=3D20<BR>&gt;&nbsp; "-//W3C//DTD HTML 4.0=3D20<BR>&gt;&nbsp;=20  
=  
=

Transitional//EN" &gt;&lt;BR&gt;&gt;&lt;HTML&gt;&l t;HEAD&gt;&lt;BR&gt;&gt;=  
&lt;META=3D20<BR>&gt;&nbsp;=20  
http-equiv=3D3D3DContent-Type =  
content=3D3D3D"text/html;=3D20<BR>&gt;&nbsp;=20  
=3D3D&lt;BR&gt;&gt; charset=3D3D3Diso-8859-1"&gt;&lt;BR&gt;&gt;&lt;META =  
  
=3D<BR>&gt; content=3D3D3D"MSHTML=3D20<BR>&gt;&nbsp; =  
6.00.2800.1400"=3D20<BR>&gt;&nbsp;=20  
=  
=3D<BR> &gt; name=3D3D3DGENERATOR&gt;&lt;BR&gt;&g t;&lt;STYLE&gt;&lt;/STYLE&=  
gt;&lt;BR&gt;&gt;&lt;/HEA=3D<BR> &gt;D&gt;&lt;BR&gt;&gt;&lt;BODY=3D20 <BR>&=  
gt;&nbsp;=20  
bgColor=3D3D3D#ffffff&gt;&lt;BR&gt;&gt;& lt;DIV&gt;&lt;FONT=20  
face=3D3D3DArial=3D20<BR>&gt;&nbsp;=20  
=  
=3D<BR> &gt; size=3D3D3D2&gt; Daniel,&lt;/FONT&gt;& amp ;lt;/DIV&gt;&lt;BR&gt;&gt;=  
&lt;DIV&gt;&lt;FONT=3D<BR>&gt;=3D20<BR>&gt;&nbsp;=20  
face=3D3D3DArial size=3D3D3D2&gt; You are dragging them into the lower=20  
=3D<BR>&gt;=3D3D&lt;BR&gt;&gt; bin=3D20<BR >&gt;&nbsp;=20  
before=3D3D20&lt;BR&gt;&gt; quitting=3D20<BR>&gt;&nbsp;=20  
right?&lt;/FONT&gt;&lt;/DIV&gt;&lt;BR& am p;gt;&gt;&lt;DIV&gt;&lt;FONT=20  
=3D<BR>&gt; face=3D3D3DArial=3D20<BR>&gt;&nbsp; size=3D3D3D2&gt; This =  
adds them to your=20  
user presets=3D20<BR>&gt;&nbsp;=20  
=  
=3D<BR> &gt; for&lt;BR&gt;=3D3D&lt;BR&gt;&gt; other=3D3D20&lt;BR&gt;&gt; proj=  
ects.&lt;/FONT&gt;&lt;/DIV&gt;&lt;BR=3D<BR >&gt;&gt;&lt;DIV&gt;&lt;FON=  
T=3D20<BR>&gt;&nbsp;=20  
face=3D3D3DArial=3D20<BR>&gt;&nbsp;=20  
=  
size=3D3D3D2&gt; Tom&lt;/FONT&gt;&lt;/DIV& amp ;gt;&lt;BR&gt;&gt;&lt;DIV&gt;&lt;=  
FONT=3D20<BR>&gt;&nbsp;=20  
face=3D3D3DArial size=3D3D3D2&gt;&lt;/FONT&gt;=3D20<BR>&gt;&nbsp;=20  
=  
=3D<BR> &gt;&lt;/DIV&gt;&lt;BR&gt;&gt;& l t;BLOCKQUOTE=3D3D20&lt;BR&gt;&gt; s=  
tyle=3D3D3D"PADDING-RIGHT:=20  
=3D<BR>&gt;0px;=3D20<BR>&gt;&nbsp; PADDING-LEFT: 5px; MARGIN-LEFT: =  
5px;=20  
=3D3D&lt;BR&gt;&gt; BORDER-LEFT: #000000 =3D<BR>&gt;2px =  
solid;=3D20<BR>&gt;&nbsp;=20  
MARGIN-RIGHT: 0px"&gt;&lt;BR&gt;&gt; &lt;DIV&gt;"dan =  
b"=3D20<BR>&gt;&nbsp;=20  
&lt;&lt;A=3D3D20&lt;BR&gt;&gt; =  
=3D3D&lt;BR&gt;&gt; href=3D3D3D"&lt;A=3D20<BR >&gt;&nbsp;=20  
=  
=3D<BR>&gt; href=3D3D'mailto:daniel\_burneNOSPAM@yahoo.com"&gt;daniel\_burne=  
NOSPAM@yahoo.com=3D<BR>&gt;'&gt;mailto:daniel\_burneNOSPAM@yahoo.com"&gt;d=  
aniel\_burneNOSPAM@yahoo.com&lt;/A=3D<BR>&gt;&gt;=3D3D&lt;BR&gt;&gt;&lt;/A=

&gt;&gt;=3D3D20&lt;BR&gt;&gt;=20  
=3D20<BR>&gt;&nbsp; wrote in message &lt;A=3D3D20&lt;BR&gt;&gt;=20  
=3D3D&lt;BR&gt;&gt;href=3D3D3D"&lt;A=3D20<BR >&gt;&nbsp;=20  
=  
=3D<BR>&gt;href=3D3D'news:4308b8a6\$1 @linux"&gt;news:4308b8a6\$1 @linux&lt;/=  
A&gt;...&lt;/DIV&gt;&lt;BR&gt;Hi'&gt; ;=3D <BR>&gt;news:4308b8a6\$1 @linux"&gt;=  
;news:4308b8a6\$1 @linux&lt;/A&gt;...&lt;/DIV&gt;&amp;=3D<BR>&gt;lt;BR&gt;H=  
i&lt;/A&gt;,&lt;BR&gt;=3D3D&lt;BR&gt; ;&gt;&lt;BR&gt;&gt;=20  
=3D20<BR>&gt;&nbsp; &lt;BR&gt;&lt;BR&gt;Just wondering if anyone has =  
any idea=20  
how I can =3D<BR>&gt;get my FX=3D20<BR>&gt;&nbsp; =  
=3D3D&lt;BR&gt;&gt;presets=20  
to=3D3D20&lt;BR&gt;&gt; save&lt;BR&gt;&gt;in XP (Paris =3D<BR>&gt;v3).=20  
Whenever=3D20<BR>&gt;&nbsp; I reboot I loose them=20  
=3D3D&lt;BR&gt;&gt;all?&lt;BR&gt;&lt;BR&gt;Should=3D20 <BR>&gt;&nbsp;=20  
I=3D3D20&lt;BR&gt;&gt; try reinstalling the XP FX subsystem again? Is=20  
=3D<BR>&gt;that ok to=3D20<BR>&gt;&nbsp; do =  
=3D3D&lt;BR&gt;&gt;once&lt;BR&gt;&gt;Paris=2 0  
is=3D3D20&lt;BR&gt;&gt; installed and =3D<BR>&gt;has =  
been=3D20<BR>&gt;&nbsp;=20  
used?&lt;BR&gt;&lt;BR&gt;Thanks for any=3D20<BR>&gt;&nbsp;=20  
=  
=3D<BR> &gt;tips.=3D3D20&lt;BR&gt;&gt;&lt;BR&amp; ;&gt;&lt;BR&gt;Daniel&lt;/BLOCK=  
QUOTE&gt;&lt;/BODY&gt;&=3D<BR> &gt;&lt;/HTML&gt;&lt;BR&gt;&gt;&a mp;lt;BR&gt;=  
&gt;&lt;BR&gt;&lt;/BLOCKQUOTE&gt;&lt;/BODY&gt;&lt;/HTML&gt; <BR>&gt;<BR>&=  
&gt;<BR></BLOCKQUOTE></BODY></HTML>

-----=\_NextPart\_000\_0408\_01C5A689.D181C400--I don't know for sure, but that could be your problem. DJ has the answers

to this. I believe when he moved to SX 3 he got the new 9652 and it works great. I'm still on sx 1.06 so the Dakota card is working for me. I just bought a new 9652, though as I'm getting ready to spring for SX3 also.

Rod

Chas. Duncan <duncan5199@SPAMLESSsbcglobal.net> wrote:

>

>SX3 -- and the older digi9652 (not the new dsp version) -- thinking  
>maybe this is my trouble?

>

>Would be just like the Steinberg guys -- updating their software while  
>obsoleting my hardware...

>

>Would be cool to have this confirmed, if possible -- and thanks --

>Chas.

>

>On 21 Aug 2005 12:24:34 +1000, "Rod Lincoln"

><rlincoln@nospam.kc.rr.com> wrote:

>

>>

>>what version of cubase are you using? You should have no problem getting sample

>>accurate sync...especially with the 9652

>>I get sample accurate sync with Paris and cubase with a frontier Dakota card,

>>although I'm under the impression that with cubase sx 3 the RME 9652 is needed.

>>Rod

>>Chas. Duncan <duncan5199ATsbcglobalIDOTnet@> wrote:

>>>People --

>>>

>>>Having unhappy time with midi lately... These days I run Paris and Cubase SX on separate machines, slaving SX to Paris via ADAT out to RME in, so this would be a non-Paris topic, I guess... Except as it possibly relates to sync issues...

>>>

>>>Anyway -- Mostly work with VSTi's in SX, which are peachy fine, but still like to use a couple of older external modules some times, and that's where unhappines creeps in: Seems to take SX a loooong time to lock (like 8-10 bars or more) and there's still a bit of drift (I think) once it does. Alas. My question is: is it the funky older 2x2 usb midi interface? The RME Digi 9652? Some funky preference setting buried within Cubase's manymanymany menus? Maybe I need more zinc? (I do need more zinc.)

>>>

>>>Seems like such a caveman problem to be having these days -- I mean, people had this nailed in 1987 -- where did we go wrong? Any solid old school midi masters around here care to help out a poor pilgrim?

>>>

>>>muchas gracias -- Chas.

>Actually, it IS possible. You have to use Chuck's wiring plug in the FX pack, I think that has been released to the public?

Stock, Paris will not do this w/o some creative use/thinking, a few I/O's and an external compressor.

AA

"RZ" <pearlmusic@sbcglobal.net> wrote in message news:4307dc42@linux...

> That would require an output and input that I've never seen. If they existed the routing would have to appear in the patchbay window with a separate module labeled effects sidechain I/O.

>

> I would probably use the channel inserts to run through an analog compressor

> if you have one with a sidechain.

>

> RZ

>

>  
> "Rob Arsenault" <mani2@nbnet.nb.ca> wrote in message  
> news:4306a013\$1@linux...  
>> Scanning the manual but not finding anything about it.  
>>  
>> Thanks  
>>  
>>  
>  
>"Chas. Duncan" <duncan5199ATsbcglobalDOTnet@> wrote in message  
news:bkmeg1h5224tb2h7peon47kslmgk3t9vq7@4ax.com...  
.....  
>  
> Seems like such a caveman problem to be having these days -- I mean,  
> people had this nailed in 1987 -- where did we go wrong?

We started using USB for midi, that's where we went wrong. IMHO, midi has no business at all on that bus. Unfortunately, MS has little regard for the sanctity of exact timing, so the PCI bus is not much different, though a bit better. Now it's all up to the software to make it work right or not, whereas cards like the infamous MQX-32 were ROCK solid performers.... too bad those are all ISA slots, just try finding a place to plant one of these (or drivers in Win2k/XP to run it).

AAPACE updated?  
AA

"ricalv" <ricardoalvarez@hotmail.com> wrote in message  
news:43077ae3\$1@linux...  
>  
> Hi! I am using Paris 3.0 on a Windows XP with RAID (mirror) system. The  
> mirror  
> array had a problem recently (went out of sync for some reason) and I had  
> to rebuild the array (nothing lost, both disks were ok and had the data;  
> I just used one of them as source and formatted/mirrored the other. So  
> the mirror is back running and all other applications seem to work  
> (Wavelab,  
> etc). When I try to open Paris it never comes up, it doesn't even  
> initialize  
> the MEC (I don't see the LEDs blinking), and the computer freezes.  
>  
> I tried uninstalling/reinstalling a couple of times, still the same. I  
> formatted  
> and reinstalled Windows, installed the Scherzo driver, the Interloc  
> driver,  
> then Paris 3...and still the same problem.  
>



> I have no idea what could be causing this. Everything installed without  
> errors and device manager sees the Scherzo as a working device. Could  
> this  
> be a MEC issue? Please help...I'm about to finish a big project but I'm  
> really stuck here!!! Thanks...Hi Tom,

Thanks for the suggestions. The files are definitely in the right folder.  
What's particularly odd is that 3 presets have stayed in the main library,  
but no other.

There is another problems though:

I'm getting occasional crashes too, particularly when closing one project  
and opening another. e.g. Unhandled exception c00000005 at address 0a1723b9.  
Paris then crashes, and the computer freezes, requiring a hardware reset.

I'm on an Althon XP 3000, so I assume hyperthreading isn't a problem. The  
mobo is a AsusA7V880, which has a VIA chipset (any problems here?), and I'm  
using a Raedon VE 9000 or 9200 dual head card (I may try my Matrox G450 to  
see if this makes any difference). There's no other hardware but the one  
EDS (PCI 3).

I did try a reinstall of XP (Professional) a while back - same problems....  
so I'm guessing something's going on with the hardware... there's just not  
a lot in the machine the to make it go wrong though!

Suggetions welcome!

D

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>Dan,

>It sounds like the saves aren't going to the right folder/file.?.

>

>Do you see "PARIS\_Fx.var" in your C:\Program Files\EMU\Paris folder? =20

>Do you also see a file named "PARIS\_Fx.var (default)" ? These

>are both in my Paris folder. I believe the first is the file that

>holds all your home grown presets (Paris and VST/DX) along=20

>with the stock ones that came with your install. The second is=20

>a backup of the stock Paris presets. I'm no tech but you can try=20

>this at your own risk. You are having a problem with one of those=20  
>files. If the first is missing then there's your problem. I'd remove=20  
>the words (default) from the second if that was the case. Others  
>here should be able to help you with anything deeper than this.  
>  
>If you're on XP with a P4 turn off Hyperthreading in the BIOS.  
>Is Windows crashing? Are you getting blue screens?  
>  
>Maybe you have a defective Paris disc?  
>  
>Ain't no technician,  
>Tom  
> "dan b" <daniel\_burneNOSPAM@yahoo.com> wrote in message =  
>news:4308fee5\$1@linux...  
>  
> Ok, so I've reinstalled the FX subsystem. Still no joy. All presets in  
=  
>the  
> main library lost between reboots, and sometimes also restarts of =  
>Paris...  
> Any more ideas!?!?!  
>  
> Thanks,=20  
>  
> db  
>  
> "Tom Bruhl" <arpeggio@comcast.net> wrote:  
> >  
> >  
> >Dan,  
> >Sounds like a smart move then.  
> >Tom  
> > "Dan B" <daniel\_burneNOSPAM@yahoo.com> wrote in message =3D  
> >news:4308cc02\$1@linux...  
> >  
> > Hi Tom,=3D20  
> >  
> > Yup - I'm placing them in the library. They show in other projects  
=  
>=3D  
> >once saved,  
> > until I reboot... then they disappear. I may try reinstalling the =  
>FX =3D  
> >subsystem.  
> > In the meantime, suggestions welcome!  
>>

---

---

Subject: FX presets not saving (XP) and other XP problems... help!

Posted by [Dan B](#) on Mon, 22 Aug 2005 10:14:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

> >Tom,=3D20  
> > <BR><BR>Yup - I'm placing them in the library. They show in other =  
>=3D  
> >projects=3D20  
> > once saved,<BR>until I reboot... then they disappear. I may try =3D  
> >reinstalling=3D20  
> > the FX subsystem.<BR>In the meantime, suggestions =3D  
> >welcome!<BR><BR>Thanks,=3D20  
> > <BR><BR>Dan<BR><BR>"Tom Bruhl" <<A=3D20  
> > href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>=3D20  
> > wrote:<BR>><BR>><BR>>Daniel,<BR>>You are dragging them =3D  
> >into the=3D20  
> > lower bin before quitting right?<BR>>This adds them to your user =  
>=3D  
> >presets=3D20  
> > for other projects.<BR>>Tom<BR>><BR>> "dan b" <<A=3D20  
> > =3D  
> > =  
>>href=3D3D"mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yahoo.=  
>com=3D  
> ></A>=3D20  
> > wrote in message =3D  
> >=3D3D<BR>>news:4308b8a6\$1@linux...<BR>><BR>> =3D20  
> > Hi,=3D3D20<BR>><BR>> Just wondering if anyone has any idea =3D  
> >how I can=3D20  
> > get my FX presets to =3D3D<BR>>save<BR>> in XP (Paris v3). =3D  
> >Whenever I=3D20  
> > reboot I loose them all?<BR>><BR>> Should I try =3D  
> >reinstalling the=3D20  
> > XP FX subsystem again? Is that ok to =3D  
> >do<BR>=3D3D<BR>>once<BR>> Paris=3D20  
> > is installed and has been used?<BR>><BR>> Thanks for any=3D20  
> > tips.=3D3D20<BR>><BR>> Daniel<BR>><BR>><!DOCTYPE =3D  
> >HTML PUBLIC=3D20  
> > "-//W3C//DTD HTML 4.0=3D20  
> > Transitional//EN"><BR>><HTML><HEAD><BR>><META=3D20  
> > http-equiv=3D3D3DContent-Type content=3D3D3D"text/html";=3D20  
> > =3D3D<BR>>charset=3D3D3Diso-8859-1"><BR>><META =3D  
> >content=3D3D3D"MSHTML=3D20  
> > 6.00.2800.1400"=3D20  
> > =3D  
> >name=3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D  
> >D><BR>><BODY=3D20  
> > bgColor=3D3D3D#ffffff><BR>><DIV><FONT face=3D3D3DArial=3D20

```

> > =3D
> >size=3D3D3D2>Daniel,</FONT></DIV><BR>><DIV><FONT=3D
> >=3D20
> > face=3D3D3DArial size=3D3D3D2>You are dragging them into the lower
=
>=3D
> >=3D3D<BR>>bin=3D20
> > before=3D3D20<BR>>quitting=3D20
> > right?</FONT></DIV><BR>><DIV><FONT =3D
> >face=3D3D3DArial=3D20
> > size=3D3D3D2>This adds them to your user presets=3D20
> > =3D
> >for<BR>=3D3D<BR>>other=3D3D20<BR>>projects.</FONT></DIV ><BR=3D
> >>><DIV><FONT=3D20
> > face=3D3D3DArial=3D20
> > size=3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D20
> > face=3D3D3DArial size=3D3D3D2></FONT>=3D20
> > =3D
> ></DIV><BR>><BLOCKQUOTE=3D3D20<BR>>style=3D3D3D"PADDING-RIGHT: =3D
> >0px;=3D20
> > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D<BR>>BORDER-LEFT: #000000
=
>=3D
> >2px solid;=3D20
> > MARGIN-RIGHT: 0px"><BR>> <DIV>"dan b"=3D20
> > <<A=3D3D20<BR>> =3D3D<BR>>href=3D3D3D"<A=3D20
> > =3D
> =
>>href=3D3D'mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.=
>com=3D
> =
>>'>mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com</A=3D=
>
> >=3D3D<BR>></A>=3D3D20<BR>> =3D20
> > wrote in message <A=3D3D20<BR>> =3D3D<BR>>href=3D3D3D"<A=3D20
> > =3D
> =
>>href=3D3D'news:4308b8a6$1 @linux">news:4308b8a6$1 @linux</A>...</DIV><BR>H=
>i'>=3D
> >news:4308b8a6$1 @linux">news:4308b8a6$1 @linux</A>...</DIV>&=3D
> >lt;BR>Hi</A>,<BR>=3D3D<BR>><BR>> =3D20
> > <BR><BR>Just wondering if anyone has any idea how I can =3D
> >get my FX=3D20
> > =3D3D<BR>>presets to=3D3D20<BR>> save<BR>in XP (Paris =3D
> >v3). Whenever=3D20
> > I reboot I loose them =3D3D<BR>>all?<BR><BR>Should=3D20
> > l=3D3D20<BR>> try reinstalling the XP FX subsystem again? Is =3D
> >that ok to=3D20

```

```

> > do =3D3D<BR>>once<BR>Paris is=3D3D20<BR>> installed and =3D
> >has been=3D20
> > used?<BR><BR>Thanks for any=3D20
> > =3D
> >tips.=3D3D20<BR>><BR><BR>Daniel</BLOCKQUOTE></BODY&=3D
> >gt;</HTML><BR>><BR>><BR></BLOCKQUOTE></BODY></HTML>
> >
> >
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3DContent-Type content=3D"text/html; =
>charset=3Diso-8859-1">
><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D#ffffff>
><DIV><FONT face=3DArial size=3D2>Dan,</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>It sounds like the saves aren't going =
>to the right=20
>folder/file.?.</FONT></DIV>

><DIV><FONT face=3DArial size=3D2>Do you see "PARIS_Fx.var" in your =
>C\Program=20

><DIV><FONT face=3DArial size=3D2>Do you </FONT><FONT face=3DArial =
>size=3D2>also see a=20

><DIV><FONT face=3DArial size=3D2>are both in my Paris =

>the first is the file that</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>holds all your home grown presets =
>(Paris and=20
>VST/DX) along </FONT></DIV>
><DIV><FONT face=3DArial size=3D2>with the stock </FONT><FONT =
>face=3DArial size=3D2>ones=20

><DIV><FONT face=3DArial size=3D2>a backup </FONT><FONT face=3DArial =
>size=3D2>of the=20

></FONT></DIV>
><DIV><FONT size=3D2><FONT face=3DArial><FONT>this </FONT><FONT><EM>at =
>your own=20

></FONT></FONT></DIV>

>size=3D2>there's=20

```

><DIV><FONT face=3DArial size=3D2>the words (default) from the =  
></FONT><FONT=20

>Others</FONT></DIV>

><DIV><FONT face=3DArial size=3D2>here should be able to help you =

>deeper than this.</FONT></DIV>

><DIV><FONT face=3DArial size=3D2>If you're on XP with a P4 turn off =  
>Hyperthreading=20  
>in the BIOS.</FONT></DIV>

><DIV><FONT face=3DArial size=3D2>Is Windows crashing? Are you getting =  
>blue=20  
>screens?</FONT></DIV>

><DIV><FONT face=3DArial size=3D2>Maybe you have a defective Paris =  
>disc?</FONT></DIV>

><DIV><FONT face=3DArial size=3D2>Ain't no technician,</FONT></DIV>

><DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>

><BLOCKQUOTE=20  
>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =  
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

> <DIV>"dan b" <<A=20  
> =  
>href=3D"mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yahoo.com=  
></A>>=20  
> wrote in message <A=20  
> =  
>href=3D"news:4308fee5\$1 @linux">news:4308fee5\$1 @linux</A>...</DIV><BR>Ok,  
=  
>so I've=20  
> reinstalled the FX subsystem. Still no joy. All presets in the<BR>main  
=  
>library=20  
> lost between reboots, and sometimes also restarts of Paris...<BR>Any =  
>more=20  
> ideas!?!?!<BR><BR>Thanks, <BR><BR>db<BR><BR>"Tom Bruhl" <<A=20  
> href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>>=20  
> wrote:<BR>><BR>><BR>>Dan,<BR>>Sounds like a smart move=20

> =  
>href=3D"mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yahoo.com=  
></A>>=20  
> wrote in message =

>They show=20

>reboot... then=20

> they disappear. I may try reinstalling the FX=20

> href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>=20

>before=20

>for=20

>

> =

>href=3D"mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yahoo.com=  
></A>=20

>presets=20

>XP (Paris=20

>that ok=20

> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=20

> ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html";=20

>><META=20

> content=3D3D3D"MSHTML 6.00.2800.1400" =

```
>><DIV><FONT=20
> face=3D3D3DArial =
```

```
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>You are =
>dragging them=20
```

```
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>This adds =
>them to your=20
```

```
>><DIV><FONT=20
> face=3D3D3DArial =
```

```
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> =
>
```

```
> >style=3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
>5px;=20
```

```
>MARGIN-RIGHT:=20
```

```
> =3D<BR>>>href=3D3D3D"<A=20
```

```
> =
```

```
>href=3D'mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo'>ma=
>ilto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo</A>.=3D<BR=
```

```
> =3D<BR>>>href=3D3D3D"<A=20
```

```
> =
```

```
>href=3D'news:4308b8a6$1 @linux">news:4308b8a6$1 @linux</A>...</DIV><BR>H'>n=
>ews:4308b8a6$1 @linux">news:4308b8a6$1 @linux</A>...</DIV>&l=
```

```
><BR><BR>Just=20
```

```
> wondering if anyone has any idea how I can get my FX=20
```

```
> save<BR>in XP (Paris v3). Whenever I reboot I loose them=20
```

```
>do=20
```



> installed and has been used?<BR><BR>Thanks for any=20

> =

>><BR><BR>Daniel</BLOCKQUOTE></BODY></HTML&g=

>PUBLIC=20

> "-//W3C//DTD HTML 4.0=20

> Transitional//EN"><BR>><HTML><HEAD><BR>><META=20

> http-equiv=3D3DContent-Type content=3D3D"text/html";=20

> =3D<BR>>charset=3D3Diso-8859-1"><BR>><META =

>content=3D3D"MSHTML=20

> 6.00.2800.1400"=20

> =

>name=3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=

>D><BR>><BODY=20

> bgColor=3D3D#ffffff><BR>><DIV><FONT face=3D3DArial=20

> size=3D3D2>Dan,</FONT></DIV><BR>><DIV><FONT =

>

> face=3D3DArial size=3D3D2>Sounds like a smart move=20

> =3D<BR>>then.</FONT></DIV><BR>><DIV><FONT=20

> face=3D3DArial=20

> =

>size=3D3D2>Tom</FONT></DIV><BR>><BLOCKQUOTE=3D20<BR>=

>>style=3D3D"PADDING-RIGHT:=20

> 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D<BR>>BORDER-LEFT: =

>#000000 2px=20

> =

>href=3D'mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yahoo.com=

>'>mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yahoo.com</A=

> =

>href=3D'news:4308cc02\$1 @linux">news:4308cc02\$1 @linux</A>...</DIV><BR>Hi'>=

>news:4308cc02\$1 @linux">news:4308cc02\$1 @linux</A>...</DIV>>&=

> <BR><BR>Yup - I'm placing them in the library. They show =

>in other=20

>reboot... then=20

>the FX=20

> subsystem.<BR>In the meantime, suggestions=20

> <BR><BR>Dan<BR><BR>"Tom Bruhl"=20

> =  
>href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net</A>>=3D20'>mailto=  
>:arpegio@comcast.net">arpegio@comcast.net</A>>=3D20</A><BR>&g=  
  
> =  
>wrote:<BR>><BR>><BR>>Daniel,<BR>>You =  
>are=20  
  
>quitting=20  
> right?<BR>>This adds them to your user=20  
  
> projects.<BR>>Tom<BR>><BR>> "dan b"=20  
  
> =  
>href=3D'mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yahoo.com=  
>'>mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yahoo.com</A=  
  
> wrote in message=20  
> =  
>=3D<BR>>=3D3D<BR>>news:4308b8a6\$1@linux...<BR>><B=  
>R>>=20  
  
>wondering if=20  
  
>presets to=20  
> =3D3D<BR>>save<BR>> in XP (Paris v3). =  
>=3D<BR>>Whenever=20  
  
>all?<BR>><BR>> Should=20  
  
>again? Is=20  
> that ok to =  
>=3D<BR>>do<BR>=3D3D<BR>>once<BR>>=20  
  
> tips.=3D3D20<BR>><BR>>=20  
> Daniel<BR>><BR>><!DOCTYPE =3D<BR>>HTML=20  
  
> =  
>Transitional//EN"><BR>><HTML><HEAD><BR>>=  
  
> http-equiv=3D3D3DContent-Type =  
  
> =3D3D<BR>>charset=3D3D3Diso-8859-1"><BR>><META =  
>

```

> =
>=3D<BR>>name=3D3D3DGENERATOR><BR>><STYLE></STYLE&=
>gt;<BR>></HEA=3D<BR>>D><BR>><BODY=3D20<BR>>=&=

> bgColor=3D3D3D#ffffff><BR>><DIV><FONT=20

> =
>=3D<BR>>size=3D3D3D2>Daniel,</FONT></DIV><BR>>=

> face=3D3D3DArial size=3D3D3D2>You are dragging them into the lower=20

> right?</FONT></DIV><BR>><DIV><FONT=20

>adds them to your=20

> =
>=3D<BR>>for<BR>=3D3D<BR>>other=3D3D20<BR>>proj=
>ects.</FONT></DIV><BR=3D<BR>>>><DIV><FON=

> =
>size=3D3D3D2>Tom</FONT></DIV><BR>><DIV><=

> =
>=3D<BR>></DIV><BR>><BLOCKQUOTE=3D3D20<BR>>s=
>tyle=3D3D3D"PADDING-RIGHT:=20

>5px;=20
> =3D3D<BR>>BORDER-LEFT: #000000 =3D<BR>>2px =

> MARGIN-RIGHT: 0px"><BR>> <DIV>"dan =

> <<A=3D3D20<BR>> =

> =
>=3D<BR>>href=3D3D'mailto:daniel_burneNOSPAM@yahoo.com">daniel_burne=
>NOSPAM@yahoo.com=3D<BR>>'>mailto:daniel_burneNOSPAM@yahoo.com">d=
>aniel_burneNOSPAM@yahoo.com</A=3D<BR>>>=3D3D<BR>></A=
>>>=3D3D20<BR>>=20

> =
>=3D<BR>>href=3D3D'news:4308b8a6$1@linux">news:4308b8a6$1@linux</=
>A>...</DIV><BR>Hi'>=3D<BR>>news:4308b8a6$1@linux">=
>;news:4308b8a6$1@linux</A>...</DIV>>&=3D<BR>>lt;BR>H=
>i</A>,<BR>=3D3D<BR>><BR>>=20

```

>any idea=20

>=3D3D<BR>>presets=20

> to=3D3D20<BR>> save<BR>in XP (Paris =3D<BR>>v3).=20

> I=3D3D20<BR>> try reinstalling the XP FX subsystem again? Is=20

>=3D3D<BR>>once<BR>Paris=20

> is=3D3D20<BR>> installed and =3D<BR>>has =

> =

>=3D<BR>>tips.=3D3D20<BR>><BR><BR>Daniel</BLOCK=

>QUOTE></BODY&=3D<BR>>gt;</HTML><BR>><BR>=

>;<BR></BLOCKQUOTE></BODY></HTML><BR>><BR>&=

>gt;<BR></BLOCKQUOTE></BODY></HTML>

>

>I seem to remember that cloning requires you reset the record path and use a different name.

I also seem to remember that I was Jethro Tull in a previous life.

hmm,

Really don't mind if I sit this one out.

John

dan b wrote:

> Hi Tom,

>

> Thanks for the suggestions. The files are definitely in the right folder.

> What's particularly odd is that 3 presets have stayed in the main library,

> but no other.

>

> There is another problems though:

>

> I'm getting occasional crashes too, particularly when closing one project

> and opening another. e.g. Unhandled exception c0000005 at address 0a1723b9.

> Paris then crashes, and the computer freezes, requiring a hardware reset.

>

>

> I'm on an Althon XP 3000, so I assume hyperthreading isn't a problem. The

> mobo is a AsusA7V880, which has a VIA chipset (any problems here?), and I'm

> using a Raedon VE 9000 or 9200 dual head card (I may try my Matrox G450 to

> see if this makes any difference). There's no other hardware but the one

> EDS (PCI 3).

>

> I did try a reinstall of XP (Professional) a while back - same problems....  
> so I'm guessing something's going on with the hardware... there's just not  
> a lot in the machine the to make it go wrong though!  
>  
> Suggetions welcome!  
>  
> D  
>  
>  
>  
>  
>  
>  
>  
>  
> "Tom Bruhl" <arpegio@comcast.net> wrote:  
>  
>>  
>>Dan,  
>>It sounds like the saves aren't going to the right folder/file.?.  
>>  
>>Do you see "PARIS\_Fx.var" in your C:\Program Files\EMU\Paris folder? =20  
>>Do you also see a file named "PARIS\_Fx.var (default)" ? These  
>>are both in my Paris folder. I believe the first is the file that  
>>holds all your home grown presets (Paris and VST/DX) along=20  
>>with the stock ones that came with your install. The second is=20  
>>a backup of the stock Paris presets. I'm no tech but you can try=20  
>>this at your own risk. You are having a problem with one of those=20  
>>files. If the first is missing then there's your problem. I'd remove=20  
>>the words (default) from the second if that was the case. Others  
>>here should be able to help you with anything deeper than this.  
>>  
>>If you're on XP with a P4 turn off Hyperthreading in the BIOS.  
>>Is Windows crashing? Are you getting blue screens?  
>>  
>>Maybe you have a defective Paris disc?  
>>  
>>Ain't no technician,  
>>Tom  
>> "dan b" <daniel\_burneNOSPAM@yahoo.com> wrote in message =  
>>news:4308fee5\$1@linux...  
>>  
>> Ok, so I've reinstalled the FX subsystem. Still no joy. All presets in  
>  
> =  
>  
>>the  
>> main library lost between reboots, and sometimes also restarts of =  
>>Paris...  
>> Any more ideas!?!?!

>>  
>> Thanks,=20  
>>  
>> db  
>>  
>> "Tom Bruhl" <arpeggio@comcast.net> wrote:  
>> >  
>> >  
>> >Dan,  
>> >Sounds like a smart move then.  
>> >Tom  
>> > "Dan B" <daniel\_burneNOSPAM@yahoo.com> wrote in message =3D  
>> >news:4308cc02\$1@linux...  
>> >  
>> > Hi Tom,=3D20  
>> >  
>> > Yup - I'm placing them in the library. They show in other projects  
>  
> =  
>  
>>=3D  
>> >once saved,  
>> > until I reboot... then they disappear. I may try reinstalling the =  
>>FX =3D  
>> >subsystem.  
>> > In the meantime, suggestions welcome!  
>> >  
>> > Thanks,=3D20  
>> >  
>> > Dan  
>> >  
>> > "Tom Bruhl" <arpeggio@comcast.net> wrote:  
>> > >  
>> > >  
>> > >Daniel,  
>> > >You are dragging them into the lower bin before quitting right?  
>> > >This adds them to your user presets for other projects.  
>> > >Tom  
>> > >  
>> > > "dan b" <daniel\_burneNOSPAM@yahoo.com> wrote in message =3D3D  
>> > >news:4308b8a6\$1@linux...  
>> > >  
>> > > Hi,=3D3D20  
>> > >  
>> > > Just wondering if anyone has any idea how I can get my FX =  
>>presets =3D  
>> >to =3D3D  
>> > >save

```

>> > > in XP (Paris v3). Whenever I reboot I loose them all?
>> > >
>> > > Should I try reinstalling the XP FX subsystem again? Is that ok
>
> =
>
>>to
>> =3D
>> >do
>> > =3D3D
>> > >once
>> > > Paris is installed and has been used?
>> > >
>> > > Thanks for any tips.=3D3D20
>> > >
>> > > Daniel
>> > >
>> > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
>> > ><HTML><HEAD>
>> > ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =
>>=3D3D
>> > > charset=3D3D3Diso-8859-1">
>> > ><META content=3D3D3D"MSHTML 6.00.2800.1400" name=3D3D3DGENERATOR>
>> > ><STYLE></STYLE>
>> > ></HEAD>
>> > ><BODY bgColor=3D3D3D#ffffff>
>> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Daniel,</FONT></DIV>
>> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>You are dragging them =
>>into the =3D
>> >lower =3D3D
>> > >bin before=3D3D20
>> > >quitting right?</FONT></DIV>
>> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>This adds them to your =
>>user =3D
>> >presets for
>> > =3D3D
>> > >other=3D3D20
>> > >projects.</FONT></DIV>
>> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Tom</FONT></DIV>
>> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
>> > ><BLOCKQUOTE=3D3D20
>> > >style=3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
>>5px; =3D
>> >=3D3D
>> > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
>> > > <DIV>"dan b" <<A=3D3D20
>> > > =3D3D
>> > > =3D

```

```
>> =
>>
>>>>href=3D3D3D"mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yah=
>>
>>oo.=3D
>> >com=3D3D
>> > ></A>>=3D3D20
>> > > wrote in message <A=3D3D20
>> > > =3D3D
>> > =3D
>> =
>>
>>>>href=3D3D3D"news:4308b8a6$1 @linux">news:4308b8a6$1 @linux</A>...</DIV><B=
>>
>>R>H=3D
>> >i,
>> > =3D3D
>> > >
>> > > <BR><BR>Just wondering if anyone has any idea how I can get my =
>>FX =3D
>> >=3D3D
>> > >presets to=3D3D20
>> > > save<BR>in XP (Paris v3). Whenever I reboot I loose them =3D3D
>> > >all?<BR><BR>Should I=3D3D20
>> > > try reinstalling the XP FX subsystem again? Is that ok to do =
>>=3D3D
>> > >once<BR>Paris is=3D3D20
>> > > installed and has been used?<BR><BR>Thanks for any tips.=3D3D20
>> > ><BR><BR>Daniel</BLOCKQUOTE></BODY></HTML>
>> > >
>> > >
>> >
>> >
>> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
>> ><HTML><HEAD>
>> ><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
>> >charset=3D3Diso-8859-1">
>> ><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
>> ><STYLE></STYLE>
>> ></HEAD>
>> ><BODY bgColor=3D3D#ffffff>
>> ><DIV><FONT face=3D3DArial size=3D3D2>Dan,</FONT></DIV>
>> ><DIV><FONT face=3D3DArial size=3D3D2>So
```

---

Subject: Re: FX presets not saving (XP) and other XP problems... help!  
Posted by [John \[1\]](#) on Mon, 22 Aug 2005 13:49:17 GMT



unds like a smart move =3D  
>> >then.</FONT></DIV>  
>> ><DIV><FONT face=3D3DArial size=3D3D2>Tom</FONT></DIV>  
>> ><BLOCKQUOTE=3D20  
>> >style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =  
>>=3D  
>> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">  
>> > <DIV>"Dan B" <<A=3D20  
>> > =3D  
>> =  
>>  
>>>href=3D3D"mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yahoo.=  
>>  
>>com=3D  
>> ></A>>=3D20  
>> > wrote in message <A=3D20  
>> > =3D  
>> =  
>>  
>>>href=3D3D"news:4308cc02\$1 @linux">news:4308cc02\$1 @linux</A>...</DIV><BR>H=  
>>  
>>i  
>> =3D  
>> >Tom,=3D20  
>> > <BR><BR>Yup - I'm placing them in the library. They show in other =  
>>=3D  
>> >projects=3D20  
>> > once saved,<BR>until I reboot... then they disappear. I may try =3D  
>> >reinstalling=3D20  
>> > the FX subsystem.<BR>In the meantime, suggestions =3D  
>> >welcome!<BR><BR>Thanks,=3D20  
>> > <BR><BR>Dan<BR><BR>"Tom Bruhl" <<A=3D20  
>> > href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>>=3D20  
>> > wrote:<BR>><BR>><BR>>Daniel,<BR>>You are dragging them =3D  
>> >into the=3D20  
>> > lower bin before quitting right?<BR>>This adds them to your user =  
>>=3D  
>> >presets=3D20  
>> > for other projects.<BR>>Tom<BR>><BR>> "dan b" <<A=3D20  
>> > =3D  
>> =  
>>  
>>>href=3D3D"mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yahoo.=  
>>  
>>com=3D  
>> ></A>>=3D20  
>> > wrote in message =3D

```

>> >=3D3D<BR>>news:4308b8a6$1@linux...<BR>><BR>> =3D20
>> > Hi,=3D3D20<BR>><BR>> Just wondering if anyone has any idea =3D
>> >how I can=3D20
>> > get my FX presets to =3D3D<BR>>save<BR>> in XP (Paris v3). =3D
>> >Whenever I=3D20
>> > reboot I loose them all?<BR>><BR>> Should I try =3D
>> >reinstalling the=3D20
>> > XP FX subsystem again? Is that ok to =3D
>> >do<BR>=3D3D<BR>>once<BR>> Paris=3D20
>> > is installed and has been used?<BR>><BR>> Thanks for any=3D20
>> > tips.=3D3D20<BR>><BR>> Daniel<BR>><BR>><!DOCTYPE =3D
>> >HTML PUBLIC=3D20
>> > "-//W3C//DTD HTML 4.0=3D20
>> > Transitional//EN"><BR>><HTML><HEAD><BR>><META=3D20
>> > http-equiv=3D3D3DContent-Type content=3D3D3D"text/html;=3D20
>> > =3D3D<BR>>charset=3D3D3Diso-8859-1"><BR>><META =3D
>> >content=3D3D3D"MSHTML=3D20
>> > 6.00.2800.1400"=3D20
>> > =3D
>> >name=3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D
>> >D><BR>><BODY=3D20
>> > bgColor=3D3D3D#ffffff><BR>><DIV><FONT face=3D3D3DArial=3D20
>> > =3D
>> >size=3D3D3D2>Daniel,</FONT></DIV><BR>><DIV><FONT=3D
>> >=3D20
>> > face=3D3D3DArial size=3D3D3D2>You are dragging them into the lower
>
> =
>
>>=3D
>> >=3D3D<BR>>bin=3D20
>> > before=3D3D20<BR>>quitting=3D20
>> > right?</FONT></DIV><BR>><DIV><FONT =3D
>> >face=3D3D3DArial=3D20
>> > size=3D3D3D2>This adds them to your user presets=3D20
>> > =3D
>> >for<BR>=3D3D<BR>>other=3D3D20<BR>>projects.</FONT></DIV ><BR=3D
>> >>><DIV><FONT=3D20
>> > face=3D3D3DArial=3D20
>> > size=3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D20
>> > face=3D3D3DArial size=3D3D3D2></FONT>=3D20
>> > =3D
>> ></DIV><BR>><BLOCKQUOTE=3D3D20<BR>>style=3D3D3D"PADDING-RIGHT: =3D
>> >0px;=3D20
>> > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D<BR>>BORDER-LEFT: #000000
>
> =
>

```

```

>>=3D
>> >2px solid;=3D20
>> > MARGIN-RIGHT: 0px"><BR>> <DIV>"dan b"=3D20
>> > <<A=3D3D20<BR>> =3D3D<BR>>href=3D3D3D"<A=3D20
>> > =3D
>> =
>>
>>>href=3D3D'mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.=
>>
>>com=3D
>> =
>>
>>>'>mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com</A=3D=
>>
>> >=3D3D<BR>></A>>=3D3D20<BR>> =3D20
>> > wrote in message <A=3D3D20<BR>> =3D3D<BR>>href=3D3D3D"<A=3D20
>> > =3D
>> =
>>
>>>href=3D3D'news:4308b8a6$1 @linux">news:4308b8a6$1 @linux</A>...</DIV><BR>H=
>>
>>i'>=3D
>> >news:4308b8a6$1 @linux">news:4308b8a6$1 @linux</A>...</DIV>&=3D
>> >lt;BR>Hi</A>,<BR>=3D3D<BR>><BR>> =3D20
>> > <BR><BR>Just wondering if anyone has any idea how I can =3D
>> >get my FX=3D20
>> > =3D3D<BR>>presets to=3D3D20<BR>> save<BR>in XP (Paris =3D
>> >v3). Whenever=3D20
>> > I reboot I loose them =3D3D<BR>>all?<BR><BR>Should=3D20
>> > I=3D3D20<BR>> try reinstalling the XP FX subsystem again? Is =3D
>> >that ok to=3D20
>> > do =3D3D<BR>>once<BR>Paris is=3D3D20<BR>> installed and =3D
>> >has been=3D20
>> > used?<BR><BR>Thanks for any=3D20
>> > =3D
>> >tips.=3D3D20<BR>><BR><BR>Daniel</BLOCKQUOTE></BODY&=3D
>> >gt;</HTML><BR>><BR>><BR></BLOCKQUOTE></BODY></HTML>
>> >
>> >
>>
>>>!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
>><HTML><HEAD>
>><META http-equiv=3DContent-Type content=3D"text/html; =
>>charset=3Diso-8859-1">
>><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
>><STYLE></STYLE>
>></HEAD>

```

>><BODY bgColor=3D#ffffff>  
>><DIV><FONT face=3DArial size=3D2>Dan,</FONT></DIV>  
>><DIV><FONT face=3DArial size=3D2>It sounds like the saves aren't going =  
>>to the right=20  
>>folder/file.?.</FONT></DIV>  
>><DIV><FONT face=3DArial size=3D2></FONT> </DIV>  
>><DIV><FONT face=3DArial size=3D2>Do you see "PARIS\_Fx.var" in your =  
>>C\Program=20  
>>Files\EMU\Paris folder? </FONT></DIV>  
>><DIV><FONT face=3DArial size=3D2>Do you </FONT><FONT face=3DArial =  
>>size=3D2>also see a=20  
>>file named "PARIS\_Fx.var (default)" ? These</FONT></DIV>  
>><DIV><FONT face=3DArial size=3D2>are both in my Paris =  
>>folder. I believe=20  
>>the first is the file that</FONT></DIV>  
>><DIV><FONT face=3DArial size=3D2>holds all your home grown presets =  
>>(Paris and=20  
>>VST/DX) along </FONT></DIV>  
>><DIV><FONT face=3DArial size=3D2>with the stock </FONT><FONT =  
>>face=3DArial size=3D2>ones=20  
>>that came with your install. The second is </FONT></DIV>  
>><DIV><FONT face=3DArial size=3D2>a backup </FONT><FONT face=3DArial =  
>>size=3D2>of the=20  
>>stock Paris presets. I'm no tech but you can try =  
>></FONT></DIV>  
>><DIV><FONT size=3D2><FONT face=3DArial><FONT>this </FONT><FONT><EM>at =  
>>your own=20  
>>risk</EM>. You are having </FONT>a problem with one of those=20  
>></FONT></FONT></DIV>  
>><DIV>files. If the first is missing then <FONT face=3DArial =  
>>size=3D2>there's=20  
>>your problem. I'd remove </FONT></DIV>  
>><DIV><FONT face=3DArial size=3D2>the words (default) from the =  
>></FONT><FONT=20  
>>face=3DArial size=3D2>second if that was the case. =  
>>Others</FONT></DIV>  
>><DIV><FONT face=3DArial size=3D2>here should be able to help you =  
>>with anything=20  
>>deeper than this.</FONT></DIV>  
>><DIV><FONT face=3DArial size=3D2></FONT> </DIV>  
>><DIV><FONT face=3DArial size=3D2>If you're on XP with a P4 turn off =  
>>Hyperthreading=20  
>>in the BIOS.</FONT></DIV>  
>><DIV><FONT face=3DArial size=3D2>Is Windows crashing? Are you getting =  
>>blue=20  
>>screens?</FONT></DIV>  
>><DIV><FONT face=3DArial size=3D2></FONT> </DIV>  
>><DIV><FONT face=3DArial size=3D2>Maybe you have a defective Paris =

```
>>disc?</FONT></DIV>
>><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
>><DIV><FONT face=3DArial size=3D2>Ain't no technician,</FONT></DIV>
>><DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
>><BLOCKQUOTE=20
>>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
>> <DIV>"dan b" <<A=20
>> =
>>href=3D"mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com=
>></A>>=20
>> wrote in message <A=20
>> =
>>href=3D"news:4308fee5$1 @linux">news:4308fee5$1 @linux</A>...</DIV><BR>Ok,
>
> =
>
>>so I've=20
>> reinstalled the FX subsystem. Still no joy. All presets in the<BR>main
>
> =
>
>>library=20
>> lost between reboots, and sometimes also restarts of Paris...<BR>Any =
>>more=20
>> ideas!?!?!<BR><BR>Thanks, <BR><BR>db<BR><BR>"Tom Bruhl" <<A=20
>> href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>>=20
>> wrote:<BR>><BR>><BR>>Dan,<BR>>Sounds like a smart move=20
>> then.<BR>>Tom<BR>> "Dan B" <<A=20
>> =
>>href=3D"mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com=
>></A>>=20
>> wrote in message =
>>=3D<BR>>news:4308cc02$1 @linux...<BR>><BR>> Hi=20
>> Tom,=3D20<BR>><BR>> Yup - I'm placing them in the library. =
>>They show=20
>> in other projects =3D<BR>>once saved,<BR>> until I =
>>reboot... then=20
>> they disappear. I may try reinstalling the FX=20
>> =3D<BR>>subsystem.<BR>> In the meantime, suggestions=20
>> welcome!<BR>><BR>> Thanks,=3D20<BR>><BR>> =20
>> Dan<BR>><BR>> "Tom Bruhl" <<A=20
>> href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>>=20
>> wrote:<BR>> ><BR>> ><BR>> =20
>> >Daniel,<BR>> >You are dragging them into the lower bin =
>>before=20
>> quitting right?<BR>> >This adds them to your user presets =
>>for=20
```

```

>> other projects.<BR>> >Tom<BR>> ><BR>> =
>>
>> > "dan b" <<A=20
>> =
>>href=3D"mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com=
>></A>>=20
>> wrote in message =3D3D<BR>> =
>>
>>>news:4308b8a6$1@linux...<BR>> =20
>>
>> ><BR>> > Hi,=3D3D20<BR>> =
>>
>>><BR>> =20
>>
>> > Just wondering if anyone has any idea how I can get my FX =
>>presets=20
>> =3D<BR>>to =3D3D<BR>> >save<BR>> > in =
>>XP (Paris=20
>> v3). Whenever I reboot I loose them all?<BR>> =
>>
>>><BR>> =20
>>
>> > Should I try reinstalling the XP FX subsystem again? Is =
>>that ok=20
>> to<BR>=3D<BR>>do<BR>> =3D3D<BR>> =
>>
>>>once<BR>> =20
>>
>> > Paris is installed and has been used?<BR>> =20
>> ><BR>> > Thanks for any =
>>tips.=3D3D20<BR>> =20
>> ><BR>> > Daniel<BR>> ><BR>> =20
>> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=20
>> Transitional//EN"><BR>> =
>>
>>><HTML><HEAD><BR>> =20
>>
>> ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html;=20
>> =3D3D<BR>> >charset=3D3D3Diso-8859-1"><BR>> =
>>
>>><META=20
>>
>> content=3D3D3D"MSHTML 6.00.2800.1400" =
>>name=3D3D3DGENERATOR><BR>> =20
>> ><STYLE></STYLE><BR>> =
>>
>>></HEAD><BR>> =20
>>

```

```

>> <BODY bgColor=#ffffff><BR>> =
>>
>>><DIV><FONT=20
>>
>> face=Arial =
>>size=2>Daniel,</FONT></DIV><BR>> =20
>> <DIV><FONT face=Arial size=2>You are =
>>dragging them=20
>> into the =<BR>>lower =<BR>> >bin =
>>before=20<BR>> =20
>> >quitting right?</FONT></DIV><BR>> =20
>> <DIV><FONT face=Arial size=2>This adds =
>>them to your=20
>> user =<BR>>presets for<BR>> =<BR>> =20
>> >other=20<BR>> =20
>> >projects.</FONT></DIV><BR>> =
>>
>>><DIV><FONT=20
>>
>> face=Arial =
>>size=2>Tom</FONT></DIV><BR>> =20
>> <DIV><FONT face=Arial size=2></FONT> =
>>
>> </DIV><BR>> ><BLOCKQUOTE=20<BR>> =20
>> >style="PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
>>5px;=20
>> =<BR>>=<BR>> >BORDER-LEFT: #000000 2px solid; =
>>MARGIN-RIGHT:=20
>> 0px"><BR>> > <DIV>"dan b"=20
>> <<A=20<BR>> > =<BR>> =20
>> =<BR>>>href="<A=20
>> =
>>href='mailto:daniel_burneNOSPAM@yahoo.com'>daniel_burneNOSPAM@yahoo'>ma=
>>ilto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo</A>.=<BR>=
>>
>>>>com=<BR>> =20
>>
>> </A>=<BR>> > wrote in message=20
>> <A=20<BR>> > =<BR>> =20
>> =<BR>>>href="<A=20
>> =
>>href='news:4308b8a6$1@linux'>news:4308b8a6$1@linux</A>...</DIV><BR>H'>n=
>>ews:4308b8a6$1@linux">news:4308b8a6$1@linux</A>...</DIV>&l=
>>t;BR>H</A>=<BR>>i,<BR>> =20
>> =<BR>> ><BR>> > =
>><BR><BR>Just=20
>> wondering if anyone has any idea how I can get my FX=20
>> =<BR>>=<BR>> >presets to=<BR>> =

```

```

>>
>>> =20
>>
>> save<BR>in XP (Paris v3). Whenever I reboot I loose them=20
>> =3D3D<BR>> >all?<BR><BR>Should =
>>I=3D3D20<BR>> =20
>> > try reinstalling the XP FX subsystem again? Is that ok to =
>>do=20
>> =3D3D<BR>> >once<BR>Paris is=3D3D20<BR>> =
>>
>>> =20
>>
>> installed and has been used?<BR><BR>Thanks for any=20
>> tips.=3D3D20<BR>> =20
>> =
>>
>>><BR><BR>Daniel</BLOCKQUOTE></BODY></HTML&g=
>>
>>t;<BR>> =20
>> ><BR>> ><BR>><BR>><BR>><!DOCTYPE HTML =
>>PUBLIC=20
>> "-//W3C//DTD HTML 4.0=20
>> Transitional//EN"><BR>><HTML><HEAD><BR>><META=20
>> http-equiv=3D3DContent-Type content=3D3D"text/html;=20
>> =3D<BR>> charset=3D3Diso-8859-1"><BR>><META =
>> content=3D3D"MSHTML=20
>> 6.00.2800.1400"=20
>> =
>> name=3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=
>> D><BR>><BODY=20
>> bgColor=3D3D#ffffff><BR>><DIV><FONT face=3D3DArial=20
>> size=3D3D2>Dan,</FONT></DIV><BR>><DIV><FONT =
>>
>> face=3D3DArial size=3D3D2>Sounds like a smart move=20
>> =3D<BR>> then.</FONT></DIV><BR>><DIV><FONT=20
>> face=3D3DArial=20
>> =
>> size=3D3D2>Tom</FONT></DIV><BR>><BLOCKQUOTE=3D20<BR>=
>>
>>> style=3D3D"PADDING-RIGHT:=20
>>
>> 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D<BR>> BORDER-LEFT: =
>> #000000 2px=20
>> solid; MARGIN-RIGHT: 0px"><BR>> <DIV>"Dan B"=20
>> <<A=3D20<BR>> =3D<BR>> href=3D3D"<A=20
>> =
>> href=3D'mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com=
>>'>mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com</A=

```



>>  
>>=3D<BR>></A>>=3D20<BR>> =20  
>>  
>> wrote in message <A=3D20<BR>> =3D<BR>>href=3D3D"<A=20  
>> =  
>>href=3D'news:4308cc02\$1 @linux">news:4308cc02\$1 @linux</A>...</DIV><BR>Hi'>=  
>>news:4308cc02\$1 @linux">news:4308cc02\$1 @linux</A>...</DIV>&=  
>>lt;BR>Hi</A><BR>=3D<BR>>Tom,=3D20<BR>> =20  
>> <BR><BR>Yup - I'm placing them in the library. They show =  
>>in other=20  
>> =3D<BR>>projects=3D20<BR>> once saved,<BR>until I =  
>>reboot... then=20  
>> they disappear. I may try =3D<BR>>reinstalling=3D20<BR>> =  
>>the FX=20  
>> subsystem.<BR>In the meantime, suggestions=20  
>> =3D<BR>>welcome!<BR><BR>Thanks,=3D20<BR>> =20  
>> <BR><BR>Dan<BR><BR>"Tom Bruhl"=20  
>> <<A=3D20<BR>> href=3D3D"<A=20  
>> =  
>>href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net</A>>=3D20'>mailto=  
>>:arpegio@comcast.net">arpegio@comcast.net</A>>=3D20</A><BR>&g=  
>>t; =20  
>> =  
>>wrote:<BR>><BR>><BR>>Daniel,<BR>>You =  
>>are=20  
>> dragging them =3D<BR>>into the=3D20<BR>> lower bin before =  
>>quitting=20  
>> right?<BR>>This adds them to your user=20  
>> =3D<BR>>presets=3D20<BR>> for other=20  
>> projects.<BR>>Tom<BR>><BR>> "dan b"=20  
>> <<A=3D20<BR>> =3D<BR>>href=3D3D"<A=20  
>> =  
>>href=3D'mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yahoo.com=  
>>'>mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yahoo.com</A=  
>>  
>>=3D<BR>></A>>=3D20<BR>> =20  
>>  
>> wrote in message=20  
>> =  
>>=3D<BR>>=3D3D<BR>>news:4308b8a6\$1 @linux...<BR>><B=  
>>R>>=20  
>> =3D20<BR>> Hi,=3D3D20<BR>><BR>> Just =  
>>wondering if=20  
>> anyone has any idea =3D<BR>>how I can=3D20<BR>> get my FX =  
>>presets to=20  
>> =3D3D<BR>>save<BR>> in XP (Paris v3). =  
>>=3D<BR>>Whenever=20  
>> I=3D20<BR>> reboot I loose them =

```

>>all?<BR>><BR>> Should=20
>> I try =3D<BR>>reinstalling the=3D20<BR>> XP FX subsystem =
>>again? Is=20
>> that ok to =
>>=3D<BR>>do<BR>=3D3D<BR>>once<BR>>=20
>> Paris=3D20<BR>> is installed and has been=20
>> used?<BR>><BR>> Thanks for any=3D20<BR>> =20
>> tips.=3D3D20<BR>><BR>>=20
>> Daniel<BR>><BR>><!DOCTYPE =3D<BR>>HTML=20
>> PUBLIC=3D20<BR>> "-//W3C//DTD HTML 4.0=3D20<BR>> =20
>> =
>>Transitional//EN"><BR>><HTML><HEAD><BR>>=
>><META=3D20<BR>> =20
>> http-equiv=3D3D3DContent-Type =
>>content=3D3D3D"text/html;=3D20<BR>> =20
>> =3D3D<BR>>charset=3D3D3Diso-8859-1"><BR>><META =
>>
>> =3D<BR>>content=3D3D3D"MSHTML=3D20<BR>> =
>>6.00.2800.1400"=3D20<BR>> =20
>> =
>>=3D<BR>>name=3D3D3DGENERATOR><BR>><STYLE></STYLE&=
>>gt;<BR>></HEA=3D<BR>>D><BR>><BODY=3D20<BR>>&=
>>gt; =20
>> bgColor=3D3D3D#ffffff><BR>><DIV><FONT=20
>> face=3D3D3DArial=3D20<BR>> =20
>> =
>>=3D<BR>>size=3D3D3D2>Daniel,</FONT></DIV><BR>>=
>><DIV><FONT=3D<BR>>=3D20<BR>> =20
>> face=3D3D3DArial size=3D3D3D2>You are dragging them into the lower=20
>> =3D<BR>>=3D3D<BR>>bin=3D20<BR>> =20
>> before=3D3D20<BR>>quitting=3D20<BR>> =20
>> right?</FONT></DIV><BR>><DIV><FONT=20
>> =3D<BR>>face=3D3D3DArial=3D20<BR>> size=3D3D3D2>This =
>>adds them to your=20
>> user presets=3D20<BR>> =20
>> =
>>=3D<BR>>for<BR>=3D3D<BR>>other=3D3D20<BR>>proj=
>>ects.</FONT></DIV><BR=3D<BR>>>><DIV><FON=
>>T=3D20<BR>> =20
>> face=3D3D3DArial=3D20<BR>> =20
>> =
>>size=3D3D3D2>Tom</FONT></DIV><BR>><DIV><=
>>FONT=3D20<BR>> =20
>> face=3D3D3DArial size=3D3D3D2></FONT>=3D20<BR>> =20
>> =
>>=3D<BR>></DIV><BR>><BLOCKQUOTE=3D3D20<BR>>>s=
>>tyle=3D3D3D"PADDING-RIGHT:=20
>> =3D<BR>>0px;=3D20<BR>> PADDING-LEFT: 5px; MARGIN-LEFT: =

```

>>5px;=20  
>> =3D3D<BR>>BORDER-LEFT: #000000 =3D<BR>>2px =  
>>solid;=3D20<BR>> =20  
>> MARGIN-RIGHT: 0px"><BR>> <DIV>"dan =  
>>b"=3D20<BR>> =20  
>> <<A=3D3D20<BR>> =  
>>=3D3D<BR>>href=3D3D3D"<A=3D20<BR>> =20  
>> =  
>>=3D<BR>>href=3D3D'mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burne=  
>>NOSPAM@yahoo.com=3D<BR>>'>mailto:daniel\_burneNOSPAM@yahoo.com">d=  
>>aniel\_burneNOSPAM@yahoo.com</A=3D<BR>>=3D3D<BR>></A=  
>>  
>>>=3D3D20<BR>>=20  
>>  
>> =3D20<BR>> wrote in message <A=3D3D20<BR>>=20  
>> =3D3D<BR>>href=3D3D3D"<A=3D20<BR>> =20  
>> =  
>>=3D<BR>>href=3D3D'news:4308b8a6\$1 @linux">news:4308b8a6\$1 @linux</=  
>>A>...</DIV><BR>Hi'>=3D<BR>>news:4308b8a6\$1 @linux">=  
>>;news:4308b8a6\$1 @linux</A>...</DIV>&=3D<BR>>lt;BR>H=  
>>i</A>,<BR>=3D3D<BR>><BR>=20  
>> =3D20<BR>> <BR><BR>Just wondering if anyone has =  
>>any idea=20  
>> how I can =3D<BR>>get my FX=3D20<BR>> =  
>>=3D3D<BR>>presets=20  
>> to=3D3D20<BR>> save<BR>in XP (Paris =3D<BR>>v3).=20  
>> Whenever=3D20<BR>> I reboot I loose them=20  
>> =3D3D<BR>>all?<BR><BR>Should=3D20<BR>> =20  
>> I=3D3D20<BR>> try reinstalling the XP FX subsystem again? Is=20  
>> =3D<BR>>that ok to=3D20<BR>> do =  
>>=3D3D<BR>>once<BR>Paris=20  
>> is=3D3D20<BR>> installed and =3D<BR>>has =  
>>been=3D20<BR>> =20  
>> used?<BR><BR>Thanks for any=3D20<BR>> =20  
>> =  
>>=3D<BR>>tips.=3D3D20<BR>><BR><BR>Daniel</BLOCK=  
>>QUOTE></BODY&=3D<BR>>gt;</HTML><BR>><BR>=  
>>;<BR></BLOCKQUOTE></BODY></HTML><BR>><BR>&=  
>>gt;<BR></BLOCKQUOTE></BODY></HTML>  
>>  
>>  
>try finding an indoor show. hehe bummer

rick wrote:

> maybe she should really try sneaking in to see GL. you on the other  
> hand buy 2 tickets just in case and listen to a police scanner.

>

> On Sun, 21 Aug 2005 02:19:09 GMT, cygnus\_diespamdie@ctgonline.org

> (Paul Braun) wrote:

>

>

>>We're in PA tonight -- going to see Fallingwater in the morning.

>>Sheri noticed that Gordon Lightfoot was playing an outdoor venue about

>>20min from where we're staying tonight, so we got tix online yesterday

>>and drove out there. It's a festival stage set up at the bottom of a

>>ski run at the Seven Springs ski resort -- beautiful scenery way up in

>>the mountains.

>>

>>Now, you have to have a little backstory. In her lifetime, Sheri has

>>attempted to see GL 4 times previous. Every time, she buys a ticket,

>>and something happens that the show is cancelled.

>>

>>She figured this time, we'd be tucked up in the mountains and God

>>might forget all about it.

>>

>>Wrong.

>>

>>God noticed that Sheri was trying to sneak into a GL show, and sent a

>>pounding thunderstorm that had been terrorizing Pittsburgh down our

>>way. After sitting in our car in the parking lot for 40 minutes in

>>blinding rain, with lightning flashing all around, they finally

>>decided that it wasn't going to blow over and called the gig.

>>

>>Moral of the story? 1) Gordon Lightfoot doesn't really exist. 2)

>>Don't try to sneak anything past God, since He's pretty good about

>>that kind of stuff.

>>

>>Hopefully He'll leave us alone on Monday for Meat Loaf at Wolf Trap...

>>

>>pab

>>

>>"Enjoy every sandwich." -- Warren Zevon

>>

>>"Here at Microsoft, Quality is job, oh, I dunno, maybe 7 or 8?"

>

>This is a multi-part message in MIME format.

-----=\_NextPart\_000\_0022\_01C5A704.FFF289C0

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Dan,

A few things to check & try.

I'd look at the plugins list other than Paris. What are you using?

Anything relatively new that may be causing instability? I've had a few =

like that. I personally had to return a Radeon graphics card because it wouldn't play nice with my paris rig. I'm back to a G450 too. Ick. Have you made sure the IRQs are in a happy state? What's different about the project that crashes most? Different plugins, lots of tracks that are of unequal length and many objects? Any stereo plugins across tracks that aren't identical in length? There are a few=20 XP tweaks that might help too. Have you monitored your CPU performance while playing the project? Is it screaming for mercy or at a reasonable = level?

Are you moving screens around a lot? This takes up CPU and can be = minimized with a few setting changes and using Macros. Is your audio bin loaded = with=20 unused files? Clean it up but make a backup first incase you delete the = wrong files. =20

Try one thing at a time and look for positive changes.  
Tom

"John" <no@no.com> wrote in message news:4309d80e@linux...  
I seem to remember that cloning requires you reset the record path and = use a different name.

I also seem to remember that I was Jethro Tull in a previous life.

hmm,  
Really don't mind if I sit this one out.  
John

dan b wrote:  
> Hi Tom,=20  
>=20  
> Thanks for the suggestions. The files are definitely in the right = folder.  
> What's particularly odd is that 3 presets have stayed in the main = library,  
> but no other.=20  
>=20  
> There is another problems though:  
>=20  
> I'm getting occasional crashes too, particularly when closing one = project  
> and opening another. e.g. Unhandled exception c0000005 at address = 0a1723b9.

> Paris then crashes, and the computer freezes, requiring a hardware =  
reset.  
>=20  
>=20  
> I'm on an Althon XP 3000, so I assume hyperthreading isn't a =  
problem. The  
> mobo is a AsusA7V880, which has a VIA chipset (any problems here?), =  
and I'm  
> using a Raedon VE 9000 or 9200 dual head card (I may try my Matrox =  
G450 to  
> see if this makes any difference). There's no other hardware but the =  
one  
> EDS (PCI 3).=20  
>=20  
> I did try a reinstall of XP (Professional) a while back - same =  
problems....  
> so I'm guessing something's going on with the hardware... there's =  
just not  
> a lot in the machine the to make it go wrong though!  
>=20  
> Suggetions welcome!  
>=20  
> D  
>=20  
>=20  
>=20  
>=20  
>=20  
>=20  
>=20  
> "Tom Bruhl" <arpegio@comcast.net> wrote:  
>=20  
>>  
>>Dan,  
>>It sounds like the saves aren't going to the right folder/file.?.  
>>  
>>Do you see "PARIS\_Fx.var" in your C\Program Files\EMU\Paris folder? =  
=3D20  
>>Do you also see a file named "PARIS\_Fx.var (default)" ? These  
>>are both in my Paris folder. I believe the first is the file that  
>>holds all your home grown presets (Paris and VST/DX) along=3D20  
>>with the stock ones that came with your install. The second is=3D20  
>>a backup of the stock Paris presets. I'm no tech but you can =  
try=3D20  
>>this at your own risk. You are having a problem with one of =  
those=3D20  
>>files. If the first is missing then there's your problem. I'd =  
remove=3D20  
>>the words (default) from the second if that was the case. Others

>>here should be able to help you with anything deeper than this.  
>>  
>>If you're on XP with a P4 turn off Hyperthreading in the BIOS.  
>>Is Windows crashing? Are you getting blue screens?  
>>  
>>Maybe you have a defective Paris disc?  
>>  
>>Ain't no technician,  
>>Tom  
>> "dan b" <daniel\_burneNOSPAM@yahoo.com> wrote in message =3D  
>>news:4308fee5\$1 @linux...  
>>  
>> Ok, so I've reinstalled the FX subsystem. Still no joy. All presets =  
in  
>=20  
> =3D  
>=20  
>>the  
>> main library lost between reboots, and sometimes also restarts of =  
=3D  
>>Paris...  
>> Any more ideas!?!?!  
>>  
>> Thanks,=3D20  
>>  
>> db  
>>  
>> "Tom Bruhl" <arpeggio@comcast.net> wrote:  
>> >  
>> >  
>> >Dan,  
>> >Sounds like a smart move then.  
>> >Tom  
>> > "Dan B" <daniel\_burneNOSPAM@yahoo.com> wrote in message =3D3D  
>> >news:4308cc02\$1 @linux...  
>> >  
>> > Hi Tom,=3D3D20  
>> >  
>> > Yup - I'm placing them in the library. They show in other =  
projects  
>=20  
> =3D  
>=20  
>>=3D3D  
>> >once saved,  
>> > until I reboot... then they disappear. I may try reinstalling =  
the =3D  
>>FX =3D3D

>> >subsystem.  
>> > In the meantime, suggestions welcome!  
>> >  
>> > Thanks,=3D3D20  
>> >  
>> > Dan  
>> >  
>> > "Tom Bruhl" <arpeggio@comcast.net> wrote:  
>> > >  
>> > >  
>> > >Daniel,  
>> > >You are dragging them into the lower bin before quitting right?  
>> > >This adds them to your user presets for other projects.  
>> > >Tom  
>> > >  
>> > > "dan b" <daniel\_burneNOSPAM@yahoo.com> wrote in message =  
=3D3D3D  
>> > >news:4308b8a6\$1@linux...  
>> > >  
>> > > Hi,=3D3D3D20  
>> > >  
>> > > Just wondering if anyone has any idea how I can get my FX =3D  
>>presets =3D3D  
>> >to =3D3D3D  
>> > >save  
>> > > in XP (Paris v3). Whenever I reboot I loose them all?  
>> > >  
>> > > Should I try reinstalling the XP FX subsystem again? Is that =  
ok  
>=20  
> =3D  
>=20  
>>to  
>> =3D3D  
>> >do  
>> > =3D3D3D  
>> >

---

Subject: Re: FX presets not saving (XP) and other XP problems... help!  
Posted by [Tom Bruhl](#) on Mon, 22 Aug 2005 14:33:56 GMT  
[View Forum Message](#) <> [Reply to Message](#)

D  
>> > =3D3D  
>> =3D  
>>  
=



```

>>>>href=3D3D3D3D"mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM=
@yah=3D
>>
>>oo.=3D3D
>>>com=3D3D3D
>>>></A>>=3D3D3D20
>>>>> wrote in message <A=3D3D3D20
>>>>> =3D3D3D
>>>> =3D3D
>> =3D
>>
=
>>>>href=3D3D3D3D"news:4308b8a6$1@linux">news:4308b8a6$1@linux</A>...</DI=
V><B=3D
>>
>>R>H=3D3D
>>>i,
>>> =3D3D3D
>>>>
>>>>> <BR><BR>Just wondering if anyone has any idea how I can get =
my =3D
>>FX =3D3D
>>>=3D3D3D
>>>>presets to=3D3D3D20
>>>>> save<BR>in XP (Paris v3). Whenever I reboot I loose them =
=3D3D3D
>>>>>all?<BR><BR>Should I=3D3D3D20
>>>>> try reinstalling the XP FX subsystem again? Is that ok to do =
=3D
>>=3D3D3D
>>>>once<BR>Paris is=3D3D3D20
>>>>> installed and has been used?<BR><BR>Thanks for any =
tips.=3D3D3D20
>>>>><BR><BR>Daniel</BLOCKQUOTE></BODY></HTML>
>>>>>
>>>>>
>>>>>
>>>>>
>>>>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
>>>>><HTML><HEAD>
>>>>><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =
=3D3D
>>>>> charset=3D3D3Diso-8859-1">
>>>>><META content=3D3D3D"MSHTML 6.00.2800.1400" name=3D3D3DGENERATOR>
>>>>><STYLE></STYLE>
>>>>></HEAD>
>>>>><BODY bgColor=3D3D3D#ffffff>
>>>>><DIV><FONT face=3D3D3DArial size=3D3D3D2>Dan,</FONT></DIV>

```

```

>> <DIV><FONT face=Arial size=2>Sounds like a smart move =
=3D3D
>> >then.</FONT></DIV>
>> <DIV><FONT face=Arial size=2>Tom</FONT></DIV>
>> <BLOCKQUOTE=20
>> >style="PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
5px; =3D
>>=3D3D
>> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
>> > <DIV>"Dan B" <<A=20
>> > =3D3D
>> =3D
>>
=
>>>href="mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@ya=
hoo.=3D
>>
>>com=3D3D
>> ></A>=3D3D20
>> > wrote in message <A=3D3D20
>> > =3D3D
>> =3D
>>
=
>>>href="news:4308cc02$1 @linux">news:4308cc02$1 @linux</A>...</DIV><=
BR>H=3D
>>
>>i
>> =3D3D
>> >Tom,=3D3D20
>> > <BR><BR>Yup - I'm placing them in the library. They show in =
other =3D
>>=3D3D
>> >projects=3D3D20
>> > once saved,<BR>until I reboot... then they disappear. I may try =
=3D3D
>> >reinstalling=3D3D20
>> > the FX subsystem.<BR>In the meantime, suggestions =3D3D
>> >welcome!<BR><BR>Thanks,=3D3D20
>> > <BR><BR>Dan<BR><BR>"Tom Bruhl" <<A=3D3D20
>> > =
href="mailto:arpegio@comcast.net">arpegio@comcast.net</A>=3D3D20
>> > wrote:<BR>><BR>><BR>>Daniel,<BR>>You are dragging them =3D3D
>> >into the=3D3D20
>> > lower bin before quitting right?<BR>>This adds them to your user =
=3D
>>=3D3D
>> >presets=3D3D20

```

>> > for other projects.<BR>>Tom<BR>><BR>> "dan b" <<A=3D3D20  
>> > =3D3D  
>> =3D  
>>  
=  
>>>href=3D3D3D"mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@ya=  
hoo.=3D  
>>  
>>com=3D3D  
>> ></A>>=3D3D20  
>> > wrote in message =3D3D  
>> >=3D3D3D<BR>>news:4308b8a6\$1 @linux...<BR>><BR>> =3D3D20  
>> > Hi,=3D3D3D20<BR>><BR>> Just wondering if anyone has any idea =  
=3D3D  
>> >how I can=3D3D20  
>> > get my FX presets to =3D3D3D<BR>>save<BR>> in XP (Paris v3). =  
=3D3D  
>> >Whenever I=3D3D20  
>> > reboot I loose them all?<BR>><BR>> Should I try =3D3D  
>> >reinstalling the=3D3D20  
>> > XP FX subsystem again? Is that ok to =3D3D  
>> >do<BR>=3D3D3D<BR>>once<BR>> Paris=3D3D20  
>> > is installed and has been used?<BR>><BR>> Thanks for any=3D3D20  
>> > tips.=3D3D3D20<BR>><BR>> Daniel<BR>><BR>><!DOCTYPE =3D3D  
>> >HTML PUBLIC=3D3D20  
>> > "-//W3C//DTD HTML 4.0=3D3D20  
>> > Transitional//EN"><BR>><HTML><HEAD><BR>><META=3D3D20  
>> > http-equiv=3D3D3D3DContent-Type =  
content=3D3D3D3D"text/html;=3D3D20  
>> > =3D3D3D<BR>>charset=3D3D3D3Diso-8859-1"><BR>><META =3D3D  
>> >content=3D3D3D3D"MSHTML=3D3D20  
>> > 6.00.2800.1400"=3D3D20  
>> > =3D3D  
>> >name=3D3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D3D  
>> >D><BR>><BODY=3D3D20  
>> > bgColor=3D3D3D3D#ffffff><BR>><DIV><FONT =  
face=3D3D3D3DArial=3D3D20  
>> > =3D3D  
>> >size=3D3D3D3D2>Daniel,</FONT></DIV><BR>><DIV><FONT=3D3D  
>> >=3D3D20  
>> > face=3D3D3D3DArial size=3D3D3D3D2>You are dragging them into the =  
lower  
>=20  
> =3D  
>=20  
>>=3D3D  
>> >=3D3D3D<BR>>bin=3D3D20  
>> > before=3D3D3D20<BR>>quitting=3D3D20

```

>> > right?</FONT></DIV><BR>><DIV><FONT =3D3D
>> >face=3D3D3D3DArial=3D3D20
>> > size=3D3D3D3D2>This adds them to your user presets=3D3D20
>> > =3D3D
>> =
>for<BR>=3D3D3D<BR>>other=3D3D3D20<BR>>projects.</FONT ></DIV><BR=3D3D
>> >>><DIV><FONT=3D3D20
>> > face=3D3D3D3DArial=3D3D20
>> > size=3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D3D20
>> > face=3D3D3D3DArial size=3D3D3D3D2></FONT>=3D3D20
>> > =3D3D
>> ></DIV><BR>><BLOCKQUOTE=3D3D3D20<BR>>style=3D3D3D3D"PADDING-RIGHT: =
=3D3D
>> >0px;=3D3D20
>> > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D3D<BR>>BORDER-LEFT: =
#000000
>=20
> =3D
>=20
>>=3D3D
>> >2px solid;=3D3D20
>> > MARGIN-RIGHT: 0px"><BR>> <DIV>"dan b"=3D3D20
>> > <<A=3D3D3D20<BR>> =3D3D3D<BR>>href=3D3D3D3D"<A=3D3D20
>> > =3D3D
>> =3D
>>
=
>>>href=3D3D3D'mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@ya=
hoo.=3D
>>
>>com=3D3D
>> =3D
>>
=
>>>'>mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com</A=
=3D3D=3D
>>
>> >>=3D3D3D<BR>></A>>=3D3D3D20<BR>> =3D3D20
>> > wrote in message <A=3D3D3D20<BR>> =
=3D3D3D<BR>>href=3D3D3D3D"<A=3D3D20
>> > =3D3D
>> =3D
>>
=
>>>href=3D3D3D'news:4308b8a6$1 @linux">news:4308b8a6$1 @linux</A>...</DIV><=
BR>H=3D
>>
>>'i'>=3D3D

```

```

>> >news:4308b8a6$1@linux">news:4308b8a6$1@linux</A>...</DIV>&=3D3D
>> >It;BR>Hi</A>,<BR>=3D3D3D<BR>><BR>> =3D3D20
>> > <BR><BR>Just wondering if anyone has any idea how I can =3D3D
>> >get my FX=3D3D20
>> > =3D3D3D<BR>>presets to=3D3D3D20<BR>> save<BR>in XP (Paris =3D3D
>> >v3). Whenever=3D3D20
>> > I reboot I loose them =3D3D3D<BR>>all?<BR><BR>Should=3D3D20
>> > I=3D3D3D20<BR>> try reinstalling the XP FX subsystem again? Is =
=3D3D
>> >that ok to=3D3D20
>> > do =3D3D3D<BR>>once<BR>Paris is=3D3D3D20<BR>> installed and =
=3D3D
>> >has been=3D3D20
>> > used?<BR><BR>Thanks for any=3D3D20
>> > =3D3D
>> >tips.=3D3D3D20<BR>><BR><BR>Daniel</BLOCKQUOTE></BODY&=3D3D
>> >gt;</HTML><BR>><BR>><BR></BLOCKQUOTE></BODY></HTML>
>> >
>> >
>> >
>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
>><HTML><HEAD>
>><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
>>charset=3D3Diso-8859-1">
>><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
>><STYLE></STYLE>
>></HEAD>
>><BODY bgColor=3D3D#ffffff>
>><DIV><FONT face=3D3DArial size=3D3D2>Dan,</FONT></DIV>
>><DIV><FONT face=3D3DArial size=3D3D2>It sounds like the saves aren't =
going =3D
>>to the right=3D20
>>folder/file.?.</FONT></DIV>
>><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
>><DIV><FONT face=3D3DArial size=3D3D2>Do you see "PARIS_Fx.var" in =
your =3D
>>C\Program=3D20
>>Files\EMU\Paris folder? </FONT></DIV>
>><DIV><FONT face=3D3DArial size=3D3D2>Do you </FONT><FONT =
face=3D3DArial =3D
>>size=3D3D2>also see a=3D20
>>file named "PARIS_Fx.var (default)" ? These</FONT></DIV>
>><DIV><FONT face=3D3DArial size=3D3D2>are both in my Paris =3D
>>folder. I believe=3D20
>>the first is the file that</FONT></DIV>
>><DIV><FONT face=3D3DArial size=3D3D2>holds all your home grown =
presets =3D

```

>>(Paris and=3D20  
>>VST/DX) along </FONT></DIV>  
>><DIV><FONT face=3D3DArial size=3D3D2>with the stock </FONT><FONT =3D  
>>face=3D3DArial size=3D3D2>ones=3D20  
>>that came with your install. The second is </FONT></DIV>  
>><DIV><FONT face=3D3DArial size=3D3D2>a backup </FONT><FONT =  
face=3D3DArial =3D  
>>size=3D3D2>of the=3D20  
>>stock Paris presets. I'm no tech but you can try =3D  
>></FONT></DIV>  
>><DIV><FONT size=3D3D2><FONT face=3D3DArial><FONT>this =  
</FONT><FONT><EM>at =3D  
>>your own=3D20  
>>risk</EM>. You are having </FONT>a problem with one of those=3D20  
>></FONT></FONT></DIV>  
>><DIV>files. If the first is missing then <FONT face=3D3DArial =3D  
>>size=3D3D2>there's=3D20  
>>your problem. I'd remove </FONT></DIV>  
>><DIV><FONT face=3D3DArial size=3D3D2>the words (default) from the =  
=3D  
>></FONT><FONT=3D20  
>>face=3D3DArial size=3D3D2>second if that was the case. =3D  
>>Others</FONT></DIV>  
>><DIV><FONT face=3D3DArial size=3D3D2>here should be able to help you =  
=3D  
>>with anything=3D20  
>>deeper than this.</FONT></DIV>  
>><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>  
>><DIV><FONT face=3D3DArial size=3D3D2>If you're on XP with a P4 turn =  
off =3D  
>>Hyperthreading=3D20  
>>in the BIOS.</FONT></DIV>  
>><DIV><FONT face=3D3DArial size=3D3D2>Is Windows crashing? Are you =  
getting =3D  
>>blue=3D20  
>>screens?</FONT></DIV>  
>><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>  
>><DIV><FONT face=3D3DArial size=3D3D2>Maybe you have a defective =  
Paris =3D  
>>disc?</FONT></DIV>  
>><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>  
>><DIV><FONT face=3D3DArial size=3D3D2>Ain't no =  
technician,</FONT></DIV>  
>><DIV><FONT face=3D3DArial size=3D3D2>Tom</FONT></DIV>  
>><BLOCKQUOTE=3D20  
>>style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =  
=3D  
>>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

```

>> <DIV>"dan b" <<A=3D20
>> =3D
=
>>href=3D3D"mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo=
..com=3D
>></A>>=3D20
>> wrote in message <A=3D20
>> =3D
=
>>href=3D3D"news:4308fee5$1 @linux">news:4308fee5$1 @linux</A>...</DIV><BR>=
Ok,
>=20
> =3D
>=20
>>so I've=3D20
>> reinstalled the FX subsystem. Still no joy. All presets in =
the<BR>main
>=20
> =3D
>=20
>>library=3D20
>> lost between reboots, and sometimes also restarts of =
Paris...<BR>Any =3D
>>more=3D20
>> ideas!?!?!<BR><BR>Thanks, <BR><BR>db<BR><BR>"Tom Bruhl" <<A=3D20
>> href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>>=3D20
>> wrote:<BR>><BR>><BR>>Dan,<BR>>Sounds like a smart move=3D20
>> then.<BR>>Tom<BR>> "Dan B" <<A=3D20
>> =3D
=
>>href=3D3D"mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo=
..com=3D
>></A>>=3D20
>> wrote in message =3D
>>=3D3D<BR>>news:4308cc02$1 @linux...<BR>><BR>> Hi=3D20
>> Tom,=3D3D20<BR>><BR>> Yup - I'm placing them in the library. =3D
>>They show=3D20
>> in other projects =3D3D<BR>>once saved,<BR>> until I =3D
>>reboot... then=3D20
>> they disappear. I may try reinstalling the FX=3D20
>> =3D3D<BR>>subsystem.<BR>> In the meantime, suggestions=3D20
>> welcome!<BR>><BR>> Thanks,=3D3D20<BR>><BR>> =3D20
>> Dan<BR>><BR>> "Tom Bruhl" <<A=3D20
>> href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>>=3D20
>> wrote:<BR>> ><BR>> ><BR>> =3D20
>> >Daniel,<BR>> >You are dragging them into the lower bin =3D
>>before=3D20
>> quitting right?<BR>> >This adds them to your user presets =3D

```

```

>>for=3D20
>> other projects.<BR>> >Tom<BR>> ><BR>> =3D
>>
>> > "dan b" <<A=3D20
>> =3D
=
>>href=3D3D"mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo=
..com=3D
>></A>>=3D20
>> wrote in message =3D3D3D<BR>> =3D
>>
>>>news:4308b8a6$1@linux...<BR>> =3D20
>>
>> ><BR>> > Hi,=3D3D3D20<BR>> =3D
>>
>>><BR>> =3D20
>>
>> > Just wondering if anyone has any idea how I can get my FX =3D
>>presets=3D20
>> =3D3D<BR>>to =3D3D3D<BR>> >save<BR>> > in =3D
>>XP (Paris=3D20
>> v3). Whenever I reboot I loose them all?<BR>> =3D
>>
>>><BR>> =3D20
>>
>> > Should I try reinstalling the XP FX subsystem again? Is =3D
>>that ok=3D20
>> to<BR>=3D3D<BR>>do<BR>> =3D3D3D<BR>> =3D
>>
>>>once<BR>> =3D20
>>
>> > Paris is installed and has been used?<BR>> =3D20
>> ><BR>> > Thanks for any =3D
>>tips.=3D3D3D20<BR>> =3D20
>> ><BR>> > Daniel<BR>> ><BR>> =3D20
>> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=3D20
>> Transitional//EN"><BR>> =3D
>>
>>><HTML><HEAD><BR>> =3D20
>>
>> ><META http-equiv=3D3D3D3DContent-Type =
content=3D3D3D3D"text/html;=3D20
>> =3D3D3D<BR>> >charset=3D3D3D3Diso-8859-1"><BR>> =3D
>>
>>><META=3D20
>>
>> content=3D3D3D3D"MSHTML 6.00.2800.1400" =3D
>>name=3D3D3D3DGENERATOR><BR>> =3D20

```



```

>> <STYLE></STYLE><BR>> =3D
>>
>>></HEAD><BR>> =3D20
>>
>> <BODY bgColor=3D3D3D3D#ffffff><BR>> =3D
>>
>>><DIV><FONT=3D20
>>
>> face=3D3D3D3DArial =3D
>>size=3D3D3D3D2>Daniel,</FONT></DIV><BR>> =3D20
>> <DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>You are =3D
>>dragging them=3D20
>> into the =3D3D<BR>>lower =3D3D3D<BR>> >bin =3D
>>before=3D3D3D20<BR>> =3D20
>> >quitting right?</FONT></DIV><BR>> =3D20
>> <DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>This adds =3D
>>them to your=3D20
>> user =3D3D<BR>>presets for<BR>> =3D3D3D<BR>> =3D20
>> >other=3D3D3D20<BR>> =3D20
>> >projects.</FONT></DIV><BR>> =3D
>>
>>><DIV><FONT=3D20
>>
>> face=3D3D3D3DArial =3D
>>size=3D3D3D3D2>Tom</FONT></DIV><BR>> =3D20
>> <DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D
>>
>> </DIV><BR>> ><BLOCKQUOTE=3D3D3D20<BR>> =3D20
>> >style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
=3D
>>>5px;=3D20
>> =3D3D<BR>>=3D3D3D<BR>> >BORDER-LEFT: #000000 2px solid; =3D
>>MARGIN-RIGHT:=3D20
>> 0px"><BR>> > <DIV>"dan b"=3D20
>> <<A=3D3D3D20<BR>> > =3D3D3D<BR>> =3D20
>> =3D3D<BR>>>href=3D3D3D3D"<A=3D20
>> =3D
=
>>href=3D3D'mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo=
'>ma=3D
=
>>ilto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo</A>.=3D3D<B=
R=3D
>>
>>>>com=3D3D3D<BR>> =3D20
>>
>> ></A>>=3D3D3D20<BR>> > wrote in message=3D20
>> <A=3D3D3D20<BR>> > =3D3D3D<BR>> =3D20

```

```
>> =3D3D<BR>>>href=3D3D3D3D"<A=3D20
>> =3D
=
>>href=3D3D'news:4308b8a6$1 @linux">news:4308b8a6$1 @linux</A>...</DIV><BR>=
H'>n=3D
>>ews:4308b8a6$1 @linux">news:4308b8a6$1 @linux</A>...</DIV>&l=3D
>>t;BR>H</A>=3D3D<BR>>i,<BR>> =3D20
>> =3D3D3D<BR>> ><BR>> > =3D
>><BR><BR>Just=3D20
>> wondering if anyone has any idea how I can get my FX=3D20
>> =3D3D<BR>>=3D3D3D<BR>> >presets to=3D3D3D20<BR>> =3D
>>
>>> =3D20
>>
>> save<BR>in XP (Paris v3). Whenever I reboot I loose them=3D20
>> =3D3D3D<BR>> >all?<BR><BR>Should =3D
>>l=3D3D3D20<BR>> =3D20
>> > try reinstalling the XP FX subsystem again? Is that ok to =3D
>>do=3D20
>> =3D3D3D<BR>> >once<BR>Paris is=3D3D3D20<BR>> =3D
>>
>>> =3D20
>>
>> installed and has been used?<BR><BR>Thanks for any=3D20
>> tips.=3D3D3D20<BR>> =3D20
>> =3D
>>
>>><BR><BR>Daniel</BLOCKQUOTE></BODY></HTML&g=3D
>>
>>t;<BR>> =3D20
>> ><BR>> ><BR>><BR>><BR>><!DOCTYPE HTML =3D
>>PUBLIC=3D20
>> "-//W3C//DTD HTML 4.0=3D20
>> Transitional//EN"><BR>><HTML><HEAD><BR>><META=3D20
>> http-equiv=3D3D3DContent-Type content=3D3D3D"text/html;=3D20
>> =3D3D<BR>>charset=3D3D3Diso-8859-1"><BR>><META =3D
>>content=3D3D3D"MSHTML=3D20
>> 6.00.2800.1400"=3D20
>> =3D
>>name=3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D
>>D><BR>><BODY=3D20
>> bgColor=3D3D3D#ffffff><BR>><DIV><FONT face=3D3D3DArial=3D20
>> size=3D3D3D2>Dan,</FONT></DIV><BR>><DIV><FONT =3D
>>
>> face=3D3D3DArial size=3D3D3D2>Sounds like a smart move=3D20
>> =3D3D<BR>>then.</FONT></DIV><BR>><DIV><FONT=3D20
>> face=3D3D3DArial=3D20
>> =3D
```

```
>>size=3D3D3D2>Tom</FONT></DIV><BR>><BLOCKQUOTE=3D3D20<BR >=3D
>>
>>>style=3D3D3D"PADDING-RIGHT:=3D20
>>
>> 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D<BR>>BORDER-LEFT: =
=3D
>>#000000 2px=3D20
>> solid; MARGIN-RIGHT: 0px"><BR>> <DIV>"Dan B"=3D20
>> <<A=3D3D20<BR>> =3D3D<BR>>href=3D3D3D"<A=3D20
>> =3D
=
>>href=3D3D'mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo=
..com=3D
=
>>'mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com</A=3D=

>>
>>>=3D3D<BR>></A>>=3D3D20<BR>> =3D20
>>
>> wrote in message <A=3D3D20<BR>> =3D3D<BR>>href=3D3D3D"<A=3D20
>> =3D
=
>>href=3D3D'news:4308cc02$1 @linux">news:4308cc02$1 @linux</A>...</DIV><BR>=
Hi'>=3D
>>news:4308cc02$1 @linux">news:4308cc02$1 @linux</A>...</DIV>&=3D
>>lt;BR>Hi</A><BR>=3D3D<BR>>Tom,=3D3D20<BR>> =3D20
>> <BR><BR>Yup - I'm placing them in the library. They show =3D
>>in other=3D20
>> =3D3D<BR>>projects=3D3D20<BR>> once saved,<BR>until I =3D
>>reboot... then=3D20
>> they disappear. I may try =3D3D<BR>>reinstalling=3D3D20<BR>> =3D
>>the FX=3D20
>> subsystem.<BR>In the meantime, suggestions=3D20
>> =3D3D<BR>>welcome!<BR><BR>Thanks,=3D3D20<BR>> =3D20
>> <BR><BR>Dan<BR><BR>"Tom Bruhl"=3D20
>> <<A=3D3D20<BR>> href=3D3D3D"<A=3D20
>> =3D
=
>>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net</A>>=3D3D20'>=
mailto=3D
>>:arpegio@comcast.net">arpegio@comcast.net</A>>=3D3D20</A><BR>&g=3D
>>t; =3D20
>> =3D
>>wrote:<BR>><BR>><BR>>Daniel,<BR>>You =3D
>>are=3D20
>> dragging them =3D3D<BR>>into the=3D3D20<BR>> lower bin before =3D
>>quitting=3D20
>> right?<BR>>This adds them to your user=3D20
```

```

>> =3D3D<BR>>presets=3D3D20<BR>> for other=3D20
>> projects.<BR>>Tom<BR>><BR>> "dan b"=3D20
>> <<A=3D3D20<BR>> =3D3D<BR>>href=3D3D3D"<A=3D20
>> =3D
=
>>href=3D3D'mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo=
..com=3D
=
>>'mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com</A=3D=

>>
>>>=3D3D<BR>></A>>=3D3D20<BR>> =3D20
>>
>> wrote in message=3D20
>> =3D
>>=3D3D<BR>>=3D3D3D<BR>>news:4308b8a6$1@linux...<BR>><B=3D
>>R>>=3D20
>> =3D3D20<BR>> Hi,=3D3D3D20<BR>><BR>> Just =3D
>>wondering if=3D20
>> anyone has any idea =3D3D<BR>>how I can=3D3D20<BR>> get my FX =3D
>>presets to=3D20
>> =3D3D3D<BR>>save<BR>> in XP (Paris v3). =3D
>>=3D3D<BR>>Whenever=3D20
>> I=3D3D20<BR>> reboot I loose them =3D
>>all?<BR>><BR>> Should=3D20
>> I try =3D3D<BR>>reinstalling the=3D3D20<BR>> XP FX subsystem =3D
>>again? Is=3D20
>> that ok to =3D
>>=3D3D<BR>>do<BR>=3D3D3D<BR>>once<BR>>=3D20
>> Paris=3D3D20<BR>> is installed and has been=3D20
>> used?<BR>><BR>> Thanks for any=3D3D20<BR>> =3D20
>> tips.=3D3D3D20<BR>><BR>>=3D20
>> Daniel<BR>><BR>><!DOCTYPE =3D3D<BR>>HTML=3D20
>> PUBLIC=3D3D20<BR>> "-//W3C//DTD HTML 4.0=3D3D20<BR>> =3D20
>> =3D
>>>Transitional//EN"><BR>><HTML><HEAD><BR>>=3D
>><META=3D3D20<BR>> =3D20
>> http-equiv=3D3D3D3DContent-Type =3D
>>content=3D3D3D3D"text/html;=3D3D20<BR>> =3D20
>> =3D3D3D<BR>>charset=3D3D3D3Diso-8859-1"><BR>><META =3D
>>
>> =3D3D<BR>>content=3D3D3D3D"MSHTML=3D3D20<BR>> =3D
>>6.00.2800.1400"=3D3D20<BR>> =3D20
>> =3D
>>=3D3D<BR>>name=3D3D3D3DGENERATOR><BR>><STYLE></STYLE&=3D
>>gt;<BR>></HEA=3D3D<BR>>D><BR>><BODY=3D3D20<BR>>&=3D
>>gt; =3D20
>> bgColor=3D3D3D3D#ffffff><BR>><DIV><FONT=3D20

```

```

>> face=3D3D3D3DArial=3D3D20<BR>> =3D20
>> =3D
>>=3D3D<BR>>size=3D3D3D3D2>Daniel,</FONT></DIV><BR>>=3D
>><DIV><FONT=3D3D<BR>>=3D3D20<BR>> =3D20
>> face=3D3D3D3DArial size=3D3D3D3D2>You are dragging them into the =
lower=3D20
>> =3D3D<BR>>=3D3D3D<BR>>bin=3D3D20<BR>> =3D20
>> before=3D3D3D20<BR>>quitting=3D3D20<BR>> =3D20
>> right?</FONT></DIV><BR>><DIV><FONT=3D20
>> =3D3D<BR>>face=3D3D3D3DArial=3D3D20<BR>> size=3D3D3D3D2>This =3D
>>adds them to your=3D20
>> user presets=3D3D20<BR>> =3D20
>> =3D
>>=3D3D<BR>>for<BR>=3D3D3D<BR>>other=3D3D3D20<BR>>proj=3D
>>ects.</FONT></DIV><BR=3D3D<BR>>>><DIV><FON=3D
>>T=3D3D20<BR>> =3D20
>> face=3D3D3D3DArial=3D3D20<BR>> =3D20
>> =3D
>>size=3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><=3D
>>FONT=3D3D20<BR>> =3D20
>> face=3D3D3D3DArial size=3D3D3D3D2></FONT>=3D3D20<BR>> =3D20
>> =3D
>>=3D3D<BR>></DIV><BR>><BLOCKQUOTE=3D3D3D20<BR>>s=3D
>>tyl=3D3D3D3D"PADDING-RIGHT:=3D20
>> =3D3D<BR>>0px;=3D3D20<BR>> PADDING-LEFT: 5px; MARGIN-LEFT: =3D
>>5px;=3D20
>> =3D3D3D<BR>>BORDER-LEFT: #000000 =3D3D<BR>>2px =3D
>>solid;=3D3D20<BR>> =3D20
>> MARGIN-RIGHT: 0px"><BR>> <DIV>"dan =3D
>>b"=3D3D20<BR>> =3D20
>> <<A=3D3D3D20<BR>> =3D
>>=3D3D3D<BR>>href=3D3D3D3D"<A=3D3D20<BR>> =3D20
>> =3D
=
>>=3D3D<BR>>href=3D3D3D'mailto:daniel_burneNOSPAM@yahoo.com">daniel_burne=
=3D
=
>>NOSPAM@yahoo.com=3D3D<BR>>'>mailto:daniel_burneNOSPAM@yahoo.com">d=3D
>>aniel_burneNOSPAM@yahoo.com</A=3D3D<BR>>>=3D3D3D<BR>></A=3D
>>
>>>>=3D3D3D20<BR>>=3D20
>>
>> =3D3D20<BR>> wrote in message <A=3D3D3D20<BR>>=3D20
>> =3D3D3D<BR>>href=3D3D3D3D"<A=3D3D20<BR>> =3D20
>> =3D
=
>>=3D3D<BR>>href=3D3D3D'news:4308b8a6$1 @linux">news:4308b8a6$1 @linux</=3D=

```

```
>></DIV><BR>Hi'>=3D3D<BR>>news:4308b8a6$1@linux">=3D
>>;news:4308b8a6$1@linux</A>...</DIV>&=3D3D<BR>>lt;BR>H=3D
>>i</A>,<BR>=3D3D3D<BR>><BR>=3D20
>> =3D3D20<BR>> <BR><BR>Just wondering if anyone has =3D
>>any idea=3D20
>> how I can =3D3D<BR>>get my FX=3D3D20<BR>> =3D
>>=3D3D3D<BR>>presets=3D20
>> to=3D3D3D20<BR>> save<BR>in XP (Paris =3D3D<BR>>v3).=3D20
>> Whenever=3D3D20<BR>> I reboot I loose them=3D20
>> =3D3D3D<BR>>all?<BR><BR>Should=3D3D20<BR>> =3D20
>> I=3D3D3D20<BR>> try reinstalling the XP FX subsystem again? Is=3D20
>> =3D3D<BR>>that ok to=3D3D20<BR>> do =3D
>>=3D3D3D<BR>>once<BR>Paris=3D20
>> is=3D3D3D20<BR>> installed and =3D3D<BR>>has =3D
>>been=3D3D20<BR>> =3D20
>> used?<BR><BR>Thanks for any=3D3D20<BR>> =3D20
>> =3D
>>=3D3D<BR>>tips.=3D3D3D20<BR>><BR><BR>Daniel</BLOCK=3D
>>QUOTE></BODY&=3D3D<BR>>gt;</HTML><BR>><BR>=3D
>>;<BR></BLOCKQUOTE></BODY></HTML><BR>><BR>&=3D
>>gt;<BR></BLOCKQUOTE></BODY></HTML>
>>
>>
>
```

-----=\_NextPart\_000\_0022\_01C5A704.FFF289C0

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
```

```
<HTML><HEAD>
```

```
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
```

```
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
```

```
<STYLE></STYLE>
```

```
</HEAD>
```

```
<BODY bgColor=3D#ffffff>
```

```
<DIV><FONT face=3DArial size=3D2>Dan,</FONT></DIV>
```

```
<DIV><FONT face=3DArial size=3D2>A few things to check & amp; =
try.</FONT></DIV>
```

```
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
```

```
<DIV><FONT face=3DArial size=3D2>I'd look at the plugins list other than =
```

```
Paris.&nbsp;<FONT face=3DArial size=3D2>What are you using?</FONT></DIV>
```

```
<DIV><FONT face=3DArial size=3D2>Anything relatively new that may be =
causing=20
```

```
instability?&nbsp;<FONT face=3DArial size=3D2>I've had a few </FONT></DIV>
```

```
<DIV><FONT face=3DArial size=3D2>like that. </FONT><FONT face=3DArial =
```

size=3D2>l=20  
personally had to return a Radeon graphics card because it</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>wouldn't play nice with my paris =  
rig.&nbsp; I'm=20  
back to a G450 too.&nbsp; Ick.</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>Have you made sure the IRQs are in a =  
happy=20  
state?&nbsp; What's different</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>about the project that crashes =  
most?&nbsp;=20  
Different plugins, lots of</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>tracks that are of unequal length and =  
many=20  
objects?&nbsp; Any stereo</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>plugins across tracks that aren't =  
identical in=20  
length?&nbsp; There are a few </FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>XP tweaks that might help too.&nbsp; =  
Have you=20  
monitored your CPU performance</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>while playing the project?&nbsp; Is it =  
screaming=20  
for mercy or at a reasonable level?</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>Are you moving screens around a =  
lot?&nbsp; This=20  
takes up CPU and can be minimized</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>with a few setting changes and using =  
Macros.&nbsp;=20  
Is your audio bin loaded with </FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>unused files?&nbsp; Clean it up but =  
make a backup=20  
first incase you delete the wrong</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>files.&nbsp; </FONT></DIV>  
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>  
<DIV><FONT face=3DArial size=3D2>Try one thing at a time&nbsp;and look =  
for positive=20  
changes.</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>  
<BLOCKQUOTE=20  
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =  
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">  
<DIV>"John" &lt;<A href=3D"mailto:no@no.com">no@no.com</A>&gt; wrote =  
in message=20  
<A href=3D"news:4309d80e@linux">news:4309d80e@linux</A>...</DIV>I seem =  
to=20  
remember that cloning requires you reset the record path and <BR>use a =

different name.<BR><BR>I also seem to remember that I was Jethro Tull =  
in a=20  
previous life.<BR><BR>hmm,<BR>Really don't mind if I sit this one=20  
out.<BR>John<BR><BR>dan b wrote:<BR>&gt; Hi Tom, <BR>&gt; <BR>&gt; =  
Thanks for=20  
the suggestions. The files are definitely in the right folder.<BR>&gt; =  
What's=20  
particularly odd is that 3 presets have stayed in the main =  
library,<BR>&gt;=20  
but no other. <BR>&gt; <BR>&gt; There is another problems =  
though:<BR>&gt;=20  
<BR>&gt; I'm getting occasional crashes too, particularly when closing =  
one=20  
project<BR>&gt; and opening another. e.g. Unhandled exception =  
c00000005 at=20  
address 0a1723b9.<BR>&gt; Paris then crashes, and the computer =  
freezes,=20  
requiring a hardware reset.<BR>&gt; <BR>&gt; <BR>&gt; I'm on an Althon =  
XP=20  
3000, so I assume hyperthreading isn't a problem. The<BR>&gt; mobo is =  
a=20  
AsusA7V880, which has a VIA chipset (any problems here?), and =  
I'm<BR>&gt;=20  
using a Raedon VE 9000 or 9200 dual head card (I may try my Matrox =  
G450=20  
to<BR>&gt; see if this makes any difference). There's no other =  
hardware but=20  
the one<BR>&gt; EDS (PCI 3). <BR>&gt; <BR>&gt; I did try a reinstall =  
of XP=20  
(Professional) a while back - same problems....<BR>&gt; so I'm =  
guessing=20  
something's going on with the hardware... there's just not<BR>&gt; a =  
lot in=20  
the machine the to make it go wrong though!<BR>&gt; <BR>&gt; =  
Suggetions=20  
welcome!<BR>&gt; <BR>&gt; D<BR>&gt; <BR>&gt; <BR>&gt; <BR>&gt; =  
<BR>&gt;=20  
<BR>&gt; <BR>&gt; "Tom Bruhl" &lt;A=20  
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>&gt; =  
wrote:<BR>&gt;=20  
<BR>&gt;&gt;<BR>&gt;&gt;Dan,<BR>&gt;&gt;It sounds like the saves =  
aren't going=20  
to the right folder/file.?.<BR>&gt;&gt;<BR>&gt;&gt;Do you see =  
"PARIS\_Fx.var"=20  
in your C:\Program Files\EMU\Paris folder? =3D20<BR>&gt;&gt;Do you also =  
see a=20  
file named "PARIS\_Fx.var (default)" ?&nbsp; These<BR>&gt;&gt;are both =  
in my=20



Paris folder.&nbsp; I believe the first is the file =  
that<BR>&gt;&gt;holds all=20  
your home grown presets (Paris and VST/DX) along=3D20<BR>&gt;&gt;with =  
the stock=20  
ones that came with your install.&nbsp; The second =  
is=3D20<BR>&gt;&gt;a backup=20  
of the stock Paris presets.&nbsp; I'm no tech but you can=20  
try=3D20<BR>&gt;&gt;this at your own risk.&nbsp; You are having a =  
problem with=20  
one of those=3D20<BR>&gt;&gt;files.&nbsp; If the first is missing then =  
there's=20  
your problem.&nbsp; I'd remove=3D20<BR>&gt;&gt;the words (default) =  
from the=20  
second if that was the case.&nbsp; Others<BR>&gt;&gt;here should be =  
able to=20  
help you with anything deeper than this.<BR>&gt;&gt;<BR>&gt;&gt;If =  
you're on=20  
XP with a P4 turn off Hyperthreading in the BIOS.<BR>&gt;&gt;Is =  
Windows=20  
crashing? Are you getting blue screens?<BR>&gt;&gt;<BR>&gt;&gt;Maybe =  
you have=20  
a defective Paris disc?<BR>&gt;&gt;<BR>&gt;&gt;Ain't no=20  
technician,<BR>&gt;&gt;Tom<BR>&gt;&gt; "dan b" &lt;<A=20  
=  
[mailto:daniel\\_burneNOSPAM@yahoo.com](mailto:daniel_burneNOSPAM@yahoo.com)=  
</A>&gt;=20  
wrote in message =  
=3D<BR>&gt;&gt;news:4308fee5\$1@linux...<BR>&gt;&gt;<BR>&gt;&gt;=20  
Ok, so I've reinstalled the FX subsystem. Still no joy. All presets =  
in<BR>&gt;&gt;=20  
<BR>&gt;&gt; =3D<BR>&gt;&gt; <BR>&gt;&gt;the<BR>&gt;&gt; main library lost =  
between=20  
reboots, and sometimes also restarts of =  
=3D<BR>&gt;&gt;Paris...<BR>&gt;&gt; Any=20  
more ideas!?!?!<BR>&gt;&gt;<BR>&gt;&gt; =  
Thanks,=3D20<BR>&gt;&gt;<BR>&gt;&gt;=20  
db<BR>&gt;&gt;<BR>&gt;&gt; "Tom Bruhl" &lt;<A=20  
<mailto:arpeggio@comcast.net></A>&gt;=20  
wrote:<BR>&gt;&gt; &gt;<BR>&gt;&gt; &gt;<BR>&gt;&gt; =  
&gt;Dan,<BR>&gt;&gt;=20  
&gt;Sounds like a smart move then.<BR>&gt;&gt; &gt;Tom<BR>&gt;&gt; &gt;=  
&gt;&nbsp;=20  
"Dan B" &lt;<A=20  
=  
[mailto:daniel\\_burneNOSPAM@yahoo.com](mailto:daniel_burneNOSPAM@yahoo.com)=  
</A>&gt;=20  
wrote in message =3D3D<BR>&gt;&gt; =  
&gt;&gt;news:4308cc02\$1@linux...<BR>&gt;&gt;=20

><BR>>> >>&nbsp; Hi Tom,=3D3D20<BR>>> =  
><BR>>>=20  
>&nbsp; Yup - I'm placing them in the library. They show in other=20  
projects<BR>> <BR>> =3D<BR>> <BR>>>=3D3D<BR>>> =  
>once=20  
><BR>>> >>&nbsp; until I reboot... then they disappear. I =  
may try=20  
> reinstalling the =3D<BR>>>FX =3D3D<BR>>> =  
>subsystem.<BR>>>=20  
>&nbsp; In the meantime, suggestions welcome!<BR>>> =  
><BR>>>=20  
>&nbsp; Thanks,=3D3D20<BR>>> >><BR>>> >>&nbsp;=20  
Dan<BR>>> >><BR>>> >>&nbsp; "Tom Bruhl" &lt;<A=20  
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>>=20  
>wrote:<BR>>> >>&nbsp; >><BR>>> >>&nbsp; =  
><BR>>>=20  
>&nbsp; >>Daniel,<BR>>> >>&nbsp; >> You are dragging =  
them into=20  
> the lower bin before quitting right?<BR>>> >>&nbsp; >>This =  
adds them=20  
> to your user presets for other projects.<BR>>> >>&nbsp;=20  
>>Tom<BR>>> >>&nbsp; >><BR>>> >>&nbsp; >>&nbsp; =  
"dan b"=20  
>&lt;<A=20  
=  
href=3D"mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yahoo.com=  
</A>>=20  
> wrote in message =3D3D3D<BR>>> >>&nbsp;=20  
>>news:4308b8a6\$1@linux...<BR>>> >>&nbsp; >><BR>>>=20  
>&nbsp; >>&nbsp; Hi,=3D3D3D20<BR>>> >>&nbsp; =  
><BR>>>=20  
>&nbsp; >>&nbsp; Just wondering if anyone has any idea how I can =  
get my=20  
> FX =3D<BR>>>presets =3D3D<BR>>> >>to =3D3D3D<BR>>> =  
>&nbsp;=20  
>>save<BR>>> >>&nbsp; >>&nbsp; in XP (Paris v3). Whenever =  
I reboot=20  
> I loose them all?<BR>>> >>&nbsp; >><BR>>> >>&nbsp;=20  
>&nbsp; Should I try reinstalling the XP FX subsystem again? Is =  
that=20  
> ok<BR>>> <BR>>> =3D<BR>>> <BR>>>>>to<BR>>> =  
=3D3D<BR>>>=20  
>>do<BR>>> >>&nbsp; =3D3D3D<BR>>> >>&nbsp;=20  
>>once<BR>>> >>&nbsp; >>&nbsp; Paris is installed and has =  
been=20  
> used?<BR>>> >>&nbsp; >><BR>>> >>&nbsp; >>&nbsp; =  
Thanks for=20  
> any tips.=3D3D3D20<BR>>> >>&nbsp; >><BR>>> >>&nbsp; =

&gt;&nbsp;=20  
Daniel<BR>&gt; &gt;&nbsp; &gt;<BR>&gt; &gt;&nbsp; =  
&gt;&lt;!DOCTYPE=20  
HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN"&gt;<BR>&gt; =  
&gt;&nbsp;=20  
&gt;&lt;HTML&gt;&lt;HEAD&gt;<BR>&gt; &gt;&nbsp; &gt;&lt;META=20  
http-equiv=3D3D3D3DContent-Type content=3D3D3D3D"text/html;=20  
=3D<BR>&gt;=3D3D3D<BR>&gt; &gt;&nbsp;=20  
&gt; charset=3D3D3D3Diso-8859-1"&gt;<BR>&gt; &gt;&nbsp; =  
&gt;&lt;META=20  
content=3D3D3D3D"MSHTML 6.00.2800.1400" =  
name=3D3D3D3DGENERATOR&gt;<BR>&gt;=20  
&gt;&nbsp; &gt;&lt;STYLE&gt;&lt;/STYLE&gt;<BR>&gt; &gt;&nbsp;=20  
&gt;&lt;/HEAD&gt;<BR>&gt; &gt;&nbsp; &gt;&lt;BODY=20  
bgColor=3D3D3D3D#ffffff&gt;<BR>&gt; &gt;&nbsp; =  
&gt;&lt;DIV&gt;&lt;FONT=20  
face=3D3D3D3DArial =  
size=3D3D3D3D2&gt;Daniel,&lt;/FONT&gt;&lt;/D IV&gt; <BR>&gt;=20  
&gt;&nbsp; &gt;&lt;DIV&gt;&lt;FONT face=3D3D3D3DArial =  
size=3D3D3D3D2&gt;You are=20  
dragging them =3D<BR>&gt;into the =3D3D<BR>&gt; &gt;lower=20  
=3D3D3D<BR>&gt; &gt;&nbsp; &gt;bin before=3D3D3D20<BR>&gt; =  
&gt;&nbsp;=20  
&gt;quitting right?&lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt; &gt;&nbsp;=20  
&gt;&lt;DIV&gt;&lt;FONT face=3D3D3D3DArial size=3D3D3D3D2&gt;This adds =  
them to=20  
your =3D<BR>&gt;user =3D3D<BR>&gt; &gt;presets for<BR>&gt; =  
&gt;&nbsp;=20  
=3D3D3D<BR>&gt; &gt;&nbsp; &gt;other=3D3D3D20<BR>&gt; =  
&gt;&nbsp;=20  
&gt;projects.&lt;/FONT&gt;&lt;/DIV&gt;<BR >&gt; &gt;&nbsp;=20  
&gt;&lt;DIV&gt;&lt;FONT face=3D3D3D3DArial=20  
size=3D3D3D3D2&gt;Tom&lt;/FONT&gt;&lt;/DIV&a mp;gt; <BR>&gt; &gt;&nbsp;=20  
&gt;&lt;DIV&gt;&lt;FONT face=3D3D3D3DArial =  
size=3D3D3D3D2&gt;&lt;/FONT&gt;=20  
&lt;/DIV&gt;<BR>&gt; &gt;&nbsp; =  
&gt;&lt;BLOCKQUOTE=3D3D3D20<BR>&gt;=20  
&gt;&nbsp; &gt;style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px;=20  
MARGIN-LEFT: =3D<BR>&gt;5px; =3D3D<BR>&gt; =  
&gt;=3D3D3D<BR>&gt;=20  
&gt;&nbsp; &gt;BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT:=20  
0px"&gt;<BR>&gt; &gt;&nbsp; &gt;&nbsp; &lt;DIV&gt;"dan b"=20  
&lt;&lt;A=3D3D3D20<BR>&gt; &gt;&nbsp; &gt;&nbsp; =  
=3D3D3D<BR>&gt;=20  
&gt;&nbsp; =3D3D<BR>&gt; =  
=3D<BR>&gt;<BR>&gt;&gt;&gt;href=3D3D3D3D "&lt;A=20  
=  
href=3D'mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yah'>mail=

to:daniel\_burneNOSPAM@yahoo.com"&gt;daniel\_burneNOSPAM@yah</A>=3D<BR>&gt;=  
&gt;<BR>&gt;&gt;oo.=3D3D<BR>&gt;&gt;=20  
&gt;com=3D3D3D<BR>&gt;&gt; &gt;&nbsp; =  
&gt;&lt;/A&gt;&gt;=3D3D3D20<BR>&gt;&gt;=20  
&gt;&nbsp; &gt;&nbsp; wrote in message &lt;A=3D3D3D20<BR>&gt;&gt; =  
&gt;&nbsp;=20  
&gt;&nbsp; =3D3D3D<BR>&gt;&gt; &gt;&nbsp; =3D3D<BR>&gt;&gt;=20  
=3D<BR>&gt;&gt;<BR>&gt;&gt;&gt;href=3D3D3D3D "<A=20  
=  
href=3D'news:4308b8a6\$1 @linux">news:4308b8a6\$1 @linux</A>...</DIV><B'>news=  
:4308b8a6\$1 @linux"&gt;news:4308b8a6\$1 @linux&lt;/A&gt;...&lt;/DIV&gt;&lt;B=  
</A>=3D<BR>&gt;&gt;<BR>&gt;&gt;R&gt;H=3D3D <BR>&gt;&gt;=20  
&gt;i,<BR>&gt;&gt; &gt;&nbsp; =3D3D3D<BR>&gt;&gt; &gt;&nbsp; =  
&gt;<BR>&gt;&gt;=20  
&gt;&nbsp; &gt;&nbsp; &lt;BR&gt;&lt;BR&gt;Just wondering if anyone has =  
any=20  
idea how I can get my =3D<BR>&gt;&gt;FX =3D3D<BR>&gt;&gt; =  
&gt;=3D3D3D<BR>&gt;&gt;=20  
&gt;&nbsp; &gt;presets to=3D3D3D20<BR>&gt;&gt; &gt;&nbsp; &gt;&nbsp;=20  
save&lt;BR&gt;in XP (Paris v3). Whenever I reboot I loose them=20  
=3D3D3D<BR>&gt;&gt; &gt;&nbsp; &gt;all?&lt;BR&gt;&lt;BR&gt;Should=20  
l=3D3D3D20<BR>&gt;&gt; &gt;&nbsp; &gt;&nbsp; try reinstalling the XP =  
FX=20  
subsystem again? Is that ok to do =3D<BR>&gt;&gt;=3D3D3D<BR>&gt;&gt; =  
&gt;&nbsp;=20  
&gt;once&lt;BR&gt;Paris is=3D3D3D20<BR>&gt;&gt; &gt;&nbsp; &gt;&nbsp; =  
installed=20  
and has been used?&lt;BR&gt;&lt;BR&gt;Thanks for any =  
tips.=3D3D3D20<BR>&gt;&gt;=20  
&gt;&nbsp;=20  
=  
&gt;&lt;BR&gt;&lt;BR&gt;Daniel&lt;/B LOCKQUOTE&gt;&lt;/BODY&gt;&lt;/HTML&g=  
t;<BR>&gt;&gt;=20  
&gt;&nbsp; &gt;<BR>&gt;&gt; &gt;&nbsp; &gt;<BR>&gt;&gt; =  
&gt;<BR>&gt;&gt;=20  
&gt;<BR>&gt;&gt; &gt;&lt;!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=20  
Transitional//EN"&gt;<BR>&gt;&gt; =  
&gt;&lt;/HTML&gt;&lt;/HEAD&gt;<BR>&gt;&gt;=20  
&gt;&lt;META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html;=20  
=3D3D<BR>&gt;&gt; &gt;charset=3D3D3Diso-8859-1"&gt;<BR>&gt;&gt; =  
&gt;&lt;META=20  
content=3D3D3D"MSHTML 6.00.2800.1400" =  
name=3D3D3DGENERATOR&gt;<BR>&gt;&gt;=20  
&gt;&lt;/STYLE&gt;&lt;/STYLE&gt;<BR>&gt;&gt; =  
&gt;&lt;/HEAD&gt;<BR>&gt;&gt;=20  
&gt;&lt;/BODY bgColor=3D3D3D#ffffff&gt;<BR>&gt;&gt; =  
&gt;&lt;/DIV&gt;&lt;/FONT=20  
face=3D3D3DArial =

size=3D3D3D2>& Dan, &lt;/FONT>&lt;/DIV& am p;gt; <BR>&gt;=20  
&gt;&lt;/DIV&gt;&lt;/FONT face=3D3D3DArial size=3D3D3D2>& Sounds like a =  
smart move=20  
=3D3D<BR>&gt; &gt;& then. &lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt;&=20  
&gt;&lt;/DIV&gt;&lt;/FONT face=3D3D3DArial=20  
size=3D3D3D2>& Tom&lt;/FONT&gt;&lt;/DIV& am p;gt; <BR>&gt;&=20  
&gt;&lt;/BLOCKQUOTE=3D3D20<BR>&gt;& &gt;& style=3D3D3D" PADDING-RIGHT: =  
0px;=20  
PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D<BR>&gt;&=3D3D<BR>&gt;&=20  
&gt;& BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px"&gt;<BR>&gt;& =  
  
&gt;&nbsp; &lt;/DIV&gt;" Dan B" &lt;&lt;A=3D3D20<BR>&gt;& &gt;&nbsp;=20  
=3D3D<BR>&gt;& &=3D<BR>&gt;& & & href=3D3D3D "<A=20  
=  
href=3D'mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yahoo'>ma=  
mailto:daniel\_burneNOSPAM@yahoo.com"&gt;daniel\_burneNOSPAM@yahoo</A>.=3D<BR>=  
>&gt;<BR>&gt;& com=3D3D<BR>&gt;&=20  
&gt;&lt;/A&gt;&=3D3D20<BR>&gt;& &gt;&nbsp; wrote in message=20  
&lt;A=3D3D20<BR>&gt;& &gt;&nbsp; =3D3D<BR>&gt;&=20  
=3D<BR>&gt;& & & href=3D3D3D "<A=20  
=  
href=3D'news:4308cc02\$1 @linux">news:4308cc02\$1 @linux</A>...</DIV><BR>H'>n=  
ews:4308cc02\$1 @linux"&gt;news:4308cc02\$1 @linux&lt;/A&gt;...&lt;/DIV&gt;&l=  
t;BR&gt;H</A>=3D<BR>&gt;& & & i <BR>&gt;&=20  
=3D3D<BR>&gt;& & Tom,=3D3D20<BR>&gt;& & &nbsp; =  
&lt;BR&gt;&lt;BR&gt;Yup -=20  
I'm placing them in the library. They show in other=20  
=3D<BR>&gt;&=3D3D<BR>&gt;& &gt;& projects=3D3D20<BR>&gt;& =  
&gt;&nbsp; once=20  
saved,&lt;BR&gt;until I reboot... then they disappear. I may try=20  
=3D3D<BR>&gt;& & reinstalling=3D3D20<BR>&gt;& & &nbsp; the =  
FX=20  
subsystem.&lt;BR&gt;In the meantime, suggestions =3D3D<BR>&gt;&=20  
&gt;& welcome!&lt;BR&gt;&lt;BR&gt;Thanks,= 3D3D20 <BR>&gt;& & &nbsp;=20  
&lt;BR&gt;&lt;BR&gt;Dan&lt;BR&gt;& am p;lt;BR&gt; "Tom Bruhl"=20  
&lt;&lt;A=3D3D20<BR>&gt;& & &nbsp; href=3D3D3D"<A=20  
=  
href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>=>=3D3D20'>mail=  
to:arpeggio@comcast.net"&gt;arpeggio@comcast.net&lt;/A&gt;&=3D3D20</A><B=  
R>&gt;&=20  
&gt;&nbsp;=20  
=  
wrote:&lt;BR&gt;&lt;BR&gt;& & a mp;lt;BR&gt;& Daniel,&lt;BR&gt;& You =  
are=20  
dragging them =3D3D<BR>&gt;& & into the=3D3D20<BR>&gt;& =  
&gt;&nbsp; lower=20  
bin before quitting right?&lt;BR&gt;& This adds them to your user=20  
=3D<BR>&gt;&=3D3D<BR>&gt;& & presets=3D3D20<BR>&gt;& =

&nbsp; for other=20  
projects.&lt;BR>&gt;Tom&lt;BR>&gt;& ;&lt;BR>&gt; "dan b"=20  
&lt;&lt;A=3D3D20<BR>&gt;&gt; &gt;&nbsp; =3D3D<BR>&gt;&gt;=20  
=3D<BR>&gt;&gt;<BR>&gt;&gt;&gt;href=3D3D3D "<A=20  
=  
href=3D'mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yahoo'>ma=  
mailto:daniel\_burneNOSPAM@yahoo.com"&gt;daniel\_burneNOSPAM@yahoo</A>.=3D<BR=  
>&gt;&gt;<BR>&gt;&gt;com=3D3D<BR>&gt;&gt;=20  
&gt;&lt;/A&gt;&gt;=3D3D20<BR>&gt;&gt; &gt;&nbsp; wrote in message=20  
=3D3D<BR>&gt;&gt;=20  
=  
&gt;=3D3D3D&lt;BR>&gt;&gt;news:4308b8a6\$1 @linux...&lt;BR>&gt;&gt;&lt;BR>&gt;=  
&gt;=20  
=3D3D20<BR>&gt;&gt; &gt;&nbsp; =  
Hi,=3D3D3D20&lt;BR>&gt;&gt;&lt;BR>&gt;&gt;& ;&gt; Just=20  
wondering if anyone has any idea =3D3D<BR>&gt;&gt; &gt;how l=20  
can=3D3D20<BR>&gt;&gt; &gt;&nbsp; get my FX presets to=20  
=3D3D3D&lt;BR>&gt;&gt;save&lt;BR>&gt;&gt; in XP (Paris v3). =  
=3D3D<BR>&gt;&gt;=20  
&gt;Whenever l=3D3D20<BR>&gt;&gt; &gt;&nbsp; reboot I loose them=20  
all?&lt;BR>&gt;&gt;&lt;BR>&gt;&gt; Should I try =3D3D<BR>&gt;&gt; =  
&gt;reinstalling=20  
the=3D3D20<BR>&gt;&gt; &gt;&nbsp; XP FX subsystem again? Is that ok to =  
  
=3D3D<BR>&gt;&gt; =  
&gt;do&lt;BR>&gt;=3D3D3D&lt;BR>&gt;&gt; ;once&lt;BR>&gt;&gt;=20  
Paris=3D3D20<BR>&gt;&gt; &gt;&nbsp; is installed and has been=20  
used?&lt;BR>&gt;&gt;&lt;BR>&gt;&gt; Thanks for any=3D3D20<BR>&gt;&gt; =  
&gt;&nbsp;=20  
tips.=3D3D3D20&lt;BR>&gt;&gt;&lt;BR>&gt;&gt;& a mp;gt;=20  
Daniel&lt;BR>&gt;&gt;&lt;BR>&gt;&gt;& a mp;lt;!DOCTYPE =3D3D<BR>&gt;&gt; =  
&gt;HTML=20  
PUBLIC=3D3D20<BR>&gt;&gt; &gt;&nbsp; "-//W3C//DTD HTML =  
4.0=3D3D20<BR>&gt;&gt;=20  
&gt;&nbsp;=20  
=  
Transitional//EN" &gt;&lt;BR>&gt;&gt;&lt;BR>&gt;&gt;&lt;HTML&gt;&lt; t;HEAD&gt;&lt;BR>&gt;&gt;=  
&lt;META=3D3D20<BR>&gt;&gt;=20  
&gt;&nbsp; http-equiv=3D3D3D3DContent-Type=20  
content=3D3D3D3D"text/html;=3D3D20<BR>&gt;&gt; &gt;&nbsp;=20  
=  
=3D3D3D&lt;BR>&gt;&gt;charset=3D3D3D3Diso-8859-1"&gt;&lt;BR>&gt;&gt;&lt;MET=  
A=20  
=3D3D<BR>&gt;&gt; &gt;content=3D3D3D3D"MSHTML=3D3D20<BR>&gt;&gt; =  
&gt;&nbsp;=20  
6.00.2800.1400"=3D3D20<BR>&gt;&gt; &gt;&nbsp; =3D3D<BR>&gt;&gt;=20  
=  
&gt;name=3D3D3D3DGENERATOR&gt;&lt;BR>&gt;&gt;& ;&lt;BR>&gt;&gt;&lt;STYLE&gt;&lt;/STYLE&gt;&lt;=

t;BR&gt;&gt;&lt;/HEA=3D3D<BR>&gt;&gt;=20  
&gt;D&gt;&lt;BR&gt;&gt;&lt;BODY=3D3D 20 <BR>&gt;&gt; &gt;&nbsp;=20  
bgColor=3D3D3D3D#ffffff&gt;&lt;BR&gt;&gt;&am p;lt;DIV&gt;&lt;FONT=20  
face=3D3D3D3DArial=3D3D20<BR>&gt;&gt; &gt;&nbsp; =3D3D<BR>&gt;&gt;=20  
=  
&gt;size=3D3D3D3D2&gt;Daniel,&lt;/FONT&gt;&a mp;lt;/DIV&gt;&lt;BR&gt;&gt;&lt;D=  
IV&gt;&lt;FONT=3D3D<BR>&gt;&gt;=20  
&gt;=3D3D20<BR>&gt;&gt; &gt;&nbsp; face=3D3D3D3DArial =  
size=3D3D3D3D2&gt;You are=20  
dragging them into the lower<BR>&gt; <BR>&gt; =3D<BR>&gt;=20  
<BR>&gt;&gt;=3D3D<BR>&gt;&gt; =  
&gt;=3D3D3D&lt;BR&gt;&gt;bin=3D3D20<BR>&gt;&gt;=20  
&gt;&nbsp; before=3D3D3D20&lt;BR&gt;&gt;quitting=3D3D20<BR >&gt;&gt; =  
&gt;&nbsp;=20  
right?&lt;/FONT&gt;&lt;/DIV&gt;&lt;BR&am p;gt;&gt;&lt;DIV&gt;&lt;FONT=20  
=3D3D<BR>&gt;&gt; &gt;face=3D3D3D3DArial=3D3D20<BR>&gt;&gt; &gt;&nbsp; =  
  
size=3D3D3D3D2&gt;This adds them to your user =  
presets=3D3D20<BR>&gt;&gt;=20  
&gt;&nbsp; =3D3D<BR>&gt;&gt;=20  
=  
&gt;for&lt;BR&gt;=3D3D3D&lt;BR&gt;&g t;other=3D3D3D20&lt;BR&gt;&gt;project=  
s.&lt;/FONT&gt;&lt;/DIV&gt;&lt;BR=3D3D<BR >&gt;&gt;=20  
&gt;&gt;&gt;&lt;DIV&gt;&lt;FONT=3D3D 20 <BR>&gt;&gt; &gt;&nbsp;=20  
face=3D3D3D3DArial=3D3D20<BR>&gt;&gt; &gt;&nbsp;=20  
=  
size=3D3D3D3D2&gt;Tom&lt;/FONT&gt;&lt;/DIV&a mp;gt;&lt;BR&gt;&gt;&lt;DIV&gt;&l  
t;FONT=3D3D20<BR>&gt;&gt;=20  
&gt;&nbsp; face=3D3D3D3DArial =  
size=3D3D3D3D2&gt;&lt;/FONT&gt;=3D3D20<BR>&gt;&gt;=20  
&gt;&nbsp; =3D3D<BR>&gt;&gt;=20  
=  
&gt;&lt;/DIV&gt;&lt;BR&gt;&gt;&l t;BLOCKQUOTE=3D3D3D20&lt;BR&gt;&gt;style=3D=  
3D3D3D"PADDING-RIGHT:=20  
=3D3D<BR>&gt;&gt; &gt;0px;=3D3D20<BR>&gt;&gt; &gt;&nbsp; PADDING-LEFT: =  
5px;=20  
MARGIN-LEFT: 5px; =3D3D3D&lt;BR&gt;&gt;BORDER-LEFT: #000000<BR>&gt; =  
<BR>&gt;=20  
=3D<BR>&gt; <BR>&gt;&gt;=3D3D<BR>&gt;&gt; &gt;2px =  
solid;=3D3D20<BR>&gt;&gt;=20  
&gt;&nbsp; MARGIN-RIGHT: 0px"&gt;&lt;BR&gt;&gt; &lt;DIV&gt;"dan=20  
b"=3D3D20<BR>&gt;&gt; &gt;&nbsp; &lt;&lt;A=3D3D3D20&lt;BR&gt;&gt;=20  
=3D3D3D&lt;BR&gt;&gt;href=3D3D3D3D"&lt;A=3D3D20 <BR>&gt;&gt; &gt;&nbsp; =  
  
=3D3D<BR>&gt;&gt;=20  
=  
=3D<BR>&gt;&gt;<BR>&gt;&gt;&gt;href=3D3D3D'mailto:daniel\_burneNOSPAM@yaho=  
o.com"&gt;daniel\_burneNOSPAM@yahoo.=3D<BR>&gt;&gt;<BR>&gt;&gt;com=3D3D<BR=

>&gt;=20  
=  
=3D<BR>&gt;<BR>&gt;&gt;'&gt;mailto:daniel\_burneNOSPAM@yahoo.com"&=  
gt;daniel\_burneNOSPAM@yahoo.com&lt;/A=3D3D=3D<BR>&gt;<BR>&gt;=20  
&gt;&gt;=3D3D3D&lt;BR&gt;&gt;&lt;/A& amp;gt;&gt;=3D3D3D20&lt;BR&gt;&gt;=20  
=3D3D20<BR>&gt;&gt; &gt;&nbsp;wrote in message =  
&lt;A=3D3D3D20&lt;BR&gt;&gt;=20  
=3D3D3D&lt;BR&gt;&gt;href=3D3D3D3D"&lt;A=3D3D20 <BR>&gt;&gt; &gt;&nbsp; =  
  
=3D3D<BR>&gt;=20  
=  
=3D<BR>&gt;<BR>&gt;&gt;href=3D3D3D'news:4308b8a6\$1@linux"&gt;news=  
:4308b8a6\$1@linux &lt;/A&gt;...&lt;/DIV&gt;&lt;BR&gt;H =3D <BR>&gt;<BR>&=  
gt;&gt;i'&gt;=3D3D<BR>&gt;&gt;=20  
=  
&gt;news:4308b8a6\$1@linux"&gt;news:4308b8a6\$1@linux&lt;/A&gt;...&lt;/DIV&=  
gt;&amp;=3D3D<BR>&gt;&gt;=20  
=  
&gt;lt;BR&gt;Hi&lt;/A&gt;,&lt;BR&gt; =3D3D3D&lt;BR&gt;&gt;&lt;BR&gt;&gt;= 20  
=3D3D20<BR>&gt;&gt; &gt;&nbsp; &lt;BR&gt;&lt;BR&gt;Just wondering if =  
anyone has=20  
any idea how I can =3D3D<BR>&gt;&gt; &gt;get my FX=3D3D20<BR>&gt;&gt; =  
&gt;&nbsp;=20  
=3D3D3D&lt;BR&gt;&gt;presets to=3D3D3D20&lt;BR&gt;&gt; =  
save&lt;BR&gt;in XP (Paris=20  
=3D3D<BR>&gt;&gt; &gt;v3). Whenever=3D3D20<BR>&gt;&gt; &gt;&nbsp; I =  
reboot I loose=20  
them =  
=3D3D3D&lt;BR&gt;&gt;all?&lt;BR&gt;&lt;BR&gt;Should=3D3D20 <BR>&gt;&gt;=20  
&gt;&nbsp; I=3D3D3D20&lt;BR&gt;&gt;&gt; try reinstalling the XP FX =  
subsystem again?=20  
Is =3D3D<BR>&gt;&gt; &gt;that ok to=3D3D20<BR>&gt;&gt; &gt;&nbsp; do=20  
=3D3D3D&lt;BR&gt;&gt;&gt;once&lt;BR&gt;Paris is=3D3D3D20&lt;BR&gt;&gt; =  
installed and=20  
=3D3D<BR>&gt;&gt; &gt;has been=3D3D20<BR>&gt;&gt; &gt;&nbsp;=20  
used?&lt;BR&gt;&lt;BR&gt;Thanks for any=3D3D20<BR>&gt;&gt; &gt;&nbsp;=20  
=3D3D<BR>&gt;&gt;=20  
=  
&gt;tips.=3D3D3D20&lt;BR&gt;&gt;&lt;BR&a mp;gt;&lt;BR&gt;Daniel&lt;/BLOCKQUOTE=  
&gt;&lt;/BODY&amp;=3D3D<BR>&gt;&gt;=20  
=  
&gt;gt;&lt;/HTML&gt;&lt;BR&gt;&gt;&a mp;lt;BR&gt;&gt;&lt;BR&gt;&lt;/BLOCKQUOT E=  
&gt;&lt;/BODY&gt;&lt;/HTML&gt;<BR>&gt;&gt;=20  
&gt;<BR>&gt;&gt; &gt;<BR>&gt;&gt;<BR>&gt;&gt;&lt;!DOCTYPE =  
HTML=20  
PUBLIC "-//W3C//DTD HTML 4.0=20  
=  
Transitional//EN"&gt;<BR>&gt;&gt;&lt;HTML&gt;&lt;HEAD&gt; <BR>&gt;&gt;&lt;=



META=20  
http-equiv=3D3DContent-Type content=3D3D"text/html";=20  
=3D<BR>&gt; charset=3D3Diso-8859-1"&gt;<BR >&gt;&lt;META =  
content=3D3D"MSHTML=20  
6.00.2800.1400"=20  
=  
name=3D3DGENERATOR&gt;<BR>&gt;&lt;STYLE&gt;&lt;/STYLE&gt; <BR>&gt;&gt;=  
&lt;/HEAD&gt;<BR>&gt;&lt;BODY=20  
bgColor=3D3D#ffffff&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT face=3D3DArial=20  
=  
size=3D3D2&gt;Dan,&lt;/FONT&gt;&lt;/DIV& gt; <BR>&gt;&lt;DIV&gt;&lt;FON=  
T=20  
face=3D3DArial size=3D3D2&gt;It sounds like the saves aren't going =  
=3D<BR>&gt;&gt;to=20  
the=20  
=  
right=3D20<BR> &gt;&gt;folder/file.?.&lt;/FONT&gt;&lt;/ DIV&gt; <BR>&gt;&gt;=  
&lt;DIV&gt;&lt;FONT=20  
face=3D3DArial size=3D3D2&gt;&lt;/FONT&gt;=20  
&lt;/DIV&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT face=3D3DArial =  
size=3D3D2&gt;Do you=20  
see "PARIS\_Fx.var" in your=20  
=3D<BR>&gt;&gt;C\Program=3D20<BR>&gt;&gt;Files\EMU\Paris folder?&nbsp; =  
  
&lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT =  
face=3D3DArial=20  
size=3D3D2&gt;Do you &lt;/FONT&gt;&lt;FONT face=3D3DArial=20  
=3D<BR>&gt;&gt;size=3D3D2&gt;also see a=3D20<BR>&gt;&gt;file named =  
"PARIS\_Fx.var=20  
(default)" ?&nbsp;=20  
These&lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT =  
face=3D3DArial=20  
size=3D3D2&gt;are both in my Paris =3D<BR>&gt;&gt;folder.&nbsp; l=20  
believe=3D20<BR>&gt;&gt;the first is the file=20  
that&lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT =  
face=3D3DArial=20  
size=3D3D2&gt;holds all your home grown presets =3D<BR>&gt;&gt;(Paris=20  
and=3D20<BR>&gt;&gt;VST/DX) along=20  
&lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT =  
face=3D3DArial=20  
size=3D3D2&gt;with the stock &lt;/FONT&gt;&lt;FONT =  
=3D<BR>&gt;&gt;face=3D3DArial=20  
size=3D3D2&gt;ones=3D20<BR>&gt;&gt;that came with your install.&nbsp; =  
The second=20  
is &lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT =  
face=3D3DArial=20  
size=3D3D2&gt;a backup &lt;/FONT&gt;&lt;FONT face=3D3DArial=20  
=3D<BR>&gt;&gt;size=3D3D2&gt;of the=3D20<BR>&gt;&gt;stock Paris =



technician,&lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt;&lt;/DIV&gt;&lt;FONT=20  
face=3D3DArial=20  
=  
size=3D3D2&gt;Tom&lt;/FONT&gt;&lt;/DIV&gt; t; <BR>&gt;&lt;/BLOCKQUOTE=3D20=  
<BR>&gt;&gt;style=3D3D"PADDING-RIGHT:=20  
0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D<BR>&gt;&gt;BORDER-LEFT: =  
#000000=20  
2px solid; MARGIN-RIGHT: 0px"&gt;<BR>&gt;&gt; &lt;/DIV&gt;"dan b"=20  
&lt;&lt;A=3D20<BR>&gt;&gt; =3D<BR>&gt;&gt;href=3D3D"<A=20  
=  
href=3D'mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yahoo.com=  
'>mailto:daniel\_burneNOSPAM@yahoo.com"&gt;daniel\_burneNOSPAM@yahoo.com</A=  
>=3D<BR>&gt;&gt;&lt;/A&gt;&gt;=3D20<BR >&gt;&gt;=20  
wrote in message &lt;A=3D20<BR>&gt;&gt; =3D<BR>&gt;&gt;href=3D3D"<A=20  
=  
href=3D'news:4308fee5\$1 @linux">news:4308fee5\$1 @linux</A>...</DIV><BR>Ok'>=  
news:4308fee5\$1 @linux"&gt;news:4308fee5\$1 @linux&lt;/A&gt;...&lt;/DIV&gt;&=  
lt;BR&gt;Ok</A>,<BR>&gt;=20  
<BR>&gt; =3D<BR>&gt;&gt; <BR>&gt;&gt;so I've=3D20<BR>&gt;&gt; reinstalled =  
the FX=20  
subsystem. Still no joy. All presets in the&lt;BR&gt;main<BR>&gt; =  
<BR>&gt;=20  
=3D<BR>&gt;&gt; <BR>&gt;&gt;library=3D20<BR>&gt;&gt; lost between reboots, =  
and=20  
sometimes also restarts of Paris...&lt;BR&gt;Any=20  
=3D<BR>&gt;&gt;more=3D20<BR>&gt;&gt; =  
ideas!?!?!&lt;BR&gt;&lt;BR&gt;Thanks,=20  
&lt;BR&gt;&lt;BR&gt;db&lt;BR&gt;&amp; ;&lt;BR&gt; "Tom Bruhl" =  
&lt;&lt;A=3D20<BR>&gt;&gt;=20  
href=3D3D"<A=20  
=  
href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>>=3D20'>mailto=  
:arpeggio@comcast.net"&gt;arpeggio@comcast.net&lt;/A&gt;&gt;=3D20</A><BR>&gt;g=  
&gt;=20  
=  
wrote:&lt;BR&gt;&gt;&lt;BR&gt;&gt;& a mp;&lt;BR&gt;&gt;Dan,&lt;BR&gt;&gt;Sounds =  
like=20  
a smart move=3D20<BR>&gt;&gt; =  
then.&lt;BR&gt;&gt;Tom&lt;BR&gt;&gt; &nbsp; "Dan B"=20  
&lt;&lt;A=3D20<BR>&gt;&gt; =3D<BR>&gt;&gt;href=3D3D"<A=20  
=  
href=3D'mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yahoo.com=  
'>mailto:daniel\_burneNOSPAM@yahoo.com"&gt;daniel\_burneNOSPAM@yahoo.com</A=  
>=3D<BR>&gt;&gt;&lt;/A&gt;&gt;=3D20<BR >&gt;&gt;=20  
wrote in message=20  
=  
=3D<BR> &gt;&gt;=3D3D&lt;BR&gt;&gt;news:4308cc02 \$1 @linux...&lt;BR&gt;&gt;&=  
lt;BR&gt;&gt;&nbsp;=20

Hi=3D20<BR>&gt;&gt; Tom,=3D3D20&lt;BR&gt;&gt;&lt;BR&gt;&gt; &nbsp; Yup =  
- I'm=20  
placing them in the library. =3D<BR>&gt;&gt;They show=3D20<BR>&gt;&gt; =  
in other=20  
projects =3D3D&lt;BR&gt;&gt;once saved,&lt;BR&gt;&gt;&nbsp; until I=20  
=3D<BR>&gt;&gt;reboot... then=3D20<BR>&gt;&gt; they disappear. I may =  
try=20  
reinstalling the FX=3D20<BR>&gt;&gt;=20  
=3D3D&lt;BR&gt;&gt;subsystem.&lt;BR&gt;&gt; & amp;gt;&nbsp; In the meantime,=20  
suggestions=3D20<BR>&gt;&gt; =  
welcome!&lt;BR&gt;&gt;&lt;BR&gt;&gt; &nbsp;=20  
Thanks,=3D3D20&lt;BR&gt;&gt;&lt;BR&gt;&gt; &a mp;gt; =3D20<BR>&gt;&gt;=20  
Dan&lt;BR&gt;&gt;&lt;BR&gt;&gt;&nbsp; "Tom Bruhl" =  
&lt;&lt;A=3D20<BR>&gt;&gt;=20  
href=3D3D"<A=20  
=  
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net</A>=>=3D20'>mailto=  
:arpegio@comcast.net"&gt;arpegio@comcast.net&lt;/A&gt;&gt;=3D20</A><BR>&gt;=  
t;&gt;=20  
wrote:&lt;BR&gt;&gt;&nbsp; &gt;&lt;BR&gt;&gt;&nbsp; &gt;&lt;BR&gt;&gt; =  
  
=3D20<BR>&gt;&gt; &gt;&lt;BR&gt;&gt;&nbsp; &gt;You are dragging =  
them into=20  
the lower bin =3D<BR>&gt;&gt;before=3D20<BR>&gt;&gt; quitting=20  
right?&lt;BR&gt;&gt;&nbsp; &gt;This adds them to your user presets=20  
=3D<BR>&gt;&gt;for=3D20<BR>&gt;&gt; other =  
projects.&lt;BR&gt;&gt;&nbsp;=20  
&gt;Tom&lt;BR&gt;&gt;&nbsp; &gt;&lt;BR&gt;&gt;&nbsp; =  
=3D<BR>&gt;&gt;<BR>&gt;&gt;=20  
&gt;&nbsp; "dan b" &lt;&lt;A=3D20<BR>&gt;&gt;=20  
=3D<BR>&gt;&gt;href=3D3D"<A=20  
=  
href=3D'mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yahoo.com=  
'>mailto:daniel\_burneNOSPAM@yahoo.com"&gt;daniel\_burneNOSPAM@yahoo.com</A=  
>=3D<BR>&gt;&gt;&lt;/A&gt;&gt;=3D20<BR >&gt;&gt;=20  
wrote in message =3D3D3D&lt;BR&gt;&gt;&nbsp;=20  
=3D<BR>&gt;&gt;<BR>&gt;&gt;&gt;news:4308b8a6\$1@linux...&lt;BR&gt;&gt;=20  
=3D20<BR>&gt;&gt;<BR>&gt;&gt; &gt;&lt;BR&gt;&gt;&nbsp; &gt;&nbsp;=20  
Hi,=3D3D3D20&lt;BR&gt;&gt;&nbsp; =  
=3D<BR>&gt;&gt;<BR>&gt;&gt;&gt;&lt;BR&gt;&gt;&gt;=20  
=3D20<BR>&gt;&gt;<BR>&gt;&gt; &gt;&nbsp; Just wondering if anyone has =  
any idea=20  
how I can get my FX =3D<BR>&gt;&gt;presets=3D20<BR>&gt;&gt; =  
=3D3D&lt;BR&gt;&gt;&gt;to=20  
=3D3D3D&lt;BR&gt;&gt;&gt;&nbsp; &gt;save&lt;BR&gt;&gt;&nbsp; &gt;&nbsp; in =  
  
=3D<BR>&gt;&gt;XP (Paris=3D20<BR>&gt;&gt; v3). Whenever I reboot I =  
loose them=20



adds =3D<BR>&gt;&gt;them to your=3D20<BR>&gt;&gt; user =  
 =3D3D&lt;BR&gt;&gt;&gt;presets=20  
 for&lt;BR&gt;&gt;&gt;&nbsp; =3D3D3D&lt;BR&gt;&gt;&gt; =3D20<BR>&gt;&gt;=20  
 &gt;&other=3D3D3D20&lt;BR&gt;&gt;&gt; =3D20<BR>&gt;&gt;=20  
 &gt;&projects.&lt;/FONT&gt;&lt;/DIV&gt;&a mp;&lt;BR&gt;&gt;&nbsp;=20  
 =  
 =3D<BR>&gt;&gt;<BR> &gt;&gt;&gt;&lt;/DIV&gt;&lt;/FONT=3D20 <BR>&gt;&gt;<BR>&gt;=20  
 t;&gt;=20  
 face=3D3D3D3DArial=20  
 =  
 =3D<BR> &gt;&gt;&size=3D3D3D3D2&gt;Tom&lt;/FONT& g t;&lt;/DIV&gt;&lt;BR&gt;&gt;=20  
 t;=20  
 =3D20<BR>&gt;&gt; &gt;&lt;/DIV&gt;&lt;/FONT face=3D3D3D3DArial=20  
 size=3D3D3D3D2&gt;&lt;/FONT&gt; =3D<BR>&gt;&gt;<BR>&gt;&gt;=20  
 &lt;/DIV&gt;&lt;BR&gt;&gt;&nbsp; =  
 &gt;&lt;BLOCKQUOTE=3D3D3D20&lt;BR&gt;&gt;&gt; =20  
 =3D20<BR>&gt;&gt; &gt;&gt;style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: =  
 5px;=20  
 MARGIN-LEFT: =3D<BR>&gt;&gt;5px;=3D20<BR>&gt;&gt;=20  
 =3D3D&lt;BR&gt;&gt;&gt;=3D3D3D&lt;BR&gt;&gt;&gt;&nbsp; &gt;&BORDER-LEFT: =  
 #000000 2px solid;=20  
 =3D<BR>&gt;&gt;MARGIN-RIGHT:=3D20<BR>&gt;&gt; =  
 0px"&gt;&lt;BR&gt;&gt;&gt;&nbsp;=20  
 &gt;&nbsp; &lt;/DIV&gt;"dan b"=3D20<BR>&gt;&gt;=20  
 &lt;&lt;A=3D3D3D20&lt;BR&gt;&gt;&gt;&nbsp; p; &gt;&nbsp; =  
 =3D3D3D&lt;BR&gt;&gt;&gt;=20  
 =3D20<BR>&gt;&gt; =  
 =3D3D&lt;BR&gt;&gt;&gt;&gt;&gt;href=3D3D3D3D"&lt;A=3D20 <BR>&gt;&gt;=20  
 =  
 =3D<BR>&gt;&gt;href=3D3D'mailto:daniel\_burneNOSPAM@yahoo.com"&gt;daniel\_b=  
 urneNOSPAM@yahoo'&gt;ma=3D<BR>&gt;&gt;mailto:daniel\_burneNOSPAM@yahoo.com"&=  
 gt;daniel\_burneNOSPAM@yahoo&lt;/A&gt;.=3D3D&lt;BR=3D<BR>&gt;&gt;<BR >&gt;&=  
 gt;&gt;&gt;com=3D3D3D&lt;BR&gt;&gt;&gt;=20  
 =3D20<BR>&gt;&gt;<BR>&gt;&gt; =  
 &gt;&lt;/A&gt;&gt;=3D3D3D20&lt;BR&gt;&gt;&gt;&nbsp;=20  
 &gt;&nbsp; wrote in message=3D20<BR>&gt;&gt; =  
 &lt;A=3D3D3D20&lt;BR&gt;&gt;&gt;&nbsp;=20  
 &gt;&nbsp; =3D3D3D&lt;BR&gt;&gt;&gt;=3D20<BR>&gt;&gt;=20  
 =3D3D&lt;BR&gt;&gt;&gt;&gt;&gt;href=3D3D3D3D"&lt;A=3D20 <BR>&gt;&gt;=20  
 =  
 =3D<BR>&gt;&gt;href=3D3D'news:4308b8a6\$1 @linux"&gt;news:4308b8a6\$1 @linux&=  
 lt;/A&gt;...&lt;/DIV&gt;&lt;BR&gt;H'&gt;&gt;n=3D <BR>&gt;&gt;ews:4308b8a6\$1 @li=  
 nux"&gt;news:4308b8a6\$1 @linux&lt;/A&gt;...&lt;/DIV&gt;&gt;l=3D<BR>&gt;&gt;=20  
 t;t;BR&gt;H&lt;/A&gt;=3D3D&lt;BR&gt;&gt;&gt; &gt;i;&lt;BR&gt;&gt;&gt;=20  
 =3D20<BR>&gt;&gt; =3D3D3D&lt;BR&gt;&gt;&gt;&nbsp; &gt;&lt;BR&gt;&gt;&gt;&nbsp; =  
 &gt;&nbsp;=20  
 =3D<BR> &gt;&gt;&lt;BR&gt;&lt;BR&gt;Just=3D2 0 <BR>&gt;&gt; wondering if =  
 anyone has=20



face="Arial">>=20  
=  
<BR> >>size="2">Tom</FONT> </DIV><BR>>=  
<BLOCKQUOTE><BR>=<BR>>> <BR>>>style="padding-right:  
0px; padding-left: 5px; margin-left: 5px; =  
<BR>>>border-left: 2px solid; margin-right: 20  
0px">>> <DIV>"Dan B"=<BR>>>=20  
<&A="<BR>>> <BR>>>href="&A="<BR >>>=20  
=  
<BR>>>href="mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_b=urneNOSPAM@yahoo.com=<BR>>>'>mailto:daniel\_burneNOSPAM@yahoo.c=om">daniel\_burneNOSPAM@yahoo.com</A=<BR>>><BR>>>>=<BR>>></A>>>=<BR>>> 0<BR>>>=20  
=<BR>>><BR>>> wrote in message =  
<A="<BR>>> <BR>>>href="&A="<BR >>>=20  
=  
<BR>>>href="news:4308cc02\$1@linux">news:4308cc02\$1@linux&lt;/A>>>...</DIV><BR>Hi'& p;>=<BR>>>news:4308cc02\$1@l=inux">news:4308cc02\$1@linux</A>>>...</DIV>&=<BR>>>&g=t;<BR>>>Hi</A>>><BR>=<BR>>>&a mp;<BR>>>Tom,=<BR>>>=<BR>>>=20  
=<BR>>> <BR>>><BR>>>Yup - I'm placing them in the =library.=20  
They show =<BR>>>in other=<BR>>>=20  
=<BR>>>projects=<BR>& ;>>> <BR>>> once =saved,<BR>>>until=20  
I =<BR>>>reboot... then=<BR>>> they disappear. I may =try=20  
=<BR>>>reinstalling=<BR >>> =<BR>>>the=20  
FX=<BR>>> subsystem.<BR>>>In the meantime,=20 suggestions=<BR>>>=20  
=  
=<BR>>>welcome!<BR>>>& p;<BR>>>Thanks,=<BR>>>=<BR>>> <BR>>><BR>>>Dan<BR>>>& p;<BR>>> "Tom=20 Bruhl"=<BR>>> <BR>>></A="<BR>>> <BR>>>href="&A="<BR>>>=20  
=  
=<BR>>>href="mailto:arpegio@comcast.net">arpegio@comcast.n=et</A>>>=<BR>>>mailto=<BR>>>arpegio@comcast.net">arpegio@comcast.net </A>>>=<BR>>><BR>>>& ;>>>=<BR>>>=<BR>>>=20  
=<BR>>>=20



=  
=3D<BR> &gt;&gt;wrote:&lt;BR&gt;&gt;&lt;BR&a mp;gt;&gt;&lt;BR&gt;&gt;Daniel,&lt;BR&gt;&gt;You=20  
=3D<BR>&gt;&gt;are=3D20<BR>&gt;&gt; dragging them =  
=3D3D&lt;BR&gt;&gt;&gt;into=20  
the=3D3D20&lt;BR&gt;&gt;&gt;&nbsp; lower bin before=20  
=3D<BR>&gt;&gt;quitting=3D20<BR>&gt;&gt; right?&lt;BR&gt;&gt;&gt;This adds =  
them to=20  
your user=3D20<BR>&gt;&gt; =  
=3D3D&lt;BR&gt;&gt;&gt;presets=3D3D20&lt;BR& gt;&gt;&gt;&nbsp; for=20  
other=3D20<BR>&gt;&gt; =  
projects.&lt;BR&gt;&gt;&gt;Tom&lt;BR&gt;&gt;&gt;& amp ;&lt;BR&gt;&gt;&gt;=20  
"dan b"=3D20<BR>&gt;&gt; &lt;&lt;A=3D3D20&lt;BR&gt;&gt;&gt;&nbsp; =20  
=3D3D&lt;BR&gt;&gt;&gt;href=3D3D3D"&lt;A=3D20<BR >&gt;&gt;=20  
=  
=3D<BR>&gt;&gt;href=3D3D'mailto:daniel\_burneNOSPAM@yahoo.com"&gt;daniel\_b=  
urneNOSPAM@yahoo.com=3D<BR>&gt;&gt;&gt;mailto:daniel\_burneNOSPAM@yahoo.c=  
om"&gt;daniel\_burneNOSPAM@yahoo.com&lt;/A=3D<BR>&gt;&gt;&lt;BR>&gt;&gt;&gt;=3D=  
3D&lt;BR&gt;&gt;&gt;&lt;/A&gt;&gt;&gt;=3D3D2 0&lt;BR&gt;&gt;&gt;=20  
=3D20<BR>&gt;&gt;&lt;BR>&gt;&gt; wrote in message=3D20<BR>&gt;&gt;=20  
=  
=3D<BR> &gt;&gt;=3D3D&lt;BR&gt;&gt;&gt;=3D3D3D&l t;BR&gt;&gt;&gt;news:4308b8a6\$1 @li=  
nux...&lt;BR&gt;&gt;&gt;&lt;B=3D<BR>&gt;&gt;&gt;R&gt;&gt;&gt;=3D20 <BR>&gt;&gt;=20  
=3D3D20&lt;BR&gt;&gt;&gt;&nbsp; Hi,=3D3D3D20&lt;BR&gt;&gt;&gt;&lt;BR&gt;&gt;&gt;& amp ;&gt; =  
Just=20  
=3D<BR>&gt;&gt;wondering if=3D20<BR>&gt;&gt; anyone has any idea=20  
=3D3D&lt;BR&gt;&gt;&gt;how I can=3D3D20&lt;BR&gt;&gt;&gt;&nbsp; get my FX=20  
=3D<BR>&gt;&gt;presets to=3D20<BR>&gt;&gt; =  
=3D3D3D&lt;BR&gt;&gt;&gt;save&lt;BR&gt;&gt;&gt; &gt;=20  
in XP (Paris v3). =  
=3D<BR> &gt;&gt;=3D3D&lt;BR&gt;&gt;&gt;Whenever=3D20 <BR>&gt;&gt;=20  
l=3D3D20&lt;BR&gt;&gt;&gt;&nbsp; reboot I loose them=20  
=3D<BR> &gt;&gt;all?&lt;BR&gt;&gt;&gt;&lt;BR& amp ;&gt;&gt; =  
Should=3D20<BR>&gt;&gt; I try=20  
=3D3D&lt;BR&gt;&gt;&gt;reinstalling the=3D3D20&lt;BR&gt;&gt;&gt;&nbsp; XP FX =  
subsystem=20  
=3D<BR>&gt;&gt;again? Is=3D20<BR>&gt;&gt; that ok to=20  
=  
=3D<BR> &gt;&gt;=3D3D&lt;BR&gt;&gt;&gt;do&lt;BR& amp;gt;=3D3D3D&lt;BR&gt;&gt;&gt;once&l=  
t;BR&gt;&gt;&gt;=3D20<BR>&gt;&gt;=20  
Paris=3D3D20&lt;BR&gt;&gt;&gt;&nbsp; is installed and has =  
been=3D20<BR>&gt;&gt;=20  
used?&lt;BR&gt;&gt;&gt;&lt;BR&gt;&gt;&gt; Thanks for any=3D3D20&lt;BR&gt;&gt;&gt;=20  
=3D20<BR>&gt;&gt; =  
tips.=3D3D3D20&lt;BR&gt;&gt;&gt;&lt;BR&gt;&gt;&gt;&a mp;gt;=3D20 <BR>&gt;&gt;=20  
Daniel&lt;BR&gt;&gt;&gt;&lt;BR&gt;&gt;&gt;&a mp;lt;!DOCTYPE=20  
=3D3D&lt;BR&gt;&gt;&gt;HTML=3D20<BR>&gt;&gt; =  
PUBLIC=3D3D20&lt;BR&gt;&gt;&gt;&nbsp;=20



=  
=3D<BR> &gt;&gt;size=3D3D3D3D2&gt;Tom&lt;/FONT&g t;&lt;/DIV&gt;&lt;BR&gt;&g=  
t;&lt;/DIV&gt;&lt;=3D<BR>&gt;&gt;FONT=3D3D20&lt;BR&gt;&gt;=20  
=3D20<BR>&gt;&gt; face=3D3D3D3DArial=20  
size=3D3D3D3D2&gt;&lt;/FONT&gt;=3D3D20&lt;BR &gt;&gt; =3D20<BR>&gt;&gt; =

=  
=3D<BR> &gt;&gt;=3D3D&lt;BR&gt;&gt;&lt;/DIV& amp;gt;&lt;BR&gt;&gt;&lt;BLOCKQUOT=  
E=3D3D3D20&lt;BR&gt;&gt;s=3D<BR>&gt;&gt;yle=3D3D3D3D "PADDING-RIGHT:=3D20=  
<BR>&gt;&gt;=20  
=3D3D&lt;BR&gt;&gt;0px;=3D3D20&lt;BR&gt; &gt;&nbsp; PADDING-LEFT: 5px; =  
MARGIN-LEFT:=20  
=3D<BR>&gt;&gt;5px;=3D20<BR>&gt;&gt; =3D3D3D&lt;BR&gt;&gt;BORDER-LEFT: =  
#000000=20  
=3D3D&lt;BR&gt;&gt;2px =3D<BR>&gt;&gt;solid;=3D3D20&lt;BR&gt;&gt; =  
=3D20<BR>&gt;&gt;=20  
MARGIN-RIGHT: 0px"&gt;&lt;BR&gt;&gt; &lt;/DIV&gt;"dan=20  
=3D<BR>&gt;&gt;b"=3D3D20&lt;BR&gt;&gt; =3D20<BR>&gt;&gt;=20  
&lt;&lt;A=3D3D3D20&lt;BR&gt;&gt;=20

=  
=3D<BR> &gt;&gt;=3D3D3D&lt;BR&gt;&gt;href=3D3D3D 3D "&lt;A=3D3D20&lt;BR&gt;&=  
gt;=20  
=3D20<BR>&gt;&gt;=20

=  
=3D<BR> &gt;&gt;=3D3D&lt;BR&gt;&gt;href=3D3D3D'm ailto:daniel\_burneNOSPAM@y=  
ahoo.com"&gt;daniel\_burne=3D<BR>&gt;&gt;NOSPAM@yahoo.com=3D3D&lt;BR&gt;&g=  
t;'&gt;mailto:daniel\_burneNOSPAM@yahoo.com"&gt;d=3D<BR>&gt;&gt;aniel\_burn=  
eNOSPAM@yahoo.com &lt;/A=3D3D&lt;BR&gt;&gt;&gt;=3D3D3D&amp ;lt;BR&gt;&gt;&lt;/A=  
=3D<BR>&gt;&gt;<BR> &gt;&gt;&gt;&gt;=3D3D3D20&lt;BR&gt;& amp;gt;=3D20 <BR>&gt;&gt;g=  
t;<BR>&gt;&gt;=20  
=3D3D20&lt;BR&gt;&gt;&nbsp; wrote in message=20  
&lt;A=3D3D3D20&lt;BR&gt;&gt;=3D20<BR>&gt;&gt;=20  
=3D3D3D&lt;BR&gt;&gt;href=3D3D3D3D"&lt;A=3D3D20&lt;BR&gt;&gt; =  
=3D20<BR>&gt;&gt;=20

=  
=3D<BR> &gt;&gt;=3D3D&lt;BR&gt;&gt;href=3D3D3D'n ews:4308b8a6\$1 @linux"&gt;n=  
ews:4308b8a6\$1 @linux&lt;/=3D<BR> &gt;&gt;A&gt;...&lt;/DIV&gt;&lt;BR&a mp;gt;Hi'=  
&gt;=3D3D&lt;BR&gt;&gt;news:4308b8a6\$1 @linux"&gt;=3D<BR>&gt;&gt;;news:430=  
8b8a6\$1 @linux &lt;/A&gt;...&lt;/DIV&gt;&amp;=3D3D& lt;BR&gt;&gt;lt;BR&gt;H=3D=  
<BR> &gt;&gt;i&lt;/A&gt;,&lt;BR&gt;=3D3D3 D&lt;BR&gt;&gt;&lt;BR&gt;&gt;=3D2=  
0<BR>&gt;&gt;=20  
=3D3D20&lt;BR&gt;&gt;&nbsp; &lt;BR&gt;&lt;BR&gt;Just wondering if =  
anyone has=20  
=3D<BR>&gt;&gt;any idea=3D20<BR>&gt;&gt; how I can =  
=3D3D&lt;BR&gt;&gt;get my=20  
FX=3D3D20&lt;BR&gt;&gt;&nbsp;=20  
=3D<BR> &gt;&gt;=3D3D3D&lt;BR&gt;&gt;presets=3D2 0 <BR>&gt;&gt; =  
to=3D3D3D20&lt;BR&gt;&gt;=20

save&lt;BR&gt;in XP (Paris =3D3D&lt;BR&gt;&gt;v3).=3D20<BR>&gt;&gt;=20  
Whenever=3D3D20&lt;BR&gt;&gt;&nbsp; I reboot I loose =  
them=3D20<BR>&gt;&gt;=20  
=  
=3D3D3D&lt;BR&gt;&gt;all?&lt;BR&gt;& lt;BR&gt;Should=3D3D20&lt;BR&gt;&gt; =  
  
=3D20<BR>&gt;&gt; I=3D3D3D20&lt;BR&gt;&gt; try reinstalling the XP FX =  
subsystem=20  
again? Is=3D20<BR>&gt;&gt; =3D3D&lt;BR&gt;&gt;that ok =  
to=3D3D20&lt;BR&gt;&gt;&nbsp;=20  
do =  
=3D<BR> &gt;&gt;=3D3D3D&lt;BR&gt;&gt;once&lt; ;BR&gt;Paris=3D20 <BR>&gt;&gt; =  
  
is=3D3D3D20&lt;BR&gt;&gt; installed and =3D3D&lt;BR&gt;&gt;has=20  
=3D<BR>&gt;&gt;been=3D3D20&lt;BR&gt;&gt; =3D20<BR>&gt;&gt;=20  
used?&lt;BR&gt;&lt;BR&gt;Thanks for any=3D3D20&lt;BR&gt;&gt; =  
=3D20<BR>&gt;&gt;=20  
=  
=3D<BR> &gt;&gt;=3D3D&lt;BR&gt;&gt;tips.=3D3D3D2 0&lt;BR&gt;&gt;&lt;BR&gt;&=  
lt;BR&gt;Daniel&lt;/BLOCK=3D<BR> &gt;&gt;QUOTE&gt;&lt;/BODY&amp;=3D3D&amp ;lt;B=  
R&gt;&gt;&gt;&lt;/HTML&gt;&lt;BR&gt;& amp;gt;&lt;BR&gt;=3D <BR>&gt;&gt;&gt;&lt;=  
BR&gt;&lt;/BLOCKQUOTE&gt;&lt;/BODY&gt;&a mp;lt;/HTML&gt;&lt;BR& g=  
t;&amp;=3D<BR> &gt;&gt;&gt;&lt;BR&gt;&lt;/BLOCKQUOTE&amp ;gt;&lt;/BODY&gt;&lt;/H=  
TML&gt;<BR>&gt;&gt;<BR>&gt;&gt;<BR>&gt; </BLOCKQUOTE></BODY></HTML>

-----=\_NextPart\_000\_0022\_01C5A704.FFF289C0--This is a multi-part message in MIME format.

-----=\_NextPart\_000\_0039\_01C5A705.8CE06B40  
Content-Type: text/plain;  
charset="iso-8859-1"  
Content-Transfer-Encoding: quoted-printable

Dan,  
I used to get crashes like that when leaving UAD Plugins open while  
going to another project or even just saving. I am also not one to =  
close a=20  
project before jumping to a new one. I save and go to a new one. =20

I'm bad but I'm not sure how bad...?  
Tom  
"Tom Bruhl" <arpeggio@comcast.net> wrote in message =  
news:4309e26d@linux...

Dan,  
A few things to check & try.

I'd look at the plugins list other than Paris. What are you using?  
Anything relatively new that may be causing instability? I've had a =  
few=20

like that. I personally had to return a Radeon graphics card because =  
it

wouldn't play nice with my paris rig. I'm back to a G450 too. Ick.  
Have you made sure the IRQs are in a happy state? What's different  
about the project that crashes most? Different plugins, lots of  
tracks that are of unequal length and many objects? Any stereo  
plugins across tracks that aren't identical in length? There are a =  
few=20

XP tweaks that might help too. Have you monitored your CPU =  
performance

while playing the project? Is it screaming for mercy or at a =  
reasonable level?

Are you moving screens around a lot? This takes up CPU and can be =  
minimized

with a few setting changes and using Macros. Is your audio bin loaded =  
with=20

unused files? Clean it up but make a backup first incase you delete =  
the wrong  
files. =20

Try one thing at a time and look for positive changes.

Tom

"John" <no@no.com> wrote in message news:4309d80e@linux...

I seem to remember that cloning requires you reset the record path =  
and=20  
use a different name.

I also seem to remember that I was Jethro Tull in a previous life.

hmm,

Really don't mind if I sit this one out.

John

dan b wrote:

> Hi Tom,=20

>=20

> Thanks for the suggestions. The files are definitely in the right =  
folder.

> What's particularly odd is that 3 presets have stayed in the main =  
library,

> but no other.=20

>=20

> There is another problems though:

>=20

> I'm getting occasional crashes too, particularly when closing one =  
project

> and opening another. e.g. Unhandled exception c0000005 at address =

0a1723b9.

> Paris then crashes, and the computer freezes, requiring a hardware =  
reset.

>=20

>=20

> I'm on an Althon XP 3000, so I assume hyperthreading isn't a =  
problem. The

> mobo is a AsusA7V880, which has a VIA chipset (any problems =  
here?), and I'm

> using a Raedon VE 9000 or 9200 dual head card (I may try my Matrox =  
G450 to

> see if this makes any difference). There's no other hardware but =  
the one

> EDS (PCI 3).=20

>=20

> I did try a reinstall of XP (Professional) a while back - same =  
problems....

> so I'm guessing something's going on with the hardware... there's =  
just not

> a lot in the machine the to make it go wrong though!

>=20

> Suggetions welcome!

>=20

> D

>=20

>=20

>=20

>=20

>=20

>=20

> "Tom Bruhl" <arpeggio@comcast.net> wrote:

>=20

>>

>>Dan,

>>It sounds like the saves aren't going to the right folder/file.?.

>>

>>Do you see "PARIS\_Fx.var" in your C:\Program Files\EMU\Paris =  
folder? =3D20

>>Do you also see a file named "PARIS\_Fx.var (default)" ? These

>>are both in my Paris folder. I believe the first is the file that

>>holds all your home grown presets (Paris and VST/DX) along=3D20

>>with the stock ones that came with your install. The second =

is=3D20

>>a backup of the stock Paris presets. I'm no tech but you can =  
try=3D20

>>this at your own risk. You are having a problem with one of =  
those=3D20

>>files. If the first is missing then there's your problem. I'd =

remove=3D20

>>the words (default) from the second if that was the case. Others  
>>here should be able to help you with anything deeper than this.  
>>  
>>If you're on XP with a P4 turn off Hyperthreading in the BIOS.  
>>Is Windows crashing? Are you getting blue screens?  
>>  
>>Maybe you have a defective Paris disc?  
>>  
>>Ain't no technician,  
>>Tom  
>> "dan b" <daniel\_burneNOSPAM@yahoo.com> wrote in message =3D  
>>news:4308fee5\$1@linux...  
>>  
>> Ok, so I've reinstalled the FX subsystem. Still no joy. All =  
presets in  
>=20  
> =3D  
>=20  
>>the  
>> main library lost between reboots, and sometimes also restarts of =  
=3D  
>>Paris...  
>> Any more ideas!?!?!  
>>  
>> Thanks,=3D20  
>>  
>> db  
>>  
>> "Tom Bruhl" <arpeggio@comcast.net> wrote:  
>> >  
>> >  
>> >Dan,  
>> >Sounds like a smart move then.  
>> >Tom  
>> > "Dan B" <daniel\_burneNOSPAM@yahoo.com> wrote in message =3D3D  
>> >news:4308cc02\$1@linux...  
>> >  
>> > Hi Tom,=3D3D20  
>> >  
>> > Yup - I'm placing them in the library. They show in other =  
projects  
>=20  
> =3D  
>=20  
>>=3D3D  
>> >once saved,  
>> > until I reboot... then they disappear. I may try reinstalling =

the =3D

```

>>FX =3D3D
>> >subsystem.
>> > In the meantime, suggestions welcome!
>> >
>> > Thanks,=3D3D20
>> >
>> > Dan
>> >
>> > "Tom Bruhl" <arpeggio@comcast.net> wrote:
>> > >
>> > >
>> > >Daniel,
>> > >You are dragging them into the lower bin before quitting =
right?
>> > >This adds them to your user presets for other projects.
>> > >Tom
>> > >
>> > > "dan b" <daniel_burneNOSPAM@yahoo.com> wrote in message =
=3D3D3D
>> > >news:4308b8a6$1@linux...
>> > >
>> > > Hi,=3D3D3D20
>> > >
>> > > Just wondering if anyone has any idea how I can get my FX =
=3D
>>presets =3D3D
>> >to =3D3D3D
>> > >save
>> > > in XP (Paris v3). Whenever I reboot I loose them all?
>> > >
>> > > Should I try reinstalling the XP FX subsystem again? Is =
that ok
>=20
> =3D
>=20
>>to
>> =3D3D
>> >do
>> > =3D3D3D
>> > >once
>> > > Paris is installed and has been used?
>> > >
>> > > Thanks for any tips.=3D3D3D20
>> > >
>> > > Daniel
>> > >
>> > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =

```



```

Transitional//EN">
  >> ><HTML><HEAD>
  >> ><META http-equiv=3D3D3D3DContent-Type =
content=3D3D3D3D"text/html; =3D
  >>=3D3D3D
  >> >charset=3D3D3D3Diso-8859-1">
  >> ><META content=3D3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3D3DGENERATOR>
  >> ><STYLE></STYLE>
  >> ></HEAD>
  >> ><BODY bgColor=3D3D3D3D#ffffff>
  >> ><DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>Daniel,</FONT></DIV>
  >> ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>You are dragging =
them =3D
  >>into the =3D3D
  >> >lower =3D3D3D
  >> > >bin before=3D3D3D20
  >> > >quitting right?</FONT></DIV>

```

---

Subject: Re: FX presets not saving (XP) and other XP problems... help!  
 Posted by [Tom Bruhl](#) on Mon, 22 Aug 2005 14:37:52 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

```

r />
  >> ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>This adds them =
to your =3D
  >>user =3D3D
  >> >presets for
  >> >=3D3D3D
  >> > >other=3D3D3D20
  >> > >projects.</FONT></DIV>
  >> ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Tom</FONT></DIV>
  >> ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
  >> ><BLOCKQUOTE=3D3D3D20
  >> > >style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
MARGIN-LEFT: =3D
  >> >5px; =3D3D
  >> >=3D3D3D
  >> > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  >> > > <DIV>"dan b" <<A=3D3D3D20
  >> > > =3D3D3D
  >> > >=3D3D
  >> >=3D
  >>
  >>
  >>>>href=3D3D3D3D"mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM=

```

```

@yah=3D
>>
>>oo.=3D3D
>> >com=3D3D3D
>> > ></A>=3D3D3D20
>> > > wrote in message <A=3D3D3D20
>> > > =3D3D3D
>> > =3D3D
>> =3D
>>
=
>>>>href=3D3D3D3D"news:4308b8a6$1 @linux">news:4308b8a6$1 @linux</A>...</DI=
V><B=3D
>>
>>R>H=3D3D
>> >i,
>> > =3D3D3D
>> > >
>> > > <BR><BR>Just wondering if anyone has any idea how I can get =
my =3D
>>FX =3D3D
>> >=3D3D3D
>> > >presets to=3D3D3D20
>> > > save<BR>in XP (Paris v3). Whenever I reboot I loose them =
=3D3D3D
>> > >all?<BR><BR>Should I=3D3D3D20
>> > > try reinstalling the XP FX subsystem again? Is that ok to =
do =3D
>>=3D3D3D
>> > >once<BR>Paris is=3D3D3D20
>> > > installed and has been used?<BR><BR>Thanks for any =
tips.=3D3D3D20
>> > ><BR><BR>Daniel</BLOCKQUOTE></BODY></HTML>
>> > >
>> > >
>> >
>> >
>> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
>> ><HTML><HEAD>
>> ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =
=3D3D
>> >charset=3D3D3Diso-8859-1">
>> ><META content=3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3DGENERATOR>
>> ><STYLE></STYLE>
>> ></HEAD>
>> ><BODY bgColor=3D3D3D#ffffff>
>> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Dan,</FONT></DIV>

```

>> <DIV><FONT face=Arial size=2>Sounds like a smart =  
move =  
>> >then.</FONT></DIV>  
>> <DIV><FONT face=Arial size=2>Tom</FONT></DIV>  
>> <BLOCKQUOTE=  
>> >style="PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =  
5px; =  
>>=  
>> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">  
>> > <DIV>"Dan B" <<A=  
>> > =  
>> =  
>>  
=  
>>>href="mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@ya=  
hoo.=  
>>  
>>com=  
>> </A>=&br/>>> > wrote in message <A=  
>> > =  
>> =  
>>  
=  
>>>href="news:4308cc02\$1 @linux">news:4308cc02\$1 @linux</A>...</DIV><=  
BR>H=  
>>  
>>i  
>> =  
>> >Tom,=  
>> > <BR><BR>Yup - I'm placing them in the library. They show in =  
other =  
>>=  
>> >projects=  
>> > once saved,<BR>until I reboot... then they disappear. I may =  
try =  
>> >reinstalling=  
>> > the FX subsystem.<BR>In the meantime, suggestions =  
>> >welcome!<BR><BR>Thanks,=  
>> > <BR><BR>Dan<BR><BR>"Tom Bruhl" <<A=  
>> > =  
href="mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>=&br/>>> > wrote:<BR>><BR>><BR>>Daniel,<BR>>You are dragging them =  
>> >into the=  
>> > lower bin before quitting right?<BR>>This adds them to your =  
user =  
>>=  
>> >presets=

>> > for other projects.<BR>>Tom<BR>><BR>> "dan b" <<A=3D3D20  
>> > =3D3D  
>> =3D  
>>  
=  
>>>href=3D3D3D"mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@ya=  
hoo.=3D  
>>  
>>com=3D3D  
>> ></A>>=3D3D20  
>> > wrote in message =3D3D  
>> >=3D3D3D<BR>>news:4308b8a6\$1@linux...<BR>><BR>> =3D3D20  
>> > Hi,=3D3D3D20<BR>><BR>> Just wondering if anyone has any idea =  
=3D3D  
>> >how I can=3D3D20  
>> > get my FX presets to =3D3D3D<BR>>save<BR>> in XP (Paris v3). =  
=3D3D  
>> >Whenever I=3D3D20  
>> > reboot I loose them all?<BR>><BR>> Should I try =3D3D  
>> >reinstalling the=3D3D20  
>> > XP FX subsystem again? Is that ok to =3D3D  
>> >do<BR>=3D3D3D<BR>>once<BR>> Paris=3D3D20  
>> > is installed and has been used?<BR>><BR>> Thanks for =  
any=3D3D20  
>> > tips.=3D3D3D20<BR>><BR>> Daniel<BR>><BR>><!DOCTYPE =3D3D  
>> >HTML PUBLIC=3D3D20  
>> > "-//W3C//DTD HTML 4.0=3D3D20  
>> > Transitional//EN"><BR>><HTML><HEAD><BR>><META=3D3D20  
>> > http-equiv=3D3D3D3DContent-Type =  
content=3D3D3D3D"text/html;=3D3D20  
>> > =3D3D3D<BR>>charset=3D3D3D3Diso-8859-1"><BR>><META =3D3D  
>> >content=3D3D3D3D"MSHTML=3D3D20  
>> > 6.00.2800.1400"=3D3D20  
>> > =3D3D  
>> >name=3D3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D3D  
>> >D><BR>><BODY=3D3D20  
>> > bgColor=3D3D3D3D#ffffff><BR>><DIV><FONT =  
face=3D3D3D3DArial=3D3D20  
>> > =3D3D  
>> >size=3D3D3D3D2>Daniel,</FONT></DIV><BR>><DIV><FONT=3D3D  
>> >=3D3D20  
>> > face=3D3D3D3DArial size=3D3D3D3D2>You are dragging them into =  
the lower  
>=20  
> =3D  
>=20  
>>=3D3D  
>> >=3D3D3D<BR>>bin=3D3D20

```

>> > before=3D3D3D20<BR>>quitting=3D3D20
>> > right?</FONT></DIV><BR>><DIV><FONT =3D3D
>> >face=3D3D3D3DArial=3D3D20
>> > size=3D3D3D3D2>This adds them to your user presets=3D3D20
>> > =3D3D
>> =
>for<BR>=3D3D3D<BR>>other=3D3D3D20<BR>>projects.</FONT ></DIV><BR=3D3D
>> >>><DIV><FONT=3D3D20
>> > face=3D3D3D3DArial=3D3D20
>> > size=3D3D3D3D2>Tom</FONT></DIV>><DIV><FONT=3D3D20
>> > face=3D3D3D3DArial size=3D3D3D3D2></FONT>=3D3D20
>> > =3D3D
>> =
></DIV><BR>><BLOCKQUOTE=3D3D3D20<BR>>style=3D3D3D3D"PADDING-RIGHT: =3D3D
>> >0px;=3D3D20
>> > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D3D<BR>>BORDER-LEFT: =
#000000
>=20
> =3D
>=20
>>=3D3D
>> >2px solid;=3D3D20
>> > MARGIN-RIGHT: 0px"><BR>> <DIV>"dan b"=3D3D20
>> > <<A=3D3D3D20<BR>> =3D3D3D<BR>>href=3D3D3D3D"<A=3D3D20
>> > =3D3D
>> =3D
>>
=
>>>href=3D3D3D'mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@ya=
hoo.=3D
>>
>>com=3D3D
>> =3D
>>
=
>>>'>mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com</A=
=3D3D=3D
>>
>> >>=3D3D3D<BR>></A>>=3D3D3D20<BR>> =3D3D20
>> > wrote in message <A=3D3D3D20<BR>> =
=3D3D3D<BR>>href=3D3D3D3D"<A=3D3D20
>> > =3D3D
>> =3D
>>
=
>>>href=3D3D3D'news:4308b8a6$1 @linux">news:4308b8a6$1 @linux</A>...</DIV><=
BR>H=3D
>>

```

```

>>i'>=3D3D
>> >news:4308b8a6$1@linux">news:4308b8a6$1@linux</A>...</DIV>&=3D3D
>> >lt;BR>Hi</A>,<BR>=3D3D3D<BR>><BR>> =3D3D20
>> > <BR><BR>Just wondering if anyone has any idea how I can =3D3D
>> >get my FX=3D3D20
>> > =3D3D3D<BR>>presets to=3D3D3D20<BR>> save<BR>in XP (Paris =
=3D3D
>> >v3). Whenever=3D3D20
>> > I reboot I loose them =3D3D3D<BR>>all?<BR><BR>Should=3D3D20
>> > I=3D3D3D20<BR>> try reinstalling the XP FX subsystem again? Is =
=3D3D
>> >that ok to=3D3D20
>> > do =3D3D3D<BR>>once<BR>Paris is=3D3D3D20<BR>> installed and =
=3D3D
>> >has been=3D3D20
>> > used?<BR><BR>Thanks for any=3D3D20
>> > =3D3D
>> >tips.=3D3D3D20<BR>><BR><BR>Daniel</BLOCKQUOTE></BODY&=3D3D
>> >gt;</HTML><BR>><BR>><BR></BLOCKQUOTE></BODY></HTML>
>> >
>> >
>> >
>>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
>><HTML><HEAD>
>><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
>>charset=3D3Diso-8859-1">
>><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
>><STYLE></STYLE>
>></HEAD>
>><BODY bgColor=3D3D#ffffff>
>><DIV><FONT face=3D3DArial size=3D3D2>Dan,</FONT></DIV>
>><DIV><FONT face=3D3DArial size=3D3D2>It sounds like the saves =
aren't going =3D
>>to the right=3D20
>>folder/file.?.</FONT></DIV>
>><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
>><DIV><FONT face=3D3DArial size=3D3D2>Do you see "PARIS_Fx.var" in =
your =3D
>>C\Program=3D20
>>Files\EMU\Paris folder? </FONT></DIV>
>><DIV><FONT face=3D3DArial size=3D3D2>Do you </FONT><FONT =
face=3D3DArial =3D
>>size=3D3D2>also see a=3D20
>>file named "PARIS_Fx.var (default)" ? These</FONT></DIV>
>><DIV><FONT face=3D3DArial size=3D3D2>are both in my Paris =3D
>>folder. I believe=3D20
>>the first is the file that</FONT></DIV>

```

>><DIV><FONT face=3D3DArial size=3D3D2>holds all your home grown =  
presets =3D  
>>(Paris and=3D20  
>>VST/DX) along </FONT></DIV>  
>><DIV><FONT face=3D3DArial size=3D3D2>with the stock </FONT><FONT =  
=3D  
>>face=3D3DArial size=3D3D2>ones=3D20  
>>that came with your install. The second is </FONT></DIV>  
>><DIV><FONT face=3D3DArial size=3D3D2>a backup </FONT><FONT =  
face=3D3DArial =3D  
>>size=3D3D2>of the=3D20  
>>stock Paris presets. I'm no tech but you can try =3D  
>></FONT></DIV>  
>><DIV><FONT size=3D3D2><FONT face=3D3DArial><FONT>this =  
</FONT><FONT><EM>at =3D  
>>your own=3D20  
>>risk</EM>. You are having </FONT>a problem with one of those=3D20  
>></FONT></FONT></DIV>  
>><DIV>files. If the first is missing then <FONT face=3D3DArial =3D  
>>size=3D3D2>there's=3D20  
>>your problem. I'd remove </FONT></DIV>  
>><DIV><FONT face=3D3DArial size=3D3D2>the words (default) from the =  
=3D  
>></FONT><FONT=3D20  
>>face=3D3DArial size=3D3D2>second if that was the case. =3D  
>>Others</FONT></DIV>  
>><DIV><FONT face=3D3DArial size=3D3D2>here should be able to help =  
you =3D  
>>with anything=3D20  
>>deeper than this.</FONT></DIV>  
>><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>  
>><DIV><FONT face=3D3DArial size=3D3D2>If you're on XP with a P4 =  
turn off =3D  
>>Hyperthreading=3D20  
>>in the BIOS.</FONT></DIV>  
>><DIV><FONT face=3D3DArial size=3D3D2>Is Windows crashing? Are you =  
getting =3D  
>>blue=3D20  
>>screens?</FONT></DIV>  
>><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>  
>><DIV><FONT face=3D3DArial size=3D3D2>Maybe you have a defective =  
Paris =3D  
>>disc?</FONT></DIV>  
>><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>  
>><DIV><FONT face=3D3DArial size=3D3D2>Ain't no =  
technician,</FONT></DIV>  
>><DIV><FONT face=3D3DArial size=3D3D2>Tom</FONT></DIV>  
>><BLOCKQUOTE=3D20

>>style="padding-right: 0px; padding-left: 5px; margin-left: 5px; border-left: 2px solid #000000; margin-right: 0px">  
>> <div>"dan b" <a href="mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yahoo.com</a><br></div><br>  
>> wrote in message <news:4308fee5\$1@linux">news:4308fee5\$1@linux</a>...</div><br>=

Ok,  
>=20  
>=20  
>>so I've  
>> reinstalled the FX subsystem. Still no joy. All presets in the main library  
>=20  
>=20  
>>lost between reboots, and sometimes also restarts of Paris...<br>Any more ideas!?!<br><br>Thanks, <br><br>db<br><br>"Tom Bruhl" <a href="mailto:arpegio@comcast.net">arpegio@comcast.net</a><br><br>>> wrote:<br><br><br>> Dan,<br><br>Sounds like a smart move then.<br><br> Tom<br><br> "Dan B" <a href="mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yahoo.com</a><br><br>>> wrote in message <news:4308cc02\$1@linux...><br><br>>> Hi<br><br> Tom,<br><br> Yup - I'm placing them in the library. They show in other projects once saved, until I reboot... then they disappear. I may try reinstalling the FX subsystem.<br><br> In the meantime, suggestions welcome!<br><br> Thanks,<br><br> Dan<br><br> "Tom Bruhl" <a href="mailto:arpegio@comcast.net">arpegio@comcast.net</a><br><br>>> =



href="mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>=  
>> wrote:<BR>> ><BR>> ><BR>> =  
>> >Daniel,<BR>> >You are dragging them into the lower bin =  
>>before=  
>> quitting right?<BR>> >This adds them to your user presets =  
>>for=  
>> other projects.<BR>> >Tom<BR>> ><BR>> =  
>>  
>> > "dan b" <<A=  
>> =  
=  
>>href="mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yahoo=  
..com=  
>></A>=  
>> wrote in message =  
>>  
>>>news:4308b8a6\$1@linux...<BR>> =  
>>  
>> ><BR>> > Hi,=  
>>  
>>><BR>> =  
>>  
>> > Just wondering if anyone has any idea how I can get my FX =  
>>presets=  
>> =  
>>XP (Paris=  
>> v3). Whenever I reboot I loose them all?<BR>> =  
>>  
>>><BR>> =  
>>  
>> > Should I try reinstalling the XP FX subsystem again? Is =  
>>that ok=  
>> to<BR>=<BR>>do<BR>> =  
>>  
>>>once<BR>> =  
>>  
>> > Paris is installed and has been used?<BR>> =  
>> ><BR>> > Thanks for any =  
>>tips.=  
>> ><BR>> > Daniel<BR>> ><BR>> =  
>> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=  
>> Transitional//EN"><BR>> =  
>>  
>>><HTML><HEAD><BR>> =  
>>  
>> ><META http-equiv=Content-Type =  
content="text/html;=  
>> =  
>> > charset=Diso-8859-1"><BR>> =

```

>>
>>><META=3D20
>>
>> content=3D3D3D3D"MSHTML 6.00.2800.1400" =3D
>>name=3D3D3D3DGENERATOR><BR>> =3D20
>> ><STYLE></STYLE><BR>> =3D
>>
>>></HEAD><BR>> =3D20
>>
>> ><BODY bgColor=3D3D3D3D#ffffff><BR>> =3D
>>
>>><DIV><FONT=3D20
>>
>> face=3D3D3D3DArial =3D
>>size=3D3D3D3D2>Daniel,</FONT></DIV><BR>> =3D20
>> ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>You are =3D
>>dragging them=3D20
>> into the =3D3D<BR>>lower =3D3D3D<BR>> >bin =3D
>>before=3D3D3D20<BR>> =3D20
>> >quitting right?</FONT></DIV><BR>> =3D20
>> ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>This adds =3D
>>them to your=3D20
>> user =3D3D<BR>>presets for<BR>> =3D3D3D<BR>> =3D20
>> >other=3D3D3D20<BR>> =3D20
>> >projects.</FONT></DIV><BR>> =3D
>>
>>><DIV><FONT=3D20
>>
>> face=3D3D3D3DArial =3D
>>size=3D3D3D3D2>Tom</FONT></DIV><BR>> =3D20
>> ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D
>>
>> </DIV><BR>> ><BLOCKQUOTE=3D3D3D20<BR>> =3D20
>> >style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
MARGIN-LEFT: =3D
>>5px;=3D20
>> =3D3D<BR>>=3D3D3D<BR>> >BORDER-LEFT: #000000 2px solid; =3D
>>MARGIN-RIGHT:=3D20
>> 0px"><BR>> > <DIV>"dan b"=3D20
>> <<A=3D3D3D20<BR>> > =3D3D3D<BR>> =3D20
>> =3D3D<BR>>>href=3D3D3D3D"<A=3D20
>> =3D
=
>>href=3D3D'mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo=
'>ma=3D
=
>>mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo</A>.=3D3D<B=
R=3D

```

```

>>
>>>com=3D3D3D<BR>> =3D20
>>
>> </A>=3D3D3D20<BR>> > wrote in message=3D20
>> <A=3D3D3D20<BR>> > =3D3D3D<BR>> =3D20
>> =3D3D<BR>>>href=3D3D3D3D"<A=3D20
>> =3D
=
>>href=3D3D'news:4308b8a6$1 @linux">news:4308b8a6$1 @linux</A>...</DIV><BR>=
H'>n=3D
>>ews:4308b8a6$1 @linux">news:4308b8a6$1 @linux</A>...</DIV>&l=3D
>>t;BR>H</A>=3D3D<BR>>i,<BR>> =3D20
>> =3D3D3D<BR>> ><BR>> > =3D
>><BR><BR>Just=3D20
>> wondering if anyone has any idea how I can get my FX=3D20
>> =3D3D<BR>>=3D3D3D<BR>> >presets to=3D3D3D20<BR>> =3D
>>
>>> =3D20
>>
>> save<BR>in XP (Paris v3). Whenever I reboot I loose them=3D20
>> =3D3D3D<BR>> >all?<BR><BR>Should =3D
>>l=3D3D3D20<BR>> =3D20
>> > try reinstalling the XP FX subsystem again? Is that ok to =3D
>>do=3D20
>> =3D3D3D<BR>> >once<BR>Paris is=3D3D3D20<BR>> =3D
>>
>>> =3D20
>>
>> installed and has been used?<BR><BR>Thanks for any=3D20
>> tips.=3D3D3D20<BR>> =3D20
>> =3D
>>
>>><BR><BR>Daniel</BLOCKQUOTE></BODY></HTML&g=3D
>>
>>t;<BR>> =3D20
>> ><BR>> ><BR>><BR>><BR>><!DOCTYPE HTML =3D
>>PUBLIC=3D20
>> "-//W3C//DTD HTML 4.0=3D20
>> Transitional//EN"><BR>><HTML><HEAD><BR>><META=3D20
>> http-equiv=3D3D3DContent-Type content=3D3D3D"text/html;=3D20
>> =3D3D<BR>>>charset=3D3D3Diso-8859-1"><BR>><META =3D
>>content=3D3D3D"MSHTML=3D20
>> 6.00.2800.1400"=3D20
>> =3D
>>name=3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D
>>D><BR>><BODY=3D20
>> bgColor=3D3D3D#ffffff><BR>><DIV><FONT face=3D3D3DArial=3D20
>> size=3D3D3D2>Dan,</FONT></DIV><BR>><DIV><FONT =3D

```

```

>>
>> face=Arial size=2>Sounds like a smart move=2
>> =3D<BR>>then.</FONT></DIV><BR>><DIV><FONT=20
>> face=Arial=20
>> =3D
>>size=2>Tom</FONT></DIV><BR>><BLOCKQUOTE=20<BR >=3D
>>
>>>style=3D"PADDING-RIGHT:=20
>>
>> 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D<BR>>BORDER-LEFT: =
=3D
>>#000000 2px=20
>> solid; MARGIN-RIGHT: 0px"><BR>> <DIV>"Dan B"=20
>> <<A=20<BR>> =3D<BR>>href=3D"A=20
>> =3D
=
>>href=3D'mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo=
..com=3D
=
>>'mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com</A=3D=

>>
>>=3D<BR>></A>>=3D<BR>> =3D20
>>
>> wrote in message <A=20<BR>> =3D<BR>>href=3D"A=20
>> =3D
=
>>href=3D'news:4308cc02$1 @linux">news:4308cc02$1 @linux</A>...</DIV><BR>=
Hi'=3D
>>news:4308cc02$1 @linux">news:4308cc02$1 @linux</A>...</DIV>&=3D
>>lt;BR>Hi</A><BR>=3D<BR>>Tom,=3D<BR>> =3D20
>> <BR><BR>Yup - I'm placing them in the library. They show =3D
>>in other=3D20
>> =3D<BR>>projects=3D<BR>> once saved,<BR>until I =3D
>>reboot... then=3D20
>> they disappear. I may try =3D<BR>>reinstalling=3D<BR>> =3D
>>the FX=3D20
>> subsystem.<BR>In the meantime, suggestions=3D20
>> =3D<BR>>welcome!<BR><BR>Thanks,=3D<BR>> =3D20
>> <BR><BR>Dan<BR><BR>"Tom Bruhl"=3D20
>> <<A=20<BR>> href=3D"A=20
>> =3D
=
>>href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net</A>>=3D'>=
mailto=3D
>>:arpegio@comcast.net">arpegio@comcast.net</A>>=3D</A><BR>&g=3D
>>t; =3D20
>> =3D

```

```

>>wrote:<BR>><BR>><BR>>Daniel,<BR>>You =3D
>>are=3D20
>> dragging them =3D3D<BR>>into the=3D3D20<BR>> lower bin before =
=3D
>>quitting=3D20
>> right?<BR>>This adds them to your user=3D20
>> =3D3D<BR>>presets=3D3D20<BR>> for other=3D20
>> projects.<BR>>Tom<BR>><BR>> "dan b"=3D20
>> <<A=3D3D20<BR>> =3D3D<BR>>href=3D3D3D"<A=3D20
>> =3D
=
>>href=3D3D'mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo=
..com=3D
=
>>'mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com</A=3D=

>>
>>=3D3D<BR>></A>>=3D3D20<BR>> =3D20
>>
>> wrote in message=3D20
>> =3D
>>=3D3D<BR>>=3D3D3D<BR>>news:4308b8a6$1@linux...<BR>><B=3D
>>R>>=3D20
>> =3D3D20<BR>> Hi,=3D3D3D20<BR>><BR>> Just =3D
>>wondering if=3D20
>> anyone has any idea =3D3D<BR>>how I can=3D3D20<BR>> get my FX =
=3D
>>presets to=3D20
>> =3D3D3D<BR>>save<BR>> in XP (Paris v3). =3D
>>=3D3D<BR>>Whenever=3D20
>> I=3D3D20<BR>> reboot I loose them =3D
>>all?<BR>><BR>> Should=3D20
>> I try =3D3D<BR>>reinstalling the=3D3D20<BR>> XP FX subsystem =3D
>>again? Is=3D20
>> that ok to =3D
>>=3D3D<BR>>do<BR>=3D3D3D<BR>>once<BR>>=3D20
>> Paris=3D3D20<BR>> is installed and has been=3D20
>> used?<BR>><BR>> Thanks for any=3D3D20<BR>> =3D20
>> tips.=3D3D3D20<BR>><BR>>=3D20
>> Daniel<BR>><BR>><!DOCTYPE =3D3D<BR>>HTML=3D20
>> PUBLIC=3D3D20<BR>> "-//W3C//DTD HTML 4.0=3D3D20<BR>> =3D20
>> =3D
>>Transitional//EN"><BR>><HTML><HEAD><BR>>=3D
>><META=3D3D20<BR>> =3D20
>> http-equiv=3D3D3D3DContent-Type =3D
>>content=3D3D3D3D"text/html;=3D3D20<BR>> =3D20
>> =3D3D3D<BR>>charset=3D3D3D3Diso-8859-1"><BR>><META =3D
>>

```

```

>> content="MSHTML"
>>6.00.2800.1400"
>>
>>name="GENERATOR"<STYLE></STYLE>
>>gt;<BR></HEAD><BODY>
>>gt;
>> bgColor="#ffffff"<DIV><FONT
>> face="Arial"
>>
>>size="2">Daniel,</FONT></DIV>
>><DIV><FONT>
>> face="Arial" size="2">You are dragging them into the =
lower
>>
>> bin="bin"
>> before="quitting"
>> right?</FONT></DIV><DIV><FONT
>> face="Arial" size="2">This
>>adds them to your
>> user presets
>>
>>for<BR>other<BR>proj=3
>>ects.</FONT></DIV><BR>>><DIV><FON
>>T=
>> face="Arial"
>>
>>size="2">Tom</FONT></DIV><BR>><DIV><=3
>>FONT
>> face="Arial" size="2"></FONT>
>>
>></DIV><BR>><BLOCKQUOTE>s=3
>>tyle="PADDING-RIGHT:
>> 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 3
>>5px;
>> BORDER-LEFT: #000000 2px
>>solid;
>> MARGIN-RIGHT: 0px"><DIV>"dan
>>b"
>> <<A
>> href="mailto:daniel_burneNOSPAM@yahoo.com">daniel_burne=
=
>>mailto:daniel_burneNOSPAM@yahoo.com">d=3
>>aniel_burneNOSPAM@yahoo.com</A>>><BR>></A>
>>
>>>

```

>>  
>> =3D3D20<BR>> wrote in message <A=3D3D3D20<BR>>=3D20  
>> =3D3D3D<BR>>href=3D3D3D3D" <A=3D3D20<BR>> =3D20  
>> =3D  
=  
>>=3D3D<BR>>href=3D3D3D'news:4308b8a6\$1 @linux">news:4308b8a6\$1 @linux</=3D=

>>A>...</DIV><BR>Hi'>=3D3D<BR>>news:4308b8a6\$1 @linux">=3D  
>>;news:4308b8a6\$1 @linux</A>...</DIV>&=3D3D<BR>>lt;BR>H=3D  
>>i</A>,<BR>=3D3D3D<BR>><BR>>=3D20  
>> =3D3D20<BR>> <BR><BR>Just wondering if anyone has =3D  
>>any idea=3D20  
>> how I can =3D3D<BR>>get my FX=3D3D20<BR>> =3D  
>>=3D3D3D<BR>>presets=3D20  
>> to=3D3D3D20<BR>> save<BR>in XP (Paris =3D3D<BR>>v3).=3D20  
>> Whenever=3D3D20<BR>> I reboot I loose them=3D20  
>> =3D3D3D<BR>>all?<BR><BR>Should=3D3D20<BR>> =3D20  
>> I=3D3D3D20<BR>> try reinstalling the XP FX subsystem again? =

Is=3D20

>> =3D3D<BR>>that ok to=3D3D20<BR>> do =3D  
>>=3D3D3D<BR>>once<BR>Paris=3D20  
>> is=3D3D3D20<BR>> installed and =3D3D<BR>>has =3D  
>>been=3D3D20<BR>> =3D20  
>> used?<BR><BR>Thanks for any=3D3D20<BR>> =3D20  
>> =3D  
>>=3D3D<BR>>tips.=3D3D3D20<BR>><BR><BR>Daniel</BLOCK=3D  
>>QUOTE></BODY&=3D3D<BR>>gt;</HTML><BR>><BR>=3D  
>>;<BR></BLOCKQUOTE></BODY></HTML><BR>><BR>&=3D  
>>gt;<BR></BLOCKQUOTE></BODY></HTML>  
>>  
>>  
>

-----=\_NextPart\_000\_0039\_01C5A705.8CE06B40

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =

charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV><FONT face=3DArial size=3D2>Dan,</FONT></DIV>

<DIV><FONT face=3DArial size=3D2>I used to get crashes like that when =  
leaving UAD=20

Plugins open while

going to another project or even just = saving.

I am also not one to close a

project before

jumping to a new one. I save and go to a new one.

I'm bad

but I'm not

sure how = bad...?

Tom

Tom Bruhl" & wrote = in message =

news:4309e26d@linux>...</DIV>

Dan,

A few things to check & = try.

I'd look at the plugins list other = than

Paris. What are you using?

Anything relatively new that may be = causing

instability? I've had a few

like that.

I personally had to return a Radeon graphics card because =

it

wouldn't play nice with my paris = rig. I'm

back to a G450 too. lck.

Have you made sure the IRQs are in a = happy

state? What's different

about the project that crashes = most?

Different plugins, lots of

tracks that are of unequal length and = many

objects? Any stereo

plugins across tracks that aren't =



identical in=20  
length?&nbsp; There are a few </FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>XP tweaks that might help too.&nbsp; =  
Have you=20  
monitored your CPU performance</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>while playing the project?&nbsp; Is =  
it screaming=20  
for mercy or at a reasonable level?</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>Are you moving screens around a =  
lot?&nbsp; This=20  
takes up CPU and can be minimized</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>with a few setting changes and using=20  
Macros.&nbsp; Is your audio bin loaded with </FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>unused files?&nbsp; Clean it up but =  
make a backup=20  
first incase you delete the wrong</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>files.&nbsp; </FONT></DIV>  
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>  
<DIV><FONT face=3DArial size=3D2>Try one thing at a time&nbsp;and look =  
for=20  
positive changes.</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>  
<BLOCKQUOTE=20  
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =  
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">  
<DIV>"John" &lt;<A href=3D"mailto:no@no.com">no@no.com</A>&gt; wrote =  
in=20  
message <A =  
href=3D"news:4309d80e@linux">news:4309d80e@linux</A>...</DIV>I seem=20  
to remember that cloning requires you reset the record path and =  
<BR>use a=20  
different name.<BR><BR>I also seem to remember that I was Jethro =  
Tull in a=20  
previous life.<BR><BR>hmm,<BR>Really don't mind if I sit this one=20  
out.<BR>John<BR><BR>dan b wrote:<BR>&gt; Hi Tom, <BR>&gt; <BR>&gt; =  
Thanks=20  
for the suggestions. The files are definitely in the right =  
folder.<BR>&gt;=20  
What's particularly odd is that 3 presets have stayed in the main=20  
library,<BR>&gt; but no other. <BR>&gt; <BR>&gt; There is another =  
problems=20  
though:<BR>&gt; <BR>&gt; I'm getting occasional crashes too, =  
particularly=20  
when closing one project<BR>&gt; and opening another. e.g. Unhandled =  
  
exception c0000005 at address 0a1723b9.<BR>&gt; Paris then crashes, =  
and the=20

computer freezes, requiring a hardware reset.<BR>&gt; <BR>&gt; =  
<BR>&gt; I'm=20  
on an Althon XP 3000, so I assume hyperthreading isn't a problem.=20  
The<BR>&gt; mobo is a AsusA7V880, which has a VIA chipset (any =  
problems=20  
here?), and I'm<BR>&gt; using a Raedon VE 9000 or 9200 dual head =  
card (I may=20  
try my Matrox G450 to<BR>&gt; see if this makes any difference). =  
There's no=20  
other hardware but the one<BR>&gt; EDS (PCI 3). <BR>&gt; <BR>&gt; I =  
did try=20  
a reinstall of XP (Professional) a while back - same =  
problems....<BR>&gt; so=20  
I'm guessing something's going on with the hardware... there's just=20  
not<BR>&gt; a lot in the machine the to make it go wrong =  
though!<BR>&gt;=20  
<BR>&gt; Suggetions welcome!<BR>&gt; <BR>&gt; D<BR>&gt; <BR>&gt; =  
<BR>&gt;=20  
<BR>&gt; <BR>&gt; <BR>&gt; <BR>&gt; "Tom Bruhl" &lt;<A=20  
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>&gt; =  
wrote:<BR>&gt;=20  
<BR>&gt;&gt;<BR>&gt;&gt;Dan,<BR>&gt;&gt;It sounds like the saves =  
aren't=20  
going to the right folder/file.?.<BR>&gt;&gt;<BR>&gt;&gt;Do you see=20  
"PARIS\_Fx.var" in your C:\Program Files\EMU\Paris folder? =  
=3D20<BR>&gt;&gt;Do=20  
you also see a file named "PARIS\_Fx.var (default)" ?&nbsp;=20  
These<BR>&gt;&gt;are both in my Paris folder.&nbsp; I believe the =  
first is=20  
the file that<BR>&gt;&gt;holds all your home grown presets (Paris =  
and=20  
VST/DX) along=3D20<BR>&gt;&gt;with the stock ones that came with =  
your=20  
install.&nbsp; The second is=3D20<BR>&gt;&gt;a backup of the stock =  
Paris=20  
presets.&nbsp; I'm no tech but you can try=3D20<BR>&gt;&gt;this at =  
your own=20  
risk.&nbsp; You are having a problem with one of=20  
those=3D20<BR>&gt;&gt;files.&nbsp; If the first is missing then =  
there's your=20  
problem.&nbsp; I'd remove=3D20<BR>&gt;&gt;the words (default) from =  
the second=20  
if that was the case.&nbsp; Others<BR>&gt;&gt;here should be able to =  
help=20  
you with anything deeper than this.<BR>&gt;&gt;<BR>&gt;&gt;If you're =  
on XP=20  
with a P4 turn off Hyperthreading in the BIOS.<BR>&gt;&gt;Is Windows =

crashing? Are you getting blue screens?<BR>&gt;<BR>&gt;Maybe =  
you=20  
have a defective Paris disc?<BR>&gt;<BR>&gt;Ain't no=20  
technician,<BR>&gt;&gt;Tom<BR>&gt;&gt; "dan b" &lt;<A=20  
=  
[daniel\\_burneNOSPAM@yahoo.com](mailto:daniel_burneNOSPAM@yahoo.com)=  
</A>&gt;=20  
wrote in message=20  
=3D<BR>&gt;&gt;news:4308fee5\$1 @linux...<BR>&gt;&gt;<BR>&gt;&gt; Ok, =  
so I've=20  
reinstalled the FX subsystem. Still no joy. All presets in<BR>&gt; =  
<BR>&gt;=20  
=3D<BR>&gt;&gt; <BR>&gt;&gt;the<BR>&gt;&gt; main library lost between =  
reboots, and=20  
sometimes also restarts of =3D<BR>&gt;&gt;Paris...<BR>&gt;&gt; Any =  
more=20  
ideas!?!?!<BR>&gt;&gt;<BR>&gt;&gt; =  
Thanks,=3D20<BR>&gt;&gt;<BR>&gt;&gt;=20  
db<BR>&gt;&gt;<BR>&gt;&gt; "Tom Bruhl" &lt;<A=20  
[arpegio@comcast.net](mailto:arpegio@comcast.net)</A>&gt;=20  
wrote:<BR>&gt;&gt; &gt;<BR>&gt;&gt;&gt; &gt;<BR>&gt;&gt;&gt; =  
&gt;&gt;Dan,<BR>&gt;&gt;=20  
&gt;&gt;Sounds like a smart move then.<BR>&gt;&gt; &gt;&gt;Tom<BR>&gt;&gt;=20  
&gt;&gt;&nbsp; "Dan B" &lt;<A=20  
=  
[daniel\\_burneNOSPAM@yahoo.com](mailto:daniel_burneNOSPAM@yahoo.com)=  
</A>&gt;=20  
wrote in message =3D3D<BR>&gt;&gt; =  
&gt;&gt;news:4308cc02\$1 @linux...<BR>&gt;&gt;&gt;=20  
&gt;&gt;<BR>&gt;&gt;&gt; &gt;&nbsp; Hi Tom,=3D3D20<BR>&gt;&gt;&gt; =  
&gt;&gt;<BR>&gt;&gt;&gt;=20  
&gt;&nbsp; Yup - I'm placing them in the library. They show in other =  
  
projects<BR>&gt; <BR>&gt;=3D<BR>&gt;&gt; <BR>&gt;&gt;=3D3D<BR>&gt;&gt;&gt; =  
&gt;&gt;once=20  
saved,<BR>&gt;&gt;&gt; &gt;&nbsp; until I reboot... then they disappear. =  
I may=20  
try reinstalling the =3D<BR>&gt;&gt;FX =3D3D<BR>&gt;&gt;=20  
&gt;&gt;subsystem.<BR>&gt;&gt;&gt; &gt;&nbsp; In the meantime, suggestions=20  
welcome!<BR>&gt;&gt;&gt; &gt;<BR>&gt;&gt;&gt;&gt; &gt;&nbsp; =  
Thanks,=3D3D20<BR>&gt;&gt;&gt;=20  
&gt;&gt;<BR>&gt;&gt;&gt; &gt;&nbsp; Dan<BR>&gt;&gt;&gt;&gt; &gt;<BR>&gt;&gt;&gt;&gt; =  
&gt;&nbsp; "Tom=20  
Bruhl" &lt;<A =  
[arpegio@comcast.net](mailto:arpegio@comcast.net)</A>&gt;=20  
wrote:<BR>&gt;&gt;&gt; &gt;&nbsp; &gt;<BR>&gt;&gt;&gt;&gt; &gt;&nbsp; =  
&gt;&gt;<BR>&gt;&gt;&gt;&gt;=20  
&gt;&nbsp; &gt;&gt;Daniel,<BR>&gt;&gt;&gt;&gt; &gt;&nbsp; &gt;&gt;You are dragging =

them into=20  
the lower bin before quitting right?<BR>&gt; &gt;&nbsp; &gt;&nbsp; &gt;This =  
adds=20  
them to your user presets for other projects.<BR>&gt; &gt;&nbsp; &gt; =  
  
&gt;Tom<BR>&gt; &gt;&nbsp; &gt;<BR>&gt; &gt;&nbsp; &gt; =  
&gt;&nbsp; &gt; "dan=20  
b" &lt;<A=20  
=  
href=3D"mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yahoo.com=  
</A>&gt;=20  
wrote in message =3D3D3D<BR>&gt; &gt;&nbsp; &gt;=20  
&gt;news:4308b8a6\$1 @linux...<BR>&gt; &gt;&nbsp; &gt;<BR>&gt; &gt; =  
  
&gt;&nbsp; &gt;&nbsp; &gt;&nbsp; Hi,=3D3D3D20<BR>&gt; &gt;&nbsp; &gt; =  
&gt;<BR>&gt;=20  
&gt;&nbsp; &gt;&nbsp; &gt;&nbsp; Just wondering if anyone has any idea how I =  
can get my=20  
FX =3D<BR>&gt; &gt;&nbsp; &gt;presets =3D3D<BR>&gt; &gt;&nbsp; &gt;to =  
=3D3D3D<BR>&gt; &gt;&nbsp; &gt;&nbsp; &gt;=20  
&gt;save<BR>&gt; &gt;&nbsp; &gt;&nbsp; &gt;&nbsp; in XP (Paris v3). =  
Whenever I=20  
reboot I loose them all?<BR>&gt; &gt;&nbsp; &gt;<BR>&gt; &gt; =  
&gt;&nbsp; &gt;&nbsp; &gt;&nbsp; Should I try reinstalling the XP FX subsystem again? Is =  
that=20  
ok<BR>&gt; &gt;<BR>&gt; =3D<BR>&gt; &gt;<BR>&gt; &gt;&nbsp; &gt;to<BR>&gt; &gt;&nbsp; &gt; =  
=3D3D<BR>&gt; &gt;&nbsp; &gt;=20  
&gt;do<BR>&gt; &gt;&nbsp; &gt;&nbsp; &gt;&nbsp; =3D3D3D<BR>&gt; &gt;&nbsp; &gt;&nbsp; &gt;=20  
&gt;once<BR>&gt; &gt;&nbsp; &gt;&nbsp; &gt;&nbsp; &gt;&nbsp; Paris is installed and =  
has been=20  
used?<BR>&gt; &gt;&nbsp; &gt;&nbsp; &gt;<BR>&gt; &gt;&nbsp; &gt;&nbsp; &gt;&nbsp; &gt;&nbsp; =  
Thanks=20  
for any tips.=3D3D3D20<BR>&gt; &gt;&nbsp; &gt;&nbsp; &gt;<BR>&gt; &gt; =  
&gt;&nbsp; &gt;&nbsp; &gt;&nbsp; Daniel<BR>&gt; &gt;&nbsp; &gt;&nbsp; &gt;<BR>&gt; &gt;&nbsp; &gt;&nbsp; &gt; =  
  
&gt;&lt;!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=20  
Transitional//EN"&gt;<BR>&gt; &gt;&nbsp; &gt;=20  
&gt;&lt;HTML&gt;&lt;HEAD&gt;<BR>&gt; &gt;&nbsp; &gt;&nbsp; &gt;&lt;META=20  
http-equiv=3D3D3D3DContent-Type content=3D3D3D3D"text/html;=20  
=3D<BR>&gt; &gt;&nbsp; &gt;=3D3D3D<BR>&gt; &gt;&nbsp; &gt;&nbsp; &gt;=20  
&gt;charset=3D3D3D3Diso-8859-1"&gt;<BR>&gt; &gt;&nbsp; &gt;&nbsp; &gt; =  
&gt;&lt;META=20  
content=3D3D3D3D"MSHTML 6.00.2800.1400" =  
name=3D3D3D3DGENERATOR&gt;<BR>&gt; &gt;&nbsp; &gt;=20  
&gt;&nbsp; &gt;&lt;STYLE&gt;&lt;/STYLE&gt;<BR>&gt; &gt;&nbsp; &gt;&nbsp; &gt;=20  
&gt;&lt;/HEAD&gt;<BR>&gt; &gt;&nbsp; &gt;&nbsp; &gt;&lt;BODY=20

bgColor=#ffffff;<BR>&gt; &gt;&nbsp; =  
&gt;&lt;/DIV&gt;&lt;/FONT=20  
face=Arial=20  
size=2&gt;Daniel,&lt;/FONT&gt;&lt;/DIV&gt; <BR>&gt; =  
&gt;&nbsp;=20  
&gt;&lt;/DIV&gt;&lt;/FONT face=Arial size=2&gt;You are =  
dragging=20  
them =<BR>&gt;into the =<BR>&gt; &gt;&lower =  
=<BR>&gt;=20  
&gt;&nbsp; &gt;bin before=<BR>&gt; &gt;&nbsp; =  
&gt;quitting=20  
right?&lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt; &gt;&nbsp;=20  
&gt;&lt;/DIV&gt;&lt;/FONT face=Arial size=2&gt;This =  
adds them to=20  
your =<BR>&gt;user =<BR>&gt; &gt;&presets =  
for<BR>&gt;=20  
&gt;&nbsp; =<BR>&gt; &gt;&nbsp; =  
&gt;other=<BR>&gt;=20  
&gt;&nbsp; &gt;projects.&lt;/FONT&gt;&lt;/DIV&gt;<BR &gt;&gt; =  
&gt;&nbsp;=20  
&gt;&lt;/DIV&gt;&lt;/FONT face=Arial=20  
size=2&gt;Tom&lt;/FONT&gt;&lt;/DIV&gt; <BR>&gt; =  
&gt;&nbsp;=20  
&gt;&lt;/DIV&gt;&lt;/FONT face=Arial =  
size=2&gt;&lt;/FONT&gt;=20  
&lt;/DIV&gt;<BR>&gt; &gt;&nbsp; =  
&gt;&lt;/BLOCKQUOTE=20<BR>&gt;=20  
&gt;&nbsp; &gt;style="PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =  
  
MARGIN-LEFT: =<BR>&gt;5px; =<BR>&gt; =  
&gt;=<BR>&gt;=20  
&gt;&nbsp; &gt;BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT:=20  
0px"&gt;&gt; &gt;&nbsp; &gt;&nbsp; &lt;/DIV&gt;"dan b"=20  
&lt;&lt;A=20<BR>&gt;&gt; &gt;&nbsp; &gt;&nbsp; =  
=<BR>&gt;=20  
&gt;&nbsp; =<BR>&gt; &gt;&nbsp; =  
=<BR>&gt;<BR>&gt;&gt;&gt;href=" <A=20  
=  
href='mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yah'>mail=  
to:daniel\_burneNOSPAM@yahoo.com"&gt;daniel\_burneNOSPAM@yah</A>=<BR>&gt;=  
&gt;&lt;/A&gt;&gt;=<BR>&gt;=20  
&gt;&nbsp; &gt;&nbsp; =  
&gt;&lt;/A&gt;&gt;=<BR>&gt;=20  
&gt;&nbsp; &gt;&nbsp; wrote in message &lt;A=20<BR>&gt; &gt;&nbsp; =  
&gt;&nbsp;=20  
&gt;&nbsp; =<BR>&gt; &gt;&nbsp; =<BR>&gt;=20  
=<BR>&gt;<BR>&gt;&gt;&gt;href=" <A=20  
=  
=

href=3D'news:4308b8a6\$1 @linux">news:4308b8a6\$1 @linux</A>...</DIV><B'>news=  
:4308b8a6\$1 @linux"&gt;news:4308b8a6\$1 @linux&lt;/A&gt;...&lt;/DIV&gt;&lt;B=  
</A>=3D<BR>&gt;&gt;<BR>&gt;&gt;R&gt;H=3D3D <BR>&gt;&gt;=20  
&gt;&i,<BR>&gt;&gt; &gt;&nbsp;=3D3D3D<BR>&gt;&gt; &gt;&nbsp;=  
&gt;<BR>&gt;&gt;=20  
&gt;&nbsp; &gt;&nbsp; &lt;BR&gt;&lt;BR&gt;Just wondering if anyone =  
has any=20  
idea how I can get my =3D<BR>&gt;&gt;FX =3D3D<BR>&gt;&gt; =  
&gt;=3D3D3D<BR>&gt;&gt;=20  
&gt;&nbsp; &gt;&presets to=3D3D3D20<BR>&gt;&gt; &gt;&nbsp; &gt;&nbsp; =  
  
save&lt;BR&gt;in XP (Paris v3). Whenever I reboot I loose them=20  
=3D3D3D<BR>&gt;&gt; &gt;&nbsp; &gt;&all?&lt;BR&gt;&lt;BR&gt;Should=20  
I=3D3D3D20<BR>&gt;&gt; &gt;&nbsp; &gt;&nbsp; try reinstalling the XP =  
FX=20  
subsystem again? Is that ok to do =3D<BR>&gt;&gt;=3D3D3D<BR>&gt;&gt; =  
&gt;&nbsp;=20  
&gt;&once&lt;BR&gt;Paris is=3D3D3D20<BR>&gt;&gt; &gt;&nbsp; =  
&gt;&nbsp;=20  
installed and has been used?&lt;BR&gt;&lt;BR&gt;Thanks for any=20  
tips.=3D3D3D20<BR>&gt;&gt; &gt;&nbsp;=20  
=  
&gt;&lt;BR&gt;&lt;BR&gt;Daniel&lt;/B LOCKQUOTE&gt;&lt;/BODY&gt;&lt;/HTML&g=  
t;<BR>&gt;&gt;=20  
&gt;&nbsp; &gt;<BR>&gt;&gt; &gt;&nbsp; &gt;<BR>&gt;&gt; =  
&gt;<BR>&gt;&gt;=20  
&gt;<BR>&gt;&gt; &gt;&lt;!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=20  
Transitional//EN"&gt;<BR>&gt;&gt; =  
&gt;&lt;HTML&gt;&lt;HEAD&gt;<BR>&gt;&gt;=20  
&gt;&lt;META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =  
  
=3D3D<BR>&gt;&gt; &gt;& charset=3D3D3Diso-8859-1"&gt;<BR>&gt;&gt; =  
&gt;&lt;META=20  
content=3D3D3D"MSHTML 6.00.2800.1400" =  
name=3D3D3DGENERATOR&gt;<BR>&gt;&gt;=20  
&gt;&lt;STYLE&gt;&lt;/STYLE&gt;<BR>&gt;&gt; =  
&gt;&lt;/HEAD&gt;<BR>&gt;&gt;=20  
&gt;&lt;BODY bgColor=3D3D3D#ffffff&gt;<BR>&gt;&gt; =  
&gt;&lt;DIV&gt;&lt;FONT=20  
face=3D3D3DArial =  
size=3D3D3D2&gt;Dan,&lt;/FONT&gt;&lt;/DIV&am p;gt; <BR>&gt;&gt;=20  
&gt;&lt;DIV&gt;&lt;FONT face=3D3D3DArial size=3D3D3D2&gt;Sounds like =  
a smart=20  
move =3D3D<BR>&gt;&gt; =  
&gt;&then.&lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt;&gt;=20  
&gt;&lt;DIV&gt;&lt;FONT face=3D3D3DArial=20  
size=3D3D3D2&gt;Tom&lt;/FONT&gt;&lt;/DIV&am p;gt; <BR>&gt;&gt;=20  
&gt;&lt;BLOCKQUOTE=3D3D20<BR>&gt;&gt; =



=3D<BR>&gt;&gt;<BR>&gt;&gt;&gt;href=3D3D3D "<A=20  
=  
href=3D'mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yahoo'>ma=  
mailto:daniel\_burneNOSPAM@yahoo.com"&gt;daniel\_burneNOSPAM@yahoo</A>.=3D<BR=  
>&gt;&gt;<BR>&gt;&gt;com=3D3D<BR>&gt;&gt;=20  
&gt;&lt;/A&gt;&gt;=3D3D20<BR>&gt;&gt; &gt;&nbsp;wrote in message=20  
=3D3D<BR>&gt;&gt;=20  
=  
&gt;=3D3D3D&lt;BR&gt;&gt;news:4308b8a6\$1@linux...&lt;BR&gt;&gt;&lt;BR&gt;=  
&gt;=20  
=3D3D20<BR>&gt;&gt; &gt;&nbsp;=  
Hi,=3D3D3D20&lt;BR&gt;&gt;&lt;BR&gt;&gt;&amp; ;gt; Just=20  
wondering if anyone has any idea =3D3D<BR>&gt;&gt; &gt;how I=20  
can=3D3D20<BR>&gt;&gt; &gt;&nbsp;get my FX presets to=20  
=3D3D3D&lt;BR&gt;&gt;save&lt;BR&gt;&gt; in XP (Paris v3). =  
=3D3D<BR>&gt;&gt;=20  
&gt;Whenever I=3D3D20<BR>&gt;&gt; &gt;&nbsp;reboot I loose them=20  
all?&lt;BR&gt;&gt;&lt;BR&gt;&gt; Should I try =3D3D<BR>&gt;&gt;=20  
&gt;reinstalling the=3D3D20<BR>&gt;&gt; &gt;&nbsp;XP FX subsystem =  
again? Is=20  
that ok to =3D3D<BR>&gt;&gt;=20  
&gt;do&lt;BR&gt;=3D3D3D&lt;BR&gt;&gt; ;once&lt;BR&gt;&gt; =  
Paris=3D3D20<BR>&gt;&gt;=20  
&gt;&nbsp;is installed and has been =  
used?&lt;BR&gt;&gt;&lt;BR&gt;&gt;=20  
Thanks for any=3D3D20<BR>&gt;&gt; &gt;&nbsp;=20  
tips.=3D3D3D20&lt;BR&gt;&gt;&lt;BR&gt;&gt;&a mp;gt;=20  
Daniel&lt;BR&gt;&gt;&lt;BR&gt;&gt;&a mp;lt;!DOCTYPE =3D3D<BR>&gt;&gt; =  
&gt;HTML=20  
PUBLIC=3D3D20<BR>&gt;&gt; &gt;&nbsp;"-//W3C//DTD HTML =  
4.0=3D3D20<BR>&gt;&gt;=20  
&gt;&nbsp;=20  
=  
Transitional//EN" &gt;&lt;BR&gt;&gt;&lt;BR&gt;&gt;&lt;HTML&gt;&lt;HEAD&gt;&lt;BR&gt;&gt;=  
&lt;META=3D3D20<BR>&gt;&gt;=20  
&gt;&nbsp;http-equiv=3D3D3D3DContent-Type=20  
content=3D3D3D3D"text/html;=3D3D20<BR>&gt;&gt; &gt;&nbsp;=20  
=  
=3D3D3D&lt;BR&gt;&gt;charset=3D3D3D3Diso-8859-1"&gt;&lt;BR&gt;&gt;&lt;MET=  
A=20  
=3D3D<BR>&gt;&gt; &gt;content=3D3D3D3D"MSHTML=3D3D20<BR>&gt;&gt; =  
&gt;&nbsp;=20  
6.00.2800.1400"&gt;&lt;BR>&gt;&gt; &gt;&nbsp;=3D3D<BR>&gt;&gt;=20  
=  
&gt;name=3D3D3D3DGENERATOR&gt;&lt;BR&gt;&gt;&amp; ;gt;&lt;STYLE&gt;&lt;/STYLE&gt;&lt;=



face=3D3D3D3DArial=3D3D20<BR>&gt; &gt;&nbsp; =3D3D<BR>&gt;=20  
=  
&gt;size=3D3D3D3D2&gt;Daniel,&lt;/FONT&gt;&a mp;lt;/DIV&gt;&lt;BR&gt;&gt;&lt;D=  
IV&gt;&lt;FONT=3D3D<BR>&gt;=20  
&gt;=3D3D20<BR>&gt; &gt;&nbsp; face=3D3D3D3DArial =  
size=3D3D3D3D2&gt;You are=20  
dragging them into the lower<BR>&gt; <BR>&gt; =3D<BR>&gt;=20  
<BR>&gt;&gt;=3D3D<BR>&gt;&gt; =  
&gt;=3D3D3D&lt;BR&gt;&gt;bin=3D3D20<BR>&gt;&gt;=20  
&gt;&nbsp; before=3D3D3D20&lt;BR&gt;&gt;quitting=3D3D20<BR >&gt;&gt; =  
&gt;&nbsp;=20  
right?&lt;/FONT&gt;&lt;/DIV&gt;&lt;BR&a mp;gt;&gt;&lt;DIV&gt;&lt;FONT=20  
=3D3D<BR>&gt;&gt; &gt;face=3D3D3D3DArial=3D3D20<BR>&gt;&gt; =  
&gt;&nbsp;=20  
size=3D3D3D3D2&gt;This adds them to your user =  
presets=3D3D20<BR>&gt;&gt;=20  
&gt;&nbsp; =3D3D<BR>&gt;&gt;=20  
=  
&gt;for&lt;BR&gt;=3D3D3D&lt;BR&gt;&g t;other=3D3D3D20&lt;BR&gt;&gt;project=  
s.&lt;/FONT&gt;&lt;/DIV&gt;&lt;BR=3D3D<BR >&gt;&gt;=20  
&gt;&gt;&gt;&lt;DIV&gt;&lt;FONT=3D3D 20 <BR>&gt;&gt; &gt;&nbsp;=20  
face=3D3D3D3DArial=3D3D20<BR>&gt;&gt; &gt;&nbsp;=20  
=  
size=3D3D3D3D2&gt;Tom&lt;/FONT&gt;&lt;/DIV&a mp;gt;&lt;BR&gt;&gt;&lt;DIV&gt;&l=  
t;FONT=3D3D20<BR>&gt;&gt;=20  
&gt;&nbsp; face=3D3D3D3DArial =  
size=3D3D3D3D2&gt;&lt;/FONT&gt;=3D3D20<BR>&gt;&gt;=20  
&gt;&nbsp; =3D3D<BR>&gt;&gt;=20  
=  
&gt;&lt;/DIV&gt;&lt;BR&gt;&gt;&l t;BLOCKQUOTE=3D3D3D20&lt;BR&gt;&gt;style=3D=  
3D3D3D"PADDING-RIGHT:=20  
=3D3D<BR>&gt;&gt; &gt;0px;=3D3D20<BR>&gt;&gt; &gt;&nbsp; =  
PADDING-LEFT: 5px;=20  
MARGIN-LEFT: 5px; =3D3D3D&lt;BR&gt;&gt;BORDER-LEFT: #000000<BR>&gt; =  
<BR>&gt;=20  
=3D<BR>&gt; <BR>&gt;&gt;=3D3D<BR>&gt;&gt; &gt;2px =  
solid;=3D3D20<BR>&gt;&gt;=20  
&gt;&nbsp; MARGIN-RIGHT: 0px"&gt;&lt;BR&gt;&gt; &lt;DIV&gt;"dan=20  
b"=3D3D20<BR>&gt;&gt; &gt;&nbsp; &lt;&lt;A=3D3D3D20&lt;BR&gt;&gt;=20  
=3D3D3D&lt;BR&gt;&gt;href=3D3D3D3D"&lt;A=3D3D20 <BR>&gt;&gt; =  
&gt;&nbsp;=20  
=3D3D<BR>&gt;&gt;=20  
=  
=3D<BR>&gt;&gt;<BR>&gt;&gt;&gt;href=3D3D3D'mailto:daniel\_burneNOSPAM@yaho=  
o.com"&gt;daniel\_burneNOSPAM@yahoo.=3D<BR>&gt;&gt;<BR>&gt;&gt;com=3D3D<BR=  
>&gt;&gt;=20  
=  
=3D<BR>&gt;&gt;<BR>&gt;&gt;&gt;'&gt;mailto:daniel\_burneNOSPAM@yahoo.com"&=

gt;daniel\_burneNOSPAM@yahoo.com&lt;/A=3D3D=3D<BR>&gt;&gt;<BR>&gt;&gt;=20  
&gt;&gt;=3D3D3D&lt;BR&gt;&gt;&lt;/A& amp;gt;&gt;=3D3D3D20&lt;BR&gt;&gt;=20  
=3D3D20<BR>&gt;&gt; &gt;&nbsp; wrote in message =  
&lt;A=3D3D3D20&lt;BR&gt;&gt;=20  
=3D3D3D&lt;BR&gt;&gt;href=3D3D3D3D"&lt;A=3D3D20 <BR>&gt;&gt; =  
&gt;&nbsp;=20  
=3D3D<BR>&gt;&gt;=20  
=  
=3D<BR>&gt;&gt;<BR>&gt;&gt;&gt;href=3D3D3D'news:4308b8a6\$1 @linux"&gt;news=  
:4308b8a6\$1 @linux &lt;/A&gt;...&lt;/DIV&gt;&lt;BR&gt;H =3D <BR>&gt;&gt;<BR>&=  
&gt;&gt;i&gt;=3D3D<BR>&gt;&gt;=20  
=  
&gt;news:4308b8a6\$1 @linux"&gt;news:4308b8a6\$1 @linux&lt;/A&gt;...&lt;/DIV&=  
&gt;&=3D3D<BR>&gt;&gt;=20  
=  
&gt;lt;BR&gt;Hi&lt;/A&gt;, &lt;BR&gt; =3D3D3D&lt;BR&gt;&gt;&lt;BR&gt;&gt;= 20  
=3D3D20<BR>&gt;&gt; &gt;&nbsp; &lt;BR&gt;&lt;BR&gt;Just wondering if =  
anyone=20  
has any idea how I can =3D3D<BR>&gt;&gt; &gt;get my =  
FX=3D3D20<BR>&gt;&gt;=20  
&gt;&nbsp; =3D3D3D&lt;BR&gt;&gt;presets to=3D3D3D20&lt;BR&gt;&gt;=20  
save&lt;BR&gt;in XP (Paris =3D3D<BR>&gt;&gt; &gt;v3).=20  
Whenever=3D3D20<BR>&gt;&gt; &gt;&nbsp; I reboot I loose them=20  
=  
=3D3D3D&lt;BR&gt;&gt;&gt;all?&lt;BR&gt;& &lt;BR&gt;Should=3D3D20 <BR>&gt;&gt;=20  
&gt;&nbsp; I=3D3D3D20&lt;BR&gt;&gt; try reinstalling the XP FX =  
subsystem=20  
again? Is =3D3D<BR>&gt;&gt; &gt;that ok to=3D3D20<BR>&gt;&gt; =  
&gt;&nbsp;do=20  
=3D3D3D&lt;BR&gt;&gt;&gt;once&lt;BR&gt;Paris is=3D3D3D20&lt;BR&gt;&gt; =  
installed and=20  
=3D3D<BR>&gt;&gt; &gt;has been=3D3D20<BR>&gt;&gt; &gt;&nbsp;=20  
used?&lt;BR&gt;&lt;BR&gt;Thanks for any=3D3D20<BR>&gt;&gt; =  
&gt;&nbsp;=20  
=3D3D<BR>&gt;&gt;=20  
=  
&gt;tips.=3D3D3D20&lt;BR&gt;&gt;&lt;BR&a mp;gt;&lt;BR&gt;Daniel&lt;/BLOCKQUOTE=  
&gt;&lt;/BODY&=3D3D<BR>&gt;&gt;=20  
=  
&gt;gt;&lt;/HTML&gt;&lt;BR&gt;&gt;&a mp;lt;BR&gt;&gt;&lt;BR&gt;&lt;/BLOCKQUOT E=  
&gt;&lt;/BODY&gt;&lt;/HTML&gt;<BR>&gt;&gt;=20  
&gt;<BR>&gt;&gt; =  
&gt;<BR>&gt;&gt;<BR>&gt;&gt;<BR>&gt;&gt;&lt;!DOCTYPE HTML=20  
PUBLIC "-//W3C//DTD HTML 4.0=20  
=  
Transitional//EN"&gt;<BR>&gt;&gt;&lt;HTML&gt;&lt;HEAD&gt; <BR>&gt;&gt;&lt;=  
META=20  
http-equiv=3D3DContent-Type content=3D3D"text/html;=20

=3D<BR>&gt;&gt; charset=3D3Diso-8859-1" &gt;<BR >&gt;&gt;&lt; META =  
content=3D3D"MSHTML=20  
6.00.2800.1400"=20  
=  
name=3D3DGENERATOR&gt;<BR>&gt;&gt;&lt; STYLE&gt;&lt;/STYLE&gt; <BR>&gt;&gt;=  
&lt;/HEAD&gt;<BR>&gt;&gt;&lt; BODY=20  
bgColor=3D3D#ffffff&gt;<BR>&gt;&gt;&lt; DIV&gt;&lt; FONT =  
face=3D3DArial=20  
=  
size=3D3D2&gt; Dan, &lt;/FONT&gt;&lt;/DIV& gt; <BR>&gt;&gt;&lt; DIV&gt;&lt; FON=  
T=20  
face=3D3DArial size=3D3D2&gt; It sounds like the saves aren't going=20  
=3D<BR>&gt;&gt; to the=20  
=  
right=3D20<BR> &gt;&gt; folder/file.?.&lt;/FONT&gt;&lt;/ DIV&gt; <BR>&gt;&gt;=  
&lt; DIV&gt;&lt; FONT=20  
face=3D3DArial size=3D3D2&gt;&lt;/FONT&gt;=20  
&lt;/DIV&gt;<BR>&gt;&gt;&lt; DIV&gt;&lt; FONT face=3D3DArial =  
size=3D3D2&gt; Do you=20  
see "PARIS\_Fx.var" in your=20  
=3D<BR>&gt;&gt; C:\Program=3D20<BR>&gt;&gt; Files\EMU\Paris =  
folder?&nbsp;=20  
&lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt;&gt;&lt; DIV&gt;&lt; FONT =  
face=3D3DArial=20  
size=3D3D2&gt; Do you &lt;/FONT&gt;&lt; FONT face=3D3DArial=20  
=3D<BR>&gt;&gt; size=3D3D2&gt; also see a=3D20<BR>&gt;&gt; file named =  
"PARIS\_Fx.var=20  
(default)" ?&nbsp;=20  
These&lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt;&gt;&lt; DIV&gt;&lt; FONT =  
face=3D3DArial=20  
size=3D3D2&gt; are both in my Paris =3D<BR>&gt;&gt; folder.&nbsp; I=20  
believe=3D20<BR>&gt;&gt; the first is the file=20  
that&lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt;&gt;&lt; DIV&gt;&lt; FONT =  
face=3D3DArial=20  
size=3D3D2&gt; holds all your home grown presets =  
=3D<BR>&gt;&gt; (Paris=20  
and=3D20<BR>&gt;&gt; VST/DX) along=20  
&lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt;&gt;&lt; DIV&gt;&lt; FONT =  
face=3D3DArial=20  
size=3D3D2&gt; with the stock &lt;/FONT&gt;&lt; FONT =  
=3D<BR>&gt;&gt; face=3D3DArial=20  
size=3D3D2&gt; ones=3D20<BR>&gt;&gt; that came with your =  
install.&nbsp; The second=20  
is &lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt;&gt;&lt; DIV&gt;&lt; FONT =  
face=3D3DArial=20  
size=3D3D2&gt; a backup &lt;/FONT&gt;&lt; FONT face=3D3DArial=20  
=3D<BR>&gt;&gt; size=3D3D2&gt; of the=3D20<BR>&gt;&gt; stock Paris =  
presets.&nbsp; I'm=20

no tech but you can try=20  
 =  
 =3D<BR>&gt;&lt;/FONT&gt;&lt;/DIV&gt; <BR>&gt;&lt;/DIV&gt;&lt;/FONT=20  
 size=3D3D2&gt;&lt;/FONT face=3D3DArial&gt;&lt;/FONT&gt;this=20  
 &lt;/FONT&gt;&lt;/FONT&gt;&lt;/EM&gt;a t =3D<BR>&gt;&gt;your=20  
 own=3D20<BR>&gt;&gt;risk&lt;/EM&gt;. &nbsp; You are having =  
 &lt;/FONT&gt;a=20  
 problem with one of=20  
 =  
 those=3D20<BR> &gt;&gt;&lt;/FONT&gt;&lt;/FONT&gt;& a mp;lt;/DIV&gt; <BR>&gt;&= &lt;/DIV&gt;files.&nbsp;=20  
 If the first is missing then &lt;/FONT face=3D3DArial=20  
 =3D<BR>&gt;&gt;size=3D3D2&gt;&gt;there's=3D20<BR>&gt;&gt;your =  
 problem.&nbsp; I'd=20  
 remove &lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt;&gt;&lt;/DIV&gt;&lt;/FONT =  
 face=3D3DArial=20  
 size=3D3D2&gt;&gt;the words (default) from the=20  
 =3D<BR>&gt;&gt;&lt;/FONT&gt;&lt;/FONT=3D20 <BR>&gt;&gt;face=3D3DArial=20  
 size=3D3D2&gt;&gt;second if that was the case.&nbsp;=20  
 =  
 =3D<BR> &gt;&gt;Others&lt;/FONT&gt;&lt;/DIV& g t; <BR>&gt;&gt;&lt;/DIV&gt;&lt;= &lt;/FONT=20  
 face=3D3DArial size=3D3D2&gt;&gt;here should be able to help you =  
 =3D<BR>&gt;&gt;with=20  
 anything=3D20<BR>&gt;&gt;deeper than=20  
 this.&lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt;&gt;&lt;/DIV&gt;&lt;/FONT =  
 face=3D3DArial=20  
 size=3D3D2&gt;&lt;/FONT&gt; =  
 &lt;/DIV&gt;<BR>&gt;&gt;&lt;/DIV&gt;&lt;/FONT=20  
 face=3D3DArial size=3D3D2&gt;&gt;If you're on XP with a P4 turn off=20  
 =3D<BR>&gt;&gt;Hyperthreading=3D20<BR>&gt;&gt;in the=20  
 BIOS.&lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt;&gt;&lt;/DIV&gt;&lt;/FONT =  
 face=3D3DArial=20  
 size=3D3D2&gt;&gt;Is Windows crashing? Are you getting=20  
 =  
 =3D<BR>&gt;&gt;blue=3D20<BR> &gt;&gt;screens?&lt;/FONT&gt;&lt;/DIV& am p;gt; <BR>= &gt;&gt;&lt;/DIV&gt;&lt;/FONT=20  
 face=3D3DArial size=3D3D2&gt;&lt;/FONT&gt;=20  
 &lt;/DIV&gt;<BR>&gt;&gt;&lt;/DIV&gt;&lt;/FONT face=3D3DArial =  
 size=3D3D2&gt;&gt;Maybe=20  
 you have a defective Paris=20  
 =  
 =3D<BR> &gt;&gt;disc?&lt;/FONT&gt;&lt;/DIV& g t; <BR>&gt;&gt;&lt;/DIV&gt;&lt;/F= &lt;/FONT=20  
 ONT=20  
 face=3D3DArial size=3D3D2&gt;&lt;/FONT&gt;=20  
 &lt;/DIV&gt;<BR>&gt;&gt;&lt;/DIV&gt;&lt;/FONT face=3D3DArial =  
 size=3D3D2&gt;&gt;Ain't=20  
 no =

technician,&lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt;&lt;/DIV&gt;&lt;/FONT=20  
face=3D3DArial=20  
=  
size=3D3D2&gt;Tom&lt;/FONT&gt;&lt;/DIV&g t; <BR>&gt;&lt;/BLOCKQUOTE=3D20=  
<BR>&gt;&gt;style=3D3D"PADDING-RIGHT:=20  
0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =  
=3D<BR>&gt;&gt;BORDER-LEFT: #000000=20  
2px solid; MARGIN-RIGHT: 0px"&gt;&gt;&lt;/DIV&gt;"dan b"=20  
&lt;&lt;/A=3D20<BR>&gt;&gt; =3D<BR>&gt;&gt;href=3D3D"<A=20  
=  
href=3D'mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yahoo.com=  
'>mailto:daniel\_burneNOSPAM@yahoo.com"&gt;daniel\_burneNOSPAM@yahoo.com</A=  
>=3D<BR>&gt;&gt;&lt;/A&gt;&gt;=3D20<BR >&gt;&gt;=20  
wrote in message &lt;/A=3D20<BR>&gt;&gt; =3D<BR>&gt;&gt;href=3D3D"<A=20  
=  
href=3D'news:4308fee5\$1 @linux">news:4308fee5\$1 @linux</A>...</DIV><BR>Ok'>=  
news:4308fee5\$1 @linux"&gt;news:4308fee5\$1 @linux&lt;/A&gt;...&lt;/DIV&gt;&=  
lt;BR&gt;Ok</A>,<BR>&gt;=20  
<BR>&gt; =3D<BR>&gt;&gt; <BR>&gt;&gt;so I've=3D20<BR>&gt;&gt; =  
reinstalled the FX=20  
subsystem. Still no joy. All presets in the&lt;BR&gt;main<BR>&gt; =  
<BR>&gt;=20  
=3D<BR>&gt;&gt; <BR>&gt;&gt;library=3D20<BR>&gt;&gt; lost between =  
reboots, and=20  
sometimes also restarts of Paris...&lt;BR&gt;Any=20  
=3D<BR>&gt;&gt;more=3D20<BR>&gt;&gt; =  
ideas!?!?!&lt;BR&gt;&lt;/BR&gt;Thanks,=20  
&lt;/BR&gt;&lt;/BR&gt;db&lt;/BR&gt;&amp; ;lt;BR&gt; "Tom Bruhl"=20  
&lt;&lt;/A=3D20<BR>&gt;&gt; href=3D3D"<A=20  
=  
href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>>=3D20'>mailto=  
:arpeggio@comcast.net"&gt;arpeggio@comcast.net&lt;/A&gt;&gt;=3D20</A><BR>&gt;g=  
t;&gt;=20  
=  
wrote:&lt;BR&gt;&gt;&lt;/BR&gt;&gt;& a mp;lt;BR&gt;&gt;Dan,&lt;BR&gt;&gt;Sounds =  
  
like a smart move=3D20<BR>&gt;&gt; =  
then.&lt;BR&gt;&gt;Tom&lt;BR&gt;&gt; &nbsp;=20  
"Dan B" &lt;&lt;/A=3D20<BR>&gt;&gt; =3D<BR>&gt;&gt;href=3D3D"<A=20  
=  
href=3D'mailto:daniel\_burneNOSPAM@yahoo.com">daniel\_burneNOSPAM@yahoo.com=  
'>mailto:daniel\_burneNOSPAM@yahoo.com"&gt;daniel\_burneNOSPAM@yahoo.com</A=  
>=3D<BR>&gt;&gt;&lt;/A&gt;&gt;=3D20<BR >&gt;&gt;=20  
wrote in message=20  
=  
=3D<BR> &gt;&gt;=3D3D&lt;BR&gt;&gt;news:4308cc02 \$1 @linux...&lt;BR&gt;&gt;&=  
lt;BR&gt;&gt;&nbsp;=20  
Hi=3D20<BR>&gt;&gt; Tom,=3D3D20&lt;BR&gt;&gt;&lt;/BR&gt;& gt;&nbsp; =

Yup - I'm placing them in the library. They =  
show in other projects = once saved, &nbsp; until I =  
= reboot... then they disappear. I may =  
try  
reinstalling the FX =  
= subsystem. &nbsp; In the meantime, =  
suggestions =  
welcome! &nbsp; =  
Thanks, =  
Dan &nbsp; "Tom Bruhl" =  
&nbsp; A =  
href =  
= <mailto:arpeggio@comcast.net> =  
:arpeggio@comcast.net' &nbsp; /A &nbsp; =  
&nbsp; =  
wrote: &nbsp; =  
&nbsp; =  
= Daniel, &nbsp; You are =  
dragging them =  
into the lower bin = before = quitting =  
right? &nbsp; &nbsp; This adds them to your user presets =  
= for = other =  
projects. &nbsp; =  
&nbsp; Tom &nbsp; &nbsp; =  
= <BR> &nbsp; "dan b" =  
&nbsp; A =  
= <BR> &nbsp; href =  
= [mailto:daniel\\_burneNOSPAM@yahoo.com](mailto:daniel_burneNOSPAM@yahoo.com) =  
'>mailto:daniel\_burneNOSPAM@yahoo.com" &nbsp; daniel\_burneNOSPAM@yahoo.com </A =  
> = <BR > &nbsp; =  
wrote in message =  
=   
= <BR> &nbsp; &nbsp; &nbsp; news:4308b8a6\$1 @linux... &nbsp; =  
= <BR> &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; =  
Hi, =  
= <BR> &nbsp; &nbsp; &nbsp; &nbsp; =  
= <BR> &nbsp; &nbsp; &nbsp; &nbsp; Just wondering if anyone =  
has any idea =  
how I can get my FX = <BR> &nbsp; &nbsp; presets = <BR> &nbsp; &nbsp; =  
= <BR> &nbsp; &nbsp; to =  
= <BR> &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp; =  
in =  
= <BR> &nbsp; &nbsp; XP (Paris = <BR> &nbsp; &nbsp; v3). Whenever I reboot I =  
loose them =

all?<BR>>&nbsp; =  
=3D<BR>&gt;<BR>&gt;&gt;&lt;BR>&gt;=20  
=3D20<BR>&gt;<BR>&gt;& &nbsp; Should I try reinstalling =  
the XP FX=20  
subsystem again? Is =3D<BR>&gt;that ok=3D20<BR>&gt;=20  
to&lt;BR>&gt;=3D3D&lt;BR>&gt;&do&lt; ;BR>&gt;&nbsp;=20  
=3D3D3D&lt;BR>&gt;&nbsp; =  
=3D<BR>&gt;<BR>&gt;&gt;&once&lt;BR>&gt;=20  
=3D20<BR>&gt;<BR>&gt;& &nbsp; Paris is installed and has =  
been=20  
used?&lt;BR>&gt; =3D20<BR>&gt;& &lt;BR>&gt;&nbsp; =  
&gt;&nbsp;=20  
Thanks for any =3D<BR>&gt;tips.=3D3D3D20&lt;BR>&gt; =  
=3D20<BR>&gt;=20  
&gt;&lt;BR>&gt;&nbsp; &nbsp; Daniel&lt;BR>&gt;&nbsp;=20  
&gt;&lt;BR>&gt; =3D20<BR>&gt;& &lt;!DOCTYPE HTML PUBLIC =  
"-//W3C//DTD=20  
HTML 4.0=3D20<BR>&gt; Transitional//EN"&gt;&lt;BR>&gt;&nbsp;=20  
=  
=3D<BR>&gt;<BR> &gt;&gt;&gt;&lt;HTML&gt;&lt;HEAD& amp ;gt;&lt;BR>&gt;=20  
=3D20<BR>&gt;<BR>&gt;& &lt;META =  
http-equiv=3D3D3D3DContent-Type=20  
content=3D3D3D3D"text/html;=3D20<BR>&gt; =  
=3D3D3D&lt;BR>&gt;&nbsp;=20  
&gt; charset=3D3D3D3DISO-8859-1"&gt;&lt;BR>&gt;&nbsp;=20  
=3D<BR>&gt;<BR>&gt;&gt;&lt;META=3D20 <BR>&gt;<BR>&gt; =  
  
content=3D3D3D3D"MSHTML 6.00.2800.1400"=20  
=3D<BR> &gt;&gt;name=3D3D3D3DGENERATOR&gt;&lt;BR& amp ;gt;&gt; =  
=3D20<BR>&gt;=20  
&gt;&lt;STYLE&gt;&lt;/STYLE&gt;&lt;B R&gt;&gt;&nbsp;=20  
=3D<BR>&gt;<BR> &gt;&gt;&lt;/HEAD&gt;&lt;BR& gt;&gt;=20  
=3D20<BR>&gt;<BR>&gt;& &lt;BODY=20  
bgColor=3D3D3D3D#ffffff&gt;&lt;BR>&gt;& am p;nbsp;=20  
=  
=3D<BR>&gt;<BR> &gt;&gt;&gt;&lt;DIV&gt;&lt;FONT=3D20 <BR>&gt;<BR>&g=  
t;&gt;=20  
face=3D3D3D3DArial=20  
=  
=3D<BR> &gt;&gt;size=3D3D3D3D2&gt;Daniel,&lt;/FONT&a mp;gt;&lt;/DIV&gt;&lt;BR&g=  
t;&gt;=20  
=3D20<BR>&gt;& &lt;DIV&gt;&lt;FONT face=3D3D3D3DArial =  
size=3D3D3D3D2&gt;You=20  
are =3D<BR>&gt;&gt;dragging them=3D20<BR>&gt; into the=20  
=3D3D&lt;BR>&gt;& lower =3D3D3D&lt;BR>&gt;&nbsp; &gt;bin=20  
=3D<BR>&gt;&gt;before=3D3D3D20&lt;BR>&gt;& =3D20<BR>&gt;&gt; =  
&gt;quitting=20  
right?&lt;/FONT&gt;&lt;/DIV&gt;&lt;BR& am p;gt;&gt; =3D20<BR>&gt;&=20

&gt;&lt;/DIV&gt;&lt;/FONT face=3D3D3D3DArial size=3D3D3D3D2&gt;This =  
adds=20  
=3D<BR>&gt;&gt;them to your=3D20<BR>&gt;&gt; user =  
=3D3D&lt;/BR&gt;&gt;&gt;presets=20  
for&lt;/BR&gt;&gt;&gt;&nbsp; =3D3D3D&lt;/BR&gt;&gt;&gt; =3D20<BR>&gt;&gt;=20  
&gt;&lt;/BR&gt;&gt;&gt;=3D20<BR>&gt;&gt;=20  
&gt;&lt;/BR&gt;&gt;&gt;/FONT&gt;&lt;/DIV&gt;&gt;&lt;/BR&gt;&gt;&gt;=20  
=  
=3D<BR>&gt;&gt;<BR> &gt;&gt;&gt;&lt;/DIV&gt;&lt;/FONT=3D20 <BR>&gt;&gt;<BR>&gt;&gt;  
&gt;&lt;/BR&gt;&gt;&gt;=20  
face=3D3D3D3DArial=20  
=  
=3D<BR> &gt;&gt;&gt;size=3D3D3D3D2&gt;Tom&lt;/FONT&gt; &lt;/DIV&gt;&lt;/BR&gt;&gt;&gt;  
&gt;&lt;/BR&gt;&gt;&gt;=20  
&gt;&lt;/DIV&gt;&lt;/FONT face=3D3D3D3DArial=20  
size=3D3D3D3D2&gt;&lt;/FONT&gt; =3D<BR>&gt;&gt;<BR>&gt;&gt;=20  
&lt;/DIV&gt;&lt;/BR&gt;&gt;&gt;&nbsp; =  
&gt;&lt;/BLOCKQUOTE=3D3D3D20&lt;/BR&gt;&gt;&gt; ;=20  
=3D20<BR>&gt;&gt; &gt;&gt;style=3D3D3D3D"PADDING-RIGHT: 0px; =  
PADDING-LEFT: 5px;=20  
MARGIN-LEFT: =3D<BR>&gt;&gt;5px;=3D20<BR>&gt;&gt;=20  
=3D3D&lt;/BR&gt;&gt;&gt;=3D3D3D&lt;/BR&gt;&gt;&gt;&nbsp; &gt;&gt;BORDER-LEFT: =  
#000000 2px=20  
solid; =3D<BR>&gt;&gt;MARGIN-RIGHT:=3D20<BR>&gt;&gt;=20  
0px"&gt;&lt;/BR&gt;&gt;&gt;&nbsp; &gt;&gt;&lt;/DIV&gt;"dan =  
b"=3D20<BR>&gt;&gt;=20  
&lt;&lt;/A=3D3D3D20&lt;/BR&gt;&gt;&gt;&nbsp; &gt;&gt; =  
=3D3D3D&lt;/BR&gt;&gt;&gt;=20  
=3D20<BR>&gt;&gt; =  
=3D3D&lt;/BR&gt;&gt;&gt;&gt;href=3D3D3D3D"&lt;/A=3D20 <BR>&gt;&gt;=20  
=  
=3D<BR>&gt;&gt;href=3D3D'mailto:daniel\_burneNOSPAM@yahoo.com"&gt;daniel\_b=  
urneNOSPAM@yahoo'&gt;mailto:daniel\_burneNOSPAM@yahoo.com"&=  
gt;daniel\_burneNOSPAM@yahoo&lt;/A&gt;.=3D3D&lt;/BR=3D<BR>&gt;&gt;<BR >&gt;&gt;=  
gt;&gt;&gt;com=3D3D3D&lt;/BR&gt;&gt;&gt;=20  
=3D20<BR>&gt;&gt;<BR>&gt;&gt; =  
&gt;&lt;/A&gt;&gt;=3D3D3D20&lt;/BR&gt; &gt;&gt;&nbsp;=20  
&gt;&nbsp; wrote in message=3D20<BR>&gt;&gt; =  
&lt;/A=3D3D3D20&lt;/BR&gt;&gt;&gt;&nbsp;=20  
&gt;&nbsp; =3D3D3D&lt;/BR&gt;&gt;&gt; =3D20<BR>&gt;&gt;=20  
=3D3D&lt;/BR&gt;&gt;&gt;&gt;href=3D3D3D3D"&lt;/A=3D20 <BR>&gt;&gt;=20  
=  
=3D<BR>&gt;&gt;href=3D3D'news:4308b8a6\$1 @linux"&gt;news:4308b8a6\$1 @linux&=  
lt;/A&gt;...&lt;/DIV&gt;&lt;/BR&gt;H'&gt;news:4308b8a6\$1 @li=  
nux"&gt;news:4308b8a6\$1 @linux&lt;/A&gt;...&lt;/DIV&gt;&gt;=3D<BR>&gt;&gt;&gt;=  
t;&gt;H&lt;/A&gt;=3D3D&lt;/BR&gt;&gt;&gt;&gt;=20  
=3D20<BR>&gt;&gt; =3D3D3D&lt;/BR&gt;&gt;&gt;&nbsp; =  
&gt;&lt;/BR&gt;&gt;&gt;&nbsp;=20



&nbsp; =3D<BR> &gt;&gt;&lt;BR&gt;&lt;BR&gt;Just=3D2 0 <BR>&gt;&gt; =  
 wondering if=20  
 anyone has any idea how I can get my FX=3D20<BR>&gt;&gt;=20  
 =3D3D&lt;BR&gt;&gt;=3D3D3D&lt;BR&gt;&gt; &nbsp; ;&nbsp; &gt;&nbsp; &gt;&nbsp;presets=20  
 to=3D3D3D20&lt;BR&gt;&gt;&nbsp; =3D<BR>&gt;&gt;<BR>&gt;&gt;=20  
 =3D20<BR>&gt;&gt;<BR>&gt;&gt; save&lt;BR&gt;&gt;in XP (Paris v3). =  
 Whenever I=20  
 reboot I loose them=3D20<BR>&gt;&gt; =3D3D3D&lt;BR&gt;&gt;&nbsp; =20  
 &gt;&all?&lt;BR&gt;&lt;BR&gt;Should =  
 =3D<BR>&gt;&gt;l=3D3D3D20&lt;BR&gt;&gt;=20  
 =3D20<BR>&gt;&gt; &gt;&nbsp; try reinstalling the XP FX subsystem =  
 again? Is=20  
 that ok to =3D<BR>&gt;&gt;do=3D20<BR>&gt;&gt; =  
 =3D3D3D&lt;BR&gt;&gt;&nbsp; =20  
 &gt;&once&lt;BR&gt;&gt;Paris is=3D3D3D20&lt;BR&gt;&gt;&nbsp; =20  
 =3D<BR>&gt;&gt;<BR>&gt;&gt;&gt; =3D20<BR>&gt;&gt;<BR>&gt;&gt; =  
 installed and has=20  
 been used?&lt;BR&gt;&lt;BR&gt;Thanks for any=3D20<BR>&gt;&gt;=20  
 tips.=3D3D3D20&lt;BR&gt;&gt;&gt; =3D20<BR>&gt;&gt;=20  
 =  
 =3D<BR>&gt;&gt;<BR> &gt;&gt;&gt;&lt;BR&gt;&lt;BR&gt; Daniel&lt;/BLOCKQUOTE&=  
 &lt;/BODY&gt;&lt;/HTML&gt;&g=3D<BR>&gt;&gt; <BR>&gt;&gt;t&lt;BR&gt;&gt;=  
 ;=20  
 =3D20<BR>&gt;&gt; &gt;&lt;BR&gt;&gt;&nbsp; =20  
 &gt;&lt;BR&gt;&gt;&lt;BR&gt;&gt; &lt;BR&gt;&gt;&lt;DOCTYPE HTML=20  
 =3D<BR>&gt;&gt;PUBLIC=3D20<BR>&gt;&gt; "-//W3C//DTD HTML =  
 4.0=3D20<BR>&gt;&gt;=20  
 =  
 Transitional//EN" &gt;&lt;BR&gt;&gt;&lt;HTML&gt;&lt;HEAD&gt;&lt;BR&gt;&gt;=  
 &lt;META=3D20<BR>&gt;&gt;=20  
 http-equiv=3D3D3DContent-Type =  
 content=3D3D3D"text/html;=3D20<BR>&gt;&gt;=20  
 =  
 =3D3D&lt;BR&gt;&gt; charset=3D3D3Diso-8859-1"&gt;&lt;BR&gt;&gt;&lt;META=20  
 =3D<BR>&gt;&gt; content=3D3D3D"MSHTML=3D20<BR>&gt;&gt;=20  
 6.00.2800.1400"=3D20<BR>&gt;&gt;=20  
 =  
 =3D<BR> &gt;&gt; name=3D3D3DGENERATOR&gt;&lt;BR&gt;&gt; &gt;&lt;STYLE&gt;&lt;/ST=  
 YLE&gt;&lt;BR&gt;&gt;&lt;/HEA=3D<BR> &gt;&gt; D&gt;&lt;BR&gt;&gt;&lt;B ODY=3D=  
 20<BR>&gt;&gt;=20  
 bgColor=3D3D3D#ffffff&gt;&lt;BR&gt;&gt;&lt;DIV&gt;&lt;FONT=20  
 face=3D3D3DArial=3D20<BR>&gt;&gt;=20  
 =  
 size=3D3D3D2&gt;&lt;Dan,&lt;/FONT&gt;&lt;/DIV&gt;&gt;&lt;DIV&gt;&lt;=  
 ;FONT=20  
 =3D<BR>&gt;&gt;<BR>&gt;&gt; face=3D3D3DArial size=3D3D3D2&gt;&lt;Sounds =  
 like a smart=20  
 move=3D20<BR>&gt;&gt;=20

=  
=3D3D<BR>&gt;then.&lt;/FONT&gt;&am p;lt;/DIV&gt;&lt;BR>&gt;&lt;DIV&g t=  
&lt;FONT=3D20<BR>&gt;&gt;=20  
face=3D3D3DArial=3D20<BR>&gt;&gt;=20  
=  
=3D<BR> &gt;&gt;size=3D3D3D2&gt;Tom&lt;/FONT&gt; &lt;/DIV&gt;&lt;BR>&gt;=  
&lt;BLOCKQUOTE=3D3D20&lt;BR>=3D<BR>&gt;&gt; <BR>&gt;&gt;&gt;style=3D3D3=  
D"PADDING-RIGHT:=3D20<BR>&gt;&gt;<BR>&gt;&gt;=20  
0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =  
=3D3D&lt;BR>&gt;&gt;BORDER-LEFT:=20  
=3D<BR>&gt;&gt;#000000 2px=3D20<BR>&gt;&gt; solid; MARGIN-RIGHT:=20  
0px"&gt;&lt;BR>&gt;&gt;&nbsp; &lt;DIV&gt;"Dan B"=3D20<BR>&gt;&gt;=20  
&lt;&lt;A=3D3D20&lt;BR>&gt;&gt;&nbsp; =20  
=3D3D&lt;BR>&gt;&gt;href=3D3D3D"&lt;A=3D20<BR >&gt;&gt;=20  
=  
=3D<BR>&gt;&gt;href=3D3D'mailto:daniel\_burneNOSPAM@yahoo.com"&gt;daniel\_b=  
urneNOSPAM@yahoo.com=3D<BR>&gt;&gt;&gt;mailto:daniel\_burneNOSPAM@yahoo.c=  
om"&gt;daniel\_burneNOSPAM@yahoo.com&lt;/A=3D<BR>&gt;&gt;<BR>&gt;&gt;&gt;=3D=  
3D&lt;BR>&gt;&gt;&lt;/A&gt;&gt;=3D3D2 0&lt;BR>&gt;&gt;=20  
=3D20<BR>&gt;&gt;<BR>&gt;&gt; wrote in message =  
&lt;A=3D3D20&lt;BR>&gt;&gt;&nbsp; =20  
=3D3D&lt;BR>&gt;&gt;href=3D3D3D"&lt;A=3D20<BR >&gt;&gt;=20  
=  
=3D<BR>&gt;&gt;href=3D3D'news:4308cc02\$1 @linux"&gt;news:4308cc02\$1 @linux&=  
lt;/A&gt;...&lt;/DIV&gt;&lt;BR>&gt;Hi'&am p;gt;=3D <BR>&gt;&gt;news:4308cc02\$1 @l=  
inux"&gt;news:4308cc02\$1 @linux&lt;/A&gt;...&lt;/DIV&gt;&am p;=3D<BR>&gt;&gt;g=  
t;lt;BR>&gt;Hi&lt;/A&gt;&lt;BR>=3D3D&a mp;lt;BR>&gt;&gt;Tom,=3D3D20&lt;BR>&gt;=  
&gt;&gt;=20  
=3D20<BR>&gt;&gt; &lt;BR>&gt;&lt;BR>&gt;Yup - I'm placing them in the =  
library.=20  
They show =3D<BR>&gt;&gt;in other=3D20<BR>&gt;&gt;=20  
=3D3D&lt;BR>&gt;&gt;projects=3D3D20&lt;BR>&am p;gt;&gt;&nbsp; once=20  
saved,&lt;BR>&gt;&gt;until I =3D<BR>&gt;&gt;reboot... =  
then=3D20<BR>&gt;&gt; they=20  
disappear. I may try =  
=3D3D&lt;BR>&gt;&gt;reinstalling=3D3D20&lt;BR &gt;&gt;&nbsp;=20  
=3D<BR>&gt;&gt;the FX=3D20<BR>&gt;&gt; subsystem.&lt;BR>&gt;In the =  
meantime,=20  
suggestions=3D20<BR>&gt;&gt;=20  
=  
=3D3D&lt;BR>&gt;&gt;welcome!&lt;BR>&gt;&am p;lt;BR>&gt;Thanks,=3D3D20&lt;BR>&gt;&g=  
t;=20  
=3D20<BR>&gt;&gt; &lt;BR>&gt;&lt;BR>&gt;Dan&lt;BR>&gt;&am p;lt;BR>&gt; "Tom=20  
Bruhl"=3D20<BR>&gt;&gt; &lt;&lt;A=3D3D20&lt;BR>&gt;&gt;&nbsp; =20  
href=3D3D3D"&lt;A=3D20<BR>&gt;&gt;=20  
=  
=3D<BR>&gt;&gt;href=3D3D'mailto:arpegio@comcast.net"&gt;arpegio@comcast.n=  
et&lt;/A&gt;&gt;=3D3D20'&gt;mailto=3D<BR>&gt;&gt;:arpegio@comcast.net"&gt;=

;arpeggio@comcast.net &lt;/A>&gt;=3D3D20&lt;/A>&lt;B R>&gt;&amp;g=3D <BR=>&gt;&gt;t;=20  
=3D20<BR>&gt;&gt;=20  
=  
=3D<BR> &gt;&gt;wrote:&lt;BR>&gt;&gt;&lt;BR&a mp>&gt;&gt;&lt;BR>&gt;&gt;Daniel,&lt;BR>&gt;&gt;You=20  
=3D<BR>&gt;&gt;are=3D20<BR>&gt;&gt; dragging them =  
=3D3D&lt;BR>&gt;&gt;into=20  
the=3D3D20&lt;BR>&gt;&gt;&nbsp; lower bin before=20  
=3D<BR>&gt;&gt;quitting=3D20<BR>&gt;&gt; right?&lt;BR>&gt;&gt;This =  
adds them to=20  
your user=3D20<BR>&gt;&gt; =  
=3D3D&lt;BR>&gt;&gt;presets=3D3D20&lt;BR& gt>&gt;&nbsp;=20  
for other=3D20<BR>&gt;&gt;=20  
projects.&lt;BR>&gt;&gt;Tom&lt;BR>&gt;&gt;& ;&gt;&lt;BR>&gt;&gt; "dan=20  
b"=3D20<BR>&gt;&gt; &lt;&lt;A=3D3D20&lt;BR>&gt;&gt;&nbsp; =20  
=3D3D&lt;BR>&gt;&gt;href=3D3D3D"&lt;A=3D20<BR >&gt;&gt;=20  
=  
=3D<BR>&gt;&gt;href=3D3D'mailto:daniel\_burneNOSPAM@yahoo.com"&gt;daniel\_b=  
urneNOSPAM@yahoo.com=3D<BR>&gt;&gt;'&gt;mailto:daniel\_burneNOSPAM@yahoo.c=  
om"&gt;daniel\_burneNOSPAM@yahoo.com&lt;/A=3D<BR>&gt;&gt;<BR>&gt;&gt;=3D=  
3D&lt;BR>&gt;&gt;&lt;/A>&gt;&gt;=3D3D2 0&lt;BR>&gt;&gt;=20  
=3D20<BR>&gt;&gt;<BR>&gt;&gt; wrote in message=3D20<BR>&gt;&gt;=20  
=  
=3D<BR> &gt;&gt;=3D3D&lt;BR>&gt;&gt;=3D3D3D&l t;&lt;BR>&gt;&gt;news:4308b8a6\$1 @li=  
nux...&lt;BR>&gt;&gt;&lt;B=3D<BR>&gt;&gt;R>&gt;&gt;=3D20 <BR>&gt;&gt;=20  
=3D3D20&lt;BR>&gt;&gt;&nbsp; Hi,=3D3D3D20&lt;BR>&gt;&gt;&lt;BR>&gt;&gt;& ;&gt; =  
Just=20  
=3D<BR>&gt;&gt;wondering if=3D20<BR>&gt;&gt; anyone has any idea=20  
=3D3D&lt;BR>&gt;&gt;how I can=3D3D20&lt;BR>&gt;&gt;&nbsp; get my FX=20  
=3D<BR>&gt;&gt;presets to=3D20<BR>&gt;&gt; =  
=3D3D3D&lt;BR>&gt;&gt;save&lt;BR>&gt;&gt; g=20  
in XP (Paris v3). =  
=3D<BR> &gt;&gt;=3D3D&lt;BR>&gt;&gt;Whenever=3D20 <BR>&gt;&gt;=20  
l=3D3D20&lt;BR>&gt;&gt;&nbsp; reboot I loose them=20  
=3D<BR> &gt;&gt;all?&lt;BR>&gt;&gt;&lt;BR& amp> &gt;&gt; =  
Should=3D20<BR>&gt;&gt; I try=20  
=3D3D&lt;BR>&gt;&gt;reinstalling the=3D3D20&lt;BR>&gt;&gt;&nbsp; XP FX =  
subsystem=20  
=3D<BR>&gt;&gt;again? Is=3D20<BR>&gt;&gt; that ok to=20  
=  
=3D<BR> &gt;&gt;=3D3D&lt;BR>&gt;&gt;do&lt;BR& amp>&gt;=3D3D3D&lt;BR>&gt;&gt;once&l=  
t;&lt;BR>&gt;&gt;=3D20<BR>&gt;&gt;=20  
Paris=3D3D20&lt;BR>&gt;&gt;&nbsp; is installed and has =  
been=3D20<BR>&gt;&gt;=20  
used?&lt;BR>&gt;&gt;&lt;BR>&gt;&gt; Thanks for =  
any=3D3D20&lt;BR>&gt;&gt;=20  
=3D20<BR>&gt;&gt; =

```

tips. =3D3D3D20&lt;BR&gt;&gt;&lt;BR&gt;&a mp;gt;=3D20 <BR>&gt;=20
  Daniel&lt;BR&gt;&gt;&lt;BR&gt;&gt;&a mp;lt;!DOCTYPE=20
    =3D3D&lt;BR&gt;&gt;HTML=3D20<BR>&gt;=
PUBLIC=3D3D20&lt;BR&gt;&gt;&nbsp;=20
  "-//W3C//DTD HTML 4.0=3D3D20&lt;BR&gt;&gt; =3D20<BR>&gt;=20
  =
=3D<BR>&gt;Transitional//EN" &gt;&lt;BR&gt;&gt;&lt;HTML&gt;&l t;HEAD&gt;=
;&lt;BR&gt;&gt;=3D<BR> &gt;&lt;META=3D3D20&lt;BR&gt;&gt; ;=20
  =3D20<BR>&gt; http-equiv=3D3D3D3DContent-Type=20
  =3D<BR>&gt;content=3D3D3D3D"text/html;=3D3D20&lt;BR&gt;&gt; =
=3D20<BR>&gt;=20
  =
=3D3D3D&lt;BR&gt;&gt;charset=3D3D3D3Diso-8859-1"&gt;&lt;BR&gt;&gt;&lt;MET=
A=20
  =3D<BR>&gt;<BR>&gt;=20
  =
=3D3D&lt;BR&gt;&gt;content=3D3D3D3D"MSHTML=3D3D20&lt;BR&gt;&gt;&nbsp;=20
  =3D<BR>&gt;6.00.2800.1400"=3D3D20&lt;BR&gt;&gt; =
=3D20<BR>&gt;=20
  =
=3D<BR> &gt;&=3D3D&lt;BR&gt;&gt;name=3D3D3D3D GENERATOR&gt;&lt;BR&gt;&gt;=
;&lt;STYLE&gt;&lt;/STYLE&amp;=3D<BR> &gt;&gt;&lt;BR&gt;&gt;&lt;/HEA=3D 3=
D&lt;BR&gt;&gt;D&gt;&lt;BR&gt;&g t;&lt;BODY=3D3D20&lt;BR&gt;&amp;=3D <BR>&g=
t;&gt;=20
  =3D20<BR>&gt;=20
  =
bgColor=3D3D3D3D#ffffff&gt;&lt;BR&gt;&gt;&am p;lt;DIV&gt;&lt;FONT=3D20 <BR>&gt;=
&gt;=20
  face=3D3D3D3DArial=3D3D20&lt;BR&gt;&gt; =3D20<BR>&gt;=20
  =
=3D<BR> &gt;&=3D3D&lt;BR&gt;&gt;size=3D3D3D3D 2&gt;Daniel,&lt;/FONT&gt;&=
lt;/DIV&gt;&lt;BR&gt;&gt;=3D<BR> &gt;&lt;DIV&gt;&lt;FONT=3D3D&lt; BR&gt;=
&gt;=3D3D20&lt;BR&gt;&gt;=20
  =3D20<BR>&gt; face=3D3D3D3DArial size=3D3D3D3D2&gt;You are =
dragging them into=20
  the lower=3D20<BR>&gt;=20
  =3D3D&lt;BR&gt;&gt;=3D3D3D&lt;BR&gt;&amp ;gt;bin=3D3D20&lt;BR&gt;&gt; =
=3D20<BR>&gt;=20
  before=3D3D3D20&lt;BR&gt;&gt;quitting=3D3D20&amp ;lt;BR&gt;&gt; =
=3D20<BR>&gt;=20
  =
right?&lt;/FONT&gt;&lt;/DIV&gt;&lt;BR&am p;gt;&gt;&lt;DIV&gt;&lt;FONT=3D20 <BR>=
&gt;&gt;=20
  =3D3D&lt;BR&gt;&gt;face=3D3D3D3DArial=3D3D20&amp ;lt;BR&gt;&gt;&nbsp;=20
  size=3D3D3D3D2&gt;This =3D<BR>&gt;&gt;adds them to =
your=3D20<BR>&gt;=20
  presets=3D3D20&lt;BR&gt;&gt; =3D20<BR>&gt;=20
  =

```

=3D<BR> &gt;&gt;=3D3D&lt;BR&gt;&gt;for&lt;BR &gt;=3D3D3D&lt;BR&gt;&gt;other=  
=3D3D3D20&lt;BR&gt;&gt;proj=3D<BR> &gt;&gt;ects.&lt;/FONT&gt;&lt;/DIV&gt; t;&=  
lt;BR=3D3D&lt;BR&gt;&gt;&gt;&gt;&lt; DIV&gt;&lt;FON=3D <BR>&gt;&gt;T=3D3D20=  
&lt;BR&gt;&gt;=20  
=3D20<BR>&gt;&gt; face=3D3D3D3DArial=3D3D20&lt;BR&gt;&gt; =  
=3D20<BR>&gt;&gt;=20  
=  
=3D<BR> &gt;&gt;size=3D3D3D3D2&gt;Tom&lt;/FONT&gt; t;&lt;/DIV&gt;&lt;BR&gt;&gt;g=  
t;&lt;/DIV&gt;&lt;=3D<BR>&gt;&gt;FONT=3D3D20&lt;BR&gt;&gt;=20  
=3D20<BR>&gt;&gt; face=3D3D3D3DArial=20  
size=3D3D3D3D2&gt;&lt;/FONT&gt;=3D3D20&lt;BR &gt;&gt; =  
=3D20<BR>&gt;&gt;=20  
=  
=3D<BR> &gt;&gt;=3D3D&lt;BR&gt;&gt;&lt;/DIV& amp;gt;&lt;BR&gt;&gt;&lt;BLOCKQUOTE=  
E=3D3D3D20&lt;BR&gt;&gt;s=3D<BR>&gt;&gt;yle=3D3D3D3D "PADDING-RIGHT:=3D20=  
<BR>&gt;&gt;=20  
=3D3D&lt;BR&gt;&gt;0px;=3D3D20&lt;BR&gt; &gt;&nbsp; PADDING-LEFT: =  
5px;=20  
MARGIN-LEFT: =3D<BR>&gt;&gt;5px;=3D20<BR>&gt;&gt;=20  
=3D3D3D&lt;BR&gt;&gt;BORDER-LEFT: #000000 =3D3D&lt;BR&gt;&gt;2px=20  
=3D<BR>&gt;&gt;solid;=3D3D20&lt;BR&gt;&gt; =3D20<BR>&gt;&gt; =  
MARGIN-RIGHT:=20  
0px"&gt;&lt;BR&gt;&gt; &lt;/DIV&gt;"dan =  
=3D<BR>&gt;&gt;b"=3D3D20&lt;BR&gt;&gt;=20  
=3D20<BR>&gt;&gt; &lt;/A=3D3D3D20&lt;BR&gt;&gt;=20  
=  
=3D<BR> &gt;&gt;=3D3D3D&lt;BR&gt;&gt;href=3D3D3D 3D "&lt;A=3D3D20&lt;BR&gt;&=  
gt;=20  
=3D20<BR>&gt;&gt;=20  
=  
=3D<BR> &gt;&gt;=3D3D&lt;BR&gt;&gt;href=3D3D3D'm ailto:daniel\_burneNOSPAM@y=  
ahoo.com"&gt;daniel\_burne=3D<BR>&gt;&gt;NOSPAM@yahoo.com=3D3D&lt;BR&gt;&gt;g=  
t;'&gt;mailto:daniel\_burneNOSPAM@yahoo.com"&gt;d=3D<BR>&gt;&gt;aniel\_burn=  
eNOSPAM@yahoo.com &lt;/A=3D3D&lt;BR&gt;&gt;&gt;=3D3D3D& amp ;lt;BR&gt;&gt;&lt;/A=  
=3D<BR>&gt;&gt;<BR> &gt;&gt;&gt;&gt;=3D3D3D20&lt;BR&gt;& amp;gt;=3D20 <BR>&gt;&gt;g=  
t;<BR>&gt;&gt;=20  
=3D3D20&lt;BR&gt;&gt;&nbsp; wrote in message=20  
&lt;A=3D3D3D20&lt;BR&gt;&gt;=3D20<BR>&gt;&gt;=20  
=3D3D3D&lt;BR&gt;&gt;href=3D3D3D3D"&lt;A=3D3D20&lt;BR&gt;&gt; =  
=3D20<BR>&gt;&gt;=20  
=  
=3D<BR> &gt;&gt;=3D3D&lt;BR&gt;&gt;href=3D3D3D'n ews:4308b8a6\$1 @linux"&gt;n=  
ews:4308b8a6\$1 @linux&lt;/=3D<BR> &gt;&gt;A&gt;...&lt;/DIV&gt;&lt;BR&a mp;gt;Hi'=  
&gt;=3D3D&lt;BR&gt;&gt;news:4308b8a6\$1 @linux"&gt;=3D<BR>&gt;&gt;;news:430=  
8b8a6\$1 @linux &lt;/A&gt;...&lt;/DIV&gt;& amp;=3D3D& lt;BR&gt;&gt;lt;BR&gt;H=3D=  
<BR> &gt;&gt;i&lt;/A&gt;,&lt;BR&gt;=3D3D3 D&lt;BR&gt;&gt;&lt;BR&gt;&gt;=3D2=  
0<BR>&gt;&gt;=20  
=3D3D20&lt;BR&gt;&gt;&nbsp; &lt;BR&gt;&lt;BR&gt;Just wondering if =

anyone has=20  
=3D<BR>&gt;&gt;any idea=3D20<BR>&gt;&gt; how I can =  
=3D3D&lt;BR&gt;&gt;&gt;get my=20  
FX=3D3D20&lt;BR&gt;&gt;&gt;&nbsp;=20  
=3D<BR> &gt;&gt;=3D3D3D&lt;BR&gt;&gt;&gt;presets=3D2 0 <BR>&gt;&gt;=20  
to=3D3D3D20&lt;BR&gt;&gt;&gt; save&lt;BR&gt;&gt;&gt;in XP (Paris=20  
=3D3D&lt;BR&gt;&gt;&gt;v3).=3D20<BR>&gt;&gt; =  
Whenever=3D3D20&lt;BR&gt;&gt;&gt;&nbsp; I=20  
reboot I loose them=3D20<BR>&gt;&gt;=20  
=  
=3D3D3D&lt;BR&gt;&gt;&gt;all?&lt;BR&gt;& <BR&gt;Should=3D3D20&lt;BR&gt;&gt;&gt; =  
  
=3D20<BR>&gt;&gt; I=3D3D3D20&lt;BR&gt;&gt;&gt; try reinstalling the XP =  
FX subsystem=20  
again? Is=3D20<BR>&gt;&gt; =3D3D&lt;BR&gt;&gt;&gt;that ok=20  
to=3D3D20&lt;BR&gt;&gt;&gt;&nbsp; do=20  
=  
=3D<BR> &gt;&gt;=3D3D3D&lt;BR&gt;&gt;&gt;once&lt;BR&gt;&Paris=3D20 <BR>&gt;&gt; =  
  
is=3D3D3D20&lt;BR&gt;&gt;&gt; installed and =3D3D&lt;BR&gt;&gt;&gt;has=20  
=3D<BR>&gt;&gt;been=3D3D20&lt;BR&gt;&gt;&gt; =3D20<BR>&gt;&gt;=20  
used?&lt;BR&gt;&lt;BR&gt;Thanks for any=3D3D20&lt;BR&gt;&gt;&gt; =  
=3D20<BR>&gt;&gt;=20  
=  
=3D<BR> &gt;&gt;=3D3D&lt;BR&gt;&gt;&gt;tips.=3D3D3D2 0&lt;BR&gt;&gt;&gt;&lt;BR&gt;&=  
lt;BR&gt;Daniel&lt;/BLOCK=3D<BR> &gt;&gt;QUOTE&gt;&lt;/BODY&amp;=3D3D&amp ;lt;B=  
R&gt;&gt;&gt;&lt;/HTML&gt;&lt;BR&gt;& & amp;gt;&lt;BR&gt;=3D <BR>&gt;&gt;&gt;&lt;BR&gt;=  
BR&gt;&lt;/BLOCKQUOTE&gt;&lt;/BODY&gt;&a mp;lt;/HTML&gt;&lt;BR&gt;&gt;&lt;BR& g=  
t;&amp;=3D<BR> &gt;&gt;&gt;&lt;BR&gt;&lt;/BLOCKQUOTE&amp ;gt;&lt;/BODY&gt;&lt;/H=  
TML&gt;<BR>&gt;&gt;<BR>&gt;&gt;<BR>&gt; </BLOCKQUOTE></BLOCKQUOTE></BODY><=  
/HTML>

-----=\_NextPart\_000\_0039\_01C5A705.8CE06B40--....just been reading these interesting posts  
about using the MEC ADAT cards  
with ada8000 etc. I am wondering if the EDS-ADi-01 can do 24bit? & therefore  
make best use of the behringer. Also has anyone done A/B testing of record-playback  
both through the ada8000 and say the MEC's 20bit i/o?  
...just a thought!

regards  
Justin Marcus  
Vortex Studios  
LondonThe adat cards will pass 20 bits of information, not 24.

David.

Justin Marcus wrote:  
> ...just been reading these interesting posts about using the MEC ADAT cards

> with ada8000 etc. I am wondering if the EDS-ADi-01 can do 24bit? & therefore  
> make best use of the behringer. Also has anyone done A/B testing of record-playback  
> both through the ada8000 and say the MEC's 20bit i/o?  
> ...just a thought!  
>  
> regards  
> Justin Marcus  
> Vortex Studios  
> LondonYes, I have installed the PACE version that was recommended with the Paris  
drivers for XP. Should I look for a newer version?

"Aaron Allen" <nospam@not\_here.dude> wrote:

>PACE updated?

>AA

>

>

>"ricalv" <ricardoalvarez@hotmail.com> wrote in message

>news:43077ae3\$1@linux...

>>

>> Hi! I am using Paris 3.0 on a Windows XP with RAID (mirror) system. The

>> mirror

>> array had a problem recently (went out of sync for some reason) and I  
had

>> to rebuild the array (nothing lost, both disks were ok and had the data;

>> I just used one of them as source and formatted/mirrored the other.

So

>> the mirror is back running and all other applications seem to work

>> (Wavelab,

>> etc). When I try to open Paris it never comes up, it doesn't even

>> initialize

>> the MEC (I don't see the LEDs blinking), and the computer freezes.

>>

>> I tried uninstalling/reinstalling a couple of times, still the same.

I

>> formatted

>> and reinstalled Windows, installed the Scherzo driver, the Interloc

>> driver,

>> then Paris 3...and still the same problem.

>>

>> I have no idea what could be causing this. Everything installed without

>> errors and device manager sees the Scherzo as a working device. Could

>> this

>> be a MEC issue? Please help...I'm about to finish a big project but I'm

>> really stuck here!!! Thanks...

>

>So you can record at 24bit but will only get 20bit just like with the MEC

i/o?Yes, the 24 bit .paf file will have 20 bits of resolution... still better than 16.

David.

Justin wrote:

> So you can record at 24bit but will only get 20bit just like with the MEC  
> i/o?I use an older dual 1GHz Mac G4 and don't notice any major hit with Drumagog. I've only ever had about four instances open on any one project though. It seems to be pretty efficient.

Tony

"Gary Flanigan" <gary\_flanigan@ce9.uscourts.gov> wrote in message news:43062816\$1@linux...

>  
> I'm going to be tracking some Roland electronic drums with the intention  
> of  
> replacing some or all of the sounds with samples via Drumagog. How much  
> CPU does this app use per track?  
>  
> Thanks<http://apnews.excite.com/article/20050822/D8C4U4480.html>I heard about it on ABC news on the radio this morning. RIP Bob.

Tony

"James McCloskey" <excelsm@hotmail.com> wrote in message news:430a062d\$1@linux...

>  
> <http://apnews.excite.com/article/20050822/D8C4U4480.html>....so i guess the question is whether the ada8000 sounds any good r whether its practical to record simultaneously on 2 eds1000 cards, just to get enough inputs...(Mec + 2i/o on one eds, and 442+2i/o on the other....)....sorry i'm getting off the subject a bit!? not following your logic here... the MEC with two input cards gives a full 16 inputs to the first submix, the 442 will only give you a total of 6 inputs for the second submix using SPDIF as well. This gives you a total of 22 possible inputs.

David.

Justin wrote:

> ...so i guess the question is whether the ada8000 sounds any good r whether  
> its practical to record simultaneously on 2 eds1000 cards, just to get enough  
> inputs...(Mec + 2i/o on one eds, and 442+2i/o on the other....)....sorry i'm  
> getting off the subject a bit!  
>



>Sigh. The sad ending to every good life. Awesome dude by any measure.

Jimmy

"James McCloskey" <excelsm@hotmail.com> wrote in message  
news:430a062d\$1@linux...

>  
> <http://apnews.excite.com/article/20050822/D8C4U4480.html> I have full FX pack, don't see  
"Chuck's wiring plug".?????

"Aaron Allen" <nospam@not\_here.dude> wrote:

>Actually, it IS possible. You have to use Chuck's wiring plug in the FX

>pack, I think that has been released to the public?

>Stock, Paris will not do this w/o some creative use/thinking, a few I/O's

>and an external compressor.

>AA

>

>

>"RZ" <pearlmusic@sbcglobal.net> wrote in message news:4307dc42@linux...

>> That would require an output and input that I've never seen. If they

>> existed the routing would have to appear in the patchbay window with a

>> separate module labeled effects sidechain I/O.

>>

>> I would probably use the channel inserts to run through an analog

>> compressor

>> if you have one with a sidechain.

>>

>> RZ

>>

>>

>> "Rob Arsenault" <mani2@nbnet.nb.ca> wrote in message

>> news:4306a013\$1@linux...

>>> Scanning the manual but not finding anything about it.

>>>

>>> Thanks

>>>

>>>

>>

>>

>

>Yes I was just looking at options using the existing analogue i/o and ignoring

the 2 adat cards...for the sake of consistent audio quality...This is a loss. Can't say that I got into  
synths at the Arp stage, but I did

at the time the DX7 came out. I've never gotten to play a Moog, but I did

mess around with an OB 1, and a friend's Arp. Without synths and synthesis,

my musical life would have been a less interesting and rewarding experience.  
So much of our contemporary music owes a debt to Mr. Moog. May he RIP.  
MR

"James McCloskey" <excelsm@hotmail.com> wrote:

>

><http://apnews.excite.com/article/20050822/D8C4U4480.html>On 23 Aug 2005 03:06:53 +1000,  
"James McCloskey" <excelsm@hotmail.com>  
wrote:

>

><http://apnews.excite.com/article/20050822/D8C4U4480.html>

I've been following his progress via his site at  
[www.caringbridge.com/bobmoog](http://www.caringbridge.com/bobmoog) and it truly has been sad.

A real genius, and one of the good guys. RIP, Dr. Moog.

pab

"Enjoy every sandwich." -- Warren Zevon

"Here at Microsoft, Quality is job, oh, I dunno, maybe 7 or 8?"Well looks like I will probobly go with  
MusicPro insurance if they accept  
me.

Looks to be about \$100 / year per \$10,000 of coverage.

Mine came out to \$525 / year with a \$100 deductible per claim.

Not bad I think.

Waiting for approval of my application.

They also have Studio insurance to cover you in case someone electricutes  
themselves

at your studio and wants to sue you.

\$350 / year for anyone ,big or small studio.

"Jef Knight" <"Jef Knight"> wrote in message news:4303ca63@linux...

> Hey,

>

> After looking into this here in Canada I've discovered that the only  
> company that will cover pro gear, and does in through the AFof M, is  
> Clydesdale.

>

> jef

>

> Brandon wrote:

>

>>I am having a hard time with my Insurance Agent getting insurance to cover

>>my studio

>>equipment. I am not actually running it as a business right now so I

>>wasn't going to

>>insure it as such...problem is they don't have a policy that will cover

>>ove

---