Subject: licensing? Posted by John [1] on Thu, 29 Dec 2005 16:16:17 GMT View Forum Message <> Reply to Message seems a bit alright... I'm not sure that she > likes me, but there's something sexy about an accountant who's qualified > as a lawyer, and is also very cute and laughs a lot. I do at least now have > her phone number... ;o)

> her phone number... ;o)
> I really should go to bed. I have to work tomorrow...
> Cheers,
> Kim.

> "erlilo" <erlilo@online

Subject: Re: licensing?
Posted by Tony Benson on Thu, 29 Dec 2005 18:31:12 GMT
View Forum Message <> Reply to Message

43b42516@linux...

>>> I just added a second eds 1000 card and want to have a mixer with 32 >>> channels instead of two at 16. Also want to load more effects on the

>>> global

>>> master. I know it's probably simple, but I can't make it happen.

> > Thanks.

>>>>

>>>>

> > >

>>>

. .

> >

> >

>Suad, that is very cool!

Cheers,

-Jamie

http://www.JamieKrutz.com

Suad wrote:

- > Heh. 13 years ago, when I was still playing with bands I used
- > one to send midi to stagebox and then with snake to MIX engineer
- > so I was changing presets in his FX rack for each song, all along
- > with programs on my keyboards and PAD presets for drummer.

> > That was cool for early 90's! Espetially in Croatia in the middle of WAR! > But, I made it myself. > It's very simple. Just solder an XLR to MIDI. > You can take an high quality shielded MIDI cable and cut it in the middle, > and then solder an male and female XLRs. (Neutrik if possible) > Note that MIDI uses only 3 pins. > Make sure that you connect ground (pin2 at midi and cable shield) to XLR pin > 1. > You can solder MIDI pin 4 to XLR 2 and MIDI pin 5 to XLR 3. > Midi pins 1 and 3 are not used.

- > And again You MUST use XLR pin 1 for ground, to avoid MIDI interfering
- > with other audio lines inside the snake.
- > There are schematics:

Subject: Re: licensing?

> Midi IN: http://www.hardwarebook.net/connector/serial/midiin.html

Posted by Neil on Thu, 29 Dec 2005 18:44:19 GMT

> Midi OUT : http://www.hardwarebook.net/con

View Forum Message <> Reply to Message is? >>>thanks > >>> > >>> >>>John <no@no.com> wrote: > >>> > >>> >>>>gotcha, thanks > >>> >>>>Rod Lincoln wrote: > >>> >>>> >>>>>it's the default path of the subsystem installer. Make sure that's > > where > > > >>the > >>> > >>> >>>>Paris app resides. If you have version 3, it most likely is. If you > > have

The PARIS Forums