
Subject: Got two ADATs in mec A working under XP
Posted by [Tom Bruhl](#) on Wed, 28 May 2008 19:10:21 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0006_01C8C0D4.F2CEAD90
Content-Type: text/plain;
 charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Go figure. Didn't work before. It did today. It is a different ADAT =
card than I had been
trying as a second card. One happens to be a blue one in slot 9 and the =
new one is
black in slot 8. 1x 8in in slot 1 and 1 x 8out in slot 2.

Maybe it's the sequence of installing them? Use the last slot first so =
Paris looks down the whole=20
line before moving on. Later install stuff before it to be recognized. =
Just a thought.

Tom

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=_NextPart_000_0006_01C8C0D4.F2CEAD90
Content-Type: text/html;
 charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2180" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Go figure.&nbsp; Didn't work =
before.&nbsp; It did=20
today.&nbsp; </FONT><FONT face=3DArial size=3D2>It is a different ADAT =
card than I=20
had been</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>trying as a second card.&nbsp;&nbsp;One =
```

happens to=20
be a blue one in slot 9 and the new one is</DIV>
<DIV>black in slot 8. 1x 8in in slot 1 =
and 1 x=20
8out in slot 2.</DIV>
<DIV> </DIV>
<DIV>Maybe it's the sequence of installing =
them? =20
Use the last slot first so Paris looks down the whole </DIV>
<DIV>line before moving on. Later =
install stuff=20
before it to be recognized. Just a thought.</DIV>
<DIV> </DIV>
<DIV>Tom</DIV>
<DIV> </DIV>
<DIV> </DIV>
<DIV>

I choose Polesoft Lockspam to fight spam, =
and=20
you?
<A=20
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html </DIV></BODY ></HTML>

-----=_NextPart_000_0006_01C8C0D4.F2CEAD90--

Subject: Re: Got two ADATs in mec A working under XP
Posted by [Aaron Allen](#) on Wed, 28 May 2008 23:28:30 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0034_01C8C0F0.A12E28A0
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

I've heard that can play into it, and you'll want to put them in the =
last 2 slots because of how XP/Paris looks for the cards. But it's not a =
guarantee that it'll work, and hasn't in some cases I know of. =
Unfortunately, I'm one of the unlucky ones for that.=20

Glad you got the luck on your side!

AA

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:483daf7d\$1@linux...

Go figure. Didn't work before. It did today. It is a different ADAT =
card than I had been

trying as a second card. One happens to be a blue one in slot 9 and =

the new one is
black in slot 8. 1x 8in in slot 1 and 1 x 8out in slot 2.

Maybe it's the sequence of installing them? Use the last slot first =
so Paris looks down the whole=20
line before moving on. Later install stuff before it to be =
recognized. Just a thought.

Tom

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=_NextPart_000_0034_01C8C0F0.A12E28A0

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
```

```
<HTML><HEAD>
```

```
<META http-equiv=3DContent-Type content=3D"text/html; =
```

```
charset=3Diso-8859-1">
```

```
<META content=3D"MSHTML 6.00.6000.16640" name=3DGENERATOR>
```

```
<STYLE></STYLE>
```

```
</HEAD>
```

```
<BODY bgColor=3D#ffffff>
```

```
<DIV><FONT face=3DArial size=3D2>I've heard that can play into it, and =  
you'll want=20
```

```
to put them in the last 2 slots because of how XP/Paris looks for the =  
cards. But=20
```

```
it's not a guarantee that it'll work, and hasn't in some cases I know =  
of.=20
```

```
Unfortunately, I'm one of the unlucky ones for that. </FONT></DIV>
```

```
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
```

```
<DIV><FONT face=3DArial size=3D2>Glad you got the luck on your=20  
side!<BR>AA</FONT></DIV>
```

```
<BLOCKQUOTE dir=3Dltr=20
```

```
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =  
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
```

```
<DIV>"Tom Bruhl" &lt;<A=20
```

```
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>&gt; wrote =  
in message=20
```

```
<A href=3D"news:483daf7d$1@linux">news:483daf7d$1@linux</A>...</DIV>
```

```
<DIV><FONT face=3DArial size=3D2>Go figure.&nbsp;</FONT> Didn't work =  
before.&nbsp;</FONT> It did=20
```

```
today.&nbsp;</FONT><FONT face=3DArial size=3D2>It is a different ADAT =
```

card than l=20
had been</DIV>
<DIV>trying as a second =
card. One happens=20
to be a blue one in slot 9 and the new one is</DIV>
<DIV>black in slot 8. 1x 8in in slot =
1 and 1 x=20
8out in slot 2.</DIV>
<DIV> </DIV>
<DIV>Maybe it's the sequence of installing =
them? =20
Use the last slot first so Paris looks down the whole </DIV>
<DIV>line before moving on. Later =
install stuff=20
before it to be recognized. Just a thought.</DIV>
<DIV> </DIV>
<DIV>Tom</DIV>
<DIV> </DIV>
<DIV> </DIV>
<DIV>

I choose Polesoft Lockspam to fight spam, =
and=20
you?
<A=20
=
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html </DIV></BLOCKQUOTE ></BODY></HTML>

-----=_NextPart_000_0034_01C8C0F0.A12E28A0--

Subject: Re: Got two ADATs in mec A working under XP
Posted by [Tom Bruhl](#) on Thu, 29 May 2008 00:45:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_001F_01C8C103.B2A57670
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Hey Aaron,

Ya, I wasn't lucky for the last three installs in two comps in getting =
two ADATs
to show up with XP. Not sure what changed except:

#1 No Default project in use.

#2 No external WC.

#3 Slot 9 holding ADAT card 1 for multiple boots before installing ADAT card 2 in slot 8.

I've had my days of bad luck that's for sure. It's about time something worked easily. Now I'm waiting for a completely new box from Mr. Ludwig that will make this a non deal.

We'll see,
Tom

"Aaron Allen" <know-spam@not_here.dude> wrote in message = news:483ded01@linux...

I've heard that can play into it, and you'll want to put them in the = last 2 slots because of how XP/Paris looks for the cards. But it's not a = guarantee that it'll work, and hasn't in some cases I know of. = Unfortunately, I'm one of the unlucky ones for that.=20

Glad you got the luck on your side!
AA

"Tom Bruhl" <arpeggio@comcast.net> wrote in message = news:483daf7d\$1@linux...

Go figure. Didn't work before. It did today. It is a different = ADAT card than I had been trying as a second card. One happens to be a blue one in slot 9 and = the new one is black in slot 8. 1x 8in in slot 1 and 1 x 8out in slot 2.

Maybe it's the sequence of installing them? Use the last slot first = so Paris looks down the whole=20

line before moving on. Later install stuff before it to be = recognized. Just a thought.

Tom

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=_NextPart_000_001F_01C8C103.B2A57670

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">


```

href=3D"news:483ded01 @linux">news:483ded01 @linux</A>...</DIV>
<DIV><FONT face=3DArial size=3D2>I've heard that can play into it, and =
you'll want=20
to put them in the last 2 slots because of how XP/Paris looks for the =
cards.=20
But it's not a guarantee that it'll work, and hasn't in some cases I =
know of.=20
Unfortunately, I'm one of the unlucky ones for that. </FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>Glad you got the luck on your=20
side!<BR>AA</FONT></DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Tom Bruhl" &lt;<A=20
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>&gt; =
wrote in=20
message <A =
href=3D"news:483daf7d$1 @linux">news:483daf7d$1 @linux</A>...</DIV>
<DIV><FONT face=3DArial size=3D2>Go figure.&nbsp;  Didn't work =
before.&nbsp;  It=20
did today.&nbsp;  </FONT><FONT face=3DArial size=3D2>It is a =
different ADAT card=20
than I had been</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>trying as a second =
card.&nbsp; &nbsp; One happens=20
to be a blue one in slot 9 and the new one is</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>black in slot 8.&nbsp;   1x 8in in =
slot 1 and 1 x=20
8out in slot 2.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>Maybe it's the sequence of =
installing=20
them?&nbsp;   Use the last slot first so Paris looks down the whole=20
</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>line before moving on.&nbsp;   Later =
install=20
stuff before it to be recognized.&nbsp;   Just a thought.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight =
spam, and=20
you?<BR><A=20
=
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html</A>&nbsp;  &nbsp; </FONT></DIV></BLOCKQUOTE ></BLOCKQUOTE></BODY>=

```

</HTML>

-----=_NextPart_000_001F_01C8C103.B2A57670--

Subject: Re: Got two ADATs in mec A working under XP
Posted by [Dimitrios](#) on Thu, 29 May 2008 11:09:26 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear Tom,

I am glad you found a way to have two adat cards on same mec.

I have achived that on two mecs using the 4 snd 6 slots.

I have concluded that the last mec on the chain perhaps cannot have two adat cards.

So the culprit must be that adat cards should be installed far away from the other cards and always last.

Regards,

Dimitrios

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>Go figure. Didn't work before. It did today. It is a different ADAT =

>card than I had been

>trying as a second card. One happens to be a blue one in slot 9 and the

=

>new one is

>black in slot 8. 1x 8in in slot 1 and 1 x 8out in slot 2.

>

>Maybe it's the sequence of installing them? Use the last slot first so

=

>Paris looks down the whole=20

>line before moving on. Later install stuff before it to be recognized.

=

>Just a thought.

>

>Tom

>

>

>

>

>I choose Polesoft Lockspam to fight spam, and you?

><http://www.polesoft.com/refer.html>

>

><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

><HTML><HEAD>

><META http-equiv=3DContent-Type content=3D"text/html; =

>charset=3Diso-8859-1">


```
><META content=3D"MSHTML 6.00.2900.2180" name=3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D#ffffff>
```

```
>card than l=20
>had been</FONT></DIV>
```

```
>happens to=20
>be a blue one in slot 9 and the new one is</FONT></DIV>
```

```
>and 1 x=20
>8out in slot 2.</FONT></DIV>
```

```
><DIV><FONT face=3DArial size=3D2>Maybe it's the sequence of installing =
```

```
>Use the last slot first so Paris looks down the whole </FONT></DIV>
```

```
>install stuff=20
```

```
><DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
```

```
><DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight spam, =
>and=20
```

```
>you?<BR><A=20
```

```
>href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
```

```
>
>
```

Subject: Re: Got two ADATs in mec A working under XP

Posted by [JeffH](#) on Fri, 30 May 2008 01:36:17 GMT

[View Forum Message](#) <> [Reply to Message](#)

I'm actually running a six card system right now (it will be eight when i switch to the new magma). Have MECs on EDS cards one and two. One has two ADAT'S and EDS 2 has three (mostly for a safe place to store it). When I got a blue face involved, it wouldn't work but with all black face, I've been able to get all up and recognized with no issues so far. Still haven't figured out what to do with that much I/O though.

:~)

Seemed to stabilize things when I reinstalled the driver and effects subsystem after any changes to hardware.

Jeff

Tom Bruhl wrote:

> Hey Aaron,
>
> Ya, I wasn't lucky for the last three installs in two comps in getting
> two ADATs
> to show up with XP. Not sure what changed except:
>
> #1 No Default project in use.
>
> #2 No external WC.
>
> #3 Slot 9 holding ADAT card 1 for multiple boots before installing
> ADAT card 2 in slot 8.
>
> I've had my days of bad luck that's for sure. It's about time something
> worked easily. Now I'm waiting for a completely new box from Mr. Ludwig
> that will make this a non deal.
>
> We'll see,
> Tom
>
>
>
> "Aaron Allen" <know-spam@not_here.dude
> <mailto:know-spam@not_here.dude>> wrote in message
> news:483ded01@linux...
> I've heard that can play into it, and you'll want to put them in the
> last 2 slots because of how XP/Paris looks for the cards. But it's
> not a guarantee that it'll work, and hasn't in some cases I know of.
> Unfortunately, I'm one of the unlucky ones for that.
>
> Glad you got the luck on your side!
> AA
>
> "Tom Bruhl" <arpeggio@comcast.net <mailto:arpeggio@comcast.net>>
> wrote in message news:483daf7d\$1@linux...
> Go figure. Didn't work before. It did today. It is a
> different ADAT card than I had been
> trying as a second card. One happens to be a blue one in slot 9
> and the new one is
> black in slot 8. 1x 8in in slot 1 and 1 x 8out in slot 2.

>
> Maybe it's the sequence of installing them? Use the last slot
> first so Paris looks down the whole
> line before moving on. Later install stuff before it to be
> recognized. Just a thought.

>
> Tom

>
>
>
>
>
> I choose Polesoft Lockspam to fight spam, and you?
> <http://www.polesoft.com/refer.html>
