
Subject: I'm having a really hard time explaining myself :-)

Posted by [chuck duffy](#) on Sat, 28 Oct 2006 14:01:18 GMT

[View Forum Message](#) <> [Reply to Message](#)

because of the amount of technobabble I use, and my poor grasp of english syntax :-)

Here's the deal...

1. The idea I am proposing does not use any physical hardware interconnects between PARIS and the "new" theoretical VST host. It uses a piece of "shared memory" (see wikipedia) to shuttle samples back and forth. The theoretical VST host would present 32 virtual inputs and 32 virtual outputs to any ASIO capable application.

2. There would be *one* channel strip in the VST HOST for *each* incoming virtual ASIO connection. On this strip you could drop as many VST plugs, or VSTis as you want. The strip would add up the latency for all plugs on the strip, and then bump the latency up to a user configured amount, thereby giving you 100% consistent latency for each channels. The output of each strip would go to an ASIO virtual OUT channel.

3. A simple "new" VST plug would be inserted on each channel in paris. On this plug you would select *which* one of the 32 "NEW" VST host channels you wanted to route through.

Now - the 64,000 question is, is there any other use for this new host BESIDES PARIS. If we can think of other uses for it, I would work on it, if not, I wouldn't :-) It needs to have a larger potential audience than the paris community :-)

Chuck

Chuck

Subject: Re: I'm having a really hard time explaining myself :-)

Posted by [Chris Ludwig](#) on Sat, 28 Oct 2006 14:58:02 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi Chuck,

Do you mean something like the Linux audio app called JACK?

Sounds sort of similar but geared towards Paris.

<http://www.ardour.org/jack>

Chris

chuck duffy wrote:

>because of the amount of technobabble I use, and my poor grasp of english
>syntax :-)
>
>Here's the deal...
>
>1. The idea I am proposing does not use any physical hardware interconnects
>between PARIS and the "new" theoretical VST host. It uses a piece of "shared
>memory" (see wikipedia) to shuttle samples back and forth. The theoretical
>VST host would present 32 virtual inputs and 32 virtual outputs to any ASIO
>capable application.
>
>2. There would be *one* channel strip in the VST HOST for *each* incoming
>virtual ASIO connection. On this strip you could drop as many VST plugs,
>or VSTis as you want. The strip would add up the latency for all plugs on
>the strip, and then bump the latency up to a user configured amount, thereby
>giving you 100% consistent latency for each channels. The output of each
>strip would go to an ASIO virtual OUT channel.
>
>3. A simple "new" VST plug would be inserted on each channel in paris. On
>this plug you would select *which* one of the 32 "NEW" VST host channels
>you wanted to route through.
>
>Now - the 64,000 question is, is there any other use for this new host BESIDES
>PARIS. If we can think of other uses for it, I would work on it, if not,
>I wouldn't :-) It needs to have a larger potential audience than the paris
>community :-)

>
>Chuck

>
>Chuck

>
>
>
>
>
>
>
>
>

--

Chris Ludwig

ADK

chrisl@adkproaudio.com <mailto:chrisl@adkproaudio.com>

www.adkproaudio.com <http://www.adkproaudio.com/>

(859) 635-5762

Subject: Re: I'm having a really hard time explaining myself :-)

Posted by [Dimitrios](#) on Sat, 28 Oct 2006 15:35:44 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear Chuck,

To help me understand this.

Lets talk with paradigm.

Lets say you have a cubase program on same computer with Paris.

Would that plugin of yours make cubase see a "virtual audio card" because cubase needs an audio card to work and so it will be able to communicate with these 32 asio origins and destinations like in beetween with Paris ?

That would be wanted from many other users.

Its like rewire.

You can imagine one having SAWpro running audio and Cubase sending the VSTI asio outs to SAW...

So many potential buyers could benefit.

If I understood correctly, and forgive me if not, it is basically a "Chuck" rewire but only using asio as protocol of communicating.

Am I wrong ?

Regards,

Dimitrios

"chuck duffy" <c@c.com> wrote:

>

>because of the amount of technobabble I use, and my poor grasp of english

>syntax :-)

>

>Here's the deal...

>

>1. The idea I am proposing does not use any physical hardware interconnects
>between PARIS and the "new" theoretical VST host. It uses a piece of "shared
>memory" (see wikipedia) to shuttle samples back and forth. The theoretical
>VST host would present 32 virtual inputs and 32 virtual outputs to any ASIO
>capable application.

>

>2. There would be *one* channel strip in the VST HOST for *each* incoming
>virtual ASIO connection. On this strip you could drop as many VST plugs,
>or VSTis as you want. The strip would add up the latency for all plugs
on

>the strip, and then bump the latency up to a user configured amount, thereby
>giving you 100% consistent latency for each channels. The output of each
>strip would go to an ASIO virtual OUT channel.

>

>3. A simple "new" VST plug would be inserted on each channel in paris.

On

>this plug you would select *which* one of the 32 "NEW" VST host channels
>you wanted to route through.

>

>Now - the 64,000 question is, is there any other use for this new host BESIDES

>PARIS. If we can think of other uses for it, I would work on it, if not,
>I wouldn't :-) It needs to have a larger potential audience than the paris
>community :-)
>
>Chuck
>
>Chuck
>
>
>
>
>
>
>

Subject: Re: I'm having a really hard time explaining myself :-)
Posted by [brandon\[2\]](#) on Sat, 28 Oct 2006 15:58:54 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dimitrios, From what I understand it is not to be used with Cubase.
It is to be used stand alone.
It will replace the need for Cubase as an effects rack.
You will only use PARIS and the NEW program Chuck creates.
No Cubase.
It is not intended as a Wormhole2 tpe program.
It is Wormhole plus an effects rack rolled up in one with latency
compensation.
Is that correct Chuck?
That is how I understand it.

B

"Dimitrios" <musurgio@otenet.gr> wrote:

>
>Dear Chuck,
>To help me understand this.
>Lets talk with paradigm.
>Lets say you have a cubase program on same computer with Paris.
>Would that plugin of yours make cubase see a "virtual audio card" because
>cubase needs an audio card to work and so it will be able to communicate
>with these 32 asio origins and destinations like in beetween with Paris
>
>That would be wanted from many other users.
>Its like rewire.
>You can imagine one having SAWpro running audio and Cubase sending the VSTI
>asio outs to SAW...

>So many potential buyers could benefit.
>If I understood correctly, and forgive me if not, it is basically a "Chuck"
>rewire but only using asio as protocol of communicating.
>Am I wrong ?
>Regards,
>Dimitrios
>
>"chuck duffy" <c@c.com> wrote:
>>
>>because of the amount of technobabble I use, and my poor grasp of english
>>syntax :-)
>>
>>Here's the deal...
>>
>>1. The idea I am proposing does not use any physical hardware interconnects
>>between PARIS and the "new" theoretical VST host. It uses a piece of "shared
>>memory" (see wikipedia) to shuttle samples back and forth. The theoretical
>>VST host would present 32 virtual inputs and 32 virtual outputs to any
ASIO
>>capable application.
>>
>>2. There would be *one* channel strip in the VST HOST for *each* incoming
>>virtual ASIO connection. On this strip you could drop as many VST plugs,
>>or VSTis as you want. The strip would add up the latency for all plugs
>on
>>the strip, and then bump the latency up to a user configured amount, thereby
>>giving you 100% consistent latency for each channels. The output of each
>>strip would go to an ASIO virtual OUT channel.
>>
>>3. A simple "new" VST plug would be inserted on each channel in paris.

>On
>>this plug you would select *which* one of the 32 "NEW" VST host channels
>>you wanted to route through.
>>
>>Now - the 64,000 question is, is there any other use for this new host
BESIDES
>>PARIS. If we can think of other uses for it, I would work on it, if not,
>>I wouldn't :-) It needs to have a larger potential audience than the paris
>>community :-)
>>
>>Chuck
>>
>>Chuck
>>
>>
>>
>>

>>
>>
>

Subject: Re: I'm having a really hard time explaining myself :-)

Posted by [brandon\[2\]](#) on Sat, 28 Oct 2006 17:06:55 GMT

[View Forum Message](#) <> [Reply to Message](#)

So the idea is that if you send all the channels you have in PARIS to this NEW plugin....They will all be delayed the same amount. That amount is equal to a user definable number OR the amount of samples that is greatest on any given insert (depending on the amount of plugs), which ever is least?

That is brilliant!

That would be cool if it had two modes.

User definable latency or automatic which updates everytime a new plug is inserted or removed from the NEW HOST program.

B
B

"Brandon " <A@A.com> wrote:

>

>Dimitrios,From what I understand it is not to be used with Cubase.

>It is to be used stand alone.

>It will replace the need for Cubase as an effects rack.

>You will only use PARIS and the NEW program Chuck creates.

>No Cubase.

>It is not intended as a Wormhole2 tpe program.

>It is Wormhole plus an effects rack rolled up in one with latency

>compensation.

>Is that correct Chuck?

>That is how I understand it.

>

>B

>

>

>

>"Dimitrios" <musurgio@otenet.gr> wrote:

>>

>>Dear Chuck,

>>To help me understand this.

>>Lets talk with paradigm.

>>Lets say you have a cubase program on same computer with Paris.

>>Would that plugin of yours make cubase see a "virtual audio card" because

>>cubase needs an audio card to work and so it will be able to communicate

>>with these 32 asio origins and destinations like in beetween with Paris

>?

>>That would be wanted from many other users.

>>Its like rewire.

>>You can imagine one having SAWpro running audio and Cubase sending the VSTI

>>asio outs to SAW...

>>So many potential buyers could benefit.

>>If I understood correctly, and forgive me if not, it is basically a "Chuck"

>>rewire but only using asio as protocol of communicating.

>>Am I wrong ?

>>Regards,

>>Dimitrios

>>

>>"chuck duffy" <c@c.com> wrote:

>>>

>>>because of the amount of technobabble I use, and my poor grasp of english

>>>syntax :-)

>>>

>>>Here's the deal...

>>>

>>>1. The idea I am proposing does not use any physical hardware interconnects

>>>between PARIS and the "new" theoretical VST host. It uses a piece of

>>>"shared

>>>memory" (see wikipedia) to shuttle samples back and forth. The theoretical

>>>VST host would present 32 virtual inputs and 32 virtual outputs to any

>ASIO

>>>capable application.

>>>

>>>2. There would be *one* channel strip in the VST HOST for *each* incoming

>>>virtual ASIO connection. On this strip you could drop as many VST plugs,

>>>or VSTis as you want. The strip would add up the latency for all plugs

>>on

>>>the strip, and then bump the latency up to a user configured amount, thereby

>>>giving you 100% consistent latency for each channels. The output of each

>>>strip would go to an ASIO virtual OUT channel.

>>>

>>>3. A simple "new" VST plug would be inserted on each channel in paris.

>

>>On

>>>this plug you would select *which* one of the 32 "NEW" VST host channels

>>>you wanted to route through.

>>>

>>>Now - the 64,000 question is, is there any other use for this new host

>BESIDES

>>>PARIS. If we can think of other uses for it, I would work on it, if not,

>>>I wouldn't :-) It needs to have a larger potential audience than the

paris

>>>community :-)

>>>
>>>Chuck
>>>
>>>Chuck
>>>
>>>
>>>
>>>
>>>
>>>
>>
>

Subject: Re: I'm having a really hard time explaining myself :-)
Posted by [chuck duffy](#) on Sat, 28 Oct 2006 17:35:47 GMT
[View Forum Message](#) <> [Reply to Message](#)

Zactly. The user definable number would need to be greater than the highest latency on any single channel in the host. It could also be automatic (highest + 1 ms for example).

Chuck

"Brandon" <A@A.com> wrote:

>
>So the idea is that if you send all the channels you have in PARIS to this
>NEW plugin....They will all be delayed the same amount. That amount is equal
>to a user definable number OR the amount of samples that is greatest on
>any
>given insert (depending on the amount of plugs), which ever is least?
>That is brilliant!
>That would be cool if it had two modes.
>User definable latency or automatic which updates everytime a new plug is
>inserted or removed from the NEW HOST program.
>
>B
>B
>
>
>"Brandon " <A@A.com> wrote:
>>
>>Dimitrios,From what I understand it is not to be used with Cubase.
>>It is to be used stand alone.
>>It will replace the need for Cubase as an effects rack.
>>You will only use PARIS and the NEW program Chuck creates.
>>No Cubase.
>>It is not intended as a Wormhole2 tpe program.

>>It is Wormhole plus an effects rack rolled up in one with latency
>>compensation.
>>Is that correct Chuck?
>>That is how I understand it.
>>
>>B
>>
>>
>>
>>"Dimitrios" <musurgio@otenet.gr> wrote:
>>>
>>>Dear Chuck,
>>>To help me understand this.
>>>Lets talk with paradigm.
>>>Lets say you have a cubase program on same computer with Paris.
>>>Would that plugin of yours make cubase see a "virtual audio card" because
>>>cubase needs an audio card to work and so it will be able to communicate
>>>with these 32 asio origins and destinations like in between with Paris
>>?
>>>That would be wanted from many other users.
>>>Its like rewire.
>>>You can imagine one having SAWpro running audio and Cubase sending the
>VSTI
>>>asio outs to SAW...
>>>So many potential buyers could benefit.
>>>If I understood correctly, and forgive me if not, it is basically a "Chuck"
>>>rewire but only using asio as protocol of communicating.
>>>Am I wrong ?
>>>Regards,
>>>Dimitrios
>>>
>>>"chuck duffy" <c@c.com> wrote:
>>>>
>>>>because of the amount of technobabble I use, and my poor grasp of english
>>>>syntax :-)
>>>>
>>>>Here's the deal...
>>>>
>>>>1. The idea I am proposing does not use any physical hardware interconnects
>>>>between PARIS and the "new" theoretical VST host. It uses a piece of
>"shared
>>>>memory" (see wikipedia) to shuttle samples back and forth. The theoretical
>>>>VST host would present 32 virtual inputs and 32 virtual outputs to any
>>ASIO
>>>>capable application.
>>>>
>>>>2. There would be *one* channel strip in the VST HOST for *each* incoming
>>>>virtual ASIO connection. On this strip you could drop as many VST plugs,

>HI Chuck,
>Do you mean something like the Linux audio app called JACK?
>Sounds sort of similar but geared towards Paris.
>
><http://www.ardour.org/jack>
>
>Chris
>
>
>chuck duffy wrote:
>
>>because of the amount of technobabble I use, and my poor grasp of english
>>syntax :-)
>>
>>Here's the deal...
>>
>>1. The idea I am proposing does not use any physical hardware interconnects
>>between PARIS and the "new" theoretical VST host. It uses a piece of "shared
>>memory" (see wikipedia) to shuttle samples back and forth. The theoretical
>>VST host would present 32 virtual inputs and 32 virtual outputs to any
ASIO
>>capable application.
>>
>>2. There would be *one* channel strip in the VST HOST for *each* incoming
>>virtual ASIO connection. On this strip you could drop as many VST plugs,
>>or VSTis as you want. The strip would add up the latency for all plugs
on
>>the strip, and then bump the latency up to a user configured amount, thereby
>>giving you 100% consistent latency for each channels. The output of each
>>strip would go to an ASIO virtual OUT channel.
>>
>>3. A simple "new" VST plug would be inserted on each channel in paris.
On
>>this plug you would select *which* one of the 32 "NEW" VST host channels
>>you wanted to route through.
>>
>>Now - the 64,000 question is, is there any other use for this new host
BESIDES
>>PARIS. If we can think of other uses for it, I would work on it, if not,
>>I wouldn't :-) It needs to have a larger potential audience than the paris
>>community :-)
>>
>>Chuck
>>
>>Chuck
>>
>>
>>

>>
>>
>>
>>
>>
>
>--
>Chris Ludwig
>ADK
>chrisl@adkproaudio.com <mailto:chrisl@adkproaudio.com>
>www.adkproaudio.com <http://www.adkproaudio.com/>
>(859) 635-5762

Subject: Re: I'm having a really hard time explaining myself :-)
Posted by [chuck duffy](#) on Sat, 28 Oct 2006 17:39:13 GMT
[View Forum Message](#) <> [Reply to Message](#)

Brandon,

Although it is intended to be stand-alone, there wouldn't be anything stopping you from routing audio to any other asio input/output in the system.

Does wormhole work right with paris at high track counts?

"Brandon " <A@A.com> wrote:

>
>Dimitrios, From what I understand it is not to be used with Cubase.
>It is to be used stand alone.
>It will replace the need for Cubase as an effects rack.
>You will only use PARIS and the NEW program Chuck creates.
>No Cubase.
>It is not intended as a Wormhole2 tpe program.
>It is Wormhole plus an effects rack rolled up in one with latency
>compensation.
>Is that correct Chuck?
>That is how I understand it.

>
>B
>
>
>
>"Dimitrios" <musurgio@otenet.gr> wrote:

>>
>>Dear Chuck,
>>To help me understand this.
>>Lets talk with paradigm.
>>Lets say you have a cubase program on same computer with Paris.

>>Would that plugin of yours make cubase see a "virtual audio card" because
>>cubase needs an audio card to work and so it will be able to communicate
>>with these 32 asio origins and destinations like in between with Paris
>?
>>That would be wanted from many other users.
>>Its like rewire.
>>You can imagine one having SAWpro running audio and Cubase sending the
VSTI
>>asio outs to SAW...
>>So many potential buyers could benefit.
>>If I understood correctly, and forgive me if not, it is basically a "Chuck"
>>rewire but only using asio as protocol of communicating.
>>Am I wrong ?
>>Regards,
>>Dimitrios
>>
>>"chuck duffy" <c@c.com> wrote:
>>>
>>>because of the amount of technobabble I use, and my poor grasp of english
>>>syntax :-)
>>>
>>>Here's the deal...
>>>
>>>1. The idea I am proposing does not use any physical hardware interconnects
>>>between PARIS and the "new" theoretical VST host. It uses a piece of
"shared
>>>memory" (see wikipedia) to shuttle samples back and forth. The theoretical
>>>VST host would present 32 virtual inputs and 32 virtual outputs to any
>ASIO
>>>capable application.
>>>
>>>2. There would be *one* channel strip in the VST HOST for *each* incoming
>>>virtual ASIO connection. On this strip you could drop as many VST plugs,
>>>or VSTis as you want. The strip would add up the latency for all plugs
>>on
>>>the strip, and then bump the latency up to a user configured amount, thereby
>>>giving you 100% consistent latency for each channels. The output of each
>>>strip would go to an ASIO virtual OUT channel.
>>>
>>>3. A simple "new" VST plug would be inserted on each channel in paris.
>
>>On
>>>this plug you would select *which* one of the 32 "NEW" VST host channels
>>>you wanted to route through.
>>>
>>>Now - the 64,000 question is, is there any other use for this new host
>BESIDES
>>>PARIS. If we can think of other uses for it, I would work on it, if not,

>>>I wouldn't :-) It needs to have a larger potential audience than the
paris
>>>community :-)
>>>
>>>Chuck
>>>
>>>Chuck
>>>
>>>
>>>
>>>
>>>
>>>
>>>
>>
>

Subject: Re: I'm having a really hard time explaining myself :-)
Posted by [brandon\[2\]](#) on Sat, 28 Oct 2006 17:39:26 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

---=_linux454387bd
Content-Type: text/plain
Content-Transfer-Encoding: 7bit

My grasp of ASIO channels is demonstrated in this diagram but this is the
idea I get when thinking of this thing.

B

"Brandon" <A@A.com> wrote:

>
>So the idea is that if you send all the channels you have in PARIS to this
>NEW plugin....They will all be delayed the same amount. That amount is equal
>to a user definable number OR the amount of samples that is greatest on
>any
>given insert (depending on the amount of plugs), which ever is least?
>That is brilliant!
>That would be cool if it had two modes.
>User definable latency or automatic which updates everytime a new plug is
>inserted or removed from the NEW HOST program.
>
>B
>B

>
>
>"Brandon " <A@A.com> wrote:
>>
>>Dimitrios,From what I understand it is not to be used with Cubase.
>>It is to be used stand alone.
>>It will replace the need for Cubase as an effects rack.
>>You will only use PARIS and the NEW program Chuck creates.
>>No Cubase.
>>It is not intended as a Wormhole2 tpe program.
>>It is Wormhole plus an effects rack rolled up in one with latency
>>compensation.
>>Is that correct Chuck?
>>That is how I understand it.
>>
>>B
>>
>>
>>
>>"Dimitrios" <musurgio@otenet.gr> wrote:
>>>
>>>Dear Chuck,
>>>To help me understand this.
>>>Lets talk with paradigm.
>>>Lets say you have a cubase program on same computer with Paris.
>>>Would that plugin of yours make cubase see a "virtual audio card" because
>>>cubase needs an audio card to work and so it will be able to communicate
>>>with these 32 asio origins and destinations like in beetween with Paris
>>?
>>>That would be wanted from many other users.
>>>Its like rewire.
>>>You can imagine one having SAWpro running audio and Cubase sending the
>VSTI
>>>asio outs to SAW...
>>>So many potential buyers could benefit.
>>>If I understood correctly, and forgive me if not, it is basically a "Chuck"
>>>rewire but only using asio as protocol of communicating.
>>>Am I wrong ?
>>>Regards,
>>>Dimitrios
>>>
>>>"chuck duffy" <c@c.com> wrote:
>>>>
>>>>because of the amount of technobabble I use, and my poor grasp of english
>>>>syntax :-)
>>>>
>>>>Here's the deal...
>>>>

Content-Transfer-Encoding: base64

Content-Disposition: attachment; filename="untitled.GIF"

R0lGODlhwgOoAvcAAAAAIAAAACAAICAAAAgIAAgACAgICAgMDAwP8AAAD/
AP//AAAA//8A/wD/////wAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AA
AAAAMwAAZgAAmQAAzAAA/wAZAAzMwAzZgAzmqAZzAAz/wBmAABmMwBmZgBm
mQBmzABm/wCZAACZMwCZZgCZmQCZzACZ/wDMAADMMwDMZgDMmQDMzADM/wD/
AAD/MwD/ZgD/mQD/zAD//zMAADMAMzMAZjMAMtMAzDMA/zMzADMzMzMzZjMz
mTMzzDMz/zNmADNmMzMzMzJNmTNmzDNm/zOZADOZMzOZZjOZmTOZzDOZ/zPM
ADPMMzPMZjPMmTPMzDPM/zP/ADP/MzP/ZjP/mTP/zDP//2YAAGYAM2YAZmYA
mWYAzGYA/2YzAGYzM2YzZmYzmWYzzGYz/2ZmAGZmM2ZmZmZmmWZmzGZm/2aZ
AGaZM2aZZmaZmWaZzGaZ/2bMAGbMM2bMZmbMmWbMzGbM/2b/AGb/M2b/Zmb/
mWb/zGb//5kAAJkAM5kAZpkAmZkAzJkA/5kzAJkzM5kzZpkzmZkzzJkz/5lm
AJlmM5lmZplmmZlmzJlm/5mZAJmZM5mZZpmZmZmZzJmZ/5nMAJnMM5nMZpnM
mZnMzJnM/5n/AJn/M5n/Zpn/mZn/zJn//8wAAMwAM8wAZswAmcwAzMwA/8wz
AMwzM8wzZswzmcwzzMwz/8xmAMxmM8xmZsxmmcxmzMxm/8yZAMyZM8yZZsyZ
mcyZzMyZ/8zMAMzMM8zMZszMmczMzMzM/8z/AMz/M8z/Zsz/mcz/zMz///8A
AP8AM/8AZv8Amf8AzP8A//8zAP8zM/8zZv8zmF8zzP8z//9mAP9mM/9mZv9m
mf9mzP9m//+ZAP+ZM/+ZZv+Zmf+ZzP+Z///MAP/MM//MZv/Mmf/MzP/M////
AP//M///Zv//mf//zP///yH5BAEAABAALAAAAADCA6gCAAj/AP8JHEiwoMGD
CBMqXMiwoC0HECNKnEixosWLGDNq3Mixo8ePIEOKHEmypMmTKFOqXMmypoX
MGPKnEmzps2bOHPq3Mmzp8+fQIMKHUq0qNGjSJMqXcq0qdOnUKNKnUq1qtWr
WLNq3cq1q9evYMOKHUu2rNmzaNOqXcu2rdu3cOPKnUu3rt27ePPq3cu3r9+/
gAMLHky4sOHDiBMrXsy4sePHkCNLnky5suXLmDNr3sy5s+fPoEOLHk26tOnT
qFORxs26tevXsGPLnk27tu3buHPr3s27t+/fwFEIH068uPHjyJMrX868eXLg
0KNLx4pCbPXp2LNRp3odbPft4MOL/6/53Wv58ejTqx95nmv79fDjy4/4Xmv9
+fjzCxYukP/xgd3x11+A1xE3oIEAFkjgdwgaV1B9wxHU4IIITThgggReKKB/
BgpYYXkgRviPg8WNOKGIJt6n34osOrVhdR6+qGCCNL5I44MzmqqjjjG2B2GP
Gs7o4Y0cXnggkTAKyeCPIEqY445Q8pgkjG2aOWVSkVYZI1bcmkklWB22aWT
B7235ZA6AnkjmVJKOaWWU66JI5pLlphkhlGqieWefAoFZ4pFwljlmSh+ieGf
QdLp44duZqhnIYDaKGOagXZo5qBOKnponBwiCmmfOlZKXpJxajjioKUCKqeR
Yi5454OMDv9pKZSynmcjpYISmiqaYAJoeIK0LilrauKauyxLXWaj5ya8voo
q6VqaqivvzplZqtsstnprH96+umqZr5K7K1f8orsueiyp2Sv5qJlrrM5Elru
otV6ieu92nlarb5tEpsQnfmu6e+Y+KZr8MEeSWrhtEcemi2eDR9Y5692lvmu
uar26+i6um4LL6yZThxpsCVGjPDJJKul4lUrp+zzy/tZB/PMNBfWclU316zz
zm7IPJXPPAct9FhAR1X00EgnTZ3MSjfttFccHP0U1M/bfXVHkWt9dZcd+31
11pX3ZTYWJdt9kRgp62216eGRfbZcMetUNTsMS333XhbRLdlb2f/mfffgD+0
d0h9J1V44lgrPThlh3OX+OOQL/5R40ZRDvnlM0uesN2Ydx635hw5J/ropJdu
Osaep+406BuhnpXlqseOLOsaub607Lg3TXtGtrOc++9I745R71bBDvzxLAp/
EfE4l+88zcpbxDxVxj9v/XrRVzT9z9d3j3D2Elmb4qaMVlsrhUeWrP6JrmYq
8fbexy8f+PSVPD605terccSlyjsvw7gaVvXkR8De0A8i1pIXqqSVrW2pSmFB
ehiqyPetAlowPgD8SAIBCDAGCoxUINxfx0losQ8K8llozE8GHbLBNn3Kg/NK
06k89j6GAWtW7ytUCneonhU2hERAZNW0/z4WwW6FyIX6s9fI4MfDJvrGhwwJ
YgRfaKt48culYdoVxyB4Qid6ETxQjGIXR1i+OQmLSFM0lfschiH+DfCLcBxN
GMXluTjacTpzXAgTofLGO/oxNHIUyB6p9sdCAieQ/zqdIhfJSOcY8pG8QeS/
6gjJSs5GkhWipCU36RpMlkmTnAxlajJMbeJ8pSsISXIWEgtN31wZBkrlg6H
h8paokaVEkJgwyYVw/9JkGDLs6UwSYPLVv6QVCK8I7+S2CveDfOZoClmfxAo

qCturlbAKhbDpAfNblqmSFiboM/8M00OKbOKy5QgLB3JzsiAc5Cs1CCzQHhC
cjWTiKFrpz4d0/+pcPKtfhAjmZzsCcPa7fOgiuknPH8IUPzNy1UKUpSIzSiN
hFrUZm9aaBRBedGO6qVS4uSoR0dal3eG1JQkTWleTMq3RrrOpY1UqUz5Is22
fUWjM81pWGrax57gVKdA5QpP3dbToBp1KUP1TIGPyISjJPWmS22qVIPyVPNE
dapY5UIVu/LTrHr1KFtt6P0o6MZESbRHR+vvV9cqILDK05xldNcWRZZGebL1
rlhx6zEhCDFCZdRQy4SfWvFK2JzodaN8reEUbsgsTwn2qoWN7EkOe8y63sp/
CgTsq1glWcl6ViSupWPBFFYiZRG0Tqmq7GdXC1Zu1E17cE0sZjVLJSb/Dpa1
uEVJaPWIPgoCibRnbZ9Yc0vcnux2KEC7bXGX+5HjUq+zzl1uQ5z7M+hK97ol
oa5Ullvd7kpEu0azrne9C14+ine82C0v1c6LXumq10XsbS9zeQrT+tpXdPLN
L0ne6yL9+hck/B3bfbwMkQAZb4E/qyBI4LgBEt2wX5zslTR5tp/onTCGHYI
hA2X4Q4zZMNIabCHvwpix434xAUpceVQzGKBqLgolm5xU19MIBjL+Kg0Ru6N
T5xjPxlMrmbl7o770uOg2Hg2CnwWR1rQgiHrpchAYbKUP0zIKlv5yljOspa3
zOUue/nLYA6zmMdMZikLx8woaMGZ1ZxmJq+5/8xwjnOZnfwTKP9EznjOs573
zOc++5nKbz7zmgPd5j8b+tCI3jKdB2Jnnxw5Nr99kpANwuSaJPrSmJ4yVhvt
U3RFOoYlqfRbMi3mTVeYcCLIU5I3OxJRn8bVTOU0Tx4tm0Jlc9KUbnJqYG1U
We+E1gbjdWmErRr7jXV9JTSfFduIP+CmNmQ5hCUN23pqxqXac8QmTbZPc7E7
VWqlc2W2CMeEsYvhKbN1rvbkro1tXe/a3au5LAf/WrEsLhakow1XvfdnT5/4
WifADja8UbNt0sjbhSCtorL5asSMegvaDVxXv42r7s1dGHkFF03GQ2M/v3ab
rg7FrMOXJUggK3baVP+teEcCfhKWp2vjoYG5Z4L77QnKUkmlRaZpQb7vTxem
2q/1zvVk/hmib4aBs+03w/c1bi2WT09cdHIC6Hvqlvd2Bgf+LtTg/R9ychH
XcTW0pel9VuL6+FA0doo18b2trv97XCPu9znTve0VcXomDGOm6+uSO/V/e+A
D7zgB0/4whv+8lhP/NyngvfLnKfxQb+e4idP+cpX/pYqbwrkKdMeKc9E6ger
KWNETxjSv2Tzk3kP6i3ePdMnxvWBgT1L2sz3l6qs037P/Glkb5La11cqvFdJ
m3+dk4Vl1vjusphvzS7AeYr84Da19Rgpus2QSTrs9AR9Z4Jfet2veNbA937/
llZfkkePHfrf5iUvkxkwfJ4/XuJ+v51UNPZzanM/vrd9Rbg/GP5bmPgZ4X+9
h3ujoj+zVVs413R1dW4K12wJuCH3hoDgUkEOCCnmhhguJzYCCBgbuG7gF4Di
x0b1lzFf10rrtz7S13weY03Ylz8iGFFgtzLBRXbZZIE5t4CxRE7W5IDSF2Sv
ZH/9c28+hym2E3ULx2qEkYF6E4IMln8uBYLzt2wfBy0xonwnV4Psw4Ltcj7X
p282dRHRI38l91fqF1EMWG/ApCYHCC/etoPXQn9HdHP7doY/J23V1HRjZH02
1lZ2eD+xxVh5Un3L50oXeBhKuH9MGGEACIYVJ4YH/1dz2MeHWzg+vjRxJneA
7vOFSyha7QdXEg/80ZFOKiGLDhBSsd0zDSHJNdMcgIECIECE8UtT/KGe3iG
pDVN/0GLjyl+PShbAESBN4F8cRWJAWKFdqhDWagxJWCXfh0m1g8BPiMrYiJ
9rJzEViHMqRZ9NYss4gvXOhiibgQysOGOgiDv1VO14hygh14fZwHqdE+JRI
ZkRP9+eUrhslUeNdBhxnwh/PqeP90eHl4hrCdOO+Jh+ZuhKFVgv3jKC8WeQ
LqiB4Rhi0YilrBgpbghxMuSGzqaRObeNR1SCaSQrO1J4nCiQz4Zs1TRXeTiI
7lJzt0iLDoMtqZiK6SSlww8YSySlj2PodWa3Kbs4fWEXLMmGVvJYcmy0k6Dm
Uw0lkCKngNhlTtpofzLJjQM1LNlRo/YhVZUhVS4fMiogloYgxBnlGglheok
hnq4kXg4cTOJWuiWbzVng/1BeCe5kGmoLw70H3F5jfwYQAKlICGJivd0kzcJ
jC9xiBiIuVljjWCjIspjjc0UVRZjUC2izzyD3/HWf2Yj4C5SwnJflzidJX5
kJ05J9PEiOpGRE6plyHEI784fyRXjolpgUoGgShhj3h5fb3kiQv5l2soMsFp
inBYmDVJE074hlnBmhk5iCsphG5ZQuMSI+QGiKypmXTHmfaWWJZJieEWIYly
ldT/GZveKCwFAo51h4YceY8ONYyimSuVOlv/2JxolBI5yXwHyYcjKT4kM5ll
KVyBBYNUSJa8FYspCWyKaYhNSZ/ntJdBFJ3pA5exmYtecpvnSRLk2JrnuJ4+
mJQfWZoNek2AlZnYmZ0fgn7M6Jnt2SplJ5brGleN8IDO+BYJahY1ahi6CZWk
2J2T2JDf2ZunGSblt6DvqZKQ6XHdCG3TSZ7VOZfMyZ83VZFrcaNkQaUYhaLf
OIYBxaJY6KldCZxC6YU9xZxF6poP9KBj6j5LikQYOZhEKaRpYaVokZwxFadS
mh5yuniQqaXQ557cOZqriG7z+Z4kOqd0ukhwkadC94Hx/6GoodOCOnmf+lme
Lfp1Y/mSRdlbcDqnd2qnjHoWjrodh4qoPdOp7AYT2oeqnpnpxTcfoXqqiXI7

n8oWr+oeqxoetapUo2o6srqlbZGr9nGr4AGs5iGsXTqrU2qsXKWs2UGsy4qs
VcqsrloTqWqfu8qr8IEe4RAONIGtySKtwQqtnuqrNgqusrGt6Jqu6rqu6tqt
NGqut0OuySqusOoS3moW7Jqv+rqv/Nqu7lqq9DqtWZio8Oo7AfsZ/Zqw3KpL
BxutDXus8qoy11o6vQpwqbGt9lmwW+GsLDOxpEOwD/usESsaGJubGhuul1uv
3/qulWurLasZJdtyHjs6LJuyAv/7rwBrs4uqs54RswP4sIEKtK9zsihrseNq
tKfhs+VHtNQxs/h1tK1as0gLqkwbGUqLoVULjUlbr1NLq1lrXk7bHBe7sC33
tdRjtv21tSLbtWXBsZVxtZEXtb+KtgKmti7LsxDLtiRLtmVrt0Urt1Trt39L
rRULuKQBt3FLuDmrt0RDt9sVtmltYprGoi7f4wbuHjLVZDLHCCbuXd7uQjL
tz/ruTsLuqVruPNKuoM7sEkrukO6ucohtajrsKobtLXLtbMbGpWLaoKLu5OL
uabbto7LYMOLGLtrbb3bsbD7HJLLuoubuyo7e6hxB54u58LvTdLHp0bvFa1
vMjRuiv/4bari7PAi73lrmxGU7yGQb3Vy73RG76F+7tei758pL6Fwb6s577Z
i5zx67xzS7+EBMCLgb8rZ78HZsDfZ73u4b3f27zkOxoEnE8CvF0IDGMMTKH/
q8DNM8GJEcGtU8EcxsHEK8L1S8lhrMFW67qve8E12L8PLLwmnLYozD0xBge
bFA1PMLzTME5rMP6u7Eg/Bc3jMM7XDwsjHUwXMRaq8QBzMSKMcTO1MMn/MPj
q72yK79JTMVvq8JLK8UU6cU+BsYm5sR1S8bGy8VYK8YwFsRhbmBpq8Y/lb6Q
AcXr5MZNrMW+67/za8dTbL6bQcfBBMc6JshsTBH3Kr2EnMjx/3S4aJy4euzC
VsygwigUckzDfGzDjWy5fty4k7zJqnrFj0y7eCwZgBzll3zAnYzFoezAkVy+
qtyzmazJr+zKq/y+wre9nny9s8wZpVxRp+zDuQzEqVzIE3HIXfzLgNHL2kPM
NcbMjubMg4zMzTzMcaHMhgzNRobN0uzLGTzKS+zNcxzLvLvNYwzOZ0vN5HzN
cXrELRy6K5vOa4zO/CvPwfzOtPzC7ozl8DzN+/zM9LzLnwfJ87y39qrNcWzQ
9azP3ZzQeYzPnWHN6tzPbWzOlkzRTcvOBFnODJ3CBf3PDt3KNorRGY3KEu3R
xgQaEF3MCL3SgiTQAQ3KH72/L03Qyf8i0sacsSYdqzk90Bb9xiVdFykdpiz9
0wzFy9xz1dwkQ9F0FNH0MNCdbt0jJx0zi91AA91Yzc0Va901Qty7V8zyCd
xRv9GE3t1DuN1Wet0GMtzFsd0zON0uLs1W4tymt9zm19159k1G+dz/Zc1w0d
1nR91YH91acr2JZR1gyL14at05Ks2lut1WB91LDM2El15Utw5dd0X7Nw46t
FoitQU+92Wnc2JnN2aUNzl89GZ+9yKd9x6Kt1K3t2qk9tGINFqtd1J0N2H0d
t6+9wblN2b29vnEt17od2Xst1rPN28ltsL+Nr8M9zrFdxTgt0cuty4Rtu9Pt
F7eN29mtiN3/zc/f3cfV7dvhrRfbvVG1DdzjbdnBrdnr7d7XfdjPjbzNjdb1
rdbv/deSPdi7vcWffN//Xd7ZnN7qHd9r296YHOAIDtsL7t0NLtsGbt39TRnn
rUehnd+jbdz2vdAYzuAdLtwXUcnMLECUfOEfDt3nC+BhUeEWTuB9feLS/eCY
LePUHeGkPN/0TeLgTeMJrOM7DuMk7eN0welt7eL4beNVvN96veEpLuRMjePt
y+MODuSojeTYLeU/buVkDeX5i+VfrOJV7eQDDuYma+RdQeSTZOa3rOYZ7uVf
LuZwjt58Ddlu3uN1XuJsHuZ3ftB5jhVonuzkfuQTztZx7s+BPqrF/94Wf55J
fY7oe27oic7VUh3icM3kVA7hg57kxz3pCo7cWt4Yi57Xh77mo97ml47pxS3T
lg6zXN7lpx7jr17jmX7lsW7ntb4XoV5KpV7mu07cSk7aj27iuTTndH7r4v3p
3xzsE63szd3VV5HrqpTp0i7qGk7pMJ3qhY3sT9zqrq7ttN3rKG7sxz7r+r3p
mAHt0c7sfA7uOa7u6z7t5o7tFM7tBdzoxwzvq07uBy7uy87vdoHuw87upu7t
8K3vEi7vyk3whwHwJ+3v8Szw3W7whO7uDi/Uk53vCG/Leu7pEq/pGK/q1v7Q
9C7BEO/r8Q7ync7pBc7JJR8VDJ+aLd/uFf8P6RQv7A3P3xkfzr++8xyf8xM/
89GM7yEv9LY98iRP9Dz/8dne8d+O9MWu8Pdr9B9s7wPP9KZd85K+5EPP6km/
9Sr/9Czv9Cc/9rQO9QIO9l6v9Skf9l7f//4ucu9UQs9mlv9T5N93Xv8x6f
9/6N9mtf7X+P8isP7ECf9bws91Ec81Fe+G5/7V2/72YvGC9/83ZP3m3/+IMP
+Jm/9HrPGJMP83i/+Upf9pVv+Yzv9M4+FZ+viadP863/+kX+vLBf+uF+Gasv
4sk++50Pv47v9weP+Y5x+zYP/HDP9rqP+m8v6H3v+2Cv+c0v+M/f5JfP/MW/
/KPP9z1P/E0//cf/r+vOX/3zvvukjtTcj/3Xb/yRP+PdX/S0L/NqL/oJ3/5X
v/7mX/9bLv8R//3KD/3gL/30H/gA8U/gQIIFDR5EmNAGCoUNHT6EGFHiRloV
G4YLZ1HjQ4YbPUbs+FHkSJHQ5ZE+e9kSpYtE6506RFmTJo1Vdr8OBPnzo06
eXL8GVRoSoxDFfo0ajLpUoplMQ50+jRp1KdUpVa9ejTr1ptcF3oFa7ToVqtL

y4bdedaoWrQs2Qp92zM3J905Yq0WxDF3r0o894FrHBs1r82CweWefcwYomL
5zI2qxgyz8MrHTuefHfwVcwtO2cGKvcz6K+iSQcd7fc0zb99F1ZeHfti/0ay
kmXXTF0y9+rdI3vf7tr2N+jWL30DRy5wM2fbyd02d54TenTdJPm6tk4db2Kt
0rWvXi51OPfvx02X17j4OubxsWETvIw+PXmEhdvLRxke63n8Paf3D807qKoD
0D+ZZsKOvgldsouq4hYMTD+m1LtONQib+u9CpQ406T0NGxOwtBA/3NAiB0ck
kSsJI9sOPgJTZDBDGI0brz7zZmw0L6fsw1HEik5UsMenVpwqJwQ9FNLHA/my
MEkaf8yxRSeVxLC7IHFsmMAap2SKyLVQHFBKLGVC8skrZ9QxSjCnzDLGM2Fs
U00Dx0zKy6HStHJOOIs78sYk48zTRDpd3DJQKP/ZfJNMMQf9yc47EzXz0EEf
LBHSDwE1zlls9cyU0x7x7NRTRnFyFC5RqaxyUkh5RLTQUAUdFVMbNb2QUIQI
HZWnUIE7Va81/1x10U97JZRYIWWtFFYn+ezQz1xJpY0rZG8FkdFpfaUVwmuL
dXVMUGfNdsEy43tW12hr6zZZXL01VtFwC/xW3XXZNZbVZa2r8MVybdq1rnYj
neg+0rYN899ag/0V2DfLHJa/fWvqlzKE39WQYHcN1vZXhrIk9jVnGxbuYWjB
ipfaalVN12SIBEasY702bnVEcu91WOSWlpZ44Y9jVhZcjMV1dmaU8co3O57D
YpIRnNMysllhj07V55T/4cSXSX33IJHqmm0m6lx0Zb6aY413RjNrhUOG2quk
B10aJwqtNnro9Pp8uuytxb7bbrS5vtlrswGWUGhJwU8cKTx3pvvrg/P+2wj
4SZb68SxbjzFtU9WPD+/mavccJIRR+tyyERfGXTGM9f89NBjLbzi1vVePW1p
UU9dddtN/1z2r+W+fdPOaZ+obbdft5x4oH/3fXLP1QaeJOENM/7S6AEkXUvK
IU8+9uY/eh636Q9GHnzsd+bfM6396h71r7POPz2x6cZ/uLdRz8h9R+jX/r8
qWf/fe0dfx76pe+zZ3vf/SSH4mq5yZr9Q89ITIjgig2QILczyULINP1Dri8
/9mxbn/9sRe2EkZBwRTQgL2L3wazh8IUsnB+xAohCSNiWQs6kH8fxA8GDYW7
nkCubpLrmdTmJUOH0NAzNgQhErVzGR+OkINNiaB6elg5IUaNiA8x4nNweLwE
6q9pUJGiB88EMyBa8VVmvGIJu9iYJk7Qfy5UYN3ICMAhFuxn8DJYydJoPxOK
xzdRjJsG4ejFqQEsYLnSowgLGcdF2rGOezRIFIMSQ0c2EnYBbBldD5nBICKw
kyqz3hNDWUUqQhIhkszkJyv5SMIRDT5hbCEaFanKWJaSICCCZYulGaUtTVrCP
fmyXrTyZsjkyk pazlGUtcbnLZSpTlww8Zi9Rmcpkrv9yk7xjJSVXeE1OVrOV
0bRmMzUpzh3yspfK+eV+wHmxdZbRm4YkpyihWc545pKZyOTmN8EpzHP6covw
5BYr5TIpeeVzoPTEpznH+cxuGnSbDk2oQqWZzgnl0Y1cFGg4GarPd7Izow+t
Z0FD6s5qarOf/5hm2CSq0Xse9ly33KhLYRrQjl4SoqBsqE3rWExTpjSQNU3k
QlvKUoKCNKYzLar5kkrTmr5xbq/86UnR+U+rBJWjN43oUXW6Un7ac6hd3aqJ
2nhHEvo0qiv1aFON+VGALvWF+3SiUUfa1qG67p/bM2vktMpUrMpUpFmtq/gK
aVJn8pKnd1jGvP6w70S1a3/fsUpXRG6VmLq9apihaplCTnIPS42rjINk1vf
mlGwkvRHgNsSxKEowc86IXS9eddQyvZx6q2tqUd7ZIEKEYVhrV8sJ2qbMmE
WsZC9q+Eze1rGyh6ujwpf307EU7xFrp3nCMqRUsZ317QuOaCrjBTSyLsIlZ
MJ51u8Bcbngxql0iRre6w0sv0ahL1iQyVz7ORSpieztRwOD3r93IlVLVOD4O
Fpa70KXogNIL2dwZGL0E3t1ICwxb99I3wBD+rVAPLOCKcli8FE5wh9W72QZr
+MGCLLGEI3zSCltSxChWrokVPMwUA9hf321xOz9M4xirOMMwnrCPN8xfJXov
vgvG/6N9H1jk6Pg3sjLMsY6LdOQa23bGXj2xjXMG4sA4GbBWfrGQs4zIK5+3
zD0NcZir7OAzJzfIPH4zmHeM4C4zuTxe5qtpV0xmNct5ylzur52/g2fHZnfN
bO6zmRON5joredCCRg6hZ4voOf5ZevBbWfTXOk4U/rPmI40qDmt59M6TcoU
jLJoPw3nPSt61KJetZYz+5K4SFO+qVb1I6jY1nDd9edJvVcv/zfK+JarbrG
8JDD3GpPX3o9rV1vrtlia/QYu69jbvajiPAwSTEObwT00da6te+pJ5xfKm361
snsNvW0ziG7k1i+4j1JrPj8XtOYuK7pjHcCxoXjY2P73pf9zRG/eupi2eV52
YJ9cbsXqG9mu9JJBvW3shAsb4faGNb4ZTux4XxvjCx+gtf3t7oHD27W67bfF
O37saSNygmqhtrZNfvCYf0fkKq9toYcdcG6H+9jjFvfBhU5ij4O85hcO+sYv
3l6HP/zULf81FEue9Pu+vOg81/jSd37yxk4W5Oi7Oc4/nvWj77upbyn7lpMO
c5dLfOtDr6/bla71fDPGqmN/O9GvPne6c13hC0+70/f+9sD7Gt5sl2rYu35v
r+d95SPvO9+jDXnCT33mZyk8u+8ldRY3XeZUx3zBfy70zBv58pTX++LJXu/G
S17nlfe8d08v9omrnuORT7LJER//ddvvnvTrgzitZ047xf/966//PdPkjnzW

3973lj/84lHOoYgPH3XFzznene/6x/ce8M0//u6TbXzOZ5wj3X4v37Cffe0/
n/fs/367tz/05Cs/W2ghV+zPuX7Gw//1cPc7//u/+jui1sl/0SMv4aO6JXO0
feG/1oNA7iNA04s+1ls76lPA0TM0eXsZC6u6BiyXB2w/CDzA8eu/+ZvASdKN
d1vA3Kuaolm+HIK0Elw9/ePA+iA4EzxB3APAD1zBZ0s/GQTB27C1FJwMEcy6
qevAGJy8s2vBRxvCJptBlpzCXEHC+Ts/IPRAF7xBn6M9Ljw087PBdaNAlmuZ
KkwOJvJC/wsUwhFLvR8jQ+DbvxocQ16TP3fTQiZkQDfsPji0tM9jtNFBw0gb
xNM0QuhDsumzw4abjEN8P4CrOEgUsszarPT9kREGMwjQsxIHZRCrMRN7oxCm5
QiySw2wrRawzO1NEukkMtXNrxFAExU80RFiMRT5sw/1iuleURU+0RR/ERVZM
tzdUt7rDxF4Ew0VERcHLv1WMQ/wxQ7ujRU7cReKIRmk0xjurxhkZRVJkxjvs
RldLRTH8xmQERE3LDEfUwWDsw2H8w1OMREpENTp0R3Ykx3kURklsxhryxht7
xjOcRvflxkD7R4AcyGL8xXg8x4A0yES8QlbcQlqrRHoEO3kcR/9LFEd+vEi1
AzJme8dWREhdvMaGDMOIxMd2rEiShMf62UZuxEhWs8iOVEDwVEaZLMdio8iT
LMI6xMI1zEmdbMI8LMBABMmDpEI75MmULMqdfEiO/MihdMgmZMp7REqf1Eig
1CKhXMiRNMmf3MqqXEauTEqwdMWELEhrJMqlfElgDEeU9EiVvEmxTMuutL+M
nMuNjMujbMuJpMay3MuQXCKFzEpKhMm1hL2+PMvBnEmqrEuXIEiovEu8eku4
bEypzMsA7EnErMmw9MqxJEU/9MWn3MPDxEyjRMvJvL7I3Myo1MzFIEvDs0vT
FEnBLEzDBE1FhEjKjEnFdE2rVEGsDMz/21zN3WxNzUtHwsTL3ASelWTJ1FTL
xBxNpdRN4mzOzCTGzhRN3DTo0rxMtkTOY8RDTAPPIDO+0zTL2oxN4NTOqXxO
ycTOAQzCZ1HO5WRNVWTP48zO6CzD7hK/J3RA1GRO2LRM9fRO1QxO6dRP6XM8
xYnP44NO7rxPxtQAH2N8KTQ93SOEvQ++XyYBU3QBm1P6hxNChVRC8VGLiNR
QjTRLRQZDuVB0lzP//xQ0jvRv0xRPSzRwbs7vSxPZxNR9LPR8yRQCXW/HwXS
COxB7ivSETzSJd1Q/5zPHfw/BoXQ7bRNKEXSFk1Po5tRXqS8HIXMWaxR60tS
HOxRHxVTGsXR/y2VwjDlz+aSNjUVRSD9UiP10nrcTw38zAytUztFUCzNU/KD
Uydh0Ra90z6dUhQMVBDBNUxWtUjpN1B0FVEalwVrs0keVDQwdzw79U//b0xA1
1CvdVCtdUiOUi0GnuhmV1FB11FRd00UI0lv8wk4d0FV9VSuUU+HkVESISFc9
UzdlUzw9VC1I1Qt902FVmls10Eit1RutVGNFUV5tU1VVUIlt1GnVvw1E1vxU
1I4NzVi91t8UVWq1T/d0VuDAVAHU1BXNVjls1mWFQmgFVmb11nL1VXj9VHnV
028IEVM91UJlw2AdUm41I+912pdPXq91GJ1VzrhVyT11y8cV9cTV/9YzVeE
HVh7/ddurdiFHZOGHbuHzdCIRVWO5dJ5JdlWbVeB1USCzdj+3NWUjVZ83daY
XVmMhViRBdlMpdiZjddJpVSTVVk0hdmeFVqgpdI3HdqCLdqNDdqOXVd2NVqi
IdaDPdmXjVql3dlctdifZdqjVqr7Vqp1ViexVqUvdqWNVhE3VpFTVq0hc+n
dca2vVkhxb2JnVq1rdqalduQHVO8bdo4TViWnVuArVt99Ueb5dssDVivLdmw
LVu2gdu4PdvBnVvrXVtl1dq8fda91dm7FVbNxrGP/dh7JdWg5FxoZdpwNVza
dFy3rdfTFVWuEd1zjd10Tdvp/dvARdzOJVz/cgVd1iVb1z1W3YVdl8VZ0s2/
nEVduvXd3AXb4KVcn+VaE63c3pXY1RXI3V1e6x1Z553ezPXeHpldhQ3fxqVe
3pVZ8GVcs23d6EXaya1el31e9RXb9FXdywVe+n1c+6XV8s3fgSvTPFxfIRHd
0W3Z0r3K4IXS213c+uVfy/1d64Rf9LVV89Vf4X1gqvVfCW7f+K1cDR7g773f
CN7XyJXcDqbg1O3fEGbbCd7eD/ZbFsbcd7gErZgGpZh4nXh2IVhCK5hEZ63
AlbBHObg833hCtZhFD7iHgZhB95cbhNi8VxiJo5hJzZX8iViG05il+Zh7IXe
Lh7bC3bfvsXdLAbX/xW2YkE1YX0MmCiWYjBm4MLF3yIWYw+O4+Y1Y2gUXDse
IQKmXeO1XTJu4P19YiWG4zu+3jl2SkMGZPnd4jpOYc99GTe22zDG4TRmXy5u
ZEmWYxLWkAI24OhF4N7U3kNeWk1e4OM94ORFXs6c30sm5Nfd4U22ZDSOZVIm
5FSm4jLGZPFdYzZW4CRU3E7+YT0uZVqGYV6+5UeGZQzmEID+Y10+VeZNZE82
5mDWUEEm5jw+XDaiZOwFEGjG4I4uZFQW5I0eZGd+31w+Z07GY3LG1ive40iu
ZR/m5kY7Zmn24IY2xS9G5j7+ZdOdZX1G5O695+zFZind51W+Q38m6OGV5/98
budkTucxmVzzmZ0fqVvVuQztmd4ThFQDmUPHmVqwmifZuDpcmNw9ugmXuZX
tmV1ThKRjuaJZIKNfueXBUKp1ulyhuQpzuSfNmWGDWiB5tEoZuluHmibXueT
DmRtzmmZvuGYtuivjeiEfmp3ruZiVmp2zmitNmiQ/l+q5mOi9ulmruqUntCV

7uhrXuqvrmeXlmpmJmt6fuaiTuC3Rmmo3uqD/h6HZmq+DuenuG6Buq7PmvD
Huq4rmlCHmuenuuLxWo/ZWxljmwYEemRRt+SVimh/udT9uyHFmzAhmu91eus
RuzEhuy0burQDuyLdu3Sbm20Luugpm27VmPT9ur/vcbpvhZrOr7tw1briq5t
yT5tyoboqz7uaV5oUWZlhn7Exr7sFt5t1AZc1ZZr1gbt4F5s465u5C5o0uZt
2Obuz7Zq5f5u5qbobf7tRXZq8B5tfhZD8bbu3MZu6dZu8lZs87bt/Rbt3h7s
6S7s1S5u+0bv91bv8Jbv6Qzw/NZvAsft+7ZsB49n3UZwUF3vqKZwmlZw4Z5t
/37t/u7w7p5pvDbqC79psKZv+H7w7C7wDx9x/vZuFOfspchszX7hGscu4o7w
A4/t8VbxBT9Q6NZRCedxD29x/H5xHy/v/w5ylmfWfU9ws7bwH6/v7QZx2Wby
LAfyyj5yEjdy9nbsC7nx/5qWTx0vLhfv8amOcSf3cjEX8MdWcyQPXRPP6/TG
cAWH8iF3bgS0chYX8TkHc1+e8T+fcgCX8jyHcUGX8eGG8w3faUZ3cwK28zun
cT9v8hAv9EzX8iSf8CVnc0nXdEoPdCVf803n8ivf8jYf9UU3dTqna1bvdMyu
dFKe7EN/8j7vZyF/bl2fb14nT1SX9S539U8/dQ4X9VkX9mQn9jDXcFCn9VI3
dlivck5v9lVndIX39C9vdGf37TFfkBvHcThGc2/79jgH7lQH9Dd/9mOP9Fcf
9AqvdxHdXY/d0in7kvHdHpXdCwfdm2P9mWH927f9keHdmQf+Ekvdm5XeGxP
+P9WI/d5//d1X3iDd/d8N/R+R3Rg59M9D3aBn/Z4B3mGh/hQf3hll/hsp3hv
b/CD/xBxH3dkLner8/iiTPQUz3WS7nWdL/KUP/lrl3aSR3mMt3aAH3mLp/Z3
D3mCD/ijb/ekd/ilb3iTi/qSD3qkF3mEr/qhJ/Nat/Xl1nh7b/mLH3CVr3ex
v/mZR9C0d8uCf/qsZ3m2b2iO/Wa73hfT06vN+mMx3lHf3umj3WzD3u0p3sH
/fup1+KrP3yr9/mtB/rA/3mjb3yhf3ytp3zJ73p/F/y+r/jF53o5j/yV1/zQ
P/vJx3rAf3m93/uiF33Fv3eXJ3p+5/zOf32yB33Hx3z/CIH5mCdotV8+ud91
u697vOdzn+m+e3TdZlPb9CiT+dgT+4vT8ylf6y2/9xHf62od6qqf+0o/7wi/+
zd558P9St8d+ul/67R9804/+3Nf+00d8y3d/xv9k1e9s1ud+8h/77L999J/9
0cf96gelfwlHEixo8CDChAoXHkTBsOFDgg4jlpXl8SLGjBo3bgwXjiPlkBgt
XiT50GRGICJXsmw5UCVDmAlIRqTp8ibOmRptGuS50GfOoEJf7hwZEujQpEeL
llyq9CIUih6jUpXIIcLSilW3usxKtCllr1zHChT7z6tZq2TXbjSL1inbuDpT
Gg0r967LqXhzuq3LMe3eqH3B//4NHHGwVriGFyOuqXgx28YnH0OunFCvZcqT
CbfNvFdyTM2eBV91bHf0XdA/RaNWqlh4LKtZ2OezTnxbbq2yb6eW3g3ad24
fwPn2lvr6eKuS28mrnx7ee+c69OLv3pcYjWr+PM3pM19+7MQ28P39J7wdhn
ze+Nzl62cNPO34uP37wz/fPjq8/P33U/bOD5Rx15w+E34FjuvYeeWv0hKCBY
BgL4oITyWTghhRhOd5+GGQZoX4EHeviUggt2mB6EI4ZYIX8iqnghjC2e+OKH
fsVIII0R4qjjDlyVCJ7DH7l0l8r3rghiEVqZyOHSsop45E8OvnkkDsu6SKV
KwFpnv+Q8BGZ5XdTSskmFWyWCOWZV55JpJkqtnleuWp2dFHD8Kpnnq3pli
kXvKOWeDVob5ZZZ+EgpoRFuGZ2iaiMbpJpo95siopFRSKqalleLpKEiKcncp
pliCKqiSo7lPqqZ8+mhqJjuw5OI1rDbJqaxGvpnnq47WCuWtmA7aqKsMwSrd
rpG6WmybZSI7Jq24HvrksmsG+9CwxDoLLKDR/prttZVC262vpYlb6rQIVfuc
tiiW+yipgXqr57jtgpmuu3PSa+a6Cp2r3L1eTtsvu9yGWy+5Ahe87cCrxtq
vgTtWxzAeY4Y8bELt2qvxmBmq7GtDRv0MHAUryuyrhzz2mz/wv6+O7HJxnr8
cZ12tpwsqikHbPOLJJers8HyqoxzsCDvxnPFNm+K8sHqPttr0gT7TCpRLxck
tG1RI2y0qpPOzOzVTePrtdZY5yo11VVvLS3STx/dtdpZZyr20n2ejbDUA5U9
m9U1g33z3jnPrfTOfsz9r+Bf1/3P3a3l3TPDd/tN9zYMn4x4Ct7uPjLiaOG
OdNtj/323msHHrnlGXLesOajnU446UCz3Hrf4sL+OLyzN456zDLbTjnrobsN
ue+fY7y7xr17Hve6qXu2eqGF/9z57YPzbnz0hlcfvDII6t8ZsyDfrzk3xLf
MdvX803769mHny/33Tt/vt7gl06h//ffmy/65MVzPf207VtWv+zUNz/dCdB1
ChvfYajHP/gt0FX+qwwA5YZAI21sgjSL3/1+V7sCxs5RD4RMBA/IQfRd7n0S
S5/8DGg6Ex4OZijMoPaqOELzAS+FHRShDUm4Qgvuz2MfZAwLRxbE8i0Qf8EK
YQl5iLa6/dAwSITaEDFYRA1KclYN3GAOacipJh4mikf04vCsQL/8ka+HZbTf
FGO4vdzRD4xpg6H2oKhExxFxjHS84gvTGMctspGAWcQj9v5oxwAK8oxhLGQC
mzfHyh2Oi11cpPQOCcf1VRGRFKyjiRI5wx2KMZNrxOIkB5jHQUBSkzgmPQrl

2MIEopGU1v8D5Jwc+Rk3YpKVd3RIIFG5SVVa8oKtNOXzdKgmWeLliTXUpTD9
iEwtVnKZsGwjJF+JO1DqkZKKXOUlr9ILM0KvmqlckDHLRMzU0FKKuGTgOY/p
zVSq85xG7KY7qRjLPipznbukZjzVeEp7JhOfwETnP9v5z3dmjp4ICucoBypP
Tm5zibXMpkOfWc987hFR4yRnNINpToXqM5f8ZOY+KWpNj4r0m0+6qFwQmkRs
+IJ8LOWmDBt6S5fKVJMFFagtbQpSXjoznf7MaSmBqsCSsvOg5ZzmTyE6U6H+
kqkAdSpOlapTiSa1pVP1aUKdSIAfGhScR5XkR6nq1Yw+NaY9DWj/VWEqTbQC
CqVxUSIDzwrVtEa0rmwNKUcrmlWpBpWvDuzqWF9qV7OGFasrrWlfh5rXkfK0
sHcVJ2D9A1doCnapzXTsXC9L1HsalawnVJJb3/pVeC7WpPmZLGURu1ZCytWv
fGzsZvt52NZaVbOILepea7ta18L2tpw9aWRPO1rCxnanaWtWrWJ3MHaVqsL
BVNolZncxTq3o72tr7xi13GRIW3GhUralNLH9R2trJXpelyLUtd3m5VuZjl
rUXFayLP5ou8QZruer1bVv12tylo+C+AAyXgAD+XStGVLn2FmOCH6re9ZNYu
aceruhYiTr7zNW9im8reApdXtd998lat/9vflFL4wGuxr2TxS1Lfyna27+Uv
XUXbQhPzRsXofXFyrxvi7K74JwP+sYA5HNj/ldjC913wv2w84p4AuckOBisQ
3wjClvd4x9xtrpUjfGEi13fCUo5yl43MpZ04GchCjiuOmavdWXZ5eUVz34zF
vCgvjw7Du11zMRv22aHsWcJuDjOeMVrnkpT5x2cW7p8VDGcGC5pscp5zopMc
aRATus93di+YN/plJj76U3SW9KI1TeizWHq/mHbim7nM6UCTWNGqFnVKS13q
IUMw1bUGdJXz7OpbMxors551iicNZVTjWse6HjSvYT0SWev505Ru9E1zPWq+
tHkIBK5Pr31N7f9qv/rZrV61tGvy36AA288iGfe4b1LuWFnblelWd7OFTdpN
RzvcMbk2tkHNknfr58tk/nW8Q+1tGTsay4nh9392fW5Lr9ta8vY3vQeO4IKz
Wtzk5vbCt53tiSN7yrQqNMhDLnlzg9veJwG4wv+C8o2fOODdpjDMt0Ljlu97
5foOC7Abji5nf/HhMf95UmZe45pfPOX/Rri1be1xo0cc6E4fitDHovNzY3zp
yv72zkau9a2X+eleD3qnPe1zidNcV1w/O9qR/vW1s/05UZc6zyHO5rbTve52
n2ep0q53rVc903f/O+AD/6C3Cx7RAi884hOveNQQfvGf2jvkQe74yVP/vvJs
abzIM6/5zXO+8w4Lu+dDL/rRk770mC896IOv+tXjnfWufz3sY7/208u+9ra/
Pe7vQvvc8773vv+9SHYP/OETv/jEF77xk6/85bMe+cx/PvSjX3nnS7/61r9+
26mP/e1zv/tc9T74wy/+0Wt//OY/P/r9U/70s7/97m+N0AZM6rK4O8BMTjf+
60//l1w7/++2iP/xX//ZnwDmX3pMxP/hm0QoIL4ZIMIF2QlylL8RIKk9YJA5
IAEa4AECIAUWIP0N4AFWoATaHwYq4Afy3/5BYAKqRAeaoAiiGwLWnwTunwh+
IAy6YA0KIARonw6elAzSoA3+4PxBYAQWYAx6/+AQHuEJAmFDgCAPVuAOCuEN
CmEEksT/eaD8aWAQ6l8SjqD/TaAFfmEMruAYTiELJmAKZiAOSI/ZoGES+lca
xiEPYuAbQuEcuEVLqAcRqESWiANSuER+uET3mEPEqIW7qAhBqISoqAGgqEc
5uETql0kKuJM4CEXAulGEmldhuAfcieNyqljZqIWNuAi2iEUYiInJilcNull
UuloumETPilHcqAsDqlgWmlZlulhAiEdMlktbmlvdqlq8mElsqltlqL1tSEt
bqlfmlrZmld3uAwBmMzQil1pqluPuMtWmEfPmMzwqEw9mloRiM3OqMoLqMv
hiNMoCloeul48iJKWP8iNA4jlmoiEzLiGB7jFN6h2sljP9liHSKdNlrjOsZj
N/JjFzKjIPoigVGhPKbiNarjHkLiMWJjRV5kQuahJCYj6JGhGX6jEWqjQaKh
u02jls4gM9JjOn5jO5ojMZljGYLjC4okE5JkKVLgNcliRF5gB5JjLTokN8Ki
QM5iQ7bgSRKIN96jLHpiDZlgOu6kU6KkT1LkQFLiPEKj/MFkRsqqNboguq0H
UlbkSmahUf4kQI7kPtqgEdrjJJ4iV3KI9ykjMf5jOrbkBjogWFqlCp6hE85l
PtYjPKokWxKhRpLiUPqlE47jR97fW96jTrKkVTLkQQbkU6rly7ZISgqjZQb/
5ULqYQl6Zl5i5lhGJmS+4FK+IQjulmBqYjvqX1GCJBKmYGgKJTJiJkWaJm7a
5ErGpINWYznG4Wve5fZ5REcu420e5lQaJD/CpaGhokVuo2hi5VnuoWY6ZlYIC
JnKqojFmY2bi43NWJnd2Z3PqpWuC50Qqp0TWpUkU5jky5mvO4Hvm4mhSJ3fa
JWrK4EwyJWwmlk+6pX+uZj1GpTsaJ3oKpnXa11UWZDH+pmKWp34CKPQRp4RO
KIUSZ2l2p0myJnkGZltGZHv6ZnVqJjvq5yEupF1mJ0GypU9eZFfupEx6qG4m
J30a112mpzlS4y4Go3Nu5Ype6G2u6ljKKH2Cql7S/6RCricyPqRtFiiMlqmN
4uiGhqlf0iIDTP3pVSiWSqiPNqZwaigYbqeSAiURnqMafilfBmUVbiFuYieB
xuR8AiNc3l94qiWZBudV+mNZdqIYwuOZFmEsqqMJ4uQA2mkYLuKO4h9w1iae

eiVtuql9miFaPqmRfmRW9uSShieKHuVvYmqhBiGd5iBP4iAppuGgWun7nSqq
pqqqriqrtrqrviqsxxqsziqt1qq3t3iqu5qqu7iqv9qqv/qriASAW9uckEuhM
VmFrSmljhmghzuJagiiJqWlmuIrlqVIFmWglimk8ud2/qK2cul19uixlqCy
FiJZdmhPfisSnusSqiiwvv8rnJUqp3qreV5qjbLnSx5ot2ZokEqnsR6pX0Kr
jc5ringnkFbnYaomnv7pCrpojN6ok4pmwW4kvFZsMeFnWEoqgirowOogvoZo
gw4mafloxQJiec4pINbkyNrrSVZkfGLjK0rmgy6snKZsetZogHlsnP6nxfas
E5XkyfIpoUqrzpLICHYhpd5kb/4ioJ5l0K5iPmZssWLroWoqwbasi8anR26s
zEqnWl5pcH4sQXrhWkriw1ZIRugFZlhohdmN3VBo2wrEVExohbEtzGip2n4E
3b6t3dbt561t39atheat4NYJ4U4N4Mqt3mpp3Pot4ipudCil3clt3R6u4Cou
5iL/bm1MLuAuLttWruGG7uZ27uDiLeNe31c+Lc32qNkaK13aKYtuKrpmq9De
Zys66WfSZsA+67NmKql+pncaJlOCrXJKo4uKJ34C7M3KxNlqZWDq5hrqS+hi
7tyKLuTmTuKObuYeROK2reROL+S+LfWC7+eJr/dOr+XyrflW7/i2b/mm7/ey
Ufdm7uGyb+PSL/pab/gSrvae7/YG7vzG7frRnYBKbGQ6Z+vu7olOb5WCJPRG
7JQ6aHSOJ8/qLsBGsFluLPAmKu6W4zty8JseJ8ZeJ81SrPLO5wOLBf/GDPuW
7v367/2m7+Pi7wvTMAxHLMb1r/3usPwuLg2vcONqb4m4/4f9/i/2tjA9Ge4M
l+/4Vi8PxzASu1D/QvH2Wl+Y/mu/3qnrniF1liubaiiRuuJBYmSQhqzylqvv
CmnWRmkDZ3BSXi3DDijKXqZgxuzyDullgK74zi3inO/n+nDhCnBXka4T9y8Q
X+71mgsL6/EN97Agu28UV3Ehu9DjTjHo+nD8OvIST7LpNrET+/ERU/H1AvIA
E/C/Xmq75qDzsixKJi3VRqyfTrDwMm26TmexHm/SzjFhcmmbtumw37qmSGmwa
L6bGcii11vKefqoBb7FU5O8e620fFzEkH3Hgbrlz3232UvMiE/EiezL44vAj
NzIMizliV7H7GvH7SjMT7P5+v8vNBcy+fox314zOq8v6PksPn/dlYPy5YlZ
/AKylttzDb9whS6xOQexM9evNruwOBfxFEtyD+8tQqczQBv0QWez36qzEPsz
3NazDeczSC+eQk/0R6svRJ9zO+8zO0/0IXOzQLd0KE/zl6u0OLezRwfwSJP0
DMN0Rle0KD/x/Ol0PYc0Uf+d5fatDp8u5zJ0Oad0/iK1Jgsy6XJvN4/zJK9z
3mb1Ubt0UxcuQAd1JyP0Q/8tNa8vSgeyQm+1U5fuHxe1WzPfPb+1XM/18dG1
Xd81Xue1Xu81X/e1X/81Y Ae2YA82YRe2YR82Yie2Yi82Yze2Yz82ZEe2ZE82
ZVe2ZV+TNmZntmZvNmd3tmd/NmiHtmiPNmmXtmfmNmnmqntmqvNmu3tmu/NmzH
tmzPNm3Xtm3fNm7ntm7vNm/3tm//NnAHt3APN3EXt3EfN3Int3lvN3M3t3M/
N3RHt3RPN3VXt3VfN3Znt3ZvN3d3t3d/N3iHt3iPN3mXt3mfN3qnt3qvN3u3
t3u/N3zHt3zPN33Xt33Dd0AAADs=

---=_linux454387bd--

Subject: Re: I'm having a really hard time explaining myself :-)

Posted by [brandon\[2\]](#) on Sat, 28 Oct 2006 17:44:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

I have barely started using Wormhole and haven't tested its limits.

I am trying it on one machine as opposed to dimitrios who I believe is using two machines.

I have only just tried 1 channel successfully.

However, there was probably a 1/2 second delay.

That was the best I could achieve using 1 computer and wormholing a track from Cubase to PARIS.

B

"chuck duffy" <c@c.com> wrote:

>

>Brandon,

>

>Although it is intended to be stand-alone, there wouldn't be anything stopping
>you from routing audio to any other asio input/output in the system.

>

>Does wormhole work right with paris at high track counts?

>

>"Brandon " <A@A.com> wrote:

>>

>>Dimitrios,From what I understand it is not to be used with Cubase.

>>It is to be used stand alone.

>>It will replace the need for Cubase as an effects rack.

>>You will only use PARIS and the NEW program Chuck creates.

>>No Cubase.

>>It is not intended as a Wormhole2 tpe program.

>>It is Wormhole plus an effects rack rolled up in one with latency

>>compensation.

>>Is that correct Chuck?

>>That is how I understand it.

>>

>>B

>>

>>

>>

>>"Dimitrios" <musurgio@otenet.gr> wrote:

>>>

>>>Dear Chuck,

>>>To help me understand this.

>>>Lets talk with paradigm.

>>>Lets say you have a cubase program on same computer with Paris.

>>>Would that plugin of yours make cubase see a "virtual audio card" because

>>>cubase needs an audio card to work and so it will be able to communicate

>>>with these 32 asio origins and destinations like in beetween with Paris

>>?

>>>That would be wanted from many other users.

>>>Its like rewire.

>>>You can imagine one having SAWpro running audio and Cubase sending the

>VSTI

>>>asio outs to SAW...

>>>So many potential buyers could benefit.

>>>If I understood correctly, and forgive me if not, it is basically a "Chuck"
>>>rewire but only using asio as protocol of communicating.
>>>Am I wrong ?
>>>Regards,
>>>Dimitrios
>>>
>>>"chuck duffy" <c@c.com> wrote:
>>>>
>>>>because of the amount of technobabble I use, and my poor grasp of english
>>>>syntax :-)
>>>>
>>>>Here's the deal...
>>>>
>>>>1. The idea I am proposing does not use any physical hardware interconnects
>>>>between PARIS and the "new" theoretical VST host. It uses a piece of
>"shared
>>>>memory" (see wikipedia) to shuttle samples back and forth. The theoretical
>>>>VST host would present 32 virtual inputs and 32 virtual outputs to any
>>ASIO
>>>>capable application.
>>>>
>>>>2. There would be *one* channel strip in the VST HOST for *each* incoming
>>>>virtual ASIO connection. On this strip you could drop as many VST plugs,
>>>>or VSTis as you want. The strip would add up the latency for all plugs
>>>>on
>>>>the strip, and then bump the latency up to a user configured amount,
thereby
>>>>giving you 100% consistent latency for each channels. The output of
each
>>>>strip would go to an ASIO virtual OUT channel.
>>>>
>>>>3. A simple "new" VST plug would be inserted on each channel in paris.
>>
>>>>On
>>>>this plug you would select *which* one of the 32 "NEW" VST host channels
>>>>you wanted to route through.
>>>>
>>>>Now - the 64,000 question is, is there any other use for this new host
>>BESIDES
>>>>PARIS. If we can think of other uses for it, I would work on it, if
not,
>>>>I wouldn't :-) It needs to have a larger potential audience than the
>paris
>>>>community :-)
>>>>
>>>>Chuck
>>>>
>>>>Chuck

>>>>
>>>>
>>>>
>>>>
>>>>
>>>>
>>>>
>>>
>>
>

Subject: Re: I'm having a really hard time explaining myself :-)
Posted by [brandon\[2\]](#) on Sat, 28 Oct 2006 18:06:02 GMT
[View Forum Message](#) <> [Reply to Message](#)

It appears that JACk is working on a windows release.
So he must feel there is a market for it.
UNless he is doing it for the fun of it.

B

Chris Ludwig <chrisl@adkproaudio.com> wrote:

>HI Chuck,
>Do you mean something like the Linux audio app called JACK?
>Sounds sort of similar but geared towards Paris.
>
><http://www.ardour.org/jack>
>
>Chris
>
>
>chuck duffy wrote:
>
>>because of the amount of technobabble I use, and my poor grasp of english
>>syntax :-)
>>
>>Here's the deal...
>>
>>1. The idea I am proposing does not use any physical hardware interconnects
>>between PARIS and the "new" theoretical VST host. It uses a piece of "shared
>>memory" (see wikipedia) to shuttle samples back and forth. The theoretical
>>VST host would present 32 virtual inputs and 32 virtual outputs to any
ASIO
>>capable application.
>>
>>2. There would be *one* channel strip in the VST HOST for *each* incoming
>>virtual ASIO connection. On this strip you could drop as many VST plugs,

>Here's the deal...

>

>1. The idea I am proposing does not use any physical hardware interconnects
>between PARIS and the "new" theoretical VST host. It uses a piece of "shared
>memory" (see wikipedia) to shuttle samples back and forth. The theoretical
>VST host would present 32 virtual inputs and 32 virtual outputs to any ASIO
>capable application.

>

>2. There would be *one* channel strip in the VST HOST for *each* incoming
>virtual ASIO connection. On this strip you could drop as many VST plugs,
>or VSTis as you want. The strip would add up the latency for all plugs
on
>the strip, and then bump the latency up to a user configured amount, thereby
>giving you 100% consistent latency for each channels. The output of each
>strip would go to an ASIO virtual OUT channel.

>

>3. A simple "new" VST plug would be inserted on each channel in paris.

On

>this plug you would select *which* one of the 32 "NEW" VST host channels
>you wanted to route through.

>

>Now - the 64,000 question is, is there any other use for this new host BESIDES
>PARIS. If we can think of other uses for it, I would work on it, if not,
>I wouldn't :-) It needs to have a larger potential audience than the paris
>community :-)

>

>Chuck

>

>Chuck

>

>

>

>

>

>

Subject: Re: I'm having a really hard time explaining myself :-)

Posted by [DJ](#) on Sat, 28 Oct 2006 18:42:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

Chuck,

Yesterday I was thinking about this idea and how it would be one
step away from allowing cubase SX to be run from within Paris, so
to speak. that's sorta what we were trying to do with the ASIO driver-trying
to run different apps on Paris hardware. As far as third party utility, can
you imagine being able to run Wavelab and cubase simultaneously??.....Nuendo

and Pro Tools?.....you get the picture. this would be huge!!.....but even if it was just something like you describe, it would basically provide latency compensation to Paris users running the latest DSP engines. IIRC, UAD-1 cards are IRQ compatible with EDS cards and this would allow Paris users to lose the ball and chain of having to run Paris on Win ME to access all those ADAT modules. It would revolutionize this system.....and I would pay \$500.00 for it. If you will do it, I will send you the money right now by PayPal.

Deej

"chuck duffy" <c@c.com> wrote:

>
>because of the amount of technobabble I use, and my poor grasp of english
>syntax :-)
>
>Here's the deal...
>
>1. The idea I am proposing does not use any physical hardware interconnects
>between PARIS and the "new" theoretical VST host. It uses a piece of "shared
>memory" (see wikipedia) to shuttle samples back and forth. The theoretical
>VST host would present 32 virtual inputs and 32 virtual outputs to any ASIO
>capable application.
>
>2. There would be *one* channel strip in the VST HOST for *each* incoming
>virtual ASIO connection. On this strip you could drop as many VST plugs,
>or VSTis as you want. The strip would add up the latency for all plugs
on
>the strip, and then bump the latency up to a user configured amount, thereby
>giving you 100% consistent latency for each channels. The output of each
>strip would go to an ASIO virtual OUT channel.
>
>3. A simple "new" VST plug would be inserted on each channel in paris.
On
>this plug you would select *which* one of the 32 "NEW" VST host channels
>you wanted to route through.
>
>Now - the 64,000 question is, is there any other use for this new host BESIDES
>PARIS. If we can think of other uses for it, I would work on it, if not,
>I wouldn't :-) It needs to have a larger potential audience than the paris
>community :-)
>
>Chuck
>
>Chuck
>
>
>

>
>
>

Subject: Re: I'm having a really hard time explaining myself :-)

Posted by [Tom Bruhl](#) on Sat, 28 Oct 2006 18:44:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_00E8_01C6FA9F.859A3DE0

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Everything Chuck says sounds absolutely fantastic. I would be in for whatever Chuck deems necessary for some working capital. The use from any host to any slave seems like it would have a huge user base. Good for selling a large number of units.

Our greatest concern being Paris users is that we may be limited now by single processors forever. It might make 'all in one box' processing quite a DSP limitation compared to quad cores and greater.

Am I missing something here? Is there a way to implement this across two computers like FX-Teleport? That would make it the balls.

Tom

"DJ" <d@j.com> wrote in message news:45439e20\$1@linux...

Chuck,

Just to be clear about my offer.....first of all, I'm serious as I =
can

be. Secondly, I know this may not be possible to do so consider it =
venture

capital that I am willing to risk knowing that there may not be any =
return

on it. Also, there are no stings attached. I will not be offended at =
all

if you give this software away if that's what you want to do. You have =
done

a tremendous amount of work for this community and this amount of =
money may

not be enough to make it worth your while to take the time from your =
real

job to look into this, but if you are willing to give it a serious go, =
consider
it startup capital for what I consider to be a good cause, with no =
expectations
of success. I look at it this way.....if it works, I can sell a few =
thousand
dollars worth of hardware that I won't need anymore. It's worth it to =
me
to roll the dice.

Regards,

DJ

"DJ" <a@b.c> wrote:

>
>Chuck,
>
>Yesterday I was thinking about this idea and how it would be one
>step away from allowing cubase SX to be run from within Paris, so
>to speak. that's sorta what we were trying to do with the ASIO =
driver-trying
>to run different apps on Paris hardware. As far as third party =
utility,
can
>you imagine being able to run Wavelab and cubase =
simultaneously??.....Nuendo
>and Pro Tools?.....you get the picture. this would be huge!!.....but =
even
>if it was just something like you describe, it would basically =
provide latency
>compensation to Paris users running the latest DSP engines. IIRC, =
UAD-1
cards
>are IRQ compatible with EDS cards and this would allow Paris users to =
lose
>the ball and chain of having to run Paris on Win ME to access all =
those
ADAT
>modules. It would revolutionize this system.....and I would pay =
\$500.00
for
>it. If you will do it, I will send you the money right now by PayPal.
>
>Deej
>
>

>"chuck duffy" <c@c.com> wrote:

>>

>>because of the amount of technobabble I use, and my poor grasp of =
english

>>syntax :-)

>>

>>Here's the deal...

>>

>>1. The idea I am proposing does not use any physical hardware =
interconnects

>>between PARIS and the "new" theoretical VST host. It uses a piece =
of "shared

>>memory" (see wikipedia) to shuttle samples back and forth. The =
theoretical

>>VST host would present 32 virtual inputs and 32 virtual outputs to =
any

ASIO

>>capable application. =20

>>

>>2. There would be *one* channel strip in the VST HOST for *each* =
incoming

>>virtual ASIO connection. On this strip you could drop as many VST =
plugs,

>>or VSTis as you want. The strip would add up the latency for all =
plugs

>on

>>the strip, and then bump the latency up to a user configured amount, =
thereby

>>giving you 100% consistent latency for each channels. The output of =
each

>>strip would go to an ASIO virtual OUT channel.

>>

>>3. A simple "new" VST plug would be inserted on each channel in =
paris.

>On

>>this plug you would select *which* one of the 32 "NEW" VST host =
channels

>>you wanted to route through. =20

>>

>>Now - the 64,000 question is, is there any other use for this new =
host

BESIDES

>>PARIS. If we can think of other uses for it, I would work on it, if =
not,

>>I wouldn't :-) It needs to have a larger potential audience than =
the paris

>>community :-)

>>
>>Chuck
>>
>>Chuck
>>
>>
>>
>>
>>
>>
>>
>

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=_NextPart_000_00E8_01C6FA9F.859A3DE0

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =

charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV>Everything Chuck says sounds absolutely =

fantastic. I would</DIV>

<DIV>be in for whatever Chuck deems =

necessary for some=20

working capital.</DIV>

<DIV>The use from any host to any slave =

seems like it=20

would have a huge</DIV>

<DIV>user base. Good for selling a =

large number of=20

units.</DIV>

<DIV> </DIV>

<DIV>Our greatest <FONT face=3DArial =

size=3D2>concern=20

being Paris users is that we may be limited now by</DIV>

<DIV>single processors forever. It =

might make 'all=20

in one box' processing</DIV>

quite a DSP limitation compared to quad = cores and=20 greater.</DIV>

 </DIV>

Am I missing something here? Is = there a way=20 to implement this across</DIV>

two computers like FX-Teleport? = That would=20 make it the balls.</DIV>

Tom</DIV>

 </DIV>

 </DIV>

QUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"DJ" <d@j.com> wrote in =
 message <A=20
 =
 href=3D"news:45439e20\$1 @linux">news:45439e20\$1 @linux...</DIV>
Chuc=
 k,

Just=20
 to be clear about my offer.....first of all, I'm serious as I =
 can
be.=20
 Secondly, I know this may not be possible to do so consider it=20
 venture
capital that I am willing to risk knowing that there may =
 not be any=20
 return
on it. Also, there are no stings attached. I will not be =
 offended at=20
 all
if you give this software away if that's what you want to do. =
 You have=20
 done
a tremendous amount of work for this community and this amount =
 of=20
 money may
not be enough to make it worth your while to take the =
 time from=20
 your *real*
job to look into this, but if you are willing to give =
 it a=20
 serious go, consider
it startup capital for what I consider to be a =
 good=20
 cause, with no expectations
of success. I look at it this =
 way.....if it=20
 works, I can sell a few thousand
dollars worth of hardware that I =
 won't=20
 need anymore. It's worth it to me
to roll the=20
 dice.

Regards,

DJ

"DJ" <<A=20
 href=3D"mailto:a@b.c">a@b.c>=20
 wrote:
>
>Chuck,
>
>Yesterday I was thinking =
 about=20
 this idea and how it would be one
>step away from allowing =

cubase SX to=20
 be run from within Paris, so
>to speak. that's sorta what we =
 were trying=20
 to do with the ASIO driver-trying
>to run different apps on =
 Paris=20
 hardware. As far as third party utility,
can
>you imagine =
 being able=20
 to run Wavelab and cubase simultaneously??.....Nuendo
>and Pro=20
 Tools?.....you get the picture. this would be huge!!.....but =
 even
>if=20
 it was just something like you describe, it would basically provide=20
 latency
>compensation to Paris users running the latest DSP =
 engines.=20
 IIRC, UAD-1
cards
>are IRQ compatible with EDS cards and this =
 would=20
 allow Paris users to lose
>the ball and chain of having to run =
 Paris on=20
 Win ME to access all those
ADAT
>modules. It would =
 revolutionize this=20
 system.....and I would pay \$500.00
for
>it. If you will do =
 it, I will=20
 send you the money right now by=20
 PayPal.
>
>Deej
>
>
>"chuck duffy" =
 <<A=20
 href=3D"mailto:c@c.com">c@c.com> =
 wrote:
>>
>>because of=20
 the amount of technobabble I use, and my poor grasp of=20
 english
>>syntax :-)
>>
>>Here's the=20
 deal...
>>
>>1. The idea I am proposing does not use =
 any=20
 physical hardware interconnects
>>between PARIS and the "new" =

 theoretical VST host. It uses a piece of =
 "shared
>>memory" (see=20
 wikipedia) to shuttle samples back and forth. The=20
 theoretical
>>VST host would present 32 virtual inputs and 32 =
 virtual=20
 outputs to any
ASIO
>>capable application. =20

>>
>>2. There would be *one* channel strip in the =
 VST HOST=20
 for *each* incoming
>>virtual ASIO connection. On this =
 strip=20
 you could drop as many VST plugs,
>>or VSTis as you =
 want. The=20
 strip would add up the latency for all plugs
>on
>>the =
 strip,=20
 and then bump the latency up to a user configured amount,=20
 thereby
>>giving you 100% consistent latency for each =

The output of each strip would go to an ASIO virtual OUT=20 channel.
A simple "new" VST plug would be inserted
on each channel in paris.
On this plug you would select one of the 32 "NEW" VST host channels
you wanted to route through.
Now - the 64,000 question is, is there any other use for this new host BESIDES PARIS.
If we can think of other uses for it, I would work on it, if not, I wouldn't
:-) It needs to have a larger potential audience than the paris community =
Chuck
Chuck=

I choose Polesoft Lockspam to fight spam, and you?
<http://www.polesoft.com/refer.html>
-----= NextPart 000 00E8 01C6FA9F.859A3DE0--

Posted by [DJ](#) on Sat, 28 Oct 2006 19:14:56 GMT

Chuck,

Page 37 of 102 ---- Generated from The PARIS Forums

Regards,

DJ

"DJ" <a@b.c> wrote:

>

>Chuck,

>

>Yesterday I was thinking about this idea and how it would be one
>step away from allowing cubase SX to be run from within Paris, so
>to speak. that's sorta what we were trying to do with the ASIO driver-trying
>to run different apps on Paris hardware. As far as third party utility,

can

>you imagine being able to run Wavelab and cubase simultaneously??.....Nuendo

>and Pro Tools?.....you get the picture. this would be huge!!.....but even

>if it was just something like you describe, it would basically provide latency

>compensation to Paris users running the latest DSP engines. IIRC, UAD-1

cards

>are IRQ compatible with EDS cards and this would allow Paris users to lose

>the ball and chain of having to run Paris on Win ME to access all those

ADAT

>modules. It would revolutionize this system.....and I would pay \$500.00

for

>it. If you will do it, I will send you the money right now by PayPal.

>

>Deej

>

>

>"chuck duffy" <c@c.com> wrote:

>>

>>because of the amount of technobabble I use, and my poor grasp of english

>>syntax :-)

>>

>>Here's the deal...

>>

>>1. The idea I am proposing does not use any physical hardware interconnects

>>between PARIS and the "new" theoretical VST host. It uses a piece of "shared

>>memory" (see wikipedia) to shuttle samples back and forth. The theoretical

>>VST host would present 32 virtual inputs and 32 virtual outputs to any

ASIO

>>capable application.

>>

>>2. There would be *one* channel strip in the VST HOST for *each* incoming

>>virtual ASIO connection. On this strip you could drop as many VST plugs,

>>or VSTis as you want. The strip would add up the latency for all plugs

>on

>>the strip, and then bump the latency up to a user configured amount, thereby

>On
>>this plug you would select *which* one of the 32 "NEW" VST host channels
>>you wanted to route through.
>>
>>Now - the 64,000 question is, is there any other use for this new host
BESIDES
>>PARIS. If we can think of other uses for it, I would work on it, if not,
>>I wouldn't :-) It needs to have a larger potential audience than the paris
>>community :-)
>>
>>Chuck
>>
>>Chuck
>>
>>
>>
>>
>>
>

This is a multi-part message in MIME format.

One dumb question...how does this differ from Rewire...

more I/O? =20

greater flexibility? =20

Allow routing across EDS Cards?

Is Rewire not useable in Paris?

inquiring minds want to know

Don

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:4543a2ca@linux...

Everything Chuck says sounds absolutely fantastic. I would
be in for whatever Chuck deems necessary for some working capital.
The use from any host to any slave seems like it would have a huge
user base. Good for selling a large number of units.

Our greatest concern being Paris users is that we may be limited now =
by
single processors forever. It might make 'all in one box' processing
quite a DSP limitation compared to quad cores and greater.

Am I missing something here? Is there a way to implement this across
two computers like FX-Teleport? That would make it the balls.
Tom

"DJ" <d@j.com> wrote in message news:45439e20\$1@linux...

Chuck,

Just to be clear about my offer.....first of all, I'm serious as =
I can
be. Secondly, I know this may not be possible to do so consider it =
venture
capital that I am willing to risk knowing that there may not be any =
return
on it. Also, there are no stings attached. I will not be offended at =
all
if you give this software away if that's what you want to do. You =
have done
a tremendous amount of work for this community and this amount of =
money may
not be enough to make it worth your while to take the time from your =
real
job to look into this, but if you are willing to give it a serious =
go, consider
it startup capital for what I consider to be a good cause, with no =
expectations
of success. I look at it this way.....if it works, I can sell a =
few thousand
dollars worth of hardware that I won't need anymore. It's worth it =
to me
to roll the dice.

Regards,

DJ

"DJ" <a@b.c> wrote:

>

>Chuck,

>

>Yesterday I was thinking about this idea and how it would be one
>step away from allowing cubase SX to be run from within Paris, so
>to speak. that's sorta what we were trying to do with the ASIO =

driver-trying

>to run different apps on Paris hardware. As far as third party =
utility,

can

>you imagine being able to run Wavelab and cubase =
simultaneously??.....Nuendo

>and Pro Tools?.....you get the picture. this would be =
huge!!.....but even

>if it was just something like you describe, it would basically =
provide latency

>compensation to Paris users running the latest DSP engines. IIRC, =
UAD-1

cards

>are IRQ compatible with EDS cards and this would allow Paris users =
to lose

>the ball and chain of having to run Paris on Win ME to access all =
those

ADAT

>modules. It would revolutionize this system.....and I would pay =
\$500.00

for

>it. If you will do it, I will send you the money right now by =
PayPal.

>

>Deej

>

>

>"chuck duffy" <c@c.com> wrote:

>>

>>because of the amount of technobabble I use, and my poor grasp of =
english

>>syntax :-)

>>

>>Here's the deal...

>>

>>1. The idea I am proposing does not use any physical hardware =

interconnects

>>between PARIS and the "new" theoretical VST host. It uses a piece =
of "shared

>>memory" (see wikipedia) to shuttle samples back and forth. The =
theoretical

>>VST host would present 32 virtual inputs and 32 virtual outputs to =
any

ASIO

>>capable application. =20

>>

>>2. There would be *one* channel strip in the VST HOST for *each* =
incoming

>>virtual ASIO connection. On this strip you could drop as many VST =
plugs,

>>or VSTis as you want. The strip would add up the latency for all =
plugs

>on

>>the strip, and then bump the latency up to a user configured =
amount, thereby

>>giving you 100% consistent latency for each channels. The output =
of each

>>strip would go to an ASIO virtual OUT channel.

>>

>>3. A simple "new" VST plug would be inserted on each channel in =
paris.

>On

>>this plug you would select *which* one of the 32 "NEW" VST host =
channels

>>you wanted to route through. =20

>>

>>Now - the 64,000 question is, is there any other use for this new =
host

BESIDES

>>PARIS. If we can think of other uses for it, I would work on it, =
if not,

>>I wouldn't :-) It needs to have a larger potential audience than =
the paris

>>community :-)

>>

>>Chuck

>>

>>Chuck

>>

>>

>>

>>

>>

>>
>

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=_NextPart_000_00A8_01C6FAA6.2865C070

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2963" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>One dumb question...how does this =
differ from=20
Rewire...</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>more I/O?&nbsp;</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>greater flexibiliy?&nbsp;</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>Allow routing across EDS =
Cards?</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>Is Rewire not useable in =
Paris?</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>inquiring minds want to =
know</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>Don</FONT></DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"Tom Bruhl" &lt;<A=20
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>&gt; wrote =
in message=20
  <A href=3D"news:4543a2ca@linux">news:4543a2ca@linux</A>...</DIV>
  <DIV><FONT face=3DArial size=3D2>Everything Chuck says sounds =
absolutely=20
  fantastic.&nbsp;</FONT></DIV>
```

<DIV>be in for whatever Chuck deems =
 necessary for some=20
 working capital.</DIV>
 <DIV>The use from any host to any slave =
 seems like it=20
 would have a huge</DIV>
 <DIV>user base. Good for selling a =
 large number=20
 of units.</DIV>
 <DIV> </DIV>
 <DIV>Our greatest <FONT =
 face=3DArial=20
 size=3D2>concern being Paris users is that we may be limited now =
 by</DIV>
 <DIV>single processors forever. It =
 might make=20
 'all in one box' processing</DIV>
 <DIV>quite a DSP limitation compared to =
 quad cores and=20
 greater.</DIV>
 <DIV> </DIV>
 <DIV>Am I missing something here? Is =
 there a way=20
 to implement this across</DIV>
 <DIV>two computers like FX-Teleport? =
 That would=20
 make it the balls.</DIV>
 <DIV>Tom</DIV>
 <DIV> </DIV>
 <DIV> </DIV>
 <BLOCKQUOTE=20
 style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
 BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"DJ" <d@j.com> wrote in =
 message <A=20
 =
 href=3D"news:45439e20\$1 @linux">news:45439e20\$1 @linux...</DIV>
Chuc=
 k,

Just=20
 to be clear about my offer.....first of all, I'm serious as I =
 can
be.=20
 Secondly, I know this may not be possible to do so consider it=20
 venture
capital that I am willing to risk knowing that there may =
 not be=20
 any return
on it. Also, there are no stings attached. I will not =
 be=20
 offended at all
if you give this software away if that's what you =
 want to=20
 do. You have done
a tremendous amount of work for this community =

and this=20
 amount of money may
not be enough to make it worth your while to =
 take the=20
 time from your *real*
job to look into this, but if you are =
 willing to=20
 give it a serious go, consider
it startup capital for what I =
 consider to=20
 be a good cause, with no expectations
of success. I look at it =
 this=20
 way.....if it works, I can sell a few thousand
dollars worth =
 of=20
 hardware that I won't need anymore. It's worth it to me
to roll =
 the=20
 dice.

Regards,

DJ

"DJ" <<A=20
 href=3D"mailto:a@b.c">a@b.c>=20
 wrote:
>
>Chuck,
>
>Yesterday I was thinking =
 about=20
 this idea and how it would be one
>step away from allowing =
 cubase SX=20
 to be run from within Paris, so
>to speak. that's sorta what =
 we were=20
 trying to do with the ASIO driver-trying
>to run different =
 apps on=20
 Paris hardware. As far as third party utility,
can
>you =
 imagine=20
 being able to run Wavelab and cubase =
 simultaneously??.....Nuendo
>and=20
 Pro Tools?.....you get the picture. this would be huge!!.....but=20
 even
>if it was just something like you describe, it would =
 basically=20
 provide latency
>compensation to Paris users running the =
 latest DSP=20
 engines. IIRC, UAD-1
cards
>are IRQ compatible with EDS =
 cards and=20
 this would allow Paris users to lose
>the ball and chain of =
 having to=20
 run Paris on Win ME to access all those
ADAT
>modules. It =
 would=20
 revolutionize this system.....and I would pay =
 \$500.00
for
>it. If=20
 you will do it, I will send you the money right now by=20
 PayPal.
>
>Deej
>
>
>"chuck duffy" =
 <<A=20
 href=3D"mailto:c@c.com">c@c.com> =
 wrote:
>>
>>because=20
 of the amount of technobabble I use, and my poor grasp of=20
 english
>>syntax :-)
>>
>>Here's the=20
 deal...
>>
>>1. The idea I am proposing does not =

use any=20
physical hardware interconnects
>between PARIS and the =
"new"
>theoretical VST host. It uses a piece of =
"shared
>memory"
>(see wikipedia) to shuttle samples back and forth. The=
>VST host would present 32 virtual inputs and =
>virtual outputs to any
ASIO
>capable application. =
>
>2. There would be *one* channel strip in the =
>HOST for *each* incoming
>virtual ASIO connection. =
>On this=
>strip you could drop as many VST plugs,
>or VSTis as you=
>want. The strip would add up the latency for all=
>plugs
>on
>the strip, and then bump the latency up =
>a user=
>configured amount, thereby
>giving you 100% consistent =
>latency for=
>each channels. The output of each
>strip would go to =
>an ASIO=
>virtual OUT channel.
>
>3. A simple "new" VST =
>plug would=
>be inserted on each channel in paris.

>On
>this =
>plug you=
>would select *which* one of the 32 "NEW" VST host =
>channels
>you=
>wanted to route through.
>
>Now - the =
>64,000=
>question is, is there any other use for this new=
>host
>BESIDES
>PARIS. If we can think of other =
>uses for=
>it, I would work on it, if not,
>I wouldn't :-> It =
>needs to=
>have a larger potential audience than the paris
>community =

=
-)

Chuck

Chuck

</BLOCKQUOTE>

<DIV>

I choose Polesoft Lockspam to fight spam, =
and=
you?
<A=

=
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html </DIV></BLOCKQUOTE ></BODY></HTML>

Subject: Re: I'm having a really hard time explaining myself :-)

Posted by [Don Nafe](#) on Sat, 28 Oct 2006 20:18:31 GMT

[View Forum Message](#) <> [Reply to Message](#)

Chuck

You might want to contact the developers of Reaper as to how they implemented their version of rewire (reroute I believe) I know Justin would be happy to talk to you.

www.reaper.fm go to the forum and try emailing or pm-ing him

Don

"chuck duffy" <c@c.com> wrote in message news:4543b216\$1@linux...

>

> paris doesn't support re-wire, and I know a bunch of other progs that I

> like

> that don't. But you have me thinking of leveraging the existing re-wire

> and bridging it with "virtual" asio.

>

> Chuck

>

> "Don Nafe" <dnafe@magma.ca> wrote:

>>

>>

>>One dumb question...how does this differ from Rewire...

>>

>>more I/O? =20

>>

>>greater flexibility? =20

>>

>>Allow routing across EDS Cards?

>>

>>Is Rewire not useable in Paris?

>>

>>inquiring minds want to know

>>

>>Don

>> "Tom Bruhl" <arpeggio@comcast.net> wrote in message =

>>news:4543a2ca@linux...

>> Everything Chuck says sounds absolutely fantastic. I would

>> be in for whatever Chuck deems necessary for some working capital.

>> The use from any host to any slave seems like it would have a huge

>> user base. Good for selling a large number of units.
>>
>> Our greatest concern being Paris users is that we may be limited now =
>>by
>> single processors forever. It might make 'all in one box' processing
>> quite a DSP limitation compared to quad cores and greater.
>>
>> Am I missing something here? Is there a way to implement this across
>> two computers like FX-Teleport? That would make it the balls.
>> Tom
>>
>>
>> "DJ" <d@j.com> wrote in message news:45439e20\$1@linux...
>>
>> Chuck,
>>
>> Just to be clear about my offer.....first of all, I'm serious as
> =
>>I can
>> be. Secondly, I know this may not be possible to do so consider it =
>>venture
>> capital that I am willing to risk knowing that there may not be any
> =
>>return
>> on it. Also, there are no stings attached. I will not be offended at
> =
>>all
>> if you give this software away if that's what you want to do. You =
>>have done
>> a tremendous amount of work for this community and this amount of =
>>money may
>> not be enough to make it worth your while to take the time from your
> =
>>*real*
>> job to look into this, but if you are willing to give it a serious =
>>go, consider
>> it startup capital for what I consider to be a good cause, with no =
>>expectations
>> of success. I look at it this way.....if it works, I can sell a =
>>few thousand
>> dollars worth of hardware that I won't need anymore. It's worth it =
>>to me
>> to roll the dice.
>>
>> Regards,
>>
>> DJ
>>

>>
>> "DJ" <a@b.c> wrote:
>> >
>> >Chuck,
>> >
>> >Yesterday I was thinking about this idea and how it would be one
>> >step away from allowing cubase SX to be run from within Paris, so
>> >to speak. that's sorta what we were trying to do with the ASIO =
>>driver-trying
>> >to run different apps on Paris hardware. As far as third party =
>>utility,
>> can
>> >you imagine being able to run Wavelab and cubase =
>>simultaneously??.....Nuendo
>> >and Pro Tools?.....you get the picture. this would be =
>>huge!!.....but even
>> >if it was just something like you describe, it would basically =
>>provide latency
>> >compensation to Paris users running the latest DSP engines. IIRC, =
>>UAD-1
>> cards
>> >are IRQ compatible with EDS cards and this would allow Paris users
> =
>>to lose
>> >the ball and chain of having to run Paris on Win ME to access all =
>>those
>> ADAT
>> >modules. It would revolutionize this system.....and I would pay =
>>\$500.00
>> for
>> >it. If you will do it, I will send you the money right now by =
>>PayPal.
>> >
>> >Deej
>> >
>> >
>> >"chuck duffy" <c@c.com> wrote:
>> >>
>> >>because of the amount of technobabble I use, and my poor grasp of
> =
>>english
>> >>syntax :-)
>> >>
>> >>Here's the deal...
>> >>
>> >>1. The idea I am proposing does not use any physical hardware =
>>interconnects
>> >>between PARIS and the "new" theoretical VST host. It uses a piece

> =

>>of "shared

>> >>memory" (see wikipedia) to shuttle samples back and forth. The =

>>theoretical

>> >>VST host would present 32 virtual inputs and 32 virtual outputs to

> =

>>any

>> ASIO

>> >>capable application. =20

>> >>

>> >>2. There would be *one* channel strip in the VST HOST for *each* =

>>incoming

>> >>virtual ASIO connection. On this strip you could drop as many VST

> =

>>plugs,

>> >>or VSTis as you want. The strip would add up the latency for all

> =

>>plugs

>> >on

>> >>the strip, and then bump the latency up to a user configured =

>>amount, thereby

>> >>giving you 100% consistent latency for each channels. The output

> =

>>of each

>> >>strip would go to an ASIO virtual OUT channel.

>> >>

>> >>3. A simple "new" VST plug would be inserted on each channel in =

>>paris.

>>

>> >On

>> >>this plug you would select *which* one of the 32 "NEW" VST host =

>>channels

>> >>you wanted to route through. =20

>> >>

>> >>Now - the 64,000 question is, is there any other use for this new

> =

>>host

>> BESIDES

>> >>PARIS. If we can think of other uses for it, I would work on it,

> =

>>if not,

>> >>I wouldn't :-) It needs to have a larger potential audience than

> =

>>the paris

>> >>community :-)

>> >>

>> >>Chuck

>> >>

```

>> >>Chuck
>> >>
>> >>
>> >>
>> >>
>> >>
>> >>
>> >
>>
>>
>> I choose Polesoft Lockspam to fight spam, and you?
>> http://www.polesoft.com/refer.html
>>
>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
>><HTML><HEAD>
>><META http-equiv=3DContent-Type content=3D"text/html; =
>> charset=3Diso-8859-1">
>><META content=3D"MSHTML 6.00.2900.2963" name=3DGENERATOR>
>><STYLE></STYLE>
>></HEAD>
>><BODY bgColor=3D#ffffff>
>><DIV><FONT face=3DArial size=3D2>One dumb question...how does this =
>> differ from=20
>> Rewire...</FONT></DIV>
>><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
>><DIV><FONT face=3DArial size=3D2>more I/O? </FONT></DIV>
>><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
>><DIV><FONT face=3DArial size=3D2>greater flexibiliy? </FONT></DIV>
>><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
>><DIV><FONT face=3DArial size=3D2>Allow routing across EDS =
>> Cards?</FONT></DIV>
>><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
>><DIV><FONT face=3DArial size=3D2>Is Rewire not useable in =
>> Paris?</FONT></DIV>
>><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
>><DIV><FONT face=3DArial size=3D2>inquiring minds want to =
>> know</FONT></DIV>
>><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
>><DIV><FONT face=3DArial size=3D2>Don</FONT></DIV>
>><BLOCKQUOTE dir=3Dltr=20
>> style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>> BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
>> <DIV>"Tom Bruhl" <<A=20
>> href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>> wrote =
>> in message=20
>> <A href=3D"news:4543a2ca@linux">news:4543a2ca@linux</A>...</DIV>
>> <DIV><FONT face=3DArial size=3D2>Everything Chuck says sounds =

```

>>absolutely=20
>> fantastic. I would</DIV>
>> <DIV>be in for whatever Chuck deems =
>>necessary for some=20
>> working capital.</DIV>
>> <DIV>The use from any host to any slave =
>>seems like it=20
>> would have a huge</DIV>
>> <DIV>user base. Good for selling a =
>>large number=20
>> of units.</DIV>
>> <DIV> </DIV>
>> <DIV>Our greatest <FONT =
>>face=3DArial=20
>> size=3D2>concern being Paris users is that we may be limited now =
>>by</DIV>
>> <DIV>single processors forever. It =
>>might make=20
>> 'all in one box' processing</DIV>
>> <DIV>quite a DSP limitation compared to =
>>quad cores and=20
>> greater.</DIV>
>> <DIV> </DIV>
>> <DIV>Am I missing something here? Is =
>>there a way=20
>> to implement this across</DIV>
>> <DIV>two computers like FX-Teleport? =
>>That would=20
>> make it the balls.</DIV>
>> <DIV>Tom</DIV>
>> <DIV> </DIV>
>> <DIV> </DIV>
>> <BLOCKQUOTE=20
>> style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
>> <DIV>"DJ" <d@j.com> wrote in =
>>message <A=20
>> =
>>href=3D"news:45439e20\$1 @linux">news:45439e20\$1 @linux...</DIV>
Chuc=
>>k,

Just=20
>> to be clear about my offer.....first of all, I'm serious as I =
>>can
be.=20
>> Secondly, I know this may not be possible to do so consider it=20
>> venture
capital that I am willing to risk knowing that there may
> =
>>not be=20
>> any return
on it. Also, there are no stings attached. I will not
> =

>>be=20
>> offended at all
if you give this software away if that's what you
> =
>>want to=20
>> do. You have done
a tremendous amount of work for this community
> =
>>and this=20
>> amount of money may
not be enough to make it worth your while to
> =
>>take the=20
>> time from your *real*
job to look into this, but if you are =
>>willing to=20
>> give it a serious go, consider
it startup capital for what I =
>>consider to=20
>> be a good cause, with no expectations
of success. I look at it =
>>this=20
>> way.....if it works, I can sell a few thousand
dollars worth =
>>of=20
>> hardware that I won't need anymore. It's worth it to me
to roll =
>>the=20
>> dice.

Regards,

DJ

"DJ" <<A=20
>> href=3D"mailto:a@b.c">a@b.c=>=20
>> wrote:
>
>Chuck,
>
>Yesterday I was thinking =
>>about=20
>> this idea and how it would be one
>step away from allowing =
>>cubase SX=20
>> to be run from within Paris, so
>to speak. that's sorta what =
>>we were=20
>> trying to do with the ASIO driver-trying
>to run different =
>>apps on=20
>> Paris hardware. As far as third party utility,
can
>you =
>>imagine=20
>> being able to run Wavelab and cubase =
>>simultaneously??.....Nuendo
>and=20
>> Pro Tools?.....you get the picture. this would be huge!!.....but=20
>> even
>if it was just something like you describe, it would =
>>basically=20
>> provide latency
>compensation to Paris users running the =
>>latest DSP=20
>> engines. IIRC, UAD-1
cards
>are IRQ compatible with EDS =
>>cards and=20
>> this would allow Paris users to lose
>the ball and chain of =
>>having to=20
>> run Paris on Win ME to access all those
ADAT
>modules. It =
>>would=20
>> revolutionize this system.....and I would pay =
>>\$500.00
for
>it. If=20
>> you will do it, I will send you the money right now by=20

>> PayPal.
>
>Deej
>
>
>"chuck duffy" =
>><A=20
>> href=3D"mailto:c@c.com">c@c.com> =
>>wrote:
>>
>>because=20
>> of the amount of technobabble I use, and my poor grasp of=20
>> english
>>syntax :-)
>>
>>Here's the=20
>> deal...
>>
>>1. The idea I am proposing does not =
>>use any=20
>> physical hardware interconnects
>>between PARIS and the =
>>"new"=20
>> theoretical VST host. It uses a piece of =
>>"shared
>>memory"=20
>> (see wikipedia) to shuttle samples back and forth. The=20
>> theoretical
>>VST host would present 32 virtual inputs and =
>>32=20
>> virtual outputs to any
ASIO
>>capable application. =
>>
>>
>>
>>2. There would be *one* channel strip in the =
>>VST=20
>> HOST for *each* incoming
>>virtual ASIO connection. =
>>On this=20
>> strip you could drop as many VST plugs,
>>or VSTis as you=20
>> want. The strip would add up the latency for all=20
>> plugs
>>on
>>the strip, and then bump the latency up =
>>to a user=20
>> configured amount, thereby
>>giving you 100% consistent =
>>latency for=20
>> each channels. The output of each
>>strip would go to =
>>an ASIO=20
>> virtual OUT channel.
>>
>>3. A simple "new" VST =
>>plug would=20
>> be inserted on each channel in paris.

>On
>>this =
>>plug you=20
>> would select *which* one of the 32 "NEW" VST host =
>>channels
>>you=20
>> wanted to route through.
>>
>>Now - the =
>>64,000=20
>> question is, is there any other use for this new=20
>> host
BESIDES
>>PARIS. If we can think of other =
>>uses for=20
>> it, I would work on it, if not,
>>I wouldn't :-) It =
>>needs to=20
>> have a larger potential audience than the paris
>>community =
>>
>> =
>>:-)
>>
>>Chuck
>>
>>Chuck
>>=
>>
>>
>>
>>
>>
>>
>>
><=
>>/BLOCKQUOTE>


```
>> <DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight spam,
> =
>>and=20
>> you?<BR><A=20
>> =
>>href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
>>.html</A> </FONT></DIV></BLOCKQUOTE></BODY></HTML>
>>
>>
>
```

Subject: Re: I'm having a really hard time explaining myself :-)

Posted by [animix](#) on Sat, 28 Oct 2006 20:21:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

.....another 64,0000 question would be if the meters of the plugins iwill be functional if they are interfacing with Paris VST.....or would we need a VST-VST wrapper to get this to happen?

"chuck duffy" <c@c.com> wrote in message news:454362ae\$1@linux...

>
> because of the amount of technobabble I use, and my poor grasp of english
> syntax :-)
>
> Here's the deal...
>
> 1. The idea I am proposing does not use any physical hardware
interconnects
> between PARIS and the "new" theoretical VST host. It uses a piece of
"shared
> memory" (see wikipedia) to shuttle samples back and forth. The
theoretical
> VST host would present 32 virtual inputs and 32 virtual outputs to any
ASIO
> capable application.
>
> 2. There would be *one* channel strip in the VST HOST for *each* incoming
> virtual ASIO connection. On this strip you could drop as many VST plugs,
> or VSTis as you want. The strip would add up the latency for all plugs on
> the strip, and then bump the latency up to a user configured amount,
thereby
> giving you 100% consistent latency for each channels. The output of each
> strip would go to an ASIO virtual OUT channel.
>
> 3. A simple "new" VST plug would be inserted on each channel in paris. On
> this plug you would select *which* one of the 32 "NEW" VST host channels
> you wanted to route through.

>
> Now - the 64,000 question is, is there any other use for this new host
BESIDES
> PARIS. If we can think of other uses for it, I would work on it, if not,
> I wouldn't :-) It needs to have a larger potential audience than the
paris
> community :-)
>
> Chuck
>
> Chuck
>
>
>
>
>
>
>

Subject: Re: I'm having a really hard time explaining myself :-)
Posted by [John \[1\]](#) on Sat, 28 Oct 2006 20:31:44 GMT
[View Forum Message](#) <> [Reply to Message](#)

Yeah Chuck, you just gotta !! hehe

James McCloskey wrote:

> Hey Chuck! This is only a sliver of the pie and may not be worth the time
> but, I actually know of people and studios that still use Opcode Vision DSP.
> I know your shaking your head. Vision, Deck and other programs that got
> left behind might be able to benefit from your work. It might work with
> older versions of commercial programs that didn't have latency delay compensation
> that people still use like Cubase, Logic, DP, Spark, Sterillium, Cake Walk,
> etc. Not everybody upgrades to the latest version. I know a lot of people
> that are comfortable with older versions of audio software that would pay
> for this kind of thing.
>
> There are also a lot of new Audio programs out there that could benefit from
> such a thing. There are small developers that have \$50.00 to \$100.00 audio
> programs That are developing slower than the big commercial software, that
> could benefit from this. This could be licensed to them.
>
> The market might not be huge, but there is a market. To start with I believe
> you've got about 200+ paris users. There are customers I have from the past
> that have never been on this NG. Recording Institute of Detroit has 4 Paris
> systems, they have never been on this NG. They alone turn out 150 students
> a year that have been trained on Paris. Paris will be what Paris is. However,
> if you did this, you would be doing a lot of people a favor and I believe
> you would extend the life of Paris for years. Everybody would pay for this.

Subject: Re: I'm having a really hard time explaining myself :-)

Posted by [Don Nafe](#) on Sat, 28 Oct 2006 20:35:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

Or DJ will DIE!!!!

"John" <no@no.com> wrote in message news:4543bbe6\$1@linux...

> Yeah Chuck, you just gotta !! hehe

>

> James McCloskey wrote:

>> Hey Chuck! This is only a sliver of the pie and may not be worth the
>> time

>> but, I actually know of people and studios that still use Opcode Vision
>> DSP.

>> I know your shaking your head. Vision, Deck and other programs that got
>> left behind might be able to benefit from your work. It might work with
>> older versions of commercial programs that didn't have latency delay
>> compensation

>> that people still use like Cubase, Logic, DP, Spark, Sterillium, Cake
>> Walk,

>> etc. Not everybody upgrades to the latest version. I know a lot of
>> people

>> that are comfortable with older versions of audio software that would pay
>> for this kind of thing.

>>

>> There are also a lot of new Audio programs out there that could benefit
>> from

>> such a thing. There are small developers that have \$50.00 to \$100.00
>> audio

>> programs That are developing slower than the big commercial software,
>> that

>> could benefit from this. This could be licensed to them.

>>

>> The market might not be huge, but there is a market. To start with I
>> believe

>> you've got about 200+ paris users. There are customers I have from the
>> past

>> that have never been on this NG. Recording Institute of Detroit has 4
>> Paris

>> systems, they have never been on this NG. They alone turn out 150
>> students

>> a year that have been trained on Paris. Paris will be what Paris is.

>> However,

>> if you did this, you would be doing a lot of people a favor and I believe
>> you would extend the life of Paris for years. Everybody would pay for
>> this.

>> Remember the thread back in 2001 when people were speculating how long
>> Paris

>> would be useable? It's almost 2007!

>>

>> Chuck you gotta do this! We'd be forever grateful.

>>

>> James

>>

>>

>> "chuck duffy" <c@c.com> wrote:

>>> because of the amount of technobabble I use, and my poor grasp of

>>> english

>>> syntax :-)

>>>

>>> Here's the deal...

>>>

>>> 1. The idea I am proposing does not use any physical hardware

>>> interconnects

>>> between PARIS and the "new" theoretical VST host. It uses a piece of

>>> "shared

>>> memory" (see wikipedia) to shuttle samples back and forth. The

>>> theoretical

>>> VST host would present 32 virtual inputs and 32 virtual outputs to any

>>> ASIO

>>> capable application.

>>> 2. There would be *one* channel strip in the VST HOST for *each*

>>> incoming

>>> virtual ASIO connection. On this strip you could drop as many VST

>>> plugs,

>>> or VSTis as you want. The strip would add up the latency for all plugs

>> on

>>> the strip, and then bump the latency up to a user configured amount,

>>> thereby

>>> giving you 100% consistent latency for each channels. The output of

>>> each

>>> strip would go to an ASIO virtual OUT channel.

>>>

>>> 3. A simple "new" VST plug would be inserted on each channel in paris.

>> On

>>> this plug you would select *which* one of the 32 "NEW" VST host channels

>>> you wanted to route through.

>>> Now - the 64,000 question is, is there any other use for this new host

>>> BESIDES

>>> PARIS. If we can think of other uses for it, I would work on it, if

>>> not,

>>> I wouldn't :-) It needs to have a larger potential audience than the

>>> paris

>>> community :-)

>>>

>>> Chuck

>>>
>>> Chuck
>>>
>>>
>>>
>>>
>>>
>>>
>>>
>>

Subject: Re: I'm having a really hard time explaining myself :-)
Posted by [DJ](#) on Sat, 28 Oct 2006 20:37:12 GMT
[View Forum Message](#) <> [Reply to Message](#)

I will be testing Paris on an AMD 4800 x 2 in a couple of days. I will be trying it with a Gigabyte GA-K8NS Ultra 939 mobo using both Win ME and Win XP. I have seen reports here that it works, but that the number of C-16's may be limited to x 1. There have been some new patches released y AMD which may remedy this, but it wouldn't be a show stopper for me. I only use 1 x C-16 anyway. I've had 3 x on my desk for years buy I ended up using only he one that was right in the sweet spot so I just pulled to other ones off thedesk and am keeping them for backups. C-16's are prone to failure eventuallyespecially the buttons, so having backups is a good idea.

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>
>
>Everything Chuck says sounds absolutely fantastic. I would
>be in for whatever Chuck deems necessary for some working capital.
>The use from any host to any slave seems like it would have a huge
>user base. Good for selling a large number of units.
>
>Our greatest concern being Paris users is that we may be limited now by
>single processors forever. It might make 'all in one box' processing
>quite a DSP limitation compared to quad cores and greater.
>
>Am I missing something here? Is there a way to implement this across
>two computers like FX-Teleport? That would make it the balls.
>Tom
>
>
> "DJ" <d@j.com> wrote in message news:45439e20\$1@linux...
>
> Chuck,
>
> Just to be clear about my offer.....first of all, I'm serious as I
=

>can
> be. Secondly, I know this may not be possible to do so consider it =
>venture
> capital that I am willing to risk knowing that there may not be any =
>return
> on it. Also, there are no stings attached. I will not be offended at =
>all
> if you give this software away if that's what you want to do. You have
=
>done
> a tremendous amount of work for this community and this amount of =
>money may
> not be enough to make it worth your while to take the time from your =
>*real*
> job to look into this, but if you are willing to give it a serious go,
=
>consider
> it startup capital for what I consider to be a good cause, with no =
>expectations
> of success. I look at it this way.....if it works, I can sell a few
=
>thousand
> dollars worth of hardware that I won't need anymore. It's worth it to
=
>me
> to roll the dice.
>
> Regards,
>
> DJ
>
>
> "DJ" <a@b.c> wrote:
> >
> >Chuck,
> >
> >Yesterday I was thinking about this idea and how it would be one
> >step away from allowing cubase SX to be run from within Paris, so
> >to speak. that's sorta what we were trying to do with the ASIO =
>driver-trying
> >to run different apps on Paris hardware. As far as third party =
>utility,
> can
> >you imagine being able to run Wavelab and cubase =
>simultaneously??.....Nuendo
> >and Pro Tools?.....you get the picture. this would be huge!!.....but
=
>even

> > if it was just something like you describe, it would basically =
> provide latency
> > compensation to Paris users running the latest DSP engines. IIRC, =
> UAD-1
> cards
> > are IRQ compatible with EDS cards and this would allow Paris users to
=
> lose
> > the ball and chain of having to run Paris on Win ME to access all =
> those
> ADAT
> > modules. It would revolutionize this system.....and I would pay =
> \$500.00
> for
> > it. If you will do it, I will send you the money right now by PayPal.
> >
> > DeeJ
> >
> >
> > "chuck duffy" <c@c.com> wrote:
> >>
> >> because of the amount of technobabble I use, and my poor grasp of =
> english
> >> syntax :-)
> >>
> >> Here's the deal...
> >>
> >> 1. The idea I am proposing does not use any physical hardware =
> interconnects
> >> between PARIS and the "new" theoretical VST host. It uses a piece =
> of "shared
> >> memory" (see wikipedia) to shuttle samples back and forth. The =
> theoretical
> >> VST host would present 32 virtual inputs and 32 virtual outputs to =
> any
> ASIO
> >> capable application. =20
> >>
> >> 2. There would be *one* channel strip in the VST HOST for *each* =
> incoming
> >> virtual ASIO connection. On this strip you could drop as many VST =
> plugs,
> >> or VSTis as you want. The strip would add up the latency for all =
> plugs
> > on
> >> the strip, and then bump the latency up to a user configured amount,
=
> thereby

> >>giving you 100% consistent latency for each channels. The output of
 =
 >each
 > >>strip would go to an ASIO virtual OUT channel.
 > >>
 > >>3. A simple "new" VST plug would be inserted on each channel in =
 >paris.
 >
 > >On
 > >>this plug you would select *which* one of the 32 "NEW" VST host =
 >channels
 > >>you wanted to route through. =20
 > >>
 > >>Now - the 64,000 question is, is there any other use for this new =
 >host
 > BESIDES
 > >>PARIS. If we can think of other uses for it, I would work on it, if
 =
 >not,
 > >>I wouldn't :-) It needs to have a larger potential audience than =
 >the paris
 > >>community :-)
 > >>
 > >>Chuck
 > >>
 > >>Chuck
 > >>
 > >>
 > >>
 > >>
 > >>
 > >>
 > >>
 > >
 >
 >
 >
 >I choose Polesoft Lockspam to fight spam, and you?
 ><http://www.polesoft.com/refer.html>
 >
 ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
 ><HTML><HEAD>
 ><META http-equiv=3DContent-Type content=3D"text/html; =
 >charset=3Diso-8859-1">
 ><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
 ><STYLE></STYLE>
 ></HEAD>
 ><BODY bgColor=3D#ffffff>
 ><DIV>Everything Chuck says sounds absolutely

=
>

><DIV>be in for whatever Chuck deems =
>necessary for some=20
>working capital.</DIV>
><DIV>The use from any host to any slave =
>seems like it=20
>would have a huge</DIV>

>large number of=20
>units.</DIV>

><DIV>Our greatest <FONT face=3DArial
=
>size=3D2>concern=20
>being Paris users is that we may be limited now by</DIV>

>might make 'all=20
>in one box' processing</DIV>
><DIV>quite a DSP limitation compared to quad
=
>cores and=20
>greater.</DIV>

>there a way=20
>to implement this across</DIV>

>That would=20
>make it the balls.</DIV>
><DIV>Tom</DIV>

><BLOCKQUOTE=20
>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"DJ" <d@j.com> wrote in =
>message <A=20
> =
>href=3D"news:45439e20\$1 @linux">news:45439e20\$1 @linux...</DIV>
Chuc=
>k,

Just=20
> to be clear about my offer.....first of all, I'm serious as I =
>can
be.=20
> Secondly, I know this may not be possible to do so consider it=20
> venture
capital that I am willing to risk knowing that there may =
>not be any=20
> return
on it. Also, there are no stings attached. I will not be =

>offended at=20
 > all
if you give this software away if that's what you want to do. =
 >You have=20
 > done
a tremendous amount of work for this community and this amount
 =
 >of=20
 > money may
not be enough to make it worth your while to take the =
 >time from=20
 > your *real*
job to look into this, but if you are willing to give =
 >it a=20
 > serious go, consider
it startup capital for what I consider to be a
 =
 >good=20
 > cause, with no expectations
of success. I look at it this =
 >way.....if it=20
 > works, I can sell a few thousand
dollars worth of hardware that I =
 >won't=20
 > need anymore. It's worth it to me
to roll the=20
 > dice.

Regards,

DJ

"DJ" <<A=20
 > href=3D"mailto:a@b.c">a@b.c>=20
 > wrote:
>
>Chuck,
>
>Yesterday I was thinking =
 >about=20
 > this idea and how it would be one
>step away from allowing =
 >cubase SX to=20
 > be run from within Paris, so
>to speak. that's sorta what we =
 >were trying=20
 > to do with the ASIO driver-trying
>to run different apps on =
 >Paris=20
 > hardware. As far as third party utility,
can
>you imagine =
 >being able=20
 > to run Wavelab and cubase simultaneously??.....Nuendo
>and Pro=20
 > Tools?.....you get the picture. this would be huge!!.....but =
 >even
>if=20
 > it was just something like you describe, it would basically provide=20
 > latency
>compensation to Paris users running the latest DSP =
 >engines.=20
 > IIRC, UAD-1
cards
>are IRQ compatible with EDS cards and this =
 >would=20
 > allow Paris users to lose
>the ball and chain of having to run =
 >Paris on=20
 > Win ME to access all those
ADAT
>modules. It would =
 >revolutionize this=20
 > system.....and I would pay \$500.00
for
>it. If you will do =
 >it, I will=20
 > send you the money right now by=20
 > PayPal.
>
>Deej
>
>
>"chuck duffy" =
 ><<A=20
 > href=3D"mailto:c@c.com">c@c.com> =

>wrote:
>>
>>because of=20
 > the amount of technobabble I use, and my poor grasp of=20
 > english
>>syntax :-)
>>
>>Here's the=20
 > deal...
>>
>>1. The idea I am proposing does not use =
 >any=20
 > physical hardware interconnects
>>between PARIS and the "new" =
 >
 >"shared
>>memory" (see=20
 > theoretical
>>VST host would present 32 virtual inputs and 32 =
 >virtual=20
 >
>>
>>2. There would be *one* channel strip in the =
 >VST HOST=20
 >strip=20
 > you could drop as many VST plugs,
>>or VSTis as you =
 > strip would add up the latency for all plugs
>>on
>>the =
 >strip,=20
 > and then bump the latency up to a user configured amount,=20
 > thereby
>>giving you 100% consistent latency for each =
 > The output of each
>>strip would go to an ASIO virtual OUT=20
 > channel.
>>
>>3. A simple "new" VST plug would be =
 >inserted=20
 > on each channel in paris.

>On
>>this plug you would =
 >select=20
 > *which* one of the 32 "NEW" VST host channels
>>you wanted to =
 >route=20
 >is there=20
 >we can=20
 > think of other uses for it, I would work on it, if not,
>>I =
 >wouldn't=20
 > paris
>>community=20
 > =
 >:-)
>>
>>Chuck
>>
>>Chuck
>>=
 >
>>
>>
>>
>>
>>
>>

<=
 >/BLOCKQUOTE>
 ><DIV>

I choose Polesoft Lockspam to fight spam, =
 >and=20
 >you?
<A=20
 >href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=

>
>

Subject: Re: I'm having a really hard time explaining myself :-)

Posted by [chuck duffy](#) on Sat, 28 Oct 2006 20:40:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

paris doesn't support re-wire, and I know a bunch of other progs that I like that don't. But you have me thinking of leveraging the existing re-wire and bridging it with "virtual" asio.

Chuck

"Don Nafe" <dnafe@magma.ca> wrote:

>
>
>One dumb question...how does this differ from Rewire...
>
>more I/O? =20
>
>greater flexibiliy? =20
>
>Allow routing across EDS Cards?
>
>Is Rewire not useable in Paris?
>
>inquiring minds want to know
>
>Don
> "Tom Bruhl" <arpeggio@comcast.net> wrote in message =
>news:4543a2ca@linux...
> Everything Chuck says sounds absolutely fantastic. I would
> be in for whatever Chuck deems necessary for some working capital.
> The use from any host to any slave seems like it would have a huge
> user base. Good for selling a large number of units.
>
> Our greatest concern being Paris users is that we may be limited now =
>by
> single processors forever. It might make 'all in one box' processing
> quite a DSP limitation compared to quad cores and greater.
>
> Am I missing something here? Is there a way to implement this across
> two computers like FX-Teleport? That would make it the balls.
> Tom
>
>
> "DJ" <d@j.com> wrote in message news:45439e20\$1@linux...

>
> Chuck,
>
> Just to be clear about my offer.....first of all, I'm serious as
=
>I can
> be. Secondly, I know this may not be possible to do so consider it =
>venture
> capital that I am willing to risk knowing that there may not be any
=
>return
> on it. Also, there are no stings attached. I will not be offended at
=
>all
> if you give this software away if that's what you want to do. You =
>have done
> a tremendous amount of work for this community and this amount of =
>money may
> not be enough to make it worth your while to take the time from your
=
>*real*
> job to look into this, but if you are willing to give it a serious =
>go, consider
> it startup capital for what I consider to be a good cause, with no =
>expectations
> of success. I look at it this way.....if it works, I can sell a =
>few thousand
> dollars worth of hardware that I won't need anymore. It's worth it =
>to me
> to roll the dice.
>
> Regards,
>
> DJ
>
>
>
> "DJ" <a@b.c> wrote:
> >
> >Chuck,
> >
> >Yesterday I was thinking about this idea and how it would be one
> >step away from allowing cubase SX to be run from within Paris, so
> >to speak. that's sorta what we were trying to do with the ASIO =
>driver-trying
> >to run different apps on Paris hardware. As far as third party =
>utility,
> can
> >you imagine being able to run Wavelab and cubase =

>simultaneously??.....Nuendo
 > >and Pro Tools?.....you get the picture. this would be =
 >huge!!.....but even
 > >if it was just something like you describe, it would basically =
 >provide latency
 > >compensation to Paris users running the latest DSP engines. IIRC, =
 >UAD-1
 > cards
 > >are IRQ compatible with EDS cards and this would allow Paris users
 =
 >to lose
 > >the ball and chain of having to run Paris on Win ME to access all =
 >those
 > ADAT
 > >modules. It would revolutionize this system.....and I would pay =
 >\$500.00
 > for
 > >it. If you will do it, I will send you the money right now by =
 >PayPal.
 > >
 > >Deej
 > >
 > >
 > >"chuck duffy" <c@c.com> wrote:
 > >>
 > >>because of the amount of technobabble I use, and my poor grasp of
 =
 >english
 > >>syntax :-)
 > >>
 > >>Here's the deal...
 > >>
 > >>1. The idea I am proposing does not use any physical hardware =
 >interconnects
 > >>between PARIS and the "new" theoretical VST host. It uses a piece
 =
 >of "shared
 > >>memory" (see wikipedia) to shuttle samples back and forth. The =
 >theoretical
 > >>VST host would present 32 virtual inputs and 32 virtual outputs to
 =
 >any
 > ASIO
 > >>capable application. =20
 > >>
 > >>2. There would be *one* channel strip in the VST HOST for *each* =
 >incoming
 > >>virtual ASIO connection. On this strip you could drop as many VST

=

>plugs,

> >>or VSTis as you want. The strip would add up the latency for all

=

>plugs

> >on

> >>the strip, and then bump the latency up to a user configured =

>amount, thereby

> >>giving you 100% consistent latency for each channels. The output

=

>of each

> >>strip would go to an ASIO virtual OUT channel.

> >>

> >>3. A simple "new" VST plug would be inserted on each channel in =

>paris.

>

> >On

> >>this plug you would select *which* one of the 32 "NEW" VST host =

>channels

> >>you wanted to route through. =20

> >>

> >>Now - the 64,000 question is, is there any other use for this new

=

>host

> BESIDES

> >>PARIS. If we can think of other uses for it, I would work on it,

=

>if not,

> >>I wouldn't :-) It needs to have a larger potential audience than

=

>the paris

> >>community :-)

> >>

> >>Chuck

> >>

> >>Chuck

> >>

> >>

> >>

> >>

> >>

> >>

> >

>

>

>

> I choose Polesoft Lockspam to fight spam, and you?

> <http://www.polesoft.com/refer.html>

```

>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3DContent-Type content=3D"text/html; =
>charset=3Diso-8859-1">
><META content=3D"MSHTML 6.00.2900.2963" name=3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D#ffffff>
><DIV><FONT face=3DArial size=3D2>One dumb question...how does this =
>
> differ from=20
> Rewire...</FONT></DIV>
>
>
><DIV><FONT face=3DArial size=3D2>Allow routing across EDS =
>
> Cards?</FONT></DIV>
>
>
><DIV><FONT face=3DArial size=3D2>Is Rewire not useable in =
>
> Paris?</FONT></DIV>
>
>
><DIV><FONT face=3DArial size=3D2>inquiring minds want to =
>
> know</FONT></DIV>
>
>
><DIV><FONT face=3DArial size=3D2>Don</FONT></DIV>
><BLOCKQUOTE dir=3Dltr=20
>
> style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>
> BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
>
> <DIV>"Tom Bruhl" <<A=20
>
> href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>> wrote =
>
> in message=20
>
> <A href=3D"news:4543a2ca@linux">news:4543a2ca@linux</A>...</DIV>
>
> <DIV><FONT face=3DArial size=3D2>Everything Chuck says sounds =
>
> absolutely=20
>
>
> <DIV><FONT face=3DArial size=3D2>be in for whatever Chuck deems =
>
> necessary for some=20
>
> working capital.</FONT></DIV>
>
> <DIV><FONT face=3DArial size=3D2>The use from any host to any slave =
>
> seems like it=20
>
> would have a huge</FONT></DIV>
>
>
>
>large number=20
>
> of units.</FONT></DIV>
>
>
> <DIV><FONT face=3DArial size=3D2>Our greatest </FONT><FONT =

```

>face=3DArial=20
> size=3D2>concern being Paris users is that we may be limited now =
>by</DIV>

>might make=20
> 'all in one box' processing</DIV>
> <DIV>quite a DSP limitation compared to =
>quad cores and=20
> greater.</DIV>

>there a way=20
> to implement this across</DIV>

>That would=20
> make it the balls.</DIV>
> <DIV>Tom</DIV>

> <BLOCKQUOTE=20
> style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"DJ" <d@j.com> wrote in =
>message <A=20
> =
>href=3D"news:45439e20\$1@linux">news:45439e20\$1@linux...</DIV>
Chuc=
>k,

Just=20
> to be clear about my offer.....first of all, I'm serious as I =
>can
be.=20
> Secondly, I know this may not be possible to do so consider it=20
> venture
capital that I am willing to risk knowing that there may
=
>not be=20
> any return
on it. Also, there are no stings attached. I will not
=
>be=20
> offended at all
if you give this software away if that's what you
=
>want to=20
> do. You have done
a tremendous amount of work for this community
=
>and this=20
> amount of money may
not be enough to make it worth your while to
=
>take the=20
> time from your *real*
job to look into this, but if you are =
>willing to=20
> give it a serious go, consider
it startup capital for what I =

>consider to=20
 > be a good cause, with no expectations
of success. I look at it =
 >this=20
 > way.....if it works, I can sell a few thousand
dollars worth =
 >of=20
 > hardware that I won't need anymore. It's worth it to me
to roll =
 >the=20
 > dice.

Regards,

DJ

"DJ" <<A=20
 > href=3D"mailto:a@b.c">a@b.c=20
 > wrote:
>
>Chuck,
>
>Yesterday I was thinking =
 >about=20
 > this idea and how it would be one
>step away from allowing =
 >cubase SX=20
 > to be run from within Paris, so
>to speak. that's sorta what =
 >we were=20
 > trying to do with the ASIO driver-trying
>to run different =
 >apps on=20
 > Paris hardware. As far as third party utility,
can
>you =
 >imagine=20
 > being able to run Wavelab and cubase =
 >simultaneously??.....Nuendo
>and=20
 > Pro Tools?.....you get the picture. this would be huge!!.....but=20
 > even
>if it was just something like you describe, it would =
 >basically=20
 > provide latency
>compensation to Paris users running the =
 >latest DSP=20
 > engines. IIRC, UAD-1
cards
>are IRQ compatible with EDS =
 >cards and=20
 > this would allow Paris users to lose
>the ball and chain of =
 >having to=20
 > run Paris on Win ME to access all those
ADAT
>modules. It =
 >would=20
 > revolutionize this system.....and I would pay =
 >\$500.00
for
>it. If=20
 > you will do it, I will send you the money right now by=20
 > PayPal.
>
>Deej
>
>
>"chuck duffy" =
 ><<A=20
 > href=3D"mailto:c@c.com">c@c.com =
 >wrote:
>>
>>because=20
 > of the amount of technobabble I use, and my poor grasp of=20
 > english
>>syntax :-)
>>
>>Here's the=20
 > deal...
>>
>>1. The idea I am proposing does not =
 >use any=20
 > physical hardware interconnects
>>between PARIS and the =
 >"new"=20

 >"shared
>>memory"=20

> theoretical
>>VST host would present 32 virtual inputs and =
>32=20

>

>
>>
>>2. There would be *one* channel strip in the =
>VST=20

>On this=20

> strip you could drop as many VST plugs,
>>or VSTis as you=20

> plugs
>>on
>>the strip, and then bump the latency up =
>to a user=20

> configured amount, thereby
>>giving you 100% consistent =
>latency for=20

>an ASIO=20

> virtual OUT channel.
>>
>>3. A simple "new" VST =
>plug would=20

> be inserted on each channel in paris.

>On
>>this =
>plug you=20

> would select *which* one of the 32 "NEW" VST host =
>channels
>>you=20

>64,000=20

> question is, is there any other use for this new=20

>uses for=20

>needs to=20

> have a larger potential audience than the paris
>>community =
>
> =
>:-)
>>
>>Chuck
>>
>>Chuck
>>=
>
>>
>>
>>
>>
>>
>>
>
<=
>/BLOCKQUOTE>

> <DIV>

I choose Polesoft Lockspam to fight spam,
=
>and=20

> you?
<A=20

> =
>href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=

>
>

Subject: Re: I'm having a really hard time explaining myself :-)

Hey Chuck! This is only a sliver of the pie and may not be worth the time but, I actually know of people and studios that still use Opcode Vision DSP.

I know your shaking your head. Vision, Deck and other programs that got left behind might be able to benefit from your work. It might work with older versions of commercial programs that didn't have latency delay compensation that people still use like Cubase, Logic, DP, Spark, Sterillium, Cake Walk, etc. Not everybody upgrades to the latest version. I know a lot of people that are comfortable with older versions of audio software that would pay for this kind of thing.

There are also a lot of new Audio programs out there that could benefit from such a thing. There are small developers that have \$50.00 to \$100.00 audio programs That are developing slower than the big commercial software, that could benefit from this. This could be licensed to them.

The market might not be huge, but there is a market. To start with I believe you've got about 200+ paris users. There are customers I have from the past that have never been on this NG. Recording Institute of Detroit has 4 Paris systems, they have never been on this NG. They alone turn out 150 students a year that have been trained on Paris. Paris will be what Paris is. However, if you did this, you would be doing a lot of people a favor and I believe you would extend the life of Paris for years. Everybody would pay for this. Remember the thread back in 2001 when people were speculating how long Paris would be useable? It's almost 2007!

Chuck you gotta do this! We'd be forever grateful.

James

"chuck duffy" <c@c.com> wrote:

>
>because of the amount of technobabble I use, and my poor grasp of english
>syntax :-)
>
>Here's the deal...
>
>1. The idea I am proposing does not use any physical hardware interconnects
>between PARIS and the "new" theoretical VST host. It uses a piece of "shared
>memory" (see wikipedia) to shuttle samples back and forth. The theoretical
>VST host would present 32 virtual inputs and 32 virtual outputs to any ASIO
>capable application.
>
>2. There would be *one* channel strip in the VST HOST for *each* incoming
>virtual ASIO connection. On this strip you could drop as many VST plugs,
>or VSTis as you want. The strip would add up the latency for all plugs

on
>the strip, and then bump the latency up to a user configured amount, thereby
>giving you 100% consistent latency for each channels. The output of each
>strip would go to an ASIO virtual OUT channel.
>
>3. A simple "new" VST plug would be inserted on each channel in paris.
On
>this plug you would select *which* one of the 32 "NEW" VST host channels
>you wanted to route through.
>
>Now - the 64,000 question is, is there any other use for this new host BESIDES
>PARIS. If we can think of other uses for it, I would work on it, if not,
>I wouldn't :-) It needs to have a larger potential audience than the paris
>community :-)
>
>Chuck
>
>Chuck
>
>
>
>
>
>
>

Subject: Re: I'm having a really hard time explaining myself :-)
Posted by [chuck duffy](#) on Sat, 28 Oct 2006 23:17:18 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dj,

The meters for the plugin would be in the "new" host. The only thing the "new" vst plugin would do is stream samples to the "new" host. The "new" host would be up to snuff with the latest vst spec. There's no reason that wrappers would be involved with any of this :-)

Chuck

"DJ" <notachance@net.net> wrote:

>.....another 64,000 question would be if the meters of the plugins iwill
>be functional if they are interfacing with Paris VST.....or would we need
>a VST-VST wrapper to get this to happen?
>
>"chuck duffy" <c@c.com> wrote in message news:454362ae\$1 @linux...
>>
>> because of the amount of technobabble I use, and my poor grasp of english
>> syntax :-)

>>
>> Here's the deal...
>>
>> 1. The idea I am proposing does not use any physical hardware
>interconnects
>> between PARIS and the "new" theoretical VST host. It uses a piece of
>"shared
>> memory" (see wikipedia) to shuttle samples back and forth. The
>theoretical
>> VST host would present 32 virtual inputs and 32 virtual outputs to any
>ASIO
>> capable application.
>>
>> 2. There would be *one* channel strip in the VST HOST for *each* incoming
>> virtual ASIO connection. On this strip you could drop as many VST plugs,
>> or VSTis as you want. The strip would add up the latency for all plugs
on
>> the strip, and then bump the latency up to a user configured amount,
>thereby
>> giving you 100% consistent latency for each channels. The output of each
>> strip would go to an ASIO virtual OUT channel.
>>
>> 3. A simple "new" VST plug would be inserted on each channel in paris.
On
>> this plug you would select *which* one of the 32 "NEW" VST host channels
>> you wanted to route through.
>>
>> Now - the 64,000 question is, is there any other use for this new host
>BESIDES
>> PARIS. If we can think of other uses for it, I would work on it, if not,
>> I wouldn't :-). It needs to have a larger potential audience than the
>paris
>> community :-)
>>
>> Chuck
>>
>> Chuck
>>
>>
>>
>>
>>
>>
>>
>
>

Subject: Re: I'm having a really hard time explaining myself :-)

Posted by [DJ](#) on Sat, 28 Oct 2006 23:43:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

Alrighty then maestro. I'm getting ready to load up one of these fancy Creamware cards in a PC that is supposed to be the bane of it's existence (AMD dualcore) because I don't have an Intel machine in the entire house.....but I'm curious to see the innards of this system. It sure would be nice to just port my UAD-1 cards over to my Paris DAW and be done with this foolishness. I'd likely keep either one of these Creamware cards or one of my RME cards on a second rig for VSTi's.....unless of course I'll be able to stream audio from Ivory VST and NI B-4 through your new app directly into Paris.....I don't even want to think about it.....I'll soil myself.
;o)

"chuck duffy" <c@c.com> wrote:

>

>Dj,

>

>The meters for the plugin would be in the "new" host. The only thing the
>"new" vst plugin would do is stream samples to the "new" host. The "new"
>host would be up to snuff with the latest vst spec. There's no reason that
>wrappers would be involved with any of this :-)

>

>Chuck

>

>"DJ" <notachance@net.net> wrote:

>>.....another 64,0000 question would be if the meters of the plugins
iwll

>>be functional if they are interfacing with Paris VST.....or would we
need

>>a VST-VST wrapper to get this to happen?

>>

>>"chuck duffy" <c@c.com> wrote in message news:454362ae\$1@linux...

>>>

>>> because of the amount of technobabble I use, and my poor grasp of english

>>> syntax :-)

>>>

>>> Here's the deal...

>>>

>>> 1. The idea I am proposing does not use any physical hardware

>>interconnects

>>> between PARIS and the "new" theoretical VST host. It uses a piece of

>>"shared

>>> memory" (see wikipedia) to shuttle samples back and forth. The

>>theoretical

>>> VST host would present 32 virtual inputs and 32 virtual outputs to any

>>ASIO

>>> capable application.

>>>
>>> 2. There would be *one* channel strip in the VST HOST for *each* incoming
>>> virtual ASIO connection. On this strip you could drop as many VST plugs,
>>> or VSTis as you want. The strip would add up the latency for all plugs
>on
>>> the strip, and then bump the latency up to a user configured amount,
>>thereby
>>> giving you 100% consistent latency for each channels. The output of
each
>>> strip would go to an ASIO virtual OUT channel.
>>>
>>> 3. A simple "new" VST plug would be inserted on each channel in paris.
> On
>>> this plug you would select *which* one of the 32 "NEW" VST host channels
>>> you wanted to route through.
>>>
>>> Now - the 64,000 question is, is there any other use for this new host
>>BESIDES
>>> PARIS. If we can think of other uses for it, I would work on it, if
not,
>>> I wouldn't :-) It needs to have a larger potential audience than the
>>paris
>>> community :-)
>>>
>>> Chuck
>>>
>>> Chuck
>>>
>>>
>>>
>>>
>>>
>>>
>>
>>
>

Subject: Re: I'm having a really hard time explaining myself :-)

Posted by [Neil](#) on Sun, 29 Oct 2006 00:11:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

Chuck, maybe I'm oversimplifying this, but if the whole idea is
for people to be able to use UAD/VST/Creamware/etc plugins in
Paris (i.e.: any plugin that induces latency) wouldn't the
simple thing be to write a plugin that does this, in order:

1.) INSERT on PARIS CHANNEL, AUX BUSS, OR MAIN BUSS

- 2.) ESTABLISH A REFERENCE POINT FOR THE WAVEFORM IN SOME MANNER
- 3.) HOST "x number" OF VST/UAD/ETC PLUGINS IN A CHAIN
- 4.) CALCULATE THE TOTAL LATENCY FOR THE CHAIN OF PLUGINS BASED ON #2 ABOVE
- 5.) AUTOMATICALLY COMPENSATE FOR SAID LATENCY

Yes? No?

Neil

"chuck duffy" <c@c.com> wrote:

>

>paris doesn't support re-wire, and I know a bunch of other progs that I like

>that don't. But you have me thinking of leveraging the existing re-wire and bridging it with "virtual" asio.

>

>Chuck

>

>"Don Nafe" <dnafe@magma.ca> wrote:

>>

>>

>>One dumb question...how does this differ from Rewire...

>>

>>more I/O? =20

>>

>>greater flexibility? =20

>>

>>Allow routing across EDS Cards?

>>

>>Is Rewire not useable in Paris?

>>

>>inquiring minds want to know

>>

>>Don

>> "Tom Bruhl" <arpeggio@comcast.net> wrote in message =

>>news:4543a2ca@linux...

>> Everything Chuck says sounds absolutely fantastic. I would

>> be in for whatever Chuck deems necessary for some working capital.

>> The use from any host to any slave seems like it would have a huge

>> user base. Good for selling a large number of units.

>>

>> Our greatest concern being Paris users is that we may be limited now

=

>>by

>> single processors forever. It might make 'all in one box' processing

>> quite a DSP limitation compared to quad cores and greater.

>>
>> Am I missing something here? Is there a way to implement this across
>> two computers like FX-Teleport? That would make it the balls.
>> Tom
>>
>>
>> "DJ" <d@j.com> wrote in message news:45439e20\$1 @linux...
>>
>> Chuck,
>>
>> Just to be clear about my offer.....first of all, I'm serious as
>=
>>I can
>> be. Secondly, I know this may not be possible to do so consider it
=
>>venture
>> capital that I am willing to risk knowing that there may not be any
>=
>>return
>> on it. Also, there are no stings attached. I will not be offended at
>=
>>all
>> if you give this software away if that's what you want to do. You =
>>have done
>> a tremendous amount of work for this community and this amount of =
>>money may
>> not be enough to make it worth your while to take the time from your
>=
>>*real*
>> job to look into this, but if you are willing to give it a serious
=
>>go, consider
>> it startup capital for what I consider to be a good cause, with no
=
>>expectations
>> of success. I look at it this way.....if it works, I can sell a
=
>>few thousand
>> dollars worth of hardware that I won't need anymore. It's worth it
=
>>to me
>> to roll the dice.
>>
>> Regards,
>>
>> DJ
>>
>>

>> "DJ" <a@b.c> wrote:
>> >
>> >Chuck,
>> >
>> >Yesterday I was thinking about this idea and how it would be one
>> >step away from allowing cubase SX to be run from within Paris, so
>> >to speak. that's sorta what we were trying to do with the ASIO =
>>driver-trying
>> >to run different apps on Paris hardware. As far as third party =
>>utility,
>> can
>> >you imagine being able to run Wavelab and cubase =
>>simultaneously??.....Nuendo
>> >and Pro Tools?.....you get the picture. this would be =
>>huge!!.....but even
>> >if it was just something like you describe, it would basically =
>>provide latency
>> >compensation to Paris users running the latest DSP engines. IIRC,
=
>>UAD-1
>> cards
>> >are IRQ compatible with EDS cards and this would allow Paris users
>=
>>to lose
>> >the ball and chain of having to run Paris on Win ME to access all
=
>>those
>> ADAT
>> >modules. It would revolutionize this system.....and I would pay =
>>\$500.00
>> for
>> >it. If you will do it, I will send you the money right now by =
>>PayPal.
>> >
>> >Deej
>> >
>> >
>> >"chuck duffy" <c@c.com> wrote:
>> >>
>> >>because of the amount of technobabble I use, and my poor grasp of
>=
>>english
>> >>syntax :-)
>> >>
>> >>Here's the deal...
>> >>
>> >>1. The idea I am proposing does not use any physical hardware =
>>interconnects

>> >>between PARIS and the "new" theoretical VST host. It uses a piece
>=
>>of "shared
>>memory" (see wikipedia) to shuttle samples back and forth. The =
>>theoretical
>> VST host would present 32 virtual inputs and 32 virtual outputs to
>=
>>any
>> ASIO
>> >>capable application. =20
>> >>
>> >>2. There would be *one* channel strip in the VST HOST for *each*
=
>>incoming
>> >>virtual ASIO connection. On this strip you could drop as many VST
>=
>>plugs,
>> >>or VSTis as you want. The strip would add up the latency for all
>=
>>plugs
>> >on
>> >>the strip, and then bump the latency up to a user configured =
>>amount, thereby
>> >>giving you 100% consistent latency for each channels. The output
>=
>>of each
>> >>strip would go to an ASIO virtual OUT channel.
>> >>
>> >>3. A simple "new" VST plug would be inserted on each channel in =
>>paris.
>>
>> >On
>> >>this plug you would select *which* one of the 32 "NEW" VST host =
>>channels
>> >>you wanted to route through. =20
>> >>
>> >>Now - the 64,000 question is, is there any other use for this new
>=
>>host
>> BESIDES
>> >>PARIS. If we can think of other uses for it, I would work on it,
>=
>>if not,
>> >>I wouldn't :-) It needs to have a larger potential audience than
>=
>>the paris
>> >>community :-)
>> >>

```

>> >>Chuck
>> >>
>> >>Chuck
>> >>
>> >>
>> >>
>> >>
>> >>
>> >>
>> >
>>
>>
>> I choose Polesoft Lockspam to fight spam, and you?
>> http://www.polesoft.com/refer.html
>>
>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
>><HTML><HEAD>
>><META http-equiv=3DContent-Type content=3D"text/html; =
>>charset=3Diso-8859-1">
>><META content=3D"MSHTML 6.00.2900.2963" name=3DGENERATOR>
>><STYLE></STYLE>
>></HEAD>
>><BODY bgColor=3D#ffffff>
>><DIV><FONT face=3DArial size=3D2>One dumb question...how does this =
>>differ from=20
>>Rewire...</FONT></DIV>

>><DIV><FONT face=3DArial size=3D2>Allow routing across EDS =
>>Cards?</FONT></DIV>

>><DIV><FONT face=3DArial size=3D2>Is Rewire not useable in =
>>Paris?</FONT></DIV>

>><DIV><FONT face=3DArial size=3D2>inquiring minds want to =
>>know</FONT></DIV>

>><DIV><FONT face=3DArial size=3D2>Don</FONT></DIV>
>><BLOCKQUOTE dir=3Dltr=20
>>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
>> <DIV>"Tom Bruhl" <A=20
>> href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>> wrote =
>>in message=20

```

```

>> <A href=3D"news:4543a2ca@linux">news:4543a2ca@linux</A>...</DIV>
>> <DIV><FONT face=3DArial size=3D2>Everything Chuck says sounds =
>>absolutely=20

>> <DIV><FONT face=3DArial size=3D2>be in for whatever Chuck deems =
>>necessary for some=20
>> working capital.</FONT></DIV>
>> <DIV><FONT face=3DArial size=3D2>The use from any host to any slave =
>>seems like it=20
>> would have a huge</FONT></DIV>

>>large number=20
>> of units.</FONT></DIV>

>> <DIV><FONT face=3DArial size=3D2>Our greatest </FONT><FONT =
>>face=3DArial=20
>> size=3D2>concern being Paris users is that we may be limited now =
>>by</FONT></DIV>

>>might make=20
>> 'all in one box' processing</FONT></DIV>
>> <DIV><FONT face=3DArial size=3D2>quite a DSP limitation compared to =
>>quad cores and=20
>> greater.</FONT></DIV>

>>there a way=20
>> to implement this across</FONT></DIV>

>>That would=20
>> make it the balls.</FONT></DIV>
>> <DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>

>> <BLOCKQUOTE=20
>> style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
>> <DIV>"DJ" <<A href=3D"mailto:d@j.com">d@j.com</A>> wrote in =
>>message <A=20
>> =
>>href=3D"news:45439e20$1@linux">news:45439e20$1@linux</A>...</DIV><BR>Chuc=
>>k,<BR><BR>Just=20
>> to be clear about my offer.....first of all, I'm serious as I =
>>can<BR>be.=20
>> Secondly, I know this may not be possible to do so consider it=20
>> venture<BR>capital that I am willing to risk knowing that there may
>=
>>not be=20

```

>> any return
on it. Also, there are no stings attached. I will not
 >=
 >>be=20
 >> offended at all
if you give this software away if that's what you
 >=
 >>want to=20
 >> do. You have done
a tremendous amount of work for this community
 >=
 >>and this=20
 >> amount of money may
not be enough to make it worth your while to
 >=
 >>take the=20
 >> time from your *real*
job to look into this, but if you are =
 >>willing to=20
 >> give it a serious go, consider
it startup capital for what I =
 >>consider to=20
 >> be a good cause, with no expectations
of success. I look at it =
 >>this=20
 >> way.....if it works, I can sell a few thousand
dollars worth
 =
 >>of=20
 >> hardware that I won't need anymore. It's worth it to me
to roll
 =
 >>the=20
 >> dice.

Regards,

DJ

"DJ" <<A=20
 >> href=3D"mailto:a@b.c">a@b.c=>=20
 >> wrote:
>
>Chuck,
>
>Yesterday I was thinking =
 >>about=20
 >> this idea and how it would be one
>step away from allowing =
 >>cubase SX=20
 >> to be run from within Paris, so
>to speak. that's sorta what =
 >>we were=20
 >> trying to do with the ASIO driver-trying
>to run different =
 >>apps on=20
 >> Paris hardware. As far as third party utility,
can
>you =
 >>imagine=20
 >> being able to run Wavelab and cubase =
 >>simultaneously??.....Nuendo
>and=20
 >> Pro Tools?.....you get the picture. this would be huge!!.....but=20
 >> even
>if it was just something like you describe, it would =
 >>basically=20
 >> provide latency
>compensation to Paris users running the =
 >>latest DSP=20
 >> engines. IIRC, UAD-1
cards
>are IRQ compatible with EDS =
 >>cards and=20
 >> this would allow Paris users to lose
>the ball and chain of =
 >>having to=20
 >> run Paris on Win ME to access all those
ADAT
>modules. It =

>>would=20
 >> revolutionize this system.....and I would pay =
 >>\$500.00
for
>it. If=20
 >> you will do it, I will send you the money right now by=20
 >> PayPal.
>
>Deej
>
>
>"chuck duffy" =
 >><<A=20
 >> href=3D"mailto:c@c.com">c@c.com> =
 >>wrote:
>>
>>because=20
 >> of the amount of technobabble I use, and my poor grasp of=20
 >> english
>>syntax :-)
>>
>>Here's the=20
 >> deal...
>>
>>1. The idea I am proposing does not =
 >>use any=20
 >> physical hardware interconnects
>>between PARIS and the =
 >>"new"=20

 >>"shared
>>memory"=20

 >> theoretical
>>VST host would present 32 virtual inputs and =
 >>32=20

 >>
 >>
>>
>>2. There would be *one* channel strip in the =
 >>VST=20

 >>On this=20
 >> strip you could drop as many VST plugs,
>>or VSTis as you=20

 >> plugs
>>on
>>the strip, and then bump the latency up =
 >>to a user=20
 >> configured amount, thereby
>>giving you 100% consistent =
 >>latency for=20

 >>an ASIO=20
 >> virtual OUT channel.
>>
>>3. A simple "new" VST =
 >>plug would=20
 >> be inserted on each channel in paris.

>On
>>this =
 >>plug you=20
 >> would select *which* one of the 32 "NEW" VST host =
 >>channels
>>you=20

 >>64,000=20
 >> question is, is there any other use for this new=20

 >>uses for=20

 >>needs to=20
 >> have a larger potential audience than the paris
>>community =
 >>

>> =
>>:-)
>>
>>Chuck
>>
>>Chuck
>>=
>>
>>
>>
>>
>>
>>
>
<=
>>/BLOCKQUOTE>
>> <DIV>

I choose Polesoft Lockspam to fight spam,
>=
>>and=20
>> you?
<A=20
>> =
>>href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=

>>
>>
>

Subject: Re: I'm having a really hard time explaining myself :-)
Posted by [chuck duffy](#) on Sun, 29 Oct 2006 02:09:36 GMT
[View Forum Message](#) <> [Reply to Message](#)

DJ,

That's a really nice offer :-) At this point it doesn't make any sense to accept any money for this effort.

The way to to make this work is to come up with a concept that is useful to paris users, but reaches out into other user communities. The working concept at this point is a virtual asio patchbay / vst / vsti host with latency normalization. If there is enough interest we can start up an open source project and get developers involved.

Chuck

"DJ" <d@j.com> wrote:

>
>Chuck,
>
>Just to be clear about my offer.....first of all, I'm serious as I can
>be. Secondly, I know this may not be possible to do so consider it venture
>capital that I am willing to risk knowing that there may not be any return
>on it. Also, there are no stings attached. I will not be offended at all

>if you give this software away if that's what you want to do. You have done
 >a tremendous amount of work for this community and this amount of money
 may
 >not be enough to make it worth your while to take the time from your *real*
 >job to look into this, but if you are willing to give it a serious go, consider
 >it startup capital for what I consider to be a good cause, with no expectations
 >of success. I look at it this way.....if it works, I can sell a few thousand
 >dollars worth of hardware that I won't need anymore. It's worth it to me
 >to roll the dice.
 >
 >Regards,
 >
 >DJ
 >
 >
 >"DJ" <a@b.c> wrote:
 >>
 >>Chuck,
 >>
 >>Yesterday I was thinking about this idea and how it would be one
 >>step away from allowing cubase SX to be run from within Paris, so
 >>to speak. that's sorta what we were trying to do with the ASIO driver-trying
 >>to run different apps on Paris hardware. As far as third party utility,
 >can
 >>you imagine being able to run Wavelab and cubase simultaneously??.....Nuendo
 >>and Pro Tools?.....you get the picture. this would be huge!!.....but even
 >>if it was just something like you describe, it would basically provide
 latency
 >>compensation to Paris users running the latest DSP engines. IIRC, UAD-1
 >cards
 >>are IRQ compatible with EDS cards and this would allow Paris users to lose
 >>the ball and chain of having to run Paris on Win ME to access all those
 >ADAT
 >>modules. It would revolutionize this system.....and I would pay \$500.00
 >for
 >>it. If you will do it, I will send you the money right now by PayPal.
 >>
 >>Deej
 >>
 >>
 >>"chuck duffy" <c@c.com> wrote:
 >>>
 >>>because of the amount of technobabble I use, and my poor grasp of english
 >>>syntax :-)
 >>>
 >>>Here's the deal...
 >>>
 >>>1. The idea I am proposing does not use any physical hardware interconnects

>>>between PARIS and the "new" theoretical VST host. It uses a piece of
"shared
>>>memory" (see wikipedia) to shuttle samples back and forth. The theoretical
>>>VST host would present 32 virtual inputs and 32 virtual outputs to any
>ASIO
>>>capable application.
>>>
>>>2. There would be *one* channel strip in the VST HOST for *each* incoming
>>>virtual ASIO connection. On this strip you could drop as many VST plugs,
>>>or VSTis as you want. The strip would add up the latency for all plugs
>>on
>>>the strip, and then bump the latency up to a user configured amount, thereby
>>>giving you 100% consistent latency for each channels. The output of each
>>>strip would go to an ASIO virtual OUT channel.
>>>
>>>3. A simple "new" VST plug would be inserted on each channel in paris.
>
>>On
>>>this plug you would select *which* one of the 32 "NEW" VST host channels
>>>you wanted to route through.
>>>
>>>Now - the 64,000 question is, is there any other use for this new host
>BESIDES
>>>PARIS. If we can think of other uses for it, I would work on it, if not,
>>>I wouldn't :-) It needs to have a larger potential audience than the
paris
>>>community :-)
>>>
>>>Chuck
>>>
>>>Chuck
>>>
>>>
>>>
>>>
>>>
>>>
>>
>

Subject: Re: I'm having a really hard time explaining myself :-)
Posted by [animix](#) on Sun, 29 Oct 2006 02:49:17 GMT
[View Forum Message](#) <> [Reply to Message](#)

OK Chuck. I'll be a betapig if you ever need one.

;o)

"chuck duffy" <c@c.com> wrote in message news:4543ff50\$1@linux...

>

> DJ,

>

> That's a really nice offer :-) At this point it doesn't make any sense to
> accept any money for this effort.

>

> The way to to make this work is to come up with a concept that is useful
> to paris users, but reaches out into other user communities. The working
> concept at this point is a virtual asio patchbay / vst / vsti host with
latency

> normalization. If there is enough interest we can start up an open source
> project and get developers involved.

>

> Chuck

>

>

>

>

>

>

>

>

> "DJ" <d@j.com> wrote:

> >

> >Chuck,

> >

> >Just to be clear about my offer.....first of all, I'm serious as I can
> >be. Secondly, I know this may not be possible to do so consider it
venture

> >capital that I am willing to risk knowing that there may not be any
return

> >on it. Also, there are no stings attached. I will not be offended at all

> >if you give this software away if that's what you want to do. You have
done

> >a tremendous amount of work for this community and this amount of money
> may

> >not be enough to make it worth your while to take the time from your
real

> >job to look into this, but if you are willing to give it a serious go,
consider

> >it startup capital for what I consider to be a good cause, with no
expectations

> >of success. I look at it this way.....if it works, I can sell a few
thousand

> >dollars worth of hardware that I won't need anymore. It's worth it to me

> >to roll the dice.

> >
> >Regards,
> >
> >DJ
> >
> >
> >"DJ" <a@b.c> wrote:
> >>
> >>Chuck,
> >>
> >>Yesterday I was thinking about this idea and how it would be one
> >>step away from allowing cubase SX to be run from within Paris, so
> >>to speak. that's sorta what we were trying to do with the ASIO
driver-trying
> >>to run different apps on Paris hardware. As far as third party utility,
> >can
> >>you imagine being able to run Wavelab and cubase
simultaneously??.....Nuendo
> >>and Pro Tools?.....you get the picture. this would be huge!!.....but
even
> >>if it was just something like you describe, it would basically provide
> latency
> >>compensation to Paris users running the latest DSP engines. IIRC, UAD-1
> >cards
> >>are IRQ compatible with EDS cards and this would allow Paris users to
lose
> >>the ball and chain of having to run Paris on Win ME to access all those
> >ADAT
> >>modules. It would revolutionize this system.....and I would pay \$500.00
> >for
> >>it. If you will do it, I will send you the money right now by PayPal.
> >>
> >>Deej
> >>
> >>
> >>"chuck duffy" <c@c.com> wrote:
> >>>
> >>>because of the amount of technobabble I use, and my poor grasp of
english
> >>>syntax :-)
> >>>
> >>>Here's the deal...
> >>>
> >>>1. The idea I am proposing does not use any physical hardware
interconnects
> >>>between PARIS and the "new" theoretical VST host. It uses a piece of
> "shared
> >>>memory" (see wikipedia) to shuttle samples back and forth. The

theoretical

> >>>VST host would present 32 virtual inputs and 32 virtual outputs to any
> >ASIO
> >>>capable application.
> >>>
> >>>2. There would be *one* channel strip in the VST HOST for *each*
incoming
> >>>virtual ASIO connection. On this strip you could drop as many VST
plugs,
> >>>or VSTis as you want. The strip would add up the latency for all plugs
> >>>on
> >>>the strip, and then bump the latency up to a user configured amount,
thereby
> >>>giving you 100% consistent latency for each channels. The output of
each
> >>>strip would go to an ASIO virtual OUT channel.
> >>>
> >>>3. A simple "new" VST plug would be inserted on each channel in paris.
> >
> >>On
> >>>this plug you would select *which* one of the 32 "NEW" VST host
channels
> >>>you wanted to route through.
> >>>
> >>>Now - the 64,000 question is, is there any other use for this new host
> >BESIDES
> >>>PARIS. If we can think of other uses for it, I would work on it, if
not,
> >>>I wouldn't :-) It needs to have a larger potential audience than the
> paris
> >>>community :-)
> >>>
> >>>Chuck
> >>>
> >>>Chuck
> >>>
> >>>
> >>>
> >>>
> >>>
> >>>
> >>
> >
>

Subject: Re: I'm having a really hard time explaining myself :-)

Until released, we don't got jack.

MW

;-)

"brandon" <a@a.com> wrote in message news:45438dfa\$1@linux...

>

> It appears that JAcK is working on a windows release.

> So he must feel there is a market for it.

> UNless he is doing it for the fun of it.

>

> B

>

>

> Chris Ludwig <chrisl@adkproaudio.com> wrote:

>>HI Chuck,

>>Do you mean something like the Linux audio app called JACK?

>>Sounds sort of similar but geared towards Paris.

>>

>><http://www.ardour.org/jack>

>>

>>Chris

>>

>>

>>chuck duffy wrote:

>>

>>>because of the amount of technobabble I use, and my poor grasp of english

>>>syntax :-)

>>>

>>>Here's the deal...

>>>

>>>1. The idea I am proposing does not use any physical hardware

>>>interconnects

>>>between PARIS and the "new" theoretical VST host. It uses a piece of

>>>"shared

>>>memory" (see wikipedia) to shuttle samples back and forth. The

>>>theoretical

>>>VST host would present 32 virtual inputs and 32 virtual outputs to any

> ASIO

>>>capable application.

>>>

>>>2. There would be *one* channel strip in the VST HOST for *each* incoming

>>>virtual ASIO connection. On this strip you could drop as many VST plugs,

>>>or VSTis as you want. The strip would add up the latency for all plugs

> on

>>>the strip, and then bump the latency up to a user configured amount,

>>>thereby

>>>giving you 100% consistent latency for each channels. The output of each
>>>strip would go to an ASIO virtual OUT channel.
>>>
>>>3. A simple "new" VST plug would be inserted on each channel in paris.
> On
>>>this plug you would select *which* one of the 32 "NEW" VST host channels
>>>you wanted to route through.
>>>
>>>Now - the 64,000 question is, is there any other use for this new host
> BESIDES
>>>PARIS. If we can think of other uses for it, I would work on it, if not,
>>>I wouldn't :-) It needs to have a larger potential audience than the
>>>paris
>>>community :-)
>>>
>>>Chuck
>>>
>>>Chuck
>>>
>>>
>>>
>>>
>>>
>>>
>>>
>>>
>>
>>--
>>Chris Ludwig
>>ADK
>>chrisl@adkproaudio.com <mailto:chrisl@adkproaudio.com>
>>www.adkproaudio.com <http://www.adkproaudio.com/>
>>(859) 635-5762
>

Subject: Re: I'm having a really hard time explaining myself :-)
Posted by [Don Nafe](#) on Sun, 29 Oct 2006 03:08:33 GMT
[View Forum Message](#) <> [Reply to Message](#)

Well if this can do a rewire sort of thing that all DAWs can use (including older ones) I think you have a market...especially with the latency feature you're talking about.

For us Paris users being able to jump across EDS cards would be a great feature

count me in as a buyer/supporter

Don

>>to roll the dice.
>>
>>Regards,
>>
>>DJ
>>
>>
>>"DJ" <a@b.c> wrote:
>>>
>>>Chuck,
>>>
>>>Yesterday I was thinking about this idea and how it would be one
>>>step away from allowing cubase SX to be run from within Paris, so
>>>to speak. that's sorta what we were trying to do with the ASIO
>>>driver-trying
>>>to run different apps on Paris hardware. As far as third party utility,
>>can
>>>you imagine being able to run Wavelab and cubase
>>>simultaneously??.....Nuendo
>>>and Pro Tools?.....you get the picture. this would be huge!!.....but
>>>even
>>>if it was just something like you describe, it would basically provide
> latency
>>>compensation to Paris users running the latest DSP engines. IIRC, UAD-1
>>cards
>>>are IRQ compatible with EDS cards and this would allow Paris users to
>>>lose
>>>the ball and chain of having to run Paris on Win ME to access all those
>>ADAT
>>>modules. It would revolutionize this system.....and I would pay \$500.00
>>for
>>>it. If you will do it, I will send you the money right now by PayPal.
>>>
>>>Deej
>>>
>>>
>>>"chuck duffy" <c@c.com> wrote:
>>>>
>>>>because of the amount of technobabble I use, and my poor grasp of
>>>>english
>>>>syntax :-)
>>>>
>>>>Here's the deal...
>>>>
>>>>1. The idea I am proposing does not use any physical hardware
>>>>interconnects
>>>>between PARIS and the "new" theoretical VST host. It uses a piece of
> "shared

```
>>>>memory" (see wikipedia) to shuttle samples back and forth. The
>>>>theoretical
>>>>VST host would present 32 virtual inputs and 32 virtual outputs to any
>>ASIO
>>>>capable application.
>>>>
>>>>2. There would be *one* channel strip in the VST HOST for *each*
>>>>incoming
>>>>virtual ASIO connection. On this strip you could drop as many VST
>>>>plugins,
>>>>or VSTis as you want. The strip would add up the latency for all plugs
>>>>on
>>>>the strip, and then bump the latency up to a user configured amount,
>>>>thereby
>>>>giving you 100% consistent latency for each channels. The output of
>>>>each
>>>>strip would go to an ASIO virtual OUT channel.
>>>>
>>>>3. A simple "new" VST plug would be inserted on each channel in paris.
>>
>>>>On
>>>>this plug you would select *which* one of the 32 "NEW" VST host channels
>>>>you wanted to route through.
>>>>
>>>>Now - the 64,000 question is, is there any other use for this new host
>>BESIDES
>>>>PARIS. If we can think of other uses for it, I would work on it, if
>>>>not,
>>>>I wouldn't :-) It needs to have a larger potential audience than the
> paris
>>>>community :-)
>>>>
>>>>Chuck
>>>>
>>>>Chuck
>>>>
>>>>
>>>>
>>>>
>>>>
>>>>
>>>>
```


Hey Chuck! Would you port it over for us Mac guys or am I gonna have to finally get a PC?

Thanks!

Gantt

"chuck duffy" <c@c.com> wrote:

>
>because of the amount of technobabble I use, and my poor grasp of english
>syntax :-)
>
>Here's the deal...
>
>1. The idea I am proposing does not use any physical hardware interconnects
>between PARIS and the "new" theoretical VST host. It uses a piece of "shared
>memory" (see wikipedia) to shuttle samples back and forth. The theoretical
>VST host would present 32 virtual inputs and 32 virtual outputs to any ASIO
>capable application.
>
>2. There would be *one* channel strip in the VST HOST for *each* incoming
>virtual ASIO connection. On this strip you could drop as many VST plugs,
>or VSTis as you want. The strip would add up the latency for all plugs
on
>the strip, and then bump the latency up to a user configured amount, thereby
>giving you 100% consistent latency for each channels. The output of each
>strip would go to an ASIO virtual OUT channel.
>
>3. A simple "new" VST plug would be inserted on each channel in paris.
On
>this plug you would select *which* one of the 32 "NEW" VST host channels
>you wanted to route through.
>
>Now - the 64,000 question is, is there any other use for this new host BESIDES
>PARIS. If we can think of other uses for it, I would work on it, if not,
>I wouldn't :-) It needs to have a larger potential audience than the paris
>community :-)
>
>Chuck
>
>Chuck
>
>
>
>
>

>

Subject: Re: I'm having a really hard time explaining myself :-)

Posted by [duncan](#) on Sun, 29 Oct 2006 17:56:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

Chuck --

Just as encouragement, I have to say -- I thought your first explanation was perfectly clear...

It's cool that you're still able to think creatively about this wobbly old platform (Paris) after all you've been through. This widget you're imagining would of course be very useful -- I want it in my rig, and will pay real money...

-- thanks -- onward -- Chas

On 29 Oct 2006 00:01:18 +1000, "chuck duffy" <c@c.com> wrote:

>

>because of the amount of technobabble I use, and my poor grasp of english
>syntax :-)

>

>Here's the deal...

>

>1. The idea I am proposing does not use any physical hardware interconnects
>between PARIS and the "new" theoretical VST host. It uses a piece of "shared
>memory" (see wikipedia) to shuttle samples back and forth. The theoretical
>VST host would present 32 virtual inputs and 32 virtual outputs to any ASIO
>capable application.

>

>2. There would be *one* channel strip in the VST HOST for *each* incoming
>virtual ASIO connection. On this strip you could drop as many VST plugs,
>or VSTis as you want. The strip would add up the latency for all plugs on
>the strip, and then bump the latency up to a user configured amount, thereby
>giving you 100% consistent latency for each channels. The output of each
>strip would go to an ASIO virtual OUT channel.

>

>3. A simple "new" VST plug would be inserted on each channel in paris. On
>this plug you would select *which* one of the 32 "NEW" VST host channels
>you wanted to route through.

>

>Now - the 64,000 question is, is there any other use for this new host BESIDES
>PARIS. If we can think of other uses for it, I would work on it, if not,

>I wouldn't :-) It needs to have a larger potential audience than the paris
>community :-)
>
>Chuck
>
>Chuck
>
>
>
>
>

Subject: Re: I'm having a really hard time explaining myself :-)
Posted by [Cujjo](#) on Sun, 29 Oct 2006 22:15:30 GMT
[View Forum Message](#) <> [Reply to Message](#)

I'd support too, Um, would this mean easier parallel compression and usage of the UAD plate and such?

Chas. Duncan <duncan5199ATsbcglobalDOTnet@> wrote:

>Chuck --
>
>Just as encouragement, I have to say -- I thought your first
>explanation was perfectly clear...
>
>It's cool that you're still able to think creatively about this wobbly
>old platform (Paris) after all you've been through. This widget
>you're imagining would of course be very useful -- I want it in my
>rig, and will pay real money...
>
>-- thanks -- onward -- Chas
>
>
>
>On 29 Oct 2006 00:01:18 +1000, "chuck duffy" <c@c.com> wrote:
>
>>
>>because of the amount of technobabble I use, and my poor grasp of english
>>syntax :-)
>>
>>Here's the deal...
>>
>>1. The idea I am proposing does not use any physical hardware interconnects
>>between PARIS and the "new" theoretical VST host. It uses a piece of "shared
>>memory" (see wikipedia) to shuttle samples back and forth. The theoretical
>>VST host would present 32 virtual inputs and 32 virtual outputs to any

ASIO

>>capable application.

>>

>>2. There would be *one* channel strip in the VST HOST for *each* incoming
>>virtual ASIO connection. On this strip you could drop as many VST plugs,
>>or VSTis as you want. The strip would add up the latency for all plugs
on

>>the strip, and then bump the latency up to a user configured amount, thereby
>>giving you 100% consistent latency for each channels. The output of each
>>strip would go to an ASIO virtual OUT channel.

>>

>>3. A simple "new" VST plug would be inserted on each channel in paris.

On

>>this plug you would select *which* one of the 32 "NEW" VST host channels
>>you wanted to route through.

>>

>>Now - the 64,000 question is, is there any other use for this new host
BESIDES

>>PARIS. If we can think of other uses for it, I would work on it, if not,
>>I wouldn't :-) It needs to have a larger potential audience than the paris
>>community :-)

>>

>>Chuck

>>

>>Chuck

>>

>>

>>

>>

>>

>

Subject: Re: I'm having a really hard time explaining myself :-)
Posted by [Robert Arsenault](#) on Mon, 30 Oct 2006 00:30:17 GMT
[View Forum Message](#) <> [Reply to Message](#)

Same here Chuck, please do create this app my friend.
Rob

> I want it in my
> rig, and will pay real money...
