
Subject: Some WC question about AES-clock-BNC distribution

Posted by [Dimitrios](#) on Tue, 24 Oct 2006 11:26:19 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

I have ordered the mytek digital clock which has 8 wc outs and one AES out.

I suppose the AES carries the wordclock sync, right ?

Then with a AES to bnc transformer adaptor which transforms the 110ohms to 75 ohms I can probably connect another device with bnc wordclock input , right ?

Now here is one nice question.

A AES/EBU distributor from Aardvark (1 to 6) which accepts one aes input and outputs to 6 would that work as clock distributor ?

To further use 110/75 transformer adaptors to connect more devices ?

Regards,

Dimitrios

Subject: Re: Some WC question about AES-clock-BNC distribution

Posted by [Tom Bruhl](#) on Tue, 24 Oct 2006 14:06:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0036_01C6F754.2343B070

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Dimitrios,

I'm not sure AES/EBU carries clock. I thought it didn't.

I may be wrong. Better check on that one.

Tom

"Dimitrios" <musurgio@otenet.gr> wrote in message =
news:453df85b\$1@linux...

Hi,

I have ordered the mytek digital clock which has 8 wc outs and one AES =
out.

I suppose the AES carries the wordclock sync, right ?

Then with a AES to bnc transformer adaptor which transforms the =
110ohms

to 75 ohms I can probably connect another device with bnc wordclock =
input
, right ?

Now here is one nice question.

A AES/EBU distributor from Aardvark (1 to 6) which accepts one aes =
input and
outputs to 6 would that work as clock distributor ?
To further use 110/75 transformer adaptors to connect more devices ?
Regards,
Dimitrios

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=_NextPart_000_0036_01C6F754.2343B070

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Dimitrios,</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>I'm not sure AES/EBU carries =
clock.&nbsp; I thought=20
it didn't.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>I may be wrong.&nbsp; Better check on =
that=20
one.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"Dimitrios" &lt;A=20
    href=3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>&gt; wrote in =
message=20
    <A =
href=3D"news:453df85b$1@linux">news:453df85b$1@linux</A>...</DIV><BR>Hi,<=
BR>I=20
    have ordered the mytek digital clock which has 8 wc outs and one AES =
out.<BR>I=20
    suppose the AES carries the wordclock sync, right ?<BR>Then with a AES =
to bnc=20
    transformer adaptor which transforms the 110ohms<BR>to 75 ohms I can =
probably=20
    connect another device with bnc wordclock input<BR>, right =
?<BR><BR>Now here=20
```

is one nice question.
A AES/EBU distributor from Aardvark (1 to =
6)which=20
accepts one aes input and
outputs to 6 would that work as clock =
distributor=20
?
To further use 110/75 transformer adptors to connect more devices =

?
Regards,
Dimitrios</BLOCKQUOTE>
<DIV>

I choose Polesoft Lockspam to fight spam, =
and=20
you?
<A=20
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html sp; sp; sp;</DIV></BODY ></HTML>

-----=_NextPart_000_0036_01C6F754.2343B070--

Subject: Re: Some WC question about AES-clock-BNC distribution
Posted by [gene lennon](#) on Tue, 24 Oct 2006 14:18:14 GMT
[View Forum Message](#) <> [Reply to Message](#)

"Dimitrios" <musurgio@otenet.gr> wrote:

I have ordered the mytek digital clock which has 8 wc outs and one AES out.

It should, my Mytek converter supports this.

to 75 ohms I can probably connect another device with bnc wordclock input

Transformers.

A AES/EBU distributor from Aardvark (1 to 6)which accepts one aes input and
outputs to 6 would that work as clock distributor ?

This may work but it could be delayed from the original clock.

Gene

Subject: Re: Some WC question about AES-clock-BNC distribution
Posted by [animix](#) on Tue, 24 Oct 2006 14:24:36 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_00DC_01C6F745.D72B96C0

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

It will work just fine. I have done this sending AES out of my Mytek = Stereo96 A/D converter to a Lucid GenX-6 with the Lucid set to = distribute the clock signal. Just make sure the Aardsync can slave to = sample rates above 48K if you intend to use them.

Deej

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:453e1bf0@linux...

Dimitrios,

I'm not sure AES/EBU carries clock. I thought it didn't.

I may be wrong. Better check on that one.

Tom

"Dimitrios" <musurgio@otenet.gr> wrote in message =
news:453df85b\$1@linux...

Hi,

I have ordered the mytek digital clock which has 8 wc outs and one = AES out.

I suppose the AES carries the wordclock sync, right ?

Then with a AES to bnc transformer adaptor which transforms the = 110ohms

to 75 ohms I can probably connect another device with bnc wordclock = input
, right ?

Now here is one nice question.

A AES/EBU distributor from Aardvark (1 to 6)which accepts one aes = input and

outputs to 6 would that work as clock distributor ?

To further use 110/75 transformer adptors to connect more devices ?

Regards,

Dimitrios

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html> =20

Content-Type: text/html;
charset="iso-8859-1"

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 5.50.4134.100" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
```

<DIV>It will work just fine. I have done =
this sending=20

to distribute the clock signal. Just make sure the Aardsync can slave to = sample=20

<DIV> </DIV>

<DIV> </DIV>

```
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
```

href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net> wrote =
in message=20

<DIV>Dimitrios,</DIV>

thought it didn't.</DIV>

one.</DIV>

<BLOCKQUOTE=20

<DIV>"Dimitrios" <<A=20

 $\angle A = 20^\circ$

```
=
href=3D"news:453df85b$1@linux">news:453df85b$1@linux</A>...</DIV><BR>Hi,<=
BR>|=20
```

have ordered the mytek digital clock which has 8 wc outs and one AES =
out.
I suppose the AES carries the wordclock sync, right ?
Then =
with a=20
AES to bnc transformer adaptor which transforms the 110ohms
to =
75 ohms I=20
can probably connect another device with bnc wordclock input
, =
right=20
?

Now here is one nice question.
A AES/EBU distributor =
from=20
Aardvark (1 to 6)which accepts one aes input and
outputs to 6 =
would that=20
work as clock distributor ?
To further use 110/75 transformer =
adaptors to=20
connect more devices ?
Regards,
Dimitrios</BLOCKQUOTE>
<DIV>

I choose Polesoft Lockspam to fight spam, =
and=20
you?
<A=20
=
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html </DIV></BLOCKQUOTE ></BODY></HTML>

-----=_NextPart_000_00DC_01C6F745.D72B96C0--

Subject: Re: Some WC question about AES-clock-BNC distribution
Posted by [Dimitrios](#) on Tue, 24 Oct 2006 14:35:44 GMT
[View Forum Message](#) <> [Reply to Message](#)

Thanks DJ,
Gene what happens if the clcock gets delayed thru the aardvaark 1x6 distributor
?
I mean I have read that many buy wordclock devices that support 3-4 wc outputs
and then they use a distributor for further clcking, isn't it the same delaying
factor involved ?
Does this matter sonically ?
Regards,
Dimitrios

"Gene Lennon" <glennon@NOSPmyrealbox.com> wrote:

>

>"Dimitrios" <musurgio@otenet.gr> wrote:

>

>I have ordered the mytek digital clock which has 8 wc outs and one AES out.

>

>It should, my Mytek converter supports this.

>

>to 75 ohms I can probably connect another device with bnc wordclock input

>

>Transformers.

>

>A AES/EBU distributor from Aardvark (1 to 6)which accepts one aes input
and

>outputs to 6 would that work as clock distributor ?

>

>

>This may work but it could be delayed from the original clock.

>

>

>Gene

>

Subject: Re: Some WC question about AES-clock-BNC distribution

Posted by [gene lennon](#) on Tue, 24 Oct 2006 14:48:25 GMT

[View Forum Message](#) <> [Reply to Message](#)

"Dimitrios" <musurgio@otenet.gr> wrote:

>

>Thanks DJ,

>Gene what happens if the clcock gets delayed thru the aardvaark 1x6 distributor
>?

>I mean I have read that many buy wordclock devices that support 3-4 wc outputs

>and then they use a distributor for further clcoking, isn't it the same
delaying

>factor involved ?

>Does this matter sonically ?

>Regards,

>Dimitrios

Like most complex wordclock setups, you will need to try it to know for sure.

Gene

Subject: Re: Some WC question about AES-clock-BNC distribution

Posted by [Larry Upton](#) on Tue, 24 Oct 2006 20:20:38 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hey Gang,

I think that if someone were to try to jam "AES Sync" into a word clock input, they would fail miserably.

AES Sync (or AES Black, as it is sometimes called) is a complete AES 64 bit digital word, with preamble bits, status bits, et al, but with zeroes occupying the audio bit locations (hence the 'black' or 'silence' designation), output at the selected sample rate. It is a very good digital clock source, if your equipment has the appropriate port. The folks who originally created the format worked hard to make their system capable of self-clocking. Works well on long cabling, too, with proper cable types and proper termination.

Word clock, on the other hand, is simply a TTL-level pulse (5V p-p) at the selected sample rate. It is useful, as well, but don't get the two confused. Still needs proper termination, but not very good with long cables. "Super Clock" is a wordclock pulse at 256 times the selected sample rate. Not used too much any more, but still available, if needed. My Rosendahl has one output which can be set to this rate.

Check any of these signals with a scope - you'll see what I mean.

Canare 110<>75 transformers are wonderful things, but they don't change AES Sync into word clock, or vice-versa.

Also, clock distribution systems should not introduce sufficient delays as to be problematic, especially in a project studio or small commercial studio. Get to the radio/TV station sized facility, and then we can talk....

Happy clocking,

Larry Upton
KPBS TV/FM
San Diego

Gene Lennon wrote:

> "Dimitrios" <musurgio@otenet.gr> wrote:

>

>>Thanks DJ,

>>Gene what happens if the clcock gets delayed thru the aardvaark 1x6 distributor
>>?

>>I mean I have read that many buy wordclock devices that support 3-4 wc outputs

>>and then they use a distributor for further clcoking, isn't it the same

>

> delaying

>
>>factor involved ?
>>Does this matter sonically ?
>>Regards,
>>Dimitrios
>
>

> Like most complex wordclock setups, you will need to try it to know for sure.
> Gene
>
