
Subject: OT - it's a curse, I tell you.

Posted by [cygnus](#) on Sun, 21 Aug 2005 02:19:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

ouple of older external modules some times, and
>that's where unhappines creeps in: Seems to take SX a loooong time to
>lock (like 8-10 bars or more) and there's still a bit of drift (I
>think) once it does. Alas. My question is: is it the funky older
>2x2 usb midi interface? The RME Digi 9652? Some funky preference
>setting buried within Cubase's manymanymany menus? Maybe I need more
>zinc? (I do need more zinc.)

>
>Seems like such a caveman problem to be having these days -- I mean,
>people had this nailed in 1987 -- where did we go wrong? Any solid
>old school midi masters around here care to help out a poor pilgrim?

Have you tried slaving Paris to the other machine? When I was using Logic for MIDI, together with Paris, I tried using Paris as the master & it never locked right - using Logic as the master fixed it no problemo. Now that was on the same machine, true, but you might investigate that option... couldn't hurt.

Also, are there updated drivers available for your RME card? You might check into that... maybe the Swineberg site has a section where you can download that stuff. Here's their FTP link - they have like a bazillion things on there, so it might be worth browsing through:

<ftp://ftp.steinberg.net/>

Neilthesoniq can fix it. I'm not sure if it's thesoniq

Subject: Re: OT - it's a curse, I tell you.

Posted by [rick](#) on Sun, 21 Aug 2005 11:19:23 GMT

[View Forum Message](#) <> [Reply to Message](#)

through:

>
><ftp://ftp.steinberg.net/>
>
>Neil
>Hi,

Just wondering if anyone has any idea how I can get my FX presets to save in XP (Paris v3). Whenever I reboot I loose them all?

Should I try reinstalling the XP FX subsystem again? Is that ok to do once

Paris is installed and has been used?

Thanks for any tips.

Daniel This is a multi-part message in MIME format.

-----=_NextPart_000_0040_01C5A65A.74A86E70

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Daniel,

You are dragging them into the lower bin before quitting right?

This adds them to your user presets for other projects.

Tom

"dan b" <daniel_burneNOSPAM@yahoo.com> wrote in message =
news:4308b8a6\$1@linux...

Hi,=20

Just wondering if anyone has any idea how I can get my FX presets to =
save

in XP (Paris v3). Whenever I reboot I loose them all?

Should I try reinstalling the XP FX subsystem again? Is that ok to do =
once

Paris is installed and has been used?

Thanks for any tips.=20

Daniel

-----=_NextPart_000_0040_01C5A65A.74A86E70

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =

charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

Subject: Re: OT - it's a curse, I tell you.

Posted by [John \[1\]](#) on Mon, 22 Aug 2005 13:51:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

```

>once
>> > Paris is installed and has been used?
>> >
>> > Thanks for any tips.=3D3D3D20
>> >
>> > Daniel
>> >
>> > <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
>> > <HTML><HEAD>
>> > <META http-equiv=3D3D3D3DContent-Type =
content=3D3D3D3D"text/html; =3D
>>=3D3D3D3D
>> > < charset=3D3D3D3Diso-8859-1">
>> > <META content=3D3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3D3DGENERATOR>
>> > <STYLE></STYLE>
>> > </HEAD>
>> > <BODY bgColor=3D3D3D3D#ffffff>
>> > <DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>Daniel,</FONT></DIV>
>> > <DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>You are dragging =
them =3D
>>into the =3D3D3D
>> >lower =3D3D3D3D
>> > <bin before=3D3D3D20
>> > <quitting right?</FONT></DIV>
>> > <DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>This adds them to =
your =3D
>>user =3D3D3D
>> >presets for
>> > =3D3D3D3D
>> > <other=3D3D3D20
>> > <projects.</FONT></DIV>
>> > <DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Tom</FONT></DIV>
>> > <DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
>> > <BLOCKQUOTE=3D3D3D20
>> > < style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
MARGIN-LEFT: =3D
>>5px; =3D3D3D
>> >=3D3D3D3D
>> > <BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
>> > <DIV>"dan b" <<A=3D3D3D20
>> > > =3D3D3D3

```
