
Subject: WD Raptor drives!!!

Posted by [excelav](#) on Sat, 04 Feb 2006 11:30:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

10,000rpm,16mb cache, NCQ support!

<http://www.wdraptorx.com/photos/>

Subject: Re: WD Raptor drives!!!

Posted by [Deej \[1\]](#) on Sat, 04 Feb 2006 13:17:57 GMT

[View Forum Message](#) <> [Reply to Message](#)

I've heard that these start writing audio data before you even hit rec>play.

;o)

"James McCloskey" <excelsm@hotmail.com> wrote in message
news:43e48244\$1@linux...

>

> 10,000rpm,16mb cache, NCQ support!

>

> <http://www.wdraptorx.com/photos/>

Subject: Re: WD Raptor drives!!!

Posted by [RZ](#) on Sat, 04 Feb 2006 19:28:19 GMT

[View Forum Message](#) <> [Reply to Message](#)

And in some cases have been known to start playback even before recording.
It's known as negative latency, or sometimes referred to as earlyency.
Really awesome technology.

"DJ" <animix_spam-this-ahole_@animas.net> wrote in message
news:43e4ac5c@linux...

> I've heard that these start writing audio data before you even hit
> rec>play.

>

> ;o)

>

> "James McCloskey" <excelsm@hotmail.com> wrote in message
> news:43e48244\$1@linux...

>>

>> 10,000rpm,16mb cache, NCQ support!

>>

>> <http://www.wdraptorx.com/photos/>

>
>

Subject: Re: WD Raptor drives!!!
Posted by [emarenot](#) on Sun, 05 Feb 2006 00:04:08 GMT
[View Forum Message](#) <> [Reply to Message](#)

Lol, you're both killin' me.
MR

"RZ" <pearlmusic@sbcglobal.net> wrote in message [news:43e5016c\\$1@linux...](mailto:news:43e5016c$1@linux...)

> And in some cases have been known to start playback even before recording.

> It's known as negative latency, or sometimes referred to as earlyency.

> Really awesome technology.

>

>

> "DJ" <animix_spam-this-ahole_@animas.net> wrote in message

> news:43e4ac5c@linux...

> > I've heard that these start writing audio data before you even hit

> > rec>play.

> >

> > ;o)

> >

> > "James McCloskey" <excelsm@hotmail.com> wrote in message

> > [news:43e48244\\$1@linux...](mailto:news:43e48244$1@linux...)

> >>

> >> 10,000rpm,16mb cache, NCQ support!

> >>

> >> <http://www.wdraptorx.com/photos/>

> >

> >

>

>

Subject: Re: WD Raptor drives!!!
Posted by [duncan](#) on Sun, 05 Feb 2006 17:27:38 GMT
[View Forum Message](#) <> [Reply to Message](#)

Are any present DAW's compensating for earlyency? If not, one simple solution may be to move closer to your speakers, according to the formula 1 ft. = 1 ms. Thus, if earlyency is detected at 3 ms, you simply sit on top of your console when doing critical monitoring. For earlyency greater than 3 ms (or is it "less"?) it may be best to have the speakers placed just behind the listening position, pointing the other way. Either way -- another triumph of technology... We're lucky

to be living in times like these...

chas.

On Sat, 4 Feb 2006 11:28:19 -0800, "RZ" <pearlmusic@sbcglobal.net> wrote:

>And in some cases have been known to start playback even before recording.
>It's known as negative latency, or sometimes referred to as earlyency.
>Really awesome technology.
>
>
>"DJ" <animix_spam-this-ahole_@animas.net> wrote in message
>news:43e4ac5c@linux...
>> I've heard that these start writing audio data before you even hit
>> rec>play.
>>
>> ;o)
>>
>> "James McCloskey" <excelsm@hotmail.com> wrote in message
>> news:43e48244\$1@linux...
>>>
>>> 10,000rpm,16mb cache, NCQ support!
>>>
>>> http://www.wdraptorx.com/photos/
>>
>>
>

Subject: Re: WD Raptor drives!!!
Posted by [Deej \[1\]](#) on Sun, 05 Feb 2006 21:19:45 GMT
[View Forum Message](#) <> [Reply to Message](#)

I'm guessing that the latency with the UAD-1 cards could most easily be solved by bussing all tracks with UAD-1 plugins to a separate set of reference monitors placing them 36 feet behind the mix position, set up a stereo pair of room mics at the mix position facing backwards towards the monitors and reamping the UAD tracks.;o)

"Chas. Duncan" <duncan5199ATsbcglobalDOTnet@> wrote in message news:k4dcu19948qosmqpu1l1gagqtkddeda4b1@4ax.com...

>
> Are any present DAW's compensating for earlyency? If not, one simple
> solution may be to move closer to your speakers, according to the
> formula 1 ft. = 1 ms. Thus, if earlyency is detected at 3 ms, you
> simply sit on top of your console when doing critical monitoring. For
> earlyency greater than 3 ms (or is it "less"?) it may be best to have

> the speakers placed just behind the listening position, pointing the
> other way. Either way -- another triumph of technology... We're lucky
> to be living in times like these...
>
> chas.
>
> On Sat, 4 Feb 2006 11:28:19 -0800, "RZ" <pearlmusic@sbcglobal.net>
> wrote:
>
> >And in some cases have been known to start playback even before
recording.
> >It's known as negative latency, or sometimes referred to as earlyency.
> >Really awesome technology.
> >
> >
> >"DJ" <animix_spam-this-ahole_@animas.net> wrote in message
> >news:43e4ac5c@linux...
> >> I've heard that these start writing audio data before you even hit
> >> rec>play.
> >>
> >> ;o)
> >>
> >> "James McCloskey" <excelsm@hotmail.com> wrote in message
> >> news:43e48244\$1@linux...
> >>>
> >>> 10,000rpm,16mb cache, NCQ support!
> >>>
> >>> http://www.wdraptorx.com/photos/
> >>
> >>
> >
>

Subject: Re: WD Raptor drives!!!
Posted by [Paul Braun](#) on Tue, 07 Feb 2006 04:38:05 GMT
[View Forum Message](#) <> [Reply to Message](#)

On Sun, 5 Feb 2006 14:19:45 -0700, "DJ"
<animix_spam-this-ahole_@animas.net> wrote:

>I'm guessing that the latency with the UAD-1 cards could most easily be
>solved by bussing all tracks with UAD-1 plugins to a separate set of
>reference monitors placing them 36 feet behind the mix position, set up a
>stereo pair of room mics at the mix position facing backwards towards the
>monitors and reamping the UAD tracks.;o)
>

Ahhhh. To be living in DeeJWorld....

And after you reamp the UAD trax, would you then pass them through Paris, out through the auxes into another PC running Nuendo, using only the adat cables?

pab

Subject: Re: WD Raptor drives!!!
Posted by [Tom Bruhl](#) on Tue, 07 Feb 2006 06:02:16 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_003C_01C62B82.23442850
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Paul,
I wanna see him do it using twine.
Tom

"Paul Braun" <cygnus_nospam@ctgonline.org> wrote in message =
news:hu8gu1di2388hco55tcq9uq3vin5enai2k@4ax.com...

On Sun, 5 Feb 2006 14:19:45 -0700, "DJ"
<animix_spam-this-ahole_@animas.net> wrote:

>I'm guessing that the latency with the UAD-1 cards could most easily =
be
>solved by bussing all tracks with UAD-1 plugins to a separate set of
>reference monitors placing them 36 feet behind the mix position, set =
up a
>stereo pair of room mics at the mix position facing backwards towards =
the
>monitors and reamping the UAD tracks.;o)
>

Ahhhh. To be living in DeeJWorld....

And after you reamp the UAD trax, would you then pass them through Paris, out through the auxes into another PC running Nuendo, using only the adat cables?

pab

-----=_NextPart_000_003C_01C62B82.23442850

Content-Type: text/html;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Paul,</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>I wanna see him do it using =
twine.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV>&nbsp;</DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"Paul Braun" &lt;<A=20
  =
href=3D"mailto:cygnus_nospam@ctgonline.org">cygnus_nospam@ctgonline.org</=
A>&gt;=20
  wrote in message <A=20
  =
href=3D"news:hu8gu1di2388hco55tcq9uq3vin5enai2k@4ax.com">news:hu8gu1di238=
8hco55tcq9uq3vin5enai2k@4ax.com</A>...</DIV>On=20
  Sun, 5 Feb 2006 14:19:45 -0700, "DJ"<BR>&lt;<A=20
  =
href=3D"mailto:animix_spam-this-ahole_@animas.net">animix_spam-this-ahole=
_@animas.net</A>&gt;=20
  wrote:<BR><BR>&gt;I'm guessing that the latency with the UAD-1 cards =
could=20
  most easily be<BR>&gt;solved by bussing all tracks with UAD-1 plugins =
to a=20
  separate set of<BR>&gt;reference monitors placing them 36 feet behind =
the mix=20
  position, set up a<BR>&gt;stereo pair of room mics at the mix position =
facing=20
  backwards towards the<BR>&gt;monitors and reamping the UAD=20
  tracks.;o)<BR>&gt;<BR><BR>Ahhhh.&nbsp; To be living in=20
  DeeJWorld....<BR><BR>And after you reamp the UAD trax, would you then =
pass=20
  them through<BR>Paris, out through the auxes into another PC running =
Nuendo,=20
  using<BR>only the adat cables?<BR><BR>pab</BLOCKQUOTE></BODY></HTML>
```

-----=_NextPart_000_003C_01C62B82.23442850--

Subject: Re: WD Raptor drives!!!
Posted by [Deej \[1\]](#) on Tue, 07 Feb 2006 06:23:30 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_00C3_01C62B74.57500320
Content-Type: text/plain;
 charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Give me enough twine and I'll hang myself for sure.

;o)

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:43e838c2@linux...

Paul,
I wanna see him do it using twine.
Tom

"Paul Braun" <cygnus_nospam@ctgonline.org> wrote in message =
news:hu8gu1di2388hco55tcq9uq3vin5enai2k@4ax.com...

On Sun, 5 Feb 2006 14:19:45 -0700, "DJ"
<animix_spam-this-ahole_@animas.net> wrote:

>I'm guessing that the latency with the UAD-1 cards could most =
easily be
>solved by bussing all tracks with UAD-1 plugins to a separate set =
of
>reference monitors placing them 36 feet behind the mix position, =
set up a
>stereo pair of room mics at the mix position facing backwards =
towards the
>monitors and reamping the UAD tracks.;o)
>

Ahhhh. To be living in DeejWorld....

And after you reamp the UAD trax, would you then pass them through
Paris, out through the auxes into another PC running Nuendo, using
only the adat cables?

pab

-----=_NextPart_000_00C3_01C62B74.57500320

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html"; =
charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1106" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV>Give me enough twine and I'll hang =
myself for=20

sure.</DIV>

<DIV> </DIV>

<DIV>;o</DIV>

<DIV> </DIV>

<BLOCKQUOTE dir=3Dltr=20

style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

<DIV>"Tom Bruhl" <<A=20

href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net> wrote =
in message=20

news:43e838c2@linux...</DIV>

<DIV>Paul,</DIV>

<DIV>I wanna see him do it using =
twine.</DIV>

<DIV>Tom</DIV>

<DIV> </DIV>

<DIV> </DIV>

<BLOCKQUOTE=20

style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

<DIV>"Paul Braun" <<A=20

=

href=3D"mailto:cygnus_nospam@ctgonline.org">cygnus_nospam@ctgonline.org</=
A>>=20

wrote in message <A=20

=

href=3D"news:hu8gu1di2388hco55tcq9uq3vin5enai2k@4ax.com">news:hu8gu1di238=
8hco55tcq9uq3vin5enai2k@4ax.com...</DIV>On=20

Sun, 5 Feb 2006 14:19:45 -0700, "DJ"
<<A=20

=

href=3D"mailto:animix_spam-this-ahole_@animas.net">animix_spam-this-ahole=
_@animas.net>=20

wrote:
>I'm guessing that the latency with the UAD-1 cards =
could be
>solved by bussing all tracks with UAD-1 =
plugins to a
>reference monitors placing them 36 feet =
behind the
>stereo pair of room mics at the mix =
position
>monitors and reamping the UAD
tracks.;o)>
>>Ahhhh. To be living in
DeejWorld...>>And after you reamp the UAD trax, would you =
then pass
>Paris, out through the auxes into another PC running =
Nuendo, =
>only the adat
cables?>>pab</BLOCKQUOTE></BLOCKQUOTE></BODY></HTML >

-----=_NextPart_000_00C3_01C62B74.57500320--

Subject: Re: WD Raptor drives!!!
Posted by [Deej \[1\]](#) on Tue, 07 Feb 2006 06:47:20 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_00EB_01C62B77.AB394E80

Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

You actually can drill holes in one end of two halves of a coconut =
shell, run twine through the holes, knot it so that it can't exit the =
hole when you stretch it tight on both ends and then once it's very =
tight you can pluck it like a broomstick bass. Sounds like shit, but you =
can do it. I'm thinking that perhaps Mogami twine might be sonically =
superior though.

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:43e8445a\$1@linux...
Alright, forget the twine.

"DJ" <animix_spam-this-ahole_@animas.net> wrote in message =
news:43e84319\$1@linux...
Give me enough twine and I'll hang myself for sure.

;o)

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:43e838c2@linux...

Paul,
I wanna see him do it using twine.
Tom

"Paul Braun" <cygnus_nospam@ctgonline.org> wrote in message =
news:hu8gu1di2388hco55tcq9uq3vin5enai2k@4ax.com...

On Sun, 5 Feb 2006 14:19:45 -0700, "DJ"
<animix_spam-this-ahole_@animas.net> wrote:

>I'm guessing that the latency with the UAD-1 cards could most =
easily be

>solved by bussing all tracks with UAD-1 plugins to a separate =
set of

>reference monitors placing them 36 feet behind the mix =
position, set up a

>stereo pair of room mics at the mix position facing backwards =
towards the

>monitors and reamping the UAD tracks.;o)

>

Ahhhh. To be living in DeejWorld....

And after you reamp the UAD trax, would you then pass them =
through

Paris, out through the auxes into another PC running Nuendo, =
using

only the adat cables?

pab

-----=_NextPart_000_00EB_01C62B77.AB394E80

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html"; =
charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1106" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV>You actually can drill sp; holes in =
one end of=20

two halves of a coconut shell, run twine through the holes, knot it so =

that it=20
can't exit the hole when you stretch it tight on both ends and then once =
it's=20
very tight you can pluck it like a broomstick bass. Sounds like shit, =
but you=20
can do it. I'm thinking that perhaps Mogami twine might be sonically =
superior=20
though.</DIV>
<DIV> </DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Tom Bruhl" <<A=20
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net> wrote =
in message=20
news:43e8445a\$1 @linux...</DIV>
<DIV>Alright, forget the =
twine.</DIV>
<DIV> </DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"DJ" <<A=20
=
href=3D"mailto:animix_spam-this-ahole_@animas.net">animix_spam-this-ahole_
_@animas.net>=20
wrote in message <A=20
href=3D"news:43e84319\$1 @linux">news:43e84319\$1 @linux...</DIV>
<DIV>Give me enough twine and I'll hang =
myself for=20
sure.</DIV>
<DIV> </DIV>
<DIV>;o)</DIV>
<DIV> </DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Tom Bruhl" <<A=20
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net> =
wrote in=20
message <A =
href=3D"news:43e838c2 @linux">news:43e838c2 @linux...</DIV>
<DIV>Paul,</DIV>
<DIV>I wanna see him do it using=20
twine.</DIV>
<DIV>Tom</DIV>
<DIV> </DIV>
<DIV> </DIV>

<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Paul Braun" <<A=20
=
href=3D"mailto:cygnus_nospam@ctgonline.org">cygnus_nospam@ctgonline.org</=
A>>=20
wrote in message <A=20
=
href=3D"news:hu8gu1di2388hco55tcq9uq3vin5enai2k@4ax.com">news:hu8gu1di238=
8hco55tcq9uq3vin5enai2k@4ax.com...</DIV>On=20
Sun, 5 Feb 2006 14:19:45 -0700, "DJ"
<<A=20
=
href=3D"mailto:animix_spam-this-ahole_@animas.net">animix_spam-this-ahole=
_@animas.net>=20
wrote:

>I'm guessing that the latency with the UAD-1 =
cards=20
could most easily be
>solved by bussing all tracks with =
UAD-1=20
plugins to a separate set of
>reference monitors placing =
thems 36=20
feet behind the mix position, set up a
>stereo pair of =
room mics=20
at the mix position facing backwards towards the
>monitors =
and=20
reamping the UAD tracks.;o)
>

Ahhhh. To be =
living in=20
DeejWorld....

And after you reamp the UAD trax, would you =
then=20
pass them through
Paris, out through the auxes into another =
PC=20
running Nuendo, using
only the adat=20
=
cables?

pab</BLOCKQUOTE></BLOCKQUOTE></BLOCKQUOTE
></BLOCKQUOTE></B=
ODY></HTML>

-----=_NextPart_000_00EB_01C62B77.AB394E80--

Subject: Re: WD Raptor drives!!!
Posted by [Tom Bruhl](#) on Tue, 07 Feb 2006 06:51:45 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_005B_01C62B89.0CDE3180
Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Alright, forget the twine.

"DJ" <animix_spam-this-ahole_@animas.net> wrote in message =
news:43e84319\$1@linux...

Give me enough twine and I'll hang myself for sure.

;o)

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:43e838c2@linux...

Paul,

I wanna see him do it using twine.

Tom

"Paul Braun" <cygnus_nospam@ctgonline.org> wrote in message =
news:hu8gu1di2388hco55tcq9uq3vin5enai2k@4ax.com...

On Sun, 5 Feb 2006 14:19:45 -0700, "DJ"

<animix_spam-this-ahole_@animas.net> wrote:

>I'm guessing that the latency with the UAD-1 cards could most =
easily be

>solved by bussing all tracks with UAD-1 plugins to a separate set =
of

>reference monitors placing them 36 feet behind the mix position, =
set up a

>stereo pair of room mics at the mix position facing backwards =
towards the

>monitors and reamping the UAD tracks.;o)

>

Ahhhh. To be living in DeejWorld...

And after you reamp the UAD trax, would you then pass them through
Paris, out through the auxes into another PC running Nuendo, using
only the adat cables?

pab

-----=_NextPart_000_005B_01C62B89.0CDE3180

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>

```
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Alright, forget the twine.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"DJ" &lt;<A=20
  =
href=3D"mailto:animix_spam-this-ahole_@animas.net">animix_spam-this-ahole=
_@animas.net</A>&gt;=20
  wrote in message <A=20
  href=3D"news:43e84319$1@linux">news:43e84319$1@linux</A>...</DIV>
  <DIV><FONT face=3DArial size=3D2>Give me enough twine and I'll hang =
myself for=20
  sure.</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
  <DIV><FONT face=3DArial size=3D2>;o)</FONT></DIV>
  <DIV>&nbsp;</DIV>
  <BLOCKQUOTE dir=3Dltr=20
  style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
    <DIV>"Tom Bruhl" &lt;<A=20
    href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>&gt; =
wrote in=20
    message <A =
href=3D"news:43e838c2@linux">news:43e838c2@linux</A>...</DIV>
    <DIV><FONT face=3DArial size=3D2>Paul,</FONT></DIV>
    <DIV><FONT face=3DArial size=3D2>I wanna see him do it using =
twine.</FONT></DIV>
    <DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
    <DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
    <DIV>&nbsp;</DIV>
    <BLOCKQUOTE=20
    style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
      <DIV>"Paul Braun" &lt;<A=20
      =
href=3D"mailto:cygnus_nospam@ctgonline.org">cygnus_nospam@ctgonline.org</=
A>&gt;=20
      wrote in message <A=20
      =
href=3D"news:hu8gu1di2388hco55tcq9uq3vin5enai2k@4ax.com">news:hu8gu1di238=
8hco55tcq9uq3vin5enai2k@4ax.com</A>...</DIV>>On=20
```

Sun, 5 Feb 2006 14:19:45 -0700, "DJ" <A=20

=

href=3D"mailto:animix_spam-this-ahole_@animas.net">animix_spam-this-ahole=
_@animas.net>=20

wrote:

>;I'm guessing that the latency with the UAD-1 =
cards could=20

most easily be
>;solved by bussing all tracks with UAD-1 =
plugins to a=20

separate set of
>;reference monitors placing them 36 feet =
behind the=20

mix position, set up a
>;stereo pair of room mics at the mix =
position=20

facing backwards towards the
>;monitors and reamping the UAD=20

tracks.;o)
>;

Ahhhh. To be living in=20

DeejWorld....

And after you reamp the UAD trax, would you =
then pass=20

them through
Paris, out through the auxes into another PC =
running=20

Nuendo, using
only the adat=20

cables?

pab</BLOCKQUOTE></BLOCKQUOTE></BLOCKQUOTE
></BODY></HTML>

-----=_NextPart_000_005B_01C62B89.0CDE3180--

Subject: Re: WD Raptor drives!!!

Posted by [rick](#) on Tue, 07 Feb 2006 09:53:02 GMT

[View Forum Message](#) <> [Reply to Message](#)

and as a very local cell phone of sorts too

On Mon, 6 Feb 2006 23:47:20 -0700, "DJ"

<animix_spam-this-ahole_@animas.net> wrote:

>You actually can drill holes in one end of two halves of a coconut shell, run twine through the
>holes, knot it so that it can't exit the hole when you stretch it tight on both ends and then once it's
>very tight you can pluck it like a broomstick bass. Sounds like shit, but you can do it. I'm thinking
>that perhaps Mogami twine might be sonically superior though.

>

> "Tom Bruhl" <arpeggio@comcast.net> wrote in message news:43e8445a\$1@linux...

> Alright, forget the twine.

>

> "DJ" <animix_spam-this-ahole_@animas.net> wrote in message news:43e84319\$1@linux...

> Give me enough twine and I'll hang myself for sure.

>

> ;o)

>

> "Tom Bruhl" <arpeggio@comcast.net> wrote in message news:43e838c2@linux...

> Paul,
> I wanna see him do it using twine.
> Tom
>
>
> "Paul Braun" <cygnus_nospam@ctgonline.org> wrote in message
news:hu8gu1di2388hco55tcq9uq3vin5enai2k@4ax.com...
> On Sun, 5 Feb 2006 14:19:45 -0700, "DJ"
> <animix_spam-this-ahole_@animas.net> wrote:
>
> >I'm guessing that the latency with the UAD-1 cards could most easily be
> >solved by bussing all tracks with UAD-1 plugins to a separate set of
> >reference monitors placing them 36 feet behind the mix position, set up a
> >stereo pair of room mics at the mix position facing backwards towards the
> >monitors and reamping the UAD tracks.;o)
> >
>
> Ahhhh. To be living in DeejWorld....
>
> And after you reamp the UAD trax, would you then pass them through
> Paris, out through the auxes into another PC running Nuendo, using
> only the adat cables?
>
> pab

Subject: Re: WD Raptor drives!!!
Posted by [Deej \[1\]](#) on Wed, 08 Feb 2006 03:24:47 GMT
[View Forum Message](#) <> [Reply to Message](#)

;o)

Better than Alltell around here sometimes.

"rick" <parnell68@hotmail.com> wrote in message
news:jergu1p4u3oc3f944fr2edg883j33h3clf@4ax.com...
> and as a very local cell phone of sorts too
>
> On Mon, 6 Feb 2006 23:47:20 -0700, "DJ"
> <animix_spam-this-ahole_@animas.net> wrote:
>
> >You actually can drill holes in one end of two halves of a coconut
shell, run twine through the holes, knot it so that it can't exit the hole
when you stretch it tight on both ends and then once it's very tight you can
pluck it like a broomstick bass. Sounds like shit, but you can do it. I'm
thinking that perhaps Mogami twine might be sonically superior though.
> >

> > "Tom Bruhl" <arpeggio@comcast.net> wrote in message
news:43e8445a\$1@linux...
> > Alright, forget the twine.
> >
> > "DJ" <animix_spam-this-ahole_@animas.net> wrote in message
news:43e84319\$1@linux...
> > Give me enough twine and I'll hang myself for sure.
> >
> > ;o)
> >
> > "Tom Bruhl" <arpeggio@comcast.net> wrote in message
news:43e838c2@linux...
> > Paul,
> > I wanna see him do it using twine.
> > Tom
> >
> > "Paul Braun" <cygnus_nospam@ctgonline.org> wrote in message
news:hu8gu1di2388hco55tcq9uq3vin5enai2k@4ax.com...
> > On Sun, 5 Feb 2006 14:19:45 -0700, "DJ"
> > <animix_spam-this-ahole_@animas.net> wrote:
> >
> > >I'm guessing that the latency with the UAD-1 cards could most
easily be
> > >solved by bussing all tracks with UAD-1 plugins to a separate
set of
> > >reference monitors placing them 36 feet behind the mix
position, set up a
> > >stereo pair of room mics at the mix position facing backwards
towards the
> > >monitors and reamping the UAD tracks.;o)
> > >
> > Ahhhh. To be living in DeeJWorld....
> >
> > And after you reamp the UAD trax, would you then pass them
through
> > Paris, out through the auxes into another PC running Nuendo,
using
> > only the adat cables?
> >
> > pab
>
