

---

Subject: PING! - DJ

Posted by [Sandy Tipping](#) on Thu, 24 May 2007 03:47:30 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

DJ (and anyone else who is reading this),

Do you still have / use the Lexicon Core32 / PC90 combination?

I've got some issues with mine and want to cry on a shoulder (and ask a few questions).

Sandy

---

---

Subject: Re: PING! - DJ

Posted by [Deej \[4\]](#) on Thu, 24 May 2007 04:08:58 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Sandy,

I sold mine to Dimitrios over a year ago. What's the problem?

Deej

"Sandy Tipping" <[tippsand@earthling.net](mailto:tippsand@earthling.net)> wrote in message  
news:46550c66@linux...

> DJ (and anyone else who is reading this),

>

> Do you still have / use the Lexicon Core32 / PC90 combination?

>

> I've got some issues with mine and want to cry on a shoulder (and ask a  
> few questions).

>

> Sandy

>

---

---

Subject: Re: PING! - DJ

Posted by [Dedric Terry](#) on Thu, 24 May 2007 04:20:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I still have mine - don't use it much though.

Dedric

On 5/23/07 9:47 PM, in article 46550c66@linux, "Sandy Tipping"

<tippsand@earthling.net> wrote:

> DJ (and anyone else who is reading this),  
>  
> Do you still have / use the Lexicon Core32 / PC90 combination?  
>  
> I've got some issues with mine and want to cry on a shoulder (and ask a few  
> questions).  
>  
> Sandy  
>  
>

---

---

Subject: Re: PING! - DJ

Posted by [Dimitrios](#) on Thu, 24 May 2007 07:08:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi Dedic,

Are you selling or trading for your PC90 core32 ?

I have one left input Paris card I also have the AKG microphone I posted before.

Regards,

Dimitrios

Dedic Terry <dterry@keyofd.net> wrote:

>I still have mine - don't use it much though.

>

>Dedic

>

>On 5/23/07 9:47 PM, in article 46550c66@linux, "Sandy Tipping"

><tippsand@earthling.net> wrote:

>

>> DJ (and anyone else who is reading this),

>>

>> Do you still have / use the Lexicon Core32 / PC90 combination?

>>

>> I've got some issues with mine and want to cry on a shoulder (and ask a few

>> questions).

>>

>> Sandy

>>

>>

>

---

---

Subject: Re: PING! - DJ

Posted by [Sandy Tipping](#) on Thu, 24 May 2007 22:46:46 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

My Core32 / LDI 12T sat in a box, out of use, for about four or five years. I resurrected the whole system a week ago - including the old Win98 PII-450 system.

What I used to do was this:

Paris MEC A ADAT Out 1&2 to LDI 12T ADAT In 1&2 ---> PC90 Machine 1

Paris MEC B SPDIF Out L&R to LDI 12T SPDIF In L&R ----> PC90 Machine 2.

Everything happy, two reverbs, blah blah blah.

Now something is messed up, and I haven't changed anything other than putting the system away for a few years. The card and the LDI interface were stored outside of the computer, but in antistatic bags etc.

Here's what's happening:

1- Both PC90 are flaky re: reverb levels. The return to Paris, whether by ADAT, SPDIF or analog, seems to vary from perfectly acceptable to really low (cranking the Paris AuxRetn to +20 seems to bring it to where it needs to be).

2- The PC90 sometimes stops passing signal (again, whether analog, ADAT or SPDIF) and instead sends some 0DbFS of something I can't hear (my guess is it's below 20Hz). Paris sees it and freaks.

3- The system diagnostics built into the Core32 say everything is fine, but I still get a Core32 Failed and PC90 failed message at the end of the diag.

I'd love to solve the problem by borrowing gear. Anyone feel up to it?

Sandy

"Dimitrios" <musurgio@otenet.gr> wrote in message news:465539d0\$1@linux...

>

> Hi Dedic,

> Are you selling or trading for your PC90 core32 ?

> I have one left input Paris card I also have the AKG microphone I posted  
> before.

> Regards,

> Dimitrios

>

> Dedic Terry <dterry@keyofd.net> wrote:

>>I still have mine - don't use it much though.

>>

>>Dedic

>>

>>On 5/23/07 9:47 PM, in article 46550c66@linux, "Sandy Tipping"

>><tipsand@earthling.net> wrote:

>>

>>> DJ (and anyone else who is reading this),

>>>  
>>> Do you still have / use the Lexicon Core32 / PC90 combination?  
>>>  
>>> I've got some issues with mine and want to cry on a shoulder (and ask  
> a few  
>>> questions).  
>>>  
>>> Sandy  
>>>  
>>>  
>>  
>

---

---

Subject: Re: PING! - DJ  
Posted by [Deej \[4\]](#) on Thu, 24 May 2007 22:54:29 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Have you tried clocking the LDI 12T from an external source?

"Sandy Tipping" <tippsand@earthling.net> wrote in message  
news:46561755@linux...  
> My Core32 / LDI 12T sat in a box, out of use, for about four or five  
> years.  
> I resurrected the whole system a week ago - including the old Win98  
> PII-450 system.  
> What I used to do was this:  
> Paris MEC A ADAT Out 1&2 to LDI 12T ADAT In 1&2 ---> PC90 Machine 1  
> Paris MEC B SPDIF Out L&R to LDI 12T SPDIF In L&R ----> PC90 Machine 2.  
> Everything happy, two reverbs, blah blah blah.  
> Now something is messed up, and I haven't changed anything other than  
> putting the system away for a few years. The card and the LDI interface  
> were stored outside of the computer, but in antistatic bags etc.  
> Here's what's happening:  
>  
> 1- Both PC90 are flaky re: reverb levels. The return to Paris, whether by  
> ADAT, SPDIF or analog, seems to vary from perfectly acceptable to really  
> low (cranking the Paris AuxRetn to +20 seems to bring it to where it needs  
> to be).  
> 2- The PC90 sometimes stops passing signal (again, whether analog, ADAT or  
> SPDIF) and instead sends some 0DbFS of something I can't hear (my guess is  
> it's below 20Hz). Paris sees it and freaks.  
> 3- The system diagnostics built into the Core32 say everything is fine,  
> but I still get a Core32 Failed and PC90 failed message at the end of the  
> diag.  
>  
> I'd love to solve the problem by borrowing gear. Anyone feel up to it?  
>

> Sandy  
>  
>  
> "Dimitrios" <musurgio@otenet.gr> wrote in message news:465539d0\$1@linux...  
>>  
>> Hi Dedic,  
>> Are you selling or trading for your PC90 core32 ?  
>> I have one left input Paris card I also have the AKG microphone I posted  
>> before.  
>> Regards,  
>> Dimitrios  
>>  
>> Dedic Terry <dterry@keyofd.net> wrote:  
>>>I still have mine - don't use it much though.  
>>>  
>>>Dedic  
>>>  
>>>On 5/23/07 9:47 PM, in article 46550c66@linux, "Sandy Tipping"  
>>><tipsand@earthling.net> wrote:  
>>>  
>>>> DJ (and anyone else who is reading this),  
>>>>  
>>>> Do you still have / use the Lexicon Core32 / PC90 combination?  
>>>>  
>>>> I've got some issues with mine and want to cry on a shoulder (and ask  
>> a few  
>>>> questions).  
>>>>  
>>>> Sandy  
>>>>  
>>>>  
>>>  
>>  
>  
>

---

Subject: Re: PING! - DJ  
Posted by [Sandy Tipping](#) on Fri, 25 May 2007 14:22:00 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Yes, in so far as I'm able. I've clocked it by all available clock inputs on the LDI, but my external word clock is Paris (arguably, not the most stable WC source).

Besides, it doesn't sound like clock (no pops / clicks etc). It sounds like garbage.

Sandy

"DJ" <www.aarrrrggghh!!!.com> wrote in message news:46561921@linux...  
> Have you tried clocking the LDI 12T from an external source?  
>  
> "Sandy Tipping" <tippsand@earthling.net> wrote in message  
> news:46561755@linux...  
>> My Core32 / LDI 12T sat in a box, out of use, for about four or five  
>> years.  
>> I resurrected the whole system a week ago - including the old Win98  
>> PII-450 system.  
>> What I used to do was this:  
>> Paris MEC A ADAT Out 1&2 to LDI 12T ADAT In 1&2 ---> PC90 Machine 1  
>> Paris MEC B SPDIF Out L&R to LDI 12T SPDIF In L&R ----> PC90 Machine 2.  
>> Everything happy, two reverbs, blah blah blah.  
>> Now something is messed up, and I haven't changed anything other than  
>> putting the system away for a few years. The card and the LDI interface  
>> were stored outside of the computer, but in antistatic bags etc.  
>> Here's what's happening:  
>>  
>> 1- Both PC90 are flaky re: reverb levels. The return to Paris, whether  
>> by ADAT, SPDIF or analog, seems to vary from perfectly acceptable to  
>> really low (cranking the Paris AuxRetn to +20 seems to bring it to where  
>> it needs to be).  
>> 2- The PC90 sometimes stops passing signal (again, whether analog, ADAT  
>> or SPDIF) and instead sends some 0DbFS of something I can't hear (my  
>> guess is it's below 20Hz). Paris sees it and freaks.  
>> 3- The system diagnostics built into the Core32 say everything is fine,  
>> but I still get a Core32 Failed and PC90 failed message at the end of the  
>> diag.  
>>  
>> I'd love to solve the problem by borrowing gear. Anyone feel up to it?  
>>  
>> Sandy  
>>  
>>  
>> "Dimitrios" <musurgio@otenet.gr> wrote in message  
>> news:465539d0\$1@linux...  
>>>  
>>> Hi Dedic,  
>>> Are you selling or trading for your PC90 core32 ?  
>>> I have one left input Paris card I also have the AKG microphone I posted  
>>> before.  
>>> Regards,  
>>> Dimitrios  
>>>  
>>> Dedic Terry <dterry@keyofd.net> wrote:

>>>>I still have mine - don't use it much though.  
>>>>  
>>>>Dedric  
>>>>  
>>>>On 5/23/07 9:47 PM, in article 46550c66@linux, "Sandy Tipping"  
>>>><tippsand@earthling.net> wrote:  
>>>>  
>>>>> DJ (and anyone else who is reading this),  
>>>>>  
>>>>> Do you still have / use the Lexicon Core32 / PC90 combination?  
>>>>>  
>>>>> I've got some issues with mine and want to cry on a shoulder (and ask  
>>> a few  
>>>>> questions).  
>>>>>  
>>>>> Sandy  
>>>>>  
>>>>>  
>>>>>  
>>>>  
>>>  
>>  
>>  
>  
>

---