
Subject: Rod or Dimitrios Multi Mec ideas needed.
Posted by [Tom Bruhl](#) on Mon, 09 Jul 2007 16:29:25 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0146_01C7C224.C9264C50
Content-Type: text/plain;
 charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Hey guys

After a talk with DJ it is decided a fresh install of Paris is the best way to go. I tried two cloned C drives and getting just three mecs to work with the Lucid but no go. I also have a 442 but DJ and Dimitrios say don't do it.

I have tried DJ's technique with no benefit recently. I did have 2 mecs and 1 442 working flawlessly but I can't get that back for some reason.

Is a fresh install to C:Paris Pro the way to go?

I had to cancel this morning's session.
I will try internal clock for this afternoons session.
Tom

I choose Polesoft Lockspam to fight spam, and you?
<http://www.polesoft.com/refer.html>

-----=_NextPart_000_0146_01C7C224.C9264C50
Content-Type: text/html;
 charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Hey guys</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>After a talk with DJ it is decided a =
fresh install=20
of Paris</FONT></DIV>
```

<DIV>is the best way to go. I tried =
two cloned C=20
drives and getting</DIV>
<DIV>just three mecs to work with the Lucid =
but no=20
go. I also</DIV>
<DIV>have a 442 but DJ and Dimitrios say =
don't do=20
it.</DIV>
<DIV> </DIV>
<DIV>I have tried DJs technique with no =
benefit=20
recently. I</DIV>
<DIV>did have 2 mecs and I 442 working =
flawlessly=20
but I can't</DIV>
<DIV>get that back for some =
reason.</DIV>
<DIV> </DIV>
<DIV>Is a fresh install to C:Paris Pro the =
way to=20
go?</DIV>
<DIV> </DIV>
<DIV>
<DIV>I had to cancel this morning's=20
session.</DIV>
<DIV>I will try internal clock for this =
afternoons=20
session.</DIV>
<DIV>Tom</DIV></DIV>
<DIV> </DIV>
<DIV>

I choose Polesoft Lockspam to fight spam, =
and=20
you?
<A=20
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html </DIV></BODY ></HTML>

-----=_NextPart_000_0146_01C7C224.C9264C50--

Subject: Re: Rod or Dimitrios Multi Mec ideas needed.
Posted by [Rod Lincoln](#) on Mon, 09 Jul 2007 20:57:23 GMT
[View Forum Message](#) <> [Reply to Message](#)

Tom, A fresh install won't hurt. I honestly don't know why your having problems, as I never have. Are you using really good, short, word clock cables? That would be my first guess as to what the problem is. I can't remember, are you using a magma?? or the pci slots in the computer for the eds cards?

Rod

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>Hey guys

>After a talk with DJ it is decided a fresh install of Paris
>is the best way to go. I tried two cloned C drives and getting
>just three mecs to work with the Lucid but no go. I also
>have a 442 but DJ and Dimitrios say don't do it.

>

>I have tried DJ's technique with no benefit recently. I
>did have 2 mecs and 1 442 working flawlessly but I can't
>get that back for some reason.

>

>Is a fresh install to C:Paris Pro the way to go?

>

>I had to cancel this morning's session.
>I will try internal clock for this afternoons session.

>Tom

>

>

>

>I choose Polesoft Lockspam to fight spam, and you?

><http://www.polesoft.com/refer.html>

>

><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

><HTML><HEAD>

><META http-equiv=3DContent-Type content=3D"text/html; =

>charset=3Diso-8859-1">

><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

><STYLE></STYLE>

></HEAD>

><BODY bgColor=3D#ffffff>

><DIV>Hey guys</DIV>

><DIV>After a talk with DJ it is decided a =

>fresh install=20

>of Paris</DIV>

>two cloned C=20

>drives and getting</DIV>

><DIV>just three mecs to work with the Lucid

=

>but no=20

><DIV>have a 442 but DJ and Dimitrios say =

>don't do=20

>it.</DIV>

><DIV>I have tried DJS technique with no =
>benefit=20

>flawlessly=20
>but I can't</DIV>

><DIV>get that back for some =
>reason.</DIV>

><DIV>Is a fresh install to C:Paris Pro the =
>way to=20
>go?</DIV>

><DIV>
><DIV>I had to cancel this morning's=20
>session.</DIV>
><DIV>I will try internal clock for this =
>afternoons=20
>session.</DIV>
><DIV>Tom</DIV></DIV>

><DIV>

I choose Polesoft Lockspam to fight spam, =
>and=20
>you?
<A=20
>href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=

>
>

Subject: Re: Rod or Dimitrios Multi Mec ideas needed.
Posted by [Tom Bruhl](#) on Tue, 10 Jul 2007 05:11:34 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0047_01C7C28F.4202F370
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Rod,
Yes Magma, short/equal length Mogami cables, 75 ohm terminators
on all the gear with a Lucid GenX.

What order to you have your boxes hooked into the EDS cards?

Tom

"Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message =

news:4692a133@linux...

Tom, A fresh install won't hurt. I honestly don't know why you're having problems,

as I never have. Are you using really good, short, word clock cables? That

would be my first guess as to what the problem is. I can't remember, are

you using a magma?? or the pci slots in the computer for the eds cards?

Rod

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>Hey guys

>After a talk with DJ it is decided a fresh install of Paris

>is the best way to go. I tried two cloned C drives and getting

>just three mecs to work with the Lucid but no go. I also

>have a 442 but DJ and Dimitrios say don't do it.

>

>I have tried DJ's technique with no benefit recently. I

>did have 2 mecs and 1 442 working flawlessly but I can't

>get that back for some reason.

>

>Is a fresh install to C:Paris Pro the way to go?

>

>I had to cancel this morning's session.

>I will try internal clock for this afternoon's session.

>Tom

>

>

>

>I choose Polesoft Lockspam to fight spam, and you?

><http://www.polesoft.com/refer.html> =20

>

><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

><HTML><HEAD>

><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D

>charset=3D3Diso-8859-1">

><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>

><STYLE></STYLE>

></HEAD>

><BODY bgColor=3D3D#ffffff>

><DIV>Hey guys</DIV>

><DIV>After a talk with DJ it is =

decided a =3D

>fresh install=3D20

>of Paris</DIV>

><DIV>is the best way to go. I tried =
=3D
>two cloned C=3D20
>drives and getting</DIV>
><DIV>just three mecs to work with the =
Lucid
=3D
>but no=3D20
>go. I also</DIV>
><DIV>have a 442 but DJ and Dimitrios =
say =3D
>don't do=3D20
>it.</DIV>
><DIV> </DIV>
><DIV>I have tried DJs technique with =
no =3D
>benefit=3D20
>recently. I</DIV>
><DIV>did have 2 mecs and 1 442 =
working =3D
>flawlessly=3D20
>but I can't</DIV>
><DIV>get that back for some =3D
>reason.</DIV>
><DIV> </DIV>
><DIV>Is a fresh install to C:Paris =
Pro the =3D
>way to=3D20
>go?</DIV>
><DIV> </DIV>
><DIV>
><DIV>I had to cancel this =
morning's=3D20
>session.</DIV>
><DIV>I will try internal clock for =
this =3D
>afternoons=3D20
>session.</DIV>
><DIV>Tom</DIV></DIV>
><DIV> </DIV>
><DIV>

I choose Polesoft Lockspam to fight =
spam, =3D
>and=3D20
>you?
<A=3D20
=
>href=3D3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/re=
fer=3D
>.html </DIV></BODY></HTML>

>
>

-----=_NextPart_000_0047_01C7C28F.4202F370

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =

charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV>Rod,</DIV>

<DIV>Yes Magma, short/equal =
length Mogami cables,=20

75 ohm terminators</DIV>

<DIV>on all the gear with a Lucid =
GenX.</DIV>

<DIV> </DIV>

<DIV>What order to you have your boxes =
hooked into the=20

EDS cards?</DIV>

<DIV>Tom</DIV>

<BLOCKQUOTE=20

style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

<DIV>"Rod Lincoln" <<A=20

=

href=3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com&g=
t;=20

wrote in message <A=20

=

href=3D"news:4692a133@linux">news:4692a133@linux...</DIV>
Tom,&nbs=
p; A=20

fresh install won't hurt. I honstly don't know why your having =
problems,
as=20

I never have. Are you using really good, short, word clock cables?=20

That
would be my first guess as to what the problem is. I can't =
remember,=20

are
you using a magma?? or the pci slots in the computer for the =
eds=20

cards?
Rod
"Tom Bruhl" <<A=20

href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=20

wrote:
>
>
>Hey guys
>After a talk with DJ it =

is=20

decided a fresh install of Paris
>is the best way to go. I =
tried=20

two cloned C drives and getting
>just three mecs to work with =
the Lucid=20

but no go. I also
>have a 442 but DJ and Dimitrios say =
don't do=20

it.
>
>I have tried DJs technique with no benefit =
recently. =20

I
>did have 2 mecs and 1 442 working flawlessly but I =
can't
>get=20

that back for some reason.
>
>Is a fresh install to =
C:Paris Pro=20

the way to go?
>
>I had to cancel this morning's =
session.
>I=20

will try internal clock for this afternoons=20

session.
>Tom
>
>
>
>I choose Polesoft =
Lockspam=20

to fight spam, and =

you?
><http://www.polesoft.com/refer.html> =20

>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=20
Transitional//EN">
><HTML><HEAD>
><META=20

http-equiv=3D3DContent-Type content=3D3D"text/html;=20
=3D
>charset=3D3Diso-8859-1">
><META =

content=3D3D"MSHTML=20

6.00.2800.1400"=20

=

name=3D3DGENERATOR>
><STYLE></STYLE>
></HEA=
D>
><BODY=20

bgColor=3D3D#ffffff>
><DIV><FONT face=3D3DArial =
size=3D3D2>Hey=20

guys</DIV>
><DIV><FONT =
face=3D3DArial=20

size=3D3D2>After a talk with DJ it is decided a =3D
>fresh=20
install=3D20
>of =

Paris</DIV>
><DIV><FONT=20

face=3D3DArial size=3D3D2>is the best way to go. I tried =
=3D
>two cloned=20

C=3D20
>drives and=20

getting</DIV>
><DIV><FONT =
face=3D3DArial=20

size=3D3D2>just three mecs to work with the Lucid
=3D
>but =

no=3D20
>go. I =

also</DIV>
><DIV><FONT=20

face=3D3DArial size=3D3D2>have a 442 but DJ and Dimitrios say =
=3D
>don't=20

do=3D20
>it.</DIV>
><DIV><FONT =

face=3D3DArial size=3D3D2> =
</DIV>
></DIV></FONT=20
face=3D3DArial size=3D3D2>I have tried DJs technique with no=20
=3D
>benefit=3D20
>recently.=20
I</DIV>
></DIV></FONT face=3D3DArial=20
size=3D3D2>did have 2 mecs and 1 442 working=20
=3D
>flawlessly=3D20
>but I=20
can't</DIV>
></DIV></FONT =
face=3D3DArial=20
size=3D3D2>get that back for some=20
=3D
>reason.</DIV>
></DIV></FONT =

face=3D3DArial size=3D3D2> =
</DIV>
></DIV></FONT=20
face=3D3DArial size=3D3D2>Is a fresh install to C:Paris Pro the =
=3D
>way=20
to=3D20
>go?</DIV>
></DIV></FONT =

face=3D3DArial size=3D3D2>=20
</DIV>
></DIV>
></DIV></FONT =
face=3D3DArial=20
size=3D3D2>I had to cancel this=20
=
morning's=3D20
>session.</DIV>
></DIV>=
</FONT=20
face=3D3DArial size=3D3D2>I will try internal clock for this=20
=
=3D
>afternoons=3D20
>session.</DIV>
>g=
t;</DIV></FONT=20
face=3D3DArial=20
=
size=3D3D2>Tom</DIV> t;</DIV>
></DIV>=
</FONT=20
face=3D3DArial size=3D3D2> =
</DIV>
></DIV></FONT=20
size=3D3D2></BR></BR>I choose Polesoft Lockspam to fight =
spam,=20
=
=3D
>and=3D20
>you?</BR></A=3D20
>href=3D3D"<A=20
=
href=3D'http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
'>http://www.polesoft.com/refer.html">http://www.polesoft.com/refer</A=
>=3D
>.html=20
=
</DIV></BODY> t;</HTML>
>
>
</=
BLOCKQUOTE></BODY></HTML>

Subject: Re: Rod or Dimitrios Multi Mec ideas needed.
Posted by [Dimitrios](#) on Tue, 10 Jul 2007 13:51:09 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi Tom,

I have never achieved the 442 scenario but as I know from DJ and others 442 should be main interface so you loose 24bits digital out.

If you use all these don't forget the usehousesync in Paris cfg.

Maybe thats got erased from there or you installed over with no housesync.

I had achieved using the 442 not as main but its ins and outs were not all working !!

If you try only with three mecs (or four) remember to have a mec on your last card !

It should work .

Installing on c:\parispro is fine and better for avoiding crashes.

Don't forget to install the subsystem fx on same folder !

Let me know exactly what you do and I will try to help more.

You can call too !

0030-2310-464744

Regards,
Dimitrios

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>Hey guys

>After a talk with DJ it is decided a fresh install of Paris

>is the best way to go. I tried two cloned C drives and getting

>just three mecs to work with the Lucid but no go. I also

>have a 442 but DJ and Dimitrios say don't do it.

>

>I have tried DJ's technique with no benefit recently. I

>did have 2 mecs and 1 442 working flawlessly but I can't

>get that back for some reason.

>

>Is a fresh install to C:Paris Pro the way to go?

>

>I had to cancel this morning's session.

>I will try internal clock for this afternoons session.

>Tom

>

>

```
>
>I choose Polesoft Lockspam to fight spam, and you?
>http://www.polesoft.com/refer.html
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3DContent-Type content=3D"text/html; =
>charset=3Diso-8859-1">
><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D#ffffff>
><DIV><FONT face=3DArial size=3D2>Hey guys</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>After a talk with DJ it is decided a =
>fresh install=20
>of Paris</FONT></DIV>

>two cloned C=20
>drives and getting</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>just three mecs to work with the Lucid
=
>but no=20

><DIV><FONT face=3DArial size=3D2>have a 442 but DJ and Dimitrios say =
>don't do=20
>it.</FONT></DIV>

><DIV><FONT face=3DArial size=3D2>I have tried DJs technique with no =
>benefit=20

>flawlessly=20
>but I can't</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>get that back for some =
>reason.</FONT></DIV>

><DIV><FONT face=3DArial size=3D2>Is a fresh install to C:Paris Pro the =
>way to=20
>go?</FONT></DIV>

><DIV>
><DIV><FONT face=3DArial size=3D2>I had to cancel this morning's=20
>session.</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>I will try internal clock for this =
>afternoons=20
>session.</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV></DIV>
```

><DIV>

I choose Polesoft Lockspam to fight spam, =

>and=20

>you?
<A=20

>href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=

>

>

Subject: Re: Rod or Dimitrios Multi Mec ideas needed.
Posted by [Rod Lincoln](#) on Tue, 10 Jul 2007 14:03:10 GMT
[View Forum Message](#) <> [Reply to Message](#)

Tom, Mec A is hooked up to card 1, the 442 is hooked up to card 2, Mec B is hooked up to the last eds card, which for me is card 6. You've checked to make sure you don't have and IRQ conflicts with the vid cards, right? Also, your sure about which card is "card 1" and so on right? They aren't necessarily straight down the line.

Also, have you tried putting the magma PCI card in another slot on your mobo? Be aware this could change all irq's the magam sees.

Rod

("Tom Bruhl" <arpegio@comcast.net> wrote:

>

>

>Rod,

>Yes Magma, short/equal length Mogami cables, 75 ohm terminators

>on all the gear with a Lucid GenX.

>

>What order to you have your boxes hooked into the EDS cards?

>Tom

> "Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message =

>news:4692a133@linux...

>

> Tom, A fresh install won't hurt. I honstly don't know why your having

=

>problems,

> as I never have. Are you using really good, short, word clock cables?

=

>That

> would be my first guess as to what the problem is. I can't remember, =
>are
> you using a magma?? or the pci slots in the computer for the eds =
>cards?
> Rod
> "Tom Bruhl" <arpeggio@comcast.net> wrote:
> >
> >
> >Hey guys
> >After a talk with DJ it is decided a fresh install of Paris
> >is the best way to go. I tried two cloned C drives and getting
> >just three mecs to work with the Lucid but no go. I also
> >have a 442 but DJ and Dimitrios say don't do it.
> >
> >I have tried DJs technique with no benefit recently. I
> >did have 2 mecs and 1 442 working flawlessly but I can't
> >get that back for some reason.
> >
> >Is a fresh install to C:Paris Pro the way to go?
> >
> >I had to cancel this morning's session.
> >I will try internal clock for this afternoons session.
> >Tom
> >
> >
> >
> >I choose Polesoft Lockspam to fight spam, and you?
> ><http://www.polesoft.com/refer.html> =20
> >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> ><HTML><HEAD>
> ><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
> >charset=3D3Diso-8859-1">
> ><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
> ><STYLE></STYLE>
> ></HEAD>
> ><BODY bgColor=3D3D#ffffff>
> ><DIV>Hey guys</DIV>
> ><DIV>After a talk with DJ it is =
> >decided a =3D
> >fresh install=3D20
> >of Paris</DIV>
> ><DIV>is the best way to go. I tried =
> >=3D
> >two cloned C=3D20
> >drives and getting</DIV>
> ><DIV>just three mecs to work with the
=

```

>Lucid
> =3D
> >but no=3D20
> >go. I also</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>have a 442 but DJ and Dimitrios
=
>say =3D
> >don't do=3D20
> >it.</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>I have tried DJs technique with
=
>no =3D
> >benefit=3D20
> >recently. I</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>did have 2 mecs and 1 442 =
>working =3D
> >flawlessly=3D20
> >but I can't</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>get that back for some =3D
> >reason.</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>Is a fresh install to C:Paris =
>Pro the =3D
> >way to=3D20
> >go?</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> ><DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>I had to cancel this =
>morning's=3D20
> >session.</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>I will try internal clock for =
>this =3D
> >afternoons=3D20
> >session.</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>Tom</FONT></DIV></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> ><DIV><FONT size=3D3D2><BR><BR>I choose Polesoft Lockspam to fight =
>spam, =3D
> >and=3D20
> >you?<BR><A=3D20
> =
>>href=3D3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/re=
>fer=3D
> >.html</A> </FONT></DIV></BODY></HTML>
> >
> >
>

```

```

>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3DContent-Type content=3D"text/html; =
>charset=3Diso-8859-1">
><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D#ffffff>
><DIV><FONT face=3DArial size=3D2>Rod,</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>Yes Magma, short/equal =

><DIV><FONT face=3DArial size=3D2>on all the gear with a Lucid =
>GenX.</FONT></DIV>

><DIV><FONT face=3DArial size=3D2>What order to you have your boxes =
>hooked into the=20
>EDS cards?</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
><BLOCKQUOTE=20
>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Rod Lincoln" <<A=20
> =
>href=3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</A>&g=
>t;=20
> wrote in message <A=20
> =
>href=3D"news:4692a133@linux">news:4692a133@linux</A>...</DIV><BR>Tom,&nbs=
>p; A=20
> fresh install won't hurt. I honstly don't know why your having =
>problems,<BR>as=20
> I never have. Are you using really good, short, word clock cables?=20
> That<BR>would be my first guess as to what the problem is. I can't =
>remember,=20
> are<BR>you using a magma?? or the pci slots in the computer for the =
>eds=20
> cards?<BR>Rod<BR>"Tom Bruhl" <<A=20
> href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>>=20
> wrote:<BR>><BR>><BR>>Hey guys<BR>>After a talk with DJ it =
>is=20

>tried=20
> two cloned C drives and getting<BR>>just three mecs to work with =
>the Lucid=20

>don't do=20

```

> it.

I have tried DJs technique with no benefit =

> I
>did have 2 mecs and 1 442 working flawlessly but I =
>can't
>get=20

> that back for some reason.

Is a fresh install to =
>C:Paris Pro=20

> the way to go?

I had to cancel this morning's =
>session.
>I=20

> will try internal clock for this afternoons=20

> session.
>Tom

I choose Polesoft =
>Lockspam=20

> to fight spam, and =

>

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=20
> Transitional//EN">
<HTML><HEAD>
<META=20
> http-equiv=3D3DContent-Type content=3D3D"text/html;=20
> =3D
>charset=3D3Diso-8859-1">
<META =
>content=3D3D"MSHTML=20
> 6.00.2800.1400"=20
> =
>name=3D3DGENERATOR>
<STYLE></STYLE>
</HEA=
>D>
<BODY=20
> bgColor=3D3D#ffffff>
<DIV><FONT face=3D3DArial =
>size=3D3D2>Hey=20
> guys</DIV>
<DIV><FONT =
>face=3D3DArial=20
> size=3D3D2>After a talk with DJ it is decided a =3D
>fresh=20
> install=3D20
>of =
>Paris</DIV>
<DIV><FONT=20
> face=3D3DArial size=3D3D2>is the best way to go. I tried =
>=3D
>two cloned=20
> C=3D20
>drives and=20
> getting</DIV>
<DIV><FONT =
>face=3D3DArial=20
> size=3D3D2>just three mecs to work with the Lucid
=3D
>but =
>
> no=3D20
>go. I =
>also</DIV>
<DIV><FONT=20
> face=3D3DArial size=3D3D2>have a 442 but DJ and Dimitrios say =
>=3D
>don't=20
> do=3D20
>it.</DIV>
<DIV><FONT =
>
> face=3D3DArial size=3D3D2> =
></DIV>
<DIV><FONT=20
> face=3D3DArial size=3D3D2>I have tried DJs technique with no=20
> =3D
>benefit=3D20
>recently.=20
> I</DIV>
<DIV><FONT face=3D3DArial=20
> size=3D3D2>did have 2 mecs and 1 442 working=20


```
> =3D<BR>>flawlessly=3D20<BR>>but I=20
> can't</FONT></DIV><BR>><DIV><FONT =
>face=3D3DArial=20
> size=3D3D2>get that back for some=20
> =3D<BR>>reason.</FONT></DIV><BR>><DIV><FONT =
>
> face=3D3DArial size=3D3D2></FONT> =
></DIV><BR>><DIV><FONT=20
> face=3D3DArial size=3D3D2>Is a fresh install to C:Paris Pro the =
>=3D<BR>>way=20
> to=3D20<BR>>go?</FONT></DIV><BR>><DIV><FONT =
>
> face=3D3DArial size=3D3D2></FONT>=20
> </DIV><BR>><DIV><BR>><DIV><FONT =
>face=3D3DArial=20
> size=3D3D2>I had to cancel this=20
> =
>morning's=3D20<BR>>session.</FONT></DIV><BR>><DIV>=
>;<FONT=20
> face=3D3DArial size=3D3D2>I will try internal clock for this=20
> =
>=3D<BR>>afternoons=3D20<BR>>session.</FONT></DIV><BR >&g=
>t;<DIV><FONT=20
> face=3D3DArial=20
> =
>size=3D3D2>Tom</FONT></DIV></DIV><BR>><DIV>=
><FONT=20
> face=3D3DArial size=3D3D2></FONT> =
></DIV><BR>><DIV><FONT=20
> size=3D3D2><BR><BR>I choose Polesoft Lockspam to fight =
>spam,=20
> =
>=3D<BR>>and=3D20<BR>>you?<BR><A=3D20<BR>>href=3D3D" <A=20
> =
>href=3D'http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
>'>http://www.polesoft.com/refer.html">http://www.polesoft.com/refer</A=
>=>=3D<BR>>.html</A>=20
> =
></FONT></DIV></BODY></HTML><BR>><BR>><BR></=
>BLOCKQUOTE></BODY></HTML>
>
>
```

Subject: Re: Rod or Dimitrios Multi Mec ideas needed.
Posted by [Rod Lincoln](#) on Tue, 10 Jul 2007 14:59:58 GMT
[View Forum Message](#) <> [Reply to Message](#)

I don't have my 442 as the main interface, and it works fine for me. I've got my 442 installed on eds card 2.

Rod

"Dimitrios" <`musurgNOSPAMio@otenet.gr> wrote:

>

>Hi Tom,

>I have never achieved the 442 scenario but as I know from DJ and others 442

>should be main interface so you loose 24bits digital out.

>If you use all these don't forget the usehousesync in Paris cfg.

>Maybe thats got erased from there or you installed over with no housesync.

>I had achieved using the 442 not as main but its ins and outs were not all

>working !!

>If you try only with three mecs (or four) remember to have a mec on your

>last card !

>It should work .

>Installing on c:\parispro is fine and better for avoiding crashes.

>Don't forget to install the subsystem fx on same folder !

>Let me know exactly what you do and I will try to help more.

>You can call too !

>0030-2310-464744

>

>Regards,

>Dimitrios

>

>

>

>"Tom Bruhl" <arpeggio@comcast.net> wrote:

>>

>>

>>Hey guys

>>After a talk with DJ it is decided a fresh install of Paris >>is the best way to go. I tried two cloned C drives and getting

>>just three mecs to work with the Lucid but no go. I also

>>have a 442 but DJ and Dimitrios say don't do it.

>>

>>I have tried DJs technique with no benefit recently. I

>>did have 2 mecs and 1 442 working flawlessly but I can't

>>get that back for some reason.

>>

>>Is a fresh install to C:Paris Pro the way to go?

>>

>>I had to cancel this morning's session.

>>I will try internal clock for this afternoons session.

>>Tom

>>

>>

>>

```
>>I choose Polesoft Lockspam to fight spam, and you?
>>http://www.polesoft.com/refer.html
>>
>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
>><HTML><HEAD>
>><META http-equiv=3DContent-Type content=3D"text/html; =
>>charset=3Diso-8859-1">
>><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
>><STYLE></STYLE>
>></HEAD>
>><BODY bgColor=3D#ffffff>
>><DIV><FONT face=3DArial size=3D2>Hey guys</FONT></DIV>
>><DIV><FONT face=3DArial size=3D2>After a talk with DJ it is decided a =
>>fresh install=20
>>of Paris</FONT></DIV>

>>two cloned C=20
>>drives and getting</FONT></DIV>
>><DIV><FONT face=3DArial size=3D2>just three mecs to work with the Lucid
>=
>>but no=20

>><DIV><FONT face=3DArial size=3D2>have a 442 but DJ and Dimitrios say =
>>don't do=20
>>it.</FONT></DIV>

>><DIV><FONT face=3DArial size=3D2>I have tried DJs technique with no =
>>benefit=20

>>flawlessly=20
>>but I can't</FONT></DIV>
>><DIV><FONT face=3DArial size=3D2>get that back for some =
>>reason.</FONT></DIV>

>><DIV><FONT face=3DArial size=3D2>Is a fresh install to C:Paris Pro the
=
>>way to=20
>>go?</FONT></DIV>

>><DIV>
>><DIV><FONT face=3DArial size=3D2>I had to cancel this morning's=20
>>session.</FONT></DIV>
>><DIV><FONT face=3DArial size=3D2>I will try internal clock for this =
>>afternoons=20
>>session.</FONT></DIV>
>><DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV></DIV>
```

>><DIV>

I choose Polesoft Lockspam to fight spam, =
>
>
>
>
>
>
>
>
>
>
>
>
>>and=20
>>you?
<A=20
>>href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=

>>
>>
>

Subject: Re: Rod or Dimitrios Multi Mec ideas needed.
Posted by [Tom Bruhl](#) on Tue, 10 Jul 2007 16:21:31 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_00C5_01C7C2EC.D905B9D0
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

My symptoms are more like Dimitrios' . Mec 1 shows up (submix A)
442 shows up (submix B, C or D) and usually MEC 2 doesn't show up
and lately Mec 3 (submix E) doesn't show up even with just two Mec's
and nothing else.

My IRQs had been peachy but I'll recheck just to be sure.
I'll be saving my .var and .cfg files. Are there any others I'll need =
to save independently
before reinstalling? Do I need to uninstall the Scherzo drivers?
I'll be reinstalling today. Should I boot up with all hardware =
installed the first time?
Thanks,
Tom

"Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message =
news:46939eee\$1@linux...

I don't have my 442 as the main interface, and it works fine for me. =

I've

got my 442 installed on eds card 2.

Rod

"Dimitrios" <`musurgNOSPAMio@otenet.gr> wrote:

>

>Hi Tom,

>I have never achieved the 442 scenario but as I know from DJ and =
others

442

>should be main interface so you loose 24bits digital out.

>If you use all these don't forget the usehousesync in Paris cfg.

>Maybe thats got erased from there or you installed over with no =
housesync.

>I had achieved using the 442 not as main but its ins and outs were =
not all

>working !!

>If you try only with three mecs (or four) remember to have a mec on =
your

>last card !

>It should work .

>Installing on c:\parispro is fine and better for avoiding crashes.

>Don't forget to install the subsystem fx on same folder !

>Let me know exactly what you do and I will try to help more.

>You can call too !

>0030-2310-464744

>

>Regards,

>Dimitrios

>

>

>

>"Tom Bruhl" <arpeggio@comcast.net> wrote:

>>

>>

>>Hey guys

>>After a talk with DJ it is decided a fresh install of Paris

>>is the best way to go. I tried two cloned C drives and getting

>>just three mecs to work with the Lucid but no go. I also

>>have a 442 but DJ and Dimitrios say don't do it.

>>

>>I have tried DJ's technique with no benefit recently. I

>>did have 2 mecs and 1 442 working flawlessly but I can't

>>get that back for some reason.

>>

>>Is a fresh install to C:Paris Pro the way to go?

>>

>>I had to cancel this morning's session.

```

>>I will try internal clock for this afternoons session.
>>Tom
>>
>>
>>
>>I choose Polesoft Lockspam to fight spam, and you?
>>http://www.polesoft.com/refer.html =20
>>
>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
>><HTML><HEAD>
>><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
>>charset=3D3Diso-8859-1">
>><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
>><STYLE></STYLE>
>></HEAD>
>><BODY bgColor=3D3D#ffffff>
>><DIV><FONT face=3D3DArial size=3D3D2>Hey guys</FONT></DIV>
>><DIV><FONT face=3D3DArial size=3D3D2>After a talk with DJ it is =
decided a =3D
>>fresh install=3D20
>>of Paris</FONT></DIV>
>><DIV><FONT face=3D3DArial size=3D3D2>is the best way to go. I tried =
=3D
>>two cloned C=3D20
>>drives and getting</FONT></DIV>
>><DIV><FONT face=3D3DArial size=3D3D2>just three mecs to work with =
the Lucid
>=3D
>>but no=3D20
>>go. I also</FONT></DIV>
>><DIV><FONT face=3D3DArial size=3D3D2>have a 442 but DJ and Dimitrios =
say =3D
>>don't do=3D20
>>it.</FONT></DIV>
>><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
>><DIV><FONT face=3D3DArial size=3D3D2>I have tried DJs technique with =
no =3D
>>benefit=3D20
>>recently. I</FONT></DIV>
>><DIV><FONT face=3D3DArial size=3D3D2>did have 2 mecs and 1 442 =
working =3D
>>flawlessly=3D20
>>but I can't</FONT></DIV>
>><DIV><FONT face=3D3DArial size=3D3D2>get that back for some =3D
>>reason.</FONT></DIV>
>><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
>><DIV><FONT face=3D3DArial size=3D3D2>Is a fresh install to C:Paris =
Pro the

```

```

=3D
>>way to=3D20
>>go?</FONT></DIV>
>><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
>><DIV>
>><DIV><FONT face=3D3DArial size=3D3D2>I had to cancel this =
morning's=3D20
>>session.</FONT></DIV>
>><DIV><FONT face=3D3DArial size=3D3D2>I will try internal clock for =
this =3D
>>afternoons=3D20
>>session.</FONT></DIV>
>><DIV><FONT face=3D3DArial size=3D3D2>Tom</FONT></DIV></DIV>
>><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
>><DIV><FONT size=3D3D2><BR><BR>I choose Polesoft Lockspam to fight =
spam, =3D
>
>
>
>
>
>
>
>
>
>>and=3D20
>>you?<BR><A=3D20
=
>>href=3D3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/r=
efer=3D
>>.html</A> </FONT></DIV></BODY></HTML>
>>
>>
>

```

-----=_NextPart_000_00C5_01C7C2EC.D905B9D0

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>

```

<DIV>My symptoms are more like Dimitrios' =
.. =20
Mec 1 shows up (submix A)</DIV>
<DIV>442 shows up (submix B, C or D) and =
usually MEC 2=20
doesn't show up</DIV>
<DIV>and lately Mec 3 (submix E) doesn't =
show up even=20
with just two Mec</DIV>
<DIV>and nothing else.</DIV>
<DIV> </DIV>
<DIV>My IRQs had been peachy but I'll =
recheck just to be=20
sure.</DIV>
<DIV>I'll be saving my .var and .cfg =
files. Are=20
there any others I'll need to save independently</DIV>
<DIV>before reinstalling? </DIV>
<DIV>Do I need to =
uninstall=20
the Scherzo drivers?</DIV>
<DIV>I'll be reinstalling today. =
Should I boot up=20
with all hardware installed the first time?</DIV>
<DIV>Thanks,</DIV>
<DIV>Tom</DIV>
<DIV> </DIV>
<DIV> </DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Rod Lincoln" <<A=20
=
href=3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com&g=
t;=20
wrote in message <A=20
href=3D"news:46939eee\$1@linux">news:46939eee\$1@linux...</DIV>
I =
don't=20
have my 442 as the main interface, and it works fine for me. =
I've
got my=20
442 installed on eds card 2.
Rod
"Dimitrios" <<A=20
=
href=3D"mailto:`musurgNOSPAMio@otenet.gr">`musurgNOSPAMio@otenet.gr&g=
t;=20
wrote:
>
>Hi Tom,
>I have never achieved the 442 =
scenario=20
but as I know from DJ and others
442
>should be main =
interface so you=20
loose 24bits digital out.
>If you use all these don't forget the =

usehousesync in Paris cfg.
>Maybe thats got erased from there or =
you=20
installed over with no housesync.
>I had achieved using the 442 =
not as=20
main but its ins and outs were not all
>working !!
>If you =
try=20
only with three mecs (or four) remember to have a mec on =
your
>last card=20
!
>It should work .
>Installing on c:\parispro is fine and =
better=20
for avoiding crashes.
>Don't forget to install the subsystem fx =
on same=20
folder !
>Let me know exactly what you do and I will try to help =

more.
>You can call too=20
=
!
>0030-2310-464744
>
>Regards,
>Dimitrios
>=

>
>
>"Tom=20
Bruhl" <<A =
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=20
wrote:
>>
>>
>>Hey guys
>>>After a =
talk=20
with DJ it is decided a fresh install of Paris
>>>is the best =
way to=20
go. I tried two cloned C drives and getting
>>>just =
three mecs=20
to work with the Lucid but no go. I also
>>>have a 442 =
but DJ=20
and Dimitrios say don't do it.
>>>
>>>I have tried DJs =

technique with no benefit recently. I
>>>did have 2 mecs =
and 1=20
442 working flawlessly but I can't
>>>get that back for some=20
reason.
>>>
>>>Is a fresh install to C:Paris Pro the =
way to=20
go?
>>>
>>>I had to cancel this morning's=20
session.
>>>I will try internal clock for this afternoons=20
=
session.
>>>Tom
>>>
>>>
>>>
>>>
>>>I =

choose Polesoft Lockspam to fight spam, and=20
you?
>>>http://www.polesoft.com/refer.html =20

>>>
>>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =

=
Transitional//EN">
>>><HTML><HEAD>
>>><META=20

http-equiv=3D3DContent-Type content=3D3D"text/html";=20
=3D
>> charset=3D3Diso-8859-1">
>><META =
content=3D3D"MSHTML=20
6.00.2800.1400"=20
=
name=3D3DGENERATOR>
>><STYLE></STYLE>
>>=
</HEAD>
>><BODY=20
bgColor=3D3D#ffffff>
>><DIV><FONT face=3D3DArial=20
size=3D3D2>Hey =
guys</DIV>
>><DIV><FONT=20
face=3D3DArial size=3D3D2>After a talk with DJ it is decided a=20
=3D
>>fresh install=3D20
>>of=20
Paris</DIV>
>><DIV><FONT =
face=3D3DArial=20
size=3D3D2>is the best way to go. I tried =3D
>>two cloned =

C=3D20
>>drives and=20
getting</DIV>
>><DIV><FONT =
face=3D3DArial=20
size=3D3D2>just three mecs to work with the =
Lucid
>>=3D
>>but=20
no=3D20
>>>go. I=20
also</DIV>
>><DIV><FONT =
face=3D3DArial=20
size=3D3D2>have a 442 but DJ and Dimitrios say =3D
>>don't =

=
do=3D20
 >>it.</DIV>
>><DIV><FONT=20
</FONT=20
face=3D3DArial size=3D3D2>=20
</DIV>
>><DIV><FONT face=3D3DArial =
size=3D3D2>I have=20
tried DJs technique with no =
=3D
>>benefit=3D20
>>recently.=20
</DIV>
>><DIV><FONT =
face=3D3DArial=20
size=3D3D2>did have 2 mecs and 1 442 working=20
=3D
>>flawlessly=3D20
>>but I=20
can't</DIV>
>><DIV><FONT =
face=3D3DArial=20
size=3D3D2>get that back for some=20
=
=3D
 >>reason.</DIV& >
>><DIV><FONT=20
</FONT=20
face=3D3DArial size=3D3D2>=20
</DIV>
>><DIV><FONT face=3D3DArial =
size=3D3D2>Is a=20
fresh install to C:Paris Pro the
=3D
>>way=20

I really doubt you're going to have any joy until you lose the idea of = using the 442 on this rig.

Learn to let go.....;o)

Just my \$0.02

Deej

"Tom Bruhl" <arpeggio@comcast.net> wrote in message = news:4693b33b@linux...

My symptoms are more like Dimitrios' . Mec 1 shows up (submix A) 442 shows up (submix B, C or D) and usually MEC 2 doesn't show up and lately Mec 3 (submix E) doesn't show up even with just two Mecs and nothing else.

My IRQs had been peachy but I'll recheck just to be sure. I'll be saving my .var and .cfg files. Are there any others I'll need = to save independently

before reinstalling? Do I need to uninstall the Scherzo drivers?

I'll be reinstalling today. Should I boot up with all hardware = installed the first time?

Thanks,
Tom

"Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message = news:46939eee\$1@linux...

I don't have my 442 as the main interface, and it works fine for me. = I've

got my 442 installed on eds card 2.

Rod

"Dimitrios" <`musurgNOSPAMio@otenet.gr> wrote:

>

>Hi Tom,

>I have never achieved the 442 scenario but as I know from DJ and = others

442

>should be main interface so you loose 24bits digital out.

>If you use all these don't forget the usehousesync in Paris cfg.

>Maybe thats got erased from there or you installed over with no = housesync.

>I had achieved using the 442 not as main but its ins and outs were = not all

>working !!

>If you try only with three mecs (or four) remember to have a mec on =
your

>last card !

>It should work .

>Installing on c:\parispro is fine and better for avoiding crashes.

>Don't forget to install the subsystem fx on same folder !

>Let me know exactly what you do and I will try to help more.

>You can call too !

>0030-2310-464744

>

>Regards,

>Dimitrios

>

>

>

>"Tom Bruhl" <arpeggio@comcast.net> wrote:

>>

>>

>>Hey guys

>>After a talk with DJ it is decided a fresh install of Paris

>>is the best way to go. I tried two cloned C drives and getting

>>just three mecs to work with the Lucid but no go. I also

>>have a 442 but DJ and Dimitrios say don't do it.

>>

>>I have tried DJs technique with no benefit recently. I

>>did have 2 mecs and 1 442 working flawlessly but I can't

>>get that back for some reason.

>>

>>Is a fresh install to C:Paris Pro the way to go?

>>

>>I had to cancel this morning's session.

>>I will try internal clock for this afternoons session.

>>Tom

>>

>>

>>

>>I choose Polesoft Lockspam to fight spam, and you?

>><http://www.polesoft.com/refer.html> =20

>>

>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

>><HTML><HEAD>

>><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D

>>charset=3D3Diso-8859-1">

>><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>

>><STYLE></STYLE>

>></HEAD>

>><BODY bgColor=3D3D#ffffff>

>><DIV>Hey guys</DIV>

>><DIV>After a talk with DJ it is =
decided a =3D
>>fresh install=3D20
>>of Paris</DIV>
>><DIV>is the best way to go. I =
tried =3D
>>two cloned C=3D20
>>drives and getting</DIV>
>><DIV>just three mecs to work with =
the Lucid
>=3D
>>but no=3D20
>>go. I also</DIV>
>><DIV>have a 442 but DJ and =
Dimitrios say =3D
>>don't do=3D20
>>it.</DIV>
>><DIV> </DIV>
>><DIV>I have tried DJs technique =
with no =3D
>>benefit=3D20
>>recently. I</DIV>
>><DIV>did have 2 mecs and 1 442 =
working =3D
>>flawlessly=3D20
>>but I can't</DIV>
>><DIV>get that back for some =3D
>>reason.</DIV>
>><DIV> </DIV>
>><DIV>Is a fresh install to C:Paris =
Pro the
=3D
>>way to=3D20
>>go?</DIV>
>><DIV> </DIV>
>><DIV>
>><DIV>I had to cancel this =
morning's=3D20
>>session.</DIV>
>><DIV>I will try internal clock for =
this =3D
>>afternoons=3D20
>>session.</DIV>
>><DIV>Tom</DIV></DIV>
>><DIV> </DIV>
>><DIV>

I choose Polesoft Lockspam to fight =
spam, =3D
>

```
>
>
>
>
>
>
>
>
>
>>and=3D20
>>you?<BR><A=3D20
=
>>href=3D3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/r=
efer=3D
>>.html</A> </FONT></DIV></BODY></HTML>
>>
>>
>
```

-----=_NextPart_000_00B0_01C7C2E3.0D53D0F0

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16414" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Tom,</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>I really doubt you're going to have any =
joy until=20
you lose the idea of using the 442 on this rig.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>Learn to let =
go.....;o)</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>Just my $0.02</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>Deej</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
```

<DIV>"Tom Bruhl" <<A=20
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net> wrote =
in message=20
news:4693b33b@linux...</DIV>
<DIV>My symptoms are more like Dimitrios' =
.. =20
Mec 1 shows up (submix A)</DIV>
<DIV>442 shows up (submix B, C or D) and =
usually MEC 2=20
doesn't show up</DIV>
<DIV>and lately Mec 3 (submix E) doesn't =
show up even=20
with just two Mecs</DIV>
<DIV>and nothing else.</DIV>
<DIV> </DIV>
<DIV>My IRQs had been peachy but I'll =
recheck just to=20
be sure.</DIV>
<DIV>I'll be saving my .var and .cfg =
files. Are=20
there any others I'll need to save independently</DIV>
<DIV>before reinstalling? Do I need =
to uninstall=20
the Scherzo drivers?</DIV>
<DIV>I'll be reinstalling today. =
Should I boot=20
up with all hardware installed the first time?</DIV>
<DIV>Thanks,</DIV>
<DIV>Tom</DIV>
<DIV> </DIV>
<DIV> </DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Rod Lincoln" <<A=20
=
href=3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com&g=
t;=20
wrote in message <A=20
=
href=3D"news:46939eee\$1 @linux">news:46939eee\$1 @linux...</DIV>
I =
don't=20
have my 442 as the main interface, and it works fine for me. =
I've
got my=20
442 installed on eds card 2.
Rod
"Dimitrios" <<A=20
=
href=3D"mailto:`musurgNOSPAMio@otenet.gr">`musurgNOSPAMio@otenet.gr&g=
t;=20

you?
>>http://www.polesoft.com/refer.html =20

>>
>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML =
4.0=20
=
Transitional//EN">
>><HTML><HEAD>
>><=
META=20
http-equiv=3D3DContent-Type content=3D3D"text/html;=20
=3D
>>charset=3D3Diso-8859-1">
>><META =
content=3D3D"MSHTML=20
6.00.2800.1400"=20
=
name=3D3DGENERATOR>
>><STYLE></STYLE>
>>=
</HEAD>
>><BODY=20
bgColor=3D3D#ffffff>
>><DIV><FONT =
face=3D3DArial=20
size=3D3D2>Hey =
guys</DIV>
>><DIV><FONT=20
face=3D3DArial size=3D3D2>After a talk with DJ it is decided a=20
=3D
>>fresh install=3D20
>>of=20
Paris</DIV>
>><DIV><FONT =
face=3D3DArial=20
size=3D3D2>is the best way to go. I tried =3D
>>two =
cloned=20
C=3D20
>>drives and=20
getting</DIV>
>><DIV><FONT =
face=3D3DArial=20
size=3D3D2>just three mecs to work with the =
Lucid
>>=3D
>>but=20
no=3D20
>>go. I=20
also</DIV>
>><DIV><FONT =
face=3D3DArial=20
size=3D3D2>have a 442 but DJ and Dimitrios say =
=3D
>>don't=20
=
do=3D20
 >>it.</DIV>
>><DIV><=
</FONT=20
face=3D3DArial size=3D3D2>=20
</DIV>
>><DIV><FONT face=3D3DArial =
size=3D3D2>I have=20
tried DJs technique with no =
=3D
>>benefit=3D20
>>recently.=20
I</DIV>
>><DIV><FONT =
face=3D3DArial=20
size=3D3D2>did have 2 mecs and 1 442 working=20
=3D
>>flawlessly=3D20
>>but I=20
can't</DIV>
>><DIV><FONT =
face=3D3DArial=20
size=3D3D2>get that back for some=20

"DJ" <animix _ at _ animas _ dot _ net> wrote:
>
>
>Tom,
>
>I really doubt you're going to have any joy until you lose the idea of =
>using the 442 on this rig.
>
>
>Learn to let go.....;o)
>
>Just my \$0.02
>
>Deej
>
> "Tom Bruhl" <arpeggio@comcast.net> wrote in message =
>news:4693b33b@linux...
> My symptoms are more like Dimitrios' . Mec 1 shows up (submix A)
> 442 shows up (submix B, C or D) and usually MEC 2 doesn't show up
> and lately Mec 3 (submix E) doesn't show up even with just two Mec3
> and nothing else.
>
> My IRQs had been peachy but I'll recheck just to be sure.
> I'll be saving my .var and .cfg files. Are there any others I'll need
=
>to save independently
> before reinstalling? Do I need to uninstall the Scherzo drivers?
> I'll be reinstalling today. Should I boot up with all hardware =
>installed the first time?
> Thanks,
> Tom
>
>
> "Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message =
>news:46939eee\$1@linux...
>
> I don't have my 442 as the main interface, and it works fine for me.
=
>I've
> got my 442 installed on eds card 2.
> Rod
> "Dimitrios" <musurgNOSPAMio@otenet.gr> wrote:
> >
> >Hi Tom,
> >I have never achieved the 442 scenario but as I know from DJ and =
>others
> 442

> >should be main interface so you loose 24bits digital out.
> >If you use all these don't forget the usehousesync in Paris cfg.
> >Maybe thats got erased from there or you installed over with no =
>housesync.
> >I had achieved using the 442 not as main but its ins and outs were
=
>not all
> >working !!
> >If you try only with three mecs (or four) remember to have a mec on
=
>your
> >last card !
> >It should work .
> >Installing on c:\parispro is fine and better for avoiding crashes.
> >Don't forget to install the subsystem fx on same folder !
> >Let me know exactly what you do and I will try to help more.
> >You can call too !
> >0030-2310-464744
> >
> >Regards,
> >Dimitrios
> >
> >
> >
> >"Tom Bruhl" <arpegio@comcast.net> wrote:
> >>
> >>
> >>Hey guys
> >>After a talk with DJ it is decided a fresh install of Paris
> >>is the best way to go. I tried two cloned C drives and getting
> >>just three mecs to work with the Lucid but no go. I also
> >>have a 442 but DJ and Dimitrios say don't do it.
> >>
> >>I have tried DJs technique with no benefit recently. I
> >>did have 2 mecs and 1 442 working flawlessly but I can't
> >>get that back for some reason.
> >>
> >>Is a fresh install to C:Paris Pro the way to go?
> >>
> >>I had to cancel this morning's session.
> >>I will try internal clock for this afternoons session.
> >>Tom
> >>
> >>
> >>
> >>I choose Polesoft Lockspam to fight spam, and you?
> >><http://www.polesoft.com/refer.html> =20
> >>

```

> >><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> >><HTML><HEAD>
> >><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
> >>charset=3D3Diso-8859-1">
> >><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
> >><STYLE></STYLE>
> >></HEAD>
> >><BODY bgColor=3D3D#ffffff>
> >><DIV><FONT face=3D3DArial size=3D3D2>Hey guys</FONT></DIV>
> >><DIV><FONT face=3D3DArial size=3D3D2>After a talk with DJ it is =
>decided a =3D
> >>fresh install=3D20
> >>of Paris</FONT></DIV>
> >><DIV><FONT face=3D3DArial size=3D3D2>is the best way to go. I =
>tried =3D
> >>two cloned C=3D20
> >>drives and getting</FONT></DIV>
> >><DIV><FONT face=3D3DArial size=3D3D2>just three mecs to work with
=
>the Lucid
> >=3D
> >>but no=3D20
> >>go. I also</FONT></DIV>
> >><DIV><FONT face=3D3DArial size=3D3D2>have a 442 but DJ and =
>Dimitrios say =3D
> >>don't do=3D20
> >>it.</FONT></DIV>
> >><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> >><DIV><FONT face=3D3DArial size=3D3D2>I have tried DJs technique =
>with no =3D
> >>benefit=3D20
> >>recently. I</FONT></DIV>
> >><DIV><FONT face=3D3DArial size=3D3D2>did have 2 mecs and 1 442 =
>working =3D
> >>flawlessly=3D20
> >>but I can't</FONT></DIV>
> >><DIV><FONT face=3D3DArial size=3D3D2>get that back for some =3D
> >>reason.</FONT></DIV>
> >><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> >><DIV><FONT face=3D3DArial size=3D3D2>Is a fresh install to C:Paris
=
>Pro the
> =3D
> >>way to=3D20
> >>go?</FONT></DIV>
> >><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> >><DIV>
> >><DIV><FONT face=3D3DArial size=3D3D2>I had to cancel this =

```

```

>morning's=3D20
> >>session.</FONT></DIV>
> >><DIV><FONT face=3D3DArial size=3D3D2>I will try internal clock for
=
>this =3D
> >>afternoons=3D20
> >>session.</FONT></DIV>
> >><DIV><FONT face=3D3DArial size=3D3D2>Tom</FONT></DIV></DIV>
> >><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> >><DIV><FONT size=3D3D2><BR><BR>I choose Polesoft Lockspam to fight
=
>spam, =3D
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >>and=3D20
> >>you?<BR><A=3D20
> =
>>>href=3D3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/r=
>efer=3D
> >>.html</A> </FONT></DIV></BODY></HTML>
> >>
> >>
> >
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3DContent-Type content=3D"text/html; =
>charset=3Diso-8859-1">
><META content=3D"MSHTML 6.00.6000.16414" name=3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D#ffffff>
><DIV><FONT face=3DArial size=3D2>Tom,</FONT></DIV>

><DIV><FONT face=3DArial size=3D2>I really doubt you're going to have any
=
>joy until=20
>you lose the idea of using the 442 on this rig.</FONT></DIV>

```

><DIV>Learn to let =
>go.....;o)</DIV>

><DIV>Just my \$0.02</DIV>

><DIV>Deej</DIV>

><BLOCKQUOTE dir=3Dltr=20

>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

> <DIV>"Tom Bruhl" <<A=20

> href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net> wrote =
>in message=20

> news:4693b33b@linux...</DIV>

> <DIV>My symptoms are more like Dimitrios'
=

> <DIV>442 shows up (submix B, C or D) and =
>usually MEC 2=20

> doesn't show up</DIV>

> <DIV>and lately Mec 3 (submix E) doesn't =
>show up even=20

> with just two Mec3</DIV>

> <DIV>and nothing else.</DIV>

> <DIV>My IRQs had been peachy but I'll =
>recheck just to=20

> be sure.</DIV>

> <DIV>I'll be saving my .var and .cfg =

> there any others I'll need to save independently</DIV>

>to uninstall=20

> the Scherzo drivers?</DIV>

>Should I boot=20

> up with all hardware installed the first time?</DIV>

> <DIV>Thanks,</DIV>

> <DIV>Tom</DIV>

> <BLOCKQUOTE=20

> style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

> <DIV>"Rod Lincoln" <<A=20

> =

>href=3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com&g=

>t;=20
> wrote in message <A=20
> =
>[news:46939eee\\$1@linux](mailto:news:46939eee$1@linux)...</DIV>
I =
>don't=20
> have my 442 as the main interface, and it works fine for me. =
>I've
got my=20
> 442 installed on eds card 2.
Rod
"Dimitrios" <<A=20
> =
>musurgNOSPAMio@otenet.gr&g=
>t;=20
> wrote:
>
>Hi Tom,
>I have never achieved the 442 =
>scenario=20
> but as I know from DJ and others
442
>should be main =
>interface so=20
> you loose 24bits digital out.
>If you use all these don't =
>forget the=20
> usehousesync in Paris cfg.
>Maybe thats got erased from there =
>or you=20
> installed over with no housesync.
>I had achieved using the =
>442 not as=20
> main but its ins and outs were not all
>working !!
>If =
>you try=20
> only with three mecs (or four) remember to have a mec on =
>your
>last=20
> card !
>It should work .
>Installing on c:\parispro is =
>fine and=20
> better for avoiding crashes.
>Don't forget to install the =
>subsystem fx=20
> on same folder !
>Let me know exactly what you do and I will =
>try to=20
> help more.
>You can call too=20
> =
>!
>0030-2310-464744
>
>Regards,
>Dimitrios
>=
>;
>
>
>"Tom=20
> Bruhl" <<A =
>arpegio@comcast.net>=20
> wrote:
>>
>>
>>Hey guys
>>After =
>a talk=20
> with DJ it is decided a fresh install of Paris
>>is the =
>best way to=20

>three mecs=20

>but DJ=20
> and Dimitrios say don't do it.
>>
>>I have tried =
>DJs=20

```

>mecs and 1=20
> 442 working flawlessly but I can't<BR>>>get that back for some =
>
> reason.<BR>>><BR>>>Is a fresh install to C:Paris Pro the =
>way to=20
> go?<BR>>><BR>>>I had to cancel this morning's=20
> session.<BR>>>I will try internal clock for this afternoons=20
> =
>session.<BR>>>Tom<BR>>><BR>>><BR>>><BR>>><BR>>>I =
>
> choose Polesoft Lockspam to fight spam, and=20

> <BR>>><BR>>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML =
>4.0=20
> =
>Transitional//EN"><BR>>><HTML><HEAD><BR>>><=
>META=20
> http-equiv=3D3DContent-Type content=3D3D"text/html;=20
> =3D<BR>>>charset=3D3Diso-8859-1"><BR>>><META =
>content=3D3D"MSHTML=20
> 6.00.2800.1400"=20
> =
>name=3D3DGENERATOR><BR>>><STYLE></STYLE><BR>>>=
></HEAD><BR>>><BODY=20
> bgColor=3D3D#ffffff><BR>>><DIV><FONT =
>face=3D3DArial=20
> size=3D3D2>Hey =
>guys</FONT></DIV><BR>>><DIV><FONT=20
> face=3D3DArial size=3D3D2>After a talk with DJ it is decided a=20
> =3D<BR>>>fresh install=3D20<BR>>>of=20
> Paris</FONT></DIV><BR>>><DIV><FONT =
>face=3D3DArial=20
> size=3D3D2>is the best way to go. I tried =3D<BR>>>two =
>cloned=20
> C=3D20<BR>>>drives and=20
> getting</FONT></DIV><BR>>><DIV><FONT =
>face=3D3DArial=20
> size=3D3D2>just three mecs to work with the =
>Lucid<BR>>>=3D<BR>>>but=20
> no=3D20<BR>>>go. I=20
> also</FONT></DIV><BR>>><DIV><FONT =
>face=3D3DArial=20
> size=3D3D2>have a 442 but DJ and Dimitrios say =
>=3D<BR>>>don't=20
> =
>do=3D20<BR>>>it.</FONT></DIV><BR>>><DIV><=
>;FONT=20
> face=3D3DArial size=3D3D2></FONT>>=20

```


></DIV></BODY></HTML>
>>
>>&g=
>t;
>
</BLOCKQUOTE></BLOCKQUOTE></BODY></HTML>
>
>

Subject: Re: Rod or Dimitrios Multi Mec ideas needed.
Posted by [Tom Bruhl](#) on Tue, 10 Jul 2007 19:40:19 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0147_01C7C308.9EE76CF0
Content-Type: text/plain;
 charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Hey Rich,
When I do basics for bands it usually amounts to at least 20 inputs with =
talkback in the control room,
drums w/3 toms), Bass DI and amp, two guitars with a ribbon and 57 or =
condenser on each,
a talkback for the band and a scratch vocal. Those are achieved through =
two mecs with 16 in=20
each. Another four channels are tied up because of the 4 x 24 bit outs =
used for
control room and master outs. There's 24 with no keys or anything else =
they
may throw at me.

I also am using the BT/Dimitrios idea of strapping 3 submix aux busses =
together across 4 submixes
using a Mackie Mixer Mixer. It works using all the 20 bit outs of each =
mec. One sending stereo for
either effects or a cue mix and the other two sending mono to two other =
verbs. The returns can show up
anywhere but I've been using input strips in Submix A. =20

I'm a sucker for retro routing schemes.
Tom

"Rich" <studiodog_99@yahoo.com> wrote in message =
news:4693c464\$1@linux...

Just a question - what are you recording that uses that many inputs?=20

"DJ" <animix _ at _ animas _ dot _ net> wrote:
>

>
>Tom,
>
>I really doubt you're going to have any joy until you lose the idea =
of =3D
>using the 442 on this rig.
>
>
>Learn to let go.....;o)
>
>Just my \$0.02
>
>Deej
>
> "Tom Bruhl" <arpeggio@comcast.net> wrote in message =3D
>news:4693b33b@linux...
> My symptoms are more like Dimitrios' . Mec 1 shows up (submix A)
> 442 shows up (submix B, C or D) and usually MEC 2 doesn't show up
> and lately Mec 3 (submix E) doesn't show up even with just two Mecs
> and nothing else.
>
> My IRQs had been peachy but I'll recheck just to be sure.
> I'll be saving my .var and .cfg files. Are there any others I'll =
need
=3D
>to save independently
> before reinstalling? Do I need to uninstall the Scherzo drivers?
> I'll be reinstalling today. Should I boot up with all hardware =3D
>installed the first time?
> Thanks,
> Tom
>
>
> "Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message =3D
>news:46939eee\$1@linux...
>
> I don't have my 442 as the main interface, and it works fine for =
me.
=3D
>I've
> got my 442 installed on eds card 2.
> Rod
> "Dimitrios" <musurgNOSPAMio@otenet.gr> wrote:
> >
> >Hi Tom,
> >I have never achieved the 442 scenario but as I know from DJ and =
=3D
>others

> 442
> >should be main interface so you loose 24bits digital out.
> >If you use all these don't forget the usehousesync in Paris cfg.
> >Maybe thats got erased from there or you installed over with no =
=3D
>housesync.
> >I had achieved using the 442 not as main but its ins and outs =
were
=3D
>not all
> >working !!
> >If you try only with three mecs (or four) remember to have a mec =
on
=3D
>your
> >last card !
> >It should work .
> >Installing on c:\parispro is fine and better for avoiding =
crashes.
> >Don't forget to install the subsystem fx on same folder !
> >Let me know exactly what you do and I will try to help more.
> >You can call too !
> >0030-2310-464744
> >
> >Regards,
> >Dimitrios
> >
> >
> >
> >"Tom Bruhl" <arpegio@comcast.net> wrote:
> >>
> >>
> >>Hey guys
> >>After a talk with DJ it is decided a fresh install of Paris
> >>is the best way to go. I tried two cloned C drives and getting
> >>just three mecs to work with the Lucid but no go. I also
> >>have a 442 but DJ and Dimitrios say don't do it.
> >>
> >>I have tried DJs technique with no benefit recently. I
> >>did have 2 mecs and 1 442 working flawlessly but I can't
> >>get that back for some reason.
> >>
> >>Is a fresh install to C:Paris Pro the way to go?
> >>
> >>I had to cancel this morning's session.
> >>I will try internal clock for this afternoons session.
> >>Tom
> >>

```

> >>
> >>
> >>I choose Polesoft Lockspam to fight spam, and you?
> >>http://www.polesoft.com/refer.html =3D20
> >>
> >><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> >><HTML><HEAD>
> >><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =
=3D3D
> >>charset=3D3D3Diso-8859-1">
> >><META content=3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3DGENERATOR>
> >><STYLE></STYLE>
> >></HEAD>
> >><BODY bgColor=3D3D3D#ffffff>
> >><DIV><FONT face=3D3D3DArial size=3D3D3D2>Hey guys</FONT></DIV>
> >><DIV><FONT face=3D3D3DArial size=3D3D3D2>After a talk with DJ =
it is =3D
>decided a =3D3D
> >>fresh install=3D3D20
> >>of Paris</FONT></DIV>
> >><DIV><FONT face=3D3D3DArial size=3D3D3D2>is the best way to go. =
I =3D
>tried =3D3D
> >>two cloned C=3D3D20
> >>drives and getting</FONT></DIV>
> >><DIV><FONT face=3D3D3DArial size=3D3D3D2>just three mecs to =
work with
=3D
>the Lucid
> >=3D3D
> >>but no=3D3D20
> >>go. I also</FONT></DIV>
> >><DIV><FONT face=3D3D3DArial size=3D3D3D2>have a 442 but DJ and =
=3D
>Dimitrios say =3D3D
> >>don't do=3D3D20
> >>it.</FONT></DIV>
> >><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> >><DIV><FONT face=3D3D3DArial size=3D3D3D2>I have tried DJs =
technique =3D
>with no =3D3D
> >>benefit=3D3D20
> >>recently. I</FONT></DIV>
> >><DIV><FONT face=3D3D3DArial size=3D3D3D2>did have 2 mecs and 1 =
442 =3D
>working =3D3D
> >>flawlessly=3D3D20

```

```

> >>but I can't</FONT></DIV>
> >><DIV><FONT face=3D3D3DArial size=3D3D3D2>get that back for some =
=3D3D
> >>reason.</FONT></DIV>
> >><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> >><DIV><FONT face=3D3D3DArial size=3D3D3D2>Is a fresh install to =
C:Paris
=3D
>Pro the
> =3D3D
> >>way to=3D3D20
> >>go?</FONT></DIV>
> >><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> >><DIV>
> >><DIV><FONT face=3D3D3DArial size=3D3D3D2>I had to cancel this =
=3D
>morning's=3D3D20
> >>session.</FONT></DIV>
> >><DIV><FONT face=3D3D3DArial size=3D3D3D2>I will try internal =
clock for
=3D
>this =3D3D
> >>afternoons=3D3D20
> >>session.</FONT></DIV>
> >><DIV><FONT face=3D3D3DArial size=3D3D3D2>Tom</FONT></DIV></DIV>
> >><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> >><DIV><FONT size=3D3D3D2><BR><BR>I choose Polesoft Lockspam to =
fight
=3D
>spam, =3D3D
> >
> >
> >
> >
> >
> >
> >
> >
> >>and=3D3D20
> >>you?<BR><A=3D3D20
> =3D
=
>>>href=3D3D3D"http://www.polesoft.com/refer.html">http://www.polesoft.co=
m/r=3D
>efer=3D3D
> >>.html</A> </FONT></DIV></BODY></HTML>
> >>

```



```

> >>
> >
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
>charset=3D3Diso-8859-1">
><META content=3D3D"MSHTML 6.00.6000.16414" name=3D3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D3D#ffffff>
><DIV><FONT face=3D3DArial size=3D3D2>Tom,</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><DIV><FONT face=3D3DArial size=3D3D2>I really doubt you're going to =
have any
=3D
>joy until=3D20
>you lose the idea of using the 442 on this rig.</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><DIV><FONT face=3D3DArial size=3D3D2>Learn to let =3D
>go.....;o)</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><DIV><FONT face=3D3DArial size=3D3D2>Just my $0.02</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><DIV><FONT face=3D3DArial size=3D3D2>Deej</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><BLOCKQUOTE dir=3D3Dltr=3D20
>style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3D
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Tom Bruhl" <<A=3D20
> href=3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>> =
wrote =3D
>in message=3D20
> <A href=3D3D"news:4693b33b@linux">news:4693b33b@linux</A>...</DIV>
> <DIV><FONT face=3D3DArial size=3D3D2>My symptoms are more like =
Dimitrios'
=3D
>. =3D20
> Mec 1 shows up (submix A)</FONT></DIV>
> <DIV><FONT face=3D3DArial size=3D3D2>442 shows up (submix B, C or =
D) and =3D
>usually MEC 2=3D20
> doesn't show up</FONT></DIV>
> <DIV><FONT face=3D3DArial size=3D3D2>and lately Mec 3 (submix E) =
doesn't =3D

```

```

>show up even=3D20
> with just two Mecs</FONT></DIV>
> <DIV><FONT face=3D3DArial size=3D3D2>and nothing else.</FONT></DIV>
> <DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> <DIV><FONT face=3D3DArial size=3D3D2>My IRQs had been peachy but =
I'll =3D
>recheck just to=3D20
> be sure.</FONT></DIV>
> <DIV><FONT face=3D3DArial size=3D3D2>I'll be saving my .var and =
..cfg =3D
>files. Are=3D20
> there any others I'll need to save independently</FONT></DIV>
> <DIV><FONT face=3D3DArial size=3D3D2>before reinstalling? Do I need =
=3D
>to uninstall=3D20
> the Scherzo drivers?</FONT></DIV>
> <DIV><FONT face=3D3DArial size=3D3D2>I'll be reinstalling today. =
=3D
>Should I boot=3D20
> up with all hardware installed the first time?</FONT></DIV>
> <DIV><FONT face=3D3DArial size=3D3D2>Thanks,</FONT></DIV>
> <DIV><FONT face=3D3DArial size=3D3D2>Tom</FONT></DIV>
> <DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> <DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> <BLOCKQUOTE=3D20
> style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3D
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Rod Lincoln" <<A=3D20
> =3D
=
>href=3D3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</A=
>&g=3D
>t;=3D20
> wrote in message <A=3D20
> =3D
=
>href=3D3D"news:46939eee$1 @linux">news:46939eee$1 @linux</A>...</DIV><BR>I=
=3D
>don't=3D20
> have my 442 as the main interface, and it works fine for me. =3D
>I've<BR>got my=3D20
> 442 installed on eds card 2.<BR>Rod<BR>"Dimitrios" <<A=3D20
> =3D
=
>href=3D3D"mailto:`musurgNOSPAMio@otenet.gr">`musurgNOSPAMio@otenet.gr</A=
>&g=3D
>t;=3D20

```



```

> =3D
>session.<BR>>>Tom<BR>>><BR>>><BR>>><BR>>>I =3D
>
> choose Polesoft Lockspam to fight spam, and=3D20
> you?<BR>>>http://www.polesoft.com/refer.html =3D20
> <BR>>><BR>>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML =3D
>4.0=3D20
> =3D
>Transitional//EN"><BR>>><HTML><HEAD><BR>>><=3D
>META=3D20
> http-equiv=3D3D3DContent-Type content=3D3D3D"text/html";=3D20
> =3D3D<BR>>>charset=3D3D3Diso-8859-1"><BR>>><META =3D
>content=3D3D3D"MSHTML=3D20
> 6.00.2800.1400"=3D20
> =3D
>name=3D3D3DGENERATOR><BR>>><STYLE></STYLE><BR>>>=3D
></HEAD><BR>>><BODY=3D20
> bgcolor=3D3D3D#ffffff><BR>>><DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>Hey =3D
>guys</FONT></DIV><BR>>><DIV><FONT=3D20
> face=3D3D3DArial size=3D3D3D2>After a talk with DJ it is decided =
a=3D20
> =3D3D<BR>>>fresh install=3D3D20<BR>>>of=3D20
> Paris</FONT></DIV><BR>>><DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>is the best way to go. I tried =3D3D<BR>>>two =3D
>cloned=3D20
> C=3D3D20<BR>>>drives and=3D20
> getting</FONT></DIV><BR>>><DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>just three mecs to work with the =3D
>Lucid<BR>>=3D3D<BR>>>but=3D20
> no=3D3D20<BR>>>go. I=3D20
> also</FONT></DIV><BR>>><DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>have a 442 but DJ and Dimitrios say =3D
>=3D3D<BR>>>don't=3D20
> =3D
>do=3D3D20<BR>>>it.</FONT></DIV><BR>>><DIV><=3D
>;FONT=3D20
> face=3D3D3DArial size=3D3D3D2></FONT>=3D20
> </DIV><BR>>><DIV><FONT face=3D3D3DArial =3D
>size=3D3D3D2>I have=3D20
> tried DJs technique with no =3D
>=3D3D<BR>>>benefit=3D3D20<BR>>>recently.=3D20
> I</FONT></DIV><BR>>><DIV><FONT =3D
>face=3D3D3DArial=3D20

```



```
>t;<BR>><BR></BLOCKQUOTE></BLOCKQUOTE></BODY></HTML>
>
>
```

-----=_NextPart_000_0147_01C7C308.9EE76CF0

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
```

```
<HTML><HEAD>
```

```
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
```

```
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
```

```
<STYLE></STYLE>
```

```
</HEAD>
```

```
<BODY bgColor=3D#ffffff>
```

```
<DIV><FONT face=3DArial size=3D2>Hey Rich,</FONT></DIV>
```

```
<DIV><FONT face=3DArial size=3D2>When I do basics for bands it usually =
amounts to at=20
```

```
least&nbsp;20 inputs with talkback in the control room,</FONT></DIV>
```

```
<DIV><FONT face=3DArial size=3D2>drums w/3 toms), Bass DI and amp, two =
guitars with=20
```

```
a ribbon and 57 or condenser on each,</FONT></DIV>
```

```
<DIV><FONT face=3DArial size=3D2>a talkback for the band </FONT><FONT =
face=3DArial=20
```

```
size=3D2>and a scratch vocal.&nbsp; Those are achieved through two mecs =
with 16 in=20
```

```
</FONT></DIV>
```

```
<DIV><FONT face=3DArial size=3D2>each. Another&nbsp;four channels are =
tied up=20
```

```
because of the 4 x 24 bit outs used for</FONT></DIV>
```

```
<DIV><FONT face=3DArial size=3D2>control room and master outs.&nbsp; =
There's 24 with=20
```

```
no keys or anything else they</FONT></DIV>
```

```
<DIV><FONT face=3DArial size=3D2>may throw at me.</FONT></DIV>
```

```
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
```

```
<DIV><FONT face=3DArial size=3D2>I also am using the BT/Dimitrios idea =
of=20
```

```
strapping&nbsp;3 submix aux busses together across 4 =
submixes</FONT></DIV>
```

```
<DIV><FONT face=3DArial size=3D2>using a Mackie Mixer Mixer.&nbsp; It =
works using=20
```

```
all the 20 bit outs of each mec.&nbsp; One sending stereo =
for</FONT></DIV>
```

```
<DIV><FONT face=3DArial size=3D2>either effects or a cue mix and the =
other=20
```

```
two&nbsp;sending mono to two other verbs.&nbsp; The returns can show=20
```

up</DIV>
<DIV>anywhere but I've been using input =
strips in Submix=20
A. </DIV>
<DIV> </DIV>
<DIV>I'm a sucker for retro routing=20
schemes.</DIV>
<DIV>Tom</DIV>
<DIV> </DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Rich" <<A=20
href=3D"mailto:studiodog_99@yahoo.com">studiodog_99@yahoo.com> =
wrote in=20
message <A=20
=
href=3D"news:4693c464\$1 @linux">news:4693c464\$1 @linux...</DIV>
Just=
a=20
question - what are you recording that uses that many inputs? =

"DJ"=20
<animix _ at _ animas _ dot _ net>=20
wrote:
>
>
>Tom,
>
>I really doubt =
you're going=20
to have any joy until you lose the idea of =3D
>using the 442 on =
this=20
rig.
>
>
>Learn to let =
go.....;o)
>
>Just=20
my \$0.02
>
>Deej
>
> "Tom Bruhl" <<A=20
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net> wrote =
in message=20
=3D
>news:4693b33b@linux...
> My symptoms are more =
like=20
Dimitrios' . Mec 1 shows up (submix A)
> 442 shows =
up=20
(submix B, C or D) and usually MEC 2 doesn't show up
> and =
lately=20
Mec 3 (submix E) doesn't show up even with just two Mec's
> =
and=20
nothing else.
>
> My IRQs had been peachy but I'll =
recheck=20
just to be sure.
> I'll be saving my .var and .cfg =
files. =20
Are there any others I'll need
=3D
>to save =
independently
> =20
before reinstalling? Do I need to uninstall the Scherzo=20
drivers?
> I'll be reinstalling today. Should I boot =
up with=20

all hardware installed the first time?
Thanks, Tom
"Rod
Lincoln" <rlincoln@nospam.kc.rr.com>
wrote in message
news:46939eee\$1@linux...
I don't have my 442 as the main interface, and it works fine for me.
I've got my 442 installed on eds card 2.
Rod
"Dimitrios" <`musurgNOSPAMio@otenet.gr>
wrote:
Tom, I have never achieved the 442 scenario but as I know from DJ and others 442 should be main interface so you loose 24bits digital out.
If you use all these don't forget the usehousesync in Paris cfg.
Maybe erased from there or you installed over with nohousesync.
I had achieved using the 442 not as main but its ins and outs were not all working !!
If you try only with three mecs (or four) remember to have a mec on your last card!
It should work ..
&Installing on c:\parispro is fine and better for avoiding crashes.
&Don't forget to install the subsystem
fx on same folder!
&Let me know exactly what you do and I will try to help more.
&You can call too!
&

=
href="mailto:arpeggio@comcast.net">arpeggio@comcast.netmailto:arpeggio@comcast.net">arpeggio@comcast.net>=20
wrote =20
>in message=2020
> <A href="3D3D" <A=20
=
href="news:4693b33b@linux">news:4693b33b@linux...</DIV'>news:4693b33b@linux">news:4693b33b@linux>...</DIV>
> =20
<DIV>My symptoms are more =
like=20
Dimitrios'
=20
>. =2020
> Mec 1 shows up (submix=20
A)</DIV>
> <DIV><FONT =
face="3D3DArial=20
size="3D3D2>442 shows up (submix B, C or D) and =20
>usually =
MEC=20
2=2020
> doesn't show =
up</DIV>
> =20
<DIV>and lately Mec 3 =
(submix E)=20
doesn't =20
>show up even=2020
> with just two=20
Mecs</DIV>
> <DIV><FONT =
face="3D3DArial=20
size="3D3D2>and nothing else.</DIV>
> =

<DIV>=20
</DIV>
> <DIV><FONT face="3D3DArial =
size="3D3D2>My=20
IRQs had been peachy but I'll =20
>recheck just =
to=2020
> be=20
sure.</DIV>
> <DIV><FONT =
face="3D3DArial=20
size="3D3D2>I'll be saving my .var and .cfg =20
>files.=20
Are=2020
> there any others I'll need to save=20
independently</DIV>
> =
<DIV><FONT=20
face="3D3DArial size="3D3D2>before reinstalling? Do I need =
=20
>to=20
uninstall=2020
> the Scherzo=20
drivers?</DIV>
> <DIV><FONT=20
face="3D3DArial size="3D3D2>I'll be reinstalling today. =
=20
>Should I=20
boot=2020
> up with all hardware installed the first=20
time?</DIV>
> <DIV><FONT =
face="3D3DArial=20
size="3D3D2>Thanks,</DIV>
> =
<DIV><FONT=20
face="3D3DArial =
size="3D3D2>Tom</DIV>
> =20

=
=3D
 >Lucid
>=3D3D<BR&g t;>>but=3D20
> =20
no=3D3D20
>>go. l=3D20
> =20
also</DIV><BR& g t;>></DIV><FONT=20
=3D
>face=3D3D3DArial=3D20
> =20
size=3D3D3D2>>have a 442=20
but DJ and Dimitrios say=20
=3D
>=3D3D
>>don't=3D20
> =20

=
=3D
 >do=3D3D20
>>it.&l t;/FONT></DIV><BR&=20
gt;>></DIV><=3D
>&FONT=3D20
> =20
face=3D3D3DArial =
size=3D3D3D2>=3D20
> =20
</DIV>
><l t;/DIV><FONT face=3D3D3DArial=20
=3D
>size=3D3D3D2>>l have=3D20
> =20
DJs technique=20
with no=20

=
=3D
 >=3D3D
>>benefit=3D3D2 0
>>recentl=
y.=3D20
> =20
l</DIV>
 >></DIV><FONT=20
=3D
>face=3D3D3DArial=3D20
> =20
size=3D3D3D2>>did have 2=20
mecs and 1 442 working=3D20
> =20
=3D3D
>>flawlessly=3D3D20& ;lt;BR>>>but=20
l=3D20
> =20
can't</DIV><BR& ;gt;></DIV><FONT=20
=3D
>face=3D3D3DArial=3D20
> =20
size=3D3D3D2>>get that=20
back for some=3D20
> =20

=
=3D
 >=3D3D
>>reason.&l t;/FONT></DIV><BR&=20
gt;>></DIV><=3D
>&FONT=3D20
> =20
face=3D3D3DArial =
size=3D3D3D2>=3D20
> =20
</DIV>
><l t;/DIV><FONT face=3D3D3DArial=20
=3D
>size=3D3D3D2>>ls a=3D20
> =20
install to=20
C:Paris Pro =
the
=3D3D
>> way=3D20
> =20

=
=3D
 >to=3D3D20
>>go?&l t;/FONT></DIV><BR&=20
gt;>></DIV><=3D
>&FONT=3D20
> =20
=20

face=3D3D3DArial =
size=3D3D3D2>=3D20
> =20
=
</DIV>
>>< t;DIV>
>><DIV&a mp;gt;<=
>FONT=3D20
> =20
face=3D3D3DArial size=3D3D3D2><I had to cancel =
this=3D20
> =20
=
=3D
 >morning's=3D3D20
>>se ssion.</DI=
V>
>>&l=3D
>t;DIV><FONT=3D20
>&nb=
sp; =20
face=3D3D3DArial size=3D3D3D2><I will try internal clock for=20
this=3D20
> =20
=
=3D
 >=3D3D
>>afternoons=3D 3D20
>>sess=
ion.</DIV&g=3D
 >t;
>><DIV& gt;=
<FONT=3D20
> =20
face=3D3D3DArial=3D20
> =20
=
=3D
 >size=3D3D3D2>Tom< /DIV></DIV><BR=
>>><DIV=3D
>><FONT=3D20
> =20
=
face=3D3D3DArial =
size=3D3D3D2>=3D20
> =20
=
</DIV>
>>< t;DIV><FONT=3D20
> =
 =20
size=3D3D3D2>

I choose Polesoft Lockspam to =
=3D
>fight=20
spam,=3D20
> =20
=
=3D
 >=3D3D
>
&am p;gt;
>
>&am p;=
lt;BR>>
><BR&am p;gt;>
>
&am p;amp;g=3D=

 >t;
>>and=3D3D20&l t;BR>>>you?
<=
>A=3D3D20
>>hre=3D
>f=3D3D3D "<A=3D20
> =
 =20
=
=3D
>href=3D3D"http://www.polesoft.com/refer.html">http://www.po=
lesoft.com/refer=3D
>'>http://www.polesoft.com/refer.html">ht=
tp://www.polesoft.com/refer</A=3D
>>=3D3D
>>.h=
tml=3D20
> =20
=
=3D
 ></DIV></BO DY></HTML>
&=
>>
>&g=3D
 >t;
>
< t;/BLOC=
KQUOTE></BLOCKQUOTE></BODY&g t;</HTML>
>
><B=
R></BLOCKQUOTE></BODY></HTML>

-----=_NextPart_000_0147_01C7C308.9EE76CF0--

Subject: Re: Rod or Dimitrios Multi Mec ideas needed.
Posted by [Rod Lincoln](#) on Tue, 10 Jul 2007 19:57:02 GMT
[View Forum Message](#) <> [Reply to Message](#)

Tom, can't answer that for sure. I built my system one component at a time from a bundle 3, being carefule and methodical along the way, and ghosting. So I would say do it a step at a time. But there's also a gut feeling that it may be good to have everything hooked up when you reinstall the Paris app, and let it see everything. How's that for non-commital? (pay no attention to my speling).

Rod

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>My symptoms are more like Dimitrios' . Mec 1 shows up (submix A)
>442 shows up (submix B, C or D) and usually MEC 2 doesn't show up
>and lately Mec 3 (submix E) doesn't show up even with just two Mec3
>and nothing else.

>

>My IRQs had been peachy but I'll recheck just to be sure.
>I'll be saving my .var and .cfg files. Are there any others I'll need =
>to save independently
>before reinstalling? Do I need to uninstall the Scherzo drivers?
>I'll be reinstalling today. Should I boot up with all hardware =
>installed the first time?

>Thanks,

>Tom

>

>

> "Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message =
>news:46939eee\$1@linux...

>

> I don't have my 442 as the main interface, and it works fine for me. =
>I've

> got my 442 installed on eds card 2.

> Rod

> "Dimitrios" <musurgNOSPAMio@otenet.gr> wrote:

> >

> >Hi Tom,

> >I have never achieved the 442 scenario but as I know from DJ and =
>others

> 442

> >should be main interface so you loose 24bits digital out.

> >If you use all these don't forget the usehousesync in Paris cfg.

> >Maybe thats got erased from there or you installed over with no =
>housesync.

> >I had achieved using the 442 not as main but its ins and outs were =
>not all

> >working !!

> >If you try only with three mecs (or four) remember to have a mec on =
>your
> >last card !
> >It should work .
> >Installing on c:\parispro is fine and better for avoiding crashes.
> >Don't forget to install the subsystem fx on same folder !
> >Let me know exactly what you do and I will try to help more.
> >You can call too !
> >0030-2310-464744
> >
> >Regards,
> >Dimitrios
> >
> >
> >
> >"Tom Bruhl" <arpeggio@comcast.net> wrote:
> >>
> >>
> >>Hey guys
> >>After a talk with DJ it is decided a fresh install of Paris
> >>is the best way to go. I tried two cloned C drives and getting
> >>just three mecs to work with the Lucid but no go. I also
> >>have a 442 but DJ and Dimitrios say don't do it.
> >>
> >>I have tried DJs technique with no benefit recently. I
> >>did have 2 mecs and 1 442 working flawlessly but I can't
> >>get that back for some reason.
> >>
> >>Is a fresh install to C:Paris Pro the way to go?
> >>
> >>I had to cancel this morning's session.
> >>I will try internal clock for this afternoons session.
> >>Tom
> >>
> >>
> >>
> >>I choose Polesoft Lockspam to fight spam, and you?
> >><http://www.polesoft.com/refer.html> =20
> >>
> >><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> >><HTML><HEAD>
> >><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
> >>charset=3D3Diso-8859-1">
> >><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
> >><STYLE></STYLE>
> >></HEAD>
> >><BODY bgColor=3D3D#ffffff>
> >><DIV>Hey guys</DIV>

> >><DIV>After a talk with DJ it is =
>decided a =3D
> >>fresh install=3D20
> >>of Paris</DIV>
> >><DIV>is the best way to go. I tried
=
>=3D
> >>two cloned C=3D20
> >>drives and getting</DIV>
> >><DIV>just three mecs to work with =
>the Lucid
> >=3D
> >>but no=3D20
> >>go. I also</DIV>
> >><DIV>have a 442 but DJ and Dimitrios
=
>say =3D
> >>don't do=3D20
> >>it.</DIV>
> >><DIV> </DIV>
> >><DIV>I have tried DJs technique with
=
>no =3D
> >>benefit=3D20
> >>recently. I</DIV>
> >><DIV>did have 2 mecs and 1 442 =
>working =3D
> >>flawlessly=3D20
> >>but I can't</DIV>
> >><DIV>get that back for some =3D
> >>reason.</DIV>
> >><DIV> </DIV>
> >><DIV>Is a fresh install to C:Paris =
>Pro the
> =3D
> >>way to=3D20
> >>go?</DIV>
> >><DIV> </DIV>
> >><DIV>
> >><DIV>I had to cancel this =
>morning's=3D20
> >>session.</DIV>
> >><DIV>I will try internal clock for =
>this =3D
> >>afternoons=3D20
> >>session.</DIV>
> >><DIV>Tom</DIV></DIV>
> >><DIV> </DIV>

```

> >><DIV><FONT size=3D3D2><BR><BR>I choose Polesoft Lockspam to fight =
>spam, =3D
> >
> >
> >
> >
> >
> >
> >
> >
> >and=3D20
> >>you?<BR><A=3D20
> =
>>>href=3D3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/r=
>efer=3D
> >>.html</A> </FONT></DIV></BODY></HTML>
> >>
> >>
> >
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3DContent-Type content=3D"text/html; =
>charset=3Diso-8859-1">
><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D#ffffff>
><DIV><FONT face=3DArial size=3D2>My symptoms are more like Dimitrios' =

><DIV><FONT face=3DArial size=3D2>442 shows up (submix B, C or D) and =
>usually MEC 2=20
>doesn't show up</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>and lately Mec 3 (submix E) doesn't =
>show up even=20
>with just two Mecs</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>and nothing else.</FONT></DIV>

><DIV><FONT face=3DArial size=3D2>My IRQs had been peachy but I'll =
>recheck just to be=20
>sure.</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>I'll be saving my .var and .cfg =

>there any others I'll need to save independently</FONT></DIV>

```

>uninstall=20
>the Scherzo drivers?</DIV>

>Should I boot up=20
>with all hardware installed the first time?</DIV>
><DIV>Thanks,</DIV>
><DIV>Tom</DIV>

><BLOCKQUOTE=20
>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Rod Lincoln" <<A=20
> =
>href=3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com&g=
>t;=20
> wrote in message <A=20
> href=3D"news:46939eee\$1@linux">news:46939eee\$1@linux...</DIV>
I
> =
>don't=20
> have my 442 as the main interface, and it works fine for me. =
>I've
got my=20
> 442 installed on eds card 2.
Rod
"Dimitrios" <<A=20
> =
>href=3D"mailto:`musurgNOSPAMio@otenet.gr">`musurgNOSPAMio@otenet.gr&g=
>t;=20
> wrote:
>
>Hi Tom,
>I have never achieved the 442 =
>scenario=20
> but as I know from DJ and others
442
>should be main =
>interface so you=20
> loose 24bits digital out.
>If you use all these don't forget the =
>
> usehousesync in Paris cfg.
>Maybe thats got erased from there or =
>you=20
> installed over with no housesync.
>I had achieved using the 442 =
>not as=20
> main but its ins and outs were not all
>working !!
>If you =
>try=20
> only with three mecs (or four) remember to have a mec on =
>your
>last card=20
> !
>It should work .
>Installing on c:\parispro is fine and =
>better=20
> for avoiding crashes.
>Don't forget to install the subsystem fx =
>on same=20
> folder !
>Let me know exactly what you do and I will try to help =
>
> more.
>You can call too=20
> =


```

> getting</FONT></DIV><BR>>><DIV><FONT =
>face=3D3DArial=20
> size=3D3D2>just three mecs to work with the =
>Lucid<BR>>=3D<BR>>>but=20
> no=3D20<BR>>>go. l=20
> also</FONT></DIV><BR>>><DIV><FONT =
>face=3D3DArial=20
> size=3D3D2>have a 442 but DJ and Dimitrios say =3D<BR>>>don't =
>
> =
>do=3D20<BR>>>it.</FONT></DIV><BR>>><DIV><=
>;FONT=20
> face=3D3DArial size=3D3D2></FONT>=20
> </DIV><BR>>><DIV><FONT face=3D3DArial =
>size=3D3D2>I have=20
> tried DJs technique with no =
>=3D<BR>>>benefit=3D20<BR>>>recently.=20
> l</FONT></DIV><BR>>><DIV><FONT =
>face=3D3DArial=20
> size=3D3D2>did have 2 mecs and 1 442 working=20
> =3D<BR>>>flawlessly=3D20<BR>>>but l=20
> can't</FONT></DIV><BR>>><DIV><FONT =
>face=3D3DArial=20
> size=3D3D2>get that back for some=20
> =
>=3D<BR>>>reason.</FONT></DIV><BR>>><DIV><=
>;FONT=20
> face=3D3DArial size=3D3D2></FONT>=20
> </DIV><BR>>><DIV><FONT face=3D3DArial =
>size=3D3D2>Is a=20
> fresh install to C:Paris Pro the<BR>=3D<BR>>>way=20
> =
>to=3D20<BR>>>go?</FONT></DIV><BR>>><DIV><=
>;FONT=20
> face=3D3DArial size=3D3D2></FONT>=20
> </DIV><BR>>><DIV><BR>>><DIV><FONT=20
> face=3D3DArial size=3D3D2>I had to cancel this=20
> =
>morning's=3D20<BR>>>session.</FONT></DIV><BR>>>&l=
>t;DIV><FONT=20
> face=3D3DArial size=3D3D2>I will try internal clock for this=20
> =
>=3D<BR>>>afternoons=3D20<BR>>>session.</FONT></DIV&g=
>t;<BR>>><DIV><FONT=20
> face=3D3DArial=20
> =
>size=3D3D2>Tom</FONT></DIV></DIV><BR>>><DIV>=
>><FONT=20

```

```
> face=3D3DArial size=3D3D2></FONT>=20
> </DIV><BR>>><DIV><FONT =
>size=3D3D2><BR><BR>I=20
> choose Polesoft Lockspam to fight spam,=20
> =
>=3D<BR>><BR>><BR>><BR>><BR>><BR>><BR>><BR>><BR>><BR>><BR>>&g=
>t;<BR>>>and=3D20<BR>>>you?<BR><A=3D20<BR>>>hre=
>f=3D3D"<A=20
> =
>href=3D'http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
>'>http://www.polesoft.com/refer.html">http://www.polesoft.com/refer</A=
>>=3D<BR>>>.html</A>=20
> =
></FONT></DIV></BODY></HTML><BR>>><BR>>>&g=
>t;<BR>><BR></BLOCKQUOTE></BODY></HTML>
>
>
```

Subject: Re: Rod or Dimitrios Multi Mec ideas needed.
Posted by [Tom Bruhl](#) on Tue, 10 Jul 2007 21:47:43 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

```
-----=_NextPart_000_0160_01C7C31A.6B0ABBA0
Content-Type: text/plain;
  charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

Thanks Rod,
That's what I'd do if I could get it to install.

After uninstalling and removing the Scherzo drivers I have=20
updated the pace drivers. I install Paris 3.0 and there's nothing =
anywhere
on the C drive after it says it's successfully installed.
Not in Add/Remove Programs nor in All Programs. This is after I restart
the computer. The Scherzo drivers install one at a time. The Subsystem =
1.05
installs like a charm. It also suggests the Remove MIDI line from the =
..cfg .

Something is very very fishy around here.
Any ideas?
Dopey
"Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message =
news:4693e48e\$1@linux...

Tom, can't answer that for sure. I built my system one component at a time

from a bundle 3, being carefull and methodical along the way, and ghosting.

So I would say do it a step at a time. But there's also a gut feeling that

it may be good to have everything hooked up when you reinstall the Paris

app, and let it see everything. How's that for non-committal?

(pay no attention to my spelling).

Rod

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>My symptoms are more like Dimitrios'. Mec 1 shows up (submix A)

>442 shows up (submix B, C or D) and usually MEC 2 doesn't show up

>and lately Mec 3 (submix E) doesn't show up even with just two Mecs

>and nothing else.

>

>My IRQs had been peachy but I'll recheck just to be sure.

>I'll be saving my .var and .cfg files. Are there any others I'll need =3D

>to save independently

>before reinstalling? Do I need to uninstall the Scherzo drivers?

>I'll be reinstalling today. Should I boot up with all hardware =3D

>installed the first time?

>Thanks,

>Tom

>

>

> "Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message =3D

>news:46939eee\$1@linux...

>

> I don't have my 442 as the main interface, and it works fine for me. =3D

>I've

> got my 442 installed on eds card 2.

> Rod

> "Dimitrios" <musurgNOSPAMio@otenet.gr> wrote:

> >

> >Hi Tom,

> >I have never achieved the 442 scenario but as I know from DJ and =3D

>others

> 442

> >should be main interface so you loose 24bits digital out.

> >If you use all these don't forget the usehousesync in Paris cfg.

> >Maybe thats got erased from there or you installed over with no =
=3D
>housesync.
> >I had achieved using the 442 not as main but its ins and outs were =
=3D
>not all
> >working !!
> >If you try only with three mecs (or four) remember to have a mec =
on =3D
>your
> >last card !
> >It should work .
> >Installing on c:\parispro is fine and better for avoiding crashes.
> >Don't forget to install the subsystem fx on same folder !
> >Let me know exactly what you do and I will try to help more.
> >You can call too !
> >0030-2310-464744
> >
> >Regards,
> >Dimitrios
> >
> >
> >
> >"Tom Bruhl" <arpegio@comcast.net> wrote:
> >>
> >>
> >>Hey guys
> >>After a talk with DJ it is decided a fresh install of Paris
> >>is the best way to go. I tried two cloned C drives and getting
> >>just three mecs to work with the Lucid but no go. I also
> >>have a 442 but DJ and Dimitrios say don't do it.
> >>
> >>I have tried DJs technique with no benefit recently. I
> >>did have 2 mecs and 1 442 working flawlessly but I can't
> >>get that back for some reason.
> >>
> >>Is a fresh install to C:Paris Pro the way to go?
> >>
> >>I had to cancel this morning's session.
> >>I will try internal clock for this afternoons session.
> >>Tom
> >>
> >>
> >>
> >>I choose Polesoft Lockspam to fight spam, and you?
> >><http://www.polesoft.com/refer.html> =3D20
> >>
> >><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

```

> >><HTML><HEAD>
> >><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =
=3D3D
> >>charset=3D3D3Diso-8859-1">
> >><META content=3D3D3D"MSHTML 6.00.2800.1400" name=3D3D3DGENERATOR>
> >><STYLE></STYLE>
> >></HEAD>
> >><BODY bgColor=3D3D3D#ffffff>
> >><DIV><FONT face=3D3D3DArial size=3D3D3D2>Hey guys</FONT></DIV>
> >><DIV><FONT face=3D3D3DArial size=3D3D3D2>After a talk with DJ it =
is =3D
>decided a =3D3D
> >>fresh install=3D3D20
> >>of Paris</FONT></DIV>
> >><DIV><FONT face=3D3D3DArial size=3D3D3D2>is the best way to go. I =
tried
=3D
>=3D3D
> >>two cloned C=3D3D20
> >>drives and getting</FONT></DIV>
> >><DIV><FONT face=3D3D3DArial size=3D3D3D2>just three mecs to work =
with =3D
>the Lucid
> >=3D3D
> >>but no=3D3D20
> >>go. I also</FONT></DIV>
> >><DIV><FONT face=3D3D3DArial size=3D3D3D2>have a 442 but DJ and =
Dimitrios
=3D
>say =3D3D
> >>don't do=3D3D20
> >>it.</FONT></DIV>
> >><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> >><DIV><FONT face=3D3D3DArial size=3D3D3D2>I have tried DJs =
technique with
=3D
>no =3D3D
> >>benefit=3D3D20
> >>recently. I</FONT></DIV>
> >><DIV><FONT face=3D3D3DArial size=3D3D3D2>did have 2 mecs and 1 =
442 =3D
>working =3D3D
> >>flawlessly=3D3D20
> >>but I can't</FONT></DIV>
> >><DIV><FONT face=3D3D3DArial size=3D3D3D2>get that back for some =
=3D3D
> >>reason.</FONT></DIV>
> >><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>

```

```

> >><DIV><FONT face=3D3D3DArial size=3D3D3D2>Is a fresh install to =
C:Paris =3D
>Pro the
> =3D3D
> >>way to=3D3D20
> >>go?</FONT></DIV>
> >><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> >><DIV>
> >><DIV><FONT face=3D3D3DArial size=3D3D3D2>I had to cancel this =3D
>morning's=3D3D20
> >>session.</FONT></DIV>
> >><DIV><FONT face=3D3D3DArial size=3D3D3D2>I will try internal =
clock for =3D
>this =3D3D
> >>afternoons=3D3D20
> >>session.</FONT></DIV>
> >><DIV><FONT face=3D3D3DArial size=3D3D3D2>Tom</FONT></DIV></DIV>
> >><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> >><DIV><FONT size=3D3D3D2><BR><BR>I choose Polesoft Lockspam to =
fight =3D
>spam, =3D3D
> >
> >
> >
> >
> >
> >
> >
> >
> >
> >>and=3D3D20
> >>you?<BR><A=3D3D20
> =3D
=
>>>href=3D3D3D"http://www.polesoft.com/refer.html">http://www.polesoft.co=
m/r=3D
>efer=3D3D
> >>.html</A> </FONT></DIV></BODY></HTML>
> >>
> >>
> >
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
>charset=3D3Diso-8859-1">
><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>

```

```

><STYLE></STYLE>
></HEAD>
><BODY bgColor=#ffffff>
><DIV><FONT face=Arial size=12>My symptoms are more like =
Dimitrios' =
>. =
>Mec 1 shows up (submix A)</FONT></DIV>
><DIV><FONT face=Arial size=12>442 shows up (submix B, C or D) =
and =
>usually MEC 2 =
>doesn't show up</FONT></DIV>
><DIV><FONT face=Arial size=12>and lately Mec 3 (submix E) =
doesn't =
>show up even =
>with just two Mec's</FONT></DIV>
><DIV><FONT face=Arial size=12>and nothing else.</FONT></DIV>
><DIV><FONT face=Arial size=12></FONT> </DIV>
><DIV><FONT face=Arial size=12>My IRQs had been peachy but I'll =
=
>recheck just to be =
>sure.</FONT></DIV>
><DIV><FONT face=Arial size=12>I'll be saving my .var and .cfg =
=
>files. Are =
>there any others I'll need to save independently</FONT></DIV>
><DIV><FONT face=Arial size=12>before reinstalling? Do I need =
to =
>uninstall =
>the Scherzo drivers?</FONT></DIV>
><DIV><FONT face=Arial size=12>I'll be reinstalling today. =
>Should I boot up =
>with all hardware installed the first time?</FONT></DIV>
><DIV><FONT face=Arial size=12>Thanks,</FONT></DIV>
><DIV><FONT face=Arial size=12>Tom</FONT></DIV>
><DIV><FONT face=Arial size=12></FONT> </DIV>
><DIV><FONT face=Arial size=12></FONT> </DIV>
><BLOCKQUOTE =
>style="PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Rod Lincoln" <<A =
> =
=
>href="mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</A =
>&g =
>t; =
> wrote in message <A =
> =

```

[news:46939eee\\$1@linux](news:46939eee$1@linux)>news:46939eee\$1@linux...</DIV>
I
=3D
>don't=3D20
> have my 442 as the main interface, and it works fine for me. =3D
>l've
got my=3D20
> 442 installed on eds card 2.
Rod
"Dimitrios" <<A=3D20
> =3D
=
><mailto:`musurgNOSPAMio@otenet.gr>>`musurgNOSPAMio@otenet.gr=
>&g=3D
>t;=3D20
> wrote:
>
>Hi Tom,
>I have never achieved the 442 =3D
>scenario=3D20
> but as I know from DJ and others
442
>should be main =3D
>interface so you=3D20
> loose 24bits digital out.
>If you use all these don't forget the =
=3D
>
> usehousesync in Paris cfg.
>Maybe thats got erased from there or =
=3D
>you=3D20
> installed over with no housesync.
>I had achieved using the 442 =
=3D
>not as=3D20
> main but its ins and outs were not all
>working !!
>If you =
=3D
>try=3D20
> only with three mecs (or four) remember to have a mec on =3D
>your
>last card=3D20
> !
>It should work .
>Installing on c:\parispro is fine and =
=3D
>better=3D20
> for avoiding crashes.
>Don't forget to install the subsystem fx =
=3D
>on same=3D20
> folder !
>Let me know exactly what you do and I will try to help =
=3D
>
> more.
>You can call too=3D20
> =3D
>!
>0030-2310-464744
>
>Regards,
>Dimitrios
>=3D
>;
>
>
>"Tom=3D20
> Bruhl" <<A =3D
><mailto:arpeggio@comcast.net>>arpeggio@comcast.net>=3D20
> wrote:
>>
>>
>>Hey guys
>>After a =3D
>talk=3D20
> with DJ it is decided a fresh install of Paris
>>is the best =3D
>way to=3D20

> go. I tried two cloned C drives and getting
>three mecs
> to work with the Lucid but no go. I also
>but DJ
> and Dimitrios say don't do it.
>
> technique with no benefit recently. I
>and 1
> 442 working flawlessly but I can't
> reason.
>way to
> go?
> session.
> =
>session.
>
> choose Polesoft Lockspam to fight spam, and
> you?
>

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0
>
> =
>Transitional//EN"><HTML><HEAD>
<=3D
>META
> http-equiv=3D3D3DContent-Type content=3D3D3D"text/html;=3D20
> =3D3D3D
> charset=3D3D3DISO-8859-1">
><META =3D
>content=3D3D3D"MSHTML=3D20
> 6.00.2800.1400"=3D20
> =3D
>name=3D3D3DGENERATOR>
><STYLE></STYLE>
>=3D
></HEAD>
><BODY=3D20
> bgColor=3D3D3D#ffffff>
><DIV><FONT face=3D3D3DArial=3D20
> size=3D3D3D2>Hey =3D
>guys</DIV>
><DIV><FONT=3D20
> face=3D3D3DArial size=3D3D3D2>After a talk with DJ it is decided =
a=3D20
> =3D3D3D
>>fresh install=3D3D20
>>of=3D20
> Paris</DIV>
>><DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>is the best way to go. I tried =3D3D3D
>>two cloned =
=3D
>
> C=3D3D20
>>drives and=3D20
> getting</DIV>
>><DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>just three mecs to work with the =3D
>Lucid
>=3D3D3D
>>but=3D20
> no=3D3D20
>>go. I=3D20
> also</DIV>
>><DIV><FONT =3D

>face=3D3D3DArial=3D20
> size=3D3D3D2>have a 442 but DJ and Dimitrios say =3D3D
>>don't =
=3D
>
> =3D
>do=3D3D20
>>it.</DIV>
>><DIV><=3D
>;FONT=3D20
> face=3D3D3DArial size=3D3D3D2>=3D20
> </DIV>
>><DIV><FONT face=3D3D3DArial =3D
>size=3D3D3D2>I have=3D20
> tried DJs technique with no =3D
>=3D3D
>>benefit=3D3D20
>>recently.=3D20
> I</DIV>
>><DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>did have 2 mecs and 1 442 working=3D20
> =3D3D
>>flawlessly=3D3D20
>>but I=3D20
> can't</DIV>
>><DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>get that back for some=3D20
> =3D
>=3D3D
>>reason.</DIV>
>><DIV><=3D
>;FONT=3D20
> face=3D3D3DArial size=3D3D3D2>=3D20
> </DIV>
>><DIV><FONT face=3D3D3DArial =3D
>size=3D3D3D2>Is a=3D20
> fresh install to C:Paris Pro the
=3D3D
>>way=3D20
> =3D
>to=3D3D20
>>go?</DIV>
>><DIV><=3D
>;FONT=3D20
> face=3D3D3DArial size=3D3D3D2>=3D20
> </DIV>
>><DIV>
>><DIV><FONT=3D20
> face=3D3D3DArial size=3D3D3D2>I had to cancel this=3D20
> =3D
>morning's=3D3D20
>>session.</DIV>
>>&I=3D
>t;DIV><FONT=3D20
> face=3D3D3DArial size=3D3D3D2>I will try internal clock for =
this=3D20
> =3D
>=3D3D
>>afternoons=3D3D20
>>session.</DIV>&g=3D
>t;
>><DIV><FONT=3D20
> face=3D3D3DArial=3D20
> =3D
>size=3D3D3D2>Tom</DIV></DIV>
>><DIV>=3D
>><FONT=3D20
> face=3D3D3DArial size=3D3D3D2>=3D20
> </DIV>
>><DIV><FONT =3D
>size=3D3D3D2>

I=3D20
> choose Polesoft Lockspam to fight spam,=3D20

<DIV>the computer. <FONT =
 face=3DArial=
 size=3D2>The Scherzo drivers install one at a time. 1.05</DIV>
 <DIV>installs like a charm. from the .cfg =
 ..</DIV>
 <DIV> </DIV>
 <DIV>Something is very very fishy around=20
 here.</DIV>
 <DIV>Any ideas?</DIV>
 <DIV>Dopey</DIV>
 <BLOCKQUOTE=20
 style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
 BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"Rod Lincoln" <<A=20
 =
 href=3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com&g=
 t;=20
 wrote in message <A=20
 =
 href=3D"news:4693e48e\$1 @linux">news:4693e48e\$1 @linux...</DIV>
Tom,=
 can't=20
 answer that for sure. I built my system one component at a =
 time
from a=20
 bundle 3, being carefule and methodical along the way, and =
 ghosting.
So I=20
 would say do it a step at a time. But there's also a gut feeling =
 that
it=20
 may be good to have everything hooked up when you reinstall the =
 Paris
app,=20
 and let it see everything. How's that for non-commital?
(pay no =
 attention=20
 to my speling).
Rod
"Tom Bruhl" <<A=20
 href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=20
 wrote:
>
>
>My symptoms are more like Dimitrios' =
 ..
Mec=20
 1 shows up (submix A)
>442 shows up (submix B, C or D) and =
 usually MEC 2=20
 doesn't show up
>and lately Mec 3 (submix E) doesn't show up =
 even with=20
 just two Mec3
>and nothing else.
>
>My IRQs had been =
 peachy=20
 but I'll recheck just to be sure.
>I'll be saving my .var and =
 ..cfg=20
 files.
>Are there any others I'll need =3D
>to save=20
 independently
>before reinstalling?
>Do I need to uninstall =

the=20

Scherzo drivers?
>I'll be reinstalling today. Should I =
boot up=20

with all hardware =3D
>installed the first=20
time?
>Thanks,
>Tom
>
>
> "Rod =
Lincoln"=20
<<A=20

=
href=3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com&g=
t;=20

wrote in message =
=3D
>news:46939eee\$1@linux...
>
> I=20
don't have my 442 as the main interface, and it works fine for me.=20
=3D
>I've
> got my 442 installed on eds card =
2.
> =20
Rod
> "Dimitrios" <<A=20

=
href=3D"mailto:`musurgNOSPAMio@otenet.gr">`musurgNOSPAMio@otenet.gr&g=
t;=20

wrote:
> >
> >
> >Hi Tom,
> =
>I have=20

never achieved the 442 scenario but as I know from DJ and=20
=3D
>others
> 442
> >should be main =
interface=20

so you loose 24bits digital out.
> >If you use all =
these don't=20

forget the usehousesync in Paris cfg.
> >Maybe thats =
got erased=20

from there or you installed over with no =
=3D
>housesync.
> =20

>I had achieved using the 442 not as main but its ins and outs were =

=3D
>not all
> >working !!
> >If =
you try=20

only with three mecs (or four) remember to have a mec on=20
=3D
>your
> >last card !
> >It =
should work=20

.
> >Installing on c:\parispro is fine and better for =
avoiding=20

crashes.
> >Don't forget to install the subsystem fx on =
same=20

folder !
> >Let me know exactly what you do and I will =
try to=20

help more.
> >You can call too !
> =20
>0030-2310-464744
> >
> =20

>Regards,
> >Dimitrios
> =
>
> =20

>
> >
> >"Tom Bruhl" <<A=20

>></DIV></FONT=20
face=3D3D3DArial size=3D3D3D2>is the best way to go. l=20
tried
=3D
>=3D3D
> >>two cloned =
C=3D3D20
> =20
>>drives and getting</DIV>
> =20
>></DIV>just =
three mecs to=20
work with =3D
>the Lucid
> >=3D3D
> =
>>but=20
no=3D3D20
> >>go. l=20
also</DIV>
> =
>></DIV></FONT=20
face=3D3D3DArial size=3D3D3D2>have a 442 but DJ and =
Dimitrios
=3D
>say=20
=3D3D
> >>don't do=3D3D20
> =20
>>it.</DIV>
> =
>></DIV></FONT=20
face=3D3D3DArial size=3D3D3D2> =
</DIV>
> =20
>></DIV>I have =
tried DJs=20
technique with
=3D
>no =3D3D
> =20
>>benefit=3D3D20
> >>recently.=20
l</DIV>
> >></DIV></FONT=20
face=3D3D3DArial size=3D3D3D2>did have 2 mecs and 1 442 =
=3D
>working=20
=3D3D
> >>flawlessly=3D3D20
> =
>>but l=20
can't</DIV>
> =
>></DIV></FONT=20
face=3D3D3DArial size=3D3D3D2>get that back for some =
=3D3D
> =20
>>reason.</DIV>& >
> =20
>></DIV></FONT face=3D3D3DArial =
size=3D3D3D2>=20
</DIV>
> >></DIV></FONT =
face=3D3D3DArial=20
size=3D3D3D2>ls a fresh install to C:Paris =3D
>Pro =
the
> =20
=3D3D
> >>way to=3D3D20
> =20
>>go?</DIV>
> =
>></DIV></FONT=20
face=3D3D3DArial size=3D3D3D2> =
</DIV>
> =20
>></DIV>
> >></DIV></FONT =
face=3D3D3DArial=20
size=3D3D3D2>I had to cancel this =
=3D
>morning's=3D3D20
> =20

>>session.</DIV><
> =20
>></DIV><I will =
try internal=20
clock for =3D
><this =3D3D
>< =20
>>afternoons=3D3D20
>< =20
>>session.</DIV><
> =20
>></DIV></FONT face=3D3D3DArial=20
size=3D3D3D2><Tom</DIV><
> =

>></DIV></FONT face=3D3D3DArial =
size=3D3D3D2><=20
</DIV><
> >></DIV></FONT=20
size=3D3D3D2>

<I choose Polesoft Lockspam to =
fight=20
=3D
>spam, =3D3D
>< >
>< =
>
>< >
>< >
>< =
>
>< >
>< >
>< =20
>
>< >
>< >
>< =20
>
>< >
>< >
>< =20
>>and=3D3D20
>< =
>>you?
<A=3D3D20
>< =20
=3D
>>>href=3D3D3D"<A=20
=
href=3D'http://www.polesoft.com/refer.html">http://www.polesoft.com/r'>ht=
tp://www.polesoft.com/refer.html">http://www.polesoft.com/r=3D
=
>&efer=3D3D
>< =20
>>.html=20
</DIV></BODY></HTML><
>< =20
>>
>< >>
>< =20
>
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML =
4.0=20
Transitional//EN">
></HTML></HEAD><
></META=20
http-equiv=3D3DContent-Type content=3D3D"text/html";=20
=3D
>< charset=3D3Diso-8859-1">
></META =
content=3D3D"MSHTML=20
6.00.2800.1400"=20
=
name=3D3DGENERATOR>
></STYLE></STYLE><
></HEA=
D>
></BODY=20
bgColor=3D3D#ffffff>
></DIV></FONT face=3D3DArial =
size=3D3D2><My=20
symptoms are more like Dimitrios' =3D
><. =3D20
><Mec 1 =
shows up (submix=20
A)</DIV><
></DIV></FONT face=3D3DArial=20
size=3D3D2><442 shows up (submix B, C or D) and =3D
><usually =
MEC=20
2=3D20
><doesn't show=20
up</DIV><
></DIV></FONT face=3D3DArial=20

and lately Mec 3 (submix E) doesn't show up even with just two MeCs

and nothing else.

My IRQs had been peachy but I'll recheck just to be sure.

I'll be saving my .var and .cfg files. Are there any others I'll need to save independently before reinstalling? Do I need to uninstall the Scherzo drivers?

I'll be reinstalling today. Should I boot up with all hardware installed the first time?

Thanks,

Tom

rlincoln@nospam.kc.rr.com

wrote in message

href=3D'news:46939eee\$1 @linux">news:46939eee\$1 @linux...</DIV>
|>n=
ews:46939eee\$1 @linux">&t;news:46939eee\$1 @linux&t;/A&t;...&t;/DIV&t;&l=
t;BR&t;|
=3D
&t;don't=3D20
&t; =20
have my 442 as the main interface, and it works fine for me.=20
=3D
&t;I've&t;BR&t;got my=3D20
&t; 442 installed on =
eds card=20
2.&t;BR&t;Rod&t;BR&t;"Dimitrios" &t;&t;A=3D20
&t; =20
=3D
&t;href=3D3D"<A=20
=
href=3D'mailto:`musurgNOSPAMio@otenet.gr">`musurgNOSPAMio@otenet.gr&a=
mp;g'>mailto:`musurgNOSPAMio@otenet.gr">&t;`musurgNOSPAMio@otenet.gr&t;/=
A&t;∓g=3D
&t;t;=3D20
&t; =20
wrote:&t;BR&t;&t;&t;BR&t;&t;Hi Tom,&t;BR&t;&t;I have never =
achieved=20
the 442 =3D
&t;scenario=3D20
&t; but as I know from DJ =
and=20
others&t;BR&t;442&t;BR&t;&t;should be main =3D
&t;interface =
so=20
you=3D20
&t; loose 24bits digital out.&t;BR&t;&t;If you =
use all=20
these don't forget the =3D
&t;
&t; usehousesync in Paris =

cfg.&t;BR&t;&t;Maybe thats got erased from there or=20
=3D
&t;you=3D20
&t; installed over with no =
housesync.&t;BR&t;&t;I=20
had achieved using the 442 =3D
&t;not as=3D20
&t; main =
but its ins=20
and outs were not all&t;BR&t;&t;working !!&t;BR&t;&t;If you=20
=3D
&t;try=3D20
&t; only with three mecs (or four) =
remember to have=20
a mec on =3D
&t;your&t;BR&t;&t;last card=3D20
&t; =20
!&t;BR&t;&t;It should work .&t;BR&t;&t;Installing on c:\parispro =
is fine=20
and =3D
&t;better=3D20
&t; for avoiding =
crashes.&t;BR&t;&t;Don't=20
forget to install the subsystem fx =3D
&t;on =
same=3D20
&t; folder=20
!&t;BR&t;&t;Let me know exactly what you do and I will try to help=20
=3D
&t;
&t; more.&t;BR&t;&t;You can call =
too=3D20
&t; =20
=
=3D
 &t;!&t;BR&t;&t;0030-2310-464744&t;B R&t;&t;&t;BR&t;&t;Reg=
ards,&t;BR&t;&t;Dimitrios&t;BR&t;&a mp;g;=3D
&t;,&t;BR&t;&t;&t;B=
R&t;&t;&t;BR&t;&t;"Tom=3D20
&t; =20
Bruhl" &t;&t;A =3D
&t;href=3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net=>=3D20'>mailto=
:arpegio@comcast.net">&t;arpegio@comcast.net&t;/A&t;&t;=3D20
&t;g=

face=Arial=20
 size=20 Hey=20
=
=
 guys</DIV>< ;BR> </DIV><=
FONT=20
 =20
face=Arial size=20 After a talk with DJ it is decided=20
a=20
 =3D
 fresh=20
install=20
 of=20
 =20
Paris</DIV><BR ; </DIV><FONT=20
=3D
 face=Arial=20
 size=20 is the =
best way to go.=20
I tried =3D
 two cloned =3D

 =20
C=3D
 drives and=20
 =20
getting</DIV><BR a mp; </DIV><FONT=20
=3D
 face=Arial=20
 size=20 just =
three mecs to work=20
with the =
=
 Lucid</BR> =3D
 ; but=20
 =
p;=20
no=3D
 go. I=20
 =20
also</DIV><BR ; </DIV><FONT=20
=3D
 face=Arial=20
 size=20 have a =
442 but DJ and=20
Dimitrios say =3D
 don't =3D

 =20
=
=
 do=3D
 it. /FONT></DIV><BR =
 </DIV><=3D
 ;FONT=20
 =20
face=Arial size=20 =3D20
 =20
</DIV><BR </DIV><FONT face=Arial=20
=3D
 size=20 I have=3D20
 tried DJs =
technique with no=20
=
=
 =3D
 benefit=3D 0
 recentl=
y.=3D20
 =20
I</DIV><BR ; </DIV><FONT=20
=3D
 face=Arial=20
 size=20 did =
have 2 mecs and 1=20
442 working=3D20
 =20
=3D
 flawlessly=3D & ;
 but =
I=3D20
 =20
can't</DIV><BR ; </DIV><FONT=20
=3D
 face=Arial=20
 size=20 get =
that back for=20
some=3D20
 =20
=
=
 =3D
 reason. /FONT></DIV><BR =
 </DIV><=3D
 ;FONT=20
 =20
face=Arial size=20 =3D20
 =20
</DIV><BR </DIV><FONT face=Arial=20

=3D
>size=3D3D3D2>ls a=3D20
> fresh install to =
C:Paris Pro=20
the
=3D3D
>> way=3D20
> =20
=
=3D
 >to=3D3D20
>>go?&l t;/FONT></DIV><BR&=
gt;>><DIV><=3D
>;FONT=3D20
> =20
face=3D3D3DArial size=3D3D3D2>=3D20
> =20
=
</DIV>
>>&l t;DIV>
>><DIV&a mp;gt;<=
;FONT=3D20
> =20
face=3D3D3DArial size=3D3D3D2>I had to cancel =
this=3D20
> =20
=
=3D
 >morning's=3D3D20
>>se ssion.</DI=
V>
>>&l=3D
>t;DIV><FONT=3D20
>&nb=
sp;=20
face=3D3D3DArial size=3D3D3D2>I will try internal clock for=20
this=3D20
> =20
=
=3D
 >=3D3D
>>afternoons=3D 3D20
>>sess=
ion.</DIV&g=3D
 >t;
>><DIV& gt;=
<FONT=3D20
> =20
face=3D3D3DArial=3D20
> =20
=
=3D
 >size=3D3D3D2>Tom</DIV></DIV><BR=
>>><DIV=3D
>><FONT=3D20
> =20
face=3D3D3DArial size=3D3D3D2>=3D20
> =20
</DIV>
>>&l t;DIV><FONT=20
=3D
 >size=3D3D3D2>
<BR& amp ;gt;l=3D20
> =
choose Polesoft=20
Lockspam to fight spam,=3D20
> =20
=
=3D
 >=3D3D
>
&am p;gt;
>
>&am p;=
lt;BR>>
><BR&am p;gt;>
>
&am p;amp;g=3D=

 >t;
>>and=3D3D20&l t;BR>>>you?
<=
>A=3D3D20
>>hre=3D
>f=3D3D3D "<A=3D20
> =
;=20
=
=3D
>href=3D3D'http://www.polesoft.com/refer.html">http://www.po=
lesoft.com/refer=3D
>'>http://www.polesoft.com/refer.html">ht=
tp://www.polesoft.com/refer</A=3D
>>=3D3D
>>.h=
tml=3D20
> =20
=
=3D
 ></DIV></BO DY></HTML>
&=
gt;>
>&g=3D
 >t;
>
&l t;/BLOC=
KQUOTE></BODY></HTML>
>
>
</BLOCKQUOTE></BO=
DY></HTML>

Subject: Re: Rod or Dimitrios Multi Mec ideas needed.
Posted by [Rod Lincoln](#) on Tue, 10 Jul 2007 22:44:39 GMT
[View Forum Message](#) <> [Reply to Message](#)

Tom, I'm PM'ng you. Look for my e
Rod

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>
>
>Thanks Rod,
>That's what I'd do if I could get it to install.
>
>After uninstalling and removing the Scherzo drivers I have=20
>updated the pace drivers. I install Paris 3.0 and there's nothing =
>anywhere
>on the C drive after it says it's successfully installed.
>Not in Add/Remove Programs nor in All Programs. This is after I restart
>the computer. The Scherzo drivers install one at a time. The Subsystem
=
>1.05
>installs like a charm. It also suggests the Remove MIDI line from the =
>.cfg .
>
>Something is very very fishy around here.
>Any ideas?
>Dopey
> "Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message =
>news:4693e48e\$1@linux...
>
> Tom, can't answer that for sure. I built my system one component at a
=
>time
> from a bundle 3, being carefule and methodical along the way, and =
>ghosting.
> So I would say do it a step at a time. But there's also a gut feeling
=
>that
> it may be good to have everything hooked up when you reinstall the =
>Paris
> app, and let it see everything. How's that for non-commital?
> (pay no attention to my speling).
> Rod
> "Tom Bruhl" <arpeggio@comcast.net> wrote:
> >
> >

> >My symptoms are more like Dimitrios' . Mec 1 shows up (submix A)
 > >442 shows up (submix B, C or D) and usually MEC 2 doesn't show up
 > >and lately Mec 3 (submix E) doesn't show up even with just two Mec3
 > >and nothing else.
 > >
 > >My IRQs had been peachy but I'll recheck just to be sure.
 > >I'll be saving my .var and .cfg files. Are there any others I'll =
 >need =3D
 > >to save independently
 > >before reinstalling? Do I need to uninstall the Scherzo drivers?
 > >I'll be reinstalling today. Should I boot up with all hardware =3D
 > >installed the first time?
 > >Thanks,
 > >Tom
 > >
 > >
 > > "Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message =3D
 > >news:46939eee\$1@linux...
 > >
 > > I don't have my 442 as the main interface, and it works fine for =
 >me. =3D
 > >I've
 > > got my 442 installed on eds card 2.
 > > Rod
 > > "Dimitrios" <musurgNOSPAMio@otenet.gr> wrote:
 > > >
 > > >Hi Tom,
 > > >I have never achieved the 442 scenario but as I know from DJ and =
 >=3D
 > >others
 > > 442
 > > >should be main interface so you loose 24bits digital out.
 > > >If you use all these don't forget the usehousesync in Paris cfg.
 > > >Maybe thats got erased from there or you installed over with no =
 >=3D
 > >housesync.
 > > >I had achieved using the 442 not as main but its ins and outs were
 =
 >=3D
 > >not all
 > > >working !!
 > > >If you try only with three mecs (or four) remember to have a mec =
 >on =3D
 > >your
 > > >last card !
 > > >It should work .
 > > >Installing on c:\parispro is fine and better for avoiding crashes.
 > > >Don't forget to install the subsystem fx on same folder !

> > >Let me know exactly what you do and I will try to help more.
> > >You can call too !
> > >0030-2310-464744
> > >
> > >Regards,
> > >Dimitrios
> > >
> > >
> > >
> > >"Tom Bruhl" <arpegio@comcast.net> wrote:
> > >>
> > >>
> > >>Hey guys
> > >>After a talk with DJ it is decided a fresh install of Paris
> > >>is the best way to go. I tried two cloned C drives and getting
> > >>just three mecs to work with the Lucid but no go. I also
> > >>have a 442 but DJ and Dimitrios say don't do it.
> > >>
> > >>I have tried DJs technique with no benefit recently. I
> > >>did have 2 mecs and 1 442 working flawlessly but I can't
> > >>get that back for some reason.
> > >>
> > >>Is a fresh install to C:Paris Pro the way to go?
> > >>
> > >>I had to cancel this morning's session.
> > >>I will try internal clock for this afternoons session.
> > >>Tom
> > >>
> > >>
> > >>
> > >>I choose Polesoft Lockspam to fight spam, and you?
> > >><http://www.polesoft.com/refer.html> =3D20
> > >>
> > >><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> > >><HTML><HEAD>
> > >><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =
> > >>=3D3D3D
> > >>charset=3D3D3Diso-8859-1">
> > >><META content=3D3D3D"MSHTML 6.00.2800.1400" name=3D3D3DGENERATOR>
> > >><STYLE></STYLE>
> > >></HEAD>
> > >><BODY bgColor=3D3D3D#ffffff>
> > >><DIV>Hey guys</DIV>
> > >><DIV>After a talk with DJ it
> > >>=
> > >>is =3D
> > >>decided a =3D3D
> > >>fresh install=3D3D20

> > >>of Paris</DIV>
> > >><DIV>is the best way to go. I
=
>tried
> =3D
> >=3D3D
> > >>two cloned C=3D3D20
> > >>drives and getting</DIV>
> > >><DIV>just three mecs to work
=
>with =3D
> >the Lucid
> > >=3D3D
> > >>but no=3D3D20
> > >>go. I also</DIV>
> > >><DIV>have a 442 but DJ and =
>Dimitrios
> =3D
> >say =3D3D
> > >>don't do=3D3D20
> > >>it.</DIV>
> > >><DIV> </DIV>
> > >><DIV>I have tried DJs =
>technique with
> =3D
> >no =3D3D
> > >>benefit=3D3D20
> > >>recently. I</DIV>
> > >><DIV>did have 2 mecs and 1 =
>442 =3D
> >working =3D3D
> > >>flawlessly=3D3D20
> > >>but I can't</DIV>
> > >><DIV>get that back for some =
>=3D3D
> > >>reason.</DIV>
> > >><DIV> </DIV>
> > >><DIV>Is a fresh install to =
>C:Paris =3D
> >Pro the
> > =3D3D
> > >>way to=3D3D20
> > >>go?</DIV>
> > >><DIV> </DIV>
> > >><DIV>
> > >><DIV>I had to cancel this =3D
> >morning's=3D3D20
> > >>session.</DIV>

```

> > >><DIV><FONT face=3D3D3DArial size=3D3D3D2>I will try internal =
>clock for =3D
> >this =3D3D
> > >>afternoons=3D3D20
> > >>session.</FONT></DIV>
> > >><DIV><FONT face=3D3D3DArial size=3D3D3D2>Tom</FONT></DIV></DIV>
> > >><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> > >><DIV><FONT size=3D3D3D2><BR><BR>I choose Polesoft Lockspam to =
>fight =3D
> >spam, =3D3D
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >>and=3D3D20
> > >>you?<BR><A=3D3D20
> > =3D
> =
>>>>href=3D3D3D"http://www.polesoft.com/refer.html">http://www.polesoft.co=
>m/r=3D
> >efer=3D3D
> > >>.html</A> </FONT></DIV></BODY></HTML>
> > >>
> > >>
> > >
> >
> >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> ><HTML><HEAD>
> ><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
> >charset=3D3Diso-8859-1">
> ><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
> ><STYLE></STYLE>
> ></HEAD>
> ><BODY bgColor=3D3D#ffffff>
> ><DIV><FONT face=3D3DArial size=3D3D2>My symptoms are more like =
>Dimitrios' =3D
> >. =3D20
> >Mec 1 shows up (submix A)</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>442 shows up (submix B, C or D)
=
>and =3D
> >usually MEC 2=3D20

```

> >doesn't show up</DIV>
> ><DIV>and lately Mec 3 (submix E) =
>doesn't =3D
> >show up even=3D20
> >with just two Mecs</DIV>
> ><DIV>and nothing else.</DIV>
> ><DIV> </DIV>
> ><DIV>My IRQs had been peachy but I'll
=
>=3D
> >recheck just to be=3D20
> >sure.</DIV>
> ><DIV>I'll be saving my .var and .cfg
=
>=3D
> >files. Are=3D20
> >there any others I'll need to save independently</DIV>
> ><DIV>before reinstalling? Do I need =
>to =3D
> >uninstall=3D20
> >the Scherzo drivers?</DIV>
> ><DIV>I'll be reinstalling today. =3D
> >Should I boot up=3D20
> >with all hardware installed the first time?</DIV>
> ><DIV>Thanks,</DIV>
> ><DIV>Tom</DIV>
> ><DIV> </DIV>
> ><DIV> </DIV>
> ><BLOCKQUOTE=3D20
> >style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>=3D
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > <DIV>"Rod Lincoln" <<A=3D20
> > =3D
> > =
>>href=3D3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</A=
>>&g=3D
> >t;=3D20
> > wrote in message <A=3D20
> > =
>href=3D3D"news:46939eee\$1@linux">news:46939eee\$1@linux...</DIV>
I
> =3D
> >don't=3D20
> > have my 442 as the main interface, and it works fine for me. =3D
> >I've
got my=3D20
> > 442 installed on eds card 2.
Rod
"Dimitrios" <<A=3D20
> > =3D
> > =

>><mailto:`musurgNOSPAMio@otenet.gr>>`musurgNOSPAMio@otenet.gr`/A=
>>&g=3D
> >t;=3D20
> > wrote:
>
>Hi Tom,
>I have never achieved the 442 =3D
> >scenario=3D20
> > but as I know from DJ and others
442
>should be main =3D
> >interface so you=3D20
> > loose 24bits digital out.
>If you use all these don't forget the
=
>=3D
> >
> > usehousesync in Paris cfg.
>Maybe thats got erased from there or
=
>=3D
> >you=3D20
> > installed over with no housesync.
>I had achieved using the 442
=
>=3D
> >not as=3D20
> > main but its ins and outs were not all
>working !!
>If you =
>=3D
> >try=3D20
> > only with three mecs (or four) remember to have a mec on =3D
> >your
>last card=3D20
> > !
>It should work .
>Installing on c:\parispro is fine and =
>=3D
> >better=3D20
> > for avoiding crashes.
>Don't forget to install the subsystem fx
=
>=3D
> >on same=3D20
> > folder !
>Let me know exactly what you do and I will try to help
=
>=3D
> >
> > more.
>You can call too=3D20
> > =3D
> >!
>0030-2310-464744
>
>Regards,
>Dimitrios
>=3D
> >;
>
>
>"Tom=3D20
> > Bruhl" <<A =3D
> ><mailto:arpegio@comcast.net>>>arpegio@comcast.net>=3D20
> > wrote:
>>
>>
>>Hey guys
>>After a =3D
> >talk=3D20
> > with DJ it is decided a fresh install of Paris
>>is the best =3D
> >way to=3D20
> > go. I tried two cloned C drives and getting
>>just =3D
> >three mecs=3D20
> > to work with the Lucid but no go. I also
>>have a 442 =3D

> >but DJ=3D20
 > > and Dimitrios say don't do it.
>>
>>I have tried DJs =3D
 > >
 > > technique with no benefit recently. I
>>did have 2 mecs =3D
 > >and 1=3D20
 > > 442 working flawlessly but I can't
>>get that back for some=3D20
 > > reason.
>>
>>Is a fresh install to C:Paris Pro the =3D
 > >way to=3D20
 > > go?
>>
>>I had to cancel this morning's=3D20
 > > session.
>>I will try internal clock for this afternoons=3D20
 > > =3D
 > >session.
>>Tom
>>
>>
>>
>>I =3D
 > >
 > > choose Polesoft Lockspam to fight spam, and=3D20
 > > you?
>>http://www.polesoft.com/refer.html =3D20
 > >
>>
>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =3D
 > >
 > > =3D
 > >Transitional//EN">
>><HTML><HEAD>
>><=3D
 > >META=3D20
 > > http-equiv=3D3D3DContent-Type content=3D3D3D"text/html;=3D20
 > > =3D3D
>>charset=3D3D3Diso-8859-1">
>><META =3D
 > >content=3D3D3D"MSHTML=3D20
 > > 6.00.2800.1400"=3D20
 > > =3D
 > >name=3D3D3DGENERATOR>
>><STYLE></STYLE>
>>=3D
 > ></HEAD>
>><BODY=3D20
 > > bgColor=3D3D3D#ffffff>
>><DIV><FONT face=3D3D3DArial=3D20
 > > size=3D3D3D2>Hey =3D
 > >guys</DIV>
>><DIV><FONT=3D20
 > > face=3D3D3DArial size=3D3D3D2>After a talk with DJ it is decided =
 > >a=3D20
 > > =3D3D
>>fresh install=3D3D20
>>of=3D20
 > > Paris</DIV>
>><DIV><FONT =3D
 > >face=3D3D3DArial=3D20
 > > size=3D3D3D2>is the best way to go. I tried =3D3D
>>two cloned =
 > >=3D
 > >
 > > C=3D3D20
>>drives and=3D20
 > > getting</DIV>
>><DIV><FONT =3D
 > >face=3D3D3DArial=3D20
 > > size=3D3D3D2>just three mecs to work with the =3D
 > >Lucid
>>=3D3D
>>but=3D20
 > > no=3D3D20
>>go. I=3D20
 > > also</DIV>
>><DIV><FONT =3D
 > >face=3D3D3DArial=3D20
 > > size=3D3D3D2>have a 442 but DJ and Dimitrios say =3D3D
>>don't =
 > >=3D


```

> >f=3D3D3D"<A=3D20
> > =3D
> =
>>href=3D3D'http://www.polesoft.com/refer.html">http://www.polesoft.com/re=
>fer=3D
> =
>>'>http://www.polesoft.com/refer.html">http://www.polesoft.com/refer</A=3D=
>
> >>=3D3D<BR>>>.html</A>=3D20
> > =3D
> ></FONT></DIV></BODY></HTML><BR>>><BR>>>&g=3D
> >t;<BR>><BR></BLOCKQUOTE></BODY></HTML>
> >
> >
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3DContent-Type content=3D"text/html; =
>charset=3Diso-8859-1">
><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D#ffffff>
><DIV><FONT face=3DArial size=3D2>Thanks Rod,</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>That's what I'd do if I could get it to
=
>
>install.</FONT></DIV>

><DIV><FONT face=3DArial size=3D2>After uninstalling and removing the =
>Scherzo drivers=20
>I have </FONT></DIV>

></FONT><FONT=20
>face=3DArial size=3D2>I install Paris 3.0 and there's nothing =
>anywhere</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>on the C drive after it says it's =
>successfully=20
>installed.</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>Not in Add/Remove Programs nor in All=20

>face=3DArial=20

></FONT><FONT face=3DArial size=3D2>1.05</FONT></DIV>

```

>the Remove MIDI line from the .cfg =
>.</DIV>

><DIV>Something is very very fishy around=20
>here.</DIV>

><DIV>Any ideas?</DIV>

><DIV>Dopey</DIV>

><BLOCKQUOTE=20

>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

> <DIV>"Rod Lincoln" <<A=20

> =

>href=3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com&g=

>t;=20

> wrote in message <A=20

> =

>href=3D"news:4693e48e\$1@linux">news:4693e48e\$1@linux...</DIV>
Tom,=

> can't=20

> answer that for sure. I built my system one component at a =

>time
from a=20

> bundle 3, being carefule and methodical along the way, and =

>ghosting.
So I=20

> would say do it a step at a time. But there's also a gut feeling =

>that
it=20

> may be good to have everything hooked up when you reinstall the =

>Paris
app,=20

> and let it see everything. How's that for non-commital?
(pay no =

>attention=20

> to my speling).
Rod
"Tom Bruhl" <<A=20

> href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=20

> wrote:
>
>
>My symptoms are more like Dimitrios' =

> 1 shows up (submix A)
>442 shows up (submix B, C or D) and =

>usually MEC 2=20

> doesn't show up
>and lately Mec 3 (submix E) doesn't show up =

>even with=20

> just two Mec3s
>and nothing else.
>
>My IRQs had been =

>peachy=20

> but I'll recheck just to be sure.
>I'll be saving my .var and =

>.cfg=20

>the=20

>boot up=20

> with all hardware =3D
>installed the first=20

>Lincoln"=20

> <<A=20
> =
>href=3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com&g=
>t;=20
> wrote in message =

> don't have my 442 as the main interface, and it works fine for me.=20

> =
>href=3D"mailto:`musurgNOSPAMio@otenet.gr">`musurgNOSPAMio@otenet.gr&g=
>t;=20

>>I have=20
> never achieved the 442 scenario but as I know from DJ and=20

>interface=20

>these don't=20

>got erased=20
> from there or you installed over with no =

> >I had achieved using the 442 not as main but its ins and outs were =
>

>you try=20
> only with three mecs (or four) remember to have a mec on=20

>should work=20

>avoiding=20

>same=20

>try to=20

> href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=20

>>>Hey=20

>install=20

>two cloned=20

>with the=20

>and=20

>>>I have=20

> >>did have 2 mecs and 1 442 working flawlessly but I =

>

>afternoons=20

>Polesoft=20

>HTML 4.0=20

> http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =

> content=3D3D3D"MSHTML 6.00.2800.1400" =

> face=3D3D3DArial size=3D3D3D2>Hey =

> >><DIV>After a =
>talk with DJ=20

>>><DIV><FONT=20

> face=3D3D3DArial size=3D3D3D2>is the best way to go. l=20

> >><DIV>just =

>three mecs to=20

>>>but=20

>>><DIV><FONT=20

> face=3D3D3DArial size=3D3D3D2>have a 442 but DJ and =
>Dimitrios
=3D
>say=20

>>><DIV><FONT=20

> face=3D3D3DArial size=3D3D3D2> =

> >><DIV>I have =
>tried DJs=20

> face=3D3D3DArial size=3D3D3D2>did have 2 mecs and 1 442 =
>=3D
>working=20

>>>but l=20

>>><DIV><FONT=20

> face=3D3D3DArial size=3D3D3D2>get that back for some =

> >><DIV><FONT face=3D3D3DArial =
>size=3D3D3D2>=20

>face=3D3D3DArial=20

> size=3D3D3D2>Is a fresh install to C:Paris =3D
>Pro =

>>><DIV><FONT=20

> face=3D3D3DArial size=3D3D3D2> =

>face=3D3D3DArial=20

> size=3D3D3D2>I had to cancel this =

> >><DIV>I will =
>try internal=20

> >><DIV><FONT face=3D3D3DArial=20

>

> >><DIV><FONT face=3D3D3DArial =
>size=3D3D3D2>=20

> size=3D3D3D2>

I choose Polesoft Lockspam to =
>fight=20

> =3D
>>>href=3D3D3D"<A=20

> =

>href=3D'http://www.polesoft.com/refer.html">http://www.polesoft.com/r'>ht=
>tp://www.polesoft.com/refer.html">http://www.polesoft.com/r=3D
=

> >>.html=20

> >
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML =
>4.0=20

> Transitional//EN">
><HTML><HEAD>
><META=20

> http-equiv=3D3DContent-Type content=3D3D"text/html;=20

> =3D
>charset=3D3Diso-8859-1">
><META =

>content=3D3D"MSHTML=20

> 6.00.2800.1400"=20

> =

>name=3D3DGENERATOR>
><STYLE></STYLE>
></HEA=

>D>
><BODY=20

> bgColor=3D3D#ffffff>
><DIV><FONT face=3D3DArial =

>size=3D3D2>My=20

> symptoms are more like Dimitrios' =3D
>. =3D20
>Mec 1 =

>shows up (submix=20

> A)</DIV>
><DIV><FONT face=3D3DArial=20

> size=3D3D2>442 shows up (submix B, C or D) and =3D
>usually =

>MEC=20

> 2=3D20
>doesn't show=20

> up</DIV>
><DIV><FONT face=3D3DArial=20

> size=3D3D2>and lately Mec 3 (submix E) doesn't =3D
>show up=20

> even=3D20
>with just two=20

> Mecs</DIV>
><DIV><FONT =

>face=3D3DArial=20

> size=3D3D2>and nothing=20

> else.</DIV>
><DIV><FONT =

```

>face=3D3DArial=20
> size=3D3D2></FONT> </DIV><BR>><DIV><FONT =
>face=3D3DArial=20
> size=3D3D2>My IRQs had been peachy but I'll =3D<BR>>recheck just =
>to=20
> =
>be=3D20<BR>>sure.</FONT></DIV><BR>><DIV><FONT =
>
> face=3D3DArial size=3D3D2>I'll be saving my .var and .cfg =
>=3D<BR>>files.=20
> Are=3D20<BR>>there any others I'll need to save=20
> independently</FONT></DIV><BR>><DIV><FONT =
>face=3D3DArial=20
> size=3D3D2>before reinstalling? Do I need to =
>=3D<BR>>uninstall=3D20<BR>>the=20
> Scherzo drivers?</FONT></DIV><BR>><DIV><FONT=20
> face=3D3DArial size=3D3D2>I'll be reinstalling today. =
>=3D<BR>>Should I boot=20
> up=3D20<BR>>with all hardware installed the first=20
> time?</FONT></DIV><BR>><DIV><FONT =
>face=3D3DArial=20
> =
>size=3D3D2>Thanks,</FONT></DIV><BR>><DIV><FONT=
>=20
> face=3D3DArial=20
> size=3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=20
> face=3D3DArial size=3D3D2></FONT> =
></DIV><BR>><DIV><FONT=20
> face=3D3DArial size=3D3D2></FONT>=20
> =
></DIV><BR>><BLOCKQUOTE=3D20<BR>>style=3D3D"PADDING-RIGHT: =
>0px;=20
> PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D<BR>>BORDER-LEFT: #000000 =
>2px solid;=20

> =
>href=3D'mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</A>&a=
>mp;g'>mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</=

> =
>href=3D'news:46939eee$1 @linux">news:46939eee$1 @linux</A>...</DIV><BR>I'>n=
>ews:46939eee$1 @linux">news:46939eee$1 @linux</A>...</DIV>&l=

> have my 442 as the main interface, and it works fine for me.=20

>eds card=20

```

> =3D
>href=3D3D"<A=20
> =
>href=3D'mailto:`musurgNOSPAMio@otenet.gr">`musurgNOSPAMio@otenet.gr&a=
>mp;g'>mailto:`musurgNOSPAMio@otenet.gr">`musurgNOSPAMio@otenet.gr</=

> wrote:
>
>Hi Tom,
>I have never =
>achieved=20

>and=20
> others
442
>should be main =3D
>interface =
>so=20

>use all=20

>
> cfg.
>Maybe thats got erased from there or=20

>housesync.
>I=20

>but its ins=20
> and outs were not all
>working !!
>If you=20

>remember to have=20

> !
>It should work .
>Installing on c:\parispro =
>is fine=20

>crashes.
>Don't=20
> forget to install the subsystem fx =3D
>on =

> !
>Let me know exactly what you do and I will try to help=20

> =
>=3D
>!
>0030-2310-464744
>
>Reg=
>ards,
>Dimitrios
>=3D
>;
><B=

> Bruhl" <<A =3D
>href=3D3D"<A=20
> =
>href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>=3D20'>mailto=
>:arpegio@comcast.net">arpegio@comcast.net>=3D20
&g=

> wrote:
>>
>>
>>Hey=20

>DJ it is=20
> decided a fresh install of Paris
>>is the best =
>=3D
>way=20

>to work=20
> with the Lucid but no go. I also
>>have a 442 =
>=3D
>>but=20

> it.
>>
>>I have tried DJs=20

>442 working=20
> flawlessly but I can't
>>get that back for=20

>a fresh=20

> go?
>>
>>I had to cancel this=20

>internal clock=20

> =
>=3D
>>session.
>>Tom
>>
>>&=
>gt;
>>
>>I=20

>you?
>>http://www.polesoft.com/refer.html=20

>HTML PUBLIC=20

> =
>=3D
>>Transitional//EN">
>><HTML><HEAD>=
> http-equiv=3D3D3DContent-Type =
> =
>=3D3D
>>charset=3D3D3Diso-8859-1">
>><= >;META=20

> =
>=3D
>>name=3D3D3DGENERATOR>
>><STYLE></ST=
>YLE>
>>=3D
>></HEAD>
>><BO=
> bgColor=3D3D3D#ffffff>
>><DIV><FONT=20
> =
>=3D
>>guys</DIV>
>><DIV><= > face=3D3D3DArial size=3D3D3D2>After a talk with DJ it is decided=20

> Paris</DIV>
>><DIV><FONT=20
>best way to go.=20

> getting</DIV>
>><DIV><FONT=20
>three mecs to work=20
> with the =
>=3D
>Lucid
>=3D3D
>>but=3D20
> =
>p;=20

> also</DIV>
>><DIV><FONT=20
>442 but DJ and=20

> =
>=3D
>do=3D3D20
>>it.</DIV><BR&=

> </DIV>
>><DIV><FONT face=3D3D3DArial=20
>technique with no=20
> =
>=3D
>=3D3D
>>benefit=3D3D20
>>recentl=

> I</DIV>
>><DIV><FONT=20
>have 2 mecs and 1=20

> =3D3D
>>flawlessly=3D3D20
>>but =
> can't</DIV>
>><DIV><FONT=20
>that back for=20

> =
>=3D
>=3D3D
>>reason.</DIV><BR&=

> </DIV>
>><DIV><FONT face=3D3D3DArial=20
>C:Paris Pro=20

> =
>=3D
>to=3D3D20
>>go?</DIV><BR&=

> =
></DIV>
>><DIV>
>><DIV><=

> face=3D3D3DArial size=3D3D3D2>I had to cancel =

> =
>=3D
>morning's=3D3D20
>>session.</DI=
>V>
>>&l=3D
>t;DIV><FONT=3D20
>&nb=
>sp;=20
> face=3D3D3DArial size=3D3D3D2>I will try internal clock for=20

> =
>=3D
>=3D3D
>>afternoons=3D3D20
>>sess=
>ion.</DIV&g=3D
>t;
>><DIV>=

> =
>=3D
>size=3D3D3D2>Tom</DIV></DIV><BR=

> </DIV>
>><DIV><FONT=20

>choose Polesoft=20

> =
>=3D
>=3D3D
>
>
>
>&=
>lt;
>
>
>
>
&g=3D=
>
>t;
>>and=3D3D20
>>you?
<=

>;=20

> =
>=3D
>href=3D3D'http://www.polesoft.com/refer.html">http://www.po=
>lesoft.com/refer=3D
>'>http://www.polesoft.com/refer.html">ht=
>tp://www.polesoft.com/refer</A=3D
>=3D3D
>>.h=

> =
>=3D
></DIV></BODY></HTML>
&=
>gt;>
>&g=3D
>t;
>
</BLOC=
>KQUOTE></BODY></HTML>
>
>
</BLOCKQUOTE></BO=
>DY></HTML>

>

>

Subject: Re: Rod or Dimitrios Multi Mec ideas needed.
Posted by [Tom Bruhl](#) on Tue, 10 Jul 2007 23:15:08 GMT

This is a multi-part message in MIME format.

-----=_NextPart_000_0017_01C7C326.A1224620
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Rod,
I was having probs because I only installed the drivers. Duh.
I still had no joy with hardware after the clean install though.
I will remove the 442 and see what changes.

Thanks again

Tom

"Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message =
news:46940bd7\$1@linux...

Tom, I'm PM'ng you. Look for my e
Rod
"Tom Bruhl" <arpeggio@comcast.net> wrote:
>
>
>Thanks Rod,
>That's what I'd do if I could get it to install.
>
>After uninstalling and removing the Scherzo drivers I have=3D20
>updated the pace drivers. I install Paris 3.0 and there's nothing =
=3D
>anywhere
>on the C drive after it says it's successfully installed.
>Not in Add/Remove Programs nor in All Programs. This is after I =
restart
>the computer. The Scherzo drivers install one at a time. The =
Subsystem
=3D
>1.05
>installs like a charm. It also suggests the Remove MIDI line from =
the =3D
>.cfg .
>
>Something is very very fishy around here.
>Any ideas?
>Dopey
> "Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message =3D
>news:4693e48e\$1@linux...
>
> Tom, can't answer that for sure. I built my system one component at =

a

=3D

>time

> from a bundle 3, being carefule and methodical along the way, and =

=3D

>ghosting.

> So I would say do it a step at a time. But there's also a gut =

feeling

=3D

>that

> it may be good to have everything hooked up when you reinstall the =

=3D

>Paris

> app, and let it see everything. How's that for non-commital?

> (pay no attention to my speling).

> Rod

> "Tom Bruhl" <arpeggio@comcast.net> wrote:

> >

> >

> >My symptoms are more like Dimitrios' . Mec 1 shows up (submix A)

> >442 shows up (submix B, C or D) and usually MEC 2 doesn't show up

> >and lately Mec 3 (submix E) doesn't show up even with just two =

Mecs

> >and nothing else.

> >

> >My IRQs had been peachy but I'll recheck just to be sure.

> >I'll be saving my .var and .cfg files. Are there any others I'll =

=3D

>need =3D3D

> >to save independently

> >before reinstalling? Do I need to uninstall the Scherzo drivers?

> >I'll be reinstalling today. Should I boot up with all hardware =

=3D3D

> >installed the first time?

> >Thanks,

> >Tom

> >

> >

> > "Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message =3D3D

> >news:46939eee\$1@linux...

> >

> > I don't have my 442 as the main interface, and it works fine for =

=3D

>me. =3D3D

> >I've

> > got my 442 installed on eds card 2.

> > Rod

> > "Dimitrios" <`musurgNOSPAMio@otenet.gr> wrote:

> > >
 > > >Hi Tom,
 > > >I have never achieved the 442 scenario but as I know from DJ =
 and =3D
 >=3D3D
 > >others
 > > 442
 > > >should be main interface so you loose 24bits digital out.
 > > >If you use all these don't forget the usehousesync in Paris =
 cfg.
 > > >Maybe thats got erased from there or you installed over with no =
 =3D
 >=3D3D
 > >housesync.
 > > >I had achieved using the 442 not as main but its ins and outs =
 were
 =3D
 >=3D3D
 > >not all
 > > >working !!
 > > >If you try only with three mecs (or four) remember to have a =
 mec =3D
 >on =3D3D
 > >your
 > > >last card !
 > > >It should work .
 > > >Installing on c:\parispro is fine and better for avoiding =
 crashes.
 > > >Don't forget to install the subsystem fx on same folder !
 > > >Let me know exactly what you do and I will try to help more.
 > > >You can call too !
 > > >0030-2310-464744
 > > >
 > > >Regards,
 > > >Dimitrios
 > > >
 > > >
 > > >
 > > >"Tom Bruhl" <arpegio@comcast.net> wrote:
 > > >>
 > > >>
 > > >>Hey guys
 > > >>After a talk with DJ it is decided a fresh install of Paris
 > > >>is the best way to go. I tried two cloned C drives and =
 getting
 > > >>just three mecs to work with the Lucid but no go. I also
 > > >>have a 442 but DJ and Dimitrios say don't do it.
 > > >>

> > >>I have tried DJs technique with no benefit recently. I
 > > >>did have 2 mecs and 1 442 working flawlessly but I can't
 > > >>get that back for some reason.
 > > >>
 > > >>Is a fresh install to C:Paris Pro the way to go?
 > > >>
 > > >>I had to cancel this morning's session.
 > > >>I will try internal clock for this afternoons session.
 > > >>Tom
 > > >>
 > > >>
 > > >>
 > > >>I choose Polesoft Lockspam to fight spam, and you?
 > > >><http://www.polesoft.com/refer.html> =3D3D20
 > > >>
 > > >><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
 > > >><HTML><HEAD>
 > > >><META http-equiv=3D3D3D3DContent-Type =
 content=3D3D3D3D"text/html; =3D
 =3D3D3D
 > > >>charset=3D3D3D3Diso-8859-1">
 > > >><META content=3D3D3D3D"MSHTML 6.00.2800.1400" =
 name=3D3D3D3DGENERATOR>
 > > >><STYLE></STYLE>
 > > >></HEAD>
 > > >><BODY bgColor=3D3D3D3D#ffffff>
 > > >><DIV>Hey =
 guys</DIV>
 > > >><DIV>After a talk with =
 DJ it
 =3D
 >is =3D3D
 > >decided a =3D3D3D
 > > >>fresh install=3D3D3D20
 > > >>of Paris</DIV>
 > > >><DIV>is the best way =
 to go. I
 =3D
 >tried
 > =3D3D
 > >=3D3D3D
 > > >>two cloned C=3D3D3D20
 > > >>drives and getting</DIV>
 > > >><DIV>just three mecs =
 to work
 =3D
 >with =3D3D
 > >the Lucid

> > >=3D3D3D
> > >>but no=3D3D3D20
> > >>go. I also</DIV>
> > >><DIV>have a 442 but DJ =
and =3D
>Dimitrios
> =3D3D
> >say =3D3D3D
> > >>don't do=3D3D3D20
> > >>it.</DIV>
> > >><DIV> </DIV>
> > >><DIV>I have tried DJs =
=3D
>technique with
> =3D3D
> >no =3D3D3D
> > >>benefit=3D3D3D20
> > >>recently. I</DIV>
> > >><DIV>did have 2 mecs =
and 1 =3D
>442 =3D3D
> >working =3D3D3D
> > >>flawlessly=3D3D3D20
> > >>but I can't</DIV>
> > >><DIV>get that back for =
some =3D
>=3D3D3D
> > >>reason.</DIV>
> > >><DIV> </DIV>
> > >><DIV>Is a fresh =
install to =3D
>C:Paris =3D3D
> >Pro the
> > =3D3D3D
> > >>way to=3D3D3D20
> > >>go?</DIV>
> > >><DIV> </DIV>
> > >><DIV>
> > >><DIV>I had to cancel =
this =3D3D
> >morning's=3D3D3D20
> > >>session.</DIV>
> > >><DIV>I will try =
internal =3D
>clock for =3D3D
> >this =3D3D3D
> > >>afternoons=3D3D3D20
> > >>session.</DIV>

```
> > >><DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>Tom</FONT></DIV></DIV>
> > >><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > >><DIV><FONT size=3D3D3D3D2><BR><BR>I choose Polesoft Lockspam =
to =3D
>fight =3D3D
> >spam, =3D3D3D
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> > >>and=3D3D3D20
> > >>you?<BR><A=3D3D3D20
> > =3D3D
> =3D
=
>>>>href=3D3D3D3D"http://www.polesoft.com/refer.html">http://www.polesoft=
..co=3D
>m/r=3D3D
> >efer=3D3D3D
> > >>.html</A> </FONT></DIV></BODY></HTML>
> > >>
> > >>
> > >
> >
> >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> ><HTML><HEAD>
> ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =
=3D3D
> >charset=3D3D3Diso-8859-1">
> ><META content=3D3D3D"MSHTML 6.00.2800.1400" name=3D3D3DGENERATOR>
> ><STYLE></STYLE>
> ></HEAD>
> ><BODY bgColor=3D3D3D#ffffff>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>My symptoms are more like =
=3D
>Dimitrios' =3D3D
> >. =3D3D20
> >Mec 1 shows up (submix A)</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>442 shows up (submix B, C =
or D)
=3D
```

>and =3D3D
 > >usually MEC 2=3D3D20
 > >doesn't show up</DIV>
 > ><DIV>and lately Mec 3 (submix =
 E) =3D
 >doesn't =3D3D
 > >show up even=3D3D20
 > >with just two Mec3</DIV>
 > ><DIV>and nothing =
 else.</DIV>
 > ><DIV> </DIV>
 > ><DIV>My IRQs had been peachy =
 but I'll
 =3D
 >=3D3D
 > >recheck just to be=3D3D20
 > >sure.</DIV>
 > ><DIV>I'll be saving my .var =
 and .cfg
 =3D
 >=3D3D
 > >files. Are=3D3D20
 > >there any others I'll need to save independently</DIV>
 > ><DIV>before reinstalling? Do I =
 need =3D
 >to =3D3D
 > >uninstall=3D3D20
 > >the Scherzo drivers?</DIV>
 > ><DIV>I'll be reinstalling =
 today. =3D3D
 > >Should I boot up=3D3D20
 > >with all hardware installed the first time?</DIV>
 > ><DIV>Thanks,</DIV>
 > ><DIV>Tom</DIV>
 > ><DIV> </DIV>
 > ><DIV> </DIV>
 > ><BLOCKQUOTE=3D3D20
 > >style=3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
 5px; =3D
 >=3D3D
 > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 > > <DIV>"Rod Lincoln" <<A=3D3D20
 > > =3D3D
 > =3D
 =
 >>href=3D3D3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com=
 </A=3D
 >>&g=3D3D

> >t;=3D3D20
> > wrote in message <A=3D3D20
> > =3D
=
>href=3D3D3D"news:46939eee\$1 @linux">news:46939eee\$1 @linux...</DIV><BR=
>|
> =3D3D
> >don't=3D3D20
> > have my 442 as the main interface, and it works fine for me. =
=3D3D
> >l've
got my=3D3D20
> > 442 installed on eds card 2.
Rod
"Dimitrios" <<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D"mailto:` musurgNOSPAMio@otenet.gr">` musurgNOSPAMio@otenet.gr=
</A=3D
>>&g=3D3D
> >t;=3D3D20
> > wrote:
>
>Hi Tom,
>I have never achieved the 442 =3D3D
> >scenario=3D3D20
> > but as I know from DJ and others
442
>should be main =3D3D
> >interface so you=3D3D20
> > loose 24bits digital out.
>If you use all these don't forget =
the
=3D
>=3D3D
> >
> > usehousesync in Paris cfg.
>Maybe thats got erased from there =
or
=3D
>=3D3D
> >you=3D3D20
> > installed over with no housesync.
>I had achieved using the =
442
=3D
>=3D3D
> >not as=3D3D20
> > main but its ins and outs were not all
>working !!
>If you =
=3D
>=3D3D
> >try=3D3D20
> > only with three mecs (or four) remember to have a mec on =3D3D
> >your
>last card=3D3D20
> > !
>It should work .
>Installing on c:\parispro is fine and =
=3D
>=3D3D
> >better=3D3D20

> > for avoiding crashes.
>Don't forget to install the subsystem =
fx
=3D
>=3D3D
> >on same=3D3D20
> > folder !
>Let me know exactly what you do and I will try to =
help
=3D
>=3D3D
> >
> > more.
>You can call too=3D3D20
> > =3D3D
> >!
>0030-2310-464744
>
>Regards,
>Dimitrios
>=3D3D
> >;
>
>
>"Tom=3D3D20
> > Bruhl" <<A =3D3D
> =
>href=3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net=3D3D20
> > wrote:
>>
>>
>>Hey guys
>>After a =3D3D
> >talk=3D3D20
> > with DJ it is decided a fresh install of Paris
>>is the best =
=3D3D
> >way to=3D3D20
> > go. I tried two cloned C drives and getting
>>just =3D3D
> >three mecs=3D3D20
> > to work with the Lucid but no go. I also
>>have a 442 =3D3D
> >but DJ=3D3D20
> > and Dimitrios say don't do it.
>>
>>I have tried DJs =3D3D
> >
> > technique with no benefit recently. I
>>did have 2 mecs =3D3D
> >and 1=3D3D20
> > 442 working flawlessly but I can't
>>get that back for =
some=3D3D20
> > reason.
>>
>>Is a fresh install to C:Paris Pro the =3D3D
> >way to=3D3D20
> > go?
>>
>>I had to cancel this morning's=3D3D20
> > session.
>>I will try internal clock for this =
afternoons=3D3D20
> > =3D3D
> >session.
>>Tom
>>
>>
>>
>>I =3D3D
> >
> > choose Polesoft Lockspam to fight spam, and=3D3D20
> > you?
>>http://www.polesoft.com/refer.html =3D3D20
> >
>>
>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =3D3D
> >
> > =3D3D
> >Transitional//EN">
>><HTML><HEAD>
>><=3D3D
> >META=3D3D20
> > http-equiv=3D3D3D3DContent-Type =

```

content="text/html;"
> > charset="iso-8859-1">><META =
> > content="MSHTML"
> > 6.00.2800.1400"
> > =
> > name="GENERATOR">><STYLE></STYLE>>=
> ></HEAD>><BODY=
> > bgcolor="#ffffff">><DIV><FONT =
face="Arial"
> > size="2">Hey =
> >guys</FONT></DIV>><DIV><FONT=
> > face="Arial" size="2">After a talk with DJ it is =
decided =
>a=
> > =
> > Paris</FONT></DIV>><DIV><FONT =
> >face="Arial"=
> > size="2">is the best way to go. I tried =
cloned =
>=
> >
> > C=
> > getting</FONT></DIV>><DIV><FONT =
> >face="Arial"=
> > size="2">just three mecs to work with the =
> >Lucid<BR>=><BR>>>but=
> > no=
> > also</FONT></DIV>><DIV><FONT =
> >face="Arial"=
> > size="2">have a 442 but DJ and Dimitrios say =
=
>=
> >
> > =
> >do=
> >;FONT=
> > face="Arial" size="2"></FONT>=
> > </DIV>><DIV><FONT face="Arial" =
> >size="2">I have=
> > tried DJs technique with no =
> >=>>benefit=
> > I</FONT></DIV>><DIV><FONT =
> >face="Arial"=
> > size="2">did have 2 mecs and 1 442 working=
> > =
> > can't</FONT></DIV>><DIV><FONT =
> >face="Arial"=
> > size="2">get that back for some=

```



```

> >t;<BR>><BR></BLOCKQUOTE></BODY></HTML>
> >
> >
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
>charset=3D3Diso-8859-1">
><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D3D#ffffff>
><DIV><FONT face=3D3DArial size=3D3D2>Thanks Rod,</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>That's what I'd do if I could =
get it to
=3D
>
>install.</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><DIV><FONT face=3D3DArial size=3D3D2>After uninstalling and removing =
the =3D
>Scherzo drivers=3D20
>I have </FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>updated the pace drivers. =3D
></FONT><FONT=3D20
>face=3D3DArial size=3D3D2>I install Paris 3.0 and there's nothing =3D
>anywhere</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>on the C drive after it says =
it's =3D
>successfully=3D20
>installed.</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>Not in Add/Remove Programs nor =
in All=3D20
>Programs. This is after I restart</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>the computer. </FONT><FONT =3D
>face=3D3DArial=3D20
>size=3D3D2>The Scherzo drivers install one at a time. The =
Subsystem=3D20
></FONT><FONT face=3D3DArial size=3D3D2>1.05</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>installs like a charm. It =3D
>also suggests=3D20
>the Remove MIDI line </FONT><FONT face=3D3DArial size=3D3D2>from the =
..cfg =3D
>.</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><DIV><FONT face=3D3DArial size=3D3D2>Something is very very fishy =
around=3D20

```

>here.</DIV>
><DIV>Any ideas?</DIV>
><DIV>Dopey</DIV>
><BLOCKQUOTE=3D20
>style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3D
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Rod Lincoln" <<A=3D20
> =3D
=
>href=3D3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</A=
>&g=3D
>t;=3D20
> wrote in message <A=3D20
> =3D
=
>href=3D3D"news:4693e48e\$1 @linux">news:4693e48e\$1 @linux...</DIV>
T=
om,=3D
> can't=3D20
> answer that for sure. I built my system one component at a =3D
>time
from a=3D20
> bundle 3, being carefule and methodical along the way, and =3D
>ghosting.
So l=3D20
> would say do it a step at a time. But there's also a gut feeling =
=3D
>that
it=3D20
> may be good to have everything hooked up when you reinstall the =3D
>Paris
app,=3D20
> and let it see everything. How's that for non-commital?
(pay no =
=3D
>attention=3D20
> to my speling).
Rod
"Tom Bruhl" <<A=3D20
> href=3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=3D20
> wrote:
>
>
>My symptoms are more like Dimitrios' =3D
>. Mec=3D20
> 1 shows up (submix A)
>442 shows up (submix B, C or D) and =3D
>usually MEC 2=3D20
> doesn't show up
>and lately Mec 3 (submix E) doesn't show up =3D
>even with=3D20
> just two Mec3
>and nothing else.
>
>My IRQs had been =3D
>peachy=3D20
> but I'll recheck just to be sure.
>I'll be saving my .var and =
=3D
>.cfg=3D20
> files. Are there any others I'll need =3D3D
>to save=3D20
> independently
>before reinstalling? Do I need to uninstall =3D
>the=3D20
> Scherzo drivers?
>I'll be reinstalling today. Should I =3D

>boot up=
> with all hardware installed the first
> time?>Thanks,>Tom>>> "Rod
>Lincoln"=
> <<A=
> =
=
>href="mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</A=
>&g=
>t;=
> wrote in message =
>=news:46939eee\$1@linux...>>> I=
> don't have my 442 as the main interface, and it works fine for =
me.=
> =>>I've>> got my 442 installed on eds card =
>2.> =
> Rod>> "Dimitrios" <<A=
> =
=
>href="mailto:`musurgNOSPAMio@otenet.gr">`musurgNOSPAMio@otenet.gr</A=
>&g=
>t;=
> wrote:>>>Hi Tom,>> =
>>I have=
> never achieved the 442 scenario but as I know from DJ and=
> =>>others>> 442>> >should be main =
>interface=
> so you loose 24bits digital out.>> >If you use all =
>these don't=
> forget the usehousesync in Paris cfg.>> >Maybe thats =
>got erased=
> from there or you installed over with no =
>=housesync.> =
> >I had achieved using the 442 not as main but its ins and outs were =
=
>
> =>>not all>> >working !!>> >If =
>you try=
> only with three mecs (or four) remember to have a mec on=
> =>>your>> >last card !>> >It =
>should work=
> .>> >Installing on c:\parispro is fine and better for =
>avoiding=
> crashes.>> >Don't forget to install the subsystem fx on =
>same=
> folder !>> >Let me know exactly what you do and I will =
>try to=
> help more.>> >You can call too !>> =

> >0030-2310-464744
> >
> =3D20
> >Regards,
> >Dimitrios
> =3D
>>
> =3D20
> >
> >
> >"Tom Bruhl" <<A=3D20
> href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=3D20
> wrote:
> >>
> >>
> =3D
>>>Hey=3D20
> guys
> >>After a talk with DJ it is decided a fresh =3D
>install=3D20
> of Paris
> >>is the best way to go. I tried =3D
>two cloned=3D20
> C drives and getting
> >>just three mecs to work =3D
>with the=3D20
> Lucid but no go. I also
> >>have a 442 but DJ =3D
>and=3D20
> Dimitrios say don't do it.
> >>
> =3D
>>>I have=3D20
> tried DJs technique with no benefit recently. I
> =3D20
> >>did have 2 mecs and 1 442 working flawlessly but I =3D
>can't
> =3D20
> >>get that back for some reason.
> =3D
>>>
> =3D20
> >>Is a fresh install to C:Paris Pro the way to go?
> =3D
>
> >>
> >>I had to cancel this morning's=3D20
> session.
> >>I will try internal clock for this =3D
>afternoons=3D20
> session.
> >>Tom
> =3D
>>>
> =3D20
> >>
> >>
> >>I choose =3D
>Polesoft=3D20
> Lockspam to fight spam, and you?
> =3D20
> >>http://www.polesoft.com/refer.html =3D3D20
> =3D20
> >>
> >><!DOCTYPE HTML PUBLIC "-//W3C//DTD =3D
>HTML 4.0=3D20
> Transitional//EN">
> =3D20
> >><HTML><HEAD>
> >><META=3D20
> http-equiv=3D3D3D3DContent-Type content=3D3D3D3D"text/html; =3D
>=3D3D3D
> =3D20
> >>charset=3D3D3D3Diso-8859-1">
> >><META=3D20
> content=3D3D3D3D"MSHTML 6.00.2800.1400" =3D
>name=3D3D3D3DGENERATOR>
> =3D20
> >><STYLE></STYLE>
> =3D20
> >></HEAD>
> >><BODY=3D20
> bgColor=3D3D3D3D#ffffff>
> >><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2>Hey =3D
>guys</DIV>
> =3D20
> >><DIV>After a =3D

>talk with DJ=
 > it is =decided a =fresh=
 > install=
 > Paris</DIV>
> =
 >>><DIV><FONT=
 > face=Arial size=2>is the best way to go. I=
 > tried
=
>=
> >>two cloned =
 >C=
 > >>drives and getting</DIV>
> =
 > >><DIV>just =
 >three mecs to=
 > work with =the Lucid
> >=
> =
 >>>but=
 > no=
 > also</DIV>
> =
 >>><DIV><FONT=
 > face=Arial size=2>have a 442 but DJ and =
 >Dimitrios
=
>say=
 > =
> >>don't do=
 > >>it.</DIV>
> =
 >>><DIV><FONT=
 > face=Arial size=2> =
 ></DIV>
> =
 > >><DIV>I have =
 >tried DJs=
 > technique with
=
>no =
> =
 > >>benefit=
 > I</DIV>
> >><DIV><FONT=
 > face=Arial size=2>did have 2 mecs and 1 442 =
 >=
>working=
 > =
> >>flawlessly=
 >>>but I=
 > can't</DIV>
> =
 >>><DIV><FONT=
 > face=Arial size=2>get that back for some =
 >=
> =
 > >>reason.</DIV>
> =
 > >><DIV><FONT face=Arial =
 >size=2>=
 > </DIV>
> >><DIV><FONT =
 >face=Arial=
 > size=2>Is a fresh install to C:Paris =
>Pro =
 >the
> =
 > =
> >>way to=
 > >>go?</DIV>
> =
 >>><DIV><FONT=
 > face=Arial size=2> =
 ></DIV>
> =

```

> >><DIV><BR>> >><DIV><FONT =3D
>face=3D3D3D3DArial=3D20
> size=3D3D3D3D2>I had to cancel this =3D
>=3D3D<BR>>morning's=3D3D3D20<BR>> =3D20
> >>session.</FONT></DIV><BR>> =3D20
> >><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>I will =3D
>try internal=3D20
> clock for =3D3D<BR>>this =3D3D3D<BR>> =3D20
> >>afternoons=3D3D3D20<BR>> =3D20
> >>session.</FONT></DIV><BR>> =3D20
> >><DIV><FONT face=3D3D3D3DArial=3D20
> size=3D3D3D3D2>Tom</FONT></DIV></DIV><BR>> =3D
>
> >><DIV><FONT face=3D3D3D3DArial =3D
>size=3D3D3D3D2></FONT>=3D20
> </DIV><BR>> >><DIV><FONT=3D20
> size=3D3D3D3D2><BR><BR>I choose Polesoft Lockspam to =3D
>fight=3D20
> =3D3D<BR>>spam, =3D3D3D<BR>> ><BR>> =3D
>><BR>> =3D20
> ><BR>> ><BR>> ><BR>> =3D
>><BR>> =3D20
> ><BR>> ><BR>> ><BR>> =3D20
> >>and=3D3D3D20<BR>> =3D
>>>you?<BR><A=3D3D3D20<BR>> =3D20
> =3D3D<BR>>>>href=3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'http://www.polesoft.com/refer.html">http://www.polesoft.com/r'=
>ht=3D
=
>tp://www.polesoft.com/refer.html">http://www.polesoft.com/r</A>=3D3D<BR>=
=3D
>>efer=3D3D3D<BR>> =3D20
> >>.html</A>=3D20
> </FONT></DIV></BODY></HTML><BR>> =3D20
> >><BR>> >><BR>> =3D20
> ><BR>><BR>><BR>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML =3D
>4.0=3D20
> Transitional//EN"><BR>><HTML><HEAD><BR>><META=3D20
> http-equiv=3D3D3DContent-Type content=3D3D3D"text/html;=3D20
> =3D3D<BR>> charset=3D3D3Diso-8859-1"><BR>><META =3D
>content=3D3D3D"MSHTML=3D20
> 6.00.2800.1400"=3D20
> =3D
>name=3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D
>D><BR>><BODY=3D20
> bgColor=3D3D3D#ffffff><BR>><DIV><FONT face=3D3D3DArial =3D

```

>size=3D3D3D2>My=3D20
 > symptoms are more like Dimitrios' =3D3D
>. =3D3D20
>Mec 1 =3D
 >shows up (submix=3D20
 > A)</DIV>
><DIV><FONT face=3D3D3DArial=3D20
 > size=3D3D3D2>442 shows up (submix B, C or D) and =3D3D
>usually =
 =3D
 >MEC=3D20
 > 2=3D3D20
>doesn't show=3D20
 > up</DIV>
><DIV><FONT face=3D3D3DArial=3D20
 > size=3D3D3D2>and lately Mec 3 (submix E) doesn't =3D3D
>show =
 up=3D20
 > even=3D3D20
>with just two=3D20
 > Mecs</DIV>
><DIV><FONT =3D
 >face=3D3D3DArial=3D20
 > size=3D3D3D2>and nothing=3D20
 > else.</DIV>
><DIV><FONT =3D
 >face=3D3D3DArial=3D20
 > size=3D3D3D2> </DIV>
><DIV><FONT =3D
 >face=3D3D3DArial=3D20
 > size=3D3D3D2>My IRQs had been peachy but I'll =3D3D
>recheck =
 just =3D
 >to=3D20
 > =3D
 >be=3D3D20
>sure.</DIV>
><DIV><FONT =3D
 >
 > face=3D3D3DArial size=3D3D3D2>I'll be saving my .var and .cfg =3D
 >=3D3D
>files.=3D20
 > Are=3D3D20
>there any others I'll need to save=3D20
 > independently</DIV>
><DIV><FONT =3D
 >face=3D3D3DArial=3D20
 > size=3D3D3D2>before reinstalling? Do I need to =3D
 >=3D3D
>uninstall=3D3D20
>the=3D20
 > Scherzo drivers?</DIV>
><DIV><FONT=3D20
 > face=3D3D3DArial size=3D3D3D2>I'll be reinstalling today. =3D
 >=3D3D
>Should I boot=3D20
 > up=3D3D20
>with all hardware installed the first=3D20
 > time?</DIV>
><DIV><FONT =3D
 >face=3D3D3DArial=3D20
 > =3D
 >size=3D3D3D2>Thanks,</DIV>
><DIV><FONT=3D
 >=3D20
 > face=3D3D3DArial=3D20
 > size=3D3D3D2>Tom</DIV>
><DIV><FONT=3D20
 > face=3D3D3DArial size=3D3D3D2> =3D
 ></DIV>
><DIV><FONT=3D20
 > face=3D3D3DArial size=3D3D3D2>=3D20
 > =3D
 ></DIV>
><BLOCKQUOTE=3D3D20
>style=3D3D3D"PADDING-RIGHT: =3D

>0px;=3D20
> PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D
>BORDER-LEFT: #000000 =
=3D
>2px solid;=3D20
> MARGIN-RIGHT: 0px">
> <DIV>"Rod Lincoln"=3D20
> <<A=3D3D20
> =3D3D
>href=3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</A=
>&a=3D
=
>mp;g'>mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</=3D
>A>&g=3D3D
>t;=3D3D20
> =3D20
> wrote in message <A=3D3D20
> href=3D3D3D"<A=3D20
> =3D
=
>href=3D3D'news:46939eee\$1 @linux">news:46939eee\$1 @linux...</DIV>
|=
'>n=3D
>ews:46939eee\$1 @linux">news:46939eee\$1 @linux...</DIV>&l=3D
>t;BR>|
=3D3D
>don't=3D3D20
> =3D20
> have my 442 as the main interface, and it works fine for me.=3D20
> =3D3D
>I've
got my=3D3D20
> 442 installed on =3D
>eds card=3D20
> 2.
Rod
"Dimitrios" <<A=3D3D20
> =3D20
> =3D3D
>href=3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:`musurgNOSPAMio@otenet.gr">`musurgNOSPAMio@otenet.gr</A=
>&a=3D
=
>mp;g'>mailto:`musurgNOSPAMio@otenet.gr">`musurgNOSPAMio@otenet.gr</=3D
>A>&g=3D3D
>t;=3D3D20
> =3D20
> wrote:
>
>Hi Tom,
>I have never =3D
>achieved=3D20
> the 442 =3D3D
>scenario=3D3D20
> but as I know from DJ =3D
>and=3D20
> others
442
>should be main =3D3D
>interface =3D
>so=3D20
> you=3D3D20
> loose 24bits digital out.
>If you =3D
>use all=3D20
> these don't forget the =3D3D
>
> usehousesync in Paris =3D
>
> cfg.
>Maybe thats got erased from there or=3D20
> =3D3D
>you=3D3D20
> installed over with no =3D
>housesync.
>I=3D20
> had achieved using the 442 =3D3D
>not as=3D3D20
> main =3D
>but its ins=3D20
> and outs were not all
>working !!
>If you=3D20

> =3D3D
>try=3D3D20
> only with three mecs (or four) =3D
 >remember to have=3D20
 > a mec on =3D3D
>your
>last card=3D3D20
> =3D20
 > !
>It should work .
>Installing on c:\parispro =3D
 >is fine=3D20
 > and =3D3D
>better=3D3D20
> for avoiding =3D
 >crashes.
>Don't=3D20
 > forget to install the subsystem fx =3D3D
>on =3D
 >same=3D3D20
> folder=3D20
 > !
>Let me know exactly what you do and I will try to help=3D20
 > =3D3D
>
> more.
>You can call =3D
 >too=3D3D20
> =3D20
 > =3D
 >=3D3D
>!
>0030-2310-464744
>
>Reg=3D
 >ards,
>Dimitrios
>=3D3D
>;
><B=3D
 >R>>
>"Tom=3D3D20
> =3D20
 > Bruhl" <<A =3D3D
>href=3D3D3D"<A=3D20
 > =3D
 =
 >href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3D20'>m=
 ailto=3D
 >:arpegio@comcast.net">arpegio@comcast.net>=3D3D20
>&g=3D
 >t; =3D20
 > wrote:
>>
>>
>>Hey=3D20
 > guys
>>After a =3D3D
>talk=3D3D20
> with =3D
 >DJ it is=3D20
 > decided a fresh install of Paris
>>is the best =3D
 >=3D3D
>way=3D20
 > to=3D3D20
> go. I tried two cloned C drives and=3D20
 > getting
>>just =3D3D
>three mecs=3D3D20
> =3D
 >to work=3D20
 > with the Lucid but no go. I also
>>have a 442 =3D
 >=3D3D
>but=3D20
 > DJ=3D3D20
> and Dimitrios say don't do=3D20
 > it.
>>
>>I have tried DJs=3D20
 > =3D3D
>
> technique with no benefit recently.=3D20
 > I
>>did have 2 mecs =3D3D
>and 1=3D3D20
> =3D
 >442 working=3D20
 > flawlessly but I can't
>>get that back for=3D20
 > some=3D3D20
> reason.
>>
>>Is =3D
 >a fresh=3D20
 > install to C:Paris Pro the =3D3D
>way to=3D3D20
> =3D20
 > go?
>>
>>I had to cancel this=3D20
 > morning's=3D3D20
> session.
>>I will try =3D
 >internal clock=3D20
 > for this afternoons=3D3D20
> =3D20
 > =3D
 >=3D3D
>session.
>>Tom
>>
>>&=3D

```

>gt;<BR>>><BR>>>I=3D20
> =3D3D<BR>><BR>> choose Polesoft Lockspam to fight spam,=3D20
> and=3D3D20<BR>> =3D
>you?<BR>>>http://www.polesoft.com/refer.html=3D20
> =3D3D20<BR>> <BR>>><BR>>><!DOCTYPE =3D
>HTML PUBLIC=3D20
> "-//W3C//DTD HTML 4.0 =3D3D<BR>><BR>> =3D20
> =3D
>=3D3D<BR>>Transitional//EN"><BR>>><HTML><HEAD>=3D
>;<BR>>><=3D3D<BR>>META=3D3D20<BR>> =3D20
> http-equiv=3D3D3D3DContent-Type =3D
>content=3D3D3D3D"text/html;=3D3D20<BR>> =3D20
> =3D
>=3D3D3D<BR>>>charset=3D3D3D3Diso-8859-1"><BR>>><=3D
>;META=3D20
> =3D3D<BR>>content=3D3D3D3D"MSHTML=3D3D20<BR>> =3D
>6.00.2800.1400"=3D3D20<BR>> =3D20
> =3D
>=3D3D<BR>>name=3D3D3D3DGENERATOR><BR>>><STYLE></ST=3D
>YLE><BR>>>=3D3D<BR>></HEAD><BR>>><BO=3D
>DY=3D3D20<BR>> =3D20
> bgColor=3D3D3D3D#ffffff><BR>>><DIV><FONT=3D20
> face=3D3D3D3DArial=3D3D20<BR>> size=3D3D3D3D2>Hey=3D20
> =3D
>=3D3D<BR>>guys</FONT></DIV><BR>>><DIV><=3D
>FONT=3D3D20<BR>> =3D20
> face=3D3D3D3DArial size=3D3D3D3D2>After a talk with DJ it is =
decided=3D20
> a=3D3D20<BR>> =3D3D3D<BR>>>fresh=3D20
> install=3D3D3D20<BR>>>of=3D3D20<BR>> =3D20
> Paris</FONT></DIV><BR>>><DIV><FONT=3D20
> =3D3D<BR>>face=3D3D3D3DArial=3D3D20<BR>> size=3D3D3D3D2>is the =3D
>best way to go.=3D20
> I tried =3D3D3D<BR>>>two cloned =3D3D<BR>><BR>> =3D20
> C=3D3D3D20<BR>>>drives and=3D3D20<BR>> =3D20
> getting</FONT></DIV><BR>>><DIV><FONT=3D20
> =3D3D<BR>>face=3D3D3D3DArial=3D3D20<BR>> size=3D3D3D3D2>just =3D
>three mecs to work=3D20
> with the =3D
>=3D3D<BR>>Lucid<BR>>=3D3D3D<BR>>>but=3D3D20<BR>>&nbs=3D
>p;=3D20
> no=3D3D3D20<BR>>>go. I=3D3D20<BR>> =3D20
> also</FONT></DIV><BR>>><DIV><FONT=3D20
> =3D3D<BR>>face=3D3D3D3DArial=3D3D20<BR>> size=3D3D3D3D2>have a =3D
>442 but DJ and=3D20
> Dimitrios say =3D3D3D<BR>>>don't =3D3D<BR>><BR>> =3D20
> =3D
>=3D3D<BR>>do=3D3D3D20<BR>>>it.</FONT></DIV><BR&=3D

```

>gt;><DIV><=3D3D
>;FONT=3D3D20
> =3D20
> face=3D3D3D3DArial size=3D3D3D3D2>=3D3D20
> =3D20
> </DIV>
>><DIV><FONT face=3D3D3D3DArial=3D20
> =3D3D
>size=3D3D3D3D2>I have=3D3D20
> tried DJs =3D
>technique with no=3D20
> =3D
>=3D3D
>=3D3D3D
>>benefit=3D3D3D20
>>recentl=3D
>y.=3D3D20
> =3D20
> l</DIV>
>><DIV><FONT=3D20
> =3D3D
>face=3D3D3D3DArial=3D3D20
> size=3D3D3D3D2>did =3D
>have 2 mecs and 1=3D20
> 442 working=3D3D20
> =3D20
> =3D3D3D
>>flawlessly=3D3D3D20
>>but =3D
>l=3D3D20
> =3D20
> can't</DIV>
>><DIV><FONT=3D20
> =3D3D
>face=3D3D3D3DArial=3D3D20
> size=3D3D3D3D2>get =3D
>that back for=3D20
> some=3D3D20
> =3D20
> =3D
>=3D3D
>=3D3D3D
>>reason.</DIV><BR&=3D
>gt;>><DIV><=3D3D
>;FONT=3D3D20
> =3D20
> face=3D3D3D3DArial size=3D3D3D3D2>=3D3D20
> =3D20
> </DIV>
>><DIV><FONT face=3D3D3D3DArial=3D20
> =3D3D
>size=3D3D3D3D2>ls a=3D3D20
> fresh install to =3D
>C:Paris Pro=3D20
> the
=3D3D3D
>>way=3D3D20
> =3D20
> =3D
>=3D3D
>to=3D3D3D20
>>go?</DIV><BR&=3D
>gt;>><DIV><=3D3D
>;FONT=3D3D20
> =3D20
> face=3D3D3D3DArial size=3D3D3D3D2>=3D3D20
> =3D20
> =3D
></DIV>
>><DIV>
>><DIV><=3D
>;FONT=3D3D20
> =3D20
> face=3D3D3D3DArial size=3D3D3D3D2>I had to cancel =3D
>this=3D3D20
> =3D20
> =3D
>=3D3D
>morning's=3D3D3D20
>>session.</DI=3D
>V>
>>&l=3D3D
>t;DIV><FONT=3D3D20
>&nb=3D
>sp;=3D20
> face=3D3D3D3DArial size=3D3D3D3D2>I will try internal clock =
for=3D20
> this=3D3D20
> =3D20
> =3D
>=3D3D
>=3D3D3D
>>afternoons=3D3D3D20
>>sess=3D
>ion.</DIV&g=3D3D
>t;
>><DIV>=3D
><FONT=3D3D20
> =3D20
> face=3D3D3D3DArial=3D3D20
> =3D20
> =3D

```
>=3D3D<BR>>size=3D3D3D3D2>Tom</FONT></DIV></DIV><BR=3D
>>>><DIV=3D3D<BR>>><FONT=3D3D20<BR>> =3D20
> face=3D3D3D3DArial size=3D3D3D3D2></FONT>=3D3D20<BR>> =3D20
> </DIV><BR>>><DIV><FONT=3D20
> =3D3D<BR>>size=3D3D3D3D2><BR><BR>I=3D3D20<BR>> =3D
>choose Polesoft=3D20
> Lockspam to fight spam,=3D3D20<BR>> =3D20
> =3D
>=3D3D<BR>>=3D3D3D<BR>><BR>><BR>><BR>>&=3D
>lt;BR>><BR>><BR>><BR>><BR>&g=3D3D=3D
><BR>>t;<BR>>>and=3D3D3D20<BR>>>you?<BR><=3D
>;A=3D3D3D20<BR>>>hre=3D3D<BR>>f=3D3D3D3D" <A=3D3D20<BR >> =3D
>;=3D20
> =3D
=
```

```
>=3D3D<BR>>href=3D3D3D'http://www.polesoft.com/refer.html">http://www.po=3D=
>lesoft.com/refer=3D3D<BR>>'>http://www.polesoft.com/refer.html">ht=3D
>tp://www.polesoft.com/refer</A=3D3D<BR>>>=3D3D3D<BR>>>.h=3D
>tml</A>=3D3D20<BR>> =3D20
> =3D
>=3D3D<BR>></FONT></DIV></BODY></HTML><BR>&=3D
>gt;><BR>>&g=3D3D<BR>>t;<BR>><BR></BLOC=3D
>KQUOTE></BODY></HTML><BR>><BR>><BR></BLOCKQUOTE></BO=3D
>DY></HTML>
>
>
```

-----=_NextPart_000_0017_01C7C326.A1224620

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
```

```
<HTML><HEAD>
```

```
<META http-equiv=3DContent-Type content=3D"text/html; =
```

```
charset=3Diso-8859-1">
```

```
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
```

```
<STYLE></STYLE>
```

```
</HEAD>
```

```
<BODY bgColor=3D#ffffff>
```

```
<DIV><FONT face=3DArial size=3D2>Rod,</FONT></DIV>
```

```
<DIV><FONT face=3DArial size=3D2>I was having probs because I only =
installed the=20
```

```
drivers.&nbsp; Duh.</FONT></DIV>
```

```
<DIV><FONT face=3DArial size=3D2>I still had no joy with hardware after =
the clean=20
```

```
install though.</FONT></DIV>
```


<DIV>I will remove the 442 and see what=20 changes.</DIV>
<DIV> </DIV>
<DIV>Thanks again</DIV>
<DIV>Tom</DIV>
<BLOCKQUOTE=20 style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; = BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"Rod Lincoln" <<A=20
 =
 href=3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com&g=
 t;=20
 wrote in message <A=20
 =
 href=3D"news:46940bd7\$1 @linux">news:46940bd7\$1 @linux...</DIV>
Tom,=
 I'm=20
 PM'ng you. Look for my e
Rod
"Tom Bruhl" <<A=20
 href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=20
 wrote:
>
>
>Thanks Rod,
>That's what I'd do if =
 I could=20
 get it to install.
>
>After uninstalling and removing the =
 Scherzo=20
 drivers I have=3D20
>updated the pace drivers. I install =
 Paris 3.0=20
 and there's nothing =3D
>anywhere
>on the C drive after it =
 says it's=20
 successfully installed.
>Not in Add/Remove Programs nor in All=20
 Programs. This is after I restart
>the computer. The =
 Scherzo=20
 drivers install one at a time. The=20
 Subsystem
=3D
>1.05
>installs like a charm. It =
 also=20
 suggests the Remove MIDI line from the =3D
>.cfg=20
 .
>
>Something is very very fishy around here.
>Any=20
 ideas?
>Dopey
> "Rod Lincoln" <<A=20
 =
 href=3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com&g=
 t;=20
 wrote in message =
 =3D
>news:4693e48e\$1 @linux...
>
> Tom,=20
 can't answer that for sure. I built my system one component at=20
 a
=3D
>time
> from a bundle 3, being carefule and =
 methodical along the way, and =3D
>ghosting.
> So I =
 would say=20
 do it a step at a time. But there's also a gut=20
 feeling
=3D
>that
> it may be good to have =
 everything=20

hooked up when you reinstall the =3D
>Paris
> app, =
and let it=20
see everything. How's that for non-committal?
> (pay no =
attention=20
to my speling).
> Rod
> "Tom Bruhl" <<A=20
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=20
wrote:
> >
> >
> >My =
symptoms are=20
more like Dimitrios' . Mec 1 shows up (submix A)
> =
>442=20
shows up (submix B, C or D) and usually MEC 2 doesn't show =
up
> =20
>and lately Mec 3 (submix E) doesn't show up even with just two=20
Mecs
> >and nothing else.
> =
>
> =20
>My IRQs had been peachy but I'll recheck just to be =
sure.
> =20
>I'll be saving my .var and .cfg files. Are there any others =
I'll=20
=3D
>need =3D3D
> >to save =
independently
> =20
>before reinstalling? Do I need to uninstall the Scherzo=20
drivers?
> >I'll be reinstalling today. Should I =
boot up=20
with all hardware =3D3D
> >installed the first=20
time?
> >Thanks,
> >Tom
> =20
>
> >
> > "Rod Lincoln" <<A=20
=
href=3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com&g=
t;=20
wrote in message =3D3D
> =
>news:46939eee\$1@linux...
> =20
>
> > I don't have my 442 as the main =
interface, and=20
it works fine for =3D
>me. =3D3D
> =
>I've
> =20
> got my 442 installed on eds card 2.
> =
> =20
Rod
> > "Dimitrios" <<A=20
=
href=3D"mailto:`musurgNOSPAMio@otenet.gr">`musurgNOSPAMio@otenet.gr&g=
t;=20
wrote:
> > >
> > >Hi=20
Tom,
> > >I have never achieved the 442 =
scenario but=20
as I know from DJ and =3D
>=3D3D
> =
>others
> =20
> 442
> > >should be main interface =

so you=20
 loose 24bits digital out.
> > > > If you use all =
 these=20
 don't forget the usehousesync in Paris cfg.
> > > > Maybe=20
 thats got erased from there or you installed over with no=20
 =3D
>=3D3D
> > > housesync.
> > > > =
 > I had=20
 achieved using the 442 not as main but its ins and outs=20
 were
=3D
>=3D3D
> > > not all
> > > =
 > > =20
 > working !!
> > > > If you try only with three =
 mecs=20
 (or four) remember to have a mec =3D
>on =3D3D
> > > =20
 > your
> > > > last card !
> > > =
 > > =20
 > It should work .
> > > > Installing on =
 c:\parispro is=20
 fine and better for avoiding crashes.
> > > > =
 > Don't=20
 forget to install the subsystem fx on same folder !
> > > =
 > > =20
 > Let me know exactly what you do and I will try to help =
 more.
> > > =20
 > > > You can call too !
> > > > =20
 > > 0030-2310-464744
> > > > >
> > > =
 > > =20
 > Regards,
> > > > Dimitrios
> > > =
 > > =20
 >
> > > >
> > > > =
 >
> > > =20
 > > "Tom Bruhl" <&A=20
 href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=20
 wrote:
> > > > >
> > > > =20
 > >
> > > > > Hey guys
> > > =
 > > =20
 > > After a talk with DJ it is decided a fresh install of=20
 Paris
> > > > > is the best way to go. I =
 tried=20
 two cloned C drives and getting
> > > > > > just =
 three=20
 mecs to work with the Lucid but no go. I also
> > > > =
 > > =20
 > > have a 442 but DJ and Dimitrios say don't do it.
> > > > =
 > > >
> > > > > I have tried DJs=20
 technique with no benefit recently. I
> > > > > =20
 > > did have 2 mecs and 1 442 working flawlessly but I =

can't
>> get that back for some reason.
>>
>>
>> Is a fresh install to =
C:Paris Pro
the way to go?
>>
>> I had to cancel this morning's session.
>>
>> I will try internal clock for this afternoons =
session.
>> Tom
>>
>>
>>
>>
>> I choose Polesoft Lockspam to fight spam, and =
you?
>>
>> http://www.polesoft.com/refer.html
=3D3D20
>>
>> <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=20
Transitional//EN">
>>
>> <!HTML<HEAD

>> <META=20
http-equiv=3D3D3D3DContent-Type content=3D3D3D3D"text/html;=20
=3D

>> charset=3D3D3D3Diso-8859-1">
>> <META content=3D3D3D3D"MSHTML 6.00.2800.1400"=20
name=3D3D3D3DGENERATOR

>> </STYLE

>> </HEAD

bgColor=3D3D3D3D#ffffff

>> <DIV<FONT=20
face=3D3D3D3DArial size=3D3D3D3D2<Hey=20
guys</FONT<DIV

>> <DIV<FONT face=3D3D3D3DArial size=3D3D3D3D2<After =
a talk with=20
DJ it
=3D

=3D3D3D

>> fresh install=3D3D3D20

>> of=20
Paris</FONT<DIV

>> <DIV<FONT face=3D3D3D3DArial size=3D3D3D3D2<is =
the best way=20
to go. I
=3D

>>=3D3D3D

C=3D3D3D20

>> drives and =
getting</FONT<DIV

> >><DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2></DIV>=
three mecs to work
=3D
> with =3D3D
> > the=20
Lucid
> > >=3D3D3D
> > =
>>but=20
no=3D3D3D20
> > > >>go. l=20
also</DIV>
> > =20
>><DIV>have =
a 442 but DJ=20
and =3D
>Dimitrios
> =3D3D
> >&say=20
=3D3D3D
> > > >&don't =
do=3D3D3D20
> =20
> >>it.</DIV>
> =
> =20
>><DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>=
</DIV>
> > >><DIV><FONT=20
face=3D3D3D3DArial size=3D3D3D3D2>I have tried DJs =
=3D
>technique=20
with
> =3D3D
> >&no =3D3D3D
> =
> =20
>>benefit=3D3D3D20
> > >&recently.=20
l</DIV>
> > =20
>><DIV>did =
have 2 mecs=20
and 1 =3D
>442 =3D3D
> >&working =
=3D3D3D
> =20
> >>flawlessly=3D3D3D20
> > =
>>but l=20
can't</DIV>
> > =20
>><DIV>get =
that back for=20
some =3D
>=3D3D3D
> > =20
>>reason.</DIV>
> > =20
>><DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>=
</DIV>
> > >><DIV><FONT=20
face=3D3D3D3DArial size=3D3D3D3D2>Is a fresh install to =
=3D
>C:Paris=20
=3D3D
> >&Pro the
> > =
=3D3D3D
> =20
> >>way to=3D3D3D20
> > =20
>>go?</DIV>
> > =20
>><DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>=
</DIV>
> > > =
>><DIV>
> =20
> >><DIV><FONT face=3D3D3D3DArial =

</DIV><FONT face=3D3D3DArial=20
size=3D3D3D2>Tom</DIV>
< ></DIV> =
</DIV>
< ></DIV><FONT face=3D3D3DArial=20
size=3D3D3D2> </DIV>
< ></DIV><BLOCKQUOTE=3D3D20
< > =
>style=3D3D3D"PADDING-RIGHT: 0px;=20
PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
>=3D3D
>
=20
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =
0px">
>
=20
></DIV>"Rod Lincoln" <<A=3D3D20
>
 =
>
=20
=3D3D
>
=3D
>>href=3D3D3D"<A=20
=
href=3D'mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com=m=
ailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</A=3D=

>>&g=3D3D
>
=20
>t;=3D3D20
>
 >
 wrote in message =
<A=3D3D20
>
=20
>
 =3D
>href=3D3D3D"<A=20
=
href=3D'news:46939eee\$1 @linux">news:46939eee\$1 @linux...</DIV>
I'>n=
ews:46939eee\$1 @linux">news:46939eee\$1 @linux...</DIV>
=

>
=20
=3D3D
>
 >don't=3D3D20
>
 >
 have my =
442 as the=20
main interface, and it works fine for me. =3D3D
>
=20
>I've
>got my=3D3D20
>
 >
 442 installed =
on eds=20
card 2.
>Rod
>"Dimitrios" =
<<A=3D3D20
>
=20
>
 =3D3D
>
 =3D
>>href=3D3D3D"<A=20
=
href=3D'mailto:`musurgNOSPAMio@otenet.gr">`musurgNOSPAMio@otenet.gr=m=
ailto:`musurgNOSPAMio@otenet.gr">`musurgNOSPAMio@otenet.gr</A=3D=

>>&g=3D3D
>
=20
>t;=3D3D20
>
 >
 =
wrote:
>
>Hi =20
Tom,
>>I have never achieved the 442 =3D3D
>
=20
>scenario=3D3D20
>
 >
 but as I know from DJ and =
others
>442
>>should be main =3D3D
>
=20
>interface so you=3D3D20
>
 >
 loose 24bits =
digital=20
out.
>>If you use all these don't forget=20
the
=3D
>=3D3D
>
 >
 >
 =
usehousesync=20

I also have a 442 =3D3D
> > but=20
DJ=3D3D20
> > and Dimitrios say don't do=20
it.
>>
> I have tried DJs =
=3D3D
> =20
>
> > technique with no benefit recently.=20
I
>>did have 2 mecs =3D3D
> >&and=20
1=3D3D20
> > 442 working flawlessly but I=20
can't
>>get that back for some=3D3D20
> =
> =20
reason.
>>
> & amp;gt;>Is a fresh install to =
C:Paris Pro=20
the =3D3D
> >way to=3D3D20
> > =20
go?
>>
> I had to cancel this=20
morning's=3D3D20
> > session.
>>I =
will try=20
internal clock for this afternoons=3D3D20
> > =20
=3D3D
> =20
=
>session.
>>Tom< ;BR>>>
>> ;<=
BR>>>
>> I=20
=3D3D
> >
> > choose Polesoft =
Lockspam to=20
fight spam, and=3D3D20
> > =20
you?
>>http://www.polesoft.com/refer.html =
=3D3D20
> =20
>
>>
>> ><!DOCTYPE HTML =
PUBLIC=20
"-//W3C//DTD HTML 4.0 =3D3D
> >
> =
> =20
=3D3D
> =20
=
>Transitional//EN" >
>><HTML&g t;<HEAD><BR=
>>><=3D3D
> =20
>META=3D3D20
> > =
http-equiv=3D3D3D3DContent-Type=20
content=3D3D3D3D"text/html;=3D3D20
> > =20
=
=3D3D3D
>>> charset=3D3D3D3Diso -8859-1 ">
>>>=
<META=20
=3D3D
> >content=3D3D3D3D"MSHTML=3D3D20
> =
> =20
6.00.2800.1400"=3D3D20
> > =3D3D
> =20
=
>name=3D3D3D3DGENERATOR>
>& amp ;gt;><STYLE></STYLE&g=
t;
>>>=3D3D
> =20
></HEAD>
>> ><BODY=3D3D20
> =
> =20
bgColor=3D3D3D3D#ffffff>
>>& amp ;gt;<DIV><FONT=20

face=3D3D3D3DArial=3D3D20
> > > =
size=3D3D3D3D2>&Hey=20
=3D3D
> > =20
=
>&guys</DIV>< ;BR>>></DIV></FONT=3 D=
3D20
> > =20
> > face=3D3D3D3DArial size=3D3D3D3D2>&After a talk with DJ =
it is decided=20
=3D
>&a=3D3D20
> > > =
=3D3D3D</BR>>>&fresh=20
install=3D3D3D20</BR>>>&of=3D3D20
> > > =20
Paris</DIV></BR& >>></DIV></FONT=20
=3D3D
> >&face=3D3D3D3DArial=3D3D20
> > =
> > =20
size=3D3D3D3D2>&is the best way to go. I tried =
=3D3D3D</BR>>>&two=20
cloned =3D
>&=3D3D
> >&
> > > =20
C=3D3D3D20</BR>>>&drives and=3D3D20
> > > =

getting</DIV></BR&a mp>>></DIV></FONT=20
=3D3D
> >&face=3D3D3D3DArial=3D3D20
> > =
> > =20
size=3D3D3D3D2>&just three mecs to work with the =3D3D
> > =

=
>&Lucid</BR>>&=3D3D3D</BR& >>>&but=3D3D20
> > =

> > no=3D3D3D20</BR>>>&go. l=3D3D20
> > =
> > =20
also</DIV></BR& g>>></DIV></FONT=20
=3D3D
> >&face=3D3D3D3DArial=3D3D20
> > =
> > =20
size=3D3D3D3D2>&have a 442 but DJ and Dimitrios say=20
=3D3D3D</BR>>>&don't =3D
>&=3D3D
> > =
>&
> > =20
> > =3D3D
> > =20
=
>&do=3D3D3D20</BR>>>&it. & & ;</DIV></BR>& g=
t;></DIV></=3D3D
> > =20
>& ;FONT=3D3D20
> > > face=3D3D3D3DArial=20
size=3D3D3D3D2>=3D3D20
> > > =20
</DIV></BR>>>& & l t;/DIV></FONT face=3D3D3D3DArial=20
=3D3D
> >&size=3D3D3D3D2>&I have=3D3D20
> > =
> > =20
tried DJs technique with no =3D3D
> > =20
=
>&=3D3D3D</BR>>>&benefit=3D3 D3D20</BR>>>&recently.=3D=
3D20
> > =20

> =
</DIV>
 >><DIV><FONT=20
=3D3D
> >face=3D3D3D3DArial=3D3D20
> =
> =20
size=3D3D3D2>did have 2 mecs and 1 442 =
working=3D3D20
> =20
> =
=3D3D3D
>>flawlessly=3D3D3D20
>>but=20
l=3D3D20
> > =20
can't</DIV>
 >><DIV><FONT=20
=3D3D
> >face=3D3D3D3DArial=3D3D20
> =
> =20
size=3D3D3D2>get that back for some=3D3D20
> =
> =20
=3D3D
> =20
=
>=3D3D3D
>>reason.& ;lt;/FONT></DIV>
& g=
t;><DIV><=3D3D
> =20
>;FONT=3D3D20
> > face=3D3D3D3DArial=20
size=3D3D3D2>=3D3D20
> > =20
</DIV>
>>& l t;DIV><FONT face=3D3D3D3DArial=20
=3D3D
> >size=3D3D3D2>ls a=3D3D20
> =
> fresh=20
install to C:Paris Pro=20
the
=3D3D3D
>&g t;way=3D3D20
> =
> =20
=3D3D
> =20
=
>to=3D3D3D20
>>go?& ;lt;/FONT></DIV>
& g=
t;><DIV><=3D3D
> =20
>;FONT=3D3D20
> > face=3D3D3D3DArial=20
size=3D3D3D2>=3D3D20
> > =20
=
</DIV>
>>& l t;DIV>
>><DIV&a mp;gt;<=
> face=3D3D3D3DArial size=3D3D3D2>I had to cancel=20
this=3D3D20
> > =3D3D
> =20
=
>morning's=3D3D3D20
>> session.</DIV>=

>>&l=3D3D
> =20
>t;DIV><FONT=3D3D20
> > =
face=3D3D3D3DArial=20
size=3D3D3D2>I will try internal clock for =
=3D
>this=3D3D20
> =20
> =3D3D
> =20
=
>=3D3D3D
>>afternoons= 3D3D3D20
>>session=
..</DIV>&g=3D3D
> =20

>t
>><DIV& gt;<FONT=3D3D20
> =
> = 20
face=3D3D3D3DArial=3D3D20
> > > =3D3D
> > =
=
>size=3D3D3D3D2>Tom< /DIV></DIV>
&=
>><DIV=3D3D
> = 20
>><FONT=3D3D20
> > > face=3D3D3D3DArial=20
size=3D3D3D3D2>=3D3D20
> > > = 20
</DIV>
>>< /DIV><FONT =3D3D
> = 20
>size=3D3D3D3D2>
<BR&a mp;gt;l=3D3D20
> =
> = 20
choose=20
Polesoft Lockspam to fight spam,=3D3D20
> > > = 20
=3D3D
> = 20
=
>=3D3D3D
>
& amp;gt;
>
>& amp;lt;BR=
>>
>
 >
>
& amp ;g=3D3D <B=
R>> = 20
=
>t
>>&and=3D3D3D20& amp ;lt;BR>>>you?
< A=
=3D3D3D20
>>hre=3D3D
> = 20
>f=3D3D3D3D"<A=3D3D20
> > > =
=3D3D
> = 20
=
=3D
>>href=3D3D3D'http://www.polesoft.com/refer.html">http://=
www.polesoft.com/re=3D
>&fer=3D3D
> = 20
=
=3D
>>'>http://www.polesoft.com/refer.html">http://www.pol=
esoft.com/refer</A=3D3D=3D
>>
> = 20
>>=3D3D3D
>>.ht ml=3D3D20
> =
> = 20
=3D3D
> = 20
=
></DIV></BO DY></HTML>
>& amp ;gt;=

>& amp ;g=3D3D
> = 20
=
>t
>
< /BLOCKQUOTE></BODY></HTML& g=
t;
> = 20
>
> >
>
>
><!DOCTYPE HTML =
PUBLIC=20
"-//W3C//DTD HTML 4.0=20
Transitional//EN">
><HTML><HEAD>
><META=20
http-equiv=3D3DContent-Type content=3D3D"text/html;=20
=3D
> charset=3D3Diso-8859-1">
><META =
content=3D3D"MSHTML=20
6.00.2800.1400"=20
=
name=3D3DGENERATOR>
><STYLE></STYLE>
></HEA=

face=3D3DArial size=3D3D2>Any=20
ideas?</DIV>
></DIV></FONT =
face=3D3DArial=20
=
size=3D3D2>Dopey</DIV>
></DIV></FONT =
R>></DIV></FONT="PADDING-RIGHT:=20
0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
>BORDER-LEFT: =
#000000 2px=20
solid; MARGIN-RIGHT: 0px">
> </DIV>"Rod Lincoln"=20
</</A=3D20
> =3D
>href=3D3D"<A=20
=
href=3D'mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com&a=
mp;g'>mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</=
A>&g'=3D
>t;=3D20
> =20
wrote in message <A=3D20
> =3D
>href=3D3D"<A=20
=
href=3D'news:4693e48e\$1 @linux">news:4693e48e\$1 @linux...</DIV>
Tom'=
>news:4693e48e\$1 @linux">news:4693e48e\$1 @linux...</DIV>=
</BR>Tom,=3D
>=20
can't=3D20
> answer that for sure. I built my system one =
component=20
at a =3D
>time</BR>from a=3D20
> bundle 3, =
being carefule=20
and methodical along the way, and =3D
>ghosting.</BR>So=20
l=3D20
> would say do it a step at a time. But there's =
also a gut=20
feeling =3D
>that</BR>it=3D20
> may be good to =
have=20
everything hooked up when you reinstall the=20
=3D
>Paris</BR>app,=3D20
> and let it see =
everything. How's=20
that for non-committal?</BR>(pay no =
=3D
>attention=3D20
> to=20
my speling).</BR>Rod</BR>"Tom Bruhl" =
</</A=3D20
> =20
href=3D3D"<A=20
=
href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net=>=3D20'>mailto=
:arpeggio@comcast.net">arpeggio@comcast.net>=3D20
>g=
t; =20
wrote:</BR>></BR>>&a mp;</BR>>My symptoms are more =
like=20
Dimitrios' =3D
>. Mec=3D20
> 1 shows up (submix=20
A)</BR>>442 shows up (submix B, C or D) and =3D
>usually =
MEC=20
2=3D20
> doesn't show up</BR>>and lately Mec 3 =
(submix E)=20
doesn't show up =3D
>even with=3D20
> just two=20

Mecs
>and nothing else.
>
>My IRQs =
had=20
been =3D
>peachy=3D20
> but I'll recheck just to be=20
sure.
>I'll be saving my .var and =
=3D
>.cfg=3D20
> =20
files. Are there any others I'll need =3D3D
>to=20
save=3D20
> independently
>before =
reinstalling? Do I=20
need to uninstall =3D
>the=3D20
> Scherzo=20
drivers?
>I'll be reinstalling today. Should I =
=3D
>boot=20
up=3D20
> with all hardware =3D3D
>installed =
the=20
first=3D20
> =20
=
time?
>Thanks,
>& amp ;gt;Tom
>
>& amp ;l=
t;BR>>>=20
"Rod =3D
>Lincoln"=3D20
> =
<<A=3D20
> =20
=3D
>>href=3D3D"<A=20
=
href=3D'mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com&a=
mp;g'>mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</=20
A>& amp ;g=3D
>t;=3D20
> =20
wrote in message=20
=
=3D
>=3D3D
>news:46939eee\$1@linux...
>
>B=
R>>=20
I=3D20
> don't have my 442 as the main interface, and it =
works fine=20
for me.=3D20
> =3D3D
>I've
> got =
my 442=20
installed on eds card =3D
>2.
> =3D20
> =20
Rod
>> "Dimitrios" <<A=3D20
> =
=3D
>>href=3D3D"<A=20
=
href=3D'mailto:`musurgNOSPAMio@otenet.gr">`musurgNOSPAMio@otenet.gr&a=
mp;g'>mailto:`musurgNOSPAMio@otenet.gr">`musurgNOSPAMio@otenet.gr</=20
A>& amp ;g=3D
>t;=3D20
> =20
wrote:
>> >
>> >Hi Tom,
>>=20
=3D
>>I have=3D20
> never achieved the 442 =
scenario but as I=20
know from DJ and=3D20
> =
=3D3D
>>others
>>=20
442
>> >should be main =
=3D
>>interface=3D20
> so=20
you loose 24bits digital out.
>> >If you use all =
=3D
>>these=20

don't=3D20
> forget the usehousesync in Paris =
cfg.
>=20
>Maybe thats =3D
>got erased=3D20
> from there or =
you=20
installed over with no =
=3D
 >=3D3D
>housesync.<BR& amp;gt;>=20
=3D20
> >I had achieved using the 442 not as main but =
its ins and=20
outs were =3D
>
> =3D3D
>not =
all
>=20
>working !!
> >If =3D
>you =
try=3D20
> only=20
with three mecs (or four) remember to have a mec on=3D20
> =

=3D3D
>your
> ; >last card !
> =
>lt=20
=3D
>should work=3D20
> .
> =
>Installing on=20
c:\parispro is fine and better for =
=3D
>avoiding=3D20
> =20
crashes.
> >Don't forget to install the subsystem fx on =

=3D
>same=3D20
> folder !
> >Let me =
know exactly=20
what you do and I will =3D
>try to=3D20
> help=20
more.
> >You can call too !
> =
=3D20
> =20
>0030-2310-464744
> >
> =
=3D20
> =20
>Regards,
> >Dimitrios
>=20
=3D
>>
> =3D20
> >
>=20
>
> >"Tom Bruhl" <<A=3D20
> =
href=3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net=>=3D20'>mailto=
:arpegio@comcast.net"<arpegio@comcast.net>=3D20
>g=
t; =20
wrote:
> >>
> >>
>=20
=3D
>>>Hey=3D20
> guys
> =
>>After a talk=20
with DJ it is decided a fresh =3D
>install=3D20
> of =

Paris
> >>is the best way to go. I tried =
=3D
>two=20
cloned=3D20
> C drives and getting
> =
>>just three=20
mechs to work =3D
>with the=3D20
> Lucid but no go. I =

install=3D3D3D20
> >>of=3D20
> =20
Paris</DIV><BR& ;gt;>=20
=3D
 >>></DIV></FONT=3D20
> =
face=3D3D3D3DArial=20
size=3D3D3D3D2>is the best way to go. l=3D20
> =20
tried
=3D3D
>=3D3D3 D
> >>two =
cloned=20
=3D
>C=3D3D3D20
> =3D20
> >>drives =
and=20
getting</DIV><BR&a mp;gt;> =3D20
> =20
>></DIV>just=20
=3D
>three mecs to=3D20
> work with =
=3D3D
>the=20
Lucid
> >=3D3D3D
>=20
=3D
>>>but=3D20
> no=3D3D3D20
> =
>>go.=20
l=3D20
> also</DIV><BR& gt;>=20
=3D
 >>></DIV></FONT=3D20
> =
face=3D3D3D3DArial=20
size=3D3D3D3D2>have a 442 but DJ and=20
=
=3D
 >Dimitrios
=3D3D
&a mp;gt;say=3D20
> =20
=3D3D3D
> >>don't do=3D3D3D20
> =
=3D20
> =20
>>it.</DIV>
>=20
=3D
 >>></DIV></FONT=3D20
> =
face=3D3D3D3DArial=20
size=3D3D3D3D2> =3D
></DIV>
>=20
=3D20
> >></DIV></FONT face=3D3D3D3DArial=20
size=3D3D3D3D2>I have =3D
>tried DJs=3D20
> =
technique=20
with
=3D3D
>no =3D3D3D
> =
=3D20
> =20
>>benefit=3D3D3D20
> =
>>recently.=3D20
> =20
l</DIV>
 >=20
>></DIV></FONT=3D20
> face=3D3D3D3DArial=20
size=3D3D3D3D2>did have 2 mecs and 1 442=20
=3D
>=3D3D
>working=3D20
> =
=3D3D3D
>=20
>>flawlessly=3D3D3D20
> ; =3D
>>>but=20
l=3D20
> can't</DIV><BR& amp ;gt;>=20
=3D
 >>></DIV></FONT=3D20
> =
face=3D3D3D3DArial=20
size=3D3D3D3D2>get that back for some =
=3D
>=3D3D3D
>=20
=3D20
> =
>>reason.</DIV& amp ;gt;
>=20

=3D20
> >></DIV></FONT face=3D3D3D3DArial=20
=3D
>&size=3D3D3D3D2>=3D20
> =20
</DIV></BR>> >></DIV></FONT=20
=3D
>&face=3D3D3D3DArial=3D20
> size=3D3D3D3D2>&ls =
a fresh install=20
to C:Paris =3D3D</BR>>Pro =3D
>&the</BR>> =
=3D20
> =20
=3D3D3D</BR>> >>way to=3D3D3D20</BR>> =
=3D20
> =20
>>go?</DIV> </BR>>=20
=3D
 >>></DIV></FONT=3D20
> =
face=3D3D3D3DArial=20
size=3D3D3D3D2> =3D
></DIV></BR>>=20
=3D20
> >></DIV></BR>> ;=20
>></DIV></FONT =
=3D
>&face=3D3D3D3DArial=3D20
> =20
size=3D3D3D3D2>I had to cancel this=20
=3D
 >&=3D3D</BR>>morning's=3D3D3D20&am p;</BR>> =
=3D20
> =20
>>session.</DIV&am p;></BR>> =
=3D20
> =20
>></DIV></ =
will=20
=3D
>&try internal=3D20
> clock for =
=3D3D</BR>>this=20
=3D3D3D</BR>> =3D20
> =
>>afternoons=3D3D3D20</BR>> ;=20
=3D20
> =
>>session.</DIV&am p;></BR>>=20
=3D20
> >></DIV></FONT=20
face=3D3D3D3DArial=3D20
> =20
=
size=3D3D3D3D2>&Tom</DIV&a mp;></DIV></BR>> =

=3D
>&
> >></DIV></FONT =
face=3D3D3D3DArial=20
=3D
>&size=3D3D3D3D2>=3D20
> =20
</DIV></BR>> =
>></DIV></FONT=3D20
> =20
size=3D3D3D3D2></BR></BR>&I choose Polesoft Lockspam to=20
=3D
>&fight=3D20
> =3D3D</BR>>spam, =
=3D3D3D</BR>>=20
></BR>> =3D
>></BR>> =3D20
> =20
></BR>> ></BR>> ></BR>>=20
=3D
>></BR>> =3D20
> ></BR>>=20
></BR>> ></BR>> =3D20
> =20
>>&and=3D3D3D20</BR>>=20
=3D
 >>>you?</BR></A=3D3D 3D20</BR>> =

=3D20
> =20
=3D3D<lt;BR>>>>href=3D3D3D3D "<A=3D20
> =20
=
=3D
>href=3D3D"http://www.polesoft.com/refer.html">http://www.po=
lesoft.com/r'>ht=3D
>tp://www.polesoft.com/refer.html">http://=
/www.polesoft.com/r=3D3D
> =3D
>>efer=3D3D3D<=
;BR>>=20
=3D20
> >>.html=3D20
> =20
</DIV></BODY&g t;</HTML>
>=20
=3D20
> >>
> >>
>=20
=3D20
> =
>
>
>
><!DOCTYPE=20
HTML PUBLIC "-//W3C//DTD HTML =3D
>4.0=3D20
> =20
=
Transitional//EN" >
><HTML>< t;HEAD>
>=
<META=3D20
> =20
http-equiv=3D3D3DContent-Type =
content=3D3D3D"text/html;=3D20
> =20
=3D3D
> charset=3D3D3Diso-8859-1">
><META =

=3D
>content=3D3D3D"MSHTML=3D20
> =
6.00.2800.1400"> =20
=
=3D
 >name=3D3D3DGENERATOR>
&g t;<STYLE></STYLE&=
>
></HEA=3D
 >D>
><BODY=3D20
&=
> =20
bgColor=3D3D3D#ffffff>
>& lt;DIV><FONT =
face=3D3D3DArial=20
=3D
>size=3D3D3D2>My=3D20
> symptoms are more =
like Dimitrios'=20
=3D3D
>. =3D3D20
>Mec 1 =3D
>shows up=20
(submix=3D20
> =20
A)</DIV>
 ;><DIV><FONT=20
face=3D3D3DArial=3D20
> size=3D3D3D2>442 shows up =
(submix B, C or D)=20
and =3D3D
>usually =3D
>MEC=3D20
> =20
2=3D3D20
>doesn't show=3D20
> =20
up</DIV>
 ;><DIV><FONT=20
face=3D3D3DArial=3D20
> size=3D3D3D2>and lately Mec 3 =
(submix E)=20
doesn't =3D3D
>show up=3D20
> =
even=3D3D20
>with=20
just two=3D20
> =20
Mecs</DIV><BR& gt;><DIV><FONT=20
=3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>and=20
nothing=3D20
> =20
else.</DIV><BR& amp ;>><DIV><FONT=20
=3D
>face=3D3D3DArial=3D20
> =

size=3D3D3D2>=20
</DIV>
><DIV><FONT=20
=3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>My IRQs =
had been peachy=20
but I'll =3D3D
>recheck just =
=3D
>to=3D20
> =20
=
=3D
 >be=3D3D20
>sure.</FON T></DIV>
=
><DIV><FONT=20
=3D
>
> face=3D3D3DArial size=3D3D3D2>I'll be =
saving my .var=20
and .cfg =3D
>=3D3D
>files.=3D20
> =20
Are=3D3D20
>there any others I'll need to =
save=3D20
> =20
=
independently</DIV>< t;BR>><DIV><FONT=20
=3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>before =
reinstalling? Do=20
I need to=20
=
=3D
 >=3D3D
>uninstall=3D3D20& lt;BR>>the=3D20
&=
gt; =20
Scherzo=20
=
drivers?</DIV><BR& amp;gt;><DIV><FONT=3D20 <B=
R>> =20
face=3D3D3DArial size=3D3D3D2>I'll be reinstalling today.=20
=3D
>=3D3D
>Should I boot=3D20
> =20
up=3D3D20
>with all hardware installed the =
first=3D20
> =20
time?</DIV><BR& amp ;gt;><DIV><FONT=20
=3D
>face=3D3D3DArial=3D20
> =20
=
=3D
 >size=3D3D3D2>Thanks,& amp ;lt;/DIV>
>=
<DIV><FONT=3D
>=3D20
> =20
face=3D3D3DArial=3D20
> =20
=
size=3D3D3D2>Tom</DIV& amp ;gt;
><DIV><=
FONT=3D20
> =20
face=3D3D3DArial size=3D3D3D2>=20
=
=3D
 ></DIV>
>& l t;DIV><FONT=3D20
> =
p;=20
face=3D3D3DArial size=3D3D3D2>=3D20
> =20
=
=3D
 ></DIV>
>& l t;BLOCKQUOTE=3D3D20
>s=
tyle=3D3D3D"PADDING-RIGHT:=20
=3D
>0px;=3D20
> PADDING-LEFT: 5px; MARGIN-LEFT: =

5px;=20
=3D3D
>BORDER-LEFT: #000000 =3D
>2px =
solid;=3D20
> =20
MARGIN-RIGHT: 0px">
> <DIV>"Rod =
Lincoln"=3D20
> =20
<<A=3D3D20
> =
=3D3D
>href=3D3D3D"<A=3D20
> =20
=
=3D
>href=3D3D'mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam=
..kc.rr.com&a=3D
>mp;g'>mailto:rlincoln@nospam.kc.r=
r.com">rlincoln@nospam.kc.rr.com</=3D
>A>&g=3D=
3D
>t;=3D3D20
>=20
=3D20
> wrote in message <A=3D3D20
>=20
href=3D3D3D"<A=3D20
> =20
=
=3D
>href=3D3D'news:46939eee\$1 @linux">news:46939eee\$1 @linux</=
A>...</DIV>
l'> n=3D
>ews:46939eee\$1 @linux">=
news:46939eee\$1 @linux...</DIV>&l=3D
>t;BR>l&=
lt;/A>
=3D3D
&g t;don't=3D3D20
>=20
=3D20
> have my 442 as the main interface, and it works =
fine for=20
me.=3D20
> =3D3D
>l've
got =
my=3D3D20
>=20
442 installed on =3D
>eds card=3D20
> =20
2.
Rod
"Dimitrios" <<A=3D3D20
>=20
=3D20
> =
=3D3D
>href=3D3D3D"<A=3D20
> =20
=
=3D
>href=3D3D'mailto:`musurgNOSPAMio@otenet.gr">`musurgNOSPAMio=
@otenet.gr&a=3D
>mp;g'>mailto:`musurgNOSPAMio@oten=
et.gr">`musurgNOSPAMio@otenet.gr</=3D
>A>&g=3D=
3D
>t;=3D3D20
>=20
=3D20
> wrote:
>
>Hi =
Tom,
>l=20
have never =3D
>achieved=3D20
> the 442=20
=3D3D
>scenario=3D3D20
> but as I know from DJ =

=3D
>and=3D20
> =
others
442
>should be main=20
=3D3D
>interface =3D
>so=3D20
> =
you=3D3D20
>=20
loose 24bits digital out.
>If you =3D
>use=20
all=3D20
> these don't forget the =
=3D3D
>
>=20
usehousesync in Paris =3D
>
> =
cfg.
>Maybe thats=20
got erased from there or=3D20
> =20
=3D3D
>you=3D3D20
> > installed over with no=20

=3D
>housesync.
>l=3D20
> had achieved =
 using the 442=20
 =3D3D
>not as=3D3D20
> main =3D
>but its =
 ins=3D20
> and outs were not all
>working=20
 !!
>If you=3D20
> =20
 =3D3D
>try=3D3D20
& > only with three mecs (or =
 four)=20
 =3D
>remember to have=3D20
> a mec on=20
 =3D3D
>your
> ;last card=3D3D20
>=20
 =3D20
> !
>It should work =
 ..
>Installing on=20
 c:\parispro =3D
>is fine=3D20
> and=20
 =3D3D
>better=3D3D20
& > for avoiding=20
 =3D
>crashes.
>Don't=3D20
> forget to =
 install the=20
 subsystem fx =3D3D
>on =
 =3D
>same=3D3D20
>=20
 folder=3D20
> !
>Let me know exactly what you =
 do and l=20
 will try to help=3D20
> =3D3D
>
>=20
 more.
>You can call =3D
>too=3D3D20
>=20
 =3D20
> =20
 =
 =3D
> >=3D3D
>!
& >0030-2310-464744
&g=
 t;
>Reg=3D
> >ards,
>Dimitrios<BR& >=3D=
 3D
>;
>&
>"To=
 m=3D3D20
>=20
 =3D20
> Bruhl" <<A=20
 =3D3D
>href=3D3D3D"<A=3D20
> =20
 =
 =3D
>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net&l=
 t;/A>>=3D3D20'>mailto=3D
>:arpegio@comcast.net">arpegio=
 @comcast.net>=3D3D20</A& >& >=3D
>t; =
 =3D20
> =20
 =
 wrote:
>&
& >Hey=3D20
&=&
 gt; =20
 guys
>After a =
 =3D3D
>talk=3D3D20
& > with=20
 =3D
>DJ it is=3D20
> decided a fresh install of=20
 Paris
>& >is the best=20
 =3D
>=3D3D
>way=3D20
> =
 to=3D3D20
> go. l=20
 tried two cloned C drives and=3D20
> =
 getting
>& >just=20
 =3D3D
>three mecs=3D3D20
> =3D
>to=20

work=3D20
> with the Lucid but no go. I =
also
>>have a=20
442 =3D
>=3D3D
>but=3D20
> =
DJ=3D3D20
> and=20
Dimitrios say don't do=3D20
> =20
it.
>>
& >>I have tried =
DJs=3D20
> =20
=3D3D
>
> technique with no benefit=20
recently.=3D20
> I
>>did have 2 mecs=20
=3D3D
>and 1=3D3D20
> =3D
>442=20
working=3D20
> flawlessly but I can't
>>get =
that back=20
for=3D20
> some=3D3D20
>=20
reason.
>>
& >>ls =3D
>a=20
fresh=3D20
> install to C:Paris Pro the =
=3D3D
>way=20
to=3D3D20
> =3D20
> =20
go?
>>
& >>I had to cancel =
this=3D20
> =20
morning's=3D3D20
> session.
>>I will try=20
=3D
>internal clock=3D20
> for this=20
afternoons=3D3D20
> =3D20
> =20
=
=3D
 >=3D3D
>session.<BR&am p;>>>Tom
>=
>
>& >=3D
 >
>><BR& >>>=
l=3D20
> =20
=3D3D
>
> choose Polesoft Lockspam to fight=20
spam,=3D20
> and=3D3D20
>=20
=
=3D
>you?
>>http://www.polesoft.com/refer.html=3D20<=
BR>> =20
=3D3D20
>
>>
> ><!DOCTYPE =

=3D
>HTML PUBLIC=3D20
> "-//W3C//DTD HTML 4.0=20
=3D3D
>
> =3D20
> =20
=
=3D
>=3D3D
>Transitional//EN ">
>>
>=
HTML><HEAD>=3D
 >
>>
& >>=3D3D
>=
META=3D3D20
>=20
=3D20
> http-equiv=3D3D3D3DContent-Type=20
=3D
>content=3D3D3D3D"text/html;=3D3D20
> =
=3D20
> =20
=
=3D
 >=3D3D3D
>>charset=3D3 D3D3Diso-8859-1 ">
>=
>>
>>=3D
>>META=3D20
> =20
=3D3D
>content=3D3D3D3D"MSHTML=3D3D20
>=20
=3D
>6.00.2800.1400"=3D3D20
> =3D20
> =20
=
=

=3D
 >=3D3D
>name=3D3D3D3DGENERATO R>
>>= <<STYLE></ST=3D
 >YLE>
>>=3D3D&a mp;lt;BR>&= ></HEAD>
>>&a mp;lt;BO=3D
>DY=3D3D20
>= >=20
=3D20
> =20
=
bgColor=3D3D3D3D#ffffff>
>&am p;gt;<DIV><FONT=3D20
= > =20
face=3D3D3D3DArial=3D3D20
> =
size=3D3D3D3D2>Hey=3D20
> =20
=
=3D
 >=3D3D
>guys</FONT&am p ;gt;</DIV>
>= ><DIV><=3D
>FONT=3D3D20
>=20
=3D20
> face=3D3D3D3DArial size=3D3D3D3D2>After a talk =
with DJ it is=20
decided=3D20
> a=3D3D20
>=20
=3D3D3D
>>fresh=3D20
> =20
install=3D3D3D20
>>of=3D3D20& amp;lt;BR>> =
=3D20
> =20
=
Paris</DIV><BR&am p ;gt;>><DIV><FONT=3D20 <= >BR>> =20
=3D3D
>face=3D3D3D3DArial=3D3D20&am p ;lt;BR>> =
size=3D3D3D3D2>is the=20
=3D
>best way to go.=3D20
> I tried =
=3D3D3D
>>two=20
cloned =3D3D
>
> =3D20
> =20
C=3D3D3D20
>>drives and=3D3D20
> =
=3D20
> =20
=
getting</DIV><BR&a mp;gt;>><DIV><FONT=3D2= >0
> =20
=3D3D
>face=3D3D3D3DArial=3D3D20&am p ;lt;BR>> =
size=3D3D3D3D2>just=20
=3D
>three mecs to work=3D20
> with the=20
=
=3D
 >=3D3D
>Lucid<BR&g t;>=3D3D3D
>>= >&but=3D3D20
>&am p;nbs=3D
>p;=3D20
> =20
no=3D3D3D20
>>go. l=3D3D20
> =
=3D20
> =20
=
also</DIV><BR& gt;>><DIV><FONT=3D20 <B= >R>> =20
=3D3D
>face=3D3D3D3DArial=3D3D20&am p ;lt;BR>> =
size=3D3D3D3D2>have a=20
=3D
>442 but DJ and=3D20
> Dimitrios say=20
=3D3D3D
>>don't =3D3D
>
> =
=3D20
> =20

=
=3D
 >=3D3D
>do=3D3D3D20
>>it.</FONT&g=
t;</DIV>
>=3D
 >>>></DIV><=3D3D& amp;lt;BR=
>>;FONT=3D3D20
>=20
=3D20
> face=3D3D3D3DArial=20
size=3D3D3D3D2>=3D3D20
> =
=3D20
> =20
</DIV>
>>< DIV><FONT=20
face=3D3D3D3DArial=3D20
> =
=3D3D
>size=3D3D3D3D2>l=20
have=3D3D20
> tried DJs =3D
>technique with =
no=3D20
> =20
=
=3D
 >=3D3D
>=3D3D3D
>>benefit=3D3D3D20&l=
t;BR>>>recentl=3D
>y.=3D3D20
>=20
=3D20
> =20
=
l</DIV>
 >><DIV><FONT=3D20
&=
gt; =20
=3D3D
>face=3D3D3D3DArial=3D3D20& amp ;lt;BR>> =
size=3D3D3D3D2>did=20
=3D
>have 2 mecs and 1=3D20
> 442 =
working=3D3D20
>=20
=3D20
> =20
=3D3D3D
>>flawlessly=3D3D3D20
>>but=20
=3D
>l=3D3D20
> =3D20
> =20
=
can't</DIV>
 ;gt;>><DIV><FONT=3D20 <=
BR>> =20
=3D3D
>face=3D3D3D3DArial=3D3D20& amp ;lt;BR>> =
size=3D3D3D3D2>get=20
=3D
>that back for=3D20
> some=3D3D20
>=20
=3D20
> =20
=
=3D
 >=3D3D
>=3D3D3D
>>reason.</FONT&g=
t;</DIV>
>=3D
 >>></DIV><=3D3D& amp;lt;BR=
>>;FONT=3D3D20
>=20
=3D20
> face=3D3D3D3DArial=20
size=3D3D3D3D2>=3D3D20
> =
=3D20
> =20
</DIV>
>>< DIV><FONT=20
face=3D3D3D3DArial=3D20
> =
=3D3D
>size=3D3D3D3D2>ls=20
a=3D3D20
> fresh install to =3D
>C:Paris =
Pro=3D20
> =20
the
=3D3D3D
>> way=3D3D20
> =
=3D20
> =20
=
=

=3D
 >=3D3D
>to=3D3D3D20
>>go?</FONT&g=
t;</DIV>
=3D
 >>>><DIV><=3D3D& amp;lt;BR=
>>;FONT=3D3D20
>=20
=3D20
> face=3D3D3D3DArial=20
size=3D3D3D3D2>=3D3D20
> =
=3D20
> =20
=
=3D
 ></DIV>
>&g t;<DIV>
>>& lt=
>DIV><=3D
>>;FONT=3D3D20
>=20
=3D20
> face=3D3D3D3DArial size=3D3D3D3D2>I had to =
cancel=20
=3D
>this=3D3D20
> =3D20
> =20
=
=3D
 >=3D3D
>morning's=3D3D3D20&am p;lt;BR>>>session=
..</DI=3D
 >V>
>>& l=3D3D
=
>>t;DIV><FONT=3D3D20
 ;>&nb=3D
>sp;=3D20<B=
R>> =20
face=3D3D3D3DArial size=3D3D3D3D2>I will try internal clock=20
for=3D20
> this=3D3D20
> =3D20
> =20
=
=3D
 >=3D3D
>=3D3D3D
>afternoons=3D3D3D2=
0
>>sess=3D
 >ion.</DIV>&g=3D3D <=
>BR>>t;
>>& lt;DIV>=3D
><FONT=3D3D20<B=
R>>=20
=3D20
> face=3D3D3D3DArial=3D3D20
> =
=3D20
> =20
=
=3D
 >=3D3D
>size=3D3D3D3D2> ;Tom</DIV&=
gt;</DIV><BR=3D
 >>>><DIV=3D3D<BR&a mp;gt;>>=
<FONT=3D3D20
>=20
=3D20
> face=3D3D3D3DArial=20
size=3D3D3D3D2>=3D3D20
> =
=3D20
> =20
</DIV>
>>& l t;DIV><FONT=3D20
> =20
=
=3D3D
>size=3D3D3D3D2>< ;BR>
l=3D3D20<BR&g=
t;>=20
=3D
>choose Polesoft=3D20
> Lockspam to fight=20
spam,=3D3D20
> =3D20
> =20
=
=3D
 >=3D3D
>=3D3D3D
> ;>>
>
=
t;>
>&=3D
 >lt;BR>>
>& lt;BR>>=
>
>
& ;g=3D3D=3D
>
>t;<BR&=
gt;>>and=3D3D3D20
>&am p;gt;you?
<=3D
>>;A=3D=
3D3D20
>>hre=3D3D<BR&a mp;gt;>f=3D3D3D3D "<A=3D3D20<=
BR>>=20
=3D
>&=3D20
> =20
=
=

=3D
>=3D3D
>;href=3D3D3D'http://www.polesoft.com/refer.h=
tml">http://www.po=3D
 >lesoft.com/refer=3D3D
>';& ;gt;h=
ttp://www.polesoft.com/refer.html">ht=3D
>tp://www.polesoft.com/=
refer</A=3D3D
>>=3D3D3 D
>>.h=3D
>t=
ml=3D3D20
>=20
=3D20
> =20
=
=3D
 >=3D3D
> </DIV></BODY></=
HTML>
&=3D
 >>
>&g=3D3D <BR&=
gt;>t
>
&am p;lt;/BLOC=3D
>KQUOTE></BODY&=
gt;</HTML>
>
>
</BLOCKQUOTE> ;=
</BO=3D
>DY></HTML>
>
>
</BLOCKQUOTE></B=
ODY></HTML>

-----=_NextPart_000_0017_01C7C326.A1224620--
