

---

Subject: Yamaha digital mixers  
Posted by [TCB](#) on Wed, 21 Dec 2005 14:53:40 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

ith mLan... there have been massive problems with it as far as streaming audio is concerned. If you are only using it for remote control protocol it should be fine. A better choice (albeit more money) would be either an 02R/96 or a DM1000 and an RME HDSP9652... totally solid combination there.

Cheers,

David.

TCB wrote:

> Hey all,  
>  
> I've been looking for a new audio interface, as my Aardvark Q10 has no continuing  
> driver support. I'm kind of out of the loop these days, but a friend suggested  
> that since I'm a SX boy and Yamaha

---

---

Subject: Re: Yamaha digital mixers  
Posted by [erlilo](#) on Wed, 21 Dec 2005 15:21:18 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

"John" <no@no.com> wrote in message news:43a894e1@linux...

>>>

>>>>But is there any way to test it?

>>>>John

>>>>

>>>>EK Sound wrote:

>>>>

>>>>>AFAIK, mutes do not stop the file from being streamed, but edits do.

>>>>>

>>>>>David.

>>>>>

>>>>>John wrote:

>>>>>

>>>>>

>>>>>>see i'm assuming it does NOT stop. I'm betting that both shortened

>>

>>>>>>objects and mutes play stream the entire segment I just am not sure

>>

>>how

>>

>>>>>>to test. Hmm, how to test this. Brains anyone ?

>>>>>>

>>>>>rick wrote:

>>>>>

>>>>>

>>>>>>i guess you could run a cpu usage check and see what happens but i  
>>>>>>would assume that the audio streaming would stop when the file stops  
>>>>>>playing. as far as the mutes go, i would think that it would be  
>>>>>>likened to a midi on/off command in that data is sent only during the  
>>>>>&

---

---

Subject: Re: Yamaha digital mixers

Posted by [EK Sound](#) on Wed, 21 Dec 2005 15:57:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I'm betting

>>

>>>>>>>they both stream and need to be rendered to fix it.

>>>>>>>

>>>>>>>Is there a way to verify this?

>>>>>>>

>>>>>>>

>>>>>>>Oh, I tried compact and as reported, it did nothing. Oh well.

>>>>>>>

>>>>>>>

>>>>>>>

>>>>>>>

>>>

>

>It looks like a good product. I would go on the Cubase website and ask.

Bill

"TCB" <nobody@ishere.com> wrote in message news:43a95e64\$1@linux...

>

> Hey all,

>

> I've been looking for a new audio interface, as my Aardvark Q10 has no

> continuing

> driver support. I'm kind of out of the loop these days, but a friend

> suggested

> that since

---

---

Subject: Re: Yamaha digital mixers

Posted by [Chris Wargo](#) on Wed, 21 Dec 2005 16:01:46 GMT

[View Forum Message](#) <> [Reply to Message](#)

---



Subject: Re: Yamaha digital mixers  
Posted by [EK Sound](#) on Wed, 21 Dec 2005 16:01:57 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I'm a SX boy and Yamaha is pimping SX as the best software for  
> use with mLAN products, that the 01X might be a good idea.  
>  
> <http://www.zzounds.com/item--YAM01X>  
>  
> Any experiences, good or bad? I don't think I'd be using the mixer much,  
> it would mostly just be an audio interface and a remote control device.  
>  
> Thanks,  
>  
> TCBI think all musicians everywhere should rejoice. Now, when when you're  
> giggin your own tunes and some drunk asshole starts screaming for you to  
> play Free Bird, you can pass the hat..

;o)

"JB" <no@mail.com> wrote in message news:43a977d9@linux...  
> [http://www.macclesfield-express.co.uk/news/s/207/207169\\_its\\_a\\_fiddle.html](http://www.macclesfield-express.co.uk/news/s/207/207169_its_a_fiddle.html)  
>  
> WTF!  
>  
>  
>Holy Crap!

I hope that I don't happen to be humming or whistling someone else's tune  
if I'm walking down the street past one of these \*&#&rs from PRS.

Better stay on this side of the pond where only BMI and ASCAP send Paulie  
Walnuts out to collect!

"JB" <no@mail.com> wrote:  
> [http://www.macclesfield-express.co.uk/news/s/207/207169\\_its\\_a\\_fiddle.html](http://www.macclesfield-express.co.uk/news/s/207/207169_its_a_fiddle.html)  
>  
>WTF!  
>  
>  
>Ehhh! Me 'ave me mouths to feed...

EI Collector

"DJ" <

---

---

Subject: Re: Yamaha digital mixers

Posted by [Bill Lorentzen](#) on Wed, 21 Dec 2005 16:40:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

t; > > the

> > > mobo. It's OK to load the rest of the drivers. If you load this AGP

> driver

> > > under these circumstances (ie..using the Matrox cards) you might as well

> > > do

> > > a clean install and start over. Removing the VIA AGP driver using the

> > > uninstall feature doesn't clear up the problem and your life will be a

> > > living hell until you surrender and restore your original clean install

> > > that

> > > you Ghosted.....you did remember to Ghost,,,,,,didn't you? ;o)

> > >

> > > Secondly,. if you're using removable caddies and you remove the system

> > > drive, you will get a system drive error (as invalid system

> drive/coronary

> > > arrest) when you reinsert it into the caddy unless you remove the other

> > > drives from their caddies first, insert the system drive solo, then

> reboot

> > >

---

---

Subject: Re: Yamaha digital mixers

Posted by [Mark McCurdy](#) on Wed, 21 Dec 2005 21:31:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

>

>TCB

>

>"James McCloskey" <excelsm@hotmail.com> wrote:

>>

>>FYI, some interesting info about Mac OSX running on a PC.

>>

>> [http://www.wired.com/news/mac/0,2125,68501,00.html?tw=wn\\_story\\_related](http://www.wired.com/news/mac/0,2125,68501,00.html?tw=wn_story_related)

>>

>><http://osx86project.org/>

>.....drop one of these into my ASUS A8V-Deluxe 939 mobo and see what happens?

<http://www.mwave.com/mwave/skusearch.hmx?SCriteria=BA22051&amp;CartID=done&nextloc=>

.....I mean, the AMD 64 4200 x 2 is also a socket 939 and, of course, so is the mobo socket, so barring a bios snafu (entirely possible)  
m

---

Subject: Re: Yamaha digital mixers

Posted by [Mark McCurdy](#) on Wed, 21 Dec 2005 21:35:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

/>  
> .....drop one of these into my ASUS A8V-Deluxe 939 mobo and see  
> what happens?  
>  
> <http://www.mwave.com/mwave/skusearch.hmx?SCriteria=BA22051&a mp;CartID=done&nextl>  
> oc=  
>  
> .....I mean, the AMD 64 4200 x 2 is also a socket 939 and, of course, so is the mobo socket, so barring a bios snafu (entirely possible)  
> mighn't this be possible? It would seem that the AMD 64 4200 X2 would be  
> faster since the cores are running at 2200 MHz per processor, but the  
> Opteron has 2 x 1MB L2 cache and an unlocked multiplier (if accessible  
> from  
> the bios) and from what I hear, a better formulation of silicon.  
>  
> Hmmmmmm.....man I'm tempted. Why don't y'all pass the plate and  
> send  
> me one of these?  
>  
> ;oD  
>  
>The 2400 is a good idea because it's got the same chip form factor. The 2800 would require a new mobo and the whole point of this is to get this working on my existing mobo that isn't meant to be used with the Opteron.....first of all, so I don't have to reformat and reload all ov my programs/drivers, second of all, so that I can be doing something totally inappropriate.

;o)

"erlilo" <erlilo@online.no> wrote in message news:43aa5f43\$1@linux...

> .....what so?-o).... ....if you're first thinking these thoughts, why not  
> think bigger? Opteron have a 2400 MHz too for socket 939, named 180. For the  
> socket 940 you can get a 2800 MHz for about 1500 boxes to use with a cheap  
> Asus SK8N 70\$ board, so the brain will have big problems to follow it up  
> when it comes to speed;-).....

>  
http://www.amd.com/us-en/Processors/ProductInformation/0,,30\_118\_8825,00.htm  
|  
>  
> Erling  
>  
>  
> "DJ" <animix\_spam-this-ahole\_@animas.net> skrev i melding  
> news:43aa1971\$1@linux...  
> > .....drop one of these into my ASUS A8V-Deluxe 939 mobo and  
see  
> > what happens?  
> >  
> >  
http://www.mwave.com/mwave/skusearch.hmx?SCriteria=BA22051&a mp;CartID=done&nextl  
> > oc=

---

---

Subject: Re: Yamaha digital mixers  
Posted by [TCB](#) on Thu, 22 Dec 2005 01:20:50 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

irst card (slot1) to the last one  
(slot 5)  
I detect though that card 1 (slot1) is identified as card B, card 4 (slot  
5) is identified as card A (main card)  
So due to someone's last post here should I connect as Paris sees the cards  
or as I see them inside my computer?  
Paris works ok but maybe I am risking or could have more stable setup (nothing  
major though)  
Regards,  
DimitriosWow, My wife is from Macclesfield! Her dad is a chef and owns a restaraunt  
there I am going to have to send this to him. Pete Townshned and Noddy Holden  
eat there occasionally I wonder if the perfoming rights organization will  
make them pay if they break out into song after a few to many glasses of  
wine.  
I hope my father inlaw does not whistle while he works.

"Fred Bloggs" <no@no.com> wrote:  
>  
>Hey, If there going to play that game!!!! The store owner should send the  
>record companies and PRS a bill for people performing in this store. A  
little  
>L.A. style Pay to play! The instrument, amplifier and speaker manufacturers  
>should charge PRS every time somebody plays on their equipment.  
>  
>The w

---

---

Subject: Re: Yamaha digital mixers

Posted by [erlilo](#) on Thu, 22 Dec 2005 07:37:25 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

his store. A

> little

>>L.A. style Pay to play! The instrument, amplifier and speaker

>>manufacturers

>>should charge PRS every time somebody plays on their equipment.

>>

>>The world is full of selfish assholes! It really sucks!

>>

>>I really dislike people that think they are entitled to take freedom from

>>others, or rip people off!

>>

>>

>>"Mark McDermott" <[mark@stateofwail.com](mailto:mark@stateofwail.com)> wrote:

>>>

>>>Holy Crap!

>>>

>>>I hope that I don't happen to be humming or whistling someone else's tune

>>>if I'm walking down the street past one of these \*&#&rs from PRS.

>>>

>>>Better stay on this side of the pond where only BMI and ASCAP send Paulie

>>>Walnuts out to collect!

>>>

>>>"JB" <[no@mail.com](mailto:no@mail.com)> wrote:

>>>> [http://www.macclesfield-express.co.uk/news/s/207/207169\\_its\\_a\\_fiddle.html](http://www.macclesfield-express.co.uk/news/s/207/207169_its_a_fiddle.html)

>>>>

>>>>WTF!

>>>>

>>>>

>>>>

>>>

>>Couldn't you take 16 different tracks of the same length then select 8 and  
move their start time back about 15 or 30 seconds and then measure the CPU  
usage increase if any?

John <[no@no.com](mailto:no@no.com)> wrote:

>If you had been 99.99999% I would have believed you. Now I have to test

>it! hehe 99.99998% just doesn't cut it in my world. ha !

>John

>

>justcron wrote:

>> agreed

>>

>> "Neil" <[OIUOI@OIU.com](mailto:OIUOI@OIU.com)> wrote in message [news:43a8f17f\\$](news:43a8f17f$)

---

---



Subject: Re: Yamaha digital mixers

Posted by [Bill Lorentzen](#) on Thu, 22 Dec 2005 23:42:46 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

gt; >>

>> >> >>

>> >> >> "DJ" <animix\_spam-this-ahole\_@animas.net> wrote in message

>> >> >> news:43a3aac9\$1@linux...

>> >> >> > Well.....no workee with the Magma aND IRQ assignments and

>> > getting

>> >> >> > squirrellier by the minute on current OS. I ghosted it and

>> >> >> > pulled

>> > the

>> >> >> > drive. Now I have got a brand new WD 80G 8MB cache formatted and

>> >> >> > I

>> >> >> installed

>> >> >> > Win XP. Immediate problems with my Matrox graphics cards right

> after

>> > I

>> >> >> > installed the VIA 4in1 drivers for the mobo. It's gonna be a

>> > hellacious

>> >> >> > weekend I'm afraid.

>> >> >> >

>> >> >> > ;o{

>> >> >> >

>> >> >> > "Kim" <hiddensounds@hotmail.com> wrote in message

>> >> >> > news:43a39439\$1@linux...

>> >> >> >

>> >> >> > > "Aaron Allen" <nospam@not\_here.dude> wrote:

>> >> >> > > >You posted good vibes 'before` getting the Magma in and Paris

>> >> > > running?

>> >> >> > > >Oh man, now you've done it.....

>> >> &g

---

Subject: Re: Yamaha digital mixers

Posted by [TCB](#) on Fri, 23 Dec 2005 17:03:25 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

video, and graphics software moving ahead, step by

>>step. If you're involved in any of that, kudos to you!

>>

>>For now, OSX and the available software for OSX offers a very capable

>>platform for the media production I do, and the dual 2.5GHZ box I use

>>is, for the most part, amazing. The kernel may have drawbacks for server

>

>

>>use, but it has some very nice features that support audio, video and

>>graphics system-wide.  
>>  
>>It's not perfect, mind you. That's still out there waiting to happen.  
>>  
>>Cheers,  
>> -Jamie  
>> <http://www.JamieKruz.com>  
>>  
>>  
>>Remember, in addition to what  
>>  
>>>I do with audio apps I work 50-80 hour weeks as a network admin and developer.  
>>>And I hate M\$oft just as much as I hate Apple. So then, about this urban  
>>>legend nonsense, I give you Anandtech, wherein he proves a) the G5 is  
>  
> a fabulous  
>  
>>>RISC processor and that b) thanks to some very bad choices made in kernel  
>>>development and implementation OS X hamstrings it in highly mult-threaded  
>>>environments.  
>>>  
>>><http://www.anandtech.com/mac/showdoc.aspx?i=2436>  
>>>  
>>>Then benchmarks run by a fine fellow in Berkely. Skip how Intel does and  
>>>note that the same machine running OS X performs 25-30% slower than the  
>  
> same  
>  
>>>hardware running Yellow Dog Linux.  
>>>  
>>><http://sekhon.polisci.berkeley.edu/macosex/>  
>>>  
>>>Now, let me tell you that masturbation causes blindness and about the  
>  
> guy  
>  
>>>who woke up in a bathtub full of ice short a kidney and the supermodel  
>  
> who  
>  
>>>banged me and then left "Welcome to AIDS" in lipstick written on the hotel  
>>>bathroom mirror . . .  
>>>  
>>>TCB  
>>>  
>>>Jamie K <[Meta@Dimensional.com](mailto:Meta@Dimensional.com)> wrote:  
>>>  
>>>

>>>>Hey Thad,  
>>>>  
>>>>I'm all for Gnu/Linux but that sounds like urban legend. I'd be curious  
>>>>  
>>>>  
>>>>to check out the evidence you mention. Any URLs?  
>>>>  
>>>>Cheers,  
>>>>-Jamie  
>>>><http://www.JamieKruz.com>  
&

---