
Subject: Attn: Tom Bruhl
Posted by [Dimitrios](#) on Fri, 27 Jul 2007 12:25:39 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi Tom,
I have missed reading for quite some time the posts.
Can you please post what is your situation now with your Paris problems and gather all your findings ?
I really cannot follow up all these posts and know where you are right now.
Regards,
Dimitrios

Subject: Re: Tom Bruhl
Posted by [Tom Bruhl](#) on Fri, 27 Jul 2007 17:13:42 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_0109_01C7D04F.F46E6DA0
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Hi Dimitrios,
I was very close to my 4 mec(442)/Mixer-Mixer setup you described.
I was stable as a rock with two Mecs (loaded with 5 modules each) and = one 442.
I added a 3rd Mec and all hell broke loose. Paris would no longer boot = up with
even one module attached. I did have a cloned C drive but not of the = stable setup.
It was of 2 Mecs only. Not bad but not the rock solid setup. I am = using the Lucid WC.

I smoked a Mec by booting up Paris with a SCSI cable half inserted. = That has yet
to be repaired. I was suspect of the scsi cables for a while. I had to = realign the pins
on a few of them.

I learned the hard way that you don't want a default project in the = Paris folder
when adding new hardware. I suspect this was my first and most = detrimental
mistake. I thank Jeff Hoover for that key information.

I have tried all SCSI cables and interconnect ribbons in a second =

computer to find
they are in perfect working order with the 442 as the only hardware =
attached.

Now I am triple checking that all eds cards are fully operational before =
going back
into the studio with the hardware. The only thing left to test are the =
other two functioning Mecs.
If they are happy then the Magma is worth double checking. Not quite =
sure how to do=20
that really.

I am really busy with my gigging schedule so this has taken a back seat =
but it is still
really important to have firing on all cylinders.

Thanks for listening!
Any ideas?
Tom

"Dimitrios" <musurgio@otenet.gr> wrote in message =
news:46a9e443\$1 @linux...

Hi Tom,
I have missed reading for quite some time the posts.
Can you please post what is your situation now with your Paris =
problems and
gather all your findings ?
I really cannot follow up all these posts and know where you are right =
now.
Regards,
Dimitrios

I choose Polesoft Lockspam to fight spam, and you?
<http://www.polesoft.com/refer.html>
-----=_NextPart_000_0109_01C7D04F.F46E6DA0
Content-Type: text/html;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
```

```

</HEAD>
<BODY bgColor=#ffffff>
<DIV><FONT face=Arial size=2>Hi Dimitrios,</FONT></DIV>
<DIV><FONT face=Arial size=2>I was very close to my 4 =
mec(442)/Mixer-Mixer setup=20
you described.</FONT></DIV>
<DIV><FONT face=Arial size=2>I was stable as a rock with two Mecs =
(loaded with 5=20
modules each) and one 442.</FONT></DIV>
<DIV><FONT face=Arial size=2>I added a 3rd Mec and all hell broke =
loose.&nbsp;=20
Paris would no longer&nbsp;boot up with</FONT></DIV>
<DIV><FONT face=Arial size=2>even one module =
attached.</FONT>&nbsp;<FONT=20
face=Arial size=2> I did have a cloned C drive but not of the stable =

setup.</FONT></DIV>
<DIV><FONT face=Arial size=2>It was of 2 Mecs only.&nbsp;Not bad =
but not the=20
rock solid setup.&nbsp;I am using the Lucid WC.</FONT></DIV>
<DIV><FONT face=Arial size=2></FONT>&nbsp;</DIV>
<DIV><FONT face=Arial size=2>I smoked a Mec by booting up Paris with =
a SCSI=20
cable half inserted.&nbsp;That has yet</FONT></DIV>
<DIV><FONT face=Arial size=2>to be repaired.&nbsp;I was suspect of =
the scsi=20
cables for a while. I had to realign the pins</FONT></DIV>
<DIV><FONT face=Arial size=2>on a few of them.</FONT></DIV>
<DIV><FONT face=Arial size=2></FONT>&nbsp;</DIV>
<DIV>
<DIV><FONT face=Arial size=2>I learned the hard way that you don't =
want a=20
default project in the Paris folder</FONT></DIV>
<DIV><FONT face=Arial size=2>when adding new hardware.&nbsp;I =
suspect this was=20
my first and most detrimental</FONT></DIV>
<DIV><FONT face=Arial size=2>mistake.&nbsp;I thank Jeff Hoover for =
that key=20
information.</FONT></DIV></DIV>
<DIV><FONT face=Arial size=2></FONT>&nbsp;</DIV>
<DIV><FONT face=Arial size=2>I have tried all SCSI cables and =
interconnect=20
ribbons in a second computer to find</FONT></DIV>
<DIV><FONT face=Arial size=2>they are in perfect working order with =
the 442 as=20
the only hardware attached.</FONT></DIV>
<DIV><FONT face=Arial size=2></FONT>&nbsp;</DIV>
<DIV><FONT face=Arial size=2>Now I am triple checking that all eds =

```

cards are=20
fully operational before going back</DIV>
<DIV>into the studio with the =
hardware. The only=20
thing left to test are the other two functioning Mecs.</DIV>
<DIV>If they are happy then the Magma is =
worth double=20
checking. Not quite sure how to do </DIV>
<DIV>that really.</DIV>
<DIV> </DIV>
<DIV>I am really busy with my gigging =
schedule so this=20
has taken a back seat but it is still</DIV>
<DIV>really important to have firing on all=20
cylinders.</DIV>
<DIV> </DIV>
<DIV>Thanks for listening!</DIV>
<DIV>Any ideas?</DIV>
<DIV>Tom</DIV>
<DIV> </DIV>
<DIV> </DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"Dimitrios" <<A=20
 href=3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr> wrote in =
message=20
 <A =
href=3D"news:46a9e443\$1@linux">news:46a9e443\$1@linux...</DIV>
Hi=20
 Tom,
I have missed reading for quite some time the posts.
Can =
you please=20
 post what is your situation now with your Paris problems and
gather =
all=20
 your findings ?
I really cannot follow up all these posts and know =
where=20
 you are right now.
Regards,
Dimitrios</BLOCKQUOTE>
<DIV>

I choose Polesoft Lockspam to fight spam, =
and=20
you?
<A=20
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html </DIV></BODY ></HTML>

-----=_NextPart_000_0109_01C7D04F.F46E6DA0--

Subject: Re: Tom Bruhl
Posted by [JeffH](#) on Fri, 27 Jul 2007 17:52:19 GMT

Tom,

Get the mecs tested first. If you have a working eds on the second computer and the magma is connected to the studio box, drop one of the eds's in the magma with the or a tested mec (remember the default project there!) and fire her up. Let us know what the result is.

Jeff

> Hi Dimitrios,
> I was very close to my 4 mec(442)/Mixer-Mixer setup you described.
> I was stable as a rock with two Mecs (loaded with 5 modules each) and
> one 442.
> I added a 3rd Mec and all hell broke loose. Paris would no longer boot
> up with
> even one module attached. I did have a cloned C drive but not of the
> stable setup.
> It was of 2 Mecs only. Not bad but not the rock solid setup. I am
> using the Lucid WC.
>
> I smoked a Mec by booting up Paris with a SCSI cable half inserted.
> That has yet
> to be repaired. I was suspect of the scsi cables for a while. I had to
> realign the pins
> on a few of them.
>
> I learned the hard way that you don't want a default project in the
> Paris folder
> when adding new hardware. I suspect this was my first and most detrimental
> mistake. I thank Jeff Hoover for that key information.
>
> I have tried all SCSI cables and interconnect ribbons in a second
> computer to find
> they are in perfect working order with the 442 as the only hardware
> attached.
>
> Now I am triple checking that all eds cards are fully operational before
> going back
> into the studio with the hardware. The only thing left to test are the
> other two functioning Mecs.
> If they are happy then the Magma is worth double checking. Not quite
> sure how to do
> that really.
>
> I am really busy with my gigging schedule so this has taken a back seat
> but it is still

> really important to have firing on all cylinders.
>
> Thanks for listening!
> Any ideas?
> Tom
>
>
>
> "Dimitrios" <musurgio@otenet.gr <mailto:musurgio@otenet.gr>> wrote
> in message news:46a9e443\$1@linux...
>
> Hi Tom,
> I have missed reading for quite some time the posts.
> Can you please post what is your situation now with your Paris
> problems and
> gather all your findings ?
> I really cannot follow up all these posts and know where you are
> right now.
> Regards,
> Dimitrios
>
>
>
> I choose Polesoft Lockspam to fight spam, and you?
> <http://www.polesoft.com/refer.html>

Subject: Re: Tom Bruhl
Posted by [Tom Bruhl](#) on Fri, 27 Jul 2007 19:10:26 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=_NextPart_000_012C_01C7D060.43041F90
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Ya Jeff that's the plan. When I find a minute or two.
It's crazy times around here. Sunday maybe. Maybe not.
Thanks,
Tom

"Jeff Hoover" <jkhoover@excite.com> wrote in message =
news:46aa321a@linux...
Tom,

Get the mess tested first. If you have a working eds on the second=20

computer and the magma is connected to the studio box, drop one of the =

eds's in the magma with the or a tested mec (remember the default=20 project there!) and fire her up. Let us know what the result is.

Jeff

> Hi Dimitrios,

> I was very close to my 4 mec(442)/Mixer-Mixer setup you described.

> I was stable as a rock with two Mecs (loaded with 5 modules each) = and=20

> one 442.

> I added a 3rd Mec and all hell broke loose. Paris would no longer = boot=20

> up with

> even one module attached. I did have a cloned C drive but not of = the=20

> stable setup.

> It was of 2 Mecs only. Not bad but not the rock solid setup. I am=20

> using the Lucid WC.

> =20

> I smoked a Mec by booting up Paris with a SCSI cable half inserted. =

> That has yet

> to be repaired. I was suspect of the scsi cables for a while. I had = to=20

> realign the pins

> on a few of them.

> =20

> I learned the hard way that you don't want a default project in the=20

> Paris folder

> when adding new hardware. I suspect this was my first and most = detrimental

> mistake. I thank Jeff Hoover for that key information.

> =20

> I have tried all SCSI cables and interconnect ribbons in a second=20

> computer to find

> they are in perfect working order with the 442 as the only hardware=20

> attached.

> =20

> Now I am triple checking that all eds cards are fully operational = before=20

> going back

> into the studio with the hardware. The only thing left to test are = the=20

> other two functioning Mecs.

> If they are happy then the Magma is worth double checking. Not =

quite=20
 > sure how to do
 > that really.
 > =20
 > I am really busy with my gigging schedule so this has taken a back =
 seat=20
 > but it is still
 > really important to have firing on all cylinders.
 > =20
 > Thanks for listening!
 > Any ideas?
 > Tom
 > =20
 > =20
 > =20
 > "Dimitrios" <musurgio@otenet.gr <mailto:musurgio@otenet.gr>> =
 wrote
 > in message news:46a9e443\$1 @linux...
 > =20
 > Hi Tom,
 > I have missed reading for quite some time the posts.
 > Can you please post what is your situation now with your Paris
 > problems and
 > gather all your findings ?
 > I really cannot follow up all these posts and know where you are
 > right now.
 > Regards,
 > Dimitrios
 > =20
 > =20
 > =20
 > I choose Polesoft Lockspam to fight spam, and you?
 > <http://www.polesoft.com/refer.html>
 -----=_NextPart_000_012C_01C7D060.43041F90
 Content-Type: text/html;
 charset="iso-8859-1"
 Content-Transfer-Encoding: quoted-printable

```

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html"; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Ya Jeff that's the plan.&nbsp; When I =
find a minute=20

```


or two.</DIV>
<DIV>It's crazy times around here. = Sunday=20
maybe. Maybe not.</DIV>
<DIV>Thanks,</DIV>
<DIV>Tom</DIV>
<DIV> </DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Jeff Hoover" <<A=20
href=3D"mailto:jkhoover@excite.com">jkhoover@excite.com> wrote =
in message=20
<A =
href=3D"news:46aa321a@linux">news:46aa321a@linux...</DIV>Tom,

=
Get=20
the mess tested first. If you have a working eds on the second=20

computer and the magma is connected to the studio box, drop one of =
the=20

eds's in the magma with the or a tested mec (remember the default=20

project there!) and fire her up. Let us know what the result =

is.

Jeff

> Hi Dimitrios,
> I was very close =
to my 4=20
mec(442)/Mixer-Mixer setup you described.
> I was stable as a =
rock with=20
two Mecs (loaded with 5 modules each) and
> one 442.
> I =
added a=20
3rd Mec and all hell broke loose. Paris would no longer boot =

> up=20
with
> even one module attached. I did have a cloned C =
drive but=20
not of the
> stable setup.
> It was of 2 Mecs only. =
Not bad=20
but not the rock solid setup. I am
> using the Lucid=20
WC.
>
> I smoked a Mec by booting up Paris with a =
SCSI=20
cable half inserted.
> That has yet
> to be =
repaired. =20
I was suspect of the scsi cables for a while. I had to
> =
realign the=20
pins
> on a few of them.
>
> I learned the =
hard way=20
that you don't want a default project in the
> Paris =
folder
>=20
when adding new hardware. I suspect this was my first and most=20
detrimental
> mistake. I thank Jeff Hoover for that key=20
information.
>
> I have tried all SCSI cables and=20

interconnect ribbons in a second
> computer to find
> =
they are in=20
perfect working order with the 442 as the only hardware
>=20
attached.
>
> Now I am triple checking that all eds =
cards=20
are fully operational before
> going back
> into the =
studio with=20
the hardware. The only thing left to test are the
> other =
two=20
functioning Mecs.
> If they are happy then the Magma is worth =
double=20
checking. Not quite
> sure how to do
> that=20
really.
>
> I am really busy with my gigging =
schedule so=20
this has taken a back seat
> but it is still
> really =
important=20
to have firing on all cylinders.
>
> Thanks for=20
listening!
> Any ideas?
> Tom
>
> =

>
> "Dimitrios" <<A=20
href=3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr <<A=20
=

href=3D"mailto:musurgio@otenet.gr">mailto:musurgio@otenet.gr> > =

wrote
> in message <A=20
href=3D"news:46a9e443\$1@linux">news:46a9e443\$1@linux...
>=20

> Hi =
Tom,
> I=20
have missed reading for quite some time the=20
posts.
> Can you please post what is =
your=20
situation now with your Paris
> problems =

and
> gather all your findings=20
?
> I really cannot follow up all these =
posts=20
and know where you are
> right=20
now.
> =
Regards,
> =20
Dimitrios
>
>
>
> I choose Polesoft =
Lockspam to=20
fight spam, and you?
> <A=20
=
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
..html</BLOCKQUOTE></BODY></HTML>

-----=_NextPart_000_012C_01C7D060.43041F90--