

---

Subject: You Aaron, Chris Ludwig, or whoever  
Posted by [Rod Lincoln](#) on Thu, 01 May 2008 13:47:15 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I was reading some tech info on the UAD websight last night and noticed this.  
"Matrox G4xx graphics cards users will experience distortion in Audio Export/Processing results if UAD plugin windows are open during processing.  
Workaround: Close all UAD plugin interface windows before performing Audio Export/Processing."

I've been using a Matrox G450 forever, and don't notice distortion, but there are the usual clicks and occasional dropouts when using a UAD plug on a track with edits. (yes, I'm using the drivers from windows, not the crap ones from matarox) I render the track, solve the problem. I was wondering though if it might be a good idea to switch to a different vid card to see if that fixed the problem. If so what would you suggest?

I'm still running the Asus A7S333 mobo. I figure it wouldn't be too expensive to get something else and experiment.

Rod

---

---

Subject: should be YO or Hey... Aaron, Chris Ludwig, or whoever  
Posted by [Rod Lincoln](#) on Thu, 01 May 2008 13:51:24 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I hate to type.

rid 80P"

"Rod Lincoln" <[rlincoln@nospam.kc.rr.com](mailto:rlincoln@nospam.kc.rr.com)> wrote:

>

>I was reading some tech info on the UAD websight last night and noticed this.

>"Matrox G4xx graphics cards users will experience distortion in Audio Export/Processing results if UAD plugin windows are open during processing.

>Workaround: Close all UAD plugin interface windows before performing Audio Export/Processing."

>

>I've been using a Matrox G450 forever, and don't notice distortion, but there

>are the usual clicks and occasional dropouts when using a UAD plug on a track

>with edits. (yes, I'm using the drivers from windows, not the crap ones from

>matarox) I render the track, solve the problem. I was wondering though if

>it might be a good idea to switch to a different vid card to see if that

>fixed the problem. If so what would you suggest?

>I'm still running the Asus A7S333 mobo. I figure it wouldn't be too expensive to get something else and experiment.

>Rod

>

---

---

Subject: Re: You Aaron, Chris Ludwig, or whoever  
Posted by [Robert](#) on Thu, 01 May 2008 14:22:49 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi Rod, I have a G450 and a UAD as well and have never really noticed any distortion issues.

Rob

"Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message  
news:4819c9e3\$1@linux...

>

> I was reading some tech info on the UAD websight last night and noticed  
> this.

> "Matrox G4xx graphics cards users will experience distortion in Audio  
> Export/Processing

> results if UAD plugin windows are open during processing.

> Workaround: Close all UAD plugin interface windows before performing Audio  
> Export/Processing."

>

> I've been using a Matrox G450 forever, and don't notice distortion, but  
> there

> are the usual clicks and occasional dropouts when using a UAD plug on a  
> track

> with edits. (yes, I'm using the drivers from windows, not the crap ones  
> from

> matarox) I render the track, solve the problem. I was wondering though if  
> it might be a good idea to switch to a different vid card to see if that

> fixed the problem. If so what would you suggest?

> I'm still running the Asus A7S333 mobo. I figure it wouldn't be too  
> expensive

> to get something else and experiment.

> Rod

>

---

---

Subject: Re: You Aaron, Chris Ludwig, or whoever  
Posted by [Rod Lincoln](#) on Thu, 01 May 2008 17:56:00 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Do you ever get clicks or dropouts when the a UAD plug goes over an edit?  
What mobo are you using? I don't get distortion, but I'm just wondering if  
the things I DO experience could be traced to the G450.

Rod

"Rob Arsenault" <mani1147athotmaildotcom> wrote:  
>Hi Rod, I have a G450 and a UAD as well and have never really noticed any  
  
>distortion issues.  
>  
>Rob  
>  
>"Rod Lincoln" <rllincoln@nospam.kc.rr.com> wrote in message  
>news:4819c9e3\$1@linux...  
>>  
>> I was reading some tech info on the UAD websight last night and noticed  
  
>> this.  
>> "Matrox G4xx graphics cards users will experience distortion in Audio  
  
>> Export/Processing  
>> results if UAD plugin windows are open during processing.  
>> Workaround: Close all UAD plugin interface windows before performing Audio  
>> Export/Processing."  
>>  
>> I've been using a Matrox G450 forever, and don't notice distortion, but  
  
>> there  
>> are the usual clicks and occasional dropouts when using a UAD plug on  
a  
>> track  
>> with edits. (yes, I'm using the drivers from windows, not the crap ones  
  
>> from  
>> matarox) I render the track, solve the problem. I was wondering though  
if  
>> it might be a good idea to switch to a different vid card to see if that  
>> fixed the problem. If so what would you suggest?  
>> I'm still running the Asus A7S333 mobo. I figure it wouldn't be too  
>> expensive  
>> to get something else and experiment.  
>> Rod  
>>  
>  
>

---

Subject: Re: You Aaron, Chris Ludwig, or whoever  
Posted by [Tom Bruhl](#) on Thu, 01 May 2008 18:26:32 GMT  
[View Forum Message](#) <> [Reply to Message](#)

This is a multi-part message in MIME format.

-----=\_NextPart\_000\_0012\_01C8AB97.5A83D620

Content-Type: text/plain;  
charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Hi Rod,

I can get those clicks and inconsistant playback over some edits with a UAD rev 4.7 too. It can be the case over other plugins too.

I'm using a Radeon 9600 dual head now.

It is fine in all other ways though. I think it's a Paris/UAD thing.=20

I had been using a Matrox G550 and before that a G400.

All exhibit the same behavior give or take.

Tom

"Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message =  
news:481a0430\$1@linux...

Do you ever get clicks or dropouts when the a UAD plug goes over an =  
edit?

What mobo are you using? I don't get distortion, but I'm just =  
wondering if

the things I DO experience could be traced to the G450.

Rod

"Rob Arsenault" <mani1147athotmaildotcom> wrote:

>Hi Rod, I have a G450 and a UAD as well and have never really noticed =  
any

>distortion issues.

>

>Rob

>

>"Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message=20

>news:4819c9e3\$1@linux...

>>

>> I was reading some tech info on the UAD websight last night and =  
noticed

>> this.

>> "Matrox G4xx graphics cards users will experience distortion in =  
Audio

>> Export/Processing

>> results if UAD plugin windows are open during processing.

>> Workaround: Close all UAD plugin interface windows before =  
performing Audio

>> Export/Processing."

>>  
>> I've been using a Matrox G450 forever, and don't notice distortion, =  
but  
  
>> there  
>> are the usual clicks and occasional dropouts when using a UAD plug =  
on  
a=20  
>> track  
>> with edits. (yes, I'm using the drivers from windows, not the crap =  
ones  
  
>> from  
>> matarox) I render the track, solve the problem. I was wondering =  
though  
if  
>> it might be a good idea to switch to a different vid card to see if =  
that  
>> fixed the problem. If so what would you suggest?  
>> I'm still running the Asus A7S333 mobo. I figure it wouldn't be too =  
  
>> expensive  
>> to get something else and experiment.  
>> Rod  
>>=20  
>  
>

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=\_NextPart\_000\_0012\_01C8AB97.5A83D620

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =  
charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2900.2180" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV><FONT face=3DArial size=3D2>Hi Rod,</FONT></DIV>

<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>

<DIV><FONT face=3DArial size=3D2>I can get those clicks and inconsistant =

playback=20  
over some edits</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>with a UAD rev 4.7 too.&nbsp;It can be =  
the case=20  
over other plugins too.</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>  
<DIV><FONT face=3DArial size=3D2>I'm using a Radeon 9600 dual head =  
now.</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>It is fine in all other ways =  
though.&nbsp;I think=20  
it's a Paris/UAD thing. </FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>I had been using a Matrox G550 and =  
before that a=20  
G400.</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>All exhibit the same behavior give or=20  
take.</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>  
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>  
<BLOCKQUOTE=20  
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =  
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">  
  <DIV>"Rod Lincoln" &lt;<A=20  
  =  
  href=3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</A>&g=  
  t;=20  
  wrote in message <A=20  
  =  
  href=3D"news:481a0430\$1 @linux">news:481a0430\$1 @linux</A>...</DIV><BR>Do =  
  you ever=20  
  get clicks or dropouts when the a UAD plug goes over an edit?<BR>What =  
  mobo are=20  
  you using? I don't get distortion, but I'm just wondering if<BR>the =  
  things I=20  
  DO experience could be traced to the G450.<BR>Rod<BR>"Rob Arsenault"=20  
  &lt;mani1147athotmaildotcom&gt; wrote:<BR>&gt;Hi Rod, I have a G450 =  
  and a UAD=20  
  as well and have never really noticed any<BR><BR>&gt;distortion=20  
  issues.<BR>&gt;<BR>&gt;Rob<BR>&gt;<BR>&gt; "Rod Lincoln" &lt;<A=20  
  =  
  href=3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</A>&g=  
  t;=20  
  wrote in message =  
<BR>&gt;news:4819c9e3\$1 @linux...<BR>&gt;&gt;<BR>&gt;&gt; I=20  
  was reading some tech info on the UAD websight last night and=20  
  noticed<BR><BR>&gt;&gt; this.<BR>&gt;&gt; "Matrox G4xx graphics cards =  
  users=20  
  will experience distortion in Audio<BR><BR>&gt;&gt;=20  
  Export/Processing<BR>&gt;&gt; results if UAD plugin windows are open =

during=20  
processing.<BR>&gt; Workaround: Close all UAD plugin interface =  
windows=20  
before performing Audio<BR>&gt;=20  
Export/Processing."<BR>&gt;<BR>&gt; I've been using a Matrox =  
G450=20  
forever, and don't notice distortion, but<BR><BR>&gt; =  
there<BR>&gt;=20  
are the usual clicks and occasional dropouts when using a UAD plug =  
on<BR>a=20  
<BR>&gt; track<BR>&gt; with edits. (yes, I'm using the drivers =  
from=20  
windows, not the crap ones<BR><BR>&gt; from<BR>&gt; matarox) I =  
render=20  
the track, solve the problem. I was wondering though<BR>if<BR>&gt; =  
it=20  
might be a good idea to switch to a different vid card to see if=20  
that<BR>&gt; fixed the problem. If so what would you =  
suggest?<BR>&gt;=20  
I'm still running the Asus A7S333 mobo. I figure it wouldn't be too=20  
<BR>&gt; expensive<BR>&gt; to get something else and=20  
experiment.<BR>&gt; Rod<BR>&gt; =  
<BR>&gt;<BR>&gt;<BR></BLOCKQUOTE>  
<DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight spam, =  
and=20  
you?<BR><A=20  
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=  
..html</A>&nbsp;&nbsp;&nbsp;&nbsp;</FONT></DIV></BODY ></HTML>

-----=\_NextPart\_000\_0012\_01C8AB97.5A83D620--

---

Subject: Re: should be YO or Hey... Aaron, Chris Ludwig, or whoever  
Posted by [Deej \[5\]](#) on Fri, 02 May 2008 00:53:33 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

"Rod Lincoln" <rincoln@nospam.kc.rr.com> wrote:

>  
>I hate to type.  
>rid 80P"  
>"Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote:  
>>  
>>I was reading some tech info on the UAD websight last night and noticed  
>this.  
>>"Matrox G4xx graphics cards users will experience distortion in Audio Export/Processing  
>>results if UAD plugin windows are open during processing.  
>>Workaround: Close all UAD plugin interface windows before performing Audio  
>>Export/Processing."

>>  
>>I've been using a Matrox G450 forever, and don't notice distortion, but  
>there  
>>are the usual clicks and occasional dropouts when using a UAD plug on a  
>track  
>>with edits. (yes, I'm using the drivers from windows, not the crap ones  
>from  
>>matrox) I render the track, solve the problem. I was wondering though  
if  
>>it might be a good idea to switch to a different vid card to see if that  
>>fixed the problem. If so what would you suggest?  
>>I'm still running the Asus A7S333 mobo. I figure it wouldn't be too expensive  
>>to get something else and experiment.  
>>Rod  
>>  
>

I never had this problem with the G450 cards. If you want to upgrade to a different dual head card, I recommend the NVidi G\$EForce 5500's. they worked great for me with Paris on an ASUS A7V mobo (VIA chipset).

---

---

Subject: Re: should be YO or Hey... Aaron, Chris Ludwig, or whoever  
Posted by [Rod Lincoln](#) on Fri, 02 May 2008 03:45:46 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Thanks for the info. Good to see you round these parts!

Rod

"Deej" <noway@jose.net> wrote:

>

>"Rod Lincoln" <rincoln@nospam.kc.rr.com> wrote:

>>

>>I hate to type.

>>rid 80P"

>>"Rod Lincoln" <rincoln@nospam.kc.rr.com> wrote:

>>>

>>>I was reading some tech info on the UAD websight last night and noticed

>>>this.

>>>"Matrox G4xx graphics cards users will experience distortion in Audio  
Export/Processing

>>>results if UAD plugin windows are open during processing.

>>>Workaround: Close all UAD plugin interface windows before performing Audio

>>>Export/Processing."

>>>

>>>I've been using a Matrox G450 forever, and don't notice distortion, but

>>>there

>>>are the usual clicks and occasional dropouts when using a UAD plug on a

a



>>track  
>>>with edits. (yes, I'm using the drivers from windows, not the crap ones  
>>from  
>>>matarox) I render the track, solve the problem. I was wondering though  
>if  
>>>it might be a good idea to switch to a different vid card to see if that  
>>>fixed the problem. If so what would you suggest?  
>>>I'm still running the Asus A7S333 mobo. I figure it wouldn't be too expensive  
>>>to get something else and experiment.  
>>>Rod  
>>>  
>>  
>  
>I never had this problem with the G450 cards. If you want to upgrade to  
a  
>different dual head card, I recommend the NVidi G\$EForce 5500's. they worked  
>great for me with Paris on an ASUS A7V mobo (VIA chipset).  
>  
>

---

---

Subject: Re: You Aaron, Chris Ludwig, or whoever  
Posted by [Rod Lincoln](#) on Fri, 02 May 2008 03:47:13 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Thanks Tom. Based on you info, I'll probably not worry about experimenting.

Rod

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>Hi Rod,

>

>I can get those clicks and inconsistant playback over some edits  
>with a UAD rev 4.7 too. It can be the case over other plugins too.

>

>I'm using a Radeon 9600 dual head now.

>It is fine in all other ways though. I think it's a Paris/UAD thing.=20

>I had been using a Matrox G550 and before that a G400.

>All exhibit the same behavior give or take.

>

>Tom

> "Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message =  
>news:481a0430\$1@linux...

>

> Do you ever get clicks or dropouts when the a UAD plug goes over an =  
>edit?

> What mobo are you using? I don't get distortion, but I'm just =

>wondering if

> the things I DO experience could be traced to the G450.  
> Rod  
> "Rob Arsenault" <mani1147athotmaildotcom> wrote:  
> >Hi Rod, I have a G450 and a UAD as well and have never really noticed  
=  
>any  
>  
> >distortion issues.  
> >  
> >Rob  
> >  
> >"Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message=20  
> >news:4819c9e3\$1@linux...  
> >>  
> >> I was reading some tech info on the UAD websight last night and =  
>noticed  
>  
> >> this.  
> >> "Matrox G4xx graphics cards users will experience distortion in =  
>Audio  
>  
> >> Export/Processing  
> >> results if UAD plugin windows are open during processing.  
> >> Workaround: Close all UAD plugin interface windows before =  
>performing Audio  
> >> Export/Processing."  
> >>  
> >> I've been using a Matrox G450 forever, and don't notice distortion,  
=  
>but  
>  
> >> there  
> >> are the usual clicks and occasional dropouts when using a UAD plug  
=  
>on  
> a=20  
> >> track  
> >> with edits. (yes, I'm using the drivers from windows, not the crap  
=  
>ones  
>  
> >> from  
> >> matarox) I render the track, solve the problem. I was wondering =  
>though  
> if  
> >> it might be a good idea to switch to a different vid card to see if  
=  
>that

```

> >> fixed the problem. If so what would you suggest?
> >> I'm still running the Asus A7S333 mobo. I figure it wouldn't be too
=
>
> >> expensive
> >> to get something else and experiment.
> >> Rod
> >>=20
> >
> >
>
>
> I choose Polesoft Lockspam to fight spam, and you?
> http://www.polesoft.com/refer.html
>
> <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> <HTML><HEAD>
> <META http-equiv=3DContent-Type content=3D"text/html; =
> charset=3Diso-8859-1">
> <META content=3D"MSHTML 6.00.2900.2180" name=3DGENERATOR>
> <STYLE></STYLE>
> </HEAD>
> <BODY bgColor=3D#ffffff>
> <DIV><FONT face=3DArial size=3D2>Hi Rod,</FONT></DIV>

> <DIV><FONT face=3DArial size=3D2>I can get those clicks and inconsistant
=
> playback=20
> over some edits</FONT></DIV>

> the case=20
> over other plugins too.</FONT></DIV>

> <DIV><FONT face=3DArial size=3D2>I'm using a Radeon 9600 dual head =
> now.</FONT></DIV>
> <DIV><FONT face=3DArial size=3D2>It is fine in all other ways =

> it's a Paris/UAD thing. </FONT></DIV>
> <DIV><FONT face=3DArial size=3D2>I had been using a Matrox G550 and =
> before that a=20
> G400.</FONT></DIV>
> <DIV><FONT face=3DArial size=3D2>All exhibit the same behavior give or=20
> take.</FONT></DIV>

> <DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
> <BLOCKQUOTE=20
> style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =

```

>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">  
> <DIV>"Rod Lincoln" <<A=20  
> =  
>href=3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</A>&g=  
>t;=20  
> wrote in message <A=20  
> =  
>href=3D"news:481a0430\$1@linux">news:481a0430\$1@linux</A>...</DIV><BR>Do  
=  
>you ever=20  
> get clicks or dropouts when the a UAD plug goes over an edit?<BR>What  
=  
>mobo are=20  
> you using? I don't get distortion, but I'm just wondering if<BR>the =  
>things I=20  
> DO experience could be traced to the G450.<BR>Rod<BR>"Rob Arsenault"=20  
> <mani1147athotmaildotcom> wrote:<BR>>Hi Rod, I have a G450 =  
>and a UAD=20  
> as well and have never really noticed any<BR><BR>>distortion=20  
> issues.<BR>><BR>>Rob<BR>><BR>>"Rod Lincoln" <<A=20  
> =  
>href=3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</A>&g=  
>t;=20  
> wrote in message =  
><BR>>news:4819c9e3\$1@linux...<BR>>><BR>>> I=20  
> was reading some tech info on the UAD websight last night and=20  
> noticed<BR><BR>>> this.<BR>>> "Matrox G4xx graphics cards =  
>users=20  
> will experience distortion in Audio<BR><BR>>>=20  
> Export/Processing<BR>>> results if UAD plugin windows are open =  
>during=20  
> processing.<BR>>> Workaround: Close all UAD plugin interface =  
>windows=20  
> before performing Audio<BR>>>=20  
> Export/Processing."<BR>>><BR>>> I've been using a Matrox =  
>G450=20  
> forever, and don't notice distortion, but<BR><BR>>> =  
>there<BR>>>=20  
> are the usual clicks and occasional dropouts when using a UAD plug =  
>on<BR>a=20  
> <BR>>> track<BR>>> with edits. (yes, I'm using the drivers =  
>from=20  
> windows, not the crap ones<BR><BR>>> from<BR>>> matarox) I =  
>render=20  
> the track, solve the problem. I was wondering though<BR>if<BR>>> =  
>it=20  
> might be a good idea to switch to a different vid card to see if=20  
> that<BR>>> fixed the problem. If so what would you =

> suggest?<BR>>=20  
> I'm still running the Asus A7S333 mobo. I figure it wouldn't be too=20  
> <BR>> expensive<BR>> to get something else and=20  
> experiment.<BR>> Rod<BR>> =  
><BR>><BR>><BR></BLOCKQUOTE>  
><DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight spam, =  
>and=20  
>you?<BR><A=20  
>href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=  
  
>  
>

---

---

Subject: Re: You Aaron, Chris Ludwig, or whoever  
Posted by [Aaron Allen](#) on Fri, 02 May 2008 04:11:50 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

FWIW, my rig no longer has the UAD in it but the GeForce cards have been completely hassle free. If you'd like, let me know and next time I fire up the rig I'll look to see which nVidia cards are in there. All my G450's died years ago and I found out that they weren't nearly as snappy and troublefree as the ones I have now. YMMV.

AA

"Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message news:4819c9e3\$1@linux...

>  
> I was reading some tech info on the UAD websight last night and noticed  
> this.  
> "Matrox G4xx graphics cards users will experience distortion in Audio  
> Export/Processing  
> results if UAD plugin windows are open during processing.  
> Workaround: Close all UAD plugin interface windows before performing Audio  
> Export/Processing."  
>  
> I've been using a Matrox G450 forever, and don't notice distortion, but  
> there  
> are the usual clicks and occasional dropouts when using a UAD plug on a  
> track  
> with edits. (yes, I'm using the drivers from windows, not the crap ones  
> from  
> matarox) I render the track, solve the problem. I was wondering though if  
> it might be a good idea to switch to a different vid card to see if that  
> fixed the problem. If so what would you suggest?  
> I'm still running the Asus A7S333 mobo. I figure it wouldn't be too  
> expensive

> to get something else and experiment.  
> Rod  
>

---

---

Subject: Re: You Aaron, Chris Ludwig, or whoever  
Posted by [Rod Lincoln](#) on Fri, 02 May 2008 13:44:04 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Yeah, let me know what your using. Your still using the Asus mobo, right?

Rod

"Aaron Allen" <know-spam@not\_here.dude> wrote:

>FWIW, my rig no longer has the UAD in it but the GeForce cards have been

>completely hassle free. If you'd like, let me know and next time I fire  
up

>the rig I'll look to see which nVidia cards are in there. All my G450's  
died

>years ago and I found out that they weren't nearly as snappy and troublefree

>as the ones I have now. YMMV.

>

>AA

>

>"Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message

>news:4819c9e3\$1@linux...

>>

>> I was reading some tech info on the UAD websight last night and noticed

>> this.

>> "Matrox G4xx graphics cards users will experience distortion in Audio

>> Export/Processing

>> results if UAD plugin windows are open during processing.

>> Workaround: Close all UAD plugin interface windows before performing Audio

>> Export/Processing."

>>

>> I've been using a Matrox G450 forever, and don't notice distortion, but

>> there

>> are the usual clicks and occasional dropouts when using a UAD plug on

a

>> track

>> with edits. (yes, I'm using the drivers from windows, not the crap ones

>> from

>> matarox) I render the track, solve the problem. I was wondering though

if

>> it might be a good idea to switch to a different vid card to see if that  
>> fixed the problem. If so what would you suggest?  
>> I'm still running the Asus A7S333 mobo. I figure it wouldn't be too  
>> expensive  
>> to get something else and experiment.  
>> Rod  
>>  
>  
>

---

---

Subject: Re: You Aaron, Chris Ludwig, or whoever  
Posted by [Chris Ludwig](#) on Fri, 02 May 2008 15:05:52 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi Rod,  
I think the G450 issues might have been specific to certain combination of hardware not just being a G450 card.

Chris

Rod Lincoln wrote:

> Yeah, let me know what your using. Your still using the Asus mobo, right?  
> Rod  
> "Aaron Allen" <know-spam@not\_here.dude> wrote:  
>> FWIW, my rig no longer has the UAD in it but the GeForce cards have been  
>  
>> completely hassle free. If you'd like, let me know and next time I fire  
> up  
>> the rig I'll look to see which nVidia cards are in there. All my G450's  
> died  
>> years ago and I found out that they weren't nearly as snappy and troublefree  
>  
>> as the ones I have now. YMMV.  
>>  
>> AA  
>>  
>> "Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message  
>> news:4819c9e3\$1@linux...  
>>> I was reading some tech info on the UAD websight last night and noticed  
>  
>>> this.  
>>> "Matrox G4xx graphics cards users will experience distortion in Audio  
>  
>>> Export/Processing  
>>> results if UAD plugin windows are open during processing.

>>> Workaround: Close all UAD plugin interface windows before performing Audio  
>>> Export/Processing."  
>>>  
>>> I've been using a Matrox G450 forever, and don't notice distortion, but  
>  
>>> there  
>>> are the usual clicks and occasional dropouts when using a UAD plug on  
> a  
>>> track  
>>> with edits. (yes, I'm using the drivers from windows, not the crap ones  
>  
>>> from  
>>> matarox) I render the track, solve the problem. I was wondering though  
> if  
>>> it might be a good idea to switch to a different vid card to see if that  
>>> fixed the problem. If so what would you suggest?  
>>> I'm still running the Asus A7S333 mobo. I figure it wouldn't be too  
>>> expensive  
>>> to get something else and experiment.  
>>> Rod  
>>>  
>>  
>

--

Chris Ludwig

ADK Pro Audio  
(859) 635-5762  
www.adkproaudio.com  
chrisl@adkproaudio.com

---

Subject: Re: You Aaron, Chris Ludwig, or whoever  
Posted by [Aaron Allen](#) on Fri, 02 May 2008 17:54:55 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Yup, A7S333 same as you but with a 1900+. No expansion chassis on it (yet, anyway), just straight into the PCI slots with EDS cards.

AA

"Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message  
news:481b1aa4\$1@linux...

>  
> Yeah, let me know what your using. Your still using the Asus mobo, right?  
> Rod  
> "Aaron Allen" <know-spam@not\_here.dude> wrote:



>>FWIW, my rig no longer has the UAD in it but the GeForce cards have been  
>  
>>completely hassle free. If you'd like, let me know and next time I fire  
> up  
>>the rig I'll look to see which nVidia cards are in there. All my G450's  
> died  
>>years ago and I found out that they weren't nearly as snappy and  
>>troublefree  
>  
>>as the ones I have now. YMMV.  
>>  
>>AA  
>>  
>>"Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message  
>>news:4819c9e3\$1@linux...  
>>>  
>>> I was reading some tech info on the UAD websight last night and noticed  
>  
>>> this.  
>>> "Matrox G4xx graphics cards users will experience distortion in Audio  
>  
>>> Export/Processing  
>>> results if UAD plugin windows are open during processing.  
>>> Workaround: Close all UAD plugin interface windows before performing  
>>> Audio  
>>> Export/Processing."  
>>>  
>>> I've been using a Matrox G450 forever, and don't notice distortion, but  
>  
>>> there  
>>> are the usual clicks and occasional dropouts when using a UAD plug on  
> a  
>>> track  
>>> with edits. (yes, I'm using the drivers from windows, not the crap ones  
>  
>>> from  
>>> matarox) I render the track, solve the problem. I was wondering though  
> if  
>>> it might be a good idea to switch to a different vid card to see if that  
>>> fixed the problem. If so what would you suggest?  
>>> I'm still running the Asus A7S333 mobo. I figure it wouldn't be too  
>>> expensive  
>>> to get something else and experiment.  
>>> Rod  
>>>  
>>  
>>  
>

---

---

Subject: Re: You Aaron, Chris Ludwig, or whoever  
Posted by [Kim W](#) on Sat, 03 May 2008 09:44:53 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

FWIW, I get clicks and dropouts with some combinations of plugins. I don't own an IUD, but it seems that Waves plugins in conjunction with PSP, (VintageWarmer... which I like a lot), or Amplitube can cause the dropouts.

Usually flushing the memory (by way of saving and reboot), fixes it.

I have started rendering tracks with lots of edits to avoid this.

(minus plugins so I can tweak as I build the mix.)

I'm thinking that this problem is more related to screwy memory allocation as one builds a complex mix, (and applies more plugins), and is probably responsible

for the persistence of the occasional Crash-on-exit, and unhandled exception, rather than the IUD plugins themselves.

Having said that, I reiterate that I don't own one, so WTF do I know?? I'm just relating that I have had the exact same symptoms.

Oh, and I'm using a NF3 K8NS-ULTRA 939.

Kim. (Double-yuu, that is...)

"Rod Lincoln" <[rlincoln@nospam.kc.rr.com](mailto:rlincoln@nospam.kc.rr.com)> wrote:

>

>Do you ever get clicks or dropouts when the a UAD plug goes over an edit?

>What mobo are you using? I don't get distortion, but I'm just wondering

if

>the things I DO experience could be traced to the G450.

>Rod

>"Rob Arsenault" <[mani1147athotmaildotcom](mailto:mani1147athotmaildotcom)> wrote:

>>Hi Rod, I have a G450 and a UAD as well and have never really noticed any

>

>>distortion issues.

>>

>>Rob

>>

>>"Rod Lincoln" <[rlincoln@nospam.kc.rr.com](mailto:rlincoln@nospam.kc.rr.com)> wrote in message

>>news:4819c9e3\$1@linux...

>>>

>>> I was reading some tech info on the UAD websight last night and noticed

>

>>> this.

>>> "Matrox G4xx graphics cards users will experience distortion in Audio

>

>>> Export/Processing

>>> results if UAD plugin windows are open during processing.

>>> Workaround: Close all UAD plugin interface windows before performing

Audio

>>> Export/Processing."  
>>>  
>>> I've been using a Matrox G450 forever, and don't notice distortion, but  
>  
>>> there  
>>> are the usual clicks and occasional dropouts when using a UAD plug on  
>a  
>>> track  
>>> with edits. (yes, I'm using the drivers from windows, not the crap ones  
>  
>>> from  
>>> matarox) I render the track, solve the problem. I was wondering though  
>if  
>>> it might be a good idea to switch to a different vid card to see if that  
>>> fixed the problem. If so what would you suggest?  
>>> I'm still running the Asus A7S333 mobo. I figure it wouldn't be too  
>>> expensive  
>>> to get something else and experiment.  
>>> Rod  
>>>  
>>  
>>  
>

---