Subject: Paris " Feature " ?
Posted by Tom Bruhl on Tue, 25 Apr 2006 06:58:24 GMT
View Forum Message <> Reply to Message

This is a multi-part message in MIME format.

-----=_NextPart_000_0035_01C66814.1E39FFF0 Content-Type: text/plain; charset="iso-8859-1" Content-Transfer-Encoding: quoted-printable

You have almost finished printing a mix but you know there's another change to be made. You hit stop in the transport, Alt-Backspace to delete the mixdown and you make your change. Go to reprint and an unrelated track is out of line... This happened three times tonight = in three different mixes.

I've found that if I was last on an Editor window and a track was = highlighted the Alt-Backspace command will undo or at least change the placement on that track! You start the mix again and there's a new timing = problem!!!

How unprofessional of me.

Am I the only one?, Tom

----= NextPart 000 0035 01C66814.1E39FFF0 Content-Type: text/html; charset="iso-8859-1" Content-Transfer-Encoding: quoted-printable <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN"> <HTML><HEAD> <META http-equiv=3DContent-Type content=3D"text/html; = charset=3Diso-8859-1"> <META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR> <STYLE></STYLE> </HEAD> <BODY bgColor=3D#ffffff> <DIV>You have almost finished printing a mix = but you=20 know there's another</DIV> <DIV>change to be made. You hit stop = in the=20

transport, Alt-Backspace to</DIV> <DIV>delete the mixdown and you make your = change. =20 Go to reprint and</DIV> <DIV>an unrelated track is out of = line... =20 This happened three times tonight in three</DIV> <DIV>different mixes.</DIV> <DIV> :</DIV> <DIV>I've found that if I was last on an = Editor window=20 and a track was highlighted</DIV> <DIV>the Alt-Backspace command will undo or = at least=20 change the placement</DIV> <DIV>on that track! You start the mix = again and=20 there's a new timing problem!!!</DIV> <DIV> </DIV> <DIV>How unprofessional of me.</DIV> <DIV> </DIV> <DIV>Am I the only one?,</DIV> <DIV>Tom</DIV> <DIV> </DIV> <DIV> </DIV></BODY></HTML> ----=_NextPart_000_0035_01C66814.1E39FFF0--

Subject: Re: Paris " Feature " ?
Posted by Rod Lincoln on Tue, 25 Apr 2006 12:40:36 GMT
View Forum Message <> Reply to Message

I think it's performing an "undo". Did you move that track before you mixed. I've never had it alter the timing on tracks after alt backspace, but I have had it perform an undo at the same time. Work around: don't alt backspace mixes, just name a new mix and delete the old later in windows. Rod

Rod

"Tom Bruhl" <arpegio@comcast.net> wrote:

> >

>You have almost finished printing a mix but you know there's another >change to be made. You hit stop in the transport, Alt-Backspace to >delete the mixdown and you make your change. Go to reprint and >an unrelated track is out of line... This happened three times tonight

_

>in three

```
>different mixes.
>I've found that if I was last on an Editor window and a track was =
>highlighted
>the Alt-Backspace command will undo or at least change the placement
>on that track! You start the mix again and there's a new timing =
>problem!!!
>How unprofessional of me.
>Am I the only one?,
>Tom
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3DContent-Type content=3D"text/html; =
>charset=3Diso-8859-1">
><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D#ffffff>
><DIV><FONT face=3DArial size=3D2>You have almost finished printing a mix
>but you=20
>know there's another</FONT></DIV>
>in the=20
>transport, Alt-Backspace to</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>delete the mixdown and you make your =
>Go to reprint and</FONT></DIV>
>This happened three times tonight in three</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>different mixes.</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>I've found that if I was last on an =
>Editor window=20
>and a track was highlighted</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>the Alt-Backspace command will undo or
>at least=20
>change the placement</FONT></DIV>
>again and=20
>there's a new timing problem!!!</FONT></DIV>
```

```
><DIV><FONT face=3DArial size=3D2>How unprofessional of me.</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>Am I the only one?,</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>

Subject: Re: Paris " Feature " ?
Posted by Tom Bruhl on Tue, 25 Apr 2006 17:20:11 GMT
View Forum Message <> Reply to Message
This is a multi-part message in MIME format.
```

```
-----=_NextPart_000_0092_01C6686A.FB587BE0
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

Rod,

You're right it is performing an undo. I think if the Editor window if I last unselected the tracks the undo would just be to select the = track

but not move it in time. =20

Feature.

Tom

"Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message = news:444e18c4\$1@linux...

I think it's performing an "undo". Did you move that track before you = mixed.

I've never had it alter the timing on tracks after alt backspace, but = I have

had it perform an undo at the same time. Work around: don't alt = backspace

mixes, just name a new mix and delete the old later in windows.

Rod

Rod

"Tom Bruhl" <arpegio@comcast.net> wrote:

>

>You have almost finished printing a mix but you know there's another >change to be made. You hit stop in the transport, Alt-Backspace to >delete the mixdown and you make your change. Go to reprint and

```
>an unrelated track is out of line... This happened three times =
tonight
 =3D
 >in three
 >different mixes.
 > I've found that if I was last on an Editor window and a track was = 3D
 >highlighted
 >the Alt-Backspace command will undo or at least change the placement
 >on that track! You start the mix again and there's a new timing =3D
 >problem!!!
 >How unprofessional of me.
 >Am I the only one?,
 >Tom
 >
 ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
 ><HTML><HEAD>
 ><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
 >charset=3D3Diso-8859-1">
 ><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
 ><STYLE></STYLE>
 ></HEAD>
 ><BODY bgColor=3D3D#ffffff>
 ><DIV><FONT face=3D3DArial size=3D3D2>You have almost finished =
printing a mix
 =3D
 >but vou=3D20
 >know there's another</FONT></DIV>
 ><DIV><FONT face=3D3DArial size=3D3D2>change to be made. You hit stop =
=3D
 >in the=3D20
 >transport, Alt-Backspace to</FONT></DIV>
 ><DIV><FONT face=3D3DArial size=3D3D2>delete the mixdown and you make =
your =3D
 >change. =3D20
 >Go to reprint and</FONT></DIV>
 ><DIV><FONT face=3D3DArial size=3D3D2>an unrelated track is out of =3D
 >line... =3D20
 >This happened three times tonight in three</FONT></DIV>
 ><DIV><FONT face=3D3DArial size=3D3D2>different mixes.</FONT></DIV>
 ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
 ><DIV><FONT face=3D3DArial size=3D3D2>I've found that if I was last on =
an = 3D
 >Editor window=3D20
```

```
>and a track was highlighted</FONT></DIV>
 ><DIV><FONT face=3D3DArial size=3D3D2>the Alt-Backspace command will =
undo or
=3D
>at least=3D20
>change the placement</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>on that track! You start the mix =
>again and=3D20
>there's a new timing problem!!!</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><DIV><FONT face=3D3DArial size=3D3D2>How unprofessional of =
me.</FONT></DIV>
 ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><DIV><FONT face=3D3DArial size=3D3D2>Am I the only one?,</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>Tom</FONT></DIV>
 ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV></BODY></HTML>
>
----= NextPart 000 0092 01C6686A.FB587BE0
Content-Type: text/html;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Rod,</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>You're right it is performing an =
undo.  I=20
think if the Editor window</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>if I last unselected the tracks =
</FONT><FONT=20
face=3DArial size=3D2>the undo would just be to select the =
track</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>but not move it in time.&nbsp; =
</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>Feature,</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
<BLOCKQUOTE=20
```

```
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"Rod Lincoln" &lt;<A=20
href=3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</A>&q=
t:=20
 wrote in message <A=20
 href=3D"news:444e18c4$1@linux">news:444e18c4$1@linux</A>...</DIV><BR>I =
think=20
 it's performing an "undo". Did you move that track before you =
mixed.<BR>I've=20
 never had it alter the timing on tracks after alt backspace, but I =
have<BR>had=20
 it perform an undo at the same time. Work around: don't alt=20
 backspace<BR>mixes, just name a new mix and delete the old later in=20
 windows.<BR>Rod<BR>Rod<BR>"Tom Bruhl" &lt;<A=20
 href=3D"mailto:arpegio@comcast.net</A>&qt:=20
 wrote:<BR>&gt;<BR>&gt;<BR>&gt;You have almost finished printing a mix =
but you=20
 know there's another<BR>&gt;change to be made.&nbsp; You hit stop in =
the=20
 transport, Alt-Backspace to<BR>&gt;delete the mixdown and you make =
vour=20
 change.&nbsp: Go to reprint and BR>>an unrelated track is out of =20
 line...  This happened three times tonight<BR>=3D<BR>&gt;in=20
 three<BR>&gt;different mixes.<BR>&gt;<BR>&gt;I've found that if I was =
last on=20
 an Editor window and a track was =3D<BR>&gt;highlighted<BR>&gt;the =
Alt-Backspace=20
 command will undo or at least change the placement<BR>&gt;on that =
track!&nbsp:=20
 You start the mix again and there's a new timing=20
 =3D<BR>&gt;problem!!!<BR>&gt;<BR>&gt;How unprofessional of =
me.<BR>&gt;<BR>&gt;Am=20
 I the only =
one?,<BR>&gt;Tom<BR>&gt;<BR>&gt;<BR>&gt;&lt;!DOCTYPE HTML=20
 PUBLIC "-//W3C//DTD HTML 4.0=20
 Transitional//EN"&qt;<BR>&qt;&lt;HTML&qt;&lt;HEAD&qt; <BR>&qt;&lt;META=20
 http-equiv=3D3DContent-Type content=3D3D"text/html;=20
 =3D<BR>&gt;charset=3D3Diso-8859-1"&gt;<BR>&gt;&lt;META =
content=3D3D"MSHTML=20
 6.00.2800.1400"=20
name=3D3DGENERATOR><BR>&gt;&lt;STYLE&gt;&lt;/STYLE&gt; <BR>&gt;&lt;/HEA=
D><BR>&gt;&lt;BODY=20
 bgColor=3D3D#ffffff><BR>&gt;&lt;DIV&gt;&lt;FONT face=3D3DArial =
size=3D3D2>You=20
 have almost finished printing a mix<BR>=3D<BR>&gt;but =
```

```
you=3D20<BR>&gt;know there's=20
 another</FONT&gt;&lt;/DIV&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT =
face=3D3DArial=20
 size=3D3D2>change to be made. You hit stop =3D<BR>&gt;in=20
the=3D20<BR>&gt;transport, Alt-Backspace=20
to</FONT&gt;&lt;/DIV&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT face=3D3DArial=20
 size=3D3D2>delete the mixdown and you make your =3D<BR>&gt;change.=20
 =3D20<BR>&gt;Go to reprint=20
 and</FONT&gt;&lt;/DIV&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT face=3D3DArial =
 size=3D3D2>an unrelated track is out of =3D<BR>&gt;line... =
=3D20<BR>&at:This=20
happened three times tonight in=20
three</FONT&gt;&lt;/DIV&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT =
face=3D3DArial=20
size=3D3D2>different=20
 mixes.</FONT&gt;&lt;/DIV&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT =
face=3D3DArial=20
 size=3D3D2&qt;</FONT&qt; &lt;/DIV&qt;<BR>&qt;&lt;DIV&qt;&lt;FONT =
face=3D3DArial=20
size=3D3D2>I've found that if I was last on an =3D<BR>&gt;Editor=20
window=3D20<BR>&gt;and a track was=20
highlighted</FONT&gt;&lt;/DIV&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT =
face=3D3DArial=20
size=3D3D2>the Alt-Backspace command will undo or<BR>=3D<BR>&gt;at=20
least=3D20<BR>&gt;change the=20
 placement</FONT&gt;&lt;/DIV&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT =
face=3D3DArial=20
 size=3D3D2&qt;on that track! You start the mix =3D<BR>&qt;again=20
 and=3D20<BR>&gt;there's a new timing=20
 problem!!!</FONT&gt;&lt;/DIV&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT =
face=3D3DArial=20
 size=3D3D2></FONT&gt; &lt;/DIV&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT =
face=3D3DArial=20
size=3D3D2>How unprofessional of=20
 me.</FONT&gt;&lt;/DIV&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT face=3D3DArial =
 size=3D3D2&qt;</FONT&qt; &lt;/DIV&qt;<BR>&qt;&lt;DIV&qt;&lt;FONT =
face=3D3DArial=20
 size=3D3D2>Am I the only=20
 one?,</FONT&gt;&lt;/DIV&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT =
face=3D3DArial=20
 size=3D3D2>Tom</FONT&gt;&lt;/DIV&g t; <BR>&gt;&lt;DIV&gt;&lt;FONT=20
 face=3D3DArial size=3D3D2></FONT&gt; =
</DIV&gt;<BR>&gt;&lt;DIV&gt;&lt;FONT=20
face=3D3DArial size=3D3D2></FONT&gt;=20
</DIV&gt;&lt;/BODY&gt;&lt;/HTML&g t; <BR>&gt;<BR></BLOCKQUOTE></=
```

BODY></HTML>

-----=_NextPart_000_0092_01C6686A.FB587BE0--