Subject: Compression test Posted by John [1] on Thu, 15 Jun 2006 00:40:29 GMT View Forum Message <> Reply to Message

Others might suggest a better kick/snare in the TD20 but this is the Peart one for starters.

http://tinyurl.com/gtacu http://tinyurl.com/ef2fj

Lets see if anyone can get close to the compression, air and slapback that this has going on. Of course I don't expect miracles but have at it.

Thanks, John

Subject: Re: Compression test Posted by Aaron Allen on Thu, 15 Jun 2006 04:20:01 GMT View Forum Message <> Reply to Message

The tones aren't close enough for a compressor to react the same way. The snare is too small and the kick is too big on the low end. No compressor is going to fix that.

AA

"John" <no@no.com> wrote in message news:4490ac7d\$1@linux...

>

> Others might suggest a better kick/snare in the TD20 but this is the Peart > one for starters.

>

> http://tinyurl.com/gtacu

> http://tinyurl.com/ef2fj

>

> Lets see if anyone can get close to the compression, air and slapback that

> this has going on. Of course I don't expect miracles but have at it.

>

- > Thanks,
- > John

I choose Polesoft Lockspam to fight spam, and you? http://www.polesoft.com/refer.html Subject: Re: Compression test Posted by John [1] on Thu, 15 Jun 2006 11:01:54 GMT View Forum Message <> Reply to Message

See, that's where your refined ear can hear that through the verbs and compression. I'll redo them and go for a smaller kick and bigger snare. By bigger you don't mean verb right? You mean the physical size.

"Aaron Allen" <nospam@not_here.dude> wrote: >The tones aren't close enough for a compressor to react the same way. The

>snare is too small and the kick is too big on the low end.

>No compressor is going to fix that. > >AA > > >"John" <no@no.com> wrote in message news:4490ac7d\$1@linux... >> >> Others might suggest a better kick/snare in the TD20 but this is the Peart >> one for starters. >> >> http://tinyurl.com/gtacu >> http://tinyurl.com/ef2fj >> >> Lets see if anyone can get close to the compression, air and slapback that >> this has going on. Of course I don't expect miracles but have at it. >> >> Thanks. >> John > > >I choose Polesoft Lockspam to fight spam, and you? >http://www.polesoft.com/refer.html > >

Subject: Re: Compression test Posted by Aaron Allen on Thu, 15 Jun 2006 15:10:20 GMT View Forum Message <> Reply to Message

Yes, I mean that it needs more wood/body sound.. a bigger and/or deeper shell might get you there, perhaps mic techinique/type parameters... verb is not going to help with this sound issue. Tuning the pitch might also help, but I've found mostly it hurts other areas too much. You may also be able to stack samples? Dunno, don't have a V kit here. If you do stack, make sure that the sample 'hits' at the exact same time or risk phase holes.

The best way to think of it is that what you start out with should be as close as possible w/o any processing to what you want for an end result.

AA

"John" <no@no.com> wrote in message news:44913e22\$1@linux... >

See, that's where your refined ear can hear that through the verbs and
 compression.

> I'll redo them and go for a smaller kick and bigger snare. By bigger you

> don't mean verb right? You mean the physical size.

>

> "Aaron Allen" <nospam@not_here.dude> wrote:

>>The tones aren't close enough for a compressor to react the same way. The >

>>snare is too small and the kick is too big on the low end.

>>No compressor is going to fix that.

>>

>>AA

>>

>>

>>"John" <no@no.com> wrote in message news:4490ac7d\$1@linux...

>>>

>>> Others might suggest a better kick/snare in the TD20 but this is the

>>> Peart

>>> one for starters.

>>>

>>> http://tinyurl.com/gtacu

>>> http://tinyurl.com/ef2fj

>>>

>>> Lets see if anyone can get close to the compression, air and slapback > that

>>> this has going on. Of course I don't expect miracles but have at it.

>>>

>>> Thanks,

>>> John

>>

>>

>>I choose Polesoft Lockspam to fight spam, and you?

>>http://www.polesoft.com/refer.html

>>

>>

>

Subject: Re: Compression test Posted by John [1] on Thu, 15 Jun 2006 16:31:53 GMT View Forum Message <> Reply to Message

I agree, so why not stop by the house and show me how. hehe

"Aaron Allen" <nospam@not_here.dude> wrote:

>Yes, I mean that it needs more wood/body sound.. a bigger and/or deeper

>shell might get you there, perhaps mic techinique/type parameters... verb is

>not going to help with this sound issue. Tuning the pitch might also help,

>but I've found mostly it hurts other areas too much. You may also be able to

>stack samples? Dunno, don't have a V kit here. If you do stack, make sure

>that the sample 'hits' at the exact same time or risk phase holes.

>

>The best way to think of it is that what you start out with should be as

>close as possible w/o any processing to what you want for an end result.

>

>AA

>

>

>"John" <no@no.com> wrote in message news:44913e22\$1@linux...

>>

>> See, that's where your refined ear can hear that through the verbs and

>> compression.

>> I'll redo them and go for a smaller kick and bigger snare. By bigger you

>> don't mean verb right? You mean the physical size.

>>

>> "Aaron Allen" <nospam@not_here.dude> wrote:

>>>The tones aren't close enough for a compressor to react the same way. The

>>

>>>snare is too small and the kick is too big on the low end.

>>>No compressor is going to fix that.

>>>

>>>AA

>>>

>>>

>>>"John" <no@no.com> wrote in message news:4490ac7d\$1@linux...

>>>>

>>>> Others might suggest a better kick/snare in the TD20 but this is the

```
>>>> Peart
>>>> one for starters.
>>>>
>>>> http://tinyurl.com/gtacu
>>>> http://tinyurl.com/ef2fj
>>>>
>>>> Lets see if anyone can get close to the compression, air and slapback
>> that
>>>> this has going on. Of course I don't expect miracles but have at it.
>>>>
>>>> Thanks,
>>>> John
>>>
>>>
>>>I choose Polesoft Lockspam to fight spam, and you?
>>>http://www.polesoft.com/refer.html
>>>
>>>
>>
>
>
```

Subject: Re: Compression test Posted by pauln[2] on Thu, 15 Jun 2006 19:30:05 GMT View Forum Message <> Reply to Message

A few API pre's would beef them up a bit for sure. :)

"John" <no@no.com> wrote:

>

>I agree, so why not stop by the house and show me how. hehe

>

>"Aaron Allen" <nospam@not_here.dude> wrote:

>>Yes, I mean that it needs more wood/body sound.. a bigger and/or deeper >

>>shell might get you there, perhaps mic techinique/type parameters... verb >is

>>not going to help with this sound issue. Tuning the pitch might also help,

>>but I've found mostly it hurts other areas too much. You may also be able >to

>>stack samples? Dunno, don't have a V kit here. If you do stack, make sure >

>>that the sample 'hits' at the exact same time or risk phase holes.

>>

>>The best way to think of it is that what you start out with should be as > >>close as possible w/o any processing to what you want for an end result. >> >>AA >> >> >>"John" <no@no.com> wrote in message news:44913e22\$1@linux... >>> >>> See, that's where your refined ear can hear that through the verbs and > >>> compression. >>> I'll redo them and go for a smaller kick and bigger snare. By bigger >vou >>> don't mean verb right? You mean the physical size. >>> >>> "Aaron Allen" <nospam@not here.dude> wrote: >>>>The tones aren't close enough for a compressor to react the same way. >The >>> >>>snare is too small and the kick is too big on the low end. >>>>No compressor is going to fix that. >>>> >>>>AA >>>> >>>> >>>>"John" <no@no.com> wrote in message news:4490ac7d\$1@linux... >>>>> >>>> Others might suggest a better kick/snare in the TD20 but this is the > >>>> Peart >>>> one for starters. >>>>> >>>> http://tinyurl.com/gtacu >>>> http://tinyurl.com/ef2fj >>>>> >>>>> Lets see if anyone can get close to the compression, air and slapback >>> that >>>>> this has going on. Of course I don't expect miracles but have at it. >>>>> >>>> Thanks, >>>> John >>>> >>>> >>>>I choose Polesoft Lockspam to fight spam, and you? >>>>http://www.polesoft.com/refer.html >>>> >>>>

>>> >> >> >>

Subject: Re: Compression test Posted by John [1] on Thu, 15 Jun 2006 23:42:15 GMT View Forum Message <> Reply to Message

If you need my address to send them, let me know. In the meantime, here's the latest.

http://tinyurl.com/qrcam

You have a stereo pair, and kick, snare, hihat on separate wave files.

The comparison file is here: http://tinyurl.com/gtacu Thanks. John "Paul" <pn@nospam.com> wrote: > >A few API pre's would beef them up a bit for sure. >:) > > >"John" <no@no.com> wrote: >> >>I agree, so why not stop by the house and show me how. hehe >> >>"Aaron Allen" <nospam@not here.dude> wrote: >>>Yes, I mean that it needs more wood/body sound.. a bigger and/or deeper >> >>>shell might get you there, perhaps mic techinique/type parameters... verb >>is >>>not going to help with this sound issue. Tuning the pitch might also help, >> >>>but I've found mostly it hurts other areas too much. You may also be able >>to >>>stack samples? Dunno, don't have a V kit here. If you do stack, make sure >> >>>that the sample 'hits' at the exact same time or risk phase holes. >>> >>>The best way to think of it is that what you start out with should be as >> >>>close as possible w/o any processing to what you want for an end result.

>>> >>>AA >>> >>> >>>"John" <no@no.com> wrote in message news:44913e22\$1@linux... >>>> >>>> See, that's where your refined ear can hear that through the verbs and >> >>>> compression. >>>> I'll redo them and go for a smaller kick and bigger snare. By bigger >>you >>>> don't mean verb right? You mean the physical size. >>>> >>>> "Aaron Allen" <nospam@not_here.dude> wrote: >>>>The tones aren't close enough for a compressor to react the same way. >>The >>>> >>>>snare is too small and the kick is too big on the low end. >>>>No compressor is going to fix that. >>>>> >>>>AA >>>>> >>>>> >>>>"John" <no@no.com> wrote in message news:4490ac7d\$1@linux... >>>>>> >>>>> Others might suggest a better kick/snare in the TD20 but this is the >> >>>>> Peart >>>>> one for starters. >>>>>> >>>>> http://tinyurl.com/gtacu >>>>> http://tinyurl.com/ef2fj >>>>>> >>>>> Lets see if anyone can get close to the compression, air and slapback >>>> that >>>>> this has going on. Of course I don't expect miracles but have at it. >>>>>> >>>>> Thanks, >>>>> John >>>>> >>>>> >>>>I choose Polesoft Lockspam to fight spam, and you? >>>>http://www.polesoft.com/refer.html >>>>> >>>>> >>>> >>>

Subject: Re: Compression test Posted by Pauln[1] on Fri, 16 Jun 2006 14:06:23 GMT View Forum Message <> Reply to Message

Hey I'm only 3 hours up the road from you. Come check it out some time. :)

"John" <no@no.com> wrote: > >If you need my address to send them, let me know. In the meantime, here's >the latest. > >http://tinyurl.com/grcam > >You have a stereo pair, and kick, snare, hihat on separate wave files. > >The comparison file is here: http://tinyurl.com/gtacu >Thanks. >John > >"Paul" <pn@nospam.com> wrote: >> >>A few API pre's would beef them up a bit for sure. >>:) >> >> >>"John" <no@no.com> wrote: >>> >>>I agree, so why not stop by the house and show me how. hehe >>> >>>"Aaron Allen" <nospam@not here.dude> wrote: >>>Yes, I mean that it needs more wood/body sound.. a bigger and/or deeper >>> >>>>shell might get you there, perhaps mic techinique/type parameters... verb >>>is >>>not going to help with this sound issue. Tuning the pitch might also help, >>> >>>but I've found mostly it hurts other areas too much. You may also be able >>>to >>>stack samples? Dunno, don't have a V kit here. If you do stack, make sure

>>> >>>>that the sample 'hits' at the exact same time or risk phase holes. >>>> >>>>The best way to think of it is that what you start out with should be >as >>> >>>>close as possible w/o any processing to what you want for an end result. >>>> >>>>AA >>>> >>>> >>>>"John" <no@no.com> wrote in message news:44913e22\$1@linux... >>>>> >>>> See, that's where your refined ear can hear that through the verbs and >>> >>>> compression. >>>>> I'll redo them and go for a smaller kick and bigger snare. By bigger >>>you >>>> don't mean verb right? You mean the physical size. >>>>> >>>> "Aaron Allen" <nospam@not here.dude> wrote: >>>>>The tones aren't close enough for a compressor to react the same way. >>>The >>>>> >>>>snare is too small and the kick is too big on the low end. >>>>>No compressor is going to fix that. >>>>>> >>>>AA >>>>>> >>>>>> >>>>>"John" <no@no.com> wrote in message news:4490ac7d\$1@linux... >>>>>>> >>>>>> Others might suggest a better kick/snare in the TD20 but this is the >>> >>>>> Peart >>>>>> one for starters. >>>>>> >>>>>> http://tinyurl.com/gtacu >>>>>> http://tinyurl.com/ef2fj >>>>>> >>>>>> Lets see if anyone can get close to the compression, air and slapback >>>> that >>>>>> this has going on. Of course I don't expect miracles but have at >it. >>>>>>> >>>>>> Thanks,

>>>>> John
>>>>>
>>>>>
>>>>> I choose Polesoft Lockspam to fight spam, and you?
>>>>>http://www.polesoft.com/refer.html
>>>>>
>>>>>
>>>>
>>>>
>>>>
>>>
>>
>

Subject: Re: Compression test Posted by John [1] on Fri, 16 Jun 2006 18:04:13 GMT View Forum Message <> Reply to Message

where are you at?

Subject: Re: Compression test Posted by Pauln[1] on Fri, 16 Jun 2006 18:30:34 GMT View Forum Message <> Reply to Message

Charlotte. Aren't you in Charleston ... or was is Columbia?

"John" <no@no.com> wrote:

>

>where are you at?

Subject: Re: Compression test Posted by rick on Fri, 16 Jun 2006 18:32:10 GMT View Forum Message <> Reply to Message

he said "3 hours up the road from you"...sheesh. i think you need to decompress a little.

On 17 Jun 2006 04:04:13 +1000, "John" <no@no.com> wrote:

>

>where are you at?

Subject: Re: Compression test Posted by rick on Fri, 16 Jun 2006 19:14:09 GMT View Forum Message <> Reply to Message

john's not very good at quiz's so be wary of his answer.

On 17 Jun 2006 04:30:34 +1000, "Paul" <paul@nospam.com> wrote:

>
> Charlotte. Aren't you in Charleston... or was is Columbia?
>
> "John" <no@no.com> wrote:
>>
>>
>> where are you at?

Subject: Re: Compression test Posted by John [1] on Fri, 16 Jun 2006 21:22:05 GMT View Forum Message <> Reply to Message

Hey dumbass, gimmie a break. I stood outside and looked up the road for 3 hours and never saw him.... gimmie a break...jeez!!!

hehe

```
rick <parnell68@hotmail.com> wrote:
>he said "3 hours up the road from you"...sheesh. i think you need to
>decompress a little.
>
>On 17 Jun 2006 04:04:13 +1000, "John" <no@no.com> wrote:
>
>>
>>where are you at?
>
```

Subject: Re: Compression test Posted by John [1] on Fri, 16 Jun 2006 21:22:38 GMT View Forum Message <> Reply to Message

Yes, Charleston

```
"Paul" <paul@nospam.com> wrote:
>
>Charlotte. Aren't you in Charleston... or was is Columbia?
>
>"John" <no@no.com> wrote:
>>
```

Subject: Re: Compression test Posted by EK Sound on Fri, 16 Jun 2006 21:45:50 GMT View Forum Message <> Reply to Message

Now, now... respect your elders... that's *Mr.* Dumbass... ;-)

David.

John wrote:

```
> Hey dumbass, gimmie a break. I stood outside and looked up the road for
> 3 hours and never saw him.... gimmie a break...jeez!!!
>
> hehe
>
> rick <parnell68@hotmail.com> wrote:
>
>>he said "3 hours up the road from you"...sheesh. i think you need to
>>decompress a little.
>>
>>On 17 Jun 2006 04:04:13 +1000, "John" <no@no.com> wrote:
>>
>>
>>>where are you at?
>>
>
```

Subject: Re: Compression test Posted by John [1] on Fri, 16 Jun 2006 22:38:45 GMT View Forum Message <> Reply to Message

oops, sorry

Subject: Re: Compression test Posted by rick on Sat, 17 Jun 2006 08:55:32 GMT View Forum Message <> Reply to Message

LOL! and that's mr. dumbass...where has the respect gone these days???

On 17 Jun 2006 07:22:05 +1000, "John" <no@no.com> wrote:

Subject: Re: Compression test Posted by rick on Sat, 17 Jun 2006 08:57:04 GMT View Forum Message <> Reply to Message

damn...if i had read these first i wouldn't have posted the other...apology accepted.

On 17 Jun 2006 08:38:45 +1000, "john" <no@no.com> wrote:

> >oops, sorry

Page 14 of 14 ---- Generated from The PARIS Forums